Query: Which disease is commonly treated with **massage** as an adjunct therapy, is prone to causing **hypertension** and **adrenal incidentaloma**, and needs to be differentiated from **subclinical Cushing's syndrome**?

NaïveRAG: Based on the document information, there is **no direct mention of a disease** that is commonly treated with massage, prone to causing hypertension and adrenal incidentaloma, and needs to be differentiated from subclinical Cushing's syndrome.

No answer retrieved that satisfies all constraints

GraphRAG: Based on the provided data, cervical spondylosis is a disease commonly treated with **[massage]** as **adjunct therapy**, and may cause **[hypertension]**.

Answer does not satisfy all constraints

LightRAG: Based on the provided data, **[massage]**is used as an **adjunct therapy** for various conditions such as **preterm birth**, but **no complete information was found** that simultaneously involves "hypertension", "adrenal incidentaloma", and "subclinical Cushing's syndrome". Therefore, the answer lacks sufficient supporting evidence.

Answer does not satisfy all constraints

Constraints: Which disease satisfies all of the following?
(1) Commonly treated with massage as adjunct therapy;**(2)** Prone to causing hypertension;**(3)** Prone to causing adrenal incidentaloma;**(4)** Needs to be differentiated from subclinical Cushing's syndrome?



Build Prompt

Please answer the question based on the following facts:

1.Massage is an adjunct therapy for type 2 diabetes. *satisfy* → **constraint (1)**

2.Hypertension is a complication of type 2 diabetes. *satisfy* → **constraint (2)**

3.Adrenal incidentaloma is a complication of type 2 diabetes. *satisfy* → **constraint (3)**

4.Type 2 diabetes needs to be differentiated from subclinical Cushing's syndrome. *satisfy* → **constraint (4)**

SG-RAG: According to the description, type 2 diabetes is commonly treated with **[massage]** as **adjunct therapy**, and **[hypertension]** and **[adrenal incidentaloma]** are **complications** of the disease.Additionally, type 2 diabetes needs to be **differentiated** from **[subclinical Cushing's syndrome]**.

Answer satisfies all constraints