

Trendway >

A **Fellowes**. Brand



U.S. AIR FORCE

**Accepted Fabrics & Finishes for
Contract #FA800323C0015**



Trendway Berry Amendment Mandatory Fabrics for

Capture
Choices
TrendWall
Volo

FRAMEWORK

Application	Vertical Surface Fabrics
Grade	0
Pattern	Non-Directional
Content	100% Polyester
Weight	9.5 ± 0.5 oz. per linear yard
Width	66"
Colorfastness to Light	40 Hours, Class 4
Colorfastness to Crocking	Grade 4 - Dry, Grade 3 - Wet
Flammability Rating	ASTM E-84, Class 1 or A
UL Listed	Meets UL requirements
Note	Color may vary slightly between manufacturer's dye lots
Care Instructions	To keep fabric from becoming soiled, manufacturer recommends frequent vacuuming or light brushing to remove dirt and grime. Spot clean when necessary with mild solvent, upholstery shampoo or foam from a mild detergent. If the fabric becomes soiled overall, use a professional cleaning service.

Trendway >

Framework

Trendway Panel Fabric Offering

Panel Grade 0



Dove Grey
BJ7




Grotto
KJX



Capri
KK0



Grey Blue
B4X



Sandy Pebble
B4V




Fresco
KJY



Eucalyptus
B4Y




Marble
BFR



Cappuccino
KK1




Sand
BG7



Hunter
BFP



Twilight
BG8



Espresso
KK2

* = Trendway Standard Fabric

PLEASE NOTE: Colors on this card are as accurate as the digital printing and screen viewing allow.

AURORA

Application	Vertical Surface Fabrics
Grade	1
Pattern	Directional
Content	80% post-consumer recycled polyester, 20% polyester
Weight	12.94 oz. per linear yard
Width	66"
Colorfastness to Light	Grade 4/40 hrs. min.
Flammability Rating	Cal. 117-2013 Pass
Note	Color may vary slightly between manufacturer's dye lots
Care Instructions	W-S

Trendway >

Aurora

Trendway Panel Fabric Offering

Panel Grade 1



Cloud
Z55



Latte
Z56



Frost
Z54



Pewter
Z57



Granite
Z58

PACT

Application	Vertical Surface Fabrics
Grade	2
Pattern	Directional
Content	65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester
Weight	12.96 oz. per linear yard
Width	66"
Colorfastness to Light	60 Hours, Class 4
Colorfastness to Crocking	Grade 4.5 - Dry, Grade 4.5 - Wet
Flammability Rating	ASTM E-84, Class 1 or A
UL Listed	Meets UL requirements
Manufacturer	Momentum
Note	Color may vary slightly between manufacturer's dye lots
Care Instructions	To keep fabric from becoming soiled, manufacturer recommends frequent vacuuming or light brushing to remove dirt and grime. Spot clean when necessary with mild solvent, upholstery shampoo or foam from a mild detergent. If the fabric becomes soiled overall, use a professional cleaning service.

Trendway >

Pact

Trendway Panel Fabric Offering

Panel Grade 2



Coastal | BM8



Calla | BM7



Toasty | BMX



Putty | BMN




Taupe | BMW



Lily | BMG



Roast | BMP



Aloe | BM5



Lime | BMH



Fern | BME



Eureka | BMD



Nectar | BMK



Dragon | BMC



Rubine | BMT



Roma | BMR




Harbour | BMF




Azure | BM6




Delft | BM9



Tanzanite | BMV



Dove | BMA



Patina | BMM



Sketch | BMU



Midnight | BMJ

* = Trendway Standard Fabric

PLEASE NOTE: Colors on this card are as accurate as the digital printing and screen viewing allow.

GLINT

Application	Vertical Surface Fabrics
Grade	3
Pattern	Directional
Content	100% Post-Consumer Recycled Polyester
Weight	16.96 oz. per linear yard
Width	66"
Colorfastness to Light	40 Hours, Class 4.5
Colorfastness to Crocking	Grade 3 - Dry, Grade 3 - Wet
Flammability Rating	ASTM E-84, Class 1 or A
UL Listed	Meets UL requirements
Manufacturer	Momentum
Note	Color may vary slightly between manufacturer's dye lots
Care Instructions	To keep fabric from becoming soiled, manufacturer recommends frequent vacuuming or light brushing to remove dirt and grime. Spot clean when necessary with mild solvent, upholstery shampoo or foam from a mild detergent. If the fabric becomes soiled overall, use a professional cleaning service.

Made in the USA


Trendway >
A **Fellowes** Brand

(616) 399-3900
Trendway.com

Glint

Trendway Panel Fabric Offering


Panel Grade 3



Relic
KGC



Pearl
KGA




Opal
KG9




Gypsum
KG7




Serene
KGE



Turret
KGH



Relic
KGC



Barley
KG3




Pumice
KJ2




Sisal
KGG



Rune
KGD




Column
KG5




Shale
KGF



Vera
KGJ



Note
KG8



Gobi
KG6



Caspian
KG4

* = Trendway Standard Fabric

PLEASE NOTE: Colors on this card are as accurate as the digital printing and screen viewing allow.

Proverb

KH6

APPLICATION Vertical Surface Fabric

MATERIAL Fabric

PRICE GROUP 4

SUPPLIER Momentum

SAMPLE ORDERING <http://www.memosamples.com>

ENVIRONMENTAL
GREENGUARD Gold
Certified, NSF 336
Compliant, Recycled Fiber
Content

SCHEDULED
LEAD-TIME Contact Customer Support
for lead-time

ACT 

*Digital variations may occur. We advise requesting actual material samples prior to placing an order.

DIRECTIONAL Yes

REPEAT N/A

WIDTH 66"

WEIGHT 13.6 oz. / linear yard

WARRANTY 2 years

MATERIAL CONTENT 89% Post-Consumer
Recycled Polyester, 11%
Polyester

BACKING None

ABRASION N/A

**COLORFASTNESS
TO LIGHT** 40 Hours, Grade 4.5


FLAMMABILITY ASTM E84

WET AND DRY CROCKING	Grade 3 - Wet, Grade 3 - Dry	PRODUCT	<u>Capture</u> , <u>Choices</u> , <u>Confer</u> , Fabric Screens, <u>Intrinsic</u> , Tackboards, <u>TrendWall</u> , <u>Trig</u> , <u>Volo Wall</u>
CLEANING CODE	WS		


Made in the USA



Anchor
Proverb




Armor
Proverb



Basalt
Proverb




Buff
Proverb




Cinder
Proverb



Crystal
Proverb



Fog
Proverb



Linen
Proverb




Mist
Proverb




Oyster
Proverb



Rye
Proverb



Steel
Proverb



Storm
Proverb

SCRIPT

KHK

APPLICATION	Vertical Surface Fabric
MATERIAL	Fabric
PRICE GROUP	4
SUPPLIER	Momentum
SAMPLE ORDERING	http://www.memosamples.com

ENVIRONMENTAL	GREENGUARD Gold Certified, NSF 336 Compliant, Recycled Fiber Content
----------------------	---

LEAD-TIME	SCHEDULED Contact Customer Support for lead-time
------------------	---



*Digital variations may occur. We advise requesting actual material samples prior to placing an order.

DIRECTIONAL	Yes	MATERIAL CONTENT	89% Post-Consumer Recycled Polyester, 11% Polyester
REPEAT	N/A	BACKING	None
WIDTH	66"	ABRASION	N/A
WEIGHT	17.12 oz. / linear yard	COLORFASTNESS TO LIGHT	40 Hours, Grade 4.5
WARRANTY	2 years	FLAMMABILITY	ASTM E84

WET AND DRY CROCKING	Grade 3 - Wet, Grade 3 - Dry	PRODUCT	<u>Capture</u> , <u>Choices</u> , <u>Confer</u> , Fabric Screens, <u>Intrinsic</u> , Tackboards, <u>TrendWall</u> , <u>Trig</u> , <u>Volo Wall</u>
CLEANING CODE	WS		

Made in the USA



Almond
Script



Charcoal
Script



Feldspar
Script



Flint
Script



Nectar
Script



Patina
Script



Pebble
Script



Sand
Script



Shadow
Script



Slate
Script



Sterling
Script



Taupe
Script



Zinc
Script

INTUITION

Application	Consult current price lists for product applications
Grade	4 - Panel, B - Seating
Pattern	Directional
Content	55% Post-Consumer Recycled Polyester, 34% Pre-consumer Recycled Polyester, 11% Polyester
Weight	11.2 oz. per linear yard
Width	54"
Colorfastness to Light	40 Hours, Class 4
Colorfastness to Crocking	Grade 4 - Dry, Grade 3 - Wet
Flammability Rating	CA Technical Bulletin 117-2013 UFAC Fabric Classification - Class 1 NFPA 260 - Class 1 ASTM E84 - Class A
UL Listed	Meets UL requirements
Manufacturer	Duvaltex
Note	Color may vary slightly between manufacturer's dye lots
Care Instructions	To keep fabric from becoming soiled, manufacturer recommends frequent vacuuming or light brushing to remove dirt and grime. Spot clean when necessary with mild solvent, upholstery shampoo or foam from a mild detergent. If the fabric becomes soiled overall, use a professional cleaning service.

Trendway >

Intuition

Trendway Panel Fabric Offering

Panel Grade A



Bisque
Z27



Platinum
Z2F



Honey
Z2C



Viridian
Z2M



Sand
Z2H




Ochre
Z2D



Sage
Z2G




Hickory
Z2A



Coral
Z29



Peacock
Z2E



Slate
Z2K



Scarlet
Z2J



Admiral
Z26



Charcoal
Z28

* = Trendway Standard Fabric




PLEASE NOTE: Colors on this card are as accurate as the digital printing and screen viewing allow.

TrendWall

Trendway Standard Offering







Paint & Trim

Smooth | Textured





Vinyl

Textured





Smooth



Glazing

Tempered Glass





Clear

Clear Laminated



Frosted

HPL

HPL available on Door surfaces only, not on Panels.



Solid Color
Grade 1
HPL Code | Edge Code




Shadow
J04 | E7

Graphite
J9D | E6




Charcoal
583 | K



Patterned
Grade 1



Woodgrain
Grade 1



Wild Cherry
J1R | W6

Walnut
J99 | WZ

Empire Mahogany
J2A | W7

Espresso Pearwood
J9X | ER

TrendWall

Trendway Standard Offering

Woodgrain
Grade 2



Phantom Pearl
J9A | E3



Phantom Ecru
J9B | E4




Phantom Charcoal
J9C | E5

Volo®



Trendway Standard Offering

Anodized Aluminum








Paint & Trim

Smooth | Textured






Vinyl

Textured



HPL

Solid Color
Grade 1
HPL Code | Edge Code



Volo®

Trendway Standard Offering

Patterned
Grade 1



Crisp Linen
J69 | EB

Classic Linen
J6A | E9


Casual Linen
J6B | E8



Sarum Twill
J9G | EE

Earthen Twill
J9H | EG

Graphite Twill
J9J | EH



White Tigris
J09

Evening Tigris
JM4

Woodgrain
Grade 1



Beigewood
JOG | W8

Fusion Maple
J25 | W5

Finnish Oak
J98 | WY

Brazilwood
JOD | WE

Woodgrain
Grade 2



Wild Cherry
J1R | W6

Walnut
J99 | WZ

Empire Mahogany
J2A | W7

Espresso Pear
J9X | ER


Markerboard
Grade 2



Phantom Pearl
J9A | E3

Phantom Ecru
J9B | E4

Phantom Charcoal
J9C | E5



White
MKB

Volo®

Trendway Standard Offering

Veneer



Beigewood
M4

Fusion Maple
M2


Brazilwood
M5

Wild Cherry
M9

Empire Mahogany
M8



Glazing

Tempered Glass
Grade 1




Clear
T2A

Tempered Glass
Grade 3



Clear Laminated
T2B



Low Iron
T2D



Frosted
T2C

3Form
Grade 5



Supermatte
T2E



Aqua Supermatte
T2F



Spider
T2G

Back Painted Glass

Outserts Only

White
M00

Metallic Silver
M02

Black
M01

Surface Materials


Choose from a palette of beautiful woodgrains and versatile neutral solids. Dress it up or keep it simple with one of the five Pull options. Select from six decorative insert colors.

Trig offers plenty of ways to express your personal style.

TRIM



LAMINATES



Woodgrain | Grade 1



Woodgrain | Grade 2



MODESTY PANELS + SCREENS



Fabric

The fabric Screen and Screen/Modesty combo are available in all Trendway standard panel fabric options.

PULLS

