Frederick National Laboratory
for Cancer Research
sponsored by the National Cancer Institute

Cancer Type/Site Classification using Deep-Learning

(Preliminary presentation slides)

S. Ravichandran, Ph.D
BIDS, FNLCR



DEPARTMENT OF HEALTH AND HUMAN SERVICES • National Institutes of Health • National Cancer Institute

Frederick National Laboratory is a Federally Funded Research and Development Center operated by Leidos Biomedical Research, Inc., for the National Cancer Institute

Acknowledgements

- **NCI-DOE Pilot-1 Team**

- **BIDS**
  - Drs. George Zaki, Andrew Weissman, Mark Jensen and Eric Stahlberg
  - Amar Khalsa, Dr. Deb Hope, Anney Che, Hue Readron, Dr. Yongmei Zhao
  - Colleagues who reviewed the material

Feel free to follow-along

Github

- https://github.com/ravichas/ML-TC1

Introduction

- **This workshop is part of the NCI-DOE Pilot project knowledge/capability transfer efforts**
- **Goal is to share tools/techniques/solutions for cancer related problems. We often take a test-case and show how it works**
- **You would be able to take our test-case (code/scripts) and tune it to your needs**
- **We want to hear from you, please send us your feed-back**

Motivation: Cancer Prediction vs Cancer Detection

Frederick National Laboratory for Cancer Research
sponsored by the National Cancer Institute

- **Cancer Prediction has been the major focus**
  - Prognosis, Recurrence, Susceptibility

- **Cancer Detection (classification of tumors/cancers) is lagging behind Prediction and we would like to share an application that might be useful**
  - Detect/Identify cancer type at an early stage

Goal(s)/Questions

- **Take genomic expression data from tumor/cancer samples and apply Deep-Learning to create cancer types/site(s) classifier models**
- **Are the expression profiles unique?**
- **Can we use the model as early cancer type detection**
  - Improving chance of early detection cure/survival?

Cancer Burden

- **Cancer is a group of diseases with world-wide risk**
- **Acquired or somatic changes causes 90-95% of caner (all types)**
  - *Source TCGA*
- **~ 200 forms of cancer**
  - *DOI: 10.5114/wo.2014.47136*
- **For 2020 in USA**
  - ~1.8M new cancer cases are expected
  - ~600K deaths will occur
  - *Source: American Cancer Society*

Figure from Genomic Data Commons



Hallmarks of cancer: Integral Components of Most Forms of Cancer

Frederick National Laboratory for Cancer Research
sponsored by the National Cancer Institute

Hallmarks of Cancer: The Next Generation

src Oncogene mutations



REVIEW | VOLUME 100, ISSUE 1, P57-70, JANUARY 07, 2000

The Hallmarks of Cancer

Douglas Hanahan • Robert A Weinberg

Open Archive • DOI: https://doi.org/10.1016/S0092-8674(00)81683-9

Overview of Genotype/phenotypes?

Influence of genomic features on phenotypes: An overview

Frederick National Laboratory for Cancer Research
sponsored by the National Cancer Institute

Lung-cancer

RNASeq profile

Phenotype(s)

Genes/Expression

Chromosomes

Genome

Cells

"The observable characteristics in an individual resulting from the expression of genes" from NCI

Promoters
Enhancers
Silencers

Epigenetic factors
DNA methylation
Histone modifications

Variations

Diagnosis/treatment vs Prediction

Treatment vs Type-Prediction

- **Treatment**
  - Gene-centric (or a slice of pathway)
  - Imatinib targeting BCR/KIT

- **Detecting Type**
  - *"The architecture of occurring genetic aberrations such as somatic mutations, CNVs, changed gene expression profiles, and different epigenetic alterations, is unique for each type of cancer.", DOI: 10.5114/wo.2014.47136*
  - Complex & Multi-gene centric



Type-Prediction: Architecture of Genetic aberrations

Frederick National Laboratory for Cancer Research
sponsored by the National Cancer Institute

The architecture of occurring genetic aberrations such as somatic mutations, CNV, changed gene expression profiles, and different epigenetic alterations, is unique for each type of cancer

DOI: 10.5114/wo.2014.47136



PLOS COMPUTATIONAL BIOLOGY

PERSPECTIVE

Understanding Genotype-Phenotype Effects in Cancer via Network Approaches

Yoo-Ah Kim, Dong-Yeon Cho, Teresa M. Przytycka*

National Center for Biotechnology Information, National Library of Medicine, National Institutes of Health, Bethesda, Maryland, United States of America

* przytyck@ncbi.nlm.nih.gov

Author Summary

Cancer is now increasingly studied from the perspective of dysregulated pathways, rather than as a disease resulting from mutations of individual genes. A pathway-centric view acknowledges the heterogeneity between genomic profiles from different cancer patients while assuming that the mutated genes are likely to belong to the same pathway and cause similar disease phenotypes. Indeed, network-centric approaches have proven to be helpful for finding genotypic causes of diseases, classifying disease subtypes, and identifying drug targets. In this review, we discuss how networks can be used to help understand patient-to-patient variations and how one can leverage this variability to elucidate interactions between cancer drivers.

Expression data



NGS

NGS

Spliced to become mature mRNA

mRNA is extracted

mRNA captured/fragmented/copied into stable ds-cDNA

Sequenced

Reference Genome

Data source: The Cancer Genome Atlas (TCGA)

Frederick National Laboratory for Cancer Research
sponsored by the National Cancer Institute

- NIH launched TCGA Pilot Project – a public funded project
- Goal of creating a comprehensive “atlas” of cancer genomic profiles.
- Large cohorts of over 30 human tumors through large-scale genome sequencing and integrated multi-dimensional analyses.
- Contains Microarray and NGS data
  - RNASeq
  - miRNA seq
  - SNP based platforms
  - …..
- TCGA data is available via GDC

https://www.cancer.gov/about-nci/organization/ccg/research/structural-genomics/tcga

Data Harmonization: GDC (https://gdc.cancer.gov/)

- **Data and metadata is submitted to the GDC in standard data types and file formats. Other data sources (Ex. TCGA) are also included**

- **Data are harmonized against a common reference genome (GRCh38)**

- **For this workshop, we will focus on TCGA Genomic expression data from GDC**





Expression Data Quantification

- RC_g: Number of reads mapped to the gene
- RC_{g75}: The 75th percentile read count value for genes in the sample
- L: Length of the gene in base pairs; Calculated as the sum of all exons in a gene

$$\text{FPKM-UQ} = \frac{RC_g \times 10^9}{RC_{g75} \times L}$$



Fragments Per Kilobase of transcript per Million mapped reads

How much data for modeling?



CODE	Cancer Site/Type
BRCA	Breast invasive carcinoma
UCEC	Uterine Corpus Endometrial Carcinoma
LUAD	Lung adenocarcinoma
LGG	Brain Lower Grade Glioma
HNSC	Head and Neck squamous cell carcinoma
LUHSC	Lung squamous cell carcinoma
KIRC	Kidney renal clear cell carcinoma
PRAD	Prostate adenocarcinoma
COAD	Colon adenocarcinoma
THCA	Thyroid carcinoma
BLCA	Bladder Urothelial Carcinoma
OV	Ovarian serous cystadenocarcinoma
STAD	Stomach adenocarcinoma
LIHC	Liver hepatocellular carcinoma
CEC	Cervical squamous cell carcinoma and endocervical adenocarcinoma

300 samples each

Expression data from a sample

Frederick National Laboratory for Cancer Research
sponsored by the National Cancer Institute

Gene: AC090241.2 ENSG00000270112

Description	novel transcript, antisense to ST8SIA5
Location	Chromosome 18: 46,756,487-46,802,449 forward strand. GRCh38:CM000680.2
About this gene	This gene has 8 transcripts (splice variants)
Transcripts	Hide transcript table

Gene: DNAH3 ENSG00000158486

Description	dynein axonemal heavy chain 3 [Source:HGNC Symbol;Acc:HGNC:2949]
Gene Synonyms	DKFZp434N074, DLP3, Dnahc3b, Hsadhc3
Location	Chromosome 16: 20,933,111-21,159,441 reverse strand. GRCh38:CM000678.2
About this gene	This gene has 6 transcripts (splice variants), 371 orthologues, 14 paralogues and is a member of 1 Ensembl protein family.
Transcripts	Hide transcript table

TCGA-BRCA

Genes	Expression
ENSG00000242268.2	1658.464179
ENSG00000270112.3	460.2343433
ENSG00000167578.15	52440.10096
ENSG00000273842.1	0
ENSG00000078237.5	68165.45626
ENSG00000146083.10	255959.2351
ENSG00000225275.4	0
ENSG00000158486.12	104.9473768
ENSG00000198242.12	4968556.658
ENSG00000259883.1	6108.999052
ENSG00000231981.3	0
ENSG00000269475.2	0
ENSG00000201788.1	0
ENSG00000134108.11	957330.2056
ENSG00000263089.1	3484.027373
ENSG00000172137.17	41485.9507
ENSG00000167700.7	226717.4208
ENSG00000234943.2	2082.245035
ENSG00000240423.1	310.5246749
ENSG00000060642.9	155863.9216
ENSG00000271616.1	0
ENSG00000234881.1	0
ENSG00000236040.1	394.4755669
ENSG00000231105.1	1583.312582
ENSG00000243044.1	0
ENSG00000182141.8	45538.60648
ENSG00000269416.4	119.0847054
ENSG00000264981.1	0

60,483 transcripts

Data Preparation

Frederick National Laboratory for Cancer Research
sponsored by the National Cancer Institute

Breast Cancer

60,484 transcripts

	Sample1	Sample2	Sample3	Sample4		Sample297	Sample298	Sample299	Sample300
Genes	Expression	Genes	Expression	Genes	Expression	Genes	Expression	Genes	Expression	Genes	Expression	Genes	Expression	Genes	Expression
ENSG00000242268.2	1658.464179	ENSG00000242268.2	1658.464179	ENSG00000242268.2	1658.464179	ENSG00000242268.2	1658.464179	ENSG00000242268.2	1658.464179	ENSG00000242268.2	1658.464179	ENSG00000242268.2	1658.464179	ENSG00000242268.2	1658.464179
ENSG00000270112.3	460.2343433	ENSG00000270112.3	460.2343433	ENSG00000270112.3	460.2343433	ENSG00000270112.3	460.2343433	ENSG00000270112.3	460.2343433	ENSG00000270112.3	460.2343433	ENSG00000270112.3	460.2343433	ENSG00000270112.3	460.2343433
ENSG00000167578.15	52440.10096	ENSG00000167578.15	52440.10096	ENSG00000167578.15	52440.10096	ENSG00000167578.15	52440.10096	ENSG00000167578.15	52440.10096	ENSG00000167578.15	52440.10096	ENSG00000167578.15	52440.10096	ENSG00000167578.15	52440.10096
ENSG00000273842.1	0	ENSG00000273842.1	0	ENSG00000273842.1	0	ENSG00000273842.1	0	ENSG00000273842.1	0	ENSG00000273842.1	0	ENSG00000273842.1	0	ENSG00000273842.1	0
ENSG00000078237.5	68165.45626	ENSG00000078237.5	68165.45626	ENSG00000078237.5	68165.45626	ENSG00000078237.5	68165.45626	ENSG00000078237.5	68165.45626	ENSG00000078237.5	68165.45626	ENSG00000078237.5	68165.45626	ENSG00000078237.5	68165.45626
ENSG00000146083.10	255959.2351	ENSG00000146083.10	255959.2351	ENSG00000146083.10	255959.2351	ENSG00000146083.10	255959.2351	ENSG00000146083.10	255959.2351	ENSG00000146083.10	255959.2351	ENSG00000146083.10	255959.2351	ENSG00000146083.10	255959.2351
ENSG00000225275.4	0	ENSG00000225275.4	0	ENSG00000225275.4	0	ENSG00000225275.4	0	ENSG00000225275.4	0	ENSG00000225275.4	0	ENSG00000225275.4	0	ENSG00000225275.4	0
ENSG00000159486.12	104.9473768	ENSG00000159486.12	104.9473768	ENSG00000159486.12	104.9473768	ENSG00000159486.12	104.9473768	ENSG00000159486.12	104.9473768	ENSG00000159486.12	104.9473768	ENSG00000159486.12	104.9473768	ENSG00000159486.12	104.9473768
ENSG00000198242.12	4968556.658	ENSG00000198242.12	4968556.658	ENSG00000198242.12	4968556.658	ENSG00000198242.12	4968556.658	ENSG00000198242.12	4968556.658	ENSG00000198242.12	4968556.658	ENSG00000198242.12	4968556.658	ENSG00000198242.12	4968556.658
ENSG00000259883.1	6108.999052	ENSG00000259883.1	6108.999052	ENSG00000259883.1	6108.999052	ENSG00000259883.1	6108.999052	ENSG00000259883.1	6108.999052	ENSG00000259883.1	6108.999052	ENSG00000259883.1	6108.999052	ENSG00000259883.1	6108.999052
ENSG00000231981.3	0	ENSG00000231981.3	0	ENSG00000231981.3	0	ENSG00000231981.3	0	ENSG00000231981.3	0	ENSG00000231981.3	0	ENSG00000231981.3	0	ENSG00000231981.3	0
ENSG00000269475.2	0	ENSG00000269475.2	0	ENSG00000269475.2	0	ENSG00000269475.2	0	ENSG00000269475.2	0	ENSG00000269475.2	0	ENSG00000269475.2	0	ENSG00000269475.2	0
ENSG00000201788.1	0	ENSG00000201788.1	0	ENSG00000201788.1	0	ENSG00000201788.1	0	ENSG00000201788.1	0	ENSG00000201788.1	0	ENSG00000201788.1	0	ENSG00000201788.1	0
ENSG00000134108.11	957330.2056	ENSG00000134108.11	957330.2056	ENSG00000134108.11	957330.2056	ENSG00000134108.11	957330.2056	ENSG00000134108.11	957330.2056	ENSG00000134108.11	957330.2056	ENSG00000134108.11	957330.2056	ENSG00000134108.11	957330.2056
ENSG00000263089.1	3484.027373	ENSG00000263089.1	3484.027373	ENSG00000263089.1	3484.027373	ENSG00000263089.1	3484.027373	ENSG00000263089.1	3484.027373	ENSG00000263089.1	3484.027373	ENSG00000263089.1	3484.027373	ENSG00000263089.1	3484.027373
ENSG00000172137.17	41485.9507	ENSG00000172137.17	41485.9507	ENSG00000172137.17	41485.9507	ENSG00000172137.17	41485.9507	ENSG00000172137.17	41485.9507	ENSG00000172137.17	41485.9507	ENSG00000172137.17	41485.9507	ENSG00000172137.17	41485.9507
ENSG00000167700.7	226717.4208	ENSG00000167700.7	226717.4208	ENSG00000167700.7	226717.4208	ENSG00000167700.7	226717.4208	ENSG00000167700.7	226717.4208	ENSG00000167700.7	226717.4208	ENSG00000167700.7	226717.4208	ENSG00000167700.7	226717.4208
ENSG00000234943.2	2082.245035	ENSG00000234943.2	2082.245035	ENSG00000234943.2	2082.245035	ENSG00000234943.2	2082.245035	ENSG00000234943.2	2082.245035	ENSG00000234943.2	2082.245035	ENSG00000234943.2	2082.245035	ENSG00000234943.2	2082.245035
ENSG00000240423.1	310.5246749	ENSG00000240423.1	310.5246749	ENSG00000240423.1	310.5246749	ENSG00000240423.1	310.5246749	ENSG00000240423.1	310.5246749	ENSG00000240423.1	310.5246749	ENSG00000240423.1	310.5246749	ENSG00000240423.1	310.5246749
ENSG00000060642.9	155863.9216	ENSG00000060642.9	155863.9216	ENSG00000060642.9	155863.9216	ENSG00000060642.9	155863.9216	ENSG00000060642.9	155863.9216	ENSG00000060642.9	155863.9216	ENSG00000060642.9	155863.9216	ENSG00000060642.9	155863.9216
ENSG00000273616.1	0	ENSG00000273616.1	0	ENSG00000273616.1	0	ENSG00000273616.1	0	ENSG00000273616.1	0	ENSG00000273616.1	0	ENSG00000273616.1	0	ENSG00000273616.1	0
ENSG00000234881.1	0	ENSG00000234881.1	0	ENSG00000234881.1	0	ENSG00000234881.1	0	ENSG00000234881.1	0	ENSG00000234881.1	0	ENSG00000234881.1	0	ENSG00000234881.1	0
ENSG00000236040.1	394.4755669	ENSG00000236040.1	394.4755669	ENSG00000236040.1	394.4755669	ENSG00000236040.1	394.4755669	ENSG00000236040.1	394.4755669	ENSG00000236040.1	394.4755669	ENSG00000236040.1	394.4755669	ENSG00000236040.1	394.4755669
ENSG00000231105.1	1583.312582	ENSG00000231105.1	1583.312582	ENSG00000231105.1	1583.312582	ENSG00000231105.1	1583.312582	ENSG00000231105.1	1583.312582	ENSG00000231105.1	1583.312582	ENSG00000231105.1	1583.312582	ENSG00000231105.1	1583.312582
ENSG00000243044.1	0	ENSG00000243044.1	0	ENSG00000243044.1	0	ENSG00000243044.1	0	ENSG00000243044.1	0	ENSG00000243044.1	0	ENSG00000243044.1	0	ENSG00000243044.1	0
ENSG00000182141.8	45538.60648	ENSG00000182141.8	45538.60648	ENSG00000182141.8	45538.60648	ENSG00000182141.8	45538.60648	ENSG00000182141.8	45538.60648	ENSG00000182141.8	45538.60648	ENSG00000182141.8	45538.60648	ENSG00000182141.8	45538.60648
ENSG00000269416.4	119.0847054	ENSG00000269416.4	119.0847054	ENSG00000269416.4	119.0847054	ENSG00000269416.4	119.0847054	ENSG00000269416.4	119.0847054	ENSG00000269416.4	119.0847054	ENSG00000269416.4	119.0847054	ENSG00000269416.4	119.0847054
ENSG00000264981.1	0	ENSG00000264981.1	0	ENSG00000264981.1	0	ENSG00000264981.1	0	ENSG00000264981.1	0	ENSG00000264981.1	0	ENSG00000264981.1	0	ENSG00000264981.1	0

.....

.....

.....

Data Preparation

Frederick National Laboratory for Cancer Research
sponsored by the National Cancer Institute

	Sample1	Sample2	Sample3	Sample4	...	Sample297	Sample298	Sample299	Sample300
Breast Cancer									
Lung Cancer									
Kidney Cancer									

Merged Sample Expression Data

Frederick National Laboratory for Cancer Research
sponsored by the National Cancer Institute

Genes

SAMPLES

	0	1	2	3	4	5	6	7	8	9	...	60474	60475	60476	60477	60478	60479	60480	60481	60482	submitter_id
0	574548	2263.14	983212	69718	54834.9	19718.1	175853	735123	38662.4	233190	...	0	0	0	0	0	0	0	0	0	TCGA-04-1331-01A-01R-1569-13
1	352295	4592.37	663107	39745.4	36553.5	41147.1	241313	396423	37567	128693	...	0	0	0	0	0	0	0	0	0	TCGA-04-1332-01A-01R-1564-13
2	295162	649.026	1.21115e+06	57385.5	33097.4	58051.8	228615	346066	105567	408267	...	0	0	0	0	0	0	0	0	0	TCGA-04-1338-01A-01R-1564-13
3	329580	1835.59	1.08437e+06	33812.3	24516.1	22330.6	42134.4	895558	56178	83847.3	...	0	0	0	0	0	0	0	0	0	TCGA-04-1341-01A-01R-1564-13
4	289269	40061.7	2.44837e+06	26399.5	18248	49610	74761.1	571992	71951.9	98726.4	...	0	0	0	0	0	0	0	0	0	TCGA-04-1343-01A-01R-1564-13
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4495	1.18093e+06	0	1.01139e+06	67877.2	15005.7	50527.3	6.21536e+06	1.47373e+06	459656	167488	...	0	0	0	0	0	0	0	0	0	TCGA-ZS-A9CD-01A-11R-A37K-07
4496	929228	0	869800	95607.5	17188.6	9352.12	7.61121e+06	196838	354465	138074	...	0	0	0	0	0	0	0	0	0	TCGA-ZS-A9CE-01A-11R-A37K-07
4497	469276	476.683	516938	110051	34469.4	37334.7	5.95811e+06	427832	323833	154861	...	0	0	0	0	0	0	0	0	0	TCGA-ZS-A9CF-01A-11R-A38B-07
4498	2.44119e+06	18282.7	853547	79288.7	106926	42593.9	4.80111e+06	955338	331924	177020	...	0	0	0	0	0	0	0	0	0	TCGA-ZS-A9CG-01A-11R-A37K-07
4499	259853	505.488	591328	74253.7	42553.5	118772	148978	508465	153862	170412	...	0	0	0	0	0	0	0	0	0	TCGA-ZX-AA5X-01A-11R-A42T-07

4500 rows × 60484 columns

Transpose and add as a row

Quantifying mRNA abundance and Scaling

Frederick National Laboratory for Cancer Research
sponsored by the National Cancer Institute

- **GDC harmonization data is provided in FPKM-UQ**

- **In our code, FPKM-UQ is rescaled to TPM using the following formula.**

$$\mathrm{TPM}_i = \left(\frac{\mathrm{FPKM}_i}{\Sigma_j \mathrm{FPKM}_j}\right) \cdot 10^6$$

- **TPM has nice mathematical properties and a stable entity**

https://docs.gdc.cancer.gov/Encyclopedia/pages/HTSeq-FPKM-UQ/

Mapping and quantifying mammalian transcriptomes by RNA-Seq

Ali Mortazavi[1,2], Brian A Williams[1,2], Kenneth McCue[1], Lorian Schaeffer[1] & Barbara Wold[1]

One-hot encoding to convert Cancer types to numbers

Frederick National Laboratory for Cancer Research
sponsored by the National Cancer Institute

- **Convenient to transform categorical variables into a numerical quantity for computations**
  - BRCA to 0 ; LUAD to 1 etc.
  - 0, 1, 2, 3, …, 13, 14, 14

TCGA-CESC
TCGA-LIHC
TCGA-STAD
TCGA-OV
TCGA-BLCA
TCGA-THCA
TCGA-PRAD
TCGA-COAD
TCGA-KIRC
TCGA-LUSC
TCGA-HNSC
TCGA-LGG
TCGA-LUAD
TCGA-UCEC
TCGA-BRCA

```
>>> encoded
array([[1., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
       [0., 1., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
       [0., 0., 1., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
       [0., 0., 0., 1., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
       [0., 0., 0., 0., 1., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
       [0., 0., 0., 0., 0., 1., 0., 0., 0., 0., 0., 0., 0., 0., 0.],
       [0., 0., 0., 0., 0., 0., 1., 0., 0., 0., 0., 0., 0., 0., 0.],
       [0., 0., 0., 0., 0., 0., 0., 1., 0., 0., 0., 0., 0., 0., 0.],
       [0., 0., 0., 0., 0., 0., 0., 0., 1., 0., 0., 0., 0., 0., 0.],
       [0., 0., 0., 0., 0., 0., 0., 0., 0., 1., 0., 0., 0., 0., 0.],
       [0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 1., 0., 0., 0., 0.],
       [0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 1., 0., 0., 0.],
       [0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 1., 0., 0.],
       [0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 1., 0.],
       [0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 0., 1.]],
      dtype=float32)
```

Data preparation steps summary



Before we break for hands-on

- **Python as the programming language for this workshop, but similar libraries are available in R or other languages**

- **Will use Jupyter Notebook for sharing the code**
  - With little effort one can convert the Python code into R and still use Jupyter Notebook

To be continued after hands-on

https://github.com/ravichas/ML-TC1

Before we begin the modeling section …

- **Due to lack of time, I wont be covering the basics of Neural Network**





These are good books for beginners and up

Keras is a high-level NN package that is built on top of popular high-level libraries (TF, Theano). Works well with CPU/GPU



Figure from Deep Learning with Python

Supervised Learning

- Goal
  - Construct a model that takes in input features/target pair to return a prediction for target/outcome

- Train a machine learning
  - Model refers to learning its parameters, which typically involves minimizing a loss function on training data with the aim of making accurate predictions on unseen (test) data

Supervised Learning:

Data: (x,y) ; where x is the genomic expression profile ; y is the cancer classes

Goal? Learn the function that maps

x → y

Terminology

	0	1	2	3	4	5	6	7	8	9	...	60474	60475	60476	60477	60478	60479	60480	60481	60482	submitter_id
0	574548	2263.14	983212	69718	54834.9	19718.1	175853	735123	38662.4	233190	...	0	0	0	0	0	0	0	0	0	TCGA-04-1331-01A-01R-1569-13
1	352295	4592.37	663107	39745.4	36553.5	41147.1	241313	396423	37567	128693	...	0	0	0	0	0	0	0	0	0	TCGA-04-1332-01A-01R-1564-13
2	295162	649.026	1.21115e+06	57385.5	33097.4	58051.8	228615	346066	105567	408267	...	0	0	0	0	0	0	0	0	0	TCGA-04-1338-01A-01R-1564-13
3	329580	1835.59	1.08437e+06	33812.3	24516.1	22330.6	42134.4	895558	56178	83847.3	...	0	0	0	0	0	0	0	0	0	TCGA-04-1341-01A-01R-1564-13
4	289269	40061.7	2.44837e+06	26399.5	18248	49610	74761.1	571992	71951.9	98726.4	...	0	0	0	0	0	0	0	0	0	TCGA-04-1343-01A-01R-1564-13

- **Columns**
  - input variables or features or attributes
- **Outcome column**
  - Outcome variables or targets
- **Rows**
  - Training example or instance
- **Whole table Training data set**

What is different about Neural Network?

- **If you know the equation (algorithm), then you feed in the input and you get the output. You can code the function yourself**

```
def function(x):
    y = 2.0 + 5.0 * x
    return(y)
```

- **You can choose to use linear modeling and use the data to figure the relationship**

```
Model ← lm( y ~ x)
```

- **Neural Network using the data learn the algorithm.**

INPUT

ALGORITHM

OUTPUT

A Simple Network

Input: Mass or M (kg)
Output: Length or L (m)



M	L
Input	Output
0.125	0.39
0.25	0.40
0.5	0.43
1	0.48
2	0.58
3	???

This Photo by Unknown Author is licensed under CC BY-SA

Based on Mary Attenborough, in Mathematics for Electrical Engineering and Computing, 2003

A Simple Network



M	L
0.125	0.39
0.25	0.40
0.5	0.43
1	0.48
2	0.58
3	0.68

```
L = 0.1 * Mass + 0.38
```

This Photo by Unknown Author is licensed under CC BY-SA

Mary Attenborough, in Mathematics for Electrical Engineering and Computing, 2003

A Simple Network

```
a1 = x1   * w11   +  b1
 L = M    * 0.1   + 0.38
```

This Photo by Unknown Author is licensed under CC BY-SA





Hidden Layer

M	L
0.125	0.39
0.25	0.40
0.5	0.43
1	0.48
2	0.58
3	0.68

```
These are the model variables: [array([[0.10058284]], dtype=float32), array([0.37793916], dtype=float32)]
```

Based on Mary Attenborough, in Mathematics for Electrical Engineering and Computing, 2003

Error minimization

- **Goal is to choose Ws such that predictions of the network should be close to y**
- **Error function or cost function a measure how good our predictions are**
- **Eventually, we want to pick a set of w that minimizes the error function**



Deep Learning Procedure

Taken from Deep Learning with Keras book



Vanilla network

Each neuron receives input from all the neurons in the previous layer (densely connected)

Neuron: a unit that holds a number



This Photo by Unknown Author is licensed under CC BY-NC

Convolutional Neural Network

- **We are going to take a vector of genomic expression values and feed them into a network with a series of operations to create a model**
- **Model is what we call convolutional-1D network**



Components of conv1D

1. **Act: Activation**
2. **Conv: Convolution**
3. **Max_pool: Maxpooling**
4. **Flatten**
5. **Dense**
6. **Dropout**

Topology of a network defines a “hypothesis space”

Choosing a specific topology is usually not straight-forward and comes with practice.



1. Activation function

$$a^{(L)} = \sigma(w^{(L)} a^{(L-1)} + b^{(L)})$$



$$\sigma \left(\begin{bmatrix} W_{0,0} & W_{0,1} & \cdots & W_{0,n} \\ W_{1,0} & W_{1,1} & \cdots & W_{1,n} \\ \vdots & \vdots & \vdots & \vdots \\ W_{k,0} & W_{k,1} & \cdots & W_{k,n} \end{bmatrix} \begin{bmatrix} a_0^{(0)} \\ a_1^{(0)} \\ \vdots \\ a_n^{(0)} \end{bmatrix} + \begin{bmatrix} b_0 \\ b_1 \\ \vdots \\ b_n \end{bmatrix} \right)$$

$$a_0^{(1)} = \sigma(W_{00}a_0^{(0)} + W_{0,1}a_1^{(0)} + \ldots W_{0,n}a_n^{(0)} - b_0))$$

1. Activation Function

This Photo by Unknown Author is licensed under CC BY-SA

- **Activation functions are included to create non-linearity**

- **Sigmoid**
- **ReLU**
- **Leaky ReLU**
- **ELU**
- **Maxout**
- **Tanh**



Squashes the #s to [0, 1]





2. Convolution

Process of applying filter (kernel) to the data for the purpose of subsampling. Kernel is a matrix that has a smaller dimension than the input data creates chunks

Reduces the number of parameters and allow creation of deeper networks



2. Convolution

Process of applying filter (kernel) to the data for the purpose of subsampling. Kernel is a matrix that has a smaller dimension than the input data creates chunks

Reduces the number of parameters and allow creation of deeper networks



2. Convolution

Frederick National Laboratory for Cancer Research
sponsored by the National Cancer Institute

Process of applying filter (kernel) to the data for the purpose of subsampling. Kernel is a matrix that has a smaller dimension than the input data creates chunks

Reduces the number of parameters and allow creation of deeper networks



2. Convolution

Process of applying filter (kernel) to the data for the purpose of subsampling. Kernel is a matrix that has a smaller dimension than the input data creates chunks

Reduces the number of parameters and allow creation of deeper networks



(N-F)/stride+1 will be the size after filtering

(7-3)/1+1 = 5 ;
zero padding on the border

2. Convolution

- **Convolution Layer**
  - Hyperparameters
    - Number of filters
    - Spatial extent
    - Stride
    - Amount of zero padding

3. Pooling

- **Pooling makes the representations smaller/manageable (downsampling) by retaining only important features; creates smaller clusters of manageable size**
- **Each activation map will be pooled separately.**
- **Common approach is Max Pooling**



Max-pooling with filter size of 2x1 and stride of 2

Max Pooling Intuition:
Enhancing the signals by looking at a region and pick the maximum activation value

Each of these are activation and we are looking for

Research shows that zero-padding is not followed. Because we are interested in down-sampling

Common setting for filter 2 or 3

4. Flatten

Procedure to transform a 2D matrix (features) to a 1D vector which in turn can be fed into a fully-connected layer (dense)



5. Dense

Each neuron receives input from all the neurons in the previous layer (densely connected)



This Photo by Unknown Author is licensed under CC BY-NC

6. Dropout



Imbalance in the weights among the nodes can lead to some node weights not contributing to the learning

One solution:
Remove a random proportion of selection of neurons in a neural network during training

Can help weak learners become strong learners

This Photo by Unknown Author is licensed under CC BY

6. Dropout



This Photo by Unknown Author is licensed under CC BY-NC

Model Summary

Frederick National Laboratory for Cancer Research
sponsored by the National Cancer Institute

~ 154 M parameters

```
1.0 128 10 1
Model: "sequential_1"
_________________________________________________________________
Layer (type)                 Output Shape              Param #
=================================================================
conv1d_1 (Conv1D)            (None, 60464, 128)        2688
_________________________________________________________________
activation_1 (Activation)    (None, 60464, 128)        0
_________________________________________________________________
max_pooling1d_1 (MaxPooling1 (None, 60464, 128)        0
_________________________________________________________________
conv1d_2 (Conv1D)            (None, 60455, 128)        163968
_________________________________________________________________
activation_2 (Activation)    (None, 60455, 128)        0
_________________________________________________________________
max_pooling1d_2 (MaxPooling1 (None, 6045, 128)         0
_________________________________________________________________
flatten_1 (Flatten)          (None, 773760)            0
_________________________________________________________________
dense_1 (Dense)              (None, 200)               154752200
_________________________________________________________________
activation_3 (Activation)    (None, 200)               0
_________________________________________________________________
dropout_1 (Dropout)          (None, 200)               0
_________________________________________________________________
dense_2 (Dense)              (None, 20)                4020
_________________________________________________________________
activation_4 (Activation)    (None, 20)                0
_________________________________________________________________
dropout_2 (Dropout)          (None, 20)                0
_________________________________________________________________
dense_3 (Dense)              (None, 15)                315
_________________________________________________________________
activation_5 (Activation)    (None, 15)                0
=================================================================
Total params: 154,923,191
Trainable params: 154,923,191
Non-trainable params: 0
```

Code execution and progress

Frederick National Laboratory for Cancer Research
sponsored by the National Cancer Institute

```
Epoch 00001: val_loss improved from inf to 2.56791, saving model to Pilot1.h5

Epoch 2/400
3375/3375 [==============================] - 228s 68ms/step - loss: 2.2202 - acc: 0.2821 - val_loss: 1.8444 - val_acc:
Epoch 00002: val_loss improved from 2.56791 to 1.84441, saving model to Pmodel.h5

Epoch 3/400
3375/3375 [==============================] - 228s 68ms/step - loss: 1.4736 - accuracy: 0.5206 - val_loss: 0.9554 - val_acc:
Epoch 00003: val_loss improved from 1.84441 to 0.95540, saving model to Pmodel.h5

Epoch 4/400
3375/3375 [==============================] - 228s 68ms/step - loss: 0.8795 - accuracy: 0.7058 - val_loss: 0.4835 - val_acc:
Epoch 00004: val_loss improved from 0.95540 to 0.48347, saving model to Pmodel.h5

Epoch 5/400
3375/3375 [==============================] - 228s 68ms/step - loss: 0.5968 - accuracy: 0.8107 - val_loss: 0.4083 - val_acc:
Epoch 00005: val_loss improved from 0.48347 to 0.40829, saving model to Pmodel.h5

Epoch 6/400
3375/3375 [==============================] - 228s 68ms/step - loss: 0.4529 - accuracy: 0.8519 - val_loss: 0.3236 - val_acc:
Epoch 00006: val_loss improved from 0.40829 to 0.32363, saving model to Pmodel.h5

Epoch 7/400
3375/3375 [==============================] - 228s 68ms/step - loss: 0.3835 - accuracy: 0.8690 - val_loss: 0.1944 - val_acc:
Epoch 00007: val_loss improved from 0.32363 to 0.19439, saving model to Pmodel.h5

Epoch 8/400
3375/3375 [==============================] - 228s 68ms/step - loss: 0.3170 - accuracy: 0.8910 - val_loss: 0.1754 - val_acc:
Epoch 00008: val_loss improved from 0.19439 to 0.17536, saving model to Pmodel.h5

Epoch 9/400
3375/3375 [==============================] - 228s 67ms/step - loss: 0.2647 - accuracy: 0.9156 - val_loss: 0.1800 - val_acc:
Epoch 00009: val_loss did not improve from 0.17536

Epoch 10/400
3375/3375 [==============================] - 228s 68ms/step - loss: 0.2276 - accuracy: 0.9265 - val_loss: 0.1632 - val_acc:
Epoch 00010: val_loss improved from 0.17536 to 0.16323, saving model to Pmodel.h5
```

Model Performance



Thank you!

This Photo by Unknown Author is licensed under CC BY-SA-NC

Questions/Comments

S. Ravichandran
ravichandrans@mail.nih.gov