CTMS : Test cases for use case 2.3 - Investigator create and-or update

Use case context: 2.3 Local CTMS to caAERS - Staff & Investigator updates

Update investigator scenarios

	Scenario	pre-req	result	Pass/Fail
1				

Notes / Issues

Create investigator scenarios

	Scenario	result	Pass / Fail	artifact
1	User enters empty string for investigator first name.	Error is thrown: 'Line : 0 - cvc-minLength-valid: Value '' with length = '0' is not facet-valid with respect to minLength '1' for type 'CustomStringType'.'	✅	
2	User enters empty string for investigator last name.	Error is thrown: 'Line : 0 - cvc-minLength-valid: Value '' with length = '0' is not facet-valid with respect to minLength '1' for type 'CustomStringType'.'	✅	
3	User enters empty string for investigator email.	Line : 0 - cvc-minLength-valid: Value '' with length = '0' is not facet-valid with respect to minLength '1' for type 'CustomStringType'.		
4	User enters invalid string for investigator email. [jd0004nci.org]	Investigator is successfully created.	❌	
5	User enters empty string for investigator phone.	Error is thrown: 'Line : 0 - cvc-minLength-valid: Value '' with length = '0' is not facet-valid with respect to minLength '1' for type 'CustomStringType'.'	✅	
6	User enters - ve number for investigator phone.	Investigator is successfully created.	❌	
7		Error is thrown: 'Line : 0 - cvc-	✅	

	User enters empty string for investigator fax.	minLength-valid: Value '' with length = '0' is not facet-valid with respect to minLength '1' for type 'CustomStringType'.'	
8	User enters -ve number for investigator phone.	Investigator is successfully created.	✖
9			

Notes / Issues