CRDC Submission Portal APIs

1. Introduction

This document walks you through the basics of submitting data to CRDC Submission Portal using APIs. Information provide in CRDC Data Submission Instructions will not be included in this document. It is recommended to get familiar with CRDC Data Submission Instructions and submission workflow using CRDC Data Submission Portal before interacting with CRDC Submission APIs.

CRDC Submission Portal provides a set of Graphql APIs (https://graphql.org/). There is only one API endpoint, https://hub.datacommons.cancer.gov/api/graphql. Different functions are provided as separate API queries (read) and mutations (write). Users may use API tools like Postman as client to interact with the APIs. Users may also choose to write code in any popular programming languages to interact with the APIs.

All CRDC Submission Portal API queries and mutations use HTTP POST method. The APIs will always return HTTP code 200 (success) even when API call fails. The API returns data and errors in JSON format. If an API call succeeds, the returned data will be under "**data**" key. If any error occurs, the error information will be returned under "**error**" key ("**data**" key will be null).

CRDC Submission Portal API is authentication and authorization controlled. API tool (or your code) needs to be set up to send "Bearer Token" in "**Authorization**" header.

A Graphql API's schema contains definitions of all queries, mutations and their parameters and return types. This document will only provide information that cannot be found in the Graphql schema.

2. Prerequisites

- A valid API token downloaded from Data Submission Portal.
- API testing tool, such as Postman or GraphiQL or custom code.
- Knowledge of using API tools and/or interacting with APIs in code.
- Basic knowledge of Graphql APIs (https://graphql.org/).

3. Conventions

A dot separated property name is used to describe the hierarchy in the data. For example, **submissions._id** means **_id** property under **submissions** property. See screenshot below.

```
"total": 24,
"submissions": [
    {
        "_id": "de9f113c-1a9d-4740-9495-2c595976b440",
        "name": "DELETE-1025_Delete_1201",
        "submitterName": "crdc.g.submtr",
```

4. Starting a new submission

Before creating a data submission, user needs to determine which study the data submission will be submitted to. To retrieve approved studies assigned to a user, call API query **getMyUser**.

API signature:
getMyUser : User

Sample Query	Sample graphql variables

query getMyUser {
  getMyUser {
    _id
    studies {
      _id
    }
  }
}	

Important return values:
- **studies._id**: should be used as **studyID** parameter of **createSubmission** API.

To create a new data submission, call API mutation **createSubmission**.

API signature:
createSubmission (
   studyID: String!,
   dataCommons: String!,
   name: String!,
   intention: String!,
   dataType: String!
): Submission

Sample Query	Sample graphql variables

mutation createSubmission($studyID: String!, $dataCommons: String!, $name: String!,$intention: String!, $dataType: String!) {
  createSubmission(
    studyID: $studyID
    dataCommons: $dataCommons
    name: $name
    intention: $intention
    dataType: $dataType
) {
    _id
    status
    createdAt
  }
}
	{
	  "studyID": "4ab75167-0121-4fea-b515-94c01d8380cc",
	  "dataCommons": "ICDC",
	  "name": "API full workflow",
	  "intention": "New/Update",
	  "dataType": "Metadata and Data Files"
	}

Important parameters:
- **studyID**: _id field of an approved study
- **dataCommons:** data common's name such as "CTDC", "ICDC" etc. For General Commons the name should be "CDS"
- **name**: a user selected name for the submission
- **intention**: should be one of ["New/Update", "Delete"]
- **dataType**: should be one of ["Metadata Only", "Metadata and Data Files"]

Important return values:
- **_id:** submission's ID, aka. submissionID

5. Continuing an existing submission

a. Retrieve a list of all submissions

To retrieve a list of all submissions a user has access to, call API query **listSubmissions.**

API signature:
```
listSubmissions(
   name: String,
   dbGaPID: String,
   dataCommons: String,
   submitterName: String,
   organization: String,
   status: [String],
   first: Int = -1,
   offset: Int = 0,
   orderBy: String = "updatedAt",
   sortDirection: String = "DESC"): ListSubmissions
```

Sample Query	Sample graphql variables

query listSubmissions($first: Int, $offset: Int, $orderBy: String, $sortDirection: String, $status: [String]) {
 listSubmissions(
  first: $first
  offset: $offset
  orderBy: $orderBy
  sortDirection: $sortDirection
  status: $status
) {
  total
  submissions {
   _id
   name
   submitterName
   organization {
    _id
    name
   }
   dataCommons
   studyAbbreviation
   dbGaPID
   modelVersion
   status
   conciergeName
   createdAt
   updatedAt
   intention
   dataFileSize {
    formatted
   }
  }
 }
}
	{
	 "status": "All",
	 "first": 2,
	 "offset": 0,
	 "sortDirection": "desc",
	 "orderBy": "updatedAt"
	}

Important parameters:
- **Name:** results will be filtered by data submission's name
- **dbGaPID:** results will be filtered by data submission's dbGaPID
- **dataCommons:** results will be filtered by data submission's data commons
- **submitterName:** results will be filtered by data submission's creator's name
- **organization:** results will be filtered by data submission's organization name, *this parameter is deprecated and will be removed in the future*
- **Status:** results will be filtered by this parameter if one or more of the following values is provided: ["New", "In Progress", "Submitted", "Released", "Completed", "Canceled", "Rejected", "Withdrawn", "Deleted", "All"]. If "All" is provided, no filter will be applied.
- **first:** number of records to be returned, if -1 is sent, API will return all available data

- **offset:** skip given number of records before returning data
- **orderBy:** property name used to sort returned data
- **sortDirection:** should be one of ["ASC", "DESC"]

Important return values:
- **submissions._id:** submission's ID, aka. submissionID

b. Retrieve information about a submission

To retrieve detailed information about a submission, call API query **getSubmission**.

API signature:
getSubmission(_id: ID!): Submission

Sample Query	Sample graphql variables

query getSubmission($id: ID!) {
 getSubmission(_id: $id) {
  _id
  name
  submitterID
  submitterName
  organization {
   _id
    name
  }
  dataCommons
  modelVersion
  studyID
  studyAbbreviation
  dbGaPID
  bucketName
  rootPath
  status
  metadataValidationStatus
  fileValidationStatus
  crossSubmissionStatus
  validationStarted
  validationEnded
  validationScope
  validationType
  deletingData
  fileErrors {
   submissionID
   type
   validationType
   batchID
	{
	 "id": "eea2a531-4860-4e09-bf8e-151f73d4c379"
	}

displayID
   submittedID
   severity
   uploadedDate
   validatedDate
   errors {
    title
    description
   }
   warnings {
    title
    description
   }
   }
   history {
    status
    reviewComment
    dateTime
    userID
   }
   conciergeName
   conciergeEmail
   intention
   dataType
   otherSubmissions
   createdAt
   updatedAt
  }
}	

Important parameters:
- **_id**: submission's ID, aka. submissionID

To retrieve statistics of a submission, call API query **submissionStats.**

API signature:
```
submissionStats(_id: ID!): SubmissionStats
```

Sample Query	Sample graphql variables

query getSubmission($id: ID!) {
 submissionStats(_id: $id) {
  stats {
   nodeName
   total
   new
   passed
   warning
   error
  }
 }
}
	{
	 "id": "eea2a531-4860-4e09-bf8e-151f73d4c379"
	}

Important parameters:
- **_id**: submission's ID, aka. submissionID

To retrieve uploaded metadata, call API query **getSubmissionNodes.**

API signature:
```
getSubmissionNodes(
 submissionID: String!,
 nodeType: String!,
 status: String = "All",
 nodeID: String,
 first: Int = 10,
 offset: Int = 0,
 orderBy: String = "nodeID",
 sortDirection: String = "ASC"
): SubmissionNodes
```

Sample Query	Sample graphql variables

query getSubmissionNodes($_id: String!, $nodeType: String!,
 	
$status: String, $submittedID: String, $first: Int, $offset: Int,
 	
$orderBy: String, $sortDirection: String) {
 getSubmissionNodes(
  submissionID: $_id
  nodeType: $nodeType
  status: $status
  nodeID: $submittedID
  first: $first
  offset: $offset
  orderBy: $orderBy
  sortDirection: $sortDirection
) {
  total
  IDPropName
  properties
  nodes {
   nodeID
    nodeType
    status
    props
  }
 }
}
	{
	"_id": "eea2a531-4860-4e09-bf8e-151f73d4c379",
	"first": 20,
	"offset": 0,
	"sortDirection": "desc",
	"orderBy": "studyID",
	"nodeType": "study",
	"status": "All",
	"submittedID": ""
	}

Important parameters:
- **submissionID**: submission's ID
- **nodeType**: type of the metadata node to be returned
- **status:** should be one of ["All", "New", "Error", "Passed", "Warning"]. If "All" is provided. no filter will be applied, otherwise, return will be filtered by metadata's status.
- **nodeID:** if provided, return will be filtered by provided node ID, any node ID partially match given value will be returned.
- **first:** number of records to be returned, if -1 is sent, API will return all available data
- **offset:** skip given number of records before returning data
- **orderBy:** property name used to sort returned data
- **sortDirection:** should be one of ["ASC", "DESC"]

Important return values:
- **IDPropName**: name of the metadata node's ID property
- **Properties**: names of all metadata node's properties
- **Nodes**.props: a JSON string contains all properties of the metadata node, needs to be parsed as JSON in the code.

To get a summary of the submission, call API query **getSubmissionSummary**

API signature:

getSubmissionSummary(submissionID: ID!): [nodeTypeSummary]

Sample Query	Sample graphql variables

query getSubmissionSummary($submissionID: ID!) {
 	
 getSubmissionSummary(submissionID: $submissionID) {
 	
  nodeType
 	
  new
 	
  updated
 	
  deleted
 	
 }
 	
}
	{
	
	  "submissionID": "e356d430-70e4-40eb-8bde-6265fff1b46c"
	
	}

Important parameters:
- submissionID: submission's ID

Important return values:
- nodeType: node type
- new: number of new records that will be added
- updated: number of existing records that will be updated
- deleted: number of existing records that will be deleted

To download dbGaP load sheet, call API query **downloadDBGaPLoadSheet**

API signature:

downloadDBGaPLoadSheet(submissionID:String!):String

Sample Query	Sample graphql variables

query downloadDBGaPLoadSheet($submissionID: String!) {
 	
 downloadDBGaPLoadSheet(submissionID: $submissionID)
 	
}
	{
	
	  "submissionID": "e356d430-70e4-40eb-8bde-6265fff1b46c"
	
	}

Important parameters:
- submissionID: submission's ID

Important return values:
- A pre-signed URL that can be used to download the dbGaP load sheets in zip format.

c. Edit a Submission

You can change the name of the submission by calling API **editSubmission.**

API signature:

```
editSubmission (
  _id: String!
  newName: String!
): Submission
```

Sample Query	Sample graphql variables

mutation EditSubmission($_id: String!, $newName: String!) {
 	
  editSubmission(_id: $_id, newName: $newName) {
 	
    _id
 	
    name
 	
  }
 	
}
	{
	
	  "_id": "*{{submissionID}}*",
	
	  "newName": "My new Submission Name"
	
	}

Important parameters:
- **_id**: submission's ID
- **newName**: new submission name, maximum length is 25 characters.

d. Uploading Files and Manifests

It is recommended to upload data files via Uploader CLI Tool. It is also possible to upload data files by writing code.

To retrieve an CLI configuration file, call API query **retrieveCLIConfig**. Returned data contains correct content and format (including line breaks and indentation). It is recommended to call this API in code and save returned string into a YAML file without modifying the content in anyway. For example, "my-cli-configuration.yml". API tools have their own way of displaying data contains line breaks, it will be hard to preserve original return data in an API tool.

API signature:
```
retrieveCLIConfig(
  submissionID: String!,
  apiURL: String!,
  dataFolder: String,
  manifest: String
  archive_manifest: String
): String
```

| Sample Query	Sample graphql variables

query retrieveCLIConfig($submissionID: String!, $apiURL: String!, $dataFolder: String, $manifest: String, $archive_manifest: String) {
 	
  retrieveCLIConfig(
 	
    submissionID: $submissionID
 	
    apiURL: $apiURL
 	
    dataFolder: $dataFolder
 	
    manifest: $manifest
 	
    archive_manifest: $archive_manifest
	{
	
	  "submissionID": "0997c282-d3ac-47ab-a7f2-2dacd2ca7d7c",
	
	  "dataFolder": "/Users/user1/Desktop/datafiles/",
	
	  "manifest":"/Users/user1/Desktop/datafiles/manifest.tsv",
	
	  "archive_manifest":"/Users/user1/Desktop/datafiles/archive_manifest.tsv",
	
	  "apiURL": "https://hub-qa2.datacommons.cancer.gov/api/graphql"
	
	}

```
  )
}
```

Important parameters:
- **submissionID**: submission's ID
- **apiURL**: must be **"https://hub.datacommons.cancer.gov/api/graphql"**
- **dataFolder**: local path of data files folder, for example *"/Users/me/my-data-files-folder"*
- **manifest**: local path of manifest file, for example *"/Users/me/my-metadata-folder/my-file-manifest.tsv"*
- **archive_manifest**: local path of archive manifest file, for example *"/Users/me/my-metadata-folder/archive-manifest.tsv"*

To save CLI configuration file retrieved as a file without writing code, follow steps below:
- Setup API request in Postman
- Click "Code" button (</>) on the right-side bar
- Copy and paste the command into a terminal (cmd on Windows), then add following code to end of the command
  " *| jq -r '.["data"]["retrieveCLIConfig"]' > my-cli-configuration.yml*"

If uploading data files in code is preferred, user may call API mutation **createTempCredentials** to retrieve a set of temporary credentials to use in the code.

API signature:

createTempCredentials (submissionID: ID!): TempCredentials

Sample Query	Sample graphql variables

mutation createTempCredentials ($submissionID: ID!) {
 	
  createTempCredentials(submissionID: $submissionID) {
 	
   accessKeyId
 	
   secretAccessKey
 	
   sessionToken
 	
  }
 	
}
	{
	
	  "submissionID": "6100fd2d-fae9-4a82-87c2-c3e934a7840c"
	
	}

Important parameters:
- **submissionID**: submission's ID

Metadata templates can be uploaded via Uploader CLI Tool. It is also possible to upload metadata templates via API. If using API is preferred, it is recommended to perform following steps in code rather than in API tool:
- Step 1: create a "batch" by calling API mutation **createBatch**.
- Step 2: upload metadata templates using pre-signed URLs retrieved in step 1.

- Step 3: update upload results by calling API mutation **updateBatch.** API will take the input as is and store the status of the files in the database. An asynchronous essential validation will be triggered by the API call, and the batch's status will be updated based on validation result. If validations passed, metadata will be loaded into submission database and status will be set to "**Uploaded**". Otherwise, batch status will be set to "**Failed**". Note, individual file status will be based on the input, and will not be updated by essential validation service.
- Step 4: retrieve essential validation results by calling API query **listBatches**

createBatch:

API signature:
```
createBatch (
 submissionID: ID!,
 type: String,
 files: [String!]!
): NewBatch
```

Sample Query	Sample graphql variables

mutation createBatch($submissionID: ID!, $type: String, $files: [String!]!) {
 	
  createBatch(submissionID: $submissionID, type: $type, files: $files)
{
   _id
   submissionID
   bucketName
   filePrefix
   type
   fileCount
   files {
    fileName
    signedURL
   }
   status
   createdAt
   updatedAt
  }
}
	{
	 "submissionID": "0997c282-d3ac-47ab-a7f2-2dacd2ca7d7c",
	 "type": "metadata",
	 "files": ["program.tsv", "study.tsv", "participant.tsv", "sample.tsv"]
	}

Important parameters:
- **submissionID**: submission's ID
- **type:** should be one of ["metadata", "data file"]
- **files**: list of file names to be uploaded.

Important return values:
- **_id**: batch's internal ID, aka batchID
- **files.signedURL**: S3 pre-signed URL that can be used to upload metadata templates

updateBatch:

API signature:
updateBatch (batchID: ID!, files: [UploadResult]): Batch

Sample Query	Sample graphql variables

`mutation updateBatch($batchID: ID!, $files: [UploadResult]) {`
  `updateBatch(batchID: $batchID, files: $files) {`
    `_id`
    `submissionID`
    `type`
    `fileCount`
    `files {`
     `filePrefix`
     `fileName`
     `size`
     `status`
     `errors`
     `createdAt`
     `updatedAt`
    `}`
    `status`
    `createdAt`
    `updatedAt`
  `}`
`}`
	`{`
	  `"batchID": "13af4bee-bed8-42ce-8252-eb5a756185b9",`
	  `"files": [`
	  `{`
	    `"fileName": "program.tsv",`
	    `"succeeded": true,`
	    `"errors": null`
	  `}, {`
	    `"fileName": "study.tsv",`
	    `"succeeded": true,`
	    `"errors": null`
	  `}, {`
	    `"fileName": "participant.tsv",`
	    `"succeeded": true,`
	    `"errors": null`
	  `}, {`
	    `"fileName": "sample.tsv",`
	    `"succeeded": true,`
	    `"errors": null`
	  `}`
	  `]`
	`}`

Important parameters:
- **batchID:** batch's internal ID
- **files.skipped:** reserved for CLI use, should set to false

Important return values:
- **_id**: batch's internal ID, aka batchID
- **displayID**: batch's UI ID
- **status**: current status of the batch. It will change after essential validation is finished (explained in previous sections). Please call **listBatches** to get the latest status.

To retrieve information about all batches, call API query **listBatches**.

API signature:
listBatches(
  submissionID: ID!,
  first: Int = 10,

```
  offset: Int = 0,
  orderBy: String = "updatedAt",
  sortDirection: String = "DESC"
): ListBatches
```

Sample Query	Sample graphql variables

`query listBatches($submissionID: ID!, $first: Int, $offset: Int,`
 	
`$orderBy: String, $sortDirection: String) {`
`  listBatches(`
`    submissionID: $submissionID`
`    first: $first`
`    offset: $offset`
`    orderBy: $orderBy`
`    sortDirection: $sortDirection`
`  ) {`
`    total`
`    batches {`
`      _id`
`      displayID`
`      createdAt`
`      updatedAt`
`      submissionID`
`      type`
`      fileCount`
`      files {`
`        nodeType`
`        filePrefix`
`        fileName`
`        size`
`        status`
`        errors`
`        createdAt`
`        updatedAt`
`      }`
`      status`
`      errors`
`    }`
 	
`  }`
 	
`}`
	`{`
	`  "submissionID": "0997c282-d3ac-47ab-a7f2-2dacd2ca7d7c",`
	`  "first": 20,`
	`  "offset": 0,`
	`  "sortDirection": "desc",`
	`  "orderBy": "createdAt"`
	`}`

Important parameters:
- **submissionID**: submission's ID
- **first:** number of records to be returned, if -1 is sent, API will return all available data
- **offset:** skip given number of records before returning data
- **orderBy:** property name used to sort returned data
- **sortDirection:** should be one of ["ASC", "DESC"]

Important return values:
- **batches._id**: batch's internal ID, aka batchID
- **batches.displayID**: batch's UI ID
- **batches.files.nodeType:** node type contained in the metadata file. This value is only available when the metadata file can be successfully read by the essential validation service. Otherwise, it will be null.

e. Deleting data

To delete a metadata node, call API mutation **deleteDataRecords.**

API signature:
```
deleteDataRecords(
 submissionID: String!,
 nodeType: String!,
 nodeIDs: [String!]
): DataValidation
```

Sample Query	Sample graphql variables

mutation deleteDataRecords($_id: String!, $nodeType: String!, $nodeIds: [String!]) {
 	
  deleteDataRecords(submissionID: $_id, nodeType: $nodeType, nodeIDs: $nodeIds) {
 	
   success
 	
   message
 	
  }
 	
}
	{
	
	 "_id": "26000952-13c6-4cf5-9ac5-cf87b0c942f9",
	
	 "nodeType": "sample",
	
	 "nodeIds": [
	
	  "allval_Samp_Sep18_01"
	
	]
	
	}

Important parameters:
- **submissionID**: submission's ID
- **nodeType**: type of the metadata node to be deleted, or **"data file"** if deleting data files from S3 bucket is desired.
- **nodeIDs:** a list of node IDs, API will delete metadata node that matches provided node IDs.

Important return values:
- **success**: a Boolean value indicates if a deletion operation has been successfully initialized, the deletion will be performed asynchronously.

To delete a data file from submission bucket, call API mutation **deleteDataRecords.**

API signature:
```
deleteDataRecords(
 submissionID: String!,
 nodeType: String!,
```

```
  nodeIDs: [String!]
): DataValidation
```

Sample Query	Sample graphql variables

mutation deleteDataRecords($_id: String!, $nodeType: String!, $nodeIds: [String!]) {
 	
  deleteDataRecords(submissionID: $_id, nodeType: $nodeType, nodeIDs: $nodeIds) {
 	
    success
 	
    message
 	
  }
 	
}
	{
	
	  "_id": "26000952-13c6-4cf5-9ac5-cf87b0c942f9",
	
	  "nodeType": "data file",
	
	  "nodeIds": [
	
	    "41_batchtextfiles.txt"
	
	  ]
	
	}

Important parameters:
- **submissionID**: submission's ID
- **nodeType**: must be "**data file**"
- **nodeIDs:** a list of file names to be deleted.

Important return values:
- **success**: a Boolean value indicates if a deletion operation has been successfully initialized, the deletion will be performed asynchronously.

f. Running validations

To validate uploaded data, call API mutation **validateSubmission**.

API signature:
```
validateSubmission(
  _id: ID!,
  types: [String]
  scope: String
): DataValidation
```

Sample Query	Sample graphql variables

mutation validateSubmission($_id: **ID**!, $types: [**String**], $scope: **String**) {
  validateSubmission(_id: $_id, types: $types, scope: $scope) {
   success
  }
}
	{
	 "_id": "0997c282-d3ac-47ab-a7f2-2dacd2ca7d7c",
	 "types": [
	  "metadata", "data file"
	],
	 "scope": "All"
	}

Important parameters:
- **_id**: submission's ID, aka. submissionID
- **types:** any combination of following values: ["metadata". "data file"]
- **scope:** should be one of ["New", "All"]

Important return values:
- **success**: a Boolean value indicates if a validation has been successfully initialized, it has no relationship to the validation's result.

To retrieve aggregated validation issues, call API query **aggregatedSubmissionQCResults.**

API signature:
```
aggregatedSubmissionQCResults(
    submissionID: ID!,
    severity: String = "all"
    first: Int = 20,
    offset: Int = 0,
    orderBy: String = "count"
    sortDirection: String = "DESC"): aggregatedQCResults
```

Sample Query	Sample graphql variables

`query submissionQCResults($submissionID: ID!, $severity: String,`
`$first: Int, $offset: Int, $orderBy: String, $sortDirection: String) {`
`  aggregatedSubmissionQCResults(`
`    submissionID: $submissionID`
`    severity: $severity`
`    first: $first`
`    offset: $offset`
`    orderBy: $orderBy`
`    sortDirection: $sortDirection`
`  ) {`
`    total`
`    results {`
`      title`
`      severity`
`      count`
`      code`
`    }`
`  }`
`}`
	`{`
	`  "submissionID": "6100fd2d-fae9-4a82-87c2-c3e934a7840c",`
	`  "first": -1,`
	`  "offset": 0,`
	`  "sortDirection": "desc",`
	`  "orderBy": "displayID",`
	`  "severity": "All"`
	`}`

Important parameters:
- **submissionID**: submission's ID
- **severities**: should be one of ["all", "error", "warning"] , return will be filtered by given issue severity. "all" means both errors and warnings.
- **first:** number of records to be returned, if -1 is sent, API will return all available data
- **offset:** skip given number of records before returning data
- **orderBy:** should be one of ["count", "title", "code", "severity"]
- **sortDirection:** should be one of ["ASC", "DESC"]

Important return values:
- **title**: title of the issue
- **severity**: either "Error" or "Warning"
- **count**: number of occurrences of the issue
- **code**: issue code that can be used in **submissionQCResults** API as **issueCode** parameter

To retrieve detailed validation issues, call API query **submissionQCResults.**

API signature:
```
submissionQCResults(
  _id: ID!,
  nodeTypes: [String],
```

```
    batchIDs: [ID],
    severities: String,
    issueCode: String,

    first: Int = 10,
    offset: Int = 0,
    orderBy: String = "uploadedDate",
    sortDirection: String = "DESC"
): QCResults
```

Sample Query	Sample graphql variables

query submissionQCResults($id: **ID**!, $nodeTypes: [**String**], $batchIDs: [**ID**], $severities: **String**, $first: **Int**, $offset: **Int**, $orderBy: **String**, $sortDirection: **String**) {
  submissionQCResults(
    _id: $id
    nodeTypes: $nodeTypes
    batchIDs: $batchIDs
    severities: $severities
    first: $first
    offset: $offset
    orderBy: $orderBy
    sortDirection: $sortDirection
) {
    total
    results {
      submissionID
      type
      validationType
      batchID
      displayID
      submittedID
      severity
      uploadedDate
      validatedDate
      errors {
        title
        description
      }
      warnings {
        title
        description
      }
    }
  }
}
	{
	  "id": "0997c282-d3ac-47ab-a7f2-2dacd2ca7d7c",
	  "first": -1,
	  "offset": 0,
	  "sortDirection": "desc",
	  "orderBy": "displayID",
	  "severities": "All"
	}

Important parameters:

- **_id**: submission's ID, aka. submissionID
- **nodeTypes:** a list of metadata node types or "data file", return will be filtered by given metadata node types or file validation results if "data file" is given.
- **batchIDs:** a list of batches' internal IDs, return will be filtered by given batch internal IDs
- **severities**: should be one of ["All", "Error", "Warning"] , return will be filtered by given issue severity. "All" means both errors and warnings.
- **issueCode:** results will be filtered by the issue code
- **first:** number of records to be returned, if -1 is sent, API will return all available data
- **offset:** skip given number of records before returning data
- **orderBy:** property name used to sort returned data
- **sortDirection:** should be one of ["ASC", "DESC"]

Important return values:
- **validationType**: either "metadata" or "data file"
- **submittedID:** a metadata node's ID, or file name of a data file

g. Submitting your Final Dataset

To submit a submission for review, call API mutation **submissionAction.**

API signature:
```
submissionAction (
 submissionID: ID!,
 action: String!
 comment: String
): Submission
```

Sample Query	Sample graphql variables

mutation submissionAction ($submissionID: **ID!**, $action: **String!**) {
  submissionAction(submissionID: $submissionID, action: $action) {
    _id
    name
    submitterID
    submitterName
    organization {
      _id
      name
    }
    dataCommons
    modelVersion
    studyID
    studyAbbreviation
    dbGaPID
    bucketName
    rootPath
    status
	{
	  "submissionID": "0997c282-d3ac-47ab-a7f2-2dacd2ca7d7c",
	  "action": "Submit"
	}

```
        metadataValidationStatus

        fileValidationStatus

        crossSubmissionStatus

        validationStarted

        validationEnded

        validationScope

        validationType

        deletingData

        fileErrors {

            submissionID

            type

            validationType

            batchID

            displayID

            submittedID

            severity

            uploadedDate

            validatedDate

            errors {

                title

                description

            }

            warnings {

                title

                description

            }

        }

        history {

            status

            reviewComment

            dateTime

            userID

        }

        conciergeName

        conciergeEmail

        intention

        dataType

        otherSubmissions

        createdAt

        updatedAt

    }

}
```

Important parameters:
- **submissionID**: submission's ID

- **action:** should be "**Submit**" for this use case. Valid value includes ["Submit", "Withdraw", "Cancel"]