

Run Twistlock Scan Using a Local Docker image

<https://twistlock.nci.nih.gov/#!/login>



BY PALO ALTO NETWORKS

Local / LDAP  

☐ Remember authentication method

yoos4

.....

☐ Show password

Log in

Go ahead and download the CLI tool.

The screenshot displays the Twistlock console interface. On the left sidebar, the 'Manage' menu is expanded, and 'System' is selected, both highlighted with a red rectangular box. The main content area is titled 'Utilities'. Under 'General utilities', there are links to download the 'Jenkins plugin' and 'OpenAPI Spec (Beta)'. Below this, the 'twistcli tool' section is highlighted with a red rectangular box. It lists five platforms with corresponding 'Download' and 'Copy' buttons: Linux x86_64 platform, Linux ARM64 platform, macOS x86_64 platform, macOS ARM64 platform, and Windows platform. At the bottom, the 'API token' section shows 'Token details' with a red-bordered box containing the token 'eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2I'. The 'Token valid until' is listed as 'May 11, 2026, 12:01:32 PM'.

For Mac, copy the command based on your OS environment and run it in the CLI.

- `curl --progress-bar -L -k --header "authorization: Bearer __TOKEN__" https://twistlock.nci.nih.gov/api/v1/util/osx/arm64/twistcli > twistcli; chmod a+x twistcli;`

If you're scanning local Docker images, make sure to build them using a Dockerfile.

1. **docker build -t twistlock:1.0.0**

2. **./twistcli images scan --address https://twistlock.nci.nih.gov --user "YOUR_TWIST_LOCK_USERNAME" --token "YOUR_TOKEN_NAME" --details NAME_OF_DOCKER_IMAGE**

Scan results for: image fast-api-test:latest sha256:83dd5f0f2741ea12dbb47b3312809800ef795bc99ee1e7eae18b89ba7b218bb

Vulnerabilities

CVE	SEVERITY	CVSS	PACKAGE	VERSION	STATUS	PUBLISHED	DISCOVERED	DESCRIPTION
PRISMA-2022-0168	high	7.80	pip	26.1.1	open	> 3 years	< 1 hour	An issue was discovered in pip (all versions) because it installs the version with the highest version number, even if the user had intended to obtain...
CVE-2026-3895	high	7.50	curl	8.17.0-r1	fixed in 8.19.0 59 days ago	61 days	< 1 hour	When doing a second SMB request to the same host again, curl would wrongly use a data pointer pointing into already freed memory.

Run Twistlock Vulnerability Scans on Prebuilt ECR Images

<https://twistlock.nci.nih.gov/#!/login>



Local / LDAP



☐ Remember authentication method

yoos4

.....

☐ Show password

Log in

Search the desired image location.

The screenshot shows the Palo Alto Networks Cloud Monitor interface. On the left is a dark sidebar with the 'CLOUD BY PALO ALTO NETWORKS' logo and three main menu items: 'Defend', 'Monitor' (highlighted with a red box), and 'Manage'. The top navigation bar includes 'Monitor / Vulnerabilities', 'Vulnerability Explorer', 'Images' (highlighted with a red box), 'Functions', 'CVE viewer', and 'VMware Tanzu blobstore'. Below this, there are tabs for 'Deployed', 'Registries' (selected), and 'CI'. The main content area is titled 'Registry images' with the subtitle 'Vulnerability scan reports for registry images'. A search bar labeled 'Repository:' is present, with a dropdown menu showing search suggestions: 'not', 'wildcard', and a list of repository names including 'ccdi-mtp-backend', 'ccdi-mtp-backendapi', 'crdc-cds-backend', 'crdc-cds-frontend', 'crdc-cds-interoperation', 'crdc-ctdc-files', 'crdc-gen-memgraph', and 'crdc-icdc-files'. The 'ccdi-mtp-backend' entry is highlighted. Below the search bar, a table displays search results with columns for repository name, image name, and IP address. The first row shows '986019062625.dkr.ecr.us-east-1.amazonaws.com' for the 'crdc-icdc-backend' image, with IP address '14.8.1.1/1'.

Repository	Image	IP
986019062625.dkr.ecr.us-east-1.amazonaws.com	crdc-icdc-backend	14.8.1.1/1

Registry image details

Please note
Report data might not be fully up-to-date while registry scans are in progress

Github Repository Name **Tag Number**

Image ID: 986019062625.dkr.ecr.us-east-1.amazonaws.com/crdc-ctdc-backend:1.3.0_memgraph.1

OS distribution: Ubuntu 22.04.5 LTS
OS release: jammy
Digest: sha256:b53043585c336dea1b43a704b188e859a89b19c0779db08fe05e1ce19c507c7f
Scanner: nciws-p2491-c.nci.nih.gov
Scanned by: Defender

Vulnerabilities Compliance Layers Process info General info Package info Environment Labels

Filter vulnerabilities by keywords and attributes 31 total entries

Type	Highest severity	Description
jar	critical	tomcat-util version 10.1.17 has 38 vulnerabilities
jar	critical	org.apache.tomcat.embed_tomcat-embed-core version 10.1.28 has 36 vulnerabilities
Application	high	java version 17.0.9 has 7 vulnerabilities
jar	high	tomcat-coyote version 10.1.17 has 7 vulnerabilities
jar	high	spring-webmvc version 6.0.14 has 5 vulnerabilities

Please log in to Prefect using the **CRDC workspace**.

<https://app.prefect.cloud/account/90cb3bf5-1af1-44fa-8a6d-a1f111368e02/workspace/5dd67daa-115c-40e2-92ad-8d6776766257/deployments/deployment/7ee7b97f-64c7-45c8-a528-47733a8a2212>

Copy **ECR_ADDRESS**.dkr.ecr.us-east-1.amazonaws.com/**REPO_NAME**:**TAG_NAME**

crdc-workspace

Deployments / twistlock-scan

74 Runs

Failure Rate 49%

Duration 4m 30s

Latency 0s

Violations 0

Quick run Custom run

Runs Upcoming runs Parameters Configuration Description Versions

74 flow runs

Refresh Search by run name All states All users Newest to oldest


pearl-bat

Completed 2026/06/05 10:20:13 AM (1m 27s late) alpha2-akte-adjunct 1 Parameter 20s 0 Task runs

Work Pool mdb-8gp-prefect-2.20.3-python3.9 Work Queue default

Schedules + Schedule Triggers + Add


Select **Use JSON Input**



The 'Run Deployment' dialog box is shown with the 'Parameters' section. A red box highlights the 'Use JSON Input' button. The parameters listed are:

- image_ref**: A text input field with a dropdown menu showing 'str' and 'list[str]'.
- twistlock_address (Optional)**: A text input field with a dropdown menu showing 'str' and 'None'. Below it, a message says 'Property is type "None"'. The value is 'None'.
- microservice_report_name (Optional)**: A text input field with a dropdown menu showing 'str' and 'None'. Below it, a message says 'Property is type "None"'. The value is 'None'.
- trigger_registry_scan_select (Optional)**: A toggle switch.
- poll_timeout_seconds (Optional)**: A text input field with the value '1800'.
- poll_interval_seconds (Optional)**: A text input field with the value '15'.

At the bottom, there is a checkbox for 'Validate parameters' which is checked, and buttons for 'Close' and 'Run'.



The 'Run Deployment' dialog box is shown with the 'Parameters' section. The 'image_ref' field is now populated with a JSON array:

```
1 {  
2   "image_ref": "986019062625.dkr.ecr.us-east-1.amazonaws.com"  
3 }
```

At the bottom, there is a checkbox for 'Validate parameters' which is checked, and buttons for 'Close' and 'Run'.

Enter the ECR registry address. This allows the scan to process multiple images from the specified ECR registry.

- A Single Image Scan

```
{  
  "image_ref": "ECR_ADDRESS.dkr.ecr.us-east-1.amazonaws.com/REPO_NAME:TAG_NAME"  
}
```

- Scan Multiple Images

```
{  
  "image_ref": [  
    "ECR_ADDRESS.dkr.ecr.us-east-1.amazonaws.com/REPO_NAME:TAG_NAME_01",  
    "ECR_ADDRESS.dkr.ecr.us-east-1.amazonaws.com/REPO_NAME:TAG_NAME_02"]  
}
```

After the Prefect run completes, a Twistlock scan report will be generated.

parsed_aws_power1						
Microservice	CVE identifier	CDE ID	Severity	Date identified	Package	🔗 prefect.flow_runs
-----						🔗 prefect.flow_runs
crdc-mdb-sts-fast-api	CVE-2025-60876	-	Medium	2026-06-05	busybox	🔗 prefect.flow_runs