

SAFETY DATA SHEET

Rust Aid Gel Trigger

Page: 1 of 7

Printed: 09/03/2024

Revision: 08/30/2024

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Rust Aid Gel Trigger

Company Name: W. M. Barr and Company, Inc.
2105 Channel Avenue
Memphis, TN 38113

Phone Number: (901)775-0100

Web site address: www.wmbarr.com

Emergency Contact: 3E 24 Hour Emergency Contact (800)451-8346

Information: W.M. Barr Customer Service (800)398-3892

Product Code: ERAR310

2. HAZARDS IDENTIFICATION

Corrosive To Metals, Category 1
Skin Corrosion, Category 1B
Serious Eye Damage, Category 1
Specific Target Organ Toxicity (single exposure), Category 3



GHS Signal Word: **Danger**

GHS Hazard Phrases: H290: May be corrosive to metals.
H314: Causes severe skin burns and eye damage.
H318: Causes serious eye damage.
H335: May cause respiratory irritation.

GHS Precautionary Phrases: P234: Keep only in original container.
P260: Do not breathe {dust/fume/gas/mist/vapors/spray}.
P264: Wash {hands} thoroughly after handling.
P271: Use only outdoors or in a well-ventilated area.
P280: Wear {protective gloves/protective clothing/eye protection/face protection}.

GHS Response Phrases: P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: Immediately call a POISON CENTER or doctor/physician.
P321: Specific treatment {see label}.
P363: Wash contaminated clothing before reuse.
P390: Absorb spillage to prevent material damage.

GHS Storage and Disposal Phrases: P403+233: Store container tightly closed in well-ventilated place.
P405: Store locked up.
P501: Dispose of contents/container according to local, state and federal regulations.

OSHA Regulatory Status: This material is classified as hazardous under OSHA regulations.

SAFETY DATA SHEET

Rust Aid Gel Trigger

Page: 2 of 7

Printed: 09/03/2024

Revision: 08/30/2024

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration	Molecular Formula
7647-01-0	Hydrochloric acid {Hydrogen chloride}	10.0 -30.0 %	HCl
NA	Amines	1.0 -5.0 %	(Trade Secret)

Additional Chemical Information Specific chemical identity is being withheld as a trade secret. Specific percentage of composition is being withheld as a trade secret.

4. FIRST AID MEASURES

Emergency and First Aid Procedures:

Inhalation:

If user experiences breathing difficulty, move to air free of vapors. Administer oxygen or artificial respiration until medical assistance can be rendered. Obtain medical attention immediately.

Skin Contact:

Wash with soap and large quantities of water and remove contaminated clothing, jewelry, and shoes immediately. Wash for 15 minutes. If irritation persists, seek medical attention.

Eye Contact:

Immediately begin to flush with large quantities of water, remove any contact lens. Continue to flush with water for at least 15 minutes, forcibly holding eyelids apart to ensure complete irrigation of all of the eye and lid tissues. Flushing the eyes with water within several seconds is essential to achieve maximum effectiveness. Seek immediate medical attention.

Ingestion:

Do not induce vomiting. Give milk of magnesia or large amounts of water. Never give anything by mouth to an unconscious person. Call your poison control center, hospital emergency room or physician immediately for instructions. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops.

Signs and Symptoms Of Exposure:

See Potential Health Effects.

Note to Physician:

Call your local poison control center for further information.

5. FIRE FIGHTING MEASURES

Flash Point:

No data.

Explosive Limits:

LEL: No data.

UEL: No data.

Autoignition Pt:

No data.

Suitable Extinguishing Media: Use extinguishing agent suitable for type of surrounding fire.

Fire Fighting Instructions:

Keep unnecessary people away, isolate hazard area and deny entry. Wear NIOSH approved positive -pressure self-contained breathing apparatus. Storage containers exposed to fire should be kept cool with water spray to prevent pressure build-up. Stay away from heads of containers that have been exposed to intense heat or flame. Move containers from fire if it can be done without risk.

Flammable Properties and Hazards:

Non-flammable.

Hazardous Combustion Products:

Hydrogen chloride. Nitrogen oxides, Carbon oxides, chlorine

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Emergency Procedures:	For personal protection see section {8}. Avoid breathing vapors, mist or gas. Wear respiratory protection.
Environmental Precautions:	Avoid release to the environment. Large amounts will affect pH and harm aquatic organisms.
Steps To Be Taken In Case Material Is Released Or Spilled:	Small Spills: Keep unnecessary people away and isolate hazard area. Wear appropriate personal protective equipment. Take up liquid with sand, earth or other noncombustible absorbent material and place in a plastic container where applicable. Material may be neutralized with baking soda, soda ash, or dilute caustic soda. Stay upwind, out of low areas, and ventilate closed spaces before entering. Large Spills: Evacuation of surrounding area may be necessary for large spills. Wear appropriate personal protective equipment. Completely contain spilled material with dikes, sandbags, etc. Shut off ventilation system if needed. Reprocess or reuse if possible. Neutralize with soda ash or dilute caustic soda. Collect with appropriate absorbent and place into suitable container. Keep out of sewers and water supplies. This material is acidic and may lower the pH of the surface waters with low buffering capacity.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:	Use proper personal protective equipment as indicated in Section {8}. Avoid contact with eyes, skin, and mucous membranes. Use only with adequate ventilation. Avoid breathing vapors or spray mist as irritation may occur. Do not use if you are sensitive to respiratory irritants.
Precautions To Be Taken in Storing:	Keep container tightly closed when not in use. Keep container properly labeled. Keep separated from incompatible substances. Always store upright and ensure lid is closed and tightened. Store in acid-resistant plastic, glass containers, or rubber-lined steel containers. Do not store in aluminum containers or use aluminum fittings or transfer lines.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
7647-01-0 {Hydrogen chloride}	Hydrochloric acid	ACGIH TLV	CEIL: 2 ppm	
		OSHA PELs	CEIL: 5 ppm	

SAFETY DATA SHEET

Rust Aid Gel Trigger

Page: 4 of 7

Printed: 09/03/2024
Revision: 08/30/2024

Personal Protective Equipment Symbols:

MSDS



Respiratory Equipment (Specify Type):

Where vapor concentration exceeds or is likely to exceed applicable exposure limits, a NIOSH approved respirator with acid gas cartridges is required. When an air-purifying respirator is not adequate or for spills and/or emergencies of unknown concentrations, a NIOSH approved self-contained breathing apparatus or airline respirator with full-face piece is required. A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant use of a respirator.

For OSHA controlled work place and other regular users. Use only with adequate ventilation under engineered air control systems designed to prevent exceeding appropriate TLV.

For occasional consumer use, where engineered air control is not feasible, use properly maintained and properly fitted NIOSH approved respirator. A dust mask does not provide protection against vapors.

Eye Protection:

Safety glasses with side shields. Wearing chemical goggles with a face shield is recommended to safeguard against potential eye contact, irritation, or injury. Contact lenses should not be worn.

Provide an emergency eyewash station or quick drench shower in the immediate work area.

Protective Gloves:

Wear impermeable gloves. Gloves contaminated with product should be discarded. Promptly remove clothing that becomes soiled with products.

Other Protective Clothing:

Wear chemical resistant clothing and rubber boots when potential for contact with the material exists.

Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure.

Before reuse, thoroughly clean any clothing or protective equipment that has been contaminated by prior use. Discard any clothing or other protective equipment that cannot be decontaminated, such as gloves or shoes.

Engineering Controls (Ventilation etc.):

Use closed system when possible. Provide local exhaust ventilation where vapor or mist may be generated. Ensure compliance with applicable exposure limits.

Use only with adequate ventilation to prevent build-up of vapors. Open all windows and doors. Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, burning sensations, or eye-watering -- Stop -- ventilation is inadequate. Leave area immediately.

Work/Hygienic/Maintenance Practices:

A source of clean water should be available in the work area for flushing of eyes and skin.

Wash hands thoroughly after use and before eating, drinking, or smoking. Do not eat, drink, or smoke in the work area. Discard any clothing or other protective equipment that cannot be decontaminated.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States:	[] Gas [X] Liquid [] Solid
Appearance and Odor:	Light brown, viscous liquid. Acidic odor.
pH:	1 - 2
Melting Point:	No data.
Boiling Point:	No data.
Flash Point:	No data.
Evaporation Rate:	< 1
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: No data. UEL: No data.
Vapor Pressure:	No data.
Vapor Density (vs. Air=1):	> 1
Specific Gravity (Water=1):	1.0976
Density:	9.13 LB/GA
Solubility in Water:	100 %
Saturated Vapor Concentration:	No data.
Octanol/Water Partition Coefficient:	No data.
Percent Volatile:	97.01 % by weight.
VOC / Volume:	0.0000 % WT
Autoignition Pt:	No data.
Decomposition Temperature:	No data.
Viscosity:	100 - 300 CP

10. STABILITY AND REACTIVITY

Reactivity:	Contact with metals may evolve flammable hydrogen gas.
Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	Incompatible materials, Extremes of temperature and direct sunlight.
Incompatibility - Materials To Avoid:	Incompatible with strong oxidizing agents, strong caustics, alkalis and alkali metals, mercuric sulfate, perchloric acid, carbides of calcium, cesium, rubidium, acetylides of cesium and rubidium, phosphides of calcium and uranium, lithium silicide, cyanides (which may produce lethal concentrations of hydrocyanic acid), and common and active metals (which produce flammable hydrogen gas).
Hazardous Decomposition or Byproducts:	Thermal decomposition may produce hydrogen chloride vapors and toxic gases. Carbon oxides, nitrogen oxides.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	No data available.

SAFETY DATA SHEET

Rust Aid Gel Trigger

Page: 6 of 7

Printed: 09/03/2024
Revision: 08/30/2024

11. TOXICOLOGICAL INFORMATION

Toxicological Information: Refer to section 2 for acute and chronic effects.**Irritation or Corrosion:** Causes burns. Causes serious eye damage.**Carcinogenicity:** NTP? No IARC Monographs? No OSHA Regulated? No

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7647-01-0	Hydrochloric acid {Hydrogen chloride}	n.a.	3	A4	n.a.
NA	Amines	n.a.	n.a.	n.a.	n.a.

12. ECOLOGICAL INFORMATION

General Ecological Information: This product has not been tested as a whole. May be harmful to aquatic organisms. Large amounts will affect pH and harm aquatic organisms.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose in accordance with applicable local, state, and federal regulations.**RCRA Waste ID Code:** D002

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):**DOT Proper Shipping Name:** Hydrochloric acid mixture**DOT Hazard Class:** 8 CORROSIVE**UN/NA Number:** UN1789**Packing Group:** II**Additional Transport Information:** The shipper / supplier may be able to apply one of the following exceptions if allowed under 49 CFR Regulations: Combustible Liquid, Consumer Commodity, Limited Quantity, Viscous Liquid, Does Not Sustain Combustion, or others, as allowed under 49 CFR Hazmat Regulations. Please consult 49 CFR Subchapter C to ensure that subsequent shipments comply with these exceptions.

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
7647-01-0	Hydrochloric acid {Hydrogen chloride}	Yes 500 LB	Yes NA	Yes (30%)
NA	Amines	No	No	No

EPA SARA Title III Section 313 Toxic Release Inventory.

This product contains a toxic chemical or chemicals subject to the reporting requirements of EPCRA Section 313 (40 CFR Section 372).

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
7647-01-0	Hydrochloric acid {Hydrogen chloride}	CAA HAP, ODC: HAP: NvHAP TSCA: Inventory
NA	Amines	TSCA: Inventory

SAFETY DATA SHEET

Rust Aid Gel Trigger

Page: 7 of 7

Printed: 09/03/2024

Revision: 08/30/2024

Regulatory Information:

This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.

16. OTHER INFORMATION

Revision Date:

08/30/2024

Preparer Name:

W.M. Barr Regulatory Department

Additional Information About No data available.

This Product:

Company Policy or

Disclaimer: