# Omniverse Compute (OMC)

A Decentralized GPU Computing Network

**Whitepaper v3.0**

October 2026

https://omc.network

BNB Chain · BEP-20 · OMC

# Important Notice

This document is provided for informational purposes only. It is not an offer to sell, or a solicitation of an offer to buy, any token or security, and it is not investment, legal, tax or accounting advice. OMC is a utility token intended for use within the OMC network; no return, price appreciation or liquidity is promised or implied. Statements about future development are forward-looking and may not be realized. The availability of the token may be restricted in some jurisdictions; it is the reader's responsibility to comply with local laws. Readers should review Section 12 (Risk Factors) and obtain independent professional advice before participating.

# 1. Executive Summary

Omniverse Compute (OMC) is a decentralized physical infrastructure network (DePIN) that connects owners of idle GPU capacity with people who need compute: AI developers, Web3 and decentralized-AI projects, and rendering studios. Providers earn OMC and fees by running verified jobs. Requesters get access to GPU capacity without cloud quotas, long-term contracts or vendor lock-in.

OMC is built on three ideas:

1. **Honest scope.** OMC targets workloads that distribute well across independent machines: inference, fine-tuning on a single node, batch rendering and other embarrassingly parallel jobs. It does not claim to replace tightly coupled data-center clusters for frontier-scale model training.
2. **Verification you can price.** Every job is covered by a verification policy chosen by job type, combining spot-check re-execution, optional full redundancy, hardware-based confidential computing where available, and economic penalties through staking and slashing.
3. **Token demand tied to usage.** Fees are paid per job, a share of every fee is burned, and reward emissions are paid only against verified work.

Settlement and governance run on BNB Chain. High-frequency scheduling, heartbeats and micropayments run on a dedicated Layer 2 rollup built on the OP Stack (opBNB). Jobs execute off-chain in sandboxed containers on provider hardware.

# 2. Problem and Opportunity

**Demand.** Generative AI has made GPU compute a scarce, expensive input. Small teams and independent developers face high hourly prices, regional quota limits and dependence on a few cloud vendors. Rendering studios face sharp, short-lived peaks in demand.

**Supply.** Large amounts of capability sit underused: consumer and workstation GPUs, idle capacity in small data centers, and hardware formerly used for proof-of-work mining.

**Gap.** There is no widely trusted way for strangers to rent each other GPU time with guarantees about correctness, data protection and payment. OMC aims to provide that missing layer.

## Target users

| Segment | Typical workloads | What they need |
|---|---|---|
| AI startups and independent developers | Inference, LoRA/QLoRA fine-tuning, batch embedding jobs | Lower cost, no quota waits, simple APIs |
| Web3 and decentralized-AI projects | Agent inference, ZK proof generation | Crypto-native payment, censorship resistance |
| Rendering and 3D studios | Blender batch rendering, Unreal Engine offline rendering, 3D reconstruction | Burst capacity, per-job pricing |
| GPU owners and small data centers | Monetizing idle hardware | Predictable earnings, low operating friction |

**Cost position.** We expect savings versus hyperscale on-demand pricing for suitable workloads, but we do not publish a fixed percentage until it is measured. Published benchmarks compare delivered cost per job, including verification overhead, against named alternatives. The benchmark methodology and the underlying rate data are published with the DCF forum *GPU Pricing Watch* series (see Section 13); the first delivered-cost report is published alongside the mainnet release.

# 3. Supported Workloads and Limits

| Workload class | Status | Notes |
|---|---|---|
| Batch rendering (Blender, UE offline) | Supported on testnet; mainnet rollout in Phase 2 | Deterministic seeds allow tolerance-based verification |
| Model inference | Supported on testnet; mainnet rollout in Phase 2 | Latency-sensitive jobs use region-aware scheduling |
| Single-node fine-tuning (LoRA/QLoRA) | Supported on testnet; mainnet rollout in Phase 2 | Job must fit within one node's VRAM |
| Multi-GPU jobs within one machine | Supported where the node has the required interconnect | Interconnect such as NVLink is a node attribute, declared and verified at registration |
| Multi-node distributed training over the public internet | Not supported | Bandwidth and latency make this impractical on consumer networks |
| Cluster jobs on co-located data-center nodes | Research track | Requires verified low-latency fabric between nodes |

Consumer GPUs generally do not offer NVLink. OMC treats interconnect as a declared, tested hardware attribute and never assumes it.

# 4. Architecture

## 4.1 Layers

**L1 settlement (BNB Chain).** OMC token contract, staking contracts, DAO governance, and final dispute arbitration.

**L2 rollup orchestration.** Node heartbeats, job allocation records, state-channel settlement and micropayments run on an OP Stack rollup on BNB Chain (opBNB). At launch a single sequencer operated by the project submits batches to L1. The published path to decentralization covers rotating sequencer sets, and the rollup's data-availability layer, challenge window, withdrawal delay and user exit procedure are documented in the technical documentation released with mainnet.

**Off-chain compute grid.** Provider nodes run jobs in isolated containers with CUDA or ROCm acceleration. Inputs and outputs move over encrypted peer-to-peer or relayed channels.

## 4.2 Job Lifecycle

1. The requester submits a job: container image, resource needs (VRAM, driver version, region), maximum price, verification policy and data-protection level.
2. **Escrow:** the maximum price is locked in the L2 payment contract.
3. The scheduler selects eligible nodes (Section 4.3).
4. The node pulls the image, receives encrypted inputs, executes the job and returns outputs with an execution attestation.
5. Verification runs according to the job's policy (Section 5).
6. **Settlement:** if verification passes, the node is paid from escrow, the protocol fee is split (Section 7.1) and the node's reputation is updated. If it fails, the job is re-run on another node and the faulty node is penalized (Section 7.5).

## 4.3 Scheduling

Scheduling has two stages.

**Stage 1: hard filters.** A node is eligible only if it meets the job's minimum VRAM, driver and CUDA/ROCm versions, region constraints, confidential-computing requirement if any, minimum stake and minimum reputation.

**Stage 2: scoring.** Each eligible node is scored on normalized metrics. Each metric is converted to a percentile rank (0 to 1) among eligible nodes for that job class, so that different units can be combined fairly:

$$\text{Score} = w_f \times N(\text{TFLOPS}) + w_v \times N(\text{VRAM}) + w_b \times N(\text{Bandwidth}) + w_l \times N(\text{Latency, lower is better}) + w_r \times N(\text{Reputation})$$

The weights sum to 1 and are set per job class. **Proposed** defaults:

| Job class | TFLOPS | VRAM | Bandwidth | Latency | Reputation |
|---|---|---|---|---|---|
| Batch and rendering | 0.30 | 0.20 | 0.15 | 0.10 | 0.25 |
| Inference | 0.20 | 0.15 | 0.10 | 0.30 | 0.25 |

Assignment is solved per scheduling window as a weighted matching problem that maximizes total score across all pending jobs and eligible nodes. To avoid concentrating work on a few top nodes, the final pick is drawn at random from the top-k scoring candidates. Weights and k are governance parameters.

# 5. Verification and Trust

No single technique can verify every GPU workload, so OMC uses a policy selected per job.

| Mechanism | How it works | Best for | Cost to requester |
|---|---|---|---|
| Spot-check re-execution | A random share of jobs (audit rate *a*) is silently re-run on an independent node and results are compared | All deterministic or near-deterministic jobs | Base price × (1 + a). Default *a* is **proposed** at 5% to 10% |
| Full redundancy | The job runs on 2 or 3 independent nodes and outputs are compared | High-value or high-precision jobs, chosen by the requester | 2× to 3× |
| Confidential computing (TEE) | Job runs inside a hardware-protected environment with remote attestation | Sensitive data or proprietary models; requires supporting GPUs | Premium for TEE-capable nodes |
| Zero-knowledge proofs | Cryptographic proof of execution | Research track; currently too costly for general GPU workloads | Not offered at launch |

**Handling non-determinism.** GPU floating-point results can differ across devices and drivers. OMC therefore compares outputs using task-specific rules: exact hashes for deterministic jobs, numerical tolerance or perceptual metrics for rendering, and fixed seeds with deterministic kernels where inference supports it. Job types that cannot be verified reliably are labeled as such, and requesters are told before submitting.

**Reputation.** Each node has a score built from verified completions, uptime, timeouts and dispute outcomes. Scores decay without activity and cannot be transferred.

**Disputes.** A requester may dispute a result within 48 hours of the output being returned (**proposed**). The protocol first re-executes the job on an independent node. If the parties still disagree, the case escalates to L1 arbitration by a DAO-elected arbitrator set drawn from a pool of nine candidates, each posting a bond; a ruling is issued within seven days of escalation (**proposed**). Evidence (attestations, logs, hashes) is recorded on L2.

# 6. Security and Privacy

Provider hardware is untrusted by default. OMC applies defense in depth, and is explicit about what it cannot guarantee.

**Isolation.** Jobs run in hardened sandboxes — gVisor by default, with higher-isolation tiers (Kata Containers or microVMs) selectable for sensitive workloads (**proposed**) — with no host access and no outbound network access by default.

**Encryption.** Inputs, outputs and images are encrypted in transit and at rest. Keys are released to a node only after it is assigned the job.

**Data-protection levels.** Standard (public or non-sensitive data), Protected (encrypted, ephemeral storage wiped after the job), and Confidential (TEE-only nodes).

**Honest limitation.** On non-TEE nodes, a malicious provider could in principle observe data or model weights in GPU memory. Requesters with proprietary models or regulated data should choose the Confidential level or not use the network.

**Provider protection.** Resource limits and abuse detection protect providers from malicious containers. Prohibited content and workloads are defined in the Acceptable Use Policy published on the official website.

**Assurance.** Smart contracts and the node client are audited before mainnet and the audit reports are public (see Section 11). A bug bounty program runs from mainnet, paying severity-based rewards starting at $50,000 for critical findings on a public bounty platform (**proposed**).

# 7. Economics and the OMC Token

Parameters marked **proposed** in this section are design targets: they will be validated on testnet and may change through governance before mainnet.

## 7.1 Payments and Fee Flows

Requesters pay per job in OMC or in supported stablecoins (USDT and USDC on BNB Chain). Paying in OMC receives a 10% fee discount (**proposed**). A protocol fee of 3% is applied at each job settlement and is split as follows:

- 30% of the fee is destroyed by the smart contract at settlement. No market purchase is involved: jobs are escrowed and settled in OMC, so the fee is already denominated in the token, and burning it reduces total supply directly rather than routing it through an exchange.
- 70% goes to the Reputation Reward Pool, held by the Treasury contract and distributed to nodes in proportion to their reputation-weighted verified work.

The burn equals **0.9% of settled job volume** (3% × 30%). As an illustration only, not a forecast: if monthly settled volume were $10 million, the monthly fee burn would be about $90,000. Actual volume, and therefore burn, depends entirely on network usage. The protocol publishes settled volume, fees, burns and emissions on a public dashboard.

## 7.2 Token Utility

- **Payment** for compute jobs, with a fee discount for settling in OMC (§7.6).
- **Staking** by node operators as security for honest behavior — the stake is simultaneously the right to accept work, the source of a buyer's refund and the discount qualification (§7.5, §7.6).
- **Governance** voting on protocol parameters, treasury use and upgrades.
- **Rewards** to providers for verified work.

OMC has a fixed maximum supply of 1,000,000,000 tokens on BNB Chain (BEP-20). The only mechanisms that reduce supply are the fee burn and the slashing burn. Both destroy tokens outright, so totalSupply() falls by the amount burned.

## 7.3 Token Distribution

| Category | Share | Amount (OMC) | Vesting |
|---|---|---|---|
| Compute mining and node rewards | 50% | 500,000,000 | 0% at TGE. Released over 10 years according to the emission schedule in 7.4 |
| Institutional investors | 10% | 100,000,000 | 5% at TGE, 6-month cliff, then 24 months monthly linear |
| Private investors | 8% | 80,000,000 | 10% at TGE, 3-month cliff, then 18 months monthly linear |
| Community airdrop | 2% | 20,000,000 | 100% at TGE |
| Ecosystem and grants | 15% | 150,000,000 | 5% at TGE, 6-month lock, then 36 months monthly linear |

| Category | Share | Amount (OMC) | Vesting |
|---|---|---|---|
| Team and core contributors | 10% | 100,000,000 | 0% at TGE, 12-month cliff, then 24 months monthly linear |
| Treasury and liquidity | 5% | 50,000,000 | 50% at TGE for initial liquidity; the remainder managed by the DAO Treasury |

The airdrop is listed separately from investor allocations. Circulating supply at TGE is about 65.5 million OMC (6.55% of maximum supply): 20M airdrop, 5M institutional, 8M private, 7.5M ecosystem and 25M treasury liquidity. A public vesting dashboard shows locked and unlocked balances for every category.

**Airdrop mechanics.** The 20,000,000 OMC airdrop pool is fixed and is paid out as **1,000,000 entries of 20 OMC each**. A participant can register up to **5 entries (100 OMC)** through the campaign itself, plus up to **5 additional entries** earned by inviting new participants — at most **10 entries (200 OMC)** per wallet. Referral entries are drawn from that same fixed pool: the referral program changes how entries are distributed, never how many exist. A referral credit is granted only once the invited address completes its own first entry, and only for **direct invites** — the program is strictly single-layer, with no recursion, no downlines and no team commissions. Participation is free throughout: no payment, purchase or deposit is required at any point.

**TGE, mainnet launch, staking and the airdrop claim window open on the same date (2027 Q2–Q3).** This is deliberate, because the OMC a participant needs in order to stake is the OMC they accumulate during the airdrop campaign: the campaign opens together with mainnet and staking, and entries are claimable immediately, so the OMC a participant earns is stakeable from day one. A wallet that completes the campaign itself holds 100 OMC — exactly the tier-2 staking minimum — so a participant can go from zero to a registered, staked node without buying tokens first; a participant who also invites others can accumulate up to 200 OMC.

## 7.4 Emission Schedule for Node Rewards

The 500,000,000 OMC reward pool is released in **equal annual instalments over 10 years**. The ceiling is the same in every year, and within a year release is linear by day. There is no halving step and no epoch structure: a provider that joins in year 7 is mining against the same annual ceiling as one that joined in year 1.

| Year | Emission ceiling (OMC) | Share of pool |
|---|---|---|
| 1 | 50.00M | 10.0% |
| 2 | 50.00M | 10.0% |
| 3 | 50.00M | 10.0% |
| 4 | 50.00M | 10.0% |
| 5 | 50.00M | 10.0% |
| 6 | 50.00M | 10.0% |
| 7 | 50.00M | 10.0% |
| 8 | 50.00M | 10.0% |
| 9 | 50.00M | 10.0% |
| 10 | 50.00M | 10.0% |

The schedule is deliberately flat. A halving curve front-loads roughly three quarters of the pool into the first four years and then leaves late-joining providers with a fraction of the early rate; a flat curve keeps the reward rate for a given unit of verified work legible for the whole decade, which is what a provider buying hardware to run for several years actually needs to underwrite. The supply that is not released in the early years is not removed from the pool — it is simply released later, so the total is unchanged at 500,000,000 OMC over 10 years.

**Emission is a ceiling, not an entitlement.** Rewards are paid only against verified work. Daily emission is scaled by network utilization (**proposed** function: daily emission = ceiling × min(1, U / Utarget), where U = paid GPU-hours ÷ online available GPU-hours and Utarget = 60%). Any emission not distributed goes to an Emission Reserve that can only be burned or re-released by DAO vote. Because the annual ceiling is flat, an under-utilized network accumulates a smaller reserve per year than an exponentially decaying schedule would, and that reserve can only re-enter circulation by DAO vote. This ties new supply to real usage rather than to the calendar. Independently of utilization, the rate paid to stakers is clamped by the published ceiling in §7.5, so whenever stake is small that ceiling — not this schedule — is the binding constraint.

## 7.5 Staking and Slashing

Nodes must stake OMC before receiving jobs. The required stake is a published ladder: five hardware tiers, each with its own fixed minimum. The same ladder is used on the testnet and on mainnet, so a node that registers on the testnet is already positioned for the tier it will hold at launch.

| Tier | Hardware | Minimum stake (OMC) |
|---|---|---|
| 1 | Consumer GPU, up to 24 GB VRAM (RTX 3090 / 4090 class) | 20 (**proposed**) |
| 2 | Workstation / professional GPU (RTX A6000, L40S class) | 100 (**proposed**) |
| 3 | Data-center GPU, 80 GB class (A100 / H100 single card) | 500 (**proposed**) |
| 4 | Multi-GPU data-center node (2–8 accelerators) | 1,000 (**proposed**) |
| 5 | Cluster-scale deployment (multi-node) | 5,000 (**proposed**) |

The steps are deliberately non-linear. Tier 1 is priced at one airdrop entry (20 OMC) and tier 2 at the campaign's own allocation (5 × 20 = 100 OMC), so a wallet that completes the community airdrop can reach tier 2 without buying anything. Tiers 3–5 escalate hard, because a node at those levels is underwriting data-center and cluster-scale capacity and a proportionally larger slashing exposure — the tiers separate provider classes rather than pricing a small step up in hardware.

Amounts are **proposed** and adjustable by governance before mainnet. The USD value of a given tier therefore moves with the token price; the ladder fixes the OMC amount, not the dollar amount, and governance is expected to revisit the rungs if the token's price range changes materially.

Slashing triggers and **proposed** penalties (percent of stake):

| Offense | Penalty |
|---|---|
| Job timeout | 2% |
| Unexpected offline during an active job | 5% |

| Offense | Penalty |
|---|---|
| Incorrect output (failed verification) | 30% |
| Proven fraud or fake heartbeat | 100% |

Slashed tokens are allocated 50% to compensate affected requesters, 30% to the DAO Treasury and 20% burned (Burn = Slashed × 20%). Penalty sizes will be calibrated on testnet and published before mainnet.

**Staking rewards carry a published ceiling.** Reward emission is a rate per second (§7.4), and a fixed rate pays the same absolute amount however little is staked. A nearly empty pool would therefore imply a meaningless annualised return. The contract clamps what it actually pays:

> *rate in force = min( emissionPerSecond , total staked × maxAprBps ÷ 10,000 ÷ 365 days )*

maxAprBps is a contract parameter, and the contract itself bounds it to a maximum of 10,000 basis points — 100% per year. The testnet runs at that maximum. Three properties matter. First, the ceiling is enforced by the contract, not by policy: both the ceiling and the rate in force are readable from it at any time. Second, it needs no price oracle, because rewards and stake are denominated in the same token, so the bound is arithmetic and cannot be dodged by moving the price. Third, it is a maximum, not a promise — it bounds what a staker can be paid per unit of stake and never raises it. While stake is small the ceiling binds and the flat schedule is irrelevant; as stake grows the ceiling stops binding on its own and the schedule in §7.4 takes over. With the parameter in force the crossover sits at roughly 315,360 OMC staked across the network.

## 7.6 The Compute Market: What the Stake Is Actually For

Staking only has meaning if the stake is doing work. In OMC it performs three concrete jobs, all of them enforced by a contract rather than by policy. The mechanism is the **Compute Market** — the buyer-facing half of the network. Suppliers register GPUs and stake; buyers post jobs and escrow payment. The market contract sits between them.

**1. The stake is the right to accept work.** A provider cannot be assigned a job unless its staked balance clears the hardware tier that job requires. The check reads the same ladder defined in §7.5 — the market contract does not keep its own copy. There is no separate reputation score gating assignment: eligibility is stake, and it is verified on chain at the moment of assignment. Below the tier minimum, the assignment reverts.

**2. The stake is the source of the buyer's refund.** When a job is created the payment is escrowed, not transferred. Settlement releases it only against an accepted result, and the contract settles at or below the buyer's stated ceiling, returning the difference. If a provider fails — missing the deadline, dropping offline mid-job, delivering output that fails verification — the penalty is taken from *that provider's* stake, never from another user's escrow, and the majority share is paid directly to the buyer. **A refund is the seller's debt, not a redistribution of someone else's deposit.** This is the property that makes the escrow trustworthy: the money that can pay the buyer back is locked before the job starts.

**3. The stake earns a settlement discount.** A buyer paying in OMC rather than a stablecoin receives a reduction on the protocol fee described in §7.1. The discount is a governance parameter, not a return: it changes what a buyer pays, not what a staker earns. It is deliberately modest, because an aggressive discount would convert a security deposit into a yield product and attract capital with no intention of running hardware.

**Job lifecycle.** A job moves through a fixed state machine: escrowed → assigned → delivered → settled, with disputed, refunded and cancelled as terminal branches. The buyer may cancel an unassigned job and recover the escrow in full. Once a result is delivered, the buyer has a **48-hour dispute window** (§5) to contest it; uncontested results release automatically, so payment cannot be stalled indefinitely by buyer inaction.

**Verification policy is chosen per job.** Buyers pick the assurance level their workload justifies — spot-check re-execution of a sample, full redundant execution across independent nodes, or hardware attestation (TEE) — and the cost scales with it. This keeps cheap, low-risk jobs cheap rather than forcing every buyer to pay for redundant execution they do not need.

**Scope at launch.** The market is a testnet tool. It does not sell production compute and publishes no price list or rate; buyers quote their own ceiling and the arithmetic is shown, not an offer. Mainnet deployment follows the same schedule as staking (§10).

# 8. Governance

Governance moves from team-led to community-led in stages.

**Launch stage.** Protocol upgrades are controlled by a 4-of-7 multisignature wallet held by core contributors, with a 3-day timelock (**proposed**). All changes are announced publicly before execution. Individual signers are not disclosed at this stage; the signing policy, key-management practice and any signer rotation will be published before mainnet.

**Transition stage.** OMC holders vote on parameters (scheduling weights, audit rates, fee split, slashing sizes, emission scaling) and Treasury spending. **Proposed** thresholds: a proposal threshold of 100,000 OMC, a quorum of 10% of circulating supply, a 7-day voting period and a 2-day execution delay.

**Full DAO stage (2027 or later).** The multisig is removed or limited to emergency security actions with transparent, time-limited powers.

Treasury reports are published quarterly.

# 9. Competitive Landscape

OMC competes with centralized hyperscale clouds, centralized GPU marketplaces, and other decentralized compute networks. Sources and dates for every figure are listed in Section 13.

| Dimension | Hyperscale cloud | GPU marketplaces | Other decentralized networks | OMC |
|---|---|---|---|---|
| Price per GPU-hour (H100 SXM, on-demand, Aug–Oct 2026) | $6.88–$12.29 | $2.49–$6.16 (Lambda, RunPod, Vultr, CoreWeave) | $1.25–$3.00 (Akash, io.net, Render) | Target: below marketplace median; measured benchmark to be published (§2) |
| Verification of results | Provider trust | Platform trust | On-chain attestation (Akash); Proof-of-Render and node tiers (Render); pr oof-of-time-difference and hardware scans (io.net) | Tiered policy per job, see Section 5 |
| Confidential computing | Confidential VMs available; H100 CC on selected instances | Limited | Limited / varies by network | Optional TEE tier |
| Payment | Fiat | Fiat and crypto | Native token (AKT / IO / RENDER) | OMC and stablecoins |
| Supported workloads | Broad, including multi-node training | Broad, including multi-node clusters | Mainly single-node inference, fine-tuning and rendering; multi-node training is impractical | See Section 3 |

Hyperscaler figures are per-GPU-hour for H100 SXM5 80GB in 8-GPU instances (AWS p5.48xlarge $6.88; Google Cloud a3-highgpu-8g $11.06; Azure ND96isr H100 v5 $12.29), spot/preemptible runs $1.95–$2.80, with 1-year commitments around −30% to −38% and 3-year around −50% to −62% (vendor published pricing pages, observed September 2026 and cross-checked against independent trackers). Decentralized network figures are ranges published across 2026 sources (decentralised.news, 2026; gpumarketdepin.com, 2026) and vary by supply and workload class. Network uptime reported for decentralized networks (Akash 99.4%, Render 99.8%, io.net 98.6%) remains below hyperscaler SLAs (99.9%–99.99%).

The characteristics OMC intends to differentiate on — verification policy by job type, a published hardware-tier staking ladder, utilization-linked emissions and BNB Chain ecosystem integration — are stated here as design commitments; measured evidence will be published as the network runs.

# 10. Roadmap

| Phase | Target | Deliverables | Status and evidence |
|---|---|---|---|
| 1 | 2026 Q4 | L2 contract deployment, open-source node client, testnet, community airdrop | **In progress.** Testnet live on BNB Chain testnet (Chapel); token tOMC at 0xBEB21E40FB50A0F4ba9287C2058DC7851e450671; staking contract OMCStaking at 0xa70B8506a1a614Fd83D0C70d73Da1E21fdcf1fB6; compute market OMCComputeMarket at 0x7664f1e73c2CBCbaFE636a653C173378C369C40A; explorer testnet.bscscan.com; repository github.com/CBTdao/omc-network; testnet tokens carry no monetary value; 2% community airdrop (20,000,000 OMC) opens together with mainnet and staking in 2027 Q2–Q3 and runs for three months |
| 2 | 2027 Q2–Q3 | Mainnet launch, reward emission start, airdrop claim window, staking opens, Hugging Face and Blender integrations, completed audits | **Planned.** Mainnet opens in 2027 Q2–Q3. The community airdrop claim window and staking open at the same moment, so the OMC a wallet accumulated during the campaign becomes claimable and stakeable together. Reward emissions, the Hugging Face and Blender integrations and the first completed audits follow within this phase. Audit reports are published here as they are completed |
| 3 | 2027 Q4 and later | TEE tier, zero-knowledge verification research results, DAO transition, cross-chain settlement | Planned |

Each milestone will be accompanied by measurable indicators published on the dashboard: active nodes, total TFLOPS, jobs completed, verified failure rate, settled volume and average time to settlement.

# 11. Team, Audits and Legal

**Core team and advisors.** OMC is developed by a pseudonymous collective of core contributors. Consistent with that practice, the project does not publish individual names, employment histories or personal profiles at this stage, and no advisory board is disclosed. All code contributions are public and attributable to the contributing accounts in the repository. If named advisors are engaged, their roles and the scope of their engagement will be published in this section.

**Legal entity and jurisdiction.** The network and the token are operated as an open-source project. The legal entity that will issue and hold the token, its registration details and the jurisdiction governing the token will be published in this section and on the official website before the token generation event. Until that disclosure is made, no other statement of entity or jurisdiction should be relied upon.

**Funding.** No external financing has been raised to date; development has been funded by contributor resources. If financing is raised, the amount, the investors and any terms that affect token holders will be disclosed here.

**Smart contract audits.** Independent audits of the smart contracts and the node client will be completed before mainnet launch. The full reports — auditor, scope, date and the status of every finding — will be published in this section. No audit report has been published yet, and nothing in this document should be read as audit assurance.

**Contacts:**

- Website: https://omc.network
- Forum: https://forum.omc.network
- Repository: https://github.com/CBTdao/omc-network
- X: https://x.com/Omniverse_Depin
- Telegram: https://t.me/OmniverseCompute
- Contact: support@omc.network
- Security disclosure: security@omc.network

# 12. Risk Factors

**Technical risk.** Verification methods may fail on some workloads, smart contracts may contain bugs despite audits, and the L2 rollup may have availability or security issues.

**Security and privacy risk.** Non-TEE nodes cannot fully protect data in use. Sandbox escapes and side-channel attacks are possible.

**Market risk.** Token prices can be extremely volatile and may fall to zero. Liquidity may be thin. Unlock events may add selling pressure.

**Adoption risk.** The network needs enough requesters and providers. If demand is low, reward emissions are not matched by fee revenue and the burn is small.

**Competition risk.** Established clouds and other decentralized networks may offer lower prices or better reliability.

**Hardware and supply risk.** GPU prices, availability, export controls or energy costs may affect the provider base.

**Regulatory risk.** Laws on tokens, data protection and cross-border services may change and may restrict use in some countries.

**Governance risk.** Voting power may concentrate, and early-stage control by a multisig carries key-management risk.

**Dependency risk.** OMC depends on BNB Chain and third-party infrastructure.

This list is not exhaustive.

# 13. References and Data Sources

Market and infrastructure data cited in this document:


1. *GPU pricing across providers in 2026 (H100, A100, L4 ranked)* — cloudprice.app, 2026. https://cloudprice.app/blog/gpu-pricing-across-providers-2026-h100-a100-l4
2. *Cloud GPU Pricing Comparison 2026: AWS vs Azure vs GCP* — nOps, August 2026. https://www.nops.io/blog/cloud-gpu-pricing-optimization
3. *Cloud GPU Pricing Comparison 2026: AWS vs Azure vs GCP* — Economize, 2026. https://economize.cloud/blog/cloud-gpu-pricing-comparison
4. *AWS vs Azure vs GCP: H100 GPU Pricing 2026* — Tech Insider, 2026. https://tech-insider.org/aws-vs-azure-vs-google-cloud-gpu-pricing-2026/
5. *The Decentralized Compute Risk Matrix: Render vs. Akash vs. io.net* — Decentralised News, 2026. https://decentralised.news/the-decentralized-compute-risk-matrix
6. *GPU Market DePIN 2026: Decentralized Compute vs Big Tech* — gpumarketdepin.com, 2026. https://gpumarketdepin.com/gpu-market-depin-2026-decentralized-compute-vs-big-tech
7. *Akash vs io.net vs Render: Best DePIN GPU for AI Training* — Misar.Blog, 2026. https://www.misar.blog/@synor/articles/akash-vs-ionet-vs-render
8. *Render vs Akash vs io.net: Cheapest DePIN GPU Networks for AI Inference 2026* — Crypto AI World, February 2026. https://cryptoaiworld.com/2026/02/22/render-vs-akash-vs-io-net-cheapest-depin-gpu-networks-for-ai-inference-2026


Benchmark methodology for OMC's own delivered-cost claims (Section 2) is published with the DCF forum "GPU Pricing Watch" series: https://forum.omc.network

All third-party figures were verified against the sources above at the time of writing. GPU prices change quickly; readers should confirm current rates before relying on them.