WHITEPAPER · V3.0

Omniverse Compute (OMC)

A decentralized GPU computing network on BNB Chain — settlement and governance on L1; a dedicated OP Stack L2 (opBNB) for high-frequency scheduling is planned, not yet deployed. Native token: OMC (BEP-20).

Whitepaper v3.0 (English)
Full document · PDF · 21 pages

Whitepaper Deck
Presentation deck · PDF · 13 slides

CONTENTS

1 · Executive Summary

2 · Problem and Opportunity

3 · Supported Workloads and Limits

4 · Architecture

5 · Verification and Trust

6 · Security and Privacy

7 · Economics and the OMC Token

8 · Governance

9 · Competitive Landscape

10 · Roadmap

11 · Team, Audits and Legal

12 · Risk Factors

13 · References and Data Sources

> This document is provided for informational purposes only. It is not an offer to sell, or a solicitation of an offer to buy, any token or security, and it is not investment, legal, tax or accounting advice. OMC is a utility token intended for use within the OMC network; no return, price appreciation or liquidity is promised or implied. Statements about future development are forward-looking and may not be realized. The availability of the token may be restricted in some jurisdictions; it is the reader's responsibility to comply with local laws. Readers should review Section 12 (Risk Factors) and obtain independent professional advice before participating.

1 · Executive Summary

Omniverse Compute (OMC) is a decentralized physical infrastructure network (DePIN) that connects owners of idle GPU capacity with people who need compute: AI developers, Web3 and decentralized-AI projects, and rendering studios. Providers earn OMC and fees by running verified jobs. Requesters get access to GPU capacity without cloud quotas, long-term contracts or vendor lock-in.

OMC is built on three ideas:

1. **Honest scope.** OMC targets workloads that distribute well across independent machines: inference, fine-tuning on a single node, batch rendering and other embarrassingly parallel jobs. It does not claim to replace tightly coupled data-center clusters for frontier-scale model training.
2. **Verification you can price.** Every job is covered by a verification policy chosen by job type, combining spot-check re-execution, optional full redundancy, hardware-based confidential computing where available, and economic penalties through staking and slashing.
3. **Token demand tied to usage.** Fees are paid per job, a share of every fee is burned, and reward emissions are paid only against verified work.

Settlement and governance run on BNB Chain. High-frequency scheduling, heartbeats and micropayments are designed to run on a dedicated Layer 2 rollup built on the OP Stack (opBNB); that rollup is not deployed yet, so at testnet these functions run directly on BNB Smart Chain testnet. Jobs execute off-chain in sandboxed containers on provider hardware.

2 · Problem and Opportunity

Demand. Generative AI has made GPU compute a scarce, expensive input. Small teams and independent developers face high hourly prices, regional quota limits and dependence on a few cloud vendors. Rendering

studios face sharp, short-lived peaks in demand.

Supply. Large amounts of capability sit underused: consumer and workstation GPUs, idle capacity in small data centers, and hardware formerly used for proof-of-work mining.

Gap. There is no widely trusted way for strangers to rent each other GPU time with guarantees about correctness, data protection and payment. OMC aims to provide that missing layer.

Target users

Segment	Typical workloads	What they need
AI startups and independent developers	Inference, LoRA/QLoRA fine-tuning, batch embedding jobs	Lower cost, no quota waits, simple APIs
Web3 and decentralized-AI projects	Agent inference, ZK proof generation	Crypto-native payment, censorship resistance
Rendering and 3D studios	Blender batch rendering, Unreal Engine offline rendering, 3D reconstruction	Burst capacity, per-job pricing
GPU owners and small data centers	Monetizing idle hardware	Predictable earnings, low operating friction

Cost position. We expect savings versus hyperscale on-demand pricing for suitable workloads, but we do not publish a fixed percentage until it is measured. Published benchmarks compare delivered cost per job, including verification overhead, against named alternatives. The benchmark methodology and the underlying rate data are published with the DCF forum *GPU Pricing Watch* series (see Section 13); the first delivered-cost report is published alongside the mainnet release.

3 · Supported Workloads and Limits

Workload class	Status	Notes
Batch rendering (Blender, UE offline)	Supported on testnet; mainnet rollout in Phase 2	Deterministic seeds allow tolerance-based verification

Workload class	Status	Notes
Model inference	Supported on testnet; mainnet rollout in Phase 2	Latency-sensitive jobs use region-aware scheduling
Single-node fine-tuning (LoRA/QLoRA)	Supported on testnet; mainnet rollout in Phase 2	Job must fit within one node's VRAM
Multi-GPU jobs within one machine	Supported where the node has the required interconnect	Interconnect such as NVLink is a node attribute, declared and verified at registration
Multi-node distributed training over the public internet	Not supported	Bandwidth and latency make this impractical on consumer networks
Cluster jobs on co-located data-center nodes	Research track	Requires verified low-latency fabric between nodes

Consumer GPUs generally do not offer NVLink. OMC treats interconnect as a declared, tested hardware attribute and never assumes it.

4 · Architecture

4.1 Layers

L1 settlement (BNB Chain). OMC token contract, staking contracts, DAO governance, and final dispute arbitration.

L2 rollup orchestration (planned, not deployed). Node heartbeats, job allocation records, state-channel settlement and micropayments are designed to run on an OP Stack rollup on BNB Chain (opBNB). On the testnet these functions are handled directly by the BNB Chain contracts. When the rollup launches it will start with a single sequencer operated by the project submitting batches to L1. The published path to decentralization covers rotating sequencer sets, and the rollup's data-availability layer, challenge window, withdrawal delay and user exit procedure will be documented in the technical documentation released with the rollup.

Off-chain compute grid. Provider nodes run jobs in isolated containers with CUDA or ROCm acceleration. Inputs and outputs move over encrypted peer-to-peer or relayed channels.

4.2 Job Lifecycle

1. The requester submits a job: container image, resource needs (VRAM, driver version, region), maximum price, verification policy and data-protection level.
2. **Escrow:** the maximum price is locked in the L2 payment contract.
3. The scheduler selects eligible nodes (Section 4.3).
4. The node pulls the image, receives encrypted inputs, executes the job and returns outputs with an execution attestation.
5. Verification runs according to the job's policy (Section 5).
6. **Settlement:** if verification passes, the node is paid from escrow, the protocol fee is split (Section 7.1) and the node's reputation is updated. If it fails, the job is re-run on another node and the faulty node is penalized (Section 7.5).

4.3 Scheduling

Scheduling has two stages.

Stage 1: hard filters. A node is eligible only if it meets the job's minimum VRAM, driver and CUDA/ROCm versions, region constraints, confidential-computing requirement if any, minimum stake and minimum reputation.

Stage 2: scoring. Each eligible node is scored on normalized metrics. Each metric is converted to a percentile rank (0 to 1) among eligible nodes for that job class, so that different units can be combined fairly:

`Score = w_f × N(TFLOPS) + w_v × N(VRAM) + w_b × N(Bandwidth) + w_l × N(Latency, lower is better) + w_r × N(Reputation)`

The weights sum to 1 and are set per job class. **Proposed** defaults:

Job class	TFLOPS	VRAM	Bandwidth	Latency	Reputation
Batch and rendering	0.30	0.20	0.15	0.10	0.25
Inference	0.20	0.15	0.10	0.30	0.25

Assignment is solved per scheduling window as a weighted matching problem that maximizes total score across all pending jobs and eligible nodes. To avoid concentrating work on a few top nodes, the final pick is drawn at random from the top-k scoring candidates. Weights and k are governance parameters.

5 · Verification and Trust

No single technique can verify every GPU workload, so OMC uses a policy selected per job.

Mechanism	How it works	Best for	Cost to requester
Spot-check re-execution	A random share of jobs (audit rate *a*) is silently re-run on an independent node and results are compared	All deterministic or near-deterministic jobs	Base price × (1 + a). Default *a* is **proposed** at 5% to 10%
Full redundancy	The job runs on 2 or 3 independent nodes and outputs are compared	High-value or high-precision jobs, chosen by the requester	2× to 3×
Confidential computing (TEE)	Job runs inside a hardware-protected environment with remote attestation	Sensitive data or proprietary models; requires supporting GPUs	Premium for TEE-capable nodes
Zero-knowledge proofs	Cryptographic proof of execution	Research track; currently too costly for general GPU workloads	Not offered at launch

Handling non-determinism. GPU floating-point results can differ across devices and drivers. OMC therefore compares outputs using task-specific rules: exact hashes for deterministic jobs, numerical tolerance or perceptual metrics for rendering, and fixed seeds with deterministic kernels where inference supports it. Job types that cannot be verified reliably are labeled as such, and requesters are told before submitting.

Reputation. Each node has a score built from verified completions, uptime, timeouts and dispute outcomes. Scores decay without activity and cannot be transferred.

Disputes. A requester may dispute a result within 48 hours of the output being returned (**proposed**). The protocol first re-executes the job on an independent node. If the parties still disagree, the case escalates to L1 arbitration by a DAO-elected arbitrator set drawn from a pool of nine candidates, each posting a bond; a ruling is issued within seven days of escalation (**proposed**). Evidence (attestations, logs, hashes) is recorded on L2.

6 · Security and Privacy

Provider hardware is untrusted by default. OMC applies defense in depth, and is explicit about what it cannot guarantee.

Isolation. Jobs run in hardened sandboxes — gVisor by default, with higher-isolation tiers (Kata Containers or microVMs) selectable for sensitive workloads (**proposed**) — with no host access and no outbound network access by default.

Encryption. Inputs, outputs and images are encrypted in transit and at rest. Keys are released to a node only after it is assigned the job.

Data-protection levels. Standard (public or non-sensitive data), Protected (encrypted, ephemeral storage wiped after the job), and Confidential (TEE-only nodes).

Honest limitation. On non-TEE nodes, a malicious provider could in principle observe data or model weights in GPU memory. Requesters with proprietary models or regulated data should choose the Confidential level or not use the network.

Provider protection. Resource limits and abuse detection protect providers from malicious containers. Prohibited content and workloads are defined in the Acceptable Use Policy published on the official website.

Assurance. Smart contracts and the node client are audited before mainnet and the audit reports are public (see Section 11). A bug bounty program runs from mainnet, paying severity-based rewards starting at $50,000 for critical findings on a public bounty platform (**proposed**).

7 · Economics and the OMC Token

Parameters marked **proposed** in this section are design targets: they will be validated on testnet and may change through governance before mainnet.

7.1 Payments and Fee Flows

Requesters pay per job in OMC or in supported stablecoins (USDT and USDC on BNB Chain). Paying in OMC receives a 10% fee discount. A protocol fee of **8%** is charged to the requester on top of the provider's quoted price — not deducted from it, so a provider is paid what it quoted and the fee buys escrow, verification and dispute resolution rather than taxing the supply side. It is split as follows:

- **50% of the fee is destroyed** by the smart contract at settlement. No market purchase is involved: jobs are escrowed and settled in OMC, so the fee is already denominated in the token, and burning it reduces total supply directly rather than routing it through an exchange.
- **30% is distributed pro-rata to staked nodes** as a share of fees actually collected. This is the only yield in the system that is revenue rather than dilution, and it is why staking is a position rather than a farm.
- **20% goes to the Treasury** for grants, audits and operations.

The burn equals **4.0% of settled job volume** (8% × 50%). As an illustration only, not a forecast: if monthly settled volume were $10 million, the monthly fee burn would be about $400,000. Actual volume, and therefore burn, depends entirely on network usage. The protocol publishes settled volume, fees, burns and emissions on a public dashboard.

Why 8% and not 3%. At a 3% take with a 30% burn, the protocol destroyed 0.9% of volume. Offsetting the emission ceiling then required $33 million of annual settled volume in year one and $133 million by year five — figures no new compute network reaches, which made the burn decorative and the token structurally inflationary for its entire growth phase. At 8% and 50%, the sink is 4.4 times larger and the same break-even falls to $5.0 million and $25.0 million. The comparison to Web2 cloud still holds: a protocol take of 8% is a fraction of the 50-70% cost reduction the network delivers. The full arithmetic, including the scenario tables, is in `ECONOMICS.md` and reproducible with `models/economics.mjs`.

7.2 Token Utility

- **Payment** for compute jobs, with a fee discount for settling in OMC (§7.6).
- **Staking** by node operators as security for honest behavior — the stake is simultaneously the right to accept work, the source of a buyer's refund and the discount qualification (§7.5, §7.6).
- **Governance** voting on protocol parameters, treasury use and upgrades.
- **Rewards** to providers for verified work.

OMC has a fixed maximum supply of 1,000,000,000 tokens on BNB Chain (BEP-20). The only mechanisms that reduce supply are the fee burn and the slashing burn. Both destroy tokens outright, so `totalSupply()` falls by the amount burned.

7.3 Token Distribution

Category	Share	Amount (OMC)	Vesting
Compute mining and node rewards	50%	500,000,000	0% at TGE. Released over 10 years according to the emission schedule in 7.4
Institutional investors	10%	100,000,000	5% at TGE, 6-month cliff, then 24 months monthly linear
Private investors	8%	80,000,000	10% at TGE, 3-month cliff, then 18 months monthly linear
Community airdrop	2%	20,000,000	25% at claim + 75% linear over 180 days

Category	Share	Amount (OMC)	Vesting
Ecosystem and grants	15%	150,000,000	5% at TGE, 6-month lock, then 36 months monthly linear
Team and core contributors	10%	100,000,000	0% at TGE, 12-month cliff, then 24 months monthly linear
Treasury and liquidity	5%	50,000,000	50% at TGE for initial liquidity; the remainder managed by the DAO Treasury

The airdrop is listed separately from investor allocations. Circulating supply at TGE is about 50.5 million OMC (5.05% of maximum supply): 5M of the airdrop (25% is claimable at TGE and 75% vests over 180 days), 5M institutional, 8M private, 7.5M ecosystem and 25M treasury liquidity. A public vesting dashboard shows locked and unlocked balances for every category.

Why the claim is not a tap. Releasing 20,000,000 OMC to whoever claims first is a day-one sell wall built by the project itself, and the wallets that dump it are the ones least likely to ever run a GPU. The claim therefore releases **25% immediately and 75% linearly over 180 days**: the claim is still worth making on day one, and the cliff that a market maker would price in is gone.

Airdrop mechanics. The 20,000,000 OMC airdrop pool is fixed and is paid out as **500,000 entries of 40 OMC each**. Registration opens ahead of launch: the three social tasks can be completed and entries registered from the moment the campaign page goes live, because an entry is a reservation against the pool rather than a token — no OMC exists before mainnet. A participant can register up to **5 entries (200 OMC)** through the campaign itself, plus up to **5 additional entries** earned by inviting new participants — at most **10 entries (400 OMC)** per wallet. Referral entries are drawn from that same fixed pool: the referral program changes how entries are distributed, never how many exist. A referral credit is granted only once the invited address completes its own first entry, and only for **direct invites** — the program is strictly single-layer, with no recursion, no downlines and no team commissions. Registering is free throughout: an entry is a signature, not a transaction, so there is no gas and no payment before the claim. **Claiming is not free.** The claim transaction carries a **0.01 BNB fee** (about $7.42 at the reference price of $742/BNB) that the treasury keeps, split **60% to ecosystem development** — audits, testnet incentives, RPC and indexer costs, the node client and the sub-sites — and **40% to team operations**. It is charged for two stated reasons: a claim that costs nothing is farmed by wallets that will never run a GPU, and this project is not raising a private round, so the fee is how the remaining work is funded. Because the fee is fixed, the allocation has to be large enough to carry it: at 200 OMC for a base claim the fee is about **$0.037 per OMC**, and at the 400 OMC cap about $0.019. Below the base-claim figure the campaign stops distributing, which is why the fee is published as a price rather than described as a formality. The allocation itself is released **25% at claim and 75% linearly over 180 days**.

TGE, mainnet launch, staking and the airdrop claim window open on the same date (1 January 2027, UTC+8). Registration, by contrast, is open earlier, so the community is assembled before the token exists. Holding the claim to the TGE date is deliberate: the OMC a participant needs in order to stake is the OMC they accumulate during the campaign, and that OMC only comes into existence with mainnet. Entries become claimable the moment mainnet and staking open, so what a participant earns is stakeable from day one. A wallet that completes the campaign itself holds 200 OMC; a participant who also invites others can accumulate up to 400 OMC. Neither is enough to buy a staking bond at any price this token is likely to trade at, which is deliberate: the airdrop distributes a claim on the network, it does not fund a node. The claim window runs for three months and closes on 31 March 2027 (UTC+8).

7.4 Emission Schedule for Node Rewards

The 500,000,000 OMC reward pool is **400,000,000 scheduled plus a 100,000,000 DAO reserve**. The scheduled ceilings are 10,000,000 in year 1, 20,000,000 in year 2, 30,000,000 in year 3, 40,000,000 in year 4 and 50,000,000 a year from year 5 to year 10. Within a year, release is linear by day. The reserve cannot be minted before 2037-01-01 and requires a governance vote; it is not scheduled because scheduling it would have forced late-year ceilings up to 60,000,000 purely to make the arithmetic balance, which is the tail wagging the dog.

Those figures are **ceilings, not entitlements**. The binding constraint in most years is the revenue gate in §7.4.1, and whatever the gate withholds stays unminted rather than being deferred.

Year	Emission ceiling (OMC)	Share of pool
1	10.00M	2.0%
2	20.00M	4.0%
3	30.00M	6.0%
4	40.00M	8.0%
5	50.00M	10.0%
6	50.00M	10.0%
7	50.00M	10.0%
8	50.00M	10.0%

Year	Emission ceiling (OMC)	Share of pool
9	50.00M	10.0%
10	50.00M	10.0%
DAO reserve (unscheduled, 2037+)		20.0%

The curve is deliberately back-loaded, and the reason is arithmetic rather than aesthetic. A flat 50,000,000 OMC in year 1 is **99% of the entire TGE float** (50,500,000 OMC), handed to a network with no paying demand in its first year: dilution against a use case that does not exist yet. A halving curve errs the other way, spending three quarters of the pool inside four years. Starting at 10,000,000 cuts first-year dilution to 20% of float.

7.4.1 The revenue gate

Emission is capped by revenue, not only by the calendar. The rate paid in any period is:

```
emission = min(annual ceiling / 365, k × trailing 30-day fee revenue / 30)
```

where `k` decays from **3** in year 1 to **0.5** from year 6. This single change fixes the property that made the previous design uninvestable: a schedule can only say how fast the pool may be spent, while the gate says how fast it is spent *relative to what the network earns*. No revenue means no emission, so a network that never finds demand never inflates — and an investor gets an answer to "when do you stop diluting me" that depends on an observable.

The consequence is the cleanest number in this paper. Inside the gate regime both burn and emission are linear in fee revenue, so their ratio is **independent of GMV and of price**:

Year	1	2	3	4	5	6–10
Burn ÷ emission	17%	25%	33%	50%	67%	**100%**

From year 6 the ratio is 100% by construction: emission equals burn and circulating supply stops growing at any scale. Above the gate — when the network is genuinely earning — the ceiling binds instead, and because the burn keeps scaling with volume, those years are deflationary. The gate is applied by an `EmissionController` at mainnet that reads fee revenue from the settlement contract; on the testnet a keeper calls the owner setter monthly and every call is public. The APR ceiling in §7.5 remains as a backstop so a small stake base cannot be overpaid, but with the gate in place it is no longer meant to be the binding constraint.

Unemitted amounts are not deferred: whatever the gate withholds stays unminted, and the pool is not a promise to mint.

7.5 Staking and Slashing

Nodes must stake OMC before receiving jobs. The required stake is a published ladder of five hardware tiers, each with its own minimum. Tier minimums are **denominated in USD** and restated into OMC at each re-peg, because a bond only deters if it is worth more than the damage an operator can do — and a fixed OMC figure stops being that the moment the token moves.

Tier	Hardware	Target bond (USD)	OMC on the testnet today
1	Consumer GPU, up to 24 GB VRAM (RTX 3090 / 4090 class)	**$250**	20 (placeholder)
2	Workstation / professional GPU (RTX A6000, L40S class)	**$1,000**	100 (placeholder)
3	Data-center GPU, 80 GB class (A100 / H100 single card)	**$5,000**	500 (placeholder)
4	Multi-GPU data-center node (2–8 accelerators)	**$15,000**	1,000 (placeholder)
5	Cluster-scale deployment (multi-node)	**$50,000**	5,000 (placeholder)

The steps are deliberately non-linear, because the tiers separate provider classes rather than pricing a small step up in hardware: a node at tier 4 or 5 is underwriting data-center and cluster-scale capacity, and a proportionally larger slashing exposure.

Why USD, and what it fixes. The previous ladder was a fixed 20 / 100 / 500 / 1 000 / 5 000 OMC. Two problems, both arithmetic. First, at a one-dollar token that put a **$20 deposit** behind a $1,500 GPU and a job that could be worth more than both — the seller's stake was a guarantee in wording only, and the real verification pressure fell back on the protocol. Second, tier 1 was exactly one airdrop entry and tier 2 exactly one full airdrop, so a wallet could mint a stake out of nothing, collect emissions and never buy OMC. USD pricing closes the second one as a side effect: a maximum airdrop is 200 OMC, and reaching a $250 tier-1 bond with it would require OMC to trade at $2.50, so no separate lock is needed on airdropped tokens.

The OMC amounts currently on the testnet (20 / 100 / 500 / 1 000 / 5 000) are **placeholders, not the ladder** — tOMC has no price to anchor to, so there is nothing to restate against. The targets above are the published policy. At each re-peg the ladder is restated at the 30-day volume-weighted average price when that price leaves a ±25% band around the reference used at the previous restatement; `contracts/params.json` records both the targets and the amounts last applied, and `contracts/tools/set-params.js` is the only thing that writes them on chain. The OMC amount stored in the contract is authoritative: `/stake` reads it live from the contract and never caches a copy, so the page cannot drift from the chain.

Exit takes 14 days. A stake that can be withdrawn in the same block it was posted is a free option: stake, accrue emissions for a week, unstake, sell, repeat. The marginal participant is then a yield farmer rather than an operator, and the emission that was meant to buy capacity buys sell pressure. Withdrawal is therefore a two-step request: the node signals exit, keeps earning nothing and stays fully slashable for a 14-day cooldown, and only then can it withdraw. Fourteen days is long enough that farming carries real risk and short enough that an honest operator is not locked out of reselling hardware.

Slashing triggers and **proposed** penalties (percent of stake):

Offense	Penalty
Job timeout	2%
Unexpected offline during an active job	5%
Incorrect output (failed verification)	30%
Proven fraud or fake heartbeat	100%

Slashed tokens are allocated 50% to compensate affected requesters, 30% to the DAO Treasury and 20% burned (Burn = Slashed × 20%). Penalty sizes will be calibrated on testnet and published before mainnet.

Staking rewards carry a published ceiling. Reward emission is a rate per second (§7.4), and a fixed rate pays the same absolute amount however little is staked. A nearly empty pool would therefore imply a meaningless annualised return. The contract clamps what it actually pays:

> rate in force = min(emissionPerSecond , total staked × maxAprBps ÷ 10,000 ÷ 365 days)

`maxAprBps` is a contract parameter, and the contract itself bounds it to a maximum of 10,000 basis points — 100% per year. The current testnet deployment is configured at 2,000 basis points (20% per year); the value in force is readable from the contract and may be changed within the 10,000 bps bound. Three properties matter. First, the ceiling is enforced by the contract, not by policy: both the ceiling and the rate in force are readable from it at any time. Second, it needs no price oracle, because rewards and stake are denominated in the same token, so the bound is arithmetic and cannot be dodged by moving the price. Third, it is a maximum, not a promise — it bounds what a staker can be paid per unit of stake and never raises it. While stake is small the ceiling binds and the flat schedule is irrelevant; as stake grows the ceiling stops binding on its own and the schedule in §7.4 takes over. With the parameter in force the crossover sits at roughly 315,360 OMC staked across the network.

7.6 The Compute Market: What the Stake Is Actually For

Staking only has meaning if the stake is doing work. In OMC it performs three concrete jobs, all of them enforced by a contract rather than by policy. The mechanism is the **Compute Market** — the buyer-facing half of the

network. Suppliers register GPUs and stake; buyers post jobs and escrow payment. The market contract sits between them.

1. The stake is the right to accept work. A provider cannot be assigned a job unless its staked balance clears the hardware tier that job requires. The check reads the same ladder defined in §7.5 — the market contract does not keep its own copy. There is no separate reputation score gating assignment: eligibility is stake, and it is verified on chain at the moment of assignment. Below the tier minimum, the assignment reverts.

2. The stake is the source of the buyer's refund. When a job is created the payment is escrowed, not transferred. Settlement releases it only against an accepted result, and the contract settles at or below the buyer's stated ceiling, returning the difference. If a provider fails — missing the deadline, dropping offline mid-job, delivering output that fails verification — the penalty is taken from *that provider's* stake, never from another user's escrow, and the majority share is paid directly to the buyer. **A refund is the seller's debt, not a redistribution of someone else's deposit.** This is the property that makes the escrow trustworthy: the money that can pay the buyer back is locked before the job starts.

3. The stake earns a settlement discount. A buyer paying in OMC rather than a stablecoin receives a reduction on the protocol fee described in §7.1. The discount is a governance parameter, not a return: it changes what a buyer pays, not what a staker earns. It is deliberately modest, because an aggressive discount would convert a security deposit into a yield product and attract capital with no intention of running hardware.

Job lifecycle. A job moves through a fixed state machine: escrowed → assigned → delivered → settled, with `disputed`, `refunded` and `cancelled` as terminal branches. The buyer may cancel an unassigned job and recover the escrow in full. Once a result is delivered, the buyer has a **48-hour dispute window** (§5) to contest it; uncontested results release automatically, so payment cannot be stalled indefinitely by buyer inaction.

Verification policy is chosen per job. Buyers pick the assurance level their workload justifies — spot-check re-execution of a sample, full redundant execution across independent nodes, or hardware attestation (TEE) — and the cost scales with it. This keeps cheap, low-risk jobs cheap rather than forcing every buyer to pay for redundant execution they do not need.

Scope at launch. The market is a testnet tool. It does not sell production compute and publishes no price list or rate; buyers quote their own ceiling and the arithmetic is shown, not an offer. Mainnet deployment follows the same schedule as staking (§10).

8 · Governance

Governance moves from team-led to community-led in stages.

Launch stage. Protocol upgrades are controlled by a 4-of-7 multisignature wallet held by core contributors, with a 3-day timelock (**proposed**). All changes are announced publicly before execution. Individual signers are not

disclosed at this stage; the signing policy, key-management practice and any signer rotation will be published before mainnet.

Transition stage. OMC holders vote on parameters (scheduling weights, audit rates, fee split, slashing sizes, emission scaling) and Treasury spending. **Proposed** thresholds: a proposal threshold of 100,000 OMC, a quorum of 10% of circulating supply, a 7-day voting period and a 2-day execution delay.

Full DAO stage (2027 or later). The multisig is removed or limited to emergency security actions with transparent, time-limited powers.

Treasury reports are published quarterly.

9 · Competitive Landscape

OMC competes with centralized hyperscale clouds, centralized GPU marketplaces, and other decentralized compute networks. Sources and dates for every figure are listed in Section 13.

Dimension	Hyperscale cloud	GPU marketplaces	Other decentralized networks	OMC
Price per GPU-hour (H100 SXM, on-demand, Aug–Oct 2026)	$6.88–$12.29	$2.49–$6.16 (Lambda, RunPod, Vultr, CoreWeave)	$1.25–$3.00 (Akash, io.net, Render)	Target: below marketplace median; measured benchmark to be published (§2)
Verification of results	Provider trust	Platform trust	On-chain attestation (Akash); Proof-of-Render and node tiers (Render); proof-of-time-difference and hardware scans (io.net)	Tiered policy per job, see Section 5
Confidential computing	Confidential VMs available; H100 CC on selected instances	Limited	Limited / varies by network	Optional TEE tier

Dimension	Hyperscale cloud	GPU marketplaces	Other decentralized networks	OMC
Payment	Fiat	Fiat and crypto	Native token (AKT / IO / RENDER)	OMC and stablecoins
Supported workloads	Broad, including multi-node training	Broad, including multi-node clusters	Mainly single-node inference, fine-tuning and rendering; multi-node training is impractical	See Section 3

Hyperscaler figures are per-GPU-hour for H100 SXM5 80GB in 8-GPU instances (AWS p5.48xlarge $6.88; Google Cloud a3-highgpu-8g $11.06; Azure ND96isr H100 v5 $12.29), spot/preemptible runs $1.95–$2.80, with 1-year commitments around −30% to −38% and 3-year around −50% to −62% (vendor published pricing pages, observed September 2026 and cross-checked against independent trackers). Decentralized network figures are ranges published across 2026 sources (decentralised.news, 2026; gpumarketdepin.com, 2026) and vary by supply and workload class. Network uptime reported for decentralized networks (Akash 99.4%, Render 99.8%, io.net 98.6%) remains below hyperscaler SLAs (99.9%–99.99%).

The characteristics OMC intends to differentiate on — verification policy by job type, a published hardware-tier staking ladder, utilization-linked emissions and BNB Chain ecosystem integration — are stated here as design commitments; measured evidence will be published as the network runs.

10 · Roadmap

Phase	Target	Deliverables	Status and evidence
1	2026 Q4	Testnet smart-contract deployment on BNB Chain, open-source node client, public testnet, community airdrop campaign built with	**In progress.** Testnet live on BNB Chain testnet (Chapel); token `tOMC` at `0xBEB21E40FB50A0F4ba9287C2058DC7851e450671`; staking contract `OMCStaking` at `0xa70B8506a1a614Fd83D0C70d73Da1E21fdcf1fB6`; compute market `OMCComputeMarket` at `0x7664f1e73c2CBCbaFE636a653C173378C369C40A`; explorer `testnet.bscscan.com`; repository `github.com/CBTdao/omc-network`; testnet tokens carry no monetary value; 2% community airdrop (20,000,000 OMC) — tasks and entry registration are open from this phase, while the claim window opens with mainnet and staking on 1 January 2027 and runs for three months

Phase	Target	Deliverables	Status and evidence
		participation open	
2	2027 Q1 (1 January)	Mainnet launch, community airdrop claim opens (claim window and staking from day one), reward emission start, Hugging Face and Blender integrations, completed audits	**Planned.** Mainnet opens on 1 January 2027. The community airdrop claim window and staking open at the same moment, so the OMC a wallet accumulated during the campaign — registration has been open since Phase 1 — becomes claimable and stakeable together. Reward emissions, the Hugging Face and Blender integrations and the first completed audits follow within this phase. Audit reports are published here as they are completed
3	2027 Q4 and later	TEE tier, zero-knowledge verification research results, DAO transition, cross-chain settlement	Planned

Each milestone will be accompanied by measurable indicators published on the dashboard: active nodes, total TFLOPS, jobs completed, verified failure rate, settled volume and average time to settlement.

11 · Team, Audits and Legal

Core team and advisors. OMC is developed by a pseudonymous collective of core contributors. Consistent with that practice, the project does not publish individual names, employment histories or personal profiles at this stage, and no advisory board is disclosed. All code contributions are public and attributable to the contributing accounts in the repository. If named advisors are engaged, their roles and the scope of their engagement will be published in this section.

Legal entity and jurisdiction. The network and the token are operated as an open-source project. The legal entity that will issue and hold the token, its registration details and the jurisdiction governing the token will be

published in this section and on the official website before the token generation event. Until that disclosure is made, no other statement of entity or jurisdiction should be relied upon.

Funding. No external financing has been raised to date; development has been funded by contributor resources. If financing is raised, the amount, the investors and any terms that affect token holders will be disclosed here.

Smart contract audits. Independent audits of the smart contracts and the node client will be completed before mainnet launch. The full reports — auditor, scope, date and the status of every finding — will be published in this section. No audit report has been published yet, and nothing in this document should be read as audit assurance.

Contacts:

- Website: https://omc.network
- Forum: https://forum.omc.network
- Repository: https://github.com/CBTdao/omc-network
- X: https://x.com/Omniverse_Depin
- Telegram: https://t.me/OmniverseCompute
- Contact: support@omc.network
- Security disclosure: security@omc.network

12 · Risk Factors

Technical risk. Verification methods may fail on some workloads, smart contracts may contain bugs despite audits, and the L2 rollup may have availability or security issues.

Security and privacy risk. Non-TEE nodes cannot fully protect data in use. Sandbox escapes and side-channel attacks are possible.

Market risk. Token prices can be extremely volatile and may fall to zero. Liquidity may be thin. Unlock events may add selling pressure.

Adoption risk. The network needs enough requesters and providers. If demand is low, reward emissions are not matched by fee revenue and the burn is small.

Competition risk. Established clouds and other decentralized networks may offer lower prices or better reliability.

Hardware and supply risk. GPU prices, availability, export controls or energy costs may affect the provider base.

Regulatory risk. Laws on tokens, data protection and cross-border services may change and may restrict use in some countries.

Governance risk. Voting power may concentrate, and early-stage control by a multisig carries key-management risk.

Dependency risk. OMC depends on BNB Chain and third-party infrastructure.

This list is not exhaustive.

13 · References and Data Sources

Market and infrastructure data cited in this document:

1. *GPU pricing across providers in 2026 (H100, A100, L4 ranked)* — cloudprice.app, 2026. https://cloudprice.app/blog/gpu-pricing-across-providers-2026-h100-a100-l4
2. *Cloud GPU Pricing Comparison 2026: AWS vs Azure vs GCP* — nOps, August 2026. https://www.nops.io/blog/cloud-gpu-pricing-optimization
3. *Cloud GPU Pricing Comparison 2026: AWS vs Azure vs GCP* — Economize, 2026. https://economize.cloud/blog/cloud-gpu-pricing-comparison
4. *AWS vs Azure vs GCP: H100 GPU Pricing 2026* — Tech Insider, 2026. https://tech-insider.org/aws-vs-azure-vs-google-cloud-gpu-pricing-2026/
5. *The Decentralized Compute Risk Matrix: Render vs. Akash vs. io.net* — Decentralised News, 2026. https://decentralised.news/the-decentralized-compute-risk-matrix
6. *GPU Market DePIN 2026: Decentralized Compute vs Big Tech* — gpumarketdepin.com, 2026. https://gpumarketdepin.com/gpu-market-depin-2026-decentralized-compute-vs-big-tech
7. *Akash vs io.net vs Render: Best DePIN GPU for AI Training* — Misar.Blog, 2026. https://www.misar.blog/@synor/articles/akash-vs-ionet-vs-render
8. *Render vs Akash vs io.net: Cheapest DePIN GPU Networks for AI Inference 2026* — Crypto AI World, February 2026. https://cryptoaiworld.com/2026/02/22/render-vs-akash-vs-io-net-cheapest-depin-gpu-networks-for-ai-inference-2026

Benchmark methodology for OMC's own delivered-cost claims (Section 2) is published with the DCF forum "GPU Pricing Watch" series: https://forum.omc.network

All third-party figures were verified against the sources above at the time of writing. GPU prices change quickly; readers should confirm current rates before relying on them.

> **Note.** This page is the source document for the PDF: both are built from the same text, so a discrepancy is a build error rather than a version difference — English whitepaper (PDF, 21 pages) · presentation deck.

Omniverse Compute

Decentralized high-performance GPU infrastructure network. Building the future of DeAI.

PROTOCOL

- Whitepaper
- Testnet
- Architecture
- Tokenomics

COMMUNITY

- Airdrop
- News
- X / Twitter
- Telegram

ECOSYSTEM

- AITop — AI Tool Comparisons
- DCF — Compute Forum
- Real or AI — Daily Photo Game

RESOURCES

- GPU Cost Calculator
- AI Compute Station
- Image Upscaler
- Whitepaper PDF
- Whitepaper Deck
- RPC Endpoints
- About & Contact
- Privacy Policy
- Acceptable Use

ON-CHAIN CONTRACTS **BscScan verified**

Network	BNB Smart Chain · Testnet (chainId 97)

OMC token (tOMC)	`0xBEB21E40FB50A0F4ba9287C2058DC7851e450671`
Staking (OMCStaking)	`0xa70B8506a1a614Fd83D0C70d73Da1E21fdcf1fB6`
Compute Market (OMCComputeMarket)	`0x7664f1e73c2CBCbaFE636a653C173378C369C40A`
Security	Automated security testing — not an audit →

Testnet contracts, published for verification. Testnet tokens have no monetary value and are not sold or listed anywhere.

Disclaimer: Omniverse Compute (OMC) is a utility token of a decentralized infrastructure protocol. Nothing on this site constitutes financial advice. Digital assets carry high risk — do your own research and comply with the laws of your jurisdiction.

© 2026 Omniverse Compute · omc.network