



MiFuel API

IMPLEMENTATION GUIDE

New Member – V1.4



REVISION HISTORY

Date	Version	Summary of Changes	Prepared / Changed By
2021/03/17	1.0	Create document	A. Vivier
2024/09/28	1.1	Update member url	
2025/05/10	1.3	Add Productlink Status	A. Vivier
2026/02/12	1.4	Remove Fuel card	A. Vivier



TABLE OF CONTENTS

INTRODUCTION	- 3 -
API FIELDS AND RULES	- 4 -
FIELDS	- 4 -
CLIENT OPERATION.....	- 5 -
INSERT / UPDATE CLIENT FOR CARD.....	- 5 -
INSERT / UPDATE CLIENT FOR PRODUCT.....	- 8 -
INSERT / UPDATE CLIENT ADDRESS	- 11 -
UPDATE PRODUCTLINK STATUS.....	- 13 -
DESCRIPTION OF FIELDS	- 15 -



INTRODUCTION

The MiFuel-API is one of the integration channel solutions to interface and integrate data into the MiFuel platform. It uses a secure, automated, two way data transfer service that renders products and services to entities outside Herminix (MiFuel) through a digital channel.

The channel will allow clients/suppliers/partners to interface their in-house systems directly and securely with that of Herminix.

The MiFuel-API will offer the following services:

- Transaction Processing/Extraction
- New Client Create
- Existing Client Update
- Client Status Update
- Address updates
- Add Beneficiary

This document will focus on the integration and method implementation to the different services available. It also covers the message and request structure for the different services and provide sample codes. It will provide the links to the service contract definitions that users must adopt in order to cater for the services provided by MiFuel-API

MiFuel-API is a restful JSON service that run over HTTPS.

Note: *Provided URL = mifuel.co.za



API FIELDS AND RULES

In this section the data fields and rules will be provided for reference purpose.
Note the abbreviations being used.

FIELDS

Filed Type	Required Type
S = String	M = Mandatory
N = Number	O = Optional
B = Boolean	C = Conditional
I = Integer	
DTO = Data Transfer Object (Array)	
DT = Date	



CLIENT OPERATION

This method allows the user to add a new client on the MiFuel platform for new applications

INSERT / UPDATE CLIENT FOR CARD

CREATE/UPDATE FIELDS FOR FUEL CARD

Filed Name	Type	Length	Required Type	Description
Orgid	S	10	M	This is the unique ID allocated to your organisation by the MiFuel platform. <i>Ask your MiFuel Administrator for your specific OrgID.</i>
Key	S	50	M	This is the unique KEY allocated to your organisation by the MiFuel platform. <i>Ask your MiFuel Administrator for your specific OrgID.</i>
SMS Allowed	S	5	M	True or False. True means an SMS can be sent to the end-customer.
ProductType	S	4	M	This is the specific identifier for the loading of a product for the person/asset detail supplied in this API. See PRODUCT TYPE below.
Clientcode	S	15	O	Unique identifier of the client as per the external system interfacing with MiFuel.
ApplicantType	S	1	M	Company or Individual. APPLICANT TYPE Below.
IdentificationType	S	1	M	SA ID, Passport Company Registration Number. See CLIENT IDENTIFICATION TYPE below.
IdentificationNumber	S	20	M	Full SA ID Number or Passport. Left Pad with 0.
Title	S	5	M	Title of the person. See TITLE below.
Name	S	50	M	This field will be used to identify the person or company by name
Surname	S	50	M	Only required where an Individual applies. Last name (Surname) of the Applicant
MobileNumber	S	10	M	The mobile number is used as a unique identifier on some external systems. In the case where



Herminix (Pty) Ltd

				companies apply a single mobile number must be utilised for all applications. No spaces or special characters allowed. Eg271230000
EmailAddress	S	50	M	Email address of the individual or company applying. In the case of dependents the Main Member's email must be provided.
DateOfBirth	S	10	M	Format CCYY-MM-DD
Nationality	S	5	M	Nationality of the applicant. Eg SA "00212". See COUNTRY below.
Membertype	S	2	M	Indicate main member or dependents. See MEMBER TYPE below.
MainMember	S	10	C	Value to be 0 in the case of Member Type = Main Member. MiFuel Main member's UsersID to be supplied in case of dependents.
TCAcceptance	I	1	M	Can only be posted to MiFuel if Client Accepted T'&C's on your website

This API is to be submitted for each unique card order

SAMPLE CODE

URL	Provided url/api/member
METHOD	POST
Header	Content-Type: application/json
Request	{ "orgid":0, "key":"#key" "smsallowed":true "producttype":0007, "clientcode":00123 "applicationtype":2, "identificationtype":1, "identificationnumber":195010024005780 "title":Mr "name":myname "surname":mysurname "mobilenumber":0765505555 "emailaddress":mymail@domain.com "dateofbirth":1950-10-02 "tcacceptance":true }



RESPONSE SAMPLES

Filed Name	Type	Length	Description
success	B		A “success” message will be returned when your post was successful.
action	S	20	An “update” or “insert” message will be returned depending what actioned MiFuel performed to process your posted transaction
userid	I	11	A unique userid (internal to MiFuel) will be returned
assetid	I	11	A unique assetid (internal to MiFuel) will be returned
Tokennr	I	16	
message	S	100	Any message related to the update/insert message can be returned where applicable

SUCCESSFUL RESPONSE

Sample
<pre>{ "success": true, "action": Inserted, "userid": 456, "productlinkid": 123, "message": [] }</pre>

ERROR RESPONSE

Sample
<pre>{ "value": 0, "success": false, "userid": 456, "productlinkid": 123, "message": ["The client type ID '0' does not exist."] }</pre>



INSERT / UPDATE CLIENT FOR PRODUCT

CREATE/UPDATE FIELDS FOR HERMINIX PRODUCTS

Filed Name	Type	Length	Required Type	Description
Orgid	S	10	M	This is the unique ID allocated to your organisation by the MiFuel platform. <i>Ask your MiFuel Administrator for your specific OrgID.</i>
Key	S	50	M	This is the unique KEY allocated to your organisation by the MiFuel platform. <i>Ask your MiFuel Administrator for your specific OrgID.</i>
ProductType	S	4	M	This is the specific identifier for the loading of a product for the person/asset detail supplied in this API. See PRODUCT TYPE below.
Clientcode	S	15	O	Unique identifier of the client as per the external system interfacing with MiFuel.
ApplicantType	S	1	M	Company or Individual. APPLICANT TYPE Below.
IdentificationType	S	1	M	SA ID, Passport Company Registration Number. See CLIENT IDENTIFICATION TYPE below.
IdentificationNumber	S	20	M	Full SA ID Number or Passport. Left Pad with 0.
Title	S	5	M	Title of the person. See TITLE below.
Name	S	50	M	This field will be used to identify the person or company by name
Surname	S	50	M	Only required where an Individual applies. Last name (Surname) of the Applicant
MobileNumber	S	10	M	The mobile number is used as a unique identifier on some external systems. In the case where companies apply a single mobile number must be utilised for all applications. No spaces or special characters allowed. Eg271230000
EmailAddress	S	50	M	Email address of the individual or company applying. In the case of dependents the Main Member's email must be provided.
DateOfBirth	S	10	M	Format CCYY-MM-DD
Nationality	S	5	M	Nationality of the applicant. Eg SA "00212". See COUNTRY below.



Herminix (Pty) Ltd

Membertype	S	2	M	Indicate main member or dependents. See MEMBER TYPE below.
MainMember	S	10	C	Value to be 0 in the case of Member Type = Main Member. MiFuel Main member's UsersID to be supplied in case of dependents.
RequestType	S	10	C	Value to be "new" for new member signup. Blank for updates.

This API is to be submitted for each unique Herminix product

SAMPLE CODE

URL	Provided URL/api/v2/member.php
METHOD	POST
Header	Content-Type: application/json
Request	<pre>{ "orgid": "000001", "key": "&keycode&", "producttype": "00001", "clientcode": "0001", "applicationtype": "1", "identificationtype": "1", "identificationnumber": "2201015002080 ", "title": "Mr", "name": "firstname", "surname": "lastname", "mobilenumber": "0811231234", "emailaddress": "email@mail.com", "dateofbirth": "1991-01-11", "membertype": "00", "mainmember": "", "nationality": "South Africa", "requesttype": "new" }</pre>



RESPONSE SAMPLES

Filed Name	Type	Length	Description
success	S		A “success” message will be returned when your post was successful.
action	S	20	An “update” or “insert” message will be returned depending what actioned MiFuel performed to process your posted transaction
userid	I	11	A unique userid (internal to MiFuel) will be returned
extuserid1	I	11	A unique extuserid (internal to MiFuel) will be returned
Extuserid2	I	11	A unique extuserid (internal to MiFuel) will be returned
Extuserid3	I	11	A unique extuserid (internal to MiFuel) will be returned
productlinkid	I	11	A unique productlinkid (internal to MiFuel) will be returned
message	S	100	Any message related to the update/insert message can be returned where applicable

SUCCESSFUL RESPONSE

Sample
<pre>{ "success": 1, "action": "", "userid": "123123", "extuserid1": "", "extuserid2": "", "extuserid3": "", "productlinkid": "321321", "message": "Executed successfully productlink: 321321" }</pre>



INSERT / UPDATE CLIENT ADDRESS

CREATE/UPDATE FIELDS FOR HERMINIX PRODUCTS

Filed Name	Type	Length	Required Type	Description
Orgid	S	10	M	This is the unique ID allocated to your organisation by the MiFuel platform. <i>Ask your MiFuel Administrator for your specific OrgID.</i>
Key	S	50	M	This is the unique KEY allocated to your organisation by the MiFuel platform. <i>Ask your MiFuel Administrator for your specific OrgID.</i>
UsersID	S	4	M	A unique userid (internal to MiFuel) will be returned with the Create api
Address 1	S	15	O	Address line 1 of the client. Preferably Street address
Address 2	S	1	M	Address line 2 of the client. Preferably Street address
Suburb	S	1	M	Suburb value of the of the client address.
City	S	20	M	City value of the of the client address.
Postal Code	S	5	M	Postal code value of the of the client address.
Province	S	50	M	Refer Province table below for valid values.
Country	S	50	M	Default "South Africa"

SAMPLE CODE

URL	Provided URL/api/v2/address.php
METHOD	POST
Header	Content-Type: application/json
Request	{ "orgid": "000001", "key": "&keycode&", "userid": "1234", "address1": "Address 1", "address2": "Address 2", "suburb": "Suburb", "city": "Pretoria", }



Herminix (Pty) Ltd

	<pre>"postalcode": "2001", "province": "01", "country": "South Africa" }</pre>

RESPONSE SAMPLES

Filed Name	Type	Length	Description
userid	I	11	A unique userid (internal to MiFuel) will be returned
message	S	100	Any message related to the update/insert message can be returned where applicable

SUCCESSFUL RESPONSE

Sample
<pre>{ "success": 1, "userid": "1234", "message": "Address updated successfully" }</pre>



UPDATE PRODUCTLINK STATUS

CREATE/UPDATE FIELDS FOR HERMINIX PRODUCTS

Filed Name	Type	Length	Required Type	Description
Orgid	S	10	M	This is the unique ID allocated to your organisation by the MiFuel platform. <i>Ask your MiFuel Administrator for your specific OrgID.</i>
Key	S	50	M	This is the unique KEY allocated to your organisation by the MiFuel platform. <i>Ask your MiFuel Administrator for your specific OrgID.</i>
ProductLinkID	S	10	M	A unique productlinkid (internal to MiFuel) will be returned with the Create api and must be provided in the Status Update
Status	S	1	M	See PRODUCT LINK STATUS below
Reason	S	25	M	Custom text to indicate why the status of the productlinkid is being changed

SAMPLE CODE

URL	Provided URL/
METHOD	api/v2/productstatus.php
	POST
Header	Content-Type: application/json
Request	{ "orgid": "000001", "key": "&keycode&", "productlinkid": "1234", "status": "0", "reason": "Temporary de-activate", }



RESPONSE SAMPLES

Filed Name	Type	Length	Description
success	I	1	Success (1) or Decline (0) indicator
message	S	100	Any message related to the update message can be returned where applicable

SUCCESSFUL RESPONSE

Sample
<pre>{ "success": 1, "message": "Status updated successfully" }</pre>



DESCRIPTION OF FIELDS

CLIENT STATUS

Field Values	Value to be passed	Description
Active	1	Client is Active and is up to date with payments
Inactive	0	Client is Inactive and has not paid

CLIENT IDENTIFICATION TYPE

Field Values	Value to be passed	Description
SA ID	1	South African Unique Identification number issued per person
Passport	2	Passport number as issued by the authorized authority
Company Registration	3	Company Registration number as per CIPC

APPLICANT TYPE

Field Values	Value to be passed	Description
Company	1	Applicant type is a company
Individual	2	Applicant type is an individual

FUEL TYPE

Field Values	Value to be passed	Description
Petrol	1	Mainly Petrol propelled
Diesel	2	Mainly Diesel propelled
Electric	3	Mainly Electric propelled
Gas	4	Mainly Gas propelled
Other	5	Other means of propulsion

CARD TYPE

Field Values	Value to be passed	Description
--------------	--------------------	-------------



Herminix (Pty) Ltd

Physical	1	Require a Physical card
Virtual	2	Require a Virtual card

PAYMENT FREQUENCY

Field Values	Value to be passed	Description
Monthly	1	Every 45 days after month end
Annual in Dec	2	Every Dec (around mid Dec)

PAYMENT OPTION

Field Values	Value to be passed	Description
Donate to Charity	1	Funds will be paid to the Charity Organisation you support
My Bank Account	2	Funds will be paid to the customer's account at the frequency given
My Bank Account – will supply info later	3	Indicator that client will supply banking detail at a later stage

ACCOUNT TYPE

Field Values	Value to be passed	Description
Savings	1	Funds will be paid to the Charity Organisation you support
Cheque/Current	2	Funds will be paid to the customer's account at the frequency given
Other	3	



Herminix (Pty) Ltd

BANK NAME

Field Values	Value to be passed
ABSA	2
GROBANK	3
BIDVEST BANK	4
CAPITEC	5
FNB	6
INVESTEC	7
NEDBANK	8
SA POST BANK	9
STANDARD BANK	10
Other	11

RESPONSE MESSAGES

Response Value	Description
Inserted	Record was inserted successfully and deemed as a new data entry
Updated	Record was updated successfully and deemed as an existing data entry

PROVINCE

Field Values	Value to be passed
Eastern Cape	01
Free State	02
Gauteng	03
KwaZulu-Natal	04
Limpopo	05
Mpumalanga	06
North West	07
Northern Cape	08
Western Cape	09
Other	10



COUNTRY

Field Values	Value to be passed
South Africa	00212
Other	90900
Angola	00244
Botswana	00267
Ghana	00233
Kenya	00254
Lesotho	00266
Nigeria	00234
Swaziland	00268
Zimbabwe	00263

PRODUCT TYPE

Field Values	Value to be passed
Card01	0001
Card02	0002
Card03	0003
Card04	0004
Health	0005
Funeral	0006
Coupon01	0007
Coupon02	0008
Coupon03	0009
Rewards	0010
Combo01	0011
Sonke Sure Individual	0020
Sonke Sure Family	0021
Sonke 50 (New)	0022
Sonke Mega Data (New)	0023
SIG Health	11637



Herminix (Pty) Ltd

TITLE

Field Values	Value to be passed
Mr.	33
Mrs	36
Miss	37

MEMBER TYPE

Field Values	Value to be passed
Main Member	00
Spouse/Partner	01
Child 1	02
Child 2	03
Child 3	04
Child 4	05
Child 5	06
Child 6	07

PRODUCT LINK STATUS

Field Values	Value to be passed
Inactive	0
Pending	1
Active	2
Suspended	3
Cancelled	4
Terminated	5