

Build something around your life.

A personal dashboard, a set of useful habits, and a starting point for your own ChatGPT Work or Codex. Choose what belongs in your version.

My Hub

Briefing

Look Ahead

Messages

Deliveries

Newsletters

Sports

Opportunity Radar

Family Meeting

Connections

Personalize

Fictional demo · No accounts connected

About this starter

EXAMPLE · TUESDAY, SEPTEMBER 22, 2026

Good morning, Taylor.

TODAY'S AGENDA

Los Angeles

8:30 AM

T

A clear start
Personal · 30 minutes

9:05 AM

T

Team check-in
Work · 25 minutes

12:00 PM

T + M

Lunch with Morgan
Lunch · 45 minutes

4:15 PM

R

Practice pickup
Household · Community field

6:30 PM

All

Dinner together
Household

Looking ahead

10:05 AM · Project review Tomorrow · 25 minutes

A LITTLE ROOM FOR SOMETHING GOOD

An easy afternoon outside

A short loop, room to wander, and a stop for something warm.

Explore the idea →

Messages

Morgan Lee
Email · 7:45 AM

Robin Park
Messages · Yesterday, 6:20 PM

Neighborhood group

Deliveries

A book for the weekend
Pickup available · Action needed

Trail essentials
In transit · Thursday arrival

Kitchen refills

Newsletters

The Design Notebook
Example edition · Today

Around the Neighborhood
Example edition · Today

Sports

Harbor FC · Matchday notes
Fictional club · Tonight, 7:30 PM

City Basketball · After the game
Fictional club · Spoiler-controlled recap

A little help

What would you like your Hub to help with?

Prepare prompt ↗

Built around your choices

A starter to shape with your own ChatGPT or Codex.

Build Your Own Hub · Adapted from Craig's Hub · All people, events, messages, and results shown are fictional.

A real starter with fictional content. The interface works locally. Your accounts, private storage, and schedules are a separate build stage.

Open the repository and complete shared context

Give your assistant a useful brief.

1. Read the shared context

Download **SHARED-CONTEXT.md** from the repository. Add it to your own chat or project, then paste **START-PROMPT.md**. Ask the assistant to list the files it actually read. Attach the file if it cannot open the link.

2. Pick the first version

Choose the sections that would help most: an agenda, messages, deliveries, reading, sports, ideas, or shared decisions. A small useful Hub is a good first release. You can add more later.

3. Record your preferences

Name the Hub; choose your time zone, people, interests, accent, and section order. Use **config/profile.example.json** as the fuller build profile. It is not automatically loaded by the demo; the demo export contains display settings only.

4. Confirm the actual tools

Ask the assistant which accounts, files, browser access, coding tools, and scheduling capabilities are available in that environment. A feature described in this kit does not establish access in your session.

A prompt you can use now

Read the attached Build Your Own Hub context. Help me choose the smallest useful version for my life. Ask about my priorities, sources, visual preferences, and desired actions. Then build a fictional preview with the tools actually available here. Keep real connections and scheduling as explicit, verified steps.

The full starting prompt adds implementation stages, evidence requirements, and a handoff checklist. Use it when beginning the build.

Make the page feel like yours.

The example uses warm ivory, dark navy, restrained gold, serif headings, and clear source details. Keep the parts you like and change the rest.

My Hub

Briefing

Look Ahead

Messages

Deliveries

Newsletters

Sports

Opportunity Radar

Family Meeting

Connections

Personalize

Fictional demo · No accounts connected

About this starter

YOUR DAY, IN ONE PLACE

Make room for your life

Choose the parts that matter to you. These settings change this demo and can be exported to your own project.

Your display name

Taylor

Hub name

My Hub

Accent

Warm gold

Your sections

Briefing (always on)

Messages

Newsletters

Opportunity Radar

Look Ahead

Deliveries

Sports

Family Meeting

Save in this browser

Export preferences

Import preferences

Export includes only the display name, Hub name, accent, and section selection. Notes, hidden items, feedback, and source snapshots are not exported. Accounts, time zone, interests, schedules, and action permissions belong in your full build profile.

Build Your Own Hub · Adapted from Craig's Hub · All people, events, messages, and results shown are fictional.

A little help

What would you like your Hub to help with?

Prepare prompt ↗

In the demo: Personalize changes the display name, Hub name, accent, and sections. Save locally or export a preference file. The design guide documents colors, type, spacing, responsive behavior, and interaction rules.

BUILD YOUR OWN HUB / 1.1.0 / SEPTEMBER 22, 2026

3

A page load is only one step.

A useful Hub distinguishes what was read, what was saved, what reached the screen, and what ran on schedule.

Authorized source

Read only the accounts and source scope the new owner has chosen.

Literal observation

Keep the source ID, observation time, publication time, and coverage.

Validated snapshot

Validate data and retain earlier verified items when a read is partial.

Private publication

Write the accepted snapshot, then read back the actual destination.

Visible interface

Show the right items, dates, source states, and reversible controls.

Scheduled operation

Observe separate scheduled runs; a manual success is not schedule proof.

If a source fails: preserve earlier evidence, show partial or unavailable coverage, and avoid invented freshness. If a send has an uncertain outcome, reconcile the existing attempt; do not resend automatically.

The starter includes validation, merge, freshness, and first-attempt delivery functions. It does not include a connected backend or an email sender.

Choose a few. Configure them well.

Every recipe is disabled in the original catalog. Each has a reusable prompt, required setup inputs, and a shared operating contract. Cadences are examples for you to change.

Keep the page current

- Coordinate selected source updates
- Refresh the agenda
- Refresh messages and concrete follow-ups
- Track identifiable packages
- Refresh selected newsletter editions

Follow your interests

- Prepare a daily interest briefing
- Prepare a game or event preview
- Prepare a spoiler-controlled recap
- Find a few good things to do

Plan with other people

- Suggest one practical shared activity
- Prepare a planning meeting
- Prepare for recurring personal dates
- Keep chosen event calendars accurate

Maintain the system

- Audit source and delivery reliability
- Check the chosen local automation host
- Review what the Hub should change

Assign one scheduling owner per source. Choose time zone, quiet hours, source scope, and destinations explicitly. Verify three distinct scheduled successes before marking unattended operation verified. This does not guarantee future reliability.

A clear path from demo to daily use.

Try it without installing packages

Download and extract the [release ZIP](#). Open **preview.html** in a browser that permits local HTML files. It embeds the example data, code, and fonts. You can also use the [public fictional demo](#) or run the local development server.

Work from source

With Node.js 22 or later, open a terminal in the folder containing **package.json** and run:

```
npm test
```

```
npm run build
```

```
npm run verify
```

```
npm start
```

Open **<http://127.0.0.1:4173>**. No npm install is needed. Stop the server with Ctrl+C. Keep your own personalized source copy private.

Connect one source at a time

Choose a private output destination before reading one authorized source. Chapter 9 gives the exact data contract and a runnable fictional adapter; chapter 10 covers source ownership, installation, receipts, and recovery. Add persistent UI loading before claiming a live dashboard.

Hand it to the next person

Share the original repository or release ZIP, the shared context, and the starting prompt. The screenshot tour shows the design without disclosing anyone's real messages or calendar.

Before calling your own build ready: record what passed, what is partial, what is untested, and how to recover. The expanded shared context answers setup and maintenance questions; release checks distinguish local evidence from live-service operation.

No project license file is included. Keep the bundled font notices. This is a personal project starter, not an official OpenAI product or supported integration bundle.

<https://github.com/CBruney/build-your-own-hub>