

COMP9020

Foundations of Computer Science

Lecture 4: Set Theory

Lecturers: Katie Clinch (LIC)

Paul Hunter

Simon Mackenzie

Course admin: Nicholas Tandiono

Course email: cs9020@cse.unsw.edu.au

Outline

Recap of Key Definitions

Set Equality

Laws of Set Operations

Derived Laws

Two Useful Results

Feedback

Outline

Recap of Key Definitions

Set Equality

Laws of Set Operations

Derived Laws

Two Useful Results

Feedback

Defining Sets

- Explicitly list elements
- 2 Take a subset of an existing set by restricting the elements
- 3 Build up from existing sets using Set Operations

Set Operations

Definition

 $A \cup B$ – union (a or b):

$$A \cup B = \{x : x \in A \text{ or } x \in B\}.$$

 $A \cap B$ – intersection (a and b):

$$A \cap B = \{x : x \in A \text{ and } x \in B\}.$$

 A^c – **complement** (with respect to a universal set \mathcal{U}):

$$A^c = \{x : x \in \mathcal{U} \text{ and } x \notin A\}.$$

We say that A, B are **disjoint** if $A \cap B = \emptyset$

Set Operations

Other set operations

Definition

 $A \setminus B$ – **set difference**, relative complement (a but not b):

$$A \setminus B = A \cap B^c$$


 $A \oplus B$ – **symmetric difference** (a and not b or b and not a; also known as a or b exclusively; a xor b):

$$A \oplus B = (A \setminus B) \cup (B \setminus A)$$


A **Venn Diagram** is a simple graphical approach to visualize the basic set operations.




A **Venn Diagram** is a simple graphical approach to visualize the basic set operations.




A **Venn Diagram** is a simple graphical approach to visualize the basic set operations.




A Venn Diagram is a simple graphical approach to visualize the basic set operations.




A **Venn Diagram** is a simple graphical approach to visualize the basic set operations.




A **Venn Diagram** is a simple graphical approach to visualize the basic set operations.



A Venn Diagram is a simple graphical approach to visualize the basic set operations.



A Venn Diagram is a simple graphical approach to visualize the basic set operations.



 $A \oplus B$

Outline

Recap of Key Definitions

Set Equality

Laws of Set Operations

Derived Laws

Two Useful Results

Feedback

Set Equality

Two sets are **equal** (A = B) if they contain the same elements


To show equality:


- Examine all the elements
- Show $A \subseteq B$ and $B \subseteq A$
- Use the Laws of Set Operations


Important!

Venn diagrams can help visualize, but are not rigorous.


Example









Example





Example






Example





Example



Example

Show $\{3,2,1\} = (0,4)$.

Example

Show $\{3, 2, 1\} = (0, 4)$.

$$(0,4)=\{1,2,3\}=\{3,2,1\}.$$

Example

Show ${n: n \in \mathbb{Z} \text{ and } n^2 < 5} = {n: n \in \mathbb{Z} \text{ and } |n| \le 2}$

Example

Show ${n: n \in \mathbb{Z} \text{ and } n^2 < 5} = {n: n \in \mathbb{Z} \text{ and } |n| \le 2}$

$$\{n: n \in \mathbb{Z} \text{ and } n^2 < 5\} = \{-2, -1, 0, 1, 2\}$$

= $\{n: n \in \mathbb{Z} \text{ and } |n| \le 2\}$

Example

Show $\{n:n\in\mathbb{Z} \text{ and } n^2>5\}=\{n:n\in\mathbb{Z} \text{ and } |n|>2\}$

Example

Show $\{n : n \in \mathbb{Z} \text{ and } n^2 > 5\} = \{n : n \in \mathbb{Z} \text{ and } |n| > 2\}$

Show:

- For all $n \in \mathbb{Z}$, if $n^2 > 5$ then |n| > 2; and
- For all $n \in \mathbb{Z}$, if |n| > 2 then $n^2 > 5$.

That is, show:

For all
$$n \in \mathbb{Z}$$
: $n^2 > 5$ if, and only if $|n| > 2$

Outline

Recap of Key Definitions

Set Equality

Laws of Set Operations

Derived Laws

Two Useful Results

Feedback

Laws of Set Operations

```
For all sets A, B, C:
   Commutativity
                                        A \cup B = B \cup A
                                         A \cap B = B \cap A
                                (A \cup B) \cup C = A \cup (B \cup C)
     Associativity
                                (A \cap B) \cap C = A \cap (B \cap C)
                            A \cup (B \cap C) = (A \cup B) \cap (A \cup C)
     Distribution
                            A \cap (B \cup C) = (A \cap B) \cup (A \cap C)
                                            A \cup \emptyset = A
        Identity
                                            A \cap \mathcal{U} = A
                                          A \cup (A^c) = \mathcal{U}
 Complementation
                                          A \cap (A^c) = \emptyset
```

Substitution

Because the laws hold for all sets, we can substitute complex expressions for each set symbol.

Example

Commutativity

$$A \cup B = B \cup A$$

Substitution

Because the laws hold for all sets, we can substitute complex expressions for each set symbol.

Example

Commutativity

$$A \cup B = B \cup A$$

Therefore:

$$(C \cap D) \cup (D \oplus E) = (D \oplus E) \cup (C \cap D)$$

Example

Show that for all sets $A \cap (B \cap C) = C \cap (B \cap A)$:

Example

Example

Show that for all sets $A \cap (B \cap C) = C \cap (B \cap A)$:

$$A \cap (B \cap C) = (A \cap B) \cap C$$
 [Associativity]
= $C \cap (A \cap B)$ [Commutativity]
= $C \cap (B \cap A)$ [Commutativity]

Important!

(Aim to) limit each step to a non-overlapping applications of a single rule

16

Outline

Recap of Key Definitions

Set Equality

Laws of Set Operations

Derived Laws

Two Useful Results

Feedback

Other useful set laws

The following are all derivable from the previous 10 laws. Idempotence $A \cap A = A$

 $A \cup A = A$

Double complementation $(A^c)^c = A$

Annihilation $A \cap \emptyset = \emptyset$

 $A \cup \mathcal{U} = \mathcal{U}$

de Morgan's Laws $(A \cap B)^c = A^c \cup B^c$ $(A \cup B)^c = A^c \cap B^c$

$$A = A \cup \emptyset$$

(Identity)

$$A = A \cup \emptyset$$
 (Identity)
= $A \cup (A \cap A^c)$ (Complementation)

$$A = A \cup \emptyset$$
 (Identity)
= $A \cup (A \cap A^c)$ (Complementation)
= $(A \cup A) \cap (A \cup A^c)$ (Distributivity)

$$A = A \cup \emptyset$$
 (Identity)
 $= A \cup (A \cap A^c)$ (Complementation)
 $= (A \cup A) \cap (A \cup A^c)$ (Distributivity)
 $= (A \cup A) \cap \mathcal{U}$ (Complementation)

$$A = A \cup \emptyset \qquad \qquad \text{(Identity)} \\ = A \cup (A \cap A^c) \qquad \text{(Complementation)} \\ = (A \cup A) \cap (A \cup A^c) \qquad \text{(Distributivity)} \\ = (A \cup A) \cap \mathcal{U} \qquad \text{(Complementation)} \\ = (A \cup A) \qquad \text{(Identity)}$$

Outline

Recap of Key Definitions

Set Equality

Laws of Set Operations

Derived Laws

Two Useful Results

Feedback

Two useful results

Definition

If A is a set defined using \cap , \cup , \emptyset and \mathcal{U} , then $\operatorname{dual}(A)$ is the expression obtained by replacing \cap with \cup (and vice-versa) and \emptyset with \mathcal{U} (and vice-versa).

Theorem (Principle of Duality)

If you can prove $A_1 = A_2$ using the Laws of Set Operations then you can prove dual $(A_1) = dual(A_2)$

Example

Absorption law: $A \cup (A \cap B) = A$

Dual: $A \cap (A \cup B) = A$

21

Application (Idempotence of \cap)

Recall Idempotence of \cup :

$$A = A \cup \emptyset \qquad \text{(Identity)}$$

$$= A \cup (A \cap A^c) \qquad \text{(Complementation)}$$

$$= (A \cup A) \cap (A \cup A^c) \qquad \text{(Distributivity)}$$

$$= (A \cup A) \cap \mathcal{U} \qquad \text{(Complementation)}$$

$$= (A \cup A) \qquad \text{(Identity)}$$

Application (Idempotence of \cap)

Invoke the dual laws!

$$A = A \cap \mathcal{U} \qquad \text{(Identity)}$$

$$= A \cap (A \cup A^c) \qquad \text{(Complementation)}$$

$$= (A \cap A) \cup (A \cap A^c) \qquad \text{(Distributivity)}$$

$$= (A \cap A) \cup \emptyset \qquad \text{(Complementation)}$$

$$= (A \cap A) \qquad \text{(Identity)}$$

Two useful results

Theorem (Uniqueness of complement)

$$A\cap B=\emptyset$$
 and $A\cup B=\mathcal{U}$ if, and only if, $B=A^c$.

Two useful results

Theorem (Uniqueness of complement)

$$A \cap B = \emptyset$$
 and $A \cup B = \mathcal{U}$ if, and only if, $B = A^c$.

Proof (Only if).

```
B = B \cap \mathcal{U}
                                              (Identity)
                                        (Complement)
    = B \cap (A \cup A^c)
    = (B \cap A) \cup (B \cap A^c)
                                        (Distributivity)
    = (A \cap B) \cup (A^c \cap B) (Commutativity)
    = \emptyset \cup (A^c \cap B)
                                                 (Given)
    =(A\cap A^c)\cup (A^c\cap B)
                                        (Complement)
    = (A^c \cap A) \cup (A^c \cap B) (Commutativity)
    = A^c \cap (A \cup B)
                                        (Distributivity)
    = A^c \cap \mathcal{U}
                                                 (Given)
    = A^c
                                              (Identity)
```

23

Application (Double complement)

Take
$$A=X^c$$
 and $B=X$:
$$X^c\cap X = X\cap X^c \qquad \text{(Commutativity)}$$

$$=\emptyset \qquad \text{(Identity)}$$

$$X^c\cup X = \mathcal{U} \qquad \text{(Principle of duality)}$$

By the uniqueness of complement, $(X^c)^c = X$.

Exercises

Exercises

Show the following for all sets A, B, C:

- $B \cup (A \cap \emptyset) = B$
- $\bullet \ (C \cup A) \cap (B \cup A) = A \cup (B \cap C)$
- $\bullet (A \cap B) \cup (A \cup B^c)^c = B$

Exercises

Give counterexamples to show the following do not hold for all sets:

- $\bullet \ A \setminus (B \setminus C) = (A \setminus B) \setminus C$
- $(A \cup B) \setminus C = A \cup (B \setminus C)$
- $(A \setminus B) \cup B = A$

Outline

Recap of Key Definitions

Set Equality

Laws of Set Operations

Derived Laws

Two Useful Results

Feedback

Weekly Feedback

We would appreciate any comments/suggestions/requests you have on this week's lectures.



https://forms.office.com/r/aHRCGANHiB