

실습 가이드: OpenFOAM cavity flow

2026 한국연소학회 가을 Tutorial
Next-Gen Combustion

Cavity Flow

• Tutorial 1: cavity flow

- Describe how to pre-process, run and post-process a case involving isothermal, incompressible flow
- **Lid-driven cavity flow** (see Fig. 1)
 - 2D square domain
 - Top wall moves in the x-direction at 1 m/s and other 3 walls are stationary.
 - incompressibleFluid modular solver:
for laminar, isothermal, incompressible flow.
 - General procedure for CFD simulations.
 - Pre-processing (e.g., mesh generation)
 - Run the simulation
 - Post-processing




Figure 1. Geometry of the lid driven cavity

Cavity Flow

- **Governing equation of incompressibleFluid**

- A solver module for transient, incompressible, isothermal laminar flow simulation
- For incompressible flow, the pressure is expressed as kinematic pressure $\frac{p}{\rho}$
- Governing equations:

$$\nabla \cdot \mathbf{u} = 0$$

$$\frac{\partial \mathbf{u}}{\partial t} + \nabla \cdot (\mathbf{u}\mathbf{u}) - \nabla \cdot (\nu \nabla \mathbf{u}) = -\nabla \frac{p}{\rho}$$

Cavity Flow

● Pre-processing

- Get the tutorial files
- The recommended location is your OpenFOAM run directory

Command Line

```
mkdir -p $FOAM_RUN
```

```
cd $FOAM_RUN
```


```
git clone https://github.com/CCERL/KOSCO-2026-NextGen-Combustion.git
```

```
cd KOSCO-2026-NextGen-Combustion/Tutorial/1.Cavity
```

```
ghkrk@20225263-p01:~/OpenFOAM/ghkrk-12/run$ git clone https://github.com/CCERL/KOSCO-2026-NextGen-Combustion.git
Cloning into 'KOSCO-2026-NextGen-Combustion'...
remote: Enumerating objects: 506, done.
remote: Counting objects: 100% (208/208), done.
remote: Compressing objects: 100% (177/177), done.
remote: Total 506 (delta 83), reused 81 (delta 31), pack-reused 298 (from 1)
Receiving objects: 100% (506/506), 4.46 MiB | 13.32 MiB/s, done.
Resolving deltas: 100% (226/226), done.
ghkrk@20225263-p01:~/OpenFOAM/ghkrk-12/run$ cd KOSCO-2026-NextGen-Combustion/Tutorial/1.Cavity
ghkrk@20225263-p01:~/OpenFOAM/ghkrk-12/run/KOSCO-2026-NextGen-Combustion/Tutorial/1.Cavity$ ll
total 28
drwxr-xr-x 5 ghkrk ghkrk 4096 Oct  6 10:56 ./
drwxr-xr-x 6 ghkrk ghkrk 4096 Oct  6 10:56 ../
drwxr-xr-x 2 ghkrk ghkrk 4096 Oct  6 10:56 0/
-rwxr-xr-x 1 ghkrk ghkrk 257 Oct  6 10:56 Allclean*
-rwxr-xr-x 1 ghkrk ghkrk 326 Oct  6 10:56 Allrun*
drwxr-xr-x 2 ghkrk ghkrk 4096 Oct  6 10:56 constant/
drwxr-xr-x 2 ghkrk ghkrk 4096 Oct  6 10:56 system/
ghkrk@20225263-p01:~/OpenFOAM/ghkrk-12/run/KOSCO-2026-NextGen-Combustion/Tutorial/1.Cavity$ |
```

Cavity Flow

• File structure of OpenFOAM case




- time directory: contains individual files of data for particular fields (e.g., U and p). Each data files can be either
 - **Initial fields** and **boundary conditions** that the user must specify to define the problem
 - Output file
- The name of each time directory is based on the simulated time at which the data is written.

```
4096 Sep 30 19:18 0
4096 Sep 30 19:18 constant
4096 Sep 30 19:18 system
```

Overview of file structure of OpenFOAM case*

Cavity Flow

• File structure of OpenFOAM case




- constant directory: contains
 - polyMesh : Full collection of the mesh files
 - Physical properties: e.g., viscosity and thermophysical properties (e.g.,
 - Physical models: e.g., laminar/turbulence, combustion, and chemical reaction models
 - Example dictionary file: momentumTransport, physicalProperties, chemistryProperties

Overview of file structure of OpenFOAM case*

Cavity Flow

• File structure of OpenFOAM cases



- system directory: contains **at least** the following 3 files:
 - controlDict: run control parameters are set including start/end time, time step and parameters for data output.
 - fvSchemes: discretization schemes used in the solution
 - fvSolution: the equation solvers, tolerances and other algorithm controls are set for the run.

Overview of file structure of OpenFOAM case*

Cavity Flow

- Steps for CFD simulation using OpenFOAM

1. Define the problem
2. Find the proper solver in OpenFOAM
3. Make the geometry and mesh
4. Set up the necessary conditions
 - time directory : initial & boundary conditions
 - constant : Physical properties & models & mesh
 - system : simulation control & numerical settings

Solving – 5. Run the simulation (start the calculation)

Post-processing – 6. Check the results of the simulation

Cavity Flow

● Preprocessing: Boundary and Initial Conditions

- Every field file consists of *internalField* and *boundaryField*.

```
/*----- C++ -----*/
//
//  F i e l d
//  O p e r a t i o n
//  A n d
//  M a n i p u l a t i o n
//
//  OpenFOAM: The Open Source CFD Toolbox
//  Website:  https://openfoam.org
//  Version:  12
//
FoamFile
{
    format      ascii;
    class       volVectorField;
    object      U;
}
// ***** //

dimensions      [0 1 -1 0 0 0 0];

internalField   uniform (0 0 0);

boundaryField
{
    movingWall
    {
        type      fixedValue;
        value      uniform (1 0 0);
    }

    fixedWalls
    {
        type      noSlip;
    }

    frontAndBack
    {
        type      empty;
    }
}
// ***** //
```

Command Line

vi 0/U

Physical dimension of the field.
Addition, subtraction and equality are only physically meaningful for properties of the same dimensional units. (As a safeguard against implementing a meaningless operation)
[kg m s K mol A cd].

Cavity Flow

● Preprocessing: Boundary and Initial Conditions

```
/*----- C++ -----*/
//
//  F i e l d
//  O p e r a t i o n
//  A n d
//  M a n i p u l a t i o n
//
// OpenFOAM: The Open Source CFD Toolbox
// Website: https://openfoam.org
// Version: 12
//
FoamFile
{
    format      ascii;
    class       volVectorField;
    object      U;
}
// ***** //


dimensions      [0 1 -1 0 0 0];

internalField   uniform (0 0 0);

boundaryField
{
    movingWall
    {
        type      fixedValue;
        value      uniform (1 0 0);
    }

    fixedWalls
    {
        type      noSlip;
    }

    frontAndBack
    {
        type      empty;
    }
}
// ***** //
```



internalField of U is uniformly set to (0 0 0) m/s
- Initial condition

Cavity Flow

● Preprocessing: Boundary and Initial Conditions

```
/*----- C++ -----*/
//
//  F i e l d
//  O p e r a t i o n
//  A n d
//  M a n i p u l a t i o n
//
//  OpenFOAM: The Open Source CFD Toolbox
//  Website: https://openfoam.org
//  Version: 12
//
FoamFile
{
    format      ascii;
    class       volVectorField;
    object      U;
}
// ***** //


dimensions      [0 1 -1 0 0 0];
internalField    uniform (0 0 0);

boundaryField
{
    movingWall
    {
        type      fixedValue;
        value      uniform (1 0 0);
    }

    fixedWalls
    {
        type      noSlip;
    }

    frontAndBack
    {
        type      empty;
    }
}
// ***** //
```

U at the movingWall
(1 0 0) m/s



Cavity Flow

● Preprocessing: Boundary and Initial Conditions


```
/*----- C++ -----*/
//
//  F i e l d
//  O p e r a t i o n
//  A n d
//  M a n i p u l a t i o n
//
// OpenFOAM: The Open Source CFD Toolbox
// Website: https://openfoam.org
// Version: 12
//
FoamFile
{
    format      ascii;
    class       volVectorField;
    object      U;
}
// ***** //

dimensions      [0 1 -1 0 0 0];
internalField   uniform (0 0 0);

boundaryField
{
    movingWall
    {
        type      fixedValue;
        value      uniform (1 0 0);
    }

    fixedWalls
    {
        type      noSlip;
    }

    frontAndBack
    {
        type      empty;
    }
}
// ***** //
```



U at the remaining wall
no slip boundary condition

Cavity Flow

- **Preprocessing: Boundary and Initial Conditions**

```
/*-----*- C++ -*-----*/
//
// \V/
//   Field      OpenFOAM: The Open Source CFD Toolbox
//   Operation   Website: https://openfoam.org
//   And         Version: 12
//   Manipulation
//
FoamFile
{
    format        ascii;
    class         volVectorField;
    object        U;
}
// *****

dimensions       [0 1 -1 0 0 0];

internalField     uniform (0 0 0);

boundaryField
{
    movingWall
    {
        type          fixedValue;
        value          uniform (1 0 0);
    }

    fixedWalls
    {
        type          noSlip;
    }

    frontAndBack
    {
        type          empty;
    }
}

// *****
```

frontAndBack, which are the faces normal to z , is set to empty

Cavity Flow

- Preprocessing: Boundary and Initial Conditions

```
/*----- C++ -----*/
//
// \ \ \ \ \ F i e l d
// \ \ \ \ \ O p e r a t i o n
// \ \ \ \ \ A n d
// \ \ \ \ \ M a n i p u l a t i o n
//
// OpenFOAM: The Open Source CFD Toolbox
// Website: https://openfoam.org
// Version: 12
//
FoamFile
{
    format      ascii;
    class       volScalarField;
    object      p;
}
// ***** //

dimensions      [0 2 -2 0 0 0];

internalField   uniform 0;

boundaryField
{
    movingWall
    {
        type      zeroGradient;
    }

    fixedWalls
    {
        type      zeroGradient;
    }

    frontAndBack
    {
        type      empty;
    }
}
// ***** //
```

kinematic pressure : $\frac{p}{\rho}$

$$\left[\frac{Pa}{kg/m^3} = m^2 \cdot s^{-2} \right]$$

Unit of kinematic pressure.

$$\frac{\partial \mathbf{u}}{\partial t} + \nabla \cdot (\mathbf{u}\mathbf{u}) - \nabla \cdot (\nu \nabla \mathbf{u}) = -\nabla \frac{p}{\rho}$$

Cavity Flow

- Preprocessing: Boundary and Initial Conditions

```
/*----- C++ -----*/
//
// \V\  F i e l d      | OpenFOAM: The Open Source CFD Toolbox
//  \O\  O peration   | Website: https://openfoam.org
//   \A\  A nd        | Version: 12
//    \M\  M anipulation
//
FoamFile
{
    format      ascii;
    class       volScalarField;
    object      p;
}
// ***** //

dimensions      [0 2 -2 0 0 0];

internalField    uniform 0;

boundaryField
{
    movingWall
    {
        type      zeroGradient;
    }

    fixedWalls
    {
        type      zeroGradient;
    }

    frontAndBack
    {
        type      empty;
    }
}
// ***** //
```

In N-S equation, gradient of kinematic pressure is important such that we give a reference value 0 as an uniform internalField.

$$\frac{\partial \mathbf{u}}{\partial t} + \nabla \cdot (\mathbf{u}\mathbf{u}) - \nabla \cdot (\nu \nabla \mathbf{u}) = -\nabla \frac{p}{\rho}$$

Cavity Flow

- Preprocessing: Boundary and Initial Conditions

```
/*----- C++ -----*/
//
//  F i e l d
//  O p e r a t i o n
//  A n d
//  M a n i p u l a t i o n
//
//  OpenFOAM: The Open Source CFD Toolbox
//  Website: https://openfoam.org
//  Version: 12
//
FoamFile
{
    format      ascii;
    class       volScalarField;
    object      p;
}
// ***** //

dimensions      [0 2 -2 0 0 0];

internalField    uniform 0;

boundaryField
{
    movingWall
    {
        type      zeroGradient;
    }
    fixedWalls
    {
        type      zeroGradient;
    }
    frontAndBack
    {
        type      empty;
    }
}
// ***** //
```

$$\nabla \frac{p}{\rho} = 0 \text{ at the wall}$$

Cavity Flow

- Preprocessing: Physical properties

$$\frac{\partial \mathbf{u}}{\partial t} + \nabla \cdot (\mathbf{u}\mathbf{u}) - \nabla \cdot (\underbrace{\nu}_{\text{Kinematic viscosity}} \nabla \mathbf{u}) = -\nabla \frac{p}{\rho}$$

Kinematic viscosity

Command Line

cd ../

cd constant

vi physicalProperties

```
/*----- C++ -----*/
//
//  F ield
//  O peration
//  A nd
//  M anipulation
//
// OpenFOAM: The Open Source CFD Toolbox
// Website:  https://openfoam.org
// Version:  12
//
FoamFile
{
    format      ascii;
    class       dictionary;
    location    "constant";
    object      physicalProperties;
}
// *****

viscosityModel constant;
nu              0.01 [m^2/s];
// *****
```

$$\nu \text{ [m}^2\text{/s]} = 0.01$$

Cavity Flow

● Preprocessing: Simulation control

- In the **system** directory,
 - **controlDict**: input data relating to the control of time and reading and writing of the solution
 - fvSchemes, fvSolution: Settings for numerical discretization and solution methods

Command Line

:wq

cd ../

cd system

vi controlDict

```
/*----- C++ -----*/
//
// \V\
//   F ield
//   O peration
//   A nd
//   M anipulation
//
// OpenFOAM: The Open Source CFD Toolbox
// Website:  https://openfoam.org
// Version:  12
//
FoamFile
{
    format      ascii;
    class       dictionary;
    location    "system";
    object      controlDict;
}
// ***** //

application    foamRun;
solver         incompressibleFluid;
startFrom      startTime;
startTime      0;
stopAt         endTime;
endTime        10;
deltaT         0.005;
writeControl    timeStep;
writeInterval   100;
purgeWrite     0;
writeFormat     ascii;
writePrecision  6;
writeCompression off;
timeFormat      general;
timePrecision   6;
runTimeModifiable true;
// ***** //
```

Cavity Flow

- **Preprocessing: Mesh Generation**
 - The standard mesh generator utility: blockMesh

Command Line

```
cd ..
```

```
blockMesh
```

```
ghkrk@20225263-p01:~/OpenFOAM/ghkrk-12/run/KOSCO-2026-NextGen-Combustion/Tutorial/1.Cavity/system$ cd ..
ghkrk@20225263-p01:~/OpenFOAM/ghkrk-12/run/KOSCO-2026-NextGen-Combustion/Tutorial/1.Cavity$ blockMesh
/*-----*\
  \      / F ield      | OpenFOAM: The Open Source CFD Toolbox
  //     / O peration  | Website: https://openfoam.org
  \      / A nd        | Version: 12
  //     / M anipulation|
/*-----*/
Build : 12-86e126a7bc4d
Exec  : blockMesh
Date  : Oct 06 2026
Time  : 10:49:04
Host  : "20225263-p01"
PID   : 72879
I/O   : uncollated
Case  : /home/ghkrk/OpenFOAM/ghkrk-12/run/KOSCO-2026-NextGen-Combustion/Tutorial/1.Cavity
nProcs : 1
sigFpe : Enabling floating point exception trapping (FOAM_SIGFPE).
fileModificationChecking : Monitoring run-time modified files using timeStampMaster (fileModificationSkew 10)
allowSystemOperations : Allowing user-supplied system call operations

// ***** //
Create time

Deleting polyMesh directory
"/home/ghkrk/OpenFOAM/ghkrk-12/run/KOSCO-2026-NextGen-Combustion/Tutorial/1.Cavity/constant/polyMesh"
Reading "blockMeshDict"
```

Cavity Flow

- Solving: Run the simulation
 - Run the simulation after preprocessing

Command Line

foamRun

```
Courant Number mean: 0.220549 max: 0.849989
Time = 9.995s
```

```
smoothSolver: Solving for Ux, Initial residual = 1.19036e-09, Final residual = 1.19036e-09, No Iterations 0
smoothSolver: Solving for Uy, Initial residual = 2.15087e-08, Final residual = 9.86647e-09, No Iterations 3
GAMG: Solving for p, Initial residual = 7.46211e-08, Final residual = 7.54887e-09, No Iterations 3
time step continuity errors : sum local = 6.36133e-11, global = -1.0042e-19
GAMG: Solving for p, Initial residual = 4.40064e-08, Final residual = 9.6306e-09, No Iterations 2
time step continuity errors : sum local = 7.75316e-11, global = -7.02276e-19, cumulative = 1.30438e-17
ExecutionTime = 1.56557 s  ClockTime = 2 s
```

```
Courant Number mean: 0.220549 max: 0.849989
Time = 10s
```

```
smoothSolver: Solving for Ux, Initial residual = 1.39854e-09, Final residual = 1.39854e-09, No Iterations 0
smoothSolver: Solving for Uy, Initial residual = 2.73188e-08, Final residual = 9.49519e-09, No Iterations 4
GAMG: Solving for p, Initial residual = 1.06254e-07, Final residual = 4.98108e-09, No Iterations 4
time step continuity errors : sum local = 4.19039e-11, global = -7.10714e-19
GAMG: Solving for p, Initial residual = 7.57167e-08, Final residual = 7.6931e-09, No Iterations 3
time step continuity errors : sum local = 6.32949e-11, global = 2.41785e-19, cumulative = 1.32856e-17
ExecutionTime = 1.56712 s  ClockTime = 2 s
```

```
End
```

Cavity Flow

- Solving: Run the simulation

- You can see the calculated time directories

Command Line

ll

```
ghkrk@20225263-p01:~/OpenFOAM/ghkrk-12/run/KOSCO-2026-NextGen-Combustion/Tutorial/1.Cavity$ ll
total 108
drwxr-xr-x 25 ghkrk ghkrk 4096 Oct 6 10:49 ./
drwxr-xr-x  6 ghkrk ghkrk 4096 Oct 5 16:31 ../
drwxr-xr-x  2 ghkrk ghkrk 4096 Oct 5 16:43 0/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 0.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 1/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 1.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 10/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 2/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 2.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 3/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 3.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 4/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 4.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 5.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 6/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 6.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 7/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 7.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 8/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 8.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 9/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 9.5/
-rwxr-xr-x  1 ghkrk ghkrk  257 Oct 5 16:31 Allclean*
-rwxr-xr-x  1 ghkrk ghkrk   326 Oct 5 16:31 Allrun*
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct 6 10:49 constant/
drwxr-xr-x  2 ghkrk ghkrk 4096 Oct 5 16:53 system/
```

Saved results

Cavity Flow

● Post-Processing

- make dummy file to use Paraview

Command Line

```
touch cavity.foam
```


```
ghkrk@20225263-p01:~/OpenFOAM/ghkrk-12/run/KOSCO-2026-NextGen-Combustion/Tutorial/1.Cavity$ touch cavity.foam
ghkrk@20225263-p01:~/OpenFOAM/ghkrk-12/run/KOSCO-2026-NextGen-Combustion/Tutorial/1.Cavity$ ll
total 108
drwxr-xr-x 25 ghkrk ghkrk 4096 Oct  6 10:50 ./
drwxr-xr-x  6 ghkrk ghkrk 4096 Oct  5 16:31 ../
drwxr-xr-x  2 ghkrk ghkrk 4096 Oct  5 16:43 0/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 0.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 1/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 1.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 10/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 2/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 2.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 3/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 3.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 4/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 4.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 5.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 6/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 6.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 7/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 7.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 8/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 8.5/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 9/
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 9.5/
-rwxr-xr-x  1 ghkrk ghkrk  257 Oct  5 16:31 Allclean*
-rwxr-xr-x  1 ghkrk ghkrk  326 Oct  5 16:31 Allmult*
-rw-r--r--  1 ghkrk ghkrk    0 Oct  6 10:50 cavity.foam
drwxr-xr-x  3 ghkrk ghkrk 4096 Oct  6 10:49 constant/
drwxr-xr-x  2 ghkrk ghkrk 4096 Oct  5 16:53 system/
```

Cavity Flow

● Post-Processing

- Find your WSL directory


\\wsl.localhost\Ubuntu-22.04\home\Username\OpenFOAM\Username-12\run\KOSCO_2026_NextGen-Combustion\1.Cavity



Cavity Flow

● Post-Processing


- Copy and paste the whole files anywhere under C: drive or D: drive



Cavity Flow

- **Post-Processing**


- Open or Browse file



Cavity Flow

- Post-Processing


- Choose dummy file (.foam file)



OpenFOAM

- **Post-Processing**


- Press “Apply” to display



Cavity Flow

- **Post-Processing**

- Visualize your simulation



Left click (Ctrl + wheel click/Shift + wheel click) : Change viewpoint

Wheel click (Shift + right click) : move object


Right click (wheel up,down/Ctrl + right click) : Zoom in, out

Shift + left click : rotate object

Cavity Flow

- **Post-Processing**

- Visualize your simulation



Cavity Flow

- **Post-Processing**

- Visualize your simulation

