




D

2744,0




1361,0


D (1 : 5)



Lock

REVISION HISTORY		
REV	DESCRIPTION	DATE
1a		07/09/2018

DESIGNED BY	CHECKED AND APPROVED BY	GENERAL TOLERANCE	DATE	CODE
F.Dino	L. Paleari	SS-ISO-2768-1M	07/09/2018	SHT50000
		PACKAGING	UNIT	SHEET
		Carton 1 piece	mm	2 of 3
		DESCRIPTION	MATERIAL	
		Side synchronized movement	Anodise aluminum alloy 6060	
		DEVICE	PAIR WEIGHT	021
Property of RAM Industrie. Without its written authorization the present drawing shall neither be used for construction anyway, communicated to third parties, nor reproduced.				



DESIGNED BY F.Dino	CHECKED AND APPROVED BY L. Paleari	GENERAL TOLERANCE SS-ISO-2768-1M	DATE 07/09/2018	CODE SHT50000
RAM INDUSTRIE		PACKAGING Carton 1 piece	UNIT mm	SHEET 3 of 3
		DESCRIPTION	MATERIAL Anodise aluminum alloy 6060	
		DEVICE Side synchronized movement	PAIR WEIGHT	021
Property of RAM Industrie. Without its written authorization the present drawing shall neither be used for construction anyway, communicated to third parties, nor reproduced.				