





C (1 : 3)

| REVISION HISTORY | | |
|------------------|-------------|------------|
| REV | DESCRIPTION | DATE |
| 1a | | 10/03/2020 |


| | | | | | |
|---|---------------------------------------|--------------------------------------|--------------------|---|-----------------|
| DESIGNED BY F.Dino | CHECKED AND APPROVED BY L. Paleari | GENERAL TOLLERENCE SS-ISO-2768-1M | DATE 10/03/2020 | CODE SHT60000_A | |
|  | | PACKAGING Carton 1 piece | | UNIT mm | SHEET 1 of 4 |
| | | DESCRIPTION | | MATERIAL Anodise aluminum alloy 6060 | |
| | | DEVICE | | PAIR WEIGHT WITH CARTON | |
| | | | | | |
| Property of RAM Industrie. Without its written authorization the present drawing shall neither be used for construction anyway, communicated to third parties, nor reproduced. | | | | | |




D (1 : 5)




| REVISION HISTORY | | |
|------------------|-------------|------------|
| REV | DESCRIPTION | DATE |
| 1a | | 10/03/2020 |


| | | | | |
|---|---------------------------------------|--------------------------------------|---|--------------------|
| DESIGNED BY F.Dino | CHECKED AND APPROVED BY L. Paleari | GENERAL TOLLERANCE SS-ISO-2768-1M | DATE 10/03/2020 | CODE SHT60000_A |
|  | | PACKAGING Carton 1 piece | UNIT mm | SHEET 2 of 4 |
| | | DESCRIPTION | MATERIAL Anodise aluminum alloy 6060 | |
| | | DEVICE | PAIR WEIGHT WITH CARTON | |
| | | | | |
| Property of RAM Industrie. Without its written authorization the present drawing shall neither be used for construction anyway, communicated to third parties, nor reproduced. | | | | |




SEZ. E-E
APERTURA / OPENING




PACKED IN A SEPARATED CARTON
IMBALLATE A PARTE





SEZ. F-F



| REVISION HISTORY | | |
|------------------|-------------|------------|
| REV | DESCRIPTION | DATE |
| 1a | | 10/03/2020 |

| | | | | |
|---|---------------------------------------|--------------------------------------|---|--------------------|
| DESIGNED BY F.Dino | CHECKED AND APPROVED BY L. Paleari | GENERAL TOLLERANCE SS-ISO-2768-1M | DATE 10/03/2020 | CODE SHT60000_A |
|  | | PACKAGING Carton 1 piece | UNIT mm | SHE 3 of 4 |
| | | DESCRIPTION | MATERIAL Anodise aluminum alloy 6060 | |
| | | DEVICE | PAIR WEIGHT WITH CARTON | |
| | | | | |
| Property of RAM Industrie. Without its written authorization the present drawing shall neither be used for construction anyway, communicated to third parties, nor reproduced. | | | | |



Black color

Black color

Black color

| REVISION HISTORY | | |
|------------------|-------------|------------|
| REV | DESCRIPTION | DATE |
| 1a | | 10/03/2020 |

| | | | | |
|---|---------------------------------------|-------------------------------------|---|--------------------|
| DESIGNED BY F.Dino | CHECKED AND APPROVED BY L. Paleari | GENERAL TOLERANCE SS-ISO-2768-1M | DATE 10/03/2020 | CODE SHT60000_A |
| <div>RAM</div> <div>INDUSTRIE</div> | | PACKAGING Carton 1 piece | UNIT mm | SHEET 4 of 4 |
| | | DESCRIPTION | MATERIAL Anodise aluminum alloy 6060 | |
| | | DEVICE | PAIR WEIGHT WITH CARTON | |
| | | | | |
| Property of RAM Industrie. Without its written authorization the present drawing shall neither be used for construction anyway, communicated to third parties, nor reproduced. | | | | |