

Figure candidates: TF families, DOF evidence and network connections

Prototype; not yet carefully vetted. Print at 100% / actual size.

a TF family enrichment




b Evidence within the DOF family



Panel b uses all 37 DOFs. Panel a uses the 33 DOFs eligible for its paired-score TF background. These denominators answer different questions.

c The ten assayed DOFs by cell type




Upper: WT-associated

Lower: fer-4-associated

Nominated / scored zones

Grey: no nomination


d DOF links across all contexts (basal WT and fer-4)



Network detail views


Prototype; not yet carefully vetted. Print at 100% / actual size.

All-context network, larger view



170 x 100 mm; native vector panel

Supporting example: elongating pericycle and procambium




140 x 75 mm; native vector panel

Basal-network unions summarize retained links across contexts; the lines do not represent intercellular transport.

Retained UpSet option and data provenance

Prototype; not yet carefully vetted. Print at 100% / actual size.

Alternative b Exclusive intersections



The inclusive DOF-DEG overlap is 12. All 12 are also GRN-nominated.

The 0 row means DOF + DEG without GRN nomination. Empty dots denote exclusion, not an ignored set.

Singletons omitted from this display: 11 DOFs, 314 GRN-TFs and 5,282 scDEGs.

85 x 55 mm; native vector panel

Underlying data are available. Live checks on 20 September 2026 verified the integrated scRNA-seq object, CellOracle inputs and saved links objects, and full DE tables on Resnick. The paper GitHub repository provides source code and exports; its HEAD matched the pinned revision at the recorded access check.

The limitation is consistency, not missing data. Three saved fer-4 endodermal graphs disagree with their stored degree scores. Separate phloem/xylem target selection has a substring-matching issue. The figure revision does not repair either finding. The independent code and visualization audit is complete and confirms both source issues; neither has been repaired. See the linked source record for exact files and checks.

No model refit or source repair. Independent checks reproduce the saved-table calculations.