


(3)随机偏差实验报告--pickcube

有bug版本

各种固定偏差下的有偏策略表现

固定偏差/rad	成功率	平均步数
0.050	0%(0/100)	13.49
0.10	0%(0/100)	55.9
0.150	0%(0/100)	62.5
0.20	0%(0/100)	99.8
0.250	0%(0/100)	184.5
0.30	0%(0/100)	191.1

有偏策略训练不出来



10000steps ckpt

固定偏差/rad	成功率	平均步数
0.00	92%	29.1

0.050	100%	13.8
0.10	99%	14.9
0.150	96%	26.7
0.20	97%	30.0
0.250	96%	25.5
0.30	99%	25.8

8000steps ckpt

固定偏差/rad	成功率	平均步数
0.00	92%	29.1
0.050	100%	13.8
0.10	99%	14.9
0.150	96%	26.7
0.20	97%	30.0
0.250	96%	25.5
0.30	99%	25.8

三个ckpt比较

偏差(rad)	8K step	10K step	12K step
0.00	100%	92%	82% ↓ 持续下降
0.05	94%	100%	100%
0.10	95%	99%	89% ↓
0.15	99%	96%	20% ↓ ↓ 崩了
0.20	97%	97%	10% ↓ ↓ 崩了

0.25		92%		96%		14%	↓↓ 崩了
0.30		86%		99%		25%	↓↓ 崩了

未及时干预,导致数据污染

UTD RATIO改进

三个偏差策略比较

偏差(rad) | 无偏差策略 | 固定0.2rad策略 | 随机偏差策略

0.00		100%		83%		92%
0.05		100%		87%		100%
0.10		80%		99%		99%
0.15		62%		100%		96%
0.20		51%		100%		97%
0.25		5%		100%		96%
0.30		0%		99%		99%