```
1. Write a program to check whether a number is prime or not.
#include <iostream>
using namespace std;
int prime(int num) {
    if (num <= 1) {
        cout << "No is not prime" << endl;</pre>
        return 0;
    for (int i = 2; i <=num/2; i++) {
        if (num % i == 0) {
            cout << "No is not prime" << endl;</pre>
            return 0;
        }
    cout << "No is prime" << endl;</pre>
}
int main() {
    int num;
    cout << "Enter the no.\n";</pre>
    cin >> num;
    prime(num);
    return 0;
}
Output:
PS C:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language> cd
"c:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language\" ; if ($?) { g++ Ready.cpp -o
Ready } ; if ($?) { .\Ready }
Enter the no.
No is prime
PS C:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language> cd
"c:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language\" ; if ($?) { g++ Ready.cpp -o
Ready } ; if ($?) { .\Ready }
Enter the no.
No is not prime
PS C:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language> cd
"c:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language\" ; if (\$?) { g++ Ready.cpp -o
Ready } ; if ($?) { .\Ready }
Enter the no.
8
No is not prime
```

<sup>2.</sup> Write a program to generate first N prime numbers. Accept N from user.

```
#include <iostream>
using namespace std;
int isprime(int num){
   if (num <= 1)
      return 0;
   for (int i = 2; i <= num/2; i++){
      if (num % i == 0)
         { return 0; }
   return 1; //if both failed then num is prime
int noofprime(int n){
   int count=0;
   int num = 2;
   while(count < n){</pre>
      if (isprime(num)){
        cout<<num<<endl;</pre>
         count ++;
        }
       num++;
   }
}
int main(){
   int n;
   cout <<endl<<"Enter the Number : ";</pre>
   cin>>n;
   noofprime(n);
   return 0;
}
OUTPUT:
PS C:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language> cd
"c:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language\" ; if ($?) { g++ Ready.cpp -o
Ready } ; if ($?) { .\Ready }
Enter the Number: 10
2
3
5
7
11
13
17
19
23
PS C:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language>
```

3. Write a program to generate following pyramid  $\ensuremath{\mathtt{A}}$ 

ΑВ

```
ABC
#include <iostream>
using namespace std;
int main(){
  int i, j, n = 26;
     for (i = 1; i <= n; i++) {
           for (j = 1; j <= i; j++) {
                 cout << (char)('A' + j - 1) << " ";
           }
           cout << endl;</pre>
     return 0;
}
OUTPUT:
PS C:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language> cd
"c:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language\" ; if ($?) { g++ Ready.cpp -o
Ready } ; if ($?) { .\Ready }
Α
АВ
АВС
ABCD
ABCDE
ABCDEF
ABCDEFG
ABCDEFGH
ABCDEFGHI
ABCDEFGHIJ
ABCDEFGHIJK
ABCDEFGHIJKL
ABCDEFGHIJKLM
ABCDEFGHIJKLMN
ABCDEFGHIJKLMNO
ABCDEFGHIJKLMNOP
ABCDEFGHIJKLMNOPQ
ABCDEFGHIJKLMNOPQR
ABCDEFGHIJKLMNOPQRS
ABCDEFGHIJKLMNOPQRST
ABCDEFGHIJKLMNOPORSTU
ABCDEFGHIJKLMNOPQRSTUV
ABCDEFGHIJKLMNOPQRSTUVW
ABCDEFGHIJKLMNOPQRSTUVWX
ABCDEFGHIJKLMNOPQRSTUVWXY
ABCDEFGHIJKLMNOPORSTUVWXYZ
PS C:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language>
```

```
4. Write a menu driven program to perform mathematical operations on two
numbers.
1. Add
2. Sub
3. Mul
4. Div
5. Exit
accept the menu option and numbers form user.
#include <iostream>
using namespace std;
int main() {
    int choice;
    double num1, num2;
    do {
         // Display the menu
         cout << "Menu:\n";</pre>
         cout << "1. Add\n";</pre>
         cout << "2. Subtract\n";</pre>
         cout << "3. Multiply\n";</pre>
         cout << "4. Divide\n";</pre>
         cout << "5. Exit\n";</pre>
         cout << "Enter your choice: ";</pre>
         cin >> choice;
         // Perform the chosen operation
         switch (choice) {
             case 1:
                  cout << "Enter two numbers: ";</pre>
                  cin >> num1 >> num2;
                  cout << "Result: " << num1 + num2 << endl;</pre>
                  break;
             case 2:
                  cout << "Enter two numbers: ";</pre>
                  cin >> num1 >> num2;
                  cout << "Result: " << num1 - num2 << endl;</pre>
                  break;
             case 3:
                  cout << "Enter two numbers: ";</pre>
                  cin >> num1 >> num2;
                  cout << "Result: " << num1 * num2 << endl;</pre>
                  break;
             case 4:
                  cout << "Enter two numbers: ";</pre>
                  cin >> num1 >> num2;
                  if (num2 != 0) {
                      cout << "Result: " << num1 / num2 << endl;</pre>
                      cout << "Error: Division by zero is not allowed." << endl;</pre>
```

}

```
break;
            case 5:
                 cout << "Exiting the program." << endl;</pre>
                 break;
            default:
                 cout << "Invalid choice. Please try again." << endl;</pre>
        }
        cout << endl;</pre>
    } while (choice != 5);
    return 0;
}
OUTPUT:
PS C:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language> cd
"c:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language\" ; if ($?) { g++ Ready.cpp -o
Ready } ; if ($?) { .\Ready }
Menu:
1. Add
2. Subtract
3. Multiply
4. Divide
5. Exit
Enter your choice: 1
Enter two numbers: 5
Result: 9
Menu:
1. Add
2. Subtract
3. Multiply
4. Divide
5. Exit
Enter your choice: 0
Invalid choice. Please try again.
Menu:
1. Add
2. Subtract
3. Multiply
4. Divide
5. Exit
Enter your choice: 5
Exiting the program.
```

5. Generate following pyramid , accept the level from the user as input 1 1 2

```
1 2 3
..... 1.........................N
 where N is the level accepted as input
#include <iostream>
using namespace std;
int main(){
int i,j,n;
cout<<"Enter the No.";</pre>
cin>>n;
for(i=1; i <= n; i++){
    for(j=1;j<=i;j++){
      cout<<j<<" ";
    }
    cout<<endl;</pre>
}
}
OUTPUT:
PS C:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language> cd
"c:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language\" ; if ($?) { g++ Ready.cpp -o
Ready } ; if ($?) { .\Ready }
Enter the No.5
1
1 2
1 2 3
1 2 3 4
1 2 3 4 5
PS C:\Users\HP\OneDrive\Desktop\C-DAC\C++ Language>
```