FINAL (12/16)	Mother's medical record # Mother's name
TINAL (12/10)	

FACILITY WORKSHEET FOR THE LIVE BIRTH CERTIFICATE

For pregnancies resulting in the births of two or more live-born infants, this worksheet should be completed for the 1st live born infant in the delivery. For each subsequent live-born infant, complete the "Attachment for Multiple Births."

For any fetal loss in the pregnancy reportable under State reporting requirements, complete the "Facility Worksheet for the Fetal Death Report."

For detailed definitions, instructions, information on sources, and common key words and abbreviations please see "The Guide to Completing Facility Worksheets for the Certificate of Live Birth."

All birth certificate information reported for the mother should be for the woman who delivered the infant. In cases of surrogacy or gestational carrier, the information reported should be that for the surrogate or the gestational carrier, that is, the woman who delivered the infant.

	cility name*:			
(II I	not institution, give street and number)			
2. Fa	cility I.D. (National Provider Identifier):			
3. Ci	ty, Town or Location of birth:			
4. Co	ounty of birth:			
5. Pla	nce where birth occurred:			
	Hospital			
	Freestanding birthing center			
	(Freestanding birthing center is defined as one whi	ch has no dire	ct physical con	nection with an operative delivery center.)
	Home birth			
	Planned to deliver at home	\square Yes	\square No	□ Unknown
	Clinic/Doctor's Office			
	Other (specify, e.g., taxi cab, train, plane, etc	e.)		

^{*}Facilities may wish to have pre-set responses (hard-copy and/or electronic) to questions 1-5 for births which occur at their institutions.

Prenatal

Sources: Prenatal care records, mother's medical records, labor and delivery records

Information for the following items should come from the mother's prenatal care records and from other medical reports in the mother's chart, as well as the infant's medical record. If the mother's prenatal care record is not in her hospital chart, please contact her prenatal care provider to obtain the record, or a copy of the prenatal care information. Preferred and acceptable sources are given before each section. Please do not provide information from sources other than those listed.

otner than those listed.	
	isit (The date a physician or other health professional first examined and/or counseled the pregnant ll parts of the date that are available, leave the rest blank.):
$\overline{M} \overline{M} \overline{D} \overline{D} \overline{D}$	$\overline{Y} \overline{Y} \overline{Y} \overline{Y} \overline{Y}$
No prenatal care (The mo "Total number of prenatal care v	other did not receive prenatal care at any time during the pregnancy. If this box is checked, enter "0" for the visits for this pregnancy" (#7).)
(Count only those visits recorded in the or health care professional did not exar	e most current records available. Do not include visits for laboratory and other testing in which a physician mine or counsel the pregnant woman. Do not include classes, such as childbirth classes, where the id not provide individual care to the pregnant woman. If none enter "0" and check the "No prenatal care" it.")
8. Date last normal menses beg "unknown" for any parts of the date that	gan (Enter all known parts of the date the mother's last normal menstrual period began. Report at are missing.):
$\overline{M}\overline{M}\overline{D}\overline{D}\overline{D}\overline{Y}$	$-\frac{1}{Y}\frac{1}{Y}\frac{1}{Y}$
9. Number of previous live bir delivered <u>before</u> this infant in the pregr	ths now living (Do not include this infant. For multiple deliveries, include all live-born infants nancy who are still living.):
Number	1 None
10. Number of previous live bidelivered before this infant in the preg	irths now dead (Do not include this infant. For multiple deliveries, include all live-born infants gnancy who are now dead.):
Number	None
11. Date of last live birth (Enter that are missing.):	all known parts of the date of birth of the last live-born infant. Report "unknown" for any parts of the date
$\overline{M} \overline{M} \overline{Y} \overline{Y} \overline{Y}$	\overline{Y}
fetal losses of any gestational age- spe	cy outcomes (Total number of other pregnancy outcomes that did not result in a live birth. Include ontaneous losses, induced losses, and/or ectopic pregnancies. If this was a multiple delivery, include any ccurring before the delivery of this infant. This could include loss occurring in this pregnancy or in a
Number	1 None

	r pregnancy outcome (Enter all known parts of the date for the last pregnancy, which did not result in a live regnancy losses at any gestational age – spontaneous losses, induced losses, and/or ectopic pregnancies. Enter "unknown that are missing.):
$\overline{M} \overline{M} \overline{Y}$	Y Y Y
14. Risk factors in t	his pregnancy (Check all that apply):
Diabetes - (Glucos	e intolerance requiring treatment; if diabetes is present, check either prepregnancy or gestational, do not check both.)
Prepregn	ancy - (Diabetes diagnosed prior to this pregnancy)
☐ Gestation	al - (Diabetes diagnosed in this pregnancy)
	evation of blood pressure above normal for age, gender, and physiological condition; if hypertension is present, check gestational, do not check both.)
Prepregna	ncy - (Chronic) (Hypertension diagnosed <u>prior</u> to the onset of this pregnancy)
☐ Gestation	al - (PIH, preeclampsia) (Hypertension diagnosed <u>during</u> this pregnancy.)
	Hypertension with proteinuria with generalized seizures or coma. May include pathologic edema. If eclampsia is presency or gestational hypertension may be checked.)
☐ Previous pret	erm births - (History of pregnancy(ies) terminating in a live birth of less than 37 completed weeks of gestation)
fertility-enhancin	ulted from infertility treatment - (Any assisted reproduction treatment used to initiate the pregnancy. Includes drugs (e.g., Clomid, Pergonal), artificial insemination, or intrauterine insemination and assisted reproduction technology, GIFT and ZIFT).)
If Yes, check	all that apply:
	ty-enhancing drugs, artificial insemination or intrauterine insemination - (Any fertility-enhancin.g., Clomid, Pergonal), artificial insemination, or intrauterine insemination used to initiate the pregnancy.)
	ed reproductive technology - (Any assisted reproduction technology (ART)/technical procedures (e.g., in vitro ion (IVF), gamete intrafallopian transfer (GIFT), ZIFT)) used to initiate the pregnancy.)
	previous cesarean delivery - (Previous delivery by extracting the fetus, placenta and membranes through an ther's abdominal and uterine walls.)
If Yes, how r	nany?
☐ None of the	bove
☐ Gonorrhea - (a positive test or culture for Neisseria gonorrhoeae)
☐ Syphilis - (als	called lues - a positive test for Treponema pallidum)
Chlamydia -	a positive test for Chlamydia trachomatis)
☐ Hepatitis B -	(HBV, serum hepatitis - a positive test for the hepatitis B virus)
•	(non A, non B hepatitis, HCV - a positive test for the hepatitis C virus)
☐ None of the a	bove

-	age labor or delivery.):
☐ External cep	phalic version - (Attempted conversion of a fetus from a non-vertex to a vertex presentation by external manipulation
☐ Successfi	ul - (Fetus was converted to a vertex presentation.)
☐ Failed - (F	Fetus was not converted to a vertex presentation.)
☐ None of the	above
	Labor and Delivery
	Sources: Labor and delivery records, mother's medical records
17. Date of birth:	
	$\overline{M} \overline{M} \overline{D} \overline{D} \overline{D} \overline{Y} \overline{Y} \overline{Y} \overline{Y}$
18. Time of birth:	a 24-hour clock. If time of birth is unknown (foundling), enter "unknown".)
(Enter time based on a	a 24-nour clock. If time of offth is unknown (founding), effet unknown .)
19. Certifier's nam	ne and title:certifies to the fact that the birth occurred. May be, but need not be, the same as the attendant at birth.)
(The individual who	certifies to the fact that the birth occurred. May be, but need not be, the same as the attendant at birth.)
☐ M.D (Doctor	or of medicine)
D.O (Doctor	r of osteopathy)
☐ Hospital adm	ninistrator or designee
CNM/CM (C	Certified Nurse Midwife or Certified Midwife)
☐ Other midwi	ife (midwife other than CNM/CM)
☐ Other (Specify	y)
20. Date certified:	\overline{M} \overline{M} \overline{D} \overline{D} \overline{Y} \overline{Y} \overline{Y} \overline{Y}
	M M D D Y Y Y Y
21. Principal sourc	ce of payment for this delivery (The primary source of payment for the delivery at time of delivery):
<u> </u>	
	rance (Blue Cross/Blue Shield, Aetna, etc.)
☐ Other (Specify	e.g., Indian Health Service, CHAMPUS/TRICARE, Other Government (federal, state, local), charity)
22 T C 42 11	
22. Infant's medica	al record number:
23. Was the mothe	er transferred to this facility for maternal medical or fetal indications for delivery?
	ospital to hospital, birth facility to hospital, etc. Does not include home to hospital.)
□ Yes	\square No
If Yes, enter	the name of the facility mother transferred from:
☐ Medicaid (or ☐ Self-pay (no the Company of the C	a comparable State program) third party identified) r, e.g., Indian Health Service, CHAMPUS/TRICARE, Other Government (federal, state, local), charity) all record number: r transferred to this facility for maternal medical or fetal indications for delivery?

24	de ob	Itendant's name, title, and N.P.I. (National Provider Identifier) (The attendant at birth is the individual <u>physically present</u> at the livery who is responsible for the delivery. For example, if an intern or nurse-midwife delivers an infant under the supervision of an stetrician who is present in the delivery room, the obstetrician should be reported as the attendant. If the obstetrician is not physically esent, the intern or nurse midwife should be reported as the attendant.):
		Attendant's name N.P.I.
		Attendant's title:
		☐ M.D (Doctor of medicine)
		☐ D.O (Doctor of osteopathy)
		☐ CNM/CM - (Certified Nurse Midwife/Certified Midwife)
		Other Midwife - (midwife other than CNM/CM)
		☐ Other (specify)
25	M	other's weight at delivery (pounds):
43	. 1414	ther s weight at denvery (pounds)
26		aracteristics of labor and delivery (Information about the course of labor and delivery.) neck all that apply):
		Induction of labor - (Initiation of uterine contractions by medical and/or surgical means for the purpose of delivery before the spontaneous onset of labor (i.e., before labor has begun). Does not include augmentation of labor.)
		$Augmentation\ of\ labor\ \hbox{-}\ (Stimulation\ of\ uterine\ contractions\ by\ drug\ or\ manipulative\ technique\ with\ the\ intent\ to\ reduce\ the\ time\ to\ delivery\ (i.e.,\ after\ labor\ has\ begun).\ Do\ not\ include\ if\ induction\ of\ labor\ was\ performed.)$
		Steroids (glucocorticoids) for fetal lung maturation received by the mother prior to delivery - (Steroids received by the mother prior to delivery to accelerate fetal lung maturation. Typically administered in anticipation of preterm delivery. Includes betamethasone, dexamethasone, or hydrocortisone specifically given to accelerate fetal lung maturation. Excludes steroid medication given to the mother as an anti-inflammatory treatment before or after delivery.)
		Antibiotics received by the mother during labor - (Includes antibacterial medications given systemically (intravenous or intramuscular) to the mother in the interval between the onset of labor and the actual delivery: Ampicillin, Penicillin, Clindamycin, Erythromycin, Gentamicin, Cefotaxime, Ceftriaxone, etc.)
		Clinical chorioamnionitis diagnosed during labor or maternal temperature $\geq 38^{\circ}$ C (100.4° F) - (Clinical diagnosis of chorioamnionitis during labor made by the delivery attendant. Usually includes more than one of the following: fever, uterine tenderness and/or irritability, leukocytosis, fetal tachycardia, maternal tachycardia, or malodorous vaginal discharge. Any maternal temperature at or above 38° C (100.4°F).)
		Epidural or spinal anesthesia during labor - (Administration to the mother of a regional anesthetic for control of the pain of labor, i.e., delivery of the agent into a limited space with the distribution of the analgesic effect limited to the lower body.)
		None of the above
27		ethod of delivery (The physical process by which the complete delivery of the infant was effected) emplete C and D):
C.	Fet	al presentation at birth (Check one):
		Cephalic - (Presenting part of the fetus listed as vertex, occiput anterior (OA), occiput posterior (OP))
		Breech - (Presenting part of the fetus listed as breech, complete breech, frank breech, footling breech)
		Other - (Any other presentation not listed above, i.e., shoulder, funis, transverse lie, compound)

D. F	nai route and method of delivery (Check one):	
	Vaginal/Spontaneous - (Delivery of the entire fetus through the vagina by the natural force of labor with or without manual assistance from the delivery attendant.)	
	Vaginal/Forceps - (Delivery of the fetal head through the vagina by application of obstetrical forceps to the fetal head.)	
	Vaginal/Vacuum - (Delivery of the fetal head through the vagina by application of a vacuum cup or ventouse to the fetal head.)	
	Cesarean - (Extraction of the fetus, placenta and membranes through an incision in the maternal abdominal and uterine walls)	
	If cesarean, was a trial of labor attempted? - (Labor was allowed, augmented or induced with plans for a vaginal delivery.) Yes No	
	aternal morbidity (Serious complications experienced by the mother associated with labor and delivery) heck all that apply):	
	$Maternal\ transfusion\ \hbox{-}\ (Includes\ infusion\ of\ whole\ blood\ or\ packed\ red\ blood\ cells\ associated\ with\ labor\ and\ delivery.)$	
	Third or fourth degree perineal laceration - (3° laceration extends through the perineal skin, vaginal mucosa, perineal body a partially or completely through the anal sphincter. 4° laceration is all of the above with extension through the rectal mucosa.)	ınd
	Ruptured uterus - (Tearing of the uterine wall. A full-thickness disruption of the uterine wall that also involves the overlaying viscer peritoneum (uterine serosa). Does not include uterine dehiscence in which the fetus, placenta, and umbilical cord remain contained with the uterine cavity. Does not include a silent or incomplete rupture or an asymptomatic separation.)	
	Unplanned hysterectomy - (Surgical removal of the uterus that was not planned prior to the admission. Includes an anticipated, be not definitively planned, hysterectomy.)	ut
	Admission to intensive care unit - (Any admission, planned or unplanned, of the mother to a facility/unit designated as providing intensive care.)	ng
	None of the above	
	Ni samb same	
	Newborn Sources: Labor and delivery records, newborn's medical records, mother's medical records	
29. E	rthweight: (grams) (Do not convert lb/oz to grams)	
I	weight in grams is not available, birthweight: (lb/oz)	
	bstetric estimate of gestation at delivery (completed weeks): ne best obstetric estimate of the infant's gestational age in completed weeks based on the clinician's final estimate of gestation.)	
31. S	X: (Male, Female, or Not yet determined)	
32. A	ogar score (A systematic measure for evaluating the physical condition of the infant at specific intervals at birth):	
S	ore at 5 minutes	
	If 5 minute score is less than 6: Score at 10 minutes	
d d	urality: ne number of fetuses delivered live or dead at any time in the pregnancy regardless of gestational age, or if the fetuses were delivered at ferent dates in the pregnancy. Include all live births and fetal losses resulting from this pregnancy. Specify 1 (single), 2 (twin), 3 (triplet), 4 adruplet), 5 (quintuplet), 6 (sextuplet), 7 (septuplet), etc.)	
	not single birth, order delivered in the pregnancy: ecify 1 st , 2 nd , 3 rd , 4 th , 5 th , 6 th , 7 th , etc. Include all live births and fetal losses resulting from this pregnancy)	

6

1/5/2017

35.	If	not single birth, specify number of infants in this delivery born alive:
36.		normal conditions of the newborn (Disorders or significant morbidity experienced by the newborn) neck all that apply):
		Assisted ventilation required immediately following delivery - (Infant given manual breaths for any duration with bag and mask or bag and endotracheal tube within the first several minutes from birth. Excludes free flow (blow-by) oxygen only, laryngoscopy for aspiration of meconium, nasal cannula, and bulb suction.)
		Assisted ventilation required for more than six hours - (Infant given mechanical ventilation (breathing assistance) by any method for more than six hours. Includes conventional, high frequency and/or continuous positive pressure (CPAP). Excludes free flow oxygen only, laryngoscopy for aspiration of meconium and nasal cannula.)
		NICU admission - (Admission into a facility or unit staffed and equipped to provide continuous mechanical ventilatory support for a newborn.)
		Newborn given surfactant replacement therapy - (Endotracheal instillation of a surface-active suspension for the treatment of surfactant deficiency due to preterm birth or pulmonary injury resulting in respiratory distress. Includes both artificial and extracted natural surfactant.)
		Antibiotics received by the newborn for suspected neonatal sepsis - (Any antibacterial drug (e.g., penicillin, ampicillin, gentamicin, cefotoxine etc.) given systemically (intravenous or intramuscular). Does not include antibiotics given to infants who are NOT suspected of having neonatal sepsis.)
		Seizure or serious neurologic dysfunction - (Seizure is any involuntary repetitive, convulsive movement or behavior. Serious neurologic dysfunction is severe alteration of alertness. Excludes lethargy or hypotonia in the absence of other neurologic findings. Exclude symptoms associated with CNS congenital anomalies.)
		None of the above
37.		ngenital anomalies of the newborn (Malformations of the newborn diagnosed prenatally or after delivery.) neck all that apply):
		Anencephaly - (Partial or complete absence of the brain and skull. Also called anencephalus, acrania, or absent brain. Also includes infants with craniorachischisis (anencephaly with a contiguous spine defect).)
		Meningomyelocele/Spina bifida - (Spina bifida is herniation of the meninges and/or spinal cord tissue through a bony defect of spine closure. Meningomyelocele is herniation of meninges and spinal cord tissue. Meningocele (herniation of meninges without spinal cord tissue) should also be included in this category. Both open and closed (covered with skin) lesions should be included. <u>Do not</u> include Spina bifida occulta (a midline bony spinal defect without protrusion of the spinal cord or meninges).)
		Cyanotic congenital heart disease - (Congenital heart defects which cause cyanosis.)
		Congenital diaphragmatic hernia - (Defect in the formation of the diaphragm allowing herniation of abdominal organs into the thoracic cavity.)
		Omphalocele - (A defect in the anterior abdominal wall in which the umbilical ring is widened, allowing herniation of abdominal organs into the umbilical cord. The herniating organs are covered by a nearly transparent membranous sac (different from gastroschisis, see below), although this sac may rupture. Also called exomphalos. Do not include umbilical hernia (completely covered by skin) in this category.)
		Gastroschisis - (An abnormality of the anterior abdominal wall, lateral to the umbilicus, resulting in herniation of the abdominal contents directly into the amniotic cavity. Differentiated from omphalocele by the location of the defect and absence of a protective membrane.)
		Limb reduction defect (excluding congenital amputation and dwarfing syndromes) - (Complete or partial absence of a portion of an extremity associated with failure to develop.)
		Cleft Lip with or without Cleft Palate - (Incomplete closure of the lip. May be unilateral, bilateral or median.)

	ar.		spital. Include if the	the infant received formula in addition to being breastied. Does not include the intent to breastieed.)
40	betv	ween birth and disc	harge from the ho	discharge? (Check "yes" if the infant was receiving breastmilk or colostrum during the period ospital. Include any attempt to establish breastmilk production during the period between birth and he infant received formula in addition to being breastfed. Does not include the intent to breastfeed.)
		☐ Yes	□ No	☐ Infant transferred, status unknown
39.	has		arged to home car	port? (Infant is living at the time this birth certificate is being completed. Answer "Yes" if the infant re. Answer "no" if it is known that the infant has died. If the infant was transferred and the status is
		If yes, name	of facility inf	ant transferred to:
		☐ Yes	□ No	
38.				in 24 hours of delivery? (Check "yes" if the infant was transferred from this facility to another ed more than once, enter name of first facility to which the infant was transferred.)
		None of the a	above	
				osure of the male urethra resulting in the urethral meatus opening on the ventral surface of the penis. ventral to the tip, second degree - in the coronal sulcus, and third degree - on the penile shaft.)
		☐ Karyotype		
				lisorder - (Includes any constellation of congenital malformations resulting from or compatible with known effects in chromosome structure.)
		☐ Karyotype		
		Down Syndro	ome - (Trisomy	21 – A chromosomal abnormality caused by the presence of all or part of a third copy of chromosome 21.)
	_			olete fusion of the palatal shelves. May be limited to the soft palate or may extend into the hard palate. It lip should be included in the "Cleft Lip with or without Cleft Palate" category above.)