Field Record

Patient

Last Name	First Name	Nickname

Patient Address (Street\Apt. #)

City	State	Zip Code	Patient Phone

Age	D.O.B.	Race	Hispanic
		AI/AN A B W O NH/PI U R D	Y N U R D

Current Gender: M F MtF T FtM U R D

Marital Status: S M Sep D W C U R

Height	Size/Build	Hair	Complexion

Place of Employment	Hours	Phone

Internet Alias/Email Address	Internet Site/System

Interview Only Field Record: ☐ Yes ☑ No

Referral Basis	Disease 1	Disease 2
☐ Partner ____		
☐ S/A ____		
☐ Positive Lab Test ____		
☐ OOJ/ICCR ____		

Pregnant? Y ____ weeks N U

900 Case Status

Original Patient ID Number

Exposure

First	Frequency	Last

Disease 1

Interviewer #:
Date Initiated:
Type Interview:
Type Referral:
Dispo:
Date:
New Case #:
DX: Worker:

Disease 2

Interviewer #:
Date Initiated:
Type Interview:
Type Referral:
Dispo:
Date:
New Case #:
DX: Worker:

Other Identifying, Locating, or Medical Information

Treatment

Date\Drug\Dosage\Provider

Exam

Date	Test	Result	Lab

Field Record #	OOJ #	OOJ Area	Due Date	Initiating Agency	Investigating Agency	Clinic Code	Internet Outcome	Post-Test Counseled
								☐ Yes ☐ No

Surveillance Notes

Field Record

900 PS Information *(Complete on all 900 Sexual Contacts)*

Interviewed?	900 PS Interview Date	Sex at Birth	Additional, Specify
		M F D	

Notifiability	Plan	Actual Method

Self-Reported Results	Date of Last 900

Referral 1	Referral Date	Test	Result

Post	900+ Only	Referral 2	First Appointment?

Risk Factors

Was behavioral risk assessed? *(Optional for 900 negative contacts)*

Factors	Y/O/U/N/R/D		Y/N/R/D
Male		IDU	
Female		Share Equipment	
Transgender		NIR	
Condom		Other	

Standard Documentation Abbreviations

Bic - Bicillin
C/B - Call back/Called back
CLIX - Cluster Interview
CX - Contact
CL - Cluster
CSW - Commercial Sex Worker
FB - Field Blood
FR - Field Record
FV - Field Visit
HX - History
IM - Intramuscular
IP - Index Patient
IX - Interview
LX - Lesion
MSM - Men who have Sex with Men
OI - Original Interview
OP - Original Patient
P/C - Phone Call
Pt - Patient
RI - Reinterview
RS - Record Search
SX - Symptoms
TX - Treatment
PTC - Post-test counsel
W/ - With
WBI - Will be in
W/O - Without

Field Follow-Up Notes

Field Supervisory Review Comments

Disease/Diagnosis
030 - HepB acute w/o delta
031 - HepB acute w/ delta
033 - HepB chronic w/o delta
034 - HepB chronic w/ delta
042 - Hepatitis delta
051 - Hepatitis C, acute
053 - Hepatitis E
054 - Hepatitis C, chronic
070 - Hepatitis, unknown
100 - Chancroid
200 - Chlamydia
300 - Gonorrhea (uncomplicated)
350 - Resistant Gonorrhea
400 - Non-Gonoccocal Urethritis (NGU)
450 - Mucopurulent Cervicitis (MPC)
490 - PID Syndrome
500 - Granuloma Inguinale
600 - Lymphogranuloma Venereum(LGV)
710 - Syphilis, primary
720 - Syphilis, secondary
730 - Syphilis, early latent
740 - Syphilis, unknown duration*
745 - Syphilis, late latent*
750 - Syphilis, late w/ symptom*
755 - Syphilis, unknown duration or late
790 – Syphilis, congenital
800 - Genital Warts
850 - Herpes
900 - HIV Infection
950 - AIDS (Syndrome)
951 - Recounsel for previous AIDS case
**Indicates retired diagnosis code*

Race
AI/AN - American Indian or Alaskan Native
A - Asian
B - Black or African American
NH/PI - Native Hawaiian or Other Pacific Islander
W – White
O – Other
U - Unknown
R - Refused to Answer
D – Did not ask

Hispanic
Y - Yes, Hispanic/Latino
N - No, not Hispanic/Latino
U - Unknown
R - Refused to Answer
D – Did not ask

Gender
M - Male
F - Female
MTF - Male to Female Transgender
FTM - Female to Male Transgender
T – Transgender unspecified
U - Unknown
R - Refused to Answer
D – Did not ask

Marital Status
S - Single, Never Married
M - Married
SEP - Separated
D - Divorced
W - Widowed
C - Cohabitation
U - Unknown
R - Refused to Answer

Sexual Risk Factors
Y-Yes, Anal or Vaginal Intercourse (with or without Oral Sex)
O-Yes, Oral Sex Only
U-Unspecified Type of Sex
N-No
R-Refused to Answer
D-Did Not Ask

Non-Sexual Risk Factors
Y – Yes **N** – No
R – Refused **D** – Did Not Ask

Referral Basis
T1 - Positive Test Result
T2 - Case Report
T3 - Clinic Walk-In
T4 – Second Positive Test
F1 - Congenital Follow-Up
F2 - 900 Re-Counsel
F3 - Test of Cure
F4 - Treatment Restart
F5 - Treatment Only
F6 - Vaccination
M1 - Maternal Follow-up
M2 - Infant Follow-up
P1 - Sex Partner
P2 - Needlesharing Partner
P3 - Both Sex and Needle
S1 - Symptomatic
S2 - Named partner of infected
S3 - Anyone
A1 - Symptomatic
A2 - Named partner of infected
A3 - Anyone
C1 – Unnamed person from a venue screening

Type of Interview
O – Original Interview (OI)
R – Reinterview Interview (RI)
C – Cluster Interview
P – Post-Test Counseling
U – Unable to Interview but Partners, Social Contacts, and/or Associates were initiated

Type Referral
1 – Patient (Client)
2 - Provider
3 - Dual
4 - Contract
5 - Third Party
6 - Refused Notification
7 - Partner Not Notified

STD Dispositions
A - Preventative Treatment
B - Refused Preventative Treatment
C - Infected, Brought to Treatment
D - Infected, Not Treated
E - Previously Treated for This Infection
F - Not Infected
G - Insufficient Information to Begin Investigation
H - Unable to Locate
I - Successful Interview/Recounsel
J - Located, Not Examined, Treated, and/or Interview
K - Sent Out Of Jurisdiction
L - Other
Q - Administrative Closure
V - Domestic Violence Risk
X - Patient Deceased
Z - Previous Preventative Treatment

HIV Dispositions STD Dispos G – X are applicable
1 - Previous Positive
2 - Previous Negative, New Positive
3 - Previous Negative, Still Negative
4 - Previous Negative, Not Re-tested
5 - Not Previously Tested, New Positive
6 - Not previously Tested, New Positive
7 - Not Previously Tested, Not Tested Now

900 Case Status
01 - HIV Negative result - The patient has tested HIV negative.
02 - New HIV Case requiring partner services The patient is newly diagnosed HIV positive.
03 - Prior-positive HIV case; New Partner services - The patient is a previously known HIV positive case requiring partner services due to being not previously known to health department as a named case.
04 - Prior-positive HIV case; New Partner Services - The patient is a previously reported HIV positive case requiring partner services due to other new STD infection or pregnancy.
05 - Prior-positive HIV case; New Partner Services The patient is a previously known or reported HIV positive case requiring partner services due to being identified as a sexual or social contact to an STD or HIV case.
06 - Other - None of the above 900 status apply to the patient but the status is known. Specify details within notes.
09 - Unknown - The patient HIV status is unknown.

Was behavioral risks assessed?
1- Client completed a behavioral risk profile.
5 - Client was asked but no behavioral risks were identified
66 - Client was not asked about behavioral risk factors
77 - Client declined to discuss behavioral risk factors

If yes, did client attend first appointment
1 - Pending
2 - Confirmed - Accessed
3 - Confirmed - Did not access

Standard Documentation Abbreviations
Bic - Bicillin
C/B - Call back/Called back
CLIX - Cluster Interview
CX - Contact
CL - Cluster
CSW - Commercial Sex Worker
FB - Field Blood
FR - Field Record
FV - Field Visit
HX - History
IM - Intramuscular
IP - Index Patient
IX - Interview
LX – Lesion
MSM - Men who have Sex with Men
FR - Field Record
OI - Original Interview
OP - Original Patient
P/C - Phone Call
Pt - Patient
RI - Reinterview
RS - Record Search
SX - Symptoms
TX - Treatment
PTC - Post-test counsel
W/ - With
WBI - Will be in
W/O - Without

Disposition Date
Newly Examined and Treated - Use the date of treatment.
Newly Examined, not Treated - Use the date of examination.
Previously Examined and/or Treated - Use the date the partner/cluster investigation is closed.
Not Examined - Use the date the investigation is closed.

Internet Outcome
I1 – Informed-Urgent Matter
I2 – Informed-General Exposure
I3 – Informed-Disease Specific
I4 – Demographics Found-routine Follow-up
I5 – Unknown Outcome
I6 – Not enough Info to Begin Investigation

Interviewed?
01 Accepted **02** Refused **03** Client Not Located

Notifiability
01 No - Partner is deceased
02 No - Partner is out of jurisdiction
03 No - Partner has a risk of domestic violence
05 No - Partner is known to be previously positive
06 Yes - Partner is notifiable
07 Yes - Partner is notifiable, previous positive
88 Other

Notification Plan & Method
01 Client notification
02 Provider notification
03 Dual notification
04 Contract
05 Third-party notification
06 Refused notification
07 Partner Not Notified

Self-reported HIV Results
01 Positive
02 Negative
03 Preliminary positive
04 Indeterminate
05 No Record Found - Self-Report Negative
06 No Record Found - Self-Report Positive

Refered to HIV Testing
0 No
1 Yes

Testing Confirmed
01 Positive/Reactive
02 NAAT-positive
03 Negative

Referral Test Result
01 Positive/Reactive
03 Negative
04 Indeterminate
05 Invalid
06 No result
12 Preliminary Positive

HIV Testing Performed
0 No
1 Yes

Results Provided
0 No
1 Yes

Refered to Medical Care (Referral 2)
0 No, client was not referred to HIV medical care/ evaluation/treatment.
1 Yes, referred to HIV medical care/examination/ treatment.

4 - Lost to follow-up after 90 days of referral date
5 - No follow-up
6 - Confirmed, Accessed **within** 14 days of (+) test
7 - Confirmed, Accessed **within** 30 days of (+) test
8 - Confirmed, Accessed **after** 30 days of (+) test
9 - No appt necessary, (-) test result
10 - No appt necessary, previous (+) in care
99 - Don't know