




1. Unzip files and get token

Route



Notes

Purpose: Send an eICR/RR pair from a zip file to DIBBs
Description: This route will unzip a zip file containing an eICR and RR pair then get a bearer token to be used for eCR ingestion.
Date: 05.23.2025
Processing notes: n/a

Inputs

Page

Zipped eICR input..... Directory

Outputs

Page

Get Access Token..... JavaScript REST Client (v.1)

Filters

Name	Page
CollectionID Property..... JavaScript (v.2)	2
eICR..... No-operation	3
Message Collection..... JavaScript (v.2)	2
RR..... No-operation	3
Zip / Unzip..... Zip / Unzip	2

Details

General	
Priority	Normal
Startup State	Manual Restart Required
FIFO Mode	Enforce FIFO By Route Input Order
Stop route on error message	False



CollectionID Property

JavaScript (v.2)

On 1. Unzip files and get token route

[Filter](#)

Javascript

```

/* Single input message case */
// Create the output message
var next = output.append(input[0]);

//Setting the property to be used at the message collector
next.setProperty('collectionID', next.getProperty('BaseFilename'));

```

Destinations

Name	Page
Output Condition: eICR	
ZipBaseFilename ends with 'eICR' ignoring case	
eICR..... No-operation	3
Output Condition: RR	
ZipBaseFilename ends with 'RR' ignoring case	
RR..... No-operation	3



Zip / Unzip

Zip / Unzip

On 1. Unzip files and get token route

[Filter](#)

Configuration Properties

Mode	Unzip
On Non-zip File Receipt	Send to error connector
On Empty Zip File Receipt	Send to error connector
Filename Encoding	Default platform encoding

Destinations

Name	Page
Output Condition: XML	
ZipSuffix ends with 'xml' ignoring case	
CollectionID Property..... JavaScript (v.2)	2



Message Collection

JavaScript (v.2)

[Filter](#)

On 1. Unzip files and get token route

Javascript

```
/* Single input message case */
// Create the output message
var next = output.append(input[0]);
next.setProperty("eICR", input[0].text);

if (input.length > 1) {
    next.setProperty("RR", input[1].text);
}
```

Message Collector: Input Collation

Collection Order	[1. Unzip files and get token/f4fc7b28-238f-4465-939e-8f6beee533c4,1. Unzip files and get token/75c539f8-739c-43f6-850e-c766ef2b8e28]
Match Property	collectionID
Message Set Timeout	10
Timeout Units	Minutes
Timeout Destination	Process as Usual

Destinations

Name	Page
 Get Access Token.....JavaScript REST Client (v.1)	



RR

No-operation

On 1. Unzip files and get token route

Filter

Destinations

Name	Page
 Message Collection.....JavaScript (v.2)	2



eICR

No-operation

On 1. Unzip files and get token route

Filter

Destinations

Name	Page
 Message Collection.....JavaScript (v.2)	2