



Process eCR

JavaScript REST Client (v.1) (Output Mode)

Communication Point

Configuration Properties	
REST Client	Orchestration
<pre>/** Perform a POST request to process-ecr. */ var config = { 'relative-url': '/process-ecr', 'content-type': 'application/json' }; var body = { 'message_type': 'ecr', 'data_type': 'ecr', 'config_file_name': 'non-integrated-extended.json', 'message': input.getProperty('eICR') }; if (input.getProperty('RR')) { body.rr_data = input.getProperty('RR'); } var data = JSON.stringify(body); var response = client.post(config, data); logger.info(response.status); logger.info(response.response);</pre>	
Read Timeout (ms)	10000
Used on Routes	
Zip File to Orchestration Service..... Route	

Details

Retries	
Retry Type	None
Properties	
Idle Timeout (ms)	0
Number of Connections	1
Startup State	Manual Restart Required
Continue Routing Enabled	False

REST Clients

Orchestration	
Hostname	<your orchestration service hostname>
Port	443
Relative URL	/orchestration
Description	

Orchestration	
Default Content Type	
Proxy Enabled	False
Proxy Hostname	
Proxy Port	
Proxy Username	
Proxy Password	<i>encrypted value</i>
Protocol	HTTPS
SSL Protocol	TLSv1_2
SSL Cipher Suites	FIPS
Trusted Certificate Names	Amazon RSA 2048 M02 Amazon Root CA 1 _dibbs.cloud dibbs_cert_chain
Authentication	NONE