



Process eCR

JavaScript REST Client (v.1) (Output Mode)

Communication Point

Configuration Properties	
REST Client	eCR Viewer
<pre>/** Perform a POST request to process-ecr. */ var config = { 'relative-url': '/process-ecr', 'content-type': 'application/json' }; config.headers = [{ 'header': 'Authorization', 'value': 'Bearer ' + getVariable('dibbs Token') }]; var body = { 'ecr': input.getProperty('eICR'), 'rr': input.getProperty('RR') }; var data = JSON.stringify(body); var response = client.post(config, data); logger.info(response.status); logger.info(response.response);</pre>	
Read Timeout (ms)	10000
Used on Routes	
2. Use token to save eCR..... Route Unzip files and process eCR..... Route 3	

Details

Retries	
Retry Type	None
Properties	
Idle Timeout (ms)	0
Number of Connections	1
Startup State	Manual Restart Required
Continue Routing Enabled	False

REST Clients


eCR Viewer	
Hostname	<your eCR Viewer hostname>
Port	443
Relative URL	/ecr-viewer/api
Description	
Default Content Type	

eCR Viewer	
Proxy Enabled	False
Proxy Hostname	
Proxy Port	
Proxy Username	
Proxy Password	<i>encrypted value</i>
Protocol	HTTPS
SSL Protocol	TLSv1_2
SSL Cipher Suites	FIPS
Authentication	NONE



Unzip files and process eCR

Route



Notes

Purpose: Send an eICR/RR pair from a zip file to DIBBs

Description: This route will unzip a zip file containing an eICR and RR pair and send them to the eCR Viewer for ingestion.

Date: 06.03.2025

Processing notes: n/a

Inputs

Zipped eICR input..... Directory

Outputs

Process eCR..... JavaScript REST Client (v.1)

Page

Page

1

Filters

Name		Page
CollectionID Property.....	JavaScript (v.2)	4
eICR.....	No-operation	5
Message Collection.....	JavaScript (v.2)	4
RR.....	No-operation	5
Zip / Unzip.....	Zip / Unzip	4

Details

General	
Priority	Normal
Startup State	Manual Restart Required
FIFO Mode	Enforce FIFO By Route Input Order
Stop route on error message	False



CollectionID Property

JavaScript (v.2)

On Unzip files and process eCR route

[Filter](#)

Javascript

```

/* Single input message case */
// Create the output message
var next = output.append(input[0]);

//Setting the property to be used at the message collector
next.setProperty('collectionID', next.getProperty('BaseFilename'));

```

Destinations

Name	Page
Output Condition: eICR	
ZipBaseFilename ends with 'eICR' ignoring case	
eICR..... No-operation	5
Output Condition: RR	
ZipBaseFilename ends with 'RR' ignoring case	
RR..... No-operation	5



Zip / Unzip

Zip / Unzip

On Unzip files and process eCR route

[Filter](#)

Configuration Properties

Mode	Unzip
On Non-zip File Receipt	Send to error connector
On Empty Zip File Receipt	Send to error connector
Filename Encoding	Default platform encoding

Destinations

Name	Page
Output Condition: XML	
ZipSuffix ends with 'xml' ignoring case	
CollectionID Property..... JavaScript (v.2)	4



Message Collection

JavaScript (v.2)

[Filter](#)

On Unzip files and process eCR route

Javascript

```
/* Single input message case */
// Create the output message
var next = output.append(input[0]);
next.setProperty("eICR", input[0].text);
next.setProperty("RR", input[1].text);
```

Message Collector: Input Collation

Collection Order	[Unzip files and process eCR/f4fc7b28-238f-4465-939e-8f6beee533c4,Unzip files and process eCR/75c539f8-739c-43f6-850e-c766ef2b8e28]
Match Property	collectionID
Message Set Timeout	10
Timeout Units	Minutes
Timeout Destination	Process as Usual

Destinations

Name	Page
 Process eCR..... JavaScript REST Client (v.1)	1

**RR****No-operation**

On Unzip files and process eCR route

Filter

Destinations

Name	Page
 Message Collection..... JavaScript (v.2)	4

**eICR****No-operation**

On Unzip files and process eCR route

Filter

Destinations

Name	Page
 Message Collection..... JavaScript (v.2)	4