



Get Access Token

JavaScript REST Client (v.1) (Out->In Mode)

Communication Point

Configuration Properties	
REST Client	IDP
<pre>/** Gets an access token from the IDP. */ var config = { 'content-type': 'application/x-www-form-urlencoded' }; var data = "client_id=your-client-id&scope=your-client-id%2F.default&client_secret=your-client-secret&grant_type=client_credentials"; var response = client.post(config, data); output.setProperty('accessToken', JSON.parse(response.response).access_token)</pre>	
Read Timeout (ms)	10000
Used on Routes	
1. Unzip files and get token.....Route 2. Use token to save eCR.....Route	

Details

Retries	
Retry Type	Linear
Number of Retries	5
Retries before Notification	5
Retry Delay (ms)	5000
Properties	
Idle Timeout (ms)	0
Number of Connections	1
Startup State	Manual Restart Required
Input Message Encoding	Unknown / Not Set
Response Timeout (ms)	60000
Retry Count	Infinite
Fail Action	Treat as error

REST Clients

IDP	
Hostname	<your IDP hostname>
Port	443
Relative URL	</access token endpoint>
Description	Generate bearer token for POST to DIBBs

IDP	
Default Content Type	
Proxy Enabled	False
Proxy Hostname	
Proxy Port	
Proxy Username	
Proxy Password	<i>encrypted value</i>
Protocol	HTTPS
SSL Protocol	TLSv1_2
SSL Cipher Suites	VERY_STRONG
Authentication	NONE