

What is the first cell that this code colors?

```
int rows = g.getNumRows();
int cols = g.getNumCols();
for(int i=0; i<rows; i++)
    for(int j=0; j<cols; j++)
        g.setColor(i, j, Color.RED);
```

A															B
C															D

E: None of the
above

What is the first cell that this code colors?

```
int rows = g.getNumRows();
int cols = g.getNumCols();
for(int i=0; i<rows; i++)
    for(int j=0; j<cols; j++)
        g.setColor(i, j, Color.RED);
```

A																B
C																D

E: None of the
above

What is the second cell that this code colors?

```
int rows = g.getNumRows();
int cols = g.getNumCols();
for(int j=0; j<cols; j++)
    for(int i=0; i<rows; i++)
        g.setColor(i, j, Color.RED);
```

	A														
B	C														
															D

E: None of the
above


What is the second cell that this code colors?

```
int rows = g.getNumRows();
int cols = g.getNumCols();
for(int j=0; j<cols; j++)
    for(int i=0; i<rows; i++)
        g.setColor(i, j, Color.RED);
```

	A														
B	C														
															D

E: None of the
above


How would you draw the British flag?



[https://en.wikipedia.org/wiki/Flag_of_Great_Britain#/media/File:Flag_of_Great_Britain_\(1707%E2%80%931800\).svg](https://en.wikipedia.org/wiki/Flag_of_Great_Britain#/media/File:Flag_of_Great_Britain_(1707%E2%80%931800).svg)

One strategy: Drawing “layers”

- Color entire background blue
- Draw white diagonals
- Draw vertical and horizontal red lines




Advanced topic: Parallel computation

(concept only now, do in later courses)

- Modern computers are all multicore (dual-core, quad-core, ...) so they can perform multiple operations at a time
- Potentially speeds up some tasks, like drawing the Armenian flag

Simultaneously do these tasks:

- Draw red stripe
- Draw blue stripe
- Draw yellow stripe





Advanced topic: Parallel computation

(concept only now, do in later courses)

- Modern computers are all multicore (dual-core, quad-core, ...) so they can perform multiple operations at a time
- Potentially speeds up some tasks, like drawing the Armenian flag

Simultaneously do these tasks:



- Draw red stripe
- Draw blue stripe
- Draw yellow stripe




Can we do this with the British flag?

“Task Graph”

- Diagram of dependencies (when one thing must come before another)
 - For flags: when operations would color a tile different colors



Create a task graph to draw the flag of Jordan



https://upload.wikimedia.org/wikipedia/commons/c/c0/Flag_of_Jordan.svg