Core Flight Executive Users Guide

Generated by Doxygen 1.8.13

CONTENTS

Contents

1	Core	Flight Executive Documentation	2
2	Back	kground	3
3	Appl	licable Documents	4
4	Depe	endencies	4
5	Acro	nyms	5
6	Glos	sary of Terms	6
7	cFE	Application Programmer's Interface (API) Reference	7
8	cFE	Executive Services Overview	13
	8.1	Terminology	14
		8.1.1 "Application" and "cFE Application"	14
		8.1.2 "Task"	15
		8.1.3 "Startup Script"	15
	8.2	Software Reset	16
	8.3	Reset Types and Subtypes	16
	8.4	Exception and Reset (ER) Log	17
	8.5	Application and Child Task Management	17
	8.6	Starting an Application	17
	8.7	Stopping an Application	18
	8.8	Restarting an Application	18
	8.9	Reloading an Application	18
	8.10	Listing Current Applications	19
	8.11	Listing Current Tasks	20
	8.12	Loading Common Libraries	20

ii CONTENTS

	8.13 Basic File System	. 20
	8.14 Performance Data Collection	. 21
	8.14.1 Performance Data Collection Trigger Masks	. 21
	8.14.2 Starting to Collect Performance Data	. 21
	8.14.3 Stopping the Collection of Performance Data	. 22
	8.14.4 Viewing the Collection of Performance Data	. 22
	8.15 Critical Data Store	. 22
	8.16 Memory Pool	. 23
	8.17 System Log	. 25
	8.18 OS Shell	. 25
	8.19 Version Identification	. 26
	8.20 Executive Services Frequently Asked Questions	. 26
9	cFE Executive Services Commands	26
10	cFE Executive Services Telemetry	27
	cFE Executive Services Telemetry cFE Executive Services Configuration Parameters	27 28
11		
11	cFE Executive Services Configuration Parameters	28 31
11	cFE Executive Services Configuration Parameters cFE Event Services Overview	28 31
11	cFE Executive Services Configuration Parameters cFE Event Services Overview 12.1 Event Message Format	28 31 . 32 . 33
11	cFE Executive Services Configuration Parameters cFE Event Services Overview 12.1 Event Message Format	28 31 . 32 . 33
11	cFE Executive Services Configuration Parameters cFE Event Services Overview 12.1 Event Message Format 12.2 Local Event Log 12.3 Event Message Control	28 31 . 32 . 33 . 35
11	cFE Executive Services Configuration Parameters cFE Event Services Overview 12.1 Event Message Format	28 31 32 33 33 35
11	cFE Executive Services Configuration Parameters cFE Event Services Overview 12.1 Event Message Format 12.2 Local Event Log 12.3 Event Message Control 12.4 Event Message Filtering 12.5 EVS Registry	28 31 32 33 33 35 36
11	cFE Event Services Configuration Parameters cFE Event Services Overview 12.1 Event Message Format 12.2 Local Event Log 12.3 Event Message Control 12.4 Event Message Filtering 12.5 EVS Registry 12.6 EVS Counters	28 31 32 33 33 35 36 37
11	cFE Executive Services Configuration Parameters 2	28 31 32 33 35 36 37 37

CONTENTS

14	1 cFE Event Services Telemetry	40
15	5 cFE Event Services Configuration Parameters	41
16	6 cFE Software Bus Overview	41
	16.1 Software Bus Terminology	. 42
	16.1.1 Messages	. 42
	16.1.2 Pipes	. 43
	16.1.3 Subscriptions	. 43
	16.1.4 Memory	. 44
	16.2 Autonomous Actions	. 44
	16.3 Operation of the SB Software	. 45
	16.3.1 Initialization	. 45
	16.3.2 All Resets	. 46
	16.3.3 Message Routing	. 46
	16.3.4 Packet Sequence Values	. 47
	16.3.5 Message Limit Error	. 47
	16.3.6 Pipe Overflow Error	. 48
	16.3.7 SB Event Filtering	. 48
	16.3.8 Diagnostic Data	. 48
	16.3.9 Control of Packet Routing	. 49
	16.3.10 Quality of Service	. 49
	16.3.11 Known Problem	. 49
	16.4 Frequently Asked Questions about Software Bus	. 49
17	7 cFE Software Bus Commands	51
.,	of E Contraro Bus Communus	51
18	3 cFE Software Bus Telemetry	52
19	O cFE Software Bus Configuration Parameters	52

iv CONTENTS

20	CFE	Table Services Overview	53
	20.1	Managing Tables	54
	20.2	? cFE Table Types and Table Options	55
		20.2.1 Single Buffered Tables	55
		20.2.2 Double Buffered Tables	56
		20.2.3 Tables with Validation Functions	56
		20.2.4 Critical Tables	56
		20.2.5 User Defined Address Tables	57
		20.2.6 Dump Only Tables	57
	20.3	Table Registry	57
	20.4	Table Services Telemetry	58
	20.5	Effects of Processor Reset on Tables	58
	20.6	6 How To Remove cFE Table Services	59
	20.7	Frequently Asked Questions about Table Services	59
21	cFF	Table Services Commands	61
21	cFE	Table Services Commands	61
		Table Services Commands Table Services Telemetry	61 61
22	cFE		
22 23	cFE	Table Services Telemetry Table Services Configuration Parameters	61
22 23	cFE cFE	Table Services Telemetry Table Services Configuration Parameters Time Services Overview	61 62 63
22 23	cFE cFE 24.1	Table Services Telemetry Table Services Configuration Parameters Time Services Overview Time Components	61626364
22 23	cFE cFE 24.1	Table Services Telemetry Table Services Configuration Parameters Time Services Overview	61626364
22 23	cFE cFE 24.1 24.2	Table Services Telemetry Table Services Configuration Parameters Time Services Overview Time Components	61 62 63 64 65
22 23	cFE cFE 24.1 24.2 24.3	Table Services Telemetry Table Services Configuration Parameters Time Services Overview Time Components	61 62 63 64 65
22 23	cFE cFE 24.1 24.2 24.3	Table Services Telemetry Table Services Configuration Parameters Time Services Overview Time Components	61 62 63 64 65 66
22 23	cFE cFE 24.1 24.2 24.3	Table Services Telemetry Table Services Configuration Parameters Time Services Overview Time Components	61 62 63 64 65 66 66
22 23	cFE cFE 24.1 24.2 24.3	Table Services Configuration Parameters Time Services Overview Time Components	61 62 63 64 65 66 66 67

CONTENTS

24.4.5 Specifying Time Server/Client
24.4.6 Specifying Time Tone Byte Order
24.4.7 Virtual MET
24.4.8 Specifying Time Source
24.4.9 Specifying Time Signal
24.5 Time Format Selection
24.6 Enabling Fake Tone Signal
24.7 Selecting Tone and Data Ordering
24.8 Specifying Tone and Data Window
24.9 Specifying Time Server/Client
24.10 Specifying Time Tone Byte Order
24.11 Virtual MET
24.12Specifying Time Source
24.13Specifying Time Signal
24.14Time Services Paradigm(s)
24.15Flywheeling
24.16Time State
24.17Initialization
24.17.1 Power-On Reset
24.17.2 Processor Reset
24.18Power-On Reset
24.19Processor Reset
24.20Initialization
24.20.1 Power-On Reset
24.20.2 Processor Reset
24.21 Power-On Reset
24.22Processor Reset
24.23Normal Operation
24.23.1 Client
24.23.2 Server
24.24Client
24.25Server
24.26Setting Time
24.27Adjusting Time
24.28 Setting MET
24.29Frequently Asked Questions

/i	CONTENTS

25	cFE Time Services Commands	87
26	cFE Time Services Telemetry	88
27	cFE Time Services Configuration Parameters	88
28	cFE Event Message Cross Reference	89
29	cFE Command Mnemonic Cross Reference	104
30	cFE Telemetry Mnemonic Cross Reference	108
31	Version Numbers	119
32	cFE Mission Configuration Parameters	120
33	Deprecated List	121
34	Module Index	124
	34.1 Modules	. 124
35	Data Structure Index	127
	35.1 Data Structures	. 127
36	File Index	134
	36.1 File List	. 134

CONTENTS vii

37	Mod	ule Documentation	136
	37.1	cFE Return Code Defines	136
		37.1.1 Detailed Description	143
		37.1.2 Macro Definition Documentation	143
	37.2	cFE Entry/Exit APIs	185
		37.2.1 Detailed Description	185
		37.2.2 Function Documentation	185
	37.3	cFE Application Control APIs	187
		37.3.1 Detailed Description	187
		37.3.2 Function Documentation	187
	37.4	cFE Application Behavior APIs	190
		37.4.1 Detailed Description	190
		37.4.2 Function Documentation	190
	37.5	cFE Information APIs	195
		37.5.1 Detailed Description	195
		37.5.2 Function Documentation	195
	37.6	cFE Child Task APIs	201
		37.6.1 Detailed Description	201
		37.6.2 Function Documentation	201
	37.7	cFE Miscellaneous APIs	205
		37.7.1 Detailed Description	205
		37.7.2 Function Documentation	205
	37.8	cFE Critical Data Store APIs	208
		37.8.1 Detailed Description	208
		37.8.2 Function Documentation	208
	37.9	cFE Memory Manager APIs	212
		37.9.1 Detailed Description	212
		37.9.2 Function Documentation	212

VIII CONTENTS

37.10cFE Performance Monitor APIs
37.10.1 Detailed Description
37.10.2 Macro Definition Documentation
37.10.3 Function Documentation
37.11cFE Generic Counter APIs
37.11.1 Detailed Description
37.11.2 Function Documentation
37.12cFE Registration APIs
37.12.1 Detailed Description
37.12.2 Function Documentation
37.13cFE Send Event APIs
37.13.1 Detailed Description
37.13.2 Function Documentation
37.14cFE Reset Event Filter APIs
37.14.1 Detailed Description
37.14.2 Function Documentation
37.15cFE File Header Management APIs
37.15.1 Detailed Description
37.15.2 Function Documentation
37.16cFE Compressed File Management APIs
37.16.1 Detailed Description
37.16.2 Function Documentation
37.17cFE File Utility APIs
37.17.1 Detailed Description
37.17.2 Function Documentation
37.18cFE SB Packet Type Defines
37.18.1 Detailed Description
37.18.2 Macro Definition Documentation

CONTENTS ix

37.19cFE Pipe Management APIs
37.19.1 Detailed Description
37.19.2 Function Documentation
37.20cFE Message Subscription Control APIs
37.20.1 Detailed Description
37.20.2 Function Documentation
37.21cFE Send/Receive Message APIs
37.21.1 Detailed Description
37.21.2 Function Documentation
37.22cFE Zero Copy Message APIs
37.22.1 Detailed Description
37.22.2 Function Documentation
37.23cFE Setting Message Characteristics APIs
37.23.1 Detailed Description
37.23.2 Function Documentation
37.24cFE Getting Message Characteristics APIs
37.24.1 Detailed Description
37.24.2 Function Documentation
37.25cFE Checksum Control APIs
37.25.1 Detailed Description
37.25.2 Function Documentation
37.26cFE Message ID APIs
37.26.1 Detailed Description
37.26.2 Function Documentation
37.27cFE Table Type Defines
37.27.1 Detailed Description
37.27.2 Macro Definition Documentation
37.28cFE Registration APIs

X CONTENTS

37.28.1 Detailed Description
37.28.2 Function Documentation
37.29cFE Manage Table Content APIs
37.29.1 Detailed Description
37.29.2 Function Documentation
37.30cFE Access Table Content APIs
37.30.1 Detailed Description
37.30.2 Function Documentation
37.31cFE Get Table Information APIs
37.31.1 Detailed Description
37.31.2 Function Documentation
37.32cFE Get Current Time APIs
37.32.1 Detailed Description
37.32.2 Function Documentation
37.33cFE Get Time Information APIs
37.33.1 Detailed Description
37.33.2 Function Documentation
37.34cFE Time Arithmetic APIs
37.34.1 Detailed Description
37.34.2 Function Documentation
37.35cFE Time Conversion APIs
37.35.1 Detailed Description
37.35.2 Function Documentation
37.36cFE External Time Source APIs
37.36.1 Detailed Description
37.36.2 Function Documentation
37.37cFE Miscellaneous Time APIs
37.37.1 Detailed Description

CONTENTS xi

37.37.2 Function Documentation
37.38cFE Clock State Flag Defines
37.38.1 Detailed Description
37.38.2 Macro Definition Documentation
37.39OSAL Object Type Defines
37.39.1 Detailed Description
37.39.2 Macro Definition Documentation
37.40OSAL Semaphore State Defines
37.40.1 Detailed Description
37.40.2 Macro Definition Documentation
37.41OSAL Core Operation APIs
37.41.1 Detailed Description
37.41.2 Function Documentation
37.42OSAL Object Utility APIs
37.42.1 Detailed Description
37.42.2 Function Documentation
37.43OSAL Task APIs
37.43.1 Detailed Description
37.43.2 Function Documentation
37.44OSAL Message Queue APIs
37.44.1 Detailed Description
37.44.2 Function Documentation
37.45OSAL Semaphore APIs
37.45.1 Detailed Description
37.45.2 Function Documentation
37.46OSAL Time/Tick APIs
37.46.1 Detailed Description
37.46.2 Function Documentation

xii CONTENTS

37.47OSAL Exception APIs
37.47.1 Detailed Description
37.47.2 Function Documentation
37.48OSAL Floating Point Unit Exception APIs
37.48.1 Detailed Description
37.48.2 Function Documentation
37.49OSAL Interrupt APIs
37.49.1 Detailed Description
37.49.2 Function Documentation
37.50OSAL Shared memory APIs
37.50.1 Detailed Description
37.50.2 Function Documentation
37.51OSAL Heap APIs
37.51.1 Detailed Description
37.51.2 Function Documentation
37.52OSAL Error Info APIs
37.52.1 Detailed Description
37.52.2 Function Documentation
37.53OSAL Select APIs
37.53.1 Detailed Description
37.53.2 Function Documentation
37.54OSAL Printf APIs
37.54.1 Detailed Description
37.54.2 Function Documentation
37.55OSAL File Access Option Defines
37.55.1 Detailed Description
37.55.2 Macro Definition Documentation
37.56OSAL Refernce Point For Seek Offset Defines

CONTENTS xiii

37.56.1 Detailed Description	401
37.56.2 Macro Definition Documentation	401
37.57OSAL Volume Type Defines	402
37.57.1 Detailed Description	402
37.57.2 Macro Definition Documentation	402
37.58OSAL Standard File APIs	403
37.58.1 Detailed Description	403
37.58.2 Function Documentation	403
37.59OSAL Directory APIs	417
37.59.1 Detailed Description	417
37.59.2 Function Documentation	417
37.60OSAL File System Level APIs	422
37.60.1 Detailed Description	422
37.60.2 Function Documentation	422
37.61OSAL Shell APIs	430
37.61.1 Detailed Description	430
37.61.2 Function Documentation	430
37.62OSAL Dynamic Loader and Symbol APIs	431
37.62.1 Detailed Description	431
37.62.2 Function Documentation	431
37.63OSAL Socket Address APIs	436
37.63.1 Detailed Description	436
37.63.2 Function Documentation	436
37.64OSAL Socket Management APIs	440
37.64.1 Detailed Description	440
37.64.2 Function Documentation	440
37.65OSAL Timer APIs	448
37.65.1 Detailed Description	448
37.65.2 Function Documentation	448
37.66OSAL Return Code Defines	458
37.66.1 Detailed Description	459
37.66.2 Macro Definition Documentation	459

xiv CONTENTS

38	Data	Structure Documentation	469
	38.1	CCSDS_APIDQHdr_t Struct Reference	1 69
		38.1.1 Detailed Description	1 69
		38.1.2 Field Documentation	1 69
	38.2	CCSDS_APIDqualifiers_t Struct Reference	1 70
		38.2.1 Detailed Description	1 70
		38.2.2 Field Documentation	1 70
	38.3	CCSDS_CmdSecHdr_t Struct Reference	1 70
		38.3.1 Detailed Description	1 71
		38.3.2 Field Documentation	1 71
	38.4	CCSDS_CommandPacket_t Struct Reference	1 71
		38.4.1 Detailed Description	1 71
		38.4.2 Field Documentation	1 71
	38.5	CCSDS_PriHdr_t Struct Reference	172
		38.5.1 Detailed Description	172
		38.5.2 Field Documentation	172
	38.6	CCSDS_SpacePacket_t Struct Reference	173
		38.6.1 Detailed Description	1 73
		38.6.2 Field Documentation	1 73
	38.7	CCSDS_TelemetryPacket_t Struct Reference	174
		38.7.1 Detailed Description	174
		38.7.2 Field Documentation	174
	38.8	CCSDS_TImSecHdr_t Struct Reference	174
		38.8.1 Detailed Description	1 75
		38.8.2 Field Documentation	1 75
	38.9	CFE_ES_AppInfo_t Struct Reference	1 75
		38.9.1 Detailed Description	176
		38.9.2 Field Documentation	176

CONTENTS xv

38.10CFE_ES_AppNameCmd_Payload_t Struct Reference
38.10.1 Detailed Description
38.10.2 Field Documentation
38.11CFE_ES_AppNameCmd_t Struct Reference
38.11.1 Detailed Description
38.11.2 Field Documentation
38.12CFE_ES_AppReloadCmd_Payload_t Struct Reference
38.12.1 Detailed Description
38.12.2 Field Documentation
38.13CFE_ES_BlockStats_t Struct Reference
38.13.1 Detailed Description
38.13.2 Field Documentation
38.14CFE_ES_CDSRegDumpRec_t Struct Reference
38.14.1 Detailed Description
38.14.2 Field Documentation
38.15CFE_ES_DeleteCDS_t Struct Reference
38.15.1 Detailed Description
38.15.2 Field Documentation
38.16CFE_ES_DeleteCDSCmd_Payload_t Struct Reference
38.16.1 Detailed Description
38.16.2 Field Documentation
38.17CFE_ES_DumpCDSRegistry_t Struct Reference
38.17.1 Detailed Description
38.17.2 Field Documentation
38.18CFE_ES_DumpCDSRegistryCmd_Payload_t Struct Reference
38.18.1 Detailed Description
38.18.2 Field Documentation
38.19CFF FS FileNameCmd Payload t Struct Reference

xvi CONTENTS

38.19.1 Detailed Description
38.19.2 Field Documentation
38.20CFE_ES_FileNameCmd_t Struct Reference
38.20.1 Detailed Description
38.20.2 Field Documentation
38.21 CFE_ES_HousekeepingTlm_Payload_t Struct Reference
38.21.1 Detailed Description
38.21.2 Field Documentation
38.22CFE_ES_HousekeepingTlm_t Struct Reference
38.22.1 Detailed Description
38.22.2 Field Documentation
38.23CFE_ES_MemPoolStats_t Struct Reference
38.23.1 Detailed Description
38.23.2 Field Documentation
38.24CFE_ES_MemStatsTlm_t Struct Reference
38.24.1 Detailed Description
38.24.2 Field Documentation
38.25CFE_ES_NoArgsCmd_t Struct Reference
38.25.1 Detailed Description
38.25.2 Field Documentation
38.26CFE_ES_OneAppTIm_Payload_t Struct Reference
38.26.1 Detailed Description
38.26.2 Field Documentation
38.27CFE_ES_OneAppTlm_t Struct Reference
38.27.1 Detailed Description
38.27.2 Field Documentation
38.28CFE_ES_OverWriteSyslog_t Struct Reference
38.28.1 Detailed Description

CONTENTS xvii

38.28.2 Field Documentation
38.29CFE_ES_OverWriteSysLogCmd_Payload_t Struct Reference
38.29.1 Detailed Description
38.29.2 Field Documentation
38.30CFE_ES_PoolAlign_t Union Reference
38.30.1 Detailed Description
38.30.2 Field Documentation
38.31CFE_ES_PoolStatsTlm_Payload_t Struct Reference
38.31.1 Detailed Description
38.31.2 Field Documentation
38.32CFE_ES_ReloadApp_t Struct Reference
38.32.1 Detailed Description
38.32.2 Field Documentation
38.33CFE_ES_Restart_t Struct Reference
38.33.1 Detailed Description
38.33.2 Field Documentation
38.34CFE_ES_RestartCmd_Payload_t Struct Reference
38.34.1 Detailed Description
38.34.2 Field Documentation
38.35CFE_ES_SendMemPoolStats_t Struct Reference
38.35.1 Detailed Description
38.35.2 Field Documentation
38.36CFE_ES_SendMemPoolStatsCmd_Payload_t Struct Reference
38.36.1 Detailed Description
38.36.2 Field Documentation
38.37CFE_ES_SetMaxPRCount_t Struct Reference
38.37.1 Detailed Description
38.37.2 Field Documentation

xviii CONTENTS

38.38CFE_ES_SetMaxPRCountCmd_Payload_t Struct Reference
38.38.1 Detailed Description
38.38.2 Field Documentation
38.39CFE_ES_SetPerfFilterMask_t Struct Reference
38.39.1 Detailed Description
38.39.2 Field Documentation
38.40CFE_ES_SetPerfFilterMaskCmd_Payload_t Struct Reference
38.40.1 Detailed Description
38.40.2 Field Documentation
38.41CFE_ES_SetPerfTriggerMask_t Struct Reference
38.41.1 Detailed Description
38.41.2 Field Documentation
38.42CFE_ES_SetPerfTrigMaskCmd_Payload_t Struct Reference
38.42.1 Detailed Description
38.42.2 Field Documentation
38.43CFE_ES_Shell_t Struct Reference
38.43.1 Detailed Description
38.43.2 Field Documentation
38.44CFE_ES_ShellCmd_Payload_t Struct Reference
38.44.1 Detailed Description
38.44.2 Field Documentation
38.45CFE_ES_ShellPacket_Payload_t Struct Reference
38.45.1 Detailed Description
38.45.2 Field Documentation
38.46CFE_ES_ShellTlm_t Struct Reference
38.46.1 Detailed Description
38.46.2 Field Documentation
38.47CFE ES StartApp t Struct Reference

CONTENTS xix

38.47.1 Detailed Description	528
38.47.2 Field Documentation	528
38.48CFE_ES_StartAppCmd_Payload_t Struct Reference	529
38.48.1 Detailed Description	529
38.48.2 Field Documentation	529
38.49CFE_ES_StartPerfCmd_Payload_t Struct Reference	531
38.49.1 Detailed Description	531
38.49.2 Field Documentation	531
38.50CFE_ES_StartPerfData_t Struct Reference	532
38.50.1 Detailed Description	532
38.50.2 Field Documentation	532
38.51CFE_ES_StopPerfCmd_Payload_t Struct Reference	532
38.51.1 Detailed Description	533
38.51.2 Field Documentation	533
38.52CFE_ES_StopPerfData_t Struct Reference	533
38.52.1 Detailed Description	533
38.52.2 Field Documentation	534
38.53CFE_ES_TaskInfo_t Struct Reference	534
38.53.1 Detailed Description	535
38.53.2 Field Documentation	535
38.54CFE_EVS_AppDataCmd_Payload_t Struct Reference	536
38.54.1 Detailed Description	536
38.54.2 Field Documentation	536
38.55CFE_EVS_AppNameBitMaskCmd_Payload_t Struct Reference	537
38.55.1 Detailed Description	537
38.55.2 Field Documentation	537
38.56CFE_EVS_AppNameBitMaskCmd_t Struct Reference	538
38.56.1 Detailed Description	538

XX CONTENTS

38.56.2 Field Documentation
38.57CFE_EVS_AppNameCmd_Payload_t Struct Reference
38.57.1 Detailed Description
38.57.2 Field Documentation
38.58CFE_EVS_AppNameCmd_t Struct Reference
38.58.1 Detailed Description
38.58.2 Field Documentation
38.59CFE_EVS_AppNameEventIDCmd_Payload_t Struct Reference
38.59.1 Detailed Description
38.59.2 Field Documentation
38.60CFE_EVS_AppNameEventIDCmd_t Struct Reference
38.60.1 Detailed Description
38.60.2 Field Documentation
38.61CFE_EVS_AppNameEventIDMaskCmd_Payload_t Struct Reference
38.61.1 Detailed Description
38.61.2 Field Documentation
38.62CFE_EVS_AppNameEventIDMaskCmd_t Struct Reference
38.62.1 Detailed Description
38.62.2 Field Documentation
38.63CFE_EVS_AppTImData_t Struct Reference
38.63.1 Detailed Description
38.63.2 Field Documentation
38.64CFE_EVS_BinFilter_t Struct Reference
38.64.1 Detailed Description
38.64.2 Field Documentation
38.65CFE_EVS_BitMaskCmd_Payload_t Struct Reference
38.65.1 Detailed Description
38.65.2 Field Documentation

CONTENTS xxi

38.66CFE_EVS_BitMaskCmd_t Struct Reference
38.66.1 Detailed Description
38.66.2 Field Documentation
38.67CFE_EVS_HousekeepingTlm_Payload_t Struct Reference
38.67.1 Detailed Description
38.67.2 Field Documentation
38.68CFE_EVS_HousekeepingTlm_t Struct Reference
38.68.1 Detailed Description
38.68.2 Field Documentation
38.69CFE_EVS_LogFileCmd_Payload_t Struct Reference
38.69.1 Detailed Description
38.69.2 Field Documentation
38.70CFE_EVS_LongEventTIm_Payload_t Struct Reference
38.70.1 Detailed Description
38.70.2 Field Documentation
38.71CFE_EVS_LongEventTIm_t Struct Reference
38.71.1 Detailed Description
38.71.2 Field Documentation
38.72CFE_EVS_NoArgsCmd_t Struct Reference
38.72.1 Detailed Description
38.72.2 Field Documentation
38.73CFE_EVS_PacketID_t Struct Reference
38.73.1 Detailed Description
38.73.2 Field Documentation
38.74CFE_EVS_SetEventFormatMode_Payload_t Struct Reference
38.74.1 Detailed Description
38.74.2 Field Documentation
38.75CFE_EVS_SetEventFormatMode_t Struct Reference

xxii CONTENTS

38.75.1 Detailed Description
38.75.2 Field Documentation
38.76CFE_EVS_SetLogMode_Payload_t Struct Reference
38.76.1 Detailed Description
38.76.2 Field Documentation
38.77CFE_EVS_SetLogMode_t Struct Reference
38.77.1 Detailed Description
38.77.2 Field Documentation
38.78CFE_EVS_ShortEventTlm_Payload_t Struct Reference
38.78.1 Detailed Description
38.78.2 Field Documentation
38.79CFE_EVS_ShortEventTlm_t Struct Reference
38.79.1 Detailed Description
38.79.2 Field Documentation
38.80CFE_EVS_WriteAppDataFile_t Struct Reference
38.80.1 Detailed Description
38.80.2 Field Documentation
38.81CFE_EVS_WriteLogDataFile_t Struct Reference
38.81.1 Detailed Description
38.81.2 Field Documentation
38.82CFE_FS_Header_t Struct Reference
38.82.1 Detailed Description
38.82.2 Field Documentation
38.83CFE_PSP_CommandData_t Struct Reference
38.83.1 Detailed Description
38.83.2 Field Documentation
38.84CFE_PSP_MemTable_t Struct Reference
38.84.1 Detailed Description

CONTENTS xxiii

38.84.2 Field Documentation
38.85CFE_PSP_VersionInfo_t Struct Reference
38.85.1 Detailed Description
38.85.2 Field Documentation
38.86CFE_SB_AllSubscriptionsTlm_Payload_t Struct Reference
38.86.1 Detailed Description
38.86.2 Field Documentation
38.87CFE_SB_AllSubscriptionsTlm_t Struct Reference
38.87.1 Detailed Description
38.87.2 Field Documentation
38.88CFE_SB_HousekeepingTlm_Payload_t Struct Reference
38.88.1 Detailed Description
38.88.2 Field Documentation
38.89CFE_SB_HousekeepingTlm_t Struct Reference
38.89.1 Detailed Description
38.89.2 Field Documentation
38.90CFE_SB_Msg_t Union Reference
38.90.1 Detailed Description
38.90.2 Field Documentation
38.91CFE_SB_MsgMapFileEntry_t Struct Reference
38.91.1 Detailed Description
38.91.2 Field Documentation
38.92CFE_SB_PipeDepthStats_t Struct Reference
38.92.1 Detailed Description
38.92.2 Field Documentation
38.93CFE_SB_Qos_t Struct Reference
38.93.1 Detailed Description
38.93.2 Field Documentation

xxiv CONTENTS

38.94CFE_SB_RouteCmd_Payload_t Struct Reference
38.94.1 Detailed Description
38.94.2 Field Documentation
38.95CFE_SB_RouteCmd_t Struct Reference
38.95.1 Detailed Description
38.95.2 Field Documentation
38.96CFE_SB_RoutingFileEntry_t Struct Reference
38.96.1 Detailed Description
38.96.2 Field Documentation
38.97CFE_SB_SenderId_t Struct Reference
38.97.1 Detailed Description
38.97.2 Field Documentation
38.98CFE_SB_SingleSubscriptionTlm_Payload_t Struct Reference
38.98.1 Detailed Description
38.98.2 Field Documentation
38.99CFE_SB_SingleSubscriptionTlm_t Struct Reference
38.99.1 Detailed Description
38.99.2 Field Documentation
38.10 C FE_SB_StatsTlm_Payload_t Struct Reference
38.100. Detailed Description
38.100. Field Documentation
38.10 CFE_SB_StatsTlm_t Struct Reference
38.101. Detailed Description
38.101. Field Documentation
38.102FE_SB_SubEntries_t Struct Reference
38.102. Detailed Description
38.102. Field Documentation
38.10 SFE_SB_WriteFileInfoCmd_Payload_t Struct Reference

CONTENTS XXV

38.103. Detailed Description
38.103. Field Documentation
38.10 CFE_SB_WriteFileInfoCmd_t Struct Reference
38.104. Detailed Description
38.104. Field Documentation
38.106FE_TBL_AbortLoad_t Struct Reference
38.105. Detailed Description
38.105. Field Documentation
38.106FE_TBL_AbortLoadCmd_Payload_t Struct Reference
38.106. Detailed Description
38.106. Field Documentation
38.10©FE_TBL_Activate_t Struct Reference
38.107. Detailed Description
38.107.2Field Documentation
38.108 FE_TBL_ActivateCmd_Payload_t Struct Reference
38.108. Detailed Description
38.108. Field Documentation
38.10@FE_TBL_DelCDSCmd_Payload_t Struct Reference
38.109. Detailed Description
38.109. Field Documentation
38.11 © FE_TBL_DeleteCDS_t Struct Reference
38.110. Detailed Description
38.110.2Field Documentation
38.11CFE_TBL_Dump_t Struct Reference
38.111. Detailed Description
38.111.2Field Documentation
38.112FE_TBL_DumpCmd_Payload_t Struct Reference
38.112. Detailed Description

XXVI CONTENTS

38.112. Field Documentation
38.11&FE_TBL_DumpRegistry_t Struct Reference
38.113. Detailed Description
38.113. Field Documentation
38.11 © FE_TBL_DumpRegistryCmd_Payload_t Struct Reference
38.114. Detailed Description
38.114. Field Documentation
38.116FE_TBL_File_Hdr_t Struct Reference
38.115. Detailed Description
38.115. Field Documentation
38.11 6 FE_TBL_FileDef_t Struct Reference
38.116. Detailed Description
38.116. Field Documentation
38.11©FE_TBL_HousekeepingTlm_Payload_t Struct Reference
38.117. Detailed Description
38.117. Field Documentation
38.11 & FE_TBL_HousekeepingTlm_t Struct Reference
38.118. Detailed Description
38.118. Field Documentation
38.11 © FE_TBL_Info_t Struct Reference
38.119. Detailed Description
38.119. Field Documentation
38.12 C FE_TBL_Load_t Struct Reference
38.120. Detailed Description
38.120. Field Documentation
38.12CFE_TBL_LoadCmd_Payload_t Struct Reference
38.121. Detailed Description
38.121. Field Documentation

CONTENTS xxvii

38.12©FE_TBL_NoArgsCmd_t Struct Reference
38.122. Detailed Description
38.122. Field Documentation
38.12 S FE_TBL_NotifyCmd_Payload_t Struct Reference
38.123. Detailed Description
38.123. Field Documentation
38.12 © FE_TBL_NotifyCmd_t Struct Reference
38.124. Detailed Description
38.124. Field Documentation
38.126FE_TBL_SendRegistry_t Struct Reference
38.125. Detailed Description
38.125. Field Documentation
38.12 6 FE_TBL_SendRegistryCmd_Payload_t Struct Reference
38.126. Detailed Description
38.126. Field Documentation
38.12©FE_TBL_TableRegistryTlm_t Struct Reference
38.127. Detailed Description
38.127. Field Documentation
38.12 & FE_TBL_TblRegPacket_Payload_t Struct Reference
38.128. Detailed Description
38.128. Field Documentation
38.129FE_TBL_Validate_t Struct Reference
38.129. Detailed Description
38.129. Field Documentation
38.13 © FE_TBL_ValidateCmd_Payload_t Struct Reference
38.130. Detailed Description
38.130. Field Documentation
38.13CFE_TIME_1HzCmd_t Struct Reference

xxviii CONTENTS

38.131. Detailed Description
38.131. Field Documentation
38.132FE_TIME_DiagnosticTIm_Payload_t Struct Reference
38.132. Detailed Description
38.132. Field Documentation
38.138FE_TIME_DiagnosticTlm_t Struct Reference
38.133. Detailed Description
38.133.2Field Documentation
38.13€FE_TIME_FakeToneCmd_t Struct Reference
38.134. Detailed Description
38.134. Field Documentation
38.136FE_TIME_HousekeepingTlm_Payload_t Struct Reference
38.135. Detailed Description
38.135. Field Documentation
38.13 6 FE_TIME_HousekeepingTlm_t Struct Reference
38.136. Detailed Description
38.136. Field Documentation
38.13©FE_TIME_LeapsCmd_Payload_t Struct Reference
38.137. Detailed Description
38.137. Field Documentation
38.13&FE_TIME_NoArgsCmd_t Struct Reference
38.138. Detailed Description
38.138. Field Documentation
38.13 © FE_TIME_OneHzAdjustmentCmd_Payload_t Struct Reference
38.139. Detailed Description
38.139. Field Documentation
38.14 © FE_TIME_OneHzAdjustmentCmd_t Struct Reference
38.140. Detailed Description

CONTENTS xxix

38.140. Field Documentation
38.14CFE_TIME_ResetVars_t Struct Reference
38.141. Detailed Description
38.141. Field Documentation
38.14©FE_TIME_SetLeapSeconds_t Struct Reference
38.142. Detailed Description
38.142. Field Documentation
38.148 FE_TIME_SetSignal_t Struct Reference
38.143. Detailed Description
38.143. Field Documentation
38.14CFE_TIME_SetSource_t Struct Reference
38.144. Detailed Description
38.144. Field Documentation
38.14©FE_TIME_SetState_t Struct Reference
38.145. Detailed Description
38.145. Field Documentation
38.146FE_TIME_SignalCmd_Payload_t Struct Reference
38.146. Detailed Description
38.146. Field Documentation
38.14©FE_TIME_SourceCmd_Payload_t Struct Reference
38.147. Detailed Description
38.147. Field Documentation
38.148 FE_TIME_StateCmd_Payload_t Struct Reference
38.148. Detailed Description
38.148. Field Documentation
38.14 9 FE_TIME_SysTime_t Struct Reference
38.149. Detailed Description
38.149. Field Documentation

CONTENTS

38.15 © FE_TIME_TimeCmd_Payload_t Struct Reference
38.150. Detailed Description
38.150. Field Documentation
38.15CFE_TIME_TimeCmd_t Struct Reference
38.151. Detailed Description
38.151. Field Documentation
38.15 2 FE_TIME_ToneDataCmd_Payload_t Struct Reference
38.152. Detailed Description
38.152. Field Documentation
38.15&FE_TIME_ToneDataCmd_t Struct Reference
38.153. Detailed Description
38.153. Field Documentation
38.15 FE_TIME_ToneSignalCmd_t Struct Reference
38.154. Detailed Description
38.154. Field Documentation
38.15 © S_bin_sem_prop_t Struct Reference
38.155. Detailed Description
38.155. Field Documentation
38.15 © S_count_sem_prop_t Struct Reference
38.156. Detailed Description
38.156. Field Documentation
38.15@s_dirent_t Struct Reference
38.157. Detailed Description
38.157. Field Documentation
38.15 8 \S_Fd\Set \Struct \Reference
38.158. Detailed Description
38.158. Field Documentation
38.15 9 S file prop t Struct Reference

CONTENTS xxxi

38.159. Detailed Description
38.159. Field Documentation
38.16 0 s_fsinfo_t Struct Reference
38.160. Detailed Description
38.160. Field Documentation
38.16 bs_fstat_t Struct Reference
38.161. Detailed Description
38.161. Field Documentation
38.16 2 /S_heap_prop_t Struct Reference
38.162. Detailed Description
38.162. Field Documentation
38.16 © S_module_address_t Struct Reference
38.163. Detailed Description
38.163. Field Documentation
38.16 © S_module_prop_t Struct Reference
38.164. Detailed Description
38.164. Field Documentation
38.16 © S_mut_sem_prop_t Struct Reference
38.165. Detailed Description
38.165. Field Documentation
38.16 © S_queue_prop_t Struct Reference
38.166. Detailed Description
38.166. Field Documentation
38.16®S_SockAddr_t Struct Reference
38.167. Detailed Description
38.167. Field Documentation
38.168DS_SockAddrData_t Union Reference
38.168. Detailed Description

xxxii CONTENTS

38.168. Field Documentation
38.16DS_socket_prop_t Struct Reference
38.169. Detailed Description
38.169. Field Documentation
38.17 0 S_static_symbol_record_t Struct Reference
38.170. Detailed Description
38.170. Field Documentation
38.17OS_task_prop_t Struct Reference
38.171. Detailed Description
38.171. Field Documentation
38.17DS_time_t Struct Reference
38.172. Detailed Description
38.172. Field Documentation
38.17®S_timebase_prop_t Struct Reference
38.173. Detailed Description
38.173. Field Documentation
38.17©S_timer_prop_t Struct Reference
38.174. Detailed Description
38.174. Field Documentation
38.17 5 S_VolumeInfo_t Struct Reference
38.175. Detailed Description
38.175. Field Documentation
38.176 Garget_PspConfigData Struct Reference
38.176. Detailed Description
38.176. Field Documentation

CONTENTS xxxiii

39	File Documentation	706
	39.1 build/doc/osconfig-example.h File Reference	. 706
	39.1.1 Macro Definition Documentation	. 707
	39.2 build/native/inc/osconfig.h File Reference	. 714
	39.2.1 Macro Definition Documentation	. 715
	39.3 cpu1_msgids.h File Reference	. 723
	39.3.1 Macro Definition Documentation	. 724
	39.4 cpu1_platform_cfg.h File Reference	. 729
	39.4.1 Macro Definition Documentation	. 737
	39.5 sample_mission_cfg.h File Reference	. 824
	39.5.1 Macro Definition Documentation	. 828
	39.6 sample_perfids.h File Reference	. 862
	39.6.1 Macro Definition Documentation	. 862
	39.7 cfe/docs/src/cfe_es.dox File Reference	. 865
	39.8 cfe/docs/src/cfe_evs.dox File Reference	. 865
	39.9 cfe/docs/src/cfe_sb.dox File Reference	. 865
	39.10cfe/docs/src/cfe_tbl.dox File Reference	. 865
	39.11cfe/docs/src/cfe_time.dox File Reference	. 865
	39.12cfe/docs/src/cfe_xref.dox File Reference	. 865
	39.13cfe/docs/src/main.dox File Reference	. 865
	39.14cfe/fsw/cfe-core/src/inc/ccsds.h File Reference	. 865
	39.14.1 Macro Definition Documentation	. 867
	39.14.2 Typedef Documentation	. 881
	39.14.3 Function Documentation	. 881
	39.15cfe/fsw/cfe-core/src/inc/cfe.h File Reference	. 882
	39.16cfe/fsw/cfe-core/src/inc/cfe_error.h File Reference	. 882
	39.16.1 Macro Definition Documentation	. 890
	39.17cfe/fsw/cfe-core/src/inc/cfe_es.h File Reference	. 892

XXXIV CONTENTS

39.17.1 Macro Definition Documentation
39.17.2 Typedef Documentation
39.18cfe/fsw/cfe-core/src/inc/cfe_es_events.h File Reference
39.18.1 Macro Definition Documentation
39.19cfe/fsw/cfe-core/src/inc/cfe_es_extern_typedefs.h File Reference
39.19.1 Typedef Documentation
39.19.2 Enumeration Type Documentation
39.20cfe/fsw/cfe-core/src/inc/cfe_es_msg.h File Reference
39.20.1 Macro Definition Documentation
39.20.2 Typedef Documentation
39.21cfe/fsw/cfe-core/src/inc/cfe_evs.h File Reference
39.21.1 Macro Definition Documentation
39.22cfe/fsw/cfe-core/src/inc/cfe_evs_events.h File Reference
39.22.1 Macro Definition Documentation
39.23cfe/fsw/cfe-core/src/inc/cfe_evs_extern_typedefs.h File Reference
39.23.1 Typedef Documentation
39.23.2 Enumeration Type Documentation
39.24cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h File Reference
39.24.1 Macro Definition Documentation
39.24.2 Typedef Documentation
39.25cfe/fsw/cfe-core/src/inc/cfe_fs.h File Reference
39.25.1 Macro Definition Documentation
39.26cfe/fsw/cfe-core/src/inc/cfe_fs_extern_typedefs.h File Reference
39.26.1 Macro Definition Documentation
39.26.2 Typedef Documentation
39.26.3 Enumeration Type Documentation
39.27cfe/fsw/cfe-core/src/inc/cfe_sb.h File Reference
39.27.1 Macro Definition Documentation

CONTENTS XXXV

39.27.2 Typedef Documentation	064
39.27.3 Variable Documentation	066
39.28cfe/fsw/cfe-core/src/inc/cfe_sb_events.h File Reference	066
39.28.1 Macro Definition Documentation	069
39.29cfe/fsw/cfe-core/src/inc/cfe_sb_extern_typedefs.h File Reference	102
39.29.1 Typedef Documentation	103
39.29.2 Enumeration Type Documentation	104
39.30cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h File Reference	105
39.30.1 Macro Definition Documentation	106
39.30.2 Typedef Documentation	117
39.31cfe/fsw/cfe-core/src/inc/cfe_tbl.h File Reference	120
39.31.1 Macro Definition Documentation	122
39.31.2 Typedef Documentation	123
39.31.3 Enumeration Type Documentation	123
39.32cfe/fsw/cfe-core/src/inc/cfe_tbl_events.h File Reference	124
39.32.1 Macro Definition Documentation	127
39.33cfe/fsw/cfe-core/src/inc/cfe_tbl_extern_typedefs.h File Reference	161
39.33.1 Typedef Documentation	161
39.33.2 Enumeration Type Documentation	161
39.34cfe/fsw/cfe-core/src/inc/cfe_tbl_filedef.h File Reference	162
39.34.1 Macro Definition Documentation	162
39.35cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h File Reference	163
39.35.1 Macro Definition Documentation	164
39.35.2 Typedef Documentation	174
39.36cfe/fsw/cfe-core/src/inc/cfe_time.h File Reference	174
39.36.1 Macro Definition Documentation	177
39.36.2 Typedef Documentation	179
39.36.3 Enumeration Type Documentation	180

XXXVI

39.37cfe/fsw/cfe-core/src/inc/cfe_time_events.h File Reference
39.37.1 Macro Definition Documentation
39.38cfe/fsw/cfe-core/src/inc/cfe_time_extern_typedefs.h File Reference
39.38.1 Typedef Documentation
39.38.2 Enumeration Type Documentation
39.39cfe/fsw/cfe-core/src/inc/cfe_time_msg.h File Reference
39.39.1 Macro Definition Documentation
39.39.2 Typedef Documentation
39.40cfe/fsw/cfe-core/src/inc/cfe_version.h File Reference
39.40.1 Macro Definition Documentation
39.41cfe/fsw/cfe-core/src/inc/network_includes.h File Reference
39.42osal/src/os/inc/common_types.h File Reference
39.42.1 Macro Definition Documentation
39.42.2 Typedef Documentation
39.42.3 Function Documentation
39.43osal/src/os/inc/osapi-os-core.h File Reference
39.43.1 Macro Definition Documentation
39.43.2 Typedef Documentation
39.43.3 Enumeration Type Documentation
39.43.4 Function Documentation
39.44osal/src/os/inc/osapi-os-filesys.h File Reference
39.44.1 Macro Definition Documentation
39.44.2 Typedef Documentation
39.44.3 Enumeration Type Documentation
39.45osal/src/os/inc/osapi-os-loader.h File Reference
39.45.1 Typedef Documentation
39.46osal/src/os/inc/osapi-os-net.h File Reference
39.46.1 Macro Definition Documentation

39.46.2 Enumeration Type Documentation
39.47osal/src/os/inc/osapi-os-timer.h File Reference
39.47.1 Typedef Documentation
39.48osal/src/os/inc/osapi-version.h File Reference
39.48.1 Macro Definition Documentation
39.49osal/src/os/inc/osapi.h File Reference
39.49.1 Macro Definition Documentation
39.50psp/fsw/inc/cfe_psp.h File Reference
39.50.1 Macro Definition Documentation
39.50.2 Function Documentation
39.51psp/fsw/inc/cfe_psp_configdata.h File Reference
39.51.1 Detailed Description
39.51.2 Variable Documentation
39.52psp/fsw/pc-linux/src/cfe_psp_exception.c File Reference
39.52.1 Macro Definition Documentation
39.52.2 Function Documentation
39.52.3 Variable Documentation
39.53psp/fsw/pc-linux/src/cfe_psp_memory.c File Reference
39.53.1 Macro Definition Documentation
39.53.2 Function Documentation
39.53.3 Variable Documentation
39.54psp/fsw/pc-linux/src/cfe_psp_memtab.c File Reference
39.54.1 Variable Documentation
39.55psp/fsw/pc-linux/src/cfe_psp_ssr.c File Reference
39.55.1 Function Documentation
39.56psp/fsw/pc-linux/src/cfe_psp_start.c File Reference
39.56.1 Macro Definition Documentation
39.56.2 Function Documentation
39.56.3 Variable Documentation
39.57psp/fsw/pc-linux/src/cfe_psp_support.c File Reference
39.57.1 Function Documentation
39.57.2 Variable Documentation
39.58psp/fsw/pc-linux/src/cfe_psp_timer.c File Reference
39.58.1 Macro Definition Documentation
39.58.2 Function Documentation
39.59psp/fsw/pc-linux/src/cfe_psp_voltab.c File Reference
39.59.1 Variable Documentation
39.60psp/fsw/pc-linux/src/cfe_psp_watchdog.c File Reference
39.60.1 Function Documentation
39.60.2 Variable Documentation

Index 1317

1 Core Flight Executive Documentation

- · General Information and Concepts
 - Background
 - Applicable Documents
 - Version Numbers
 - Dependencies
 - Acronyms
 - Glossary of Terms
- Executive Services (ES)
 - cFE Executive Services Overview
 - cFE Executive Services Commands
 - cFE Executive Services Telemetry
 - ES Event Message Reference
 - cFE Executive Services Configuration Parameters
- Events Services (EVS)
 - cFE Event Services Overview
 - cFE Event Services Commands
 - cFE Event Services Telemetry
 - EVS Event Message Reference
 - cFE Event Services Configuration Parameters
- Software Bus Services (SB)
 - cFE Software Bus Overview
 - cFE Software Bus Commands
 - cFE Software Bus Telemetry
 - SB Event Message Reference
 - cFE Software Bus Configuration Parameters
- Table Services (TBL)
 - cFE Table Services Overview
 - cFE Table Services Commands
 - cFE Table Services Telemetry
 - TBL Event Message Reference
 - cFE Table Services Configuration Parameters
- Time Services (TIME)
 - cFE Time Services Overview
 - cFE Time Services Commands

2 Background 3

- cFE Time Services Telemetry
- TIME Event Message Reference
- cFE Time Services Configuration Parameters
- · cFE Event Message Cross Reference
- · cFE Command Mnemonic Cross Reference
- cFE Telemetry Mnemonic Cross Reference
- · cFE Application Programmer's Interface (API) Reference

2 Background

The Core Flight Executive (cFE) is an application development and run-time environment. The cFE provides a set of core services including Software Bus (messaging), Time, Event (Alerts), Executive (startup and runtime), and Table services. The cFE defines an application programming interface (API) for each service which serves as the basis for application development.

The cFE Software Bus service provides a publish and subscribe messaging system that allows applications to easily plug and play into the system. Applications subscribe to cFE services at runtime, making system modifications easy. Facilitating rapid prototyping, new applications can be compiled, linked, loaded, and started without requiring the entire system to be rebuilt.

Each service comes complete with a built in application that allows users to interface with each service. To support reuse and project independence, the cFE contains a configurable set of requirements and code. The configurable parameters allow the cFE to be tailored for each environment including desk-top and closed loop simulation environments. This provides the ability to run and test software applications on a developer's desktop and then deploy that same software without changes to the embedded system. In addition the cFE includes the following software development tools:

- · Unit Test Framework (UTF) for unit testing applications developed via the cFE
- Software Timing Analyzer that provides visibility into the real-time performance of embedded systems software
- · Table Builder
- · Command and Telemetry utilities

The cFE is one of the components of the Core Flight System (cFS), a platform and project independent reusable software framework and set of reusable software applications. There are three key aspects to the cFS architecture: a dynamic run-time environment, layered software, and a component based design. The combination of these key aspects along with an implementation targeted to the embedded software domain makes it suitable for reuse on any number of NASA flight projects and/or embedded software systems.

The pivotal design feature, abstracting the software architecture from the hardware and forming the basis of reuse, is component layering. Each layer of the architecture "hides" its implementation and technology details from the other layers by defining and using standard Application Programming Interfaces (APIs). The internals of a layer can be changed without affecting other layers' internals and components.

The layers include an OS Abstraction Layer (OSAL), Platform Support Package (PSP) layer, core Flight Executive (cFE) layer, and an Application layer. The cFE layer runs on top of the PSP and OSAL layers. The cFE comes complete with a build environment, deployment guide, API reference guide, and provides a sample PSP. The OSAL is available open source and once integrated into the cFE build environment, developers will be ready to build and run the system and start developing their mission/project specific applications that easily plug and play into the system.

Core Flight Executive (cFE) Goals

The main long term goal of the cFE is to form the basis for a platform and project independent reusable software framework. The cFE with the OSAL allow the development of portable embedded system software that is independent of a particular Real Time Operating System and hardware platform. A secondary long term goal is to create a standardized, product-line approach for development of embedded aerospace flight software.

Functional and Community Goals

The cFE allows embedded system software to be developed and tested on desktop workstations and ported to the target platform without changing a single line of code, providing a shorter development and debug time. The cFE is an enabler of software collaboration amongst all users promoting the growth of the application and library layers where new applications, libraries, tools, and lessons learned can be contributed and shared.

It is important for application developers to realize the long term and functional goals of the cFE. With a standard set of services providing a standard API, all applications developed with the cFE have an opportunity to become useful on future missions through code reuse. In order to achieve this goal, applications must be written with care to ensure that their code does not have dependencies on specific hardware, software or compilers. The cFE and the underlying generic operating system API (OS API) have been designed to insulate the cFE Application developer from hardware and software dependencies. The developer, however, must make the effort to identify the proper methods through the cFE and OS API to satisfy their software requirements and not be tempted to take a "short-cut" and accomplish their goal with a direct hardware or operating system software interface.

3 Applicable Documents

Document Title	Link
cFE System (L4) Requirements Document	cfe/docs/'cfe requirements.docx'
cFE Functional (L5) Requirements Document	cfe/docs/cFE_FunctionalRequirements.csv
cFE Application Developers Guide	cfe/docs/'cFE Application Developers Guide.md'
cFE User's Guide (includes API)	Autogenerated from code, provided with releases in cFE repository
OS Abstraction Layer (OSAL) API	Autogenerated from code, provided with releases in OSAL repository

4 Dependencies

The Core Flight Executive (cFE) is required to be built with the Operating System Abstraction Layer (OSAL) and Platform Support Package (PSP) components of the Core Flight System (cFS). It is always recommended to build with the latest versions of each of the components as backward compatability may not be supported.

Several internal data structures within the cFE use the "char" data type. This data type is typically 1 byte in storage size with a value range -128 to 127 or 0 to 255. The size of the "char" data type and whether or not the type is signed or unsigned can change across platforms. The cFE assumes use of the "char" data type as an **8-bit type**.

5 Acronyms 5

5 Acronyms

Acronym	Description
AC	Attitude Control
ACE	Attitude Control Electronics
ACS	Attitude Control System
API	Application Programming Interface
APID	CCSDS Application ID
Арр	Application
CCSDS	Consultative Committee for Space Data Systems
CDH, C&DH	Command and Data Handling
cFE	core Flight Executive
cFS	core Flight System
СМ	Configuration Management
CMD	Command
CPU	Central Processing Unit
EDAC	Error Detection and Correction
EEPROM	Electrically Erasable Programmable Read-Only Memory
ES	Executive Services
EVS	Event Services
FC	Function Code
FDC	Failure Detection and Correction
FSW	Flight Software
HW, H/W	Hardware
ICD	Interface Control Document
MET	Mission Elapsed Time
MID	Message ID
OS	Operating System
OSAL	Operating System Abstraction Layer
PID	Pipeline ID
PKT	Packet
PSP	Platform Support Package
RAM	Random-Access Memory
SB	Software Bus
SDO	Solar Dynamics Observatory
ST5	Space Technology Five
STCF	Spacecraft Time Correlation Factor
SW, S/W	Software
TAI	International Atomic Time
TBD	To Be Determined
TBL	Table Services
TID	Task ID
TIME	Time Services
TLM	Telemetry
UTC	Coordinated Universal Time

6 Glossary of Terms

Term	Definition
Application (or App)	A set of data and functions that is treated as a single entity by the cFE. cFE resources are allocated on a per-Application basis. Applications are made up of a Main Task and zero or more Child Tasks.
Application ID	A processor unique reference to an Application. NOTE: This is different from a CCSDS Application ID which is referred to as an "APID."
Application Programmer's Interface (API)	A set of routines, protocols, and tools for building software applications
Platform Support Package (PSP)	A collection of user-provided facilities that interface an OS and the cFE with a specific hardware platform. The PSP is responsible for hardware initialization.
Child Task	A separate thread of execution that is spawned by an Application's Main Task.
Command	A Software Bus Message defined by the receiving Application. Commands can originate from other onboard Applications or from the ground.
Core Flight Executive (cFE)	A runtime environment and a set of services for hosting FSW Applications
Critical Data Store (CDS)	A collection of data that is not modified by the OS or cFE following a Processor Reset.
Cyclic Redundancy Check	A polynomial based method for checking that a data set has remained unchanged from one time period to another.
Developer	Anyone who is coding a cFE Application.
Event Data	Data describing an Event that is supplied to the cFE Event Service. The cFE includes this data in an Event Message.
Event Filter	A numeric value (bit mask) used to determine how frequently to output an application Event Message defined by its Event ID.
Event Format Mode	Defines the Event Message Format downlink option: short or long. The short format is used when there is limited telemetry bandwidth and is binary. The long format is in ASCII and is used for logging to a Local Event Log and to an Event Message Port.
Event ID	A numeric literal used to uniquely name an Application event.
Event Type	A numeric literal used to identify the type of an Application event. An event type may be CFE_EVS_DEBUG, CFE_EVS_INFORMATION, CFE_EVS_ERROR, or CFE_EVS_CRITICAL.
Event Message	A data item used to notify the user and/or an external Application of a significant event. Event Messages include a time-stamp of when the message was generated, a processor unique identifier, an Application ID, the Event Type (DEBUG,INFO,ERROR or CRITICAL), and Event Data. An Event Message can either be real-time or playback from a Local Event Log.

7 cFE Application Programmer's Interface (API) Reference

Executive Services API

- cFE Entry/Exit APIs
 - CFE_ES_Main cFE Main Entry Point used by Board Support Package to start cFE

- CFE_ES_ResetCFE Reset the cFE Core and all cFE Applications.
- · cFE Application Control APIs
 - CFE ES RestartApp Restart a single cFE Application.
 - CFE ES ReloadApp Reload a single cFE Application.
 - CFE_ES_DeleteApp Delete a cFE Application.
- cFE Application Behavior APIs
 - CFE ES RegisterApp Registers a cFE Application with the Executive Services.
 - CFE ES RunLoop Check for Exit, Restart, or Reload commands.
 - CFE_ES_WaitForStartupSync Allow an Application to Wait for the "OPERATIONAL" global system state.
 - CFE_ES_WaitForSystemState Allow an Application to Wait for a minimum global system state.
 - CFE_ES_IncrementTaskCounter Increments the execution counter for the calling task.
 - CFE_ES_ExitApp Exit a cFE Application.
- · cFE Information APIs
 - CFE_ES_GetResetType Return the most recent Reset Type.
 - CFE_ES_GetAppID Get an Application ID for the calling Application.
 - CFE_ES_GetAppIDByName Get an Application ID associated with a specified Application name.
 - CFE_ES_GetAppName Get an Application name for a specified Application ID.
 - CFE ES GetAppInfo Get Application Information given a specified App ID.
 - CFE ES GetTaskInfo Get Task Information given a specified Task ID.
- cFE Child Task APIs
 - CFE ES RegisterChildTask Registers a cFE Child task associated with a cFE Application.
 - CFE_ES_CreateChildTask Creates a new task under an existing Application.
 - CFE_ES_DeleteChildTask Deletes a task under an existing Application.
 - CFE ES ExitChildTask Exits a child task.
- · cFE Critical Data Store APIs
 - CFE_ES_RegisterCDS Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)
 - CFE_ES_CopyToCDS Save a block of data in the Critical Data Store (CDS)
 - CFE_ES_RestoreFromCDS Recover a block of data from the Critical Data Store (CDS)
- cFE Memory Manager APIs
 - CFE_ES_PoolCreate Initializes a memory pool created by an application while using a semaphore during processing.
 - CFE_ES_PoolCreateEx Initializes a memory pool created by an application with application specified block sizes.
 - CFE_ES_PoolCreateNoSem Initializes a memory pool created by an application without using a semaphore during processing.
 - CFE_ES_GetPoolBuf Gets a buffer from the memory pool created by CFE_ES_PoolCreate or CFE_ES← PoolCreateNoSem.
 - CFE_ES_PutPoolBuf Releases a buffer from the memory pool that was previously allocated via CFE_E
 S GetPoolBuf.

- CFE_ES_GetMemPoolStats Extracts the statistics maintained by the memory pool software.
- CFE ES GetPoolBufInfo Gets info on a buffer previously allocated via CFE ES GetPoolBuf.
- cFE Performance Monitor APIs
 - CFE ES PerfLogEntry Entry marker for use with Software Performance Analysis Tool.
 - CFE ES PerfLogExit Exit marker for use with Software Performance Analysis Tool.
 - CFE_ES_PerfLogAdd Function called by CFE_ES_PerfLogEntry and CFE_ES_PerfLogExit macros.
- cFE Generic Counter APIs
 - CFE_ES_RegisterGenCounter Register a generic counter.
 - CFE_ES_DeleteGenCounter Delete a generic counter.
 - CFE_ES_IncrementGenCounter Increments the specified generic counter.
 - CFE_ES_SetGenCount Set the specified generic counter.
 - CFE_ES_GetGenCount Get the specified generic counter count.
 - CFE_ES_GetGenCounterIDByName Get the Id associated with a generic counter name.
- cFE Miscellaneous APIs
 - CFE_ES_CalculateCRC Calculate a CRC on a block of memory.
 - CFE ES WriteToSysLog Write a string to the cFE System Log.
 - CFE_ES_ProcessCoreException Process an exception detected by the underlying OS/PSP.

Events Services API

- · cFE Registration APIs
 - CFE EVS Register Register an application for receiving event services.
 - CFE EVS Unregister Cleanup internal structures used by the event manager for the calling Application.
- · cFE Send Event APIs
 - CFE EVS SendEvent Generate a software event.
 - CFE_EVS_SendEventWithAppID Generate a software event given the specified Application ID.
 - CFE EVS SendTimedEvent Generate a software event with a specific time tag.
- · cFE Reset Event Filter APIs
 - CFE_EVS_ResetFilter Resets the calling application's event filter for a single event ID.
 - CFE EVS ResetAllFilters Resets all of the calling application's event filters.

File Services API

- cFE File Header Management APIs
 - CFE FS ReadHeader Read the contents of the Standard cFE File Header.
 - CFE FS InitHeader Initializes the contents of the Standard cFE File Header.
 - CFE_FS_WriteHeader Write the specified Standard cFE File Header to the specified file.
 - CFE_FS_SetTimestamp Modifies the Time Stamp field in the Standard cFE File Header for the specified file.
- cFE Compressed File Management APIs
 - CFE FS IsGzFile Determines if a file is a Gzip/compressed file.
 - CFE FS Decompress Decompresses the source file to the destination file.
 - CFE_FS_GetUncompressedFile Decompresses the source file to a temporary file created in the temp dir.
- · cFE File Utility APIs
 - CFE FS ExtractFilenameFromPath Extracts the filename from a unix style path and filename string.

Software Bus API

- cFE Pipe Management APIs
 - CFE SB CreatePipe Creates a new software bus pipe.
 - CFE_SB_DeletePipe Delete a software bus pipe.
 - CFE_SB_SetPipeOpts Set options on a pipe.
 - CFE_SB_GetPipeOpts Get options on a pipe.
 - CFE_SB_GetPipeName Get the pipe name for a given id.
 - CFE_SB_GetPipeIdByName Get pipe id by pipe name.
- · cFE Message Subscription Control APIs
 - CFE_SB_Subscribe Subscribe to a message on the software bus with default parameters.
 - CFE_SB_SubscribeEx Subscribe to a message on the software bus.
 - CFE_SB_SubscribeLocal Subscribe to a message while keeping the request local to a cpu.
 - CFE SB Unsubscribe Remove a subscription to a message on the software bus.
 - CFE_SB_UnsubscribeLocal Remove a subscription to a message on the software bus on the current CPU.
- cFE Send/Receive Message APIs
 - CFE_SB_SendMsg Send a software bus message.
 - CFE SB PassMsg Passes a software bus message.
 - CFE SB RcvMsg Receive a message from a software bus pipe.
- · cFE Zero Copy Message APIs
 - CFE_SB_ZeroCopyGetPtr Get a buffer pointer to use for "zero copy" SB sends.
 - CFE SB ZeroCopyReleasePtr Release an unused "zero copy" buffer pointer.
 - CFE_SB_ZeroCopySend Send an SB message in "zero copy" mode.
 - CFE_SB_ZeroCopyPass Pass an SB message in "zero copy" mode.
- · cFE Setting Message Characteristics APIs
 - CFE SB InitMsg Initialize a buffer for a software bus message.
 - CFE_SB_SetMsgld Sets the message ID of a software bus message.
 - CFE SB SetUserDataLength Sets the length of user data in a software bus message.
 - CFE SB SetTotalMsqLength Sets the total length of a software bus message.
 - CFE SB SetMsgTime Sets the time field in a software bus message.
 - CFE SB TimeStampMsg Sets the time field in a software bus message with the current spacecraft time.
 - CFE SB SetCmdCode Sets the command code field in a software bus message.
 - CFE_SB_MessageStringSet Copies a string into a software bus message.
- · cFE Getting Message Characteristics APIs
 - CFE SB GetUserData Get a pointer to the user data portion of a software bus message.
 - CFE_SB_GetMsgld Get the message ID of a software bus message.
 - CFE_SB_GetUserDataLength Gets the length of user data in a software bus message.
 - CFE SB GetTotalMsgLength Gets the total length of a software bus message.
 - CFE SB GetMsgTime Gets the time field from a software bus message.

- CFE_SB_GetCmdCode Gets the command code field from a software bus message.
- CFE_SB_GetLastSenderId Retrieve the application Info of the sender for the last message.
- CFE_SB_MessageStringGet Copies a string out of a software bus message.

cFE Checksum Control APIs

- CFE_SB_GenerateChecksum Calculates and sets the checksum of a software bus message.
- CFE SB GetChecksum Gets the checksum field from a software bus message.
- CFE_SB_ValidateChecksum Validates the checksum of a software bus message.

cFE Message ID APIs

- CFE_SB_Msgld_Equal Identifies whether two CFE_SB_Msgld_t values are equal.
- CFE_SB_MsgldToValue Converts a CFE_SB_Msgld_t to a normal integer.
- CFE_SB_ValueToMsgld Converts a normal integer into a CFE_SB_Msgld_t.

Table Services API

cFE Registration APIs

- CFE TBL Register Register a table with cFE to obtain Table Management Services.
- CFE_TBL_Share Obtain handle of table registered by another application.
- CFE_TBL_Unregister Unregister a previously registered table and free associated resources.

cFE Manage Table Content APIs

- CFE_TBL_Load Load a specified table with data from specified source.
- CFE TBL Update Update contents of a specified table, if an update is pending.
- CFE_TBL_Validate Perform steps to validate the contents of a table image.
- CFE_TBL_Manage Perform standard operations to maintain a table.
- CFE TBL DumpToBuffer Copies the contents of a Dump Only Table to a shared buffer.
- CFE_TBL_Modified Notify cFE Table Services that table contents have been modified by the Application.

· cFE Access Table Content APIs

- CFE TBL GetAddress Obtain the current address of the contents of the specified table.
- CFE_TBL_GetAddresses Obtain the current addresses of an array of specified tables.
- CFE TBL ReleaseAddress Release previously obtained pointer to the contents of the specified table.
- CFE_TBL_ReleaseAddresses Release the addresses of an array of specified tables.

· cFE Get Table Information APIs

- CFE_TBL_GetStatus Obtain current status of pending actions for a table.
- CFE_TBL_GetInfo Obtain characteristics/information of/about a specified table.
- CFE_TBL_NotifyByMessage Instruct cFE Table Services to notify Application via message when table requires management.

Time Services API

· cFE Get Current Time APIs

- CFE TIME GetTime Get the current spacecraft time.
- CFE_TIME_GetTAI Get the current TAI (MET + SCTF) time.
- CFE_TIME_GetUTC Get the current UTC (MET + SCTF Leap Seconds) time.
- CFE_TIME_GetMET Get the current value of the Mission Elapsed Time (MET).
- CFE TIME GetMETseconds Get the current seconds count of the mission-elapsed time.
- CFE TIME GetMETsubsecs Get the current sub-seconds count of the mission-elapsed time.

· cFE Get Time Information APIs

- CFE_TIME_GetSTCF Get the current value of the spacecraft time correction factor (STCF).
- CFE_TIME_GetLeapSeconds Get the current value of the leap seconds counter.
- CFE_TIME_GetClockState Get the current state of the spacecraft clock.
- CFE_TIME_GetClockInfo Provides information about the spacecraft clock.

· cFE Time Arithmetic APIs

- CFE TIME Add Adds two time values.
- CFE TIME Subtract Subtracts two time values.
- CFE TIME Compare Compares two time values.

cFE Time Conversion APIs

- CFE TIME MET2SCTime Convert specified MET into Spacecraft Time.
- CFE TIME Sub2MicroSecs Converts a sub-seconds count to an equivalent number of microseconds.
- CFE TIME Micro2SubSecs Converts a number of microseconds to an equivalent sub-seconds count.
- CFE_TIME_CFE2FSSeconds Converts cFE seconds into the File System's seconds.
- CFE TIME FS2CFESeconds Converts a file system's seconds into cFE seconds.

· cFE External Time Source APIs

- CFE_TIME_ExternalTone Provides the 1 Hz signal from an external source.
- CFE_TIME_ExternalMET Provides the Mission Elapsed Time from an external source.
- CFE_TIME_ExternalGPS Provide the time from an external source that has data common to GPS receivers.
- CFE_TIME_ExternalTime Provide the time from an external source that measures time relative to a known epoch.
- CFE_TIME_RegisterSynchCallback Registers a callback function that is called whenever time synchronization occurs.
- CFE_TIME_UnregisterSynchCallback Unregisters a callback function that is called whenever time synchronization occurs.

· cFE Miscellaneous Time APIs

- CFE_TIME_Print Print a time value as a string.
- CFE TIME Local1HzISR This function should be called from the system PSP layer once per second.

8 cFE Executive Services Overview

Executive Services (ES) is one of the five core Flight Executive components. ES is the primary interface to the underlying Operating System, providing a high level interface to system control facilities. The ES component is responsible for starting up and restarting the cFE, starting up, shutting down, and restarting cFE Applications, logging errors and performance data, and providing a persistent memory store for cFE Applications.

The interfaces to the ES task include the Ground Interface (commands and telemetry) and the Application Programmer Interfaces (APIs). The ES task interfaces to the OS through the OS Abstraction Layer (OSAL) and platform through the Platform Support Package (PSP).

The functionality provided by the ES task include Software Reset, Application and Child Task Mangement, Basic File System, Performance Data Collection, Critical Data Store, Memory Pool, System Log, Shell Command.

For additional detail on Executive Services, see the following sections:

- Terminology
- · Software Reset
 - Reset Types and Subtypes
 - Exception and Reset (ER) Log
- · Application and Child Task Management
 - Starting an Application
 - Stopping an Application
 - Restarting an Application
 - Reloading an Application
 - Listing Current Applications
 - Listing Current Tasks
 - Loading Common Libraries
- Basic File System
- · Performance Data Collection
- · Critical Data Store

- · Memory Pool
- · System Log
- OS Shell
- · Version Identification
- Executive Services Frequently Asked Questions

8.1 Terminology

The following sections describe terminology that is very relevant to understanding the Executive Services:

- · "Application" and "cFE Application"
- · "Task"
- "Startup Script"

Next: "Application" and "cFE Application" Up To: cFE Executive Services Overview

8.1.1 "Application" and "cFE Application"

Application

The term 'Application' as defined in the Glossary of Terms is a set of data and functions that is treated as a single entity by the cFE. cFE resources are allocated on a per-Application basis. Applications are made up of a Main Task and zero or more Child Tasks.

cFE Application

A 'cFE Application' is an application that is external to the cFE and designed to interface to the cFE through the APIs. It is created through an entry in the "Startup Script" (with the 'Object Type' field set to CFE_APP) or by way of the CFE_ES_START_APP_CC ground command.

When referring to one of the five applications internal to the cFE (ES, EVS, SB, TIME or TBL), the term 'Service' or 'Core Application' is typically used.

A listing of cFE applications can be acquired by using the CFE_ES_QUERY_ALL_CC ground command. This listing will include the cFE internal applications as well as cFE applications that are loaded and running.

Next: "Task" Up To: Terminology 8.1 Terminology 15

8.1.2 "Task"

A Task is a thread of execution in the operating system, often associated with a cFE Application. Each cFE Application has a Main task providing its CPU context, stack and other OS resources. In addition, each cFE Application can create multiple Child Tasks which are closely associated with the Parent Task and cFE Application.

In a traditional Real Time Operating System such as vxWorks, the cFE Application Main task and child tasks end up being mapped to these OS tasks in the same shared memory space. For example, a Stored Command cFE Application that consists of a cFE Main Task and 10 Relative Time Sequence Child Tasks would have 11 tasks on a vxWorks system. The only association between these tasks exists in the cFE.

In a memory protected process oriented Operating System, the intention is to have a cFE Application implemented as a memory protected process with its own virtual address space. In this Process Model, each cFE Child Task would be a thread in the parent Process, much like a Unix process with multiple threads. In this model, the Stored Command example with a cFE Main Task and 10 Relative Time Sequence Child Tasks would consist of a Unix Process and 10 pthreads, all under the same virtual address space.

Next: "Startup Script"

Prev: "Application" and "cFE Application"

Up To: Terminology

8.1.3 "Startup Script"

The startup script is a text file, written by the user that contains a list of entries (one entry for each application) and is used by the ES application for automating the startup of applications. For a processor reset, ES checks for the CFE_← PLATFORM_ES_VOLATILE_STARTUP_FILE first, and if it doesn't exist or for a power on reset ES uses the file passed in to CFE_ES_Main (typically CFE_PLATFORM_ES_NONVOL_STARTUP_FILE but dependent on the PSP).

The fields in a single entry include:

Object Type	CFE_APP for an Application, or CFE_LIB for a library.	
Path/Filename	This is a cFE Virtual filename, not a vxWorks device/pathname	
Entry Point	This is the name of the "main" function for App.	
CFE Name	The cFE name for the APP or Library	
Priority	This is the Priority of the App, not used for a Library	
Stack Size	This is the Stack size for the App, not used for a Library	
Load Address	This is the Optional Load Address for the App or Library. It is currently not implemented so it should always be 0x0.	
Exception Action	This is the Action the cFE should take if the Application has an exception.	
	0 = Do a cFE Processor Reset	
	Non-Zero = Just restart the Application	

Immediately after the cFE completes its initialization, the ES Application first looks for the volatile startup script. The location in the file system is defined by the cFE platform configuration parameter named CFE_ES_VOLATILE_STAR ← TUP_FILE. This configuration parameter contains a path as well as a filename. If the file is found, ES begins to startup

the applications that are listed in the file. If ES does not find the file, it attempts to open the CFE_ES_NONVOL_STA↔ RTUP_FILE.

If ES finds the volatile startup script, the attempt to open the nonvolatile startup script is bypassed.

Any errors encountered in the startup script processing are written to the System Log. The System Log may also contain positive acknowledge messages regarding the startup script processing.

Refer to the CFS Deployment Guide for more information regarding the startup script. The startup script delivered with the cFE (cfe_es_startup.scr) also has some detailed information about the fields and the settings.

Next: Software Reset Prev: Starting an Application

Up To: Terminology

8.2 Software Reset

The ES Software Reset provides a command to reset the cFE as well as resetting individual applications. Because applications are dependent on the cFE services, it is not possible to reset the cFE without affecting the applications. Therefore, a command to reset the cFE will also reset every application that is running at the time the command is received.

Also include is the Exception and Reset (ER) Log, which has a command for dumping or clearing the log and telemetry to show the number of entries in the log. In addition to the ER log, the user may find information about the most recent reset in the ES task housekeeping telemetry.

The ES Software Reset also provides a command to set the maximum number of processor resets before ES issues a power-on reset. There is a corresponding 'processor resets' counter in ES housekeeping telemetry that may be reset through another ES command.

Next: Reset Types and Subtypes

Prev: Terminology

Up To: cFE Executive Services Overview

8.3 Reset Types and Subtypes

The Reset Type is sent to the ground in the ES housekeeping packet and tells how the current running version of the cFE was invoked. The possible Reset Types expected in the telemetry field are CFE_ES_POWERON_RESET and C← FE_ES_PROCESSOR_RESET. There is a third Reset Type defined in the ES code as CFE_ES_APP_RESTART which applies only to restarting an individual application and is covered in more detail in the section titled Application and Child Task.

The Reset Subtype is also sent in the ES housekeeping packet and gives more detail about the type of reset that started the execution of the current running version of the cFE. The possible Reset Subtypes are CFE_ES_POWER_CYCLE, CFE_ES_PUSH_BUTTON, CFE_ES_HW_SPECIAL_COMMAND, CFE_ES_HW_WATCHDOG, CFE_ES_RESET_COMMAND, CFE_ES_EXCEPTION, CFE_ES_UNDEFINED_RESET, CFE_ES_HWDEBUG_RESET, CFE_ES_BACKSWITCH RESET.

Next: Exception and Reset (ER) Log

Prev: Software Reset

Up To: cFE Executive Services Overview

8.4 Exception and Reset (ER) Log

The Exception and Reset Log contains detailed information about past resets and exceptions. To view the information the CFE_ES_WRITE_ER_LOG_CC command must be sent. This command will write the log to a binary file. The path and filename may be specified in the command. If the filename command field contains an empty string, the configuration parameter CFE_ES_DEFAULT_ER_LOG_FILE is used to specify the path and filename. Use the ground system to get the file and display the contents. There is also a command to clear the ER log, CFE_ES_CLEAR_ER_ \leftarrow LOG_CC.

The size of the ER log is defined by the platform configuration parameter CFE_ES_ER_LOG_ENTRIES This log is preserved after a processor reset and held in the ES reset area.

A count of the number of entries in the log is present in the ES housekeeping telemetry. This count can be used with the configuration parameter CFE_ES_ER_LOG_ENTRIES to calculate the fullness of the log.

The information contained in a single log entry is defined by the structure CFE_ES_ERLog_t.

Next: Application and Child Task Management

Prev: Reset Types and Subtypes

Up To: cFE Executive Services Overview

8.5 Application and Child Task Management

The ES Application and Child Task Management provides the user with full control over starting and stopping applications as well as querying information regarding applications, tasks and library routines.

There is no command to start or stop a child task. Child tasks can be controlled (started, stopped or deleted) only by the parent application through an API call.

This provides a way for the user to load a set of library routines, (via the startup script) without starting a corresponding task. See the section related to library routines for more detail.

The ES task maintains a counter for the number of registered applications, number of registered child tasks and the number of registered libraries in the ES housekeeping data.

Next: Starting an Application

Up To: cFE Executive Services Overview

Prev: Software Reset

8.6 Starting an Application

There are two ways to start an application, through the ground command CFE_ES_START_APP_CC or through the startup script. In either case, the object file must be loaded on board before the command is sent or before the startup script is executed. The startup script contains a list of applications and library routines to load and start immediately after the cFE finishes its startup sequence. The parameters in the command, match the elements of an entry in the startup script. See the cFE Deployment Guide for more information about starting applications by way of the startup script.

The format of the Start Application command, is defined in the structure CFE_ES_StartApp_t. The members of the structure include, application name, entry point, filename, stack size, load address, exception action and priority.

If the command fails for any reason, an error event will be sent stating the reason for the failure. There may be additional information in the system log that can be viewed by sending the ES command to dump the system log.

After starting an application, the ES task sends an informational event message displaying the application name, filename of the object and the application ID. The new application will then show up in the query list downloaded in response to the CFE_ES_QUERY_ALL_CC command.

Next: Stopping an Application

8.7 Stopping an Application

Stopping an application can be done through the ground command CFE_ES_STOP_APP_CC. This command will terminate the application execution and all child tasks created by the application, free the system resources that it allocated and delete the corresponding object file.

The process of stopping an application is done in a controlled manner when the application is properly using the return code from the call to the CFE_ES_RunLoop. When the application properly uses this function, the ES task starts a timer and (via the return code) tells the application to exit at its own convenience. This gives the application time to free its own resources and do any cleanup that may be required before terminating itself by calling CFE_ES_ExitApp. If the timer expires and the application still exists, then ES must 'kill' the application. When the application is killed, ES attempts to cleanup the applications resources as best it could. In this case there is no guarantee that all the system resources are properly released.

The format of the Stop Application command, is defined in the structure CFE_ES_AppNameCmd_t. The only parameter in the command is an application name.

If the command fails for any reason, an error event will be sent stating the reason for the failure. There may be additional information in the system log that can be viewed by sending the ES command to dump the system log.

After stopping an application, the ES task sends a debug message stating the name of the application. After executing the command, the application (or any resources it allocated) should no longer be listed in any cFE tables or files.

Next: Restarting an Application Prev: Starting an Application

Up To: Application and Child Task Management

8.8 Restarting an Application

The CFE_ES_RESTART_APP_CC command is used to restart an application. This command stops and restarts an application using the parameters defined when the application was originally started, either through the startup script or by way of the CFE_ES_START_APP_CC command.

Next: Reloading an Application Prev: Stopping an Application

Up To: Application and Child Task Management

8.9 Reloading an Application

The CFE_ES_RELOAD_APP_CC command is used to reload an application. This command stops the application, unloads the object file, loads the new object file specified in the command and starts the application again using the parameters defined when the application was originally started, either through the startup script or by way of the CF← E_ES_START_APP_CC command.

Next: Listing Current Applications Prev: Restarting an Application

8.10 Listing Current Applications

There are two options for receiving information about applications, the CFE_ES_QUERY_ONE_CC command can be used to get details about a single application. This command takes an application name as its only parameter and the application information is sent as a software bus packet that can be telemetered to the ground.

Or the CFE_ES_QUERY_ALL_CC command can be used to get information about all the applications that are currently registered with ES. This command writes the application data to a file and has a one parameter which specifies the path and filename of the output file.

For either command, the following Application information is made available:

- Application ID The Application ID assigned by the cFE to the Application
- Type Identifier Identifies whether the Application is a CORE App or an EXTERNAL App
- · Name The Application Name
- Entry Point The symbolic name for the entry point into the Application
- Filename The name of the file the Application was loaded from
- Stack Size The number of bytes allocated for the Application's stack
- · Load Address The starting address of memory where the Application was loaded
- · Load Size The size, in bytes, of the Application when loaded into memory
- · Start Address The physical address that maps to the Entry Point
- Exception Action A flag that identifies whether the Processor should undergo a Restart or whether just the Application should restart upon an exception condition within the Application
- · Priority The assigned priority for the Application
- Main Task ID The Task ID assigned to the main task associated with the Application
- Main Task Name The name of the main task associated with the Application
- Number of Child Tasks The number of child tasks spawned by the main task

For a description of the format in which this data is dumped, see CFE_ES_AppInfo_t.

Next: Listing Current Tasks
Prev: Reloading an Application

8.11 Listing Current Tasks

The CFE_ES_QUERY_ALL_TASKS_CC command is used to get a list of child tasks that are currently registered with ES. The following information is provided for each registered task:

- · Task ID The Task ID associated with the specified task
- · Task Name The name of the Task
- · Application ID The ID for the Application the Task is associated with
- · Application Name The name of the Application the Task is associated with

Next: Loading Common Libraries Prev: Listing Current Applications

Up To: Application and Child Task Management

8.12 Loading Common Libraries

Library routines may be loaded only through the startup script. There is an option that allows a library routine initialization function to be executed after the library is loaded. Refer to the cFE Application Developers Guide for more information regarding Library Routines and startup scripts. The startup script delivered with the cFE (cfe_es_startup.scr) also has some detailed information about library routines.

Next: Basic File System
Prev: Listing Current Tasks

Up To: Application and Child Task Management

8.13 Basic File System

ES provides minimal functionality to initialize, read, and write cfe File headers.

Next: Performance Data Collection Prev: Loading Common Libraries

8.14 Performance Data Collection

The Performance Data Collection provides precise timing information for each software application similar to how a logic analyzer can trigger and filter data.

API calls are inserted by the development team at key points in the code. The basic operation is to start the data collection, wait some amount of time, then send the command to stop the data collection. When the stop command is received, the ES task writes all the data from the buffer to a file. The file can then be imported to analysis tools for viewing. The size of the buffer is configurable through the CFE_ES_PERF_DATA_BUFFER_SIZE platform configuration parameter.

Additional information follows:

- Performance Data Collection Trigger Masks
- Starting to Collect Performance Data
- Stopping the Collection of Performance Data
- Viewing the Collection of Performance Data

Next: Performance Data Collection Trigger Masks

Prev: Basic File System

Up To: cFE Executive Services Overview

8.14.1 Performance Data Collection Trigger Masks

The trigger mask is used to control precisely when to start collecting the data. There is a bit in the trigger mask for every marker used in the code. After a start command is received, the trigger mask is read and dictates when to begin storing data in the buffer.

If the trigger mask is set to all zeros, then the collection will begin immediately after the start command and continue until a stop command is received. In this case the buffer behaves in a 'circular' manner.

Next: Starting to Collect Performance Data

Prev: Performance Data Collection
Up To: Performance Data Collection

8.14.2 Starting to Collect Performance Data

The CFE_ES_START_PERF_DATA_CC command is used to start the data collection process. The ES task sends a debug event when the command is received. It is not possible to start a collection if the buffer-to-file write is in process from an earlier collection. There is an ES telemetry point that can be used to ensure there is not a buffer-to-file write in progress. This ES telemetry point is called 'Perf Data to Write' and begins counting down from 'Data Count' to zero. If this counter is zero, it is ok to send the start command. If any errors are encountered when the start command is received, the details will be displayed in an error event message.

Next: Stopping the Collection of Performance Data Prev: Performance Data Collection Trigger Masks

Up To: Performance Data Collection

8.14.3 Stopping the Collection of Performance Data

The CFE_ES_STOP_PERF_DATA_CC command is used to stop the data collection process and write the buffer data to a file. The path and filename may be specified in the command. If the filename command field contains an empty string, the configuration parameter CFE_ES_DEFAULT_PERF_DUMP_FILENAME is used to specify the path and filename. The number of entries written to the file is determined by the 'data count' variable, which is sent in the ES housekeeping telemetry packet. To ensure cpu hogging does not occur during the write process, ES creates a low priority child task to perform the file write operation. This child task will write a number of entries, then sleep for a short time to give tasks of lower priority a chance to run. The number of entries between delays, and the delay time is displayed in the debug event at the time the stop command is received.

Next: Viewing the Collection of Performance Data Prev: Starting to Collect Performance Data Up To: Performance Data Collection

8.14.4 Viewing the Collection of Performance Data

To view the performance data, the file created as a result of the stop command must be transferred to the ground and imported into a viewing tool. See https://github.com/nasa/perfutils-java as an example.

Next: Critical Data Store

Prev: Stopping the Collection of Performance Data

Up To: Performance Data Collection

8.15 Critical Data Store

Some missions are required, for health, safety and mission success criteria, to survive Processor Resets. These mission requirements frequently flow down to Attitude Control and/or Command and Data Handling requirements that force an Application developer to design a mechanism for retaining software state information through a Processor Reset. The cFE provides the Critical Data Store to assist the developer in meeting these requirements.

The Critical Data Store is an area of memory that is not cleared during a Processor Reset. In addition, the contents of memory are validated when accessed with a Data Integrity Value that helps to ensure the contents have not been corrupted. Each processor platform, through the design of its Board Support Package, can implement this area of memory in a number of ways to ensure the contents survive a Processor Reset. Applications can allocate a section of this memory for their use in a way similar to the cFE Table Services Overview.

When an Application registers a Critical Data Store (CDS), the Executive Services allocates a section of the Critical Data Store memory for the application's use and assigns the Application specified name to the memory area. The operator can find and learn the characteristics of these Critical Data Stores by using the Dump CDS Registry Command. This command will dump the contents of the CDS Registry maintained by the Executive Services into a file that can be downlinked and examined by the operator.

The CDS Registry dump will identify the following information for each registered CDS:

- Handle the numeric identifier used by an Application to access the contents of the CDS
- · Size the number of bytes allocated to the specified CDS

8.16 Memory Pool 23

• Table Flag - a flag that indicates whether the CDS is associated with a Critical Tables (when non-zero) or not (when equal to zero).

• Name - a processor specific name that uniquely identifies the CDS. The name comes in two parts, "AppName. ← CDSName". AppName identifies which Application registered the CDS. CDSName is the name the Application assigned to the CDS.

The format of the CDS Registry Dump File is a cFE Standard File header (see CFE_FS_Header_t) followed by one or more CDS Registry Dump File Records (see CFE_ES_CDSRegDumpRec_t).

Next: Memory Pool

Prev: Performance Data Collection
Up To: cFE Executive Services Overview

8.16 Memory Pool

Refer to the cFE Application Developers Guide for additional information.

Applications that are designed for generic missions, frequently have to wait until run-time before allocating memory for buffers, data records, etc.

The cFE provides a memory allocation algorithm that may be used by an application to manage its block of memory. The user provides a pointer to its memory block and a list of block sizes and the cFE provides 'get' and 'put' API's to the user for managing its memory pool.

Run-time memory allocation in an embedded system can be risky because of the potential problem of memory fragmentation. Memory fragmentation is also referred to as External Fragmentation and is defined in the wikipedia as:

External fragmentation is the phenomenon in which free storage becomes divided into many small pieces over time. It is a weakness of certain storage allocation algorithms, occurring when an application allocates and deallocates ("frees") regions of storage of varying sizes, and the allocation algorithm responds by leaving the allocated and deallocated regions interspersed. The result is that, although free storage is available, it is effectively unusable because it is divided into pieces that are too small to satisfy the demands of the application. The term "external" refers to the fact that the unusable storage is outside the allocated regions.

To help prevent this from happening, the cFE has integrated a memory allocation algorithm that is designed to create blocks at run-time, based on the size of the blocks requested. After a reset, there are no blocks created, the memory pool is said to be unconfigured. As requests for memory blocks are made, the memory pool first tries to use blocks that have been created but are no longer in use. If it cannot find an available block, it will create a new one. The created blocks remain until a reset occurs.

This algorithm is recommended when the size of the requests and the peak rate of requests can be pre-determined. It is highly recommended that adequate margin is designed into the pool size. The memory pool should never get close to being fully configured (i.e. not enough memory to create a new block). If the memory does become fully configured, requests for new size blocks will fail, regardless of whether the created blocks are in-use or not. The margin on the memory pool can be monitored by viewing the 'free bytes' member of the memory pool statistics. The memory pool statistics are dumped only when commanded by way of the ES command CFE ES SEND MEM POOL STATS CC.

A user of the ES memory pool begins by tailoring the memory pool for the particular use, by defining a list of block sizes and allocating a block of memory. These block size definitions simply give the memory pool a set of sizes to choose

from. They do not configure the memory pool in any way and they do not affect the size of the pool. The cFE defines a default set of block sizes in the cfe platform cfg.h file.

If the default block sizes are used, the application will create the pool using the simpler CFE_ES_PoolCreate API. This API takes a pointer to the first byte of the memory pool (allocated by the application) and a size parameter. The API returns a handle to be used for the get and put requests.

If the defaults are not sufficient, the user must define the block sizes and use the CFE ES PoolCreateEx API.

After receiving a positive response from the PoolCreate API, the memory pool is ready to accept requests, but at this point it is completely unconfigured (meaning there are no blocks created). The first valid request (via CFE_ES_Get PoolBuf API) after creating the pool will always cause the memory pool to create a block and return a pointer to the new block. The size of the block depends on the size definitions mentioned earlier. If there is not an exact match between the requested and defined sizes, then the memory pool will create and return the smallest block that meets the following criteria: is a defined size and large enough to hold the request.

If another request for that size comes in before the first block was released through the CFE_ES_PutPoolBuf API, then the memory pool will create a second block of that size and return a pointer to the second block. If both blocks were then released through the CFE_ES_PutPoolBuf API and the memory pool statistics were dumped via the CFE_ES_\circ
SEND_MEM_POOL_STATS_CC command, the number of blocks created would be two. The number of 'free bytes' in the pool would be the size of the pool minus the sum of the following items:

- the size of the two blocks created (even though they are not 'in-use').
- a buffer descriptor for each of the two blocks created (2 * 12 bytes)
- a 168 byte pool descriptor Refer to the cFE Applications Developers Guide for more details.

This allocation algorithm does have its limits. There are certain conditions that can place the memory pool in an undesired state. For instance, if a burst of get requests were received for the same block size, the memory pool may create a large number of blocks of that size. If this is a one-time burst, the memory pool would be configured with this large number of blocks that may no longer be needed. This scenario would use up the 'free bytes' margin in an undesired way. It should be noted that once the blocks are created, they cannot be deleted by any means other than a processor or power-on reset. It is highly recommended that the memory pool statistics be carefully monitored to ensure that the 'free-bytes' margin is sufficient (which is typically dictated by mission requirements).

An operator can obtain information about an Application's Memory Pool by using the Telemeter Memory Pool Statistics Command.

This command will cause Executive Services to extract pertinent statistics from the data used to manage the Memory Pool and telemeter them to the ground in the Memory Pool Statistics Telemetry Packet.

In order to obtain the statistics associated with a memory pool, the operator **MUST** have the correct Memory Handle as reported by the Application who owns the Memory Pool. **It should be noted that an inappropriate Memory Pool Handle can** *(and likely will)* **cause the system software to crash!** Within the cFE itself, there are three cFE Core Applications that make use of the Executive Services Memory Pool API. These are Software Bus (SB), Event Services (EVS) and Table Services (TBL). Each of these cFE Core Applications report their memory pool handles in telemetry.

The Memory Pool Statistics Telemetry Packet contains the following information:

• **Memory Pool Handle** - the handle, as provided by the operator in the Telemeter Memory Pool Statistics Command. This repeating of the handle in telemetry insures the operator knows which Memory Pool Statistics are being viewed

8.17 System Log 25

- Pool Size The total size of the memory pool (in bytes)
- Number Blocks Requested The total number of memory blocks requested for allocation
- · Number of Errors The total number of errors encountered when a block was released
- Number of Free Bytes The total number of bytes in the Memory Pool that have never been allocated to a Memory Block
- Block Statistics For each specified size of memory block (of which there are CFE_ES_MAX_MEMPOOL_B←
 LOCK_SIZES), the following statistics are kept
 - Block Size The size, in bytes, of all blocks of this type
 - Number of Blocks Allocated The number of this sized block which are currently allocated and in use
 - Number of Blocks Free The number of this size block which have been in use previously but are no longer being used

Next: System Log Prev: Critical Data Store

Up To: cFE Executive Services Overview

8.17 System Log

The System Log is an array of bytes that contains back-to-back printf type messages from applications. The cFE internal applications use this log when errors are encountered during initialization before the Event Manager is fully initialized. To view the information the CFE_ES_WRITE_SYSLOG_CC command must be sent. This command will write the log to a binary file. The path and filename may be specified in the command. If the filename command field contains an empty string, the configuration parameter CFE_ES_DEFAULT_SYSLOG_FILE is used to specify the path and filename. Use the ground system to get the file and display the contents. The CFE_ES_CLEAR_SYSLOG_CC is used to clear the System log.

The size of the System log is defined by the platform configuration parameter CFE_ES_SYSTEM_LOG_SIZE. This log is preserved after a processor reset and held in the ES reset area.

A count of the number of entries in the log is present in the ES housekeeping telemetry.

Next: OS Shell Prev: Memory Pool

Up To: cFE Executive Services Overview

8.18 OS Shell

NOTE: This cfe functionality is targeted for deprecation in favor of optionally including this capability via an application.

Next: Version Identification

Prev: System Log

Up To: cFE Executive Services Overview

8.19 Version Identification

Version information is reported at startup, and upon receipt of a No-op command

Next: Executive Services Frequently Asked Questions

Prev: OS Shell

Up To: cFE Executive Services Overview

8.20 Executive Services Frequently Asked Questions

Prev: OS Shell

Up To: cFE Executive Services Overview

9 cFE Executive Services Commands

The following is a list of commands that are processed by the cFE Executive Services Task.

Global CFE_ES_CLEAR_ER_LOG_CC

Clears the contents of the Exeception and Reset Log

Global CFE ES CLEAR SYSLOG CC

Clear Executive Services System Log

Global CFE_ES_DELETE_CDS_CC

Delete Critical Data Store

Global CFE_ES_DUMP_CDS_REGISTRY_CC

Dump Critical Data Store Registry to a File

Global CFE_ES_NOOP_CC

Executive Services No-Op

Global CFE ES OVER WRITE SYSLOG CC

Set Executive Services System Log Mode to Discard/Overwrite

Global CFE_ES_QUERY_ALL_CC

Writes all Executive Services Information on All Applications to a File

Global CFE_ES_QUERY_ALL_TASKS_CC

Writes a list of All Executive Services Tasks to a File

Global CFE_ES_QUERY_ONE_CC

Request Executive Services Information on a Specified Application

Global CFE ES RELOAD APP CC

Stops, Unloads, Loads from a File and Restarts an Application

Global CFE ES RESET COUNTERS CC

Executive Services Reset Counters

Global CFE_ES_RESET_PR_COUNT_CC

Resets the Processor Reset Counter to Zero

Global CFE_ES_RESTART_APP_CC

Stops and Restarts an Application

Global CFE_ES_RESTART_CC

Executive Services Processor / Power-On Reset

Global CFE_ES_SEND_MEM_POOL_STATS_CC

Telemeter Memory Pool Statistics

Global CFE ES SET MAX PR COUNT CC

Configure the Maximum Number of Processor Resets before a Power-On Reset

Global CFE ES SET PERF FILTER MASK CC

Set Performance Analyzer's Filter Masks

Global CFE ES SET PERF TRIGGER MASK CC

Set Performance Analyzer's Trigger Masks

Global CFE ES SHELL CC

Executive Services O/S Shell Command

Global CFE ES START APP CC

Load and Start an Application

Global CFE_ES_START_PERF_DATA_CC

Start Performance Analyzer

Global CFE ES STOP APP CC

Stop and Unload Application

Global CFE ES STOP PERF DATA CC

Stop Performance Analyzer

Global CFE ES WRITE ER LOG CC

Writes Exeception and Reset Log to a File

Global CFE ES WRITE SYSLOG CC

Writes contents of Executive Services System Log to a File

10 cFE Executive Services Telemetry

The following are telemetry packets generated by the cFE Executive Services Task.

Class CFE_ES_HousekeepingTlm_Payload_t

Executive Services Housekeeping Packet

Class CFE_ES_OneAppTIm_Payload_t

Single Application Information Packet

Class CFE_ES_PoolStatsTIm_Payload_t

Memory Pool Statistics Packet

Class CFE_ES_ShellPacket_Payload_t

OS Shell Output Packet

11 cFE Executive Services Configuration Parameters

The following are configuration parameters used to configure the cFE Executive Services either for each platform or for a mission as a whole.

Global CFE_MISSION_ES_CDS_MAX_NAME_LEN

Maximum Length of Full CDS Name in messages

Global CFE_MISSION_ES_CDS_MAX_NAME_LENGTH

Maximum Length of CDS Name

Global CFE MISSION ES DEFAULT CRC

Mission Default CRC algorithm

Global CFE MISSION ES MAX APPLICATIONS

Mission Max Apps in a message

Global CFE MISSION ES MAX SHELL CMD

Define Max Shell Command Size for messages

Global CFE_MISSION_ES_MAX_SHELL_PKT

Define Shell Command Telemetry Pkt Segment Size for messages

Global CFE MISSION ES PERF MAX IDS

Define Max Number of Performance IDs for messages

Global CFE MISSION REV

Mission specific version number for cFE

Global CFE_PLATFORM_CORE_MAX_STARTUP_MSEC

CFE core application startup timeout

Global CFE_PLATFORM_ES_APP_KILL_TIMEOUT

Define ES Application Kill Timeout

Global CFE PLATFORM ES APP SCAN RATE

Define ES Application Control Scan Rate

Global CFE PLATFORM ES CDS MAX NUM ENTRIES

Define Maximum Number of Registered CDS Blocks

Global CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01

Define ES Critical Data Store Memory Pool Block Sizes

Global CFE PLATFORM ES CDS SIZE

Define Critical Data Store Size

Global CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE

Default Application Information Filename

Global CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE

Default Critical Data Store Registry Filename

Global CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE

Default Exception and Reset (ER) Log Filename

Global CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME

Default Performance Data Filename

Global CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE

Define Default System Log Mode following Power On Reset

${\bf Global\ CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE}$

Define Default System Log Mode following Processor Reset

${\bf Global\ CFE_PLATFORM_ES_DEFAULT_SHELL_FILENAME}$

Default Shell Filename

Global CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Define Default Stack Size for an Application

Global CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE

Default System Log Filename

Global CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE

Default Application Information Filename

Global CFE PLATFORM ES ER LOG ENTRIES

Define Max Number of ER (Exception and Reset) log entries

Global CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE

Maximum size of CPU Context in ES Error Log

Global CFE PLATFORM ES EXCEPTION FUNCTION

Define cFE Core Exception Function

Global CFE_PLATFORM_ES_MAX_APPLICATIONS

Define Max Number of Applications

Global CFE PLATFORM ES MAX GEN COUNTERS

Define Max Number of Generic Counters

Global CFE PLATFORM ES MAX LIBRARIES

Define Max Number of Shared libraries

Global CFE PLATFORM ES MAX PROCESSOR RESETS

Define Number of Processor Resets Before a Power On Reset

Global CFE_PLATFORM_ES_MAX_SHELL_CMD

Define Max Shell Command Size

Global CFE_PLATFORM_ES_MAX_SHELL_PKT

Define Shell Command Telemetry Pkt Segment Size

Global CFE PLATFORM ES MEM BLOCK SIZE 01

Define Default ES Memory Pool Block Sizes

Global CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN

Define Memory Pool Alignment Size

Global CFE PLATFORM ES NONVOL STARTUP FILE

ES Nonvolatile Startup Filename

Global CFE PLATFORM ES OBJECT TABLE SIZE

Define Number of entries in the ES Object table

Global CFE PLATFORM ES PERF CHILD MS DELAY

Define Performance Analyzer Child Task Delay

Global CFE_PLATFORM_ES_PERF_CHILD_PRIORITY

Define Performance Analyzer Child Task Priority

Global CFE PLATFORM ES PERF CHILD STACK SIZE

Define Performance Analyzer Child Task Stack Size

Global CFE PLATFORM ES PERF DATA BUFFER SIZE

Define Max Size of Performance Data Buffer

Global CFE PLATFORM ES PERF ENTRIES BTWN DLYS

Define Performance Analyzer Child Task Number of Entries Between Delay

Global CFE_PLATFORM_ES_PERF_FILTMASK_ALL

Define Filter Mask Setting for Enabling All Performance Entries

Global CFE PLATFORM ES PERF FILTMASK INIT

Define Default Filter Mask Setting for Performance Data Buffer

Global CFE PLATFORM ES PERF FILTMASK NONE

Define Filter Mask Setting for Disabling All Performance Entries

Global CFE PLATFORM ES PERF MAX IDS

Define Max Number of Performance IDs

Global CFE PLATFORM ES PERF TRIGMASK ALL

Define Filter Trigger Setting for Enabling All Performance Entries

Global CFE PLATFORM ES PERF TRIGMASK INIT

Define Default Filter Trigger Setting for Performance Data Buffer

Global CFE_PLATFORM_ES_PERF_TRIGMASK_NONE

Define Default Filter Trigger Setting for Disabling All Performance Entries

Global CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING

RAM Disk Mount string

Global CFE PLATFORM ES RAM DISK NUM SECTORS

ES Ram Disk Number of Sectors

Global CFE PLATFORM ES RAM DISK PERCENT RESERVED

Percentage of Ram Disk Reserved for Decompressing Apps

Global CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE

ES Ram Disk Sector Size

Global CFE_PLATFORM_ES_RESET_AREA_SIZE

Define ES Reset Area Size

Global CFE_PLATFORM_ES_SHELL_OS_DELAY_MILLISEC

Define OS Task Delay Value for ES Shell Command

Global CFE_PLATFORM_ES_START_TASK_PRIORITY

Define ES Task Priority

Global CFE_PLATFORM_ES_START_TASK_STACK_SIZE

Define ES Task Stack Size

Global CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC

Startup script timeout

Global CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC

Poll timer for startup sync delay

Global CFE_PLATFORM_ES_SYSTEM_LOG_SIZE

Define Size of the cFE System Log.

Global CFE_PLATFORM_ES_USER_RESERVED_SIZE

Define User Reserved Memory Size

Global CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE

ES Volatile Startup Filename

Global CFE_PLATFORM_EVS_START_TASK_PRIORITY

Define EVS Task Priority

Global CFE_PLATFORM_EVS_START_TASK_STACK_SIZE

Define EVS Task Stack Size

Global CFE PLATFORM SB MEM BLOCK SIZE 01

Define SB Memory Pool Block Sizes

Global CFE_PLATFORM_SB_START_TASK_PRIORITY

Define SB Task Priority

Global CFE_PLATFORM_SB_START_TASK_STACK_SIZE

Define SB Task Stack Size

Global CFE_PLATFORM_TBL_START_TASK_PRIORITY

Define TBL Task Priority

Global CFE PLATFORM TBL START TASK STACK SIZE

Define TBL Task Stack Size

12 cFE Event Services Overview

Event Services (EVS) provides centralized control for the processing of event messages originating from the EVS task itself, other cFE core applications (ES, SB, TIME, and TBL), and from cFE applications. Event messages are asynchronous messages that are used to inform the operator of a significant event from within the context of a registered application or core service. EVS provides various ways to filter event messages in order to manage event message generation.

Note for messages outside the context of a registered appliction (for example early in app initialization or if registration fails) CFE_ES_WriteToSysLog can be used for reporting.

For more information on cFE Event Services, see the following sections:

- · Event Message Format
- · Local Event Log
- Event Message Control
- Event Message Filtering
- EVS Registry

- EVS Counters
- · Resetting EVS Counters
- · Effects of a Processor Reset on EVS
- Frequently Asked Questions about Event Services

12.1 Event Message Format

Event messages are software bus messages that contain the following fields:

- Timestamp
- · Event Type
- · Spacecraft ID
- · Processor ID
- Application Name
- · Event ID
- · Message

The *Timestamp* corresponds to when the event was generated, in spacecraft time. The *Event Type* is one of the following: DEBUG, INFO, ERROR or CRITICAL. The *Spacecraft ID* and *Processor ID* identify the spacecraft and processor from which the event was generated. Note that the *Spacecraft ID* is defined in the cfe_mission_cfg.h file; The *Processor ID* is defined in the appropriate cfe_platform_cfg.h file. The *Application Name* refers to the Application that issued the event message as specified on application startup (either startup script or app start command). The *Event ID* is an Application unique number that identifies the event. The *Message* is an ASCII text string describing the event. Event messages may have parameters associated with the event message. EVS formats the parameters such that they are part of the ASCII text string that make up the event message.

In order to accommodate missions that have limited telemetry bandwidth, EVS can be configured such that the ASCII text string part of the event message is omitted, thus reducing the size of each event message. This is referred to as *Short Format*; Event messages including the ASCII text string are referred to as *Long Format*. The default setting is specified in the cfe_platform_cfg.h file. EVS also provides commands in order to set the mode (short or long).

Since the design of the cFE's Software Bus is based on run-time registration, no predetermined message routing is defined, hence it is not truly correct to say that events are generated as telemetry. Technically, EVS generates events

12.2 Local Event Log 33

in the form of software bus messages. Applications such as Telemetry Output and Data Storage can then subscribe to these messages making them telemetry. For the purposes of this document, any references to telemetry assumes that a telemetry application subscribes to the EVS event software bus message and routes it to the ground as telemetry. Note that short format event messages on the Software Bus have different message lengths than long form messages and do not include any part of the long format message string.

The EVS can be configured via ground command to send event messages out one or more message ports. These message ports may include ports such as debug, console, and UART. Messages sent out of the message ports will be in ASCII text format. This is generally used for lab purposes. Note that the event mode (short or long) does affect the event message content sent out these message ports.

Next: Local Event Log

Up To: cFE Event Services Overview

12.2 Local Event Log

In addition to generating a software bus message, EVS logs the event message to a Local Event Log. Note that this is an optional feature that must be enabled via the cfe platform cfg.h file. The Local Event Log resides on the same processor as the EVS which is used to store events without relying on an external bus. In multi-processor cFE configurations the Local Event Buffer preserves event messages during non-deterministic processor initialization sequences and during failure scenarios. In order to obtain the contents of the Local Event Log, a command must be sent to write the contents of the buffer to a file which can then be sent to the ground via a file transfer mechanism. Note that event messages stored in the EVS Local Event Log are always long format messages and are not affected by the event mode (short or long).

EVS provides a command in order to clear the Local Event Log.

Local Event Log Mode

EVS can be configured to control the Local Event Log to either discard or overwrite the contents of the log when it becomes full. If the mode is set to overwrite, the log is treated like a circular buffer, overwriting the oldest event message contained in the log first. This control is configured by default in the cfe platform cfg.h file but can be modified by a command.

Next: Event Message Control Prev: Event Message Format

Up To: cFE Event Services Overview

12.3 Event Message Control

In order for an application to be serviced by EVS, it must be registered with EVS. EVS provides various commands in order to control the event messages that are generated as software bus messages.

Event Message Control - By Type

The highest level of event message control that EVS provides is the ability to enable and disable event message types. As mentioned above, there are four event types. They are:

- 1. DEBUG
- 2. INFORMATION
- 3. ERROR
- 4. CRITICAL

When commands are sent to enable or disable a particular type of event message, ALL event messages of the specified type are affected. Typically, event messages of type DEBUG are disabled on-orbit. Note that EVS provides the capability to affect multiple types within one command using a bit mask. Note also that the configuration parameter CFE_EV S_DEFAULT_TYPE_FLAG in the cfe_platform_cfg.h file specifies which event message types are enabled/disabled by default.

Event Message Control - By Application

Commands are available to enable and disable the generation of event messages for a particular application. The result is that ALL event messages for the specified Application are affected (i.e. enabled or disabled).

Event Message Control - By Event Type for an Application

EVS also provides the capability to enable / disable an event type for a particular application. Note that EVS provides the capability to affect multiple event types within one command using a bit mask.

Event Message Control - Individual Events

There are two ways to control the generation of individual events depending on whether the application's event message has been registered with EVS or not.

Modifying a registered event message filter

When an application registers with EVS, the application has the option of specifying the events that it wants to register for filtering along with the Event Message Filtering (only the Binary Filtering Scheme exists currently). Note that applications are limited in the number of events that they can register for filtering (see CFE_EVS_MAX_EVENT_FILTERS in cfe_platform_cfg.h for the mission defined limit). The filtering method uses a mask to determine if the message is forwarded to the software bus, making it available in telemetry (see Event Message Filtering for a description on filtering). Commands are available to modify the filter mask for any registered event.

An on-orbit mission, for example, might be experiencing a problem resulting in an application's event message being repeatedly issued, flooding the downlink. If the event message for the application is registered with EVS, then a command can be issued to set the event message filter to the specified value in order to prevent flooding of the downlink.

Adding/Removing an event message for filtering

Commands are also available to add filtering for those events that are not registered for filtering. Once an event is registered for filtering, the filter can be modified (see above) or removed.

An on-orbit mission, for example, might be experiencing a problem resulting in a event message being repeatedly issued, flooding the downlink. If the event message was not registered with EVS for filtering then the ground can add (i.e. register) the offending application's event for filtering (much like an application registers the event during initialization).

EVS also supports the ability to remove (i.e. unregister) an application's event message. Once it is removed, the event will no longer be filtered. Note that commands issued to disable events by event type, by application or by event type for an application are still valid and could affect this particular event.

Next: Event Message Filtering

Prev: Local Event Log

Up To: cFE Event Services Overview

12.4 Event Message Filtering

EVS uses a hexadecimal bit mask that controls how often a message is filtered. An event's filter mask is bit-wise ANDed with the event's event counter. There is one event counter for each event ID. If the result of the ANDing is zero then the message is sent.

Filter masks can be set so that one out of 1, 2, 4, 8 events are sent. Some examples of masks that use this pattern are: (0x0000, Every one), (0x0001, One of every 2), (0x0003, One of every 4), and (0x0007, One of every 8.

Filter masks can also be set so that only the first n events are sent. For example, the mask 0xFFFF generates one event message and then stops. Note that when the filter counter is reset to zero by command, this will restart the counting and enable n more events to be sent.

Event messages will be filtered until CFE_EVS_MAX_FILTER_COUNT events of the filtered event ID from the application have been received. After this, the filtering will become locked (no more of that event will be received by the ground) until the filter is either reset or deleted by ground command. This is to prevent the counter from rolling over, which would cause some filters to behave improperly. An event message will be sent when this maximum count is reached.

The following shows an example of how filtering works using a filter mask of x'0001', resulting in sending every other event:

	packet x	packet X+1	packet X+2	packet X+3	packet X+4	
Event ID counter	x'0000'	x'0001'	x'0002'	x'0003'	x'0004'	
Event Filter mask	x'0001'	x'0001'	x'0001'	x'0001'	x'0001'	
Bitwise AND results	x'0000'	x'0001'	x'0000'	x'0001'	x'0000'	
Send event?	Yes	No	Yes	No	Yes	

In this example, the ground uses a filter mask of x'FFFE' resulting in the first two events being sent and then no more.

	packet x	packet X+1	packet X+2	packet X+3	packet X+4	
Event ID counter	x'0000'	x'0001'	x'0002'	x'0003'	x'0004'	
Event Filter mask	x'FFFE'	x'FFFE'	x'FFFE'	x'FFFE'	x'FFFE'	
Bitwise AND results	x'0000'	x'0000'	x'0002'	x'0002'	x'0004'	
Send event?	Yes	Yes	No	No	No	

See cfe evs.h for predefined macro values which can be used for masks.

Next: EVS Registry

Prev: Event Message Control
Up To: cFE Event Services Overview

12.5 EVS Registry

EVS maintains information on each registered application and all events registered for an application.

The registry contains the following information for each Registered Application:

- · Active Flag If equal to FALSE (0), all events from this Application are Filtered
- Event Count Total number of events issued by this Application. Note that this value stop incrementing at 65535.

The following information for each Filtered Event (up to CFE_EVS_MAX_EVENT_FILTERS):

- · Event ID Event ID for event whose filter has been defined
- Mask Binary Filter mask value (see Event Message Filtering for an explanation)
- · Count Current number of times this Event ID has been issued by this Application

Next: EVS Counters

Prev: Event Message Filtering
Up To: cFE Event Services Overview

12.6 EVS Counters 37

12.6 EVS Counters

There are 2 types of counters in EVS housekeeping telemetry:

- · Total events sent counter
- Number of events sent for each Application

The difference is that the first one is the sum of all of the event messages sent. Both of these represent events that are actually sent (by EVS to the software bus). If an event message is filtered or disabled, neither counter is incremented.

There are other counters available that show how many event messages were generated by an App, however, these are only available for those events that are registered for filtering hence if you have a message that is not registered for filtering and the message type (e.g. DEBUG) is disabled then you won't know if the event was ever issued by an application. These counters are available by sending a command to write the EVS Application Data and transferring the file to the ground.

Next: Resetting EVS Counters

Prev: EVS Registry

Up To: cFE Event Services Overview

12.7 Resetting EVS Counters

As far as reset commands, there are 4 commands available:

- 1. Reset the total events sent counter
- 2. Reset the events sent counter for a particular Application e.g. reset the LC application events counter
- 3. Reset all of the event counters for a particular registered event for a particular Application e.g. Reset event counter for Event ID 5 for the LC Application.
- 4. Reset all of the event counters for ALL registered events for a particular App e.g. Reset all registered event counters for LC.

Note that there is currently no way to reset ALL of the events sent counters for all of the Apps with one command.

Next: Effects of a Processor Reset on EVS

Prev: EVS Counters

Up To: cFE Event Services Overview

12.8 Effects of a Processor Reset on EVS

On a processor reset, the EVS Registry is cleared such that applications must re-register with EVS in order to use EVS services. All counters are also cleared with the exceptions of those listed below.

On a processor reset, the following EVS data is preserved (if the cFE is configured to include an Local Event Log):

- Local Event Log if the Local Event Log Mode is configured to Discard (1). If the Local Event Log Mode is configured to Overwrite (0), the contents of the log may be overwritten depending on the size and contents of the log prior to the reset.
- · Local Event Log Full Flag
- · Local Event Log overflow counter

The Local Event Log Mode (overwrite/discard) is set to the configured value specified in the cfe_platform_cfg.h file. The default value is Discard (1). Discard mode will guarantee the contents of the event log are preserved over a processor restart.

This provides the ground with the capability to write the Local Event Log to a file and transfer it to the ground in order to help debug a reset.

Next: Frequently Asked Questions about Event Services

Prev: Resetting EVS Counters
Up To: cFE Event Services Overview

12.9 Frequently Asked Questions about Event Services

(Q) My telemetry stream is being flooded with the same event message. How do I make it stop?

The most direct way to stop an event message from flooding your downlink stream is to send a command to EVS to filter the offending event (see Event Message Control or $c_v = c_v = c_v$

(Q) I filtered an event message and would now like to see it again. What do I do in order to see those events again?

If the event message that you are interested is registered with EVS for filtering, then you have 2 options:

1. You can use the \$sc_\$cpu_EVS_SetBinFltrMask command using a bit mask of '0x0000' which will result in getting all of the events for that Event Id

or

You can remove the registration of that event with EVS (see \$sc_\$cpu_EVS_DelEvtFltr).
 Note that option (1) is the preferred method.

(Q) What is the purpose of DEBUG event messages?

Event message of type "DEBUG" are primarily used during flight software development in order to provide information that is most likely not needed on orbit. Some commands send debug event messages as verification that a command request was received. When writing the EVS local event log to a file, for example, an event message of type DEBUG is issued. On orbit, this event message is probably not needed. Instead, the command counter is used for command verification.

(Q) How do I find out which events are registered for filtering?

EVS provides a command (\$sc_\$cpu_EVS_WriteAppData2File) which generates a file containing all of the applications that have registered with EVS and all of the filters that are registered for each application. Note that EVS merely generates the file. The file must be transferred to the ground in order to view it.

(Q) Why do I see event messages in my console window?

By default, the events are configured to transmit out a "port" that shows event messages in the console

(Q) What is the difference between event services and the ES System Log

Events are within the context of an App or cFE Service (requires registration with ES). The system log can be written to outside of the Application or cFE Service context, for example during application startup to report errors before registration.

Prev: Effects of a Processor Reset on EVS Up To: cFE Event Services Overview

13 cFE Event Services Commands

The following is a list of commands that are processed by the cFE Event Services Task.

Global CFE_EVS_ADD_EVENT_FILTER_CC

Add Application Event Filter

Global CFE_EVS_CLEAR_LOG_CC

Clear Event Log

Global CFE EVS DELETE EVENT FILTER CC

Delete Application Event Filter

Global CFE EVS DISABLE APP EVENT TYPE CC

Disable Application Event Type

Global CFE_EVS_DISABLE_APP_EVENTS_CC

Disable Event Services for an Application

Global CFE EVS DISABLE EVENT TYPE CC

Disable Event Type

Global CFE_EVS_DISABLE_PORTS_CC

Disable Event Services Output Ports

Global CFE_EVS_ENABLE_APP_EVENT_TYPE_CC

Enable Application Event Type

Global CFE_EVS_ENABLE_APP_EVENTS_CC

Enable Event Services for an Application

Global CFE_EVS_ENABLE_EVENT_TYPE_CC

Enable Event Type

Global CFE EVS ENABLE PORTS CC

Enable Event Services Output Ports

Global CFE EVS NOOP CC

Event Services No-Op

Global CFE_EVS_RESET_ALL_FILTERS_CC

Reset All Event Filters for an Application

Global CFE EVS RESET APP COUNTER CC

Reset Application Event Counters

Global CFE_EVS_RESET_COUNTERS_CC

Event Services Reset Counters

Global CFE EVS RESET FILTER CC

Reset an Event Filter for an Application

Global CFE_EVS_SET_EVENT_FORMAT_MODE_CC

Set Event Format Mode

Global CFE EVS SET FILTER CC

Set Application Event Filter

Global CFE EVS SET LOG MODE CC

Set Logging Mode

Global CFE_EVS_WRITE_APP_DATA_FILE_CC

Write Event Services Application Information to File

Global CFE_EVS_WRITE_LOG_DATA_FILE_CC

Write Event Log to File

14 cFE Event Services Telemetry

The following are telemetry packets generated by the cFE Event Services Task.

Class CFE_EVS_HousekeepingTlm_Payload_t

Event Services Housekeeping Telemetry Packet

Class CFE_EVS_LongEventTIm_Payload_t

Event Message Telemetry Packet (Long format)

Class CFE_EVS_ShortEventTlm_Payload_t

Event Message Telemetry Packet (Short format)

15 cFE Event Services Configuration Parameters

The following are configuration parameters used to configure the cFE Event Services either for each platform or for a mission as a whole.

Global CFE MISSION EVS MAX MESSAGE LENGTH

Maximum Event Message Length

Global CFE PLATFORM EVS DEFAULT APP DATA FILE

Default EVS Application Data Filename

Global CFE_PLATFORM_EVS_DEFAULT_LOG_FILE

Default Event Log Filename

Global CFE_PLATFORM_EVS_DEFAULT_LOG_MODE

Default EVS Local Event Log Mode

Global CFE PLATFORM EVS DEFAULT MSG FORMAT MODE

Default EVS Message Format Mode

Global CFE PLATFORM EVS DEFAULT TYPE FLAG

Default EVS Event Type Filter Mask

Global CFE_PLATFORM_EVS_LOG_MAX

Maximum Number of Events in EVS Local Event Log

Global CFE PLATFORM EVS LOG ON

Enable or Disable EVS Local Event Log

Global CFE_PLATFORM_EVS_MAX_EVENT_FILTERS

Define Maximum Number of Event Filters per Application

Global CFE PLATFORM EVS PORT DEFAULT

Default EVS Output Port State

16 cFE Software Bus Overview

The Software Bus (SB) handles communication between software tasks on a processor. All tasks communicate with each other, with hardware devices, and with the ground by sending command and telemetry messages. The software bus provides an application programming interface (API) to other tasks for sending and receiving messages. This API is independent of the underlying operating system so that tasks can use the same interface regardless of which processor they reside on. Refer to the cFE Application Programmer's Interface (API) Reference for detailed information about the API functions.

The software bus is used internally by the flight software, and normally does not require attention from the ground. However, because of the scalability and the dynamic nature of the software bus, it is strongly recommended that each project carefully review the SB statistics and SB memory pool to be sure adequate margin is met on the configurable items.

The cFE software bus uses a dynamic protocol and builds its routing table at run-time through the SB subscribe API's. Also the cFE software bus pipes are created at run-time through the CFE_SB_CreatePipe API. Because the routing is established, and pipes are created at run-time, it is necessary to have a clear view of the routing details on command. The cFE software bus allows the user to dump the routing table, the pipe table, the message map and the statistics packet. Each of these items are described in detail in the corresponding section of this document.

- Software Bus Terminology
- · Autonomous Actions
- · Operation of the SB Software
- Frequently Asked Questions about Software Bus

16.1 Software Bus Terminology

In order to fully understand the Software Bus, it is imperative that the basic terms used to describe its features are also understood. Below are the critical terms that help identify what the Software Bus accomplishes for each Application:

- Messages
- Pipes
- Subscriptions
- Memory

Next: Messages

Up To: cFE Software Bus Overview

16.1.1 Messages

The sole purpose of the software bus is to provide applications a way to send messages to each other. The term message and the term packet are used interchangeably throughout this document. A message is a combined set of bytes with a predefined format that is used as the basis of communication on a spacecraft. All commands, telemetry, and other data that are passed between the ground and the spacecraft, and between subsystems of the spacecraft, are considered to be messages. The most common message format is CCSDS (Consultative Committee for Space Data Systems).

The cFE software bus was designed with 'hooks' to allow message formats other than CCSDS to be used. The APIs that are used to set and get message header fields are intentionally designed to be decoupled from CCSDS.

There are two general types of messages - commands (or command packets) and telemetry (or telemetry packets). Command packets are sent to a particular software task from the ground (or another task). Telemetry packets are sent from a particular software task to the ground (or other tasks).

Each packet begins with a header that includes the message identifier, often abbreviated as Msgld or message ID. The Msgld for CCSDS messages is the first 16 bits of the packet. The message 'type' indicator (command or telemetry) is embedded in the Message ID. The header also contains a packet length field and a packet sequence field. The packet

sequence field is incremented by the software bus for telemetry packets each time a packet is sent. The software bus does not increment the sequence field for command packets. See the section named 'Packet Sequence Values' for more detail.

Telemetry packets typically contain a timestamp that indicates when the packet was produced. Command packets typically contain a command code that identifies the particular type of command.

The software bus provides APIs for 'setting' and 'getting' the fields in the header of the message.

Following the header is the user defined message data.

Next: Pipes

Up To: Software Bus Terminology

16.1.2 Pipes

The destinations to which messages are sent are called pipes. These are queues that can hold messages until they are read out and processed by a task. Each pipe is created at run-time through the CFE_SB_CreatePipe API. The pipe name and the pipe depth are given as arguments in the API. The pipe identifier (or Pipeld) is given back to the caller after the API is executed. Each pipe can be read by only one task, but a task may read more than one pipe. Only the pipe owner is allowed to subscribe to messages on the pipe.

The Pipe IDs are specific to a particular processor (that is, the same ID number may refer to a different pipe on each processor). The pipe information for all pipes that have been created, may be requested at anytime by sending the 'Send Pipe Info' SB command . The software bus also provides a set of figures regarding capacity, current utilization and high water marks relevant to pipes. This information may be requested by sending the command to dump the SB statistics packet .

Next: Subscriptions Prev: Messages

Up To: Software Bus Terminology

16.1.3 Subscriptions

A subscription is a run-time request for a particular message to be sent to a particular pipe. If the caller of the subscribe API is not the owner of the pipe, the request is rejected and an error event is sent. The application that creates the pipe is considered the owner of the pipe. The pipe specified in the subscription is sometimes referred to as the destination of the message. There are a maximum number of destinations for a particular message. This value is specified by the platform configuration parameter CFE_SB_MAX_DEST_PER_PKT.

As subscriptions are received, the destinations are added to the head of a linked list. During the sending of a message, the list is traversed beginning at the head of the list. Therefore the message will first be sent to the last subscriber. If an application has timing constraints and needs to receive a message in the shortest possible time, the developer may consider holding off its subscription until other applications have subscribed to the message.

The message limit specifies the maximum number of messages (with the specified Message ID) that are allowed on the specified pipe at any time. This limit is specified by the application at the time of the subscription. If the application uses the CFE_SB_Subscribe API, a message limit default value of four is used. If this default value is not sufficient, the caller would use the CFE_SB_SubscribeEx_API that allows the message limit to be specified.

The software bus also provides the user with an option to unsubscribe to a message. The unsubscribe API takes two parameters, Message ID and Pipe ID. Only the owner of a pipe may unsubscribe to messages on that pipe.

Next: Memory Prev: Pipes

Up To: Software Bus Terminology

16.1.4 Memory

The software bus statically allocates a block of memory for message buffers and subscription blocks. The size of this memory block is defined by the platform configuration parameter CFE_SB_BUF_MEMORY_BYTES. The memory is managed by the cFE ES memory pool and is used only by the software bus. The ES memory pool allows an application to define the block sizes for the pool at compile time. These sizes are defined by the platform configuration parameters prefixed with CFE_SB_MEM_BLOCK_SIZE (for example, CFE_SB_MEM_BLOCK_SIZE_01). It is recommended that a project tailor these values for the mission, based on the software bus packet sizes.

At the time a message is sent, two buffers are allocated from the pool. One for a buffer descriptor (CFE_SB_BufferD_t) and one for the size of the packet. Both buffers are returned to the pool when the message has been received by all recipients. More precisely, if there is one recipient for a message, the message buffers will be released on the following call to cFE_SB_RcvMsg for the pipe that received the message.

Also when subscriptions are received through the subscribe API's, the software bus allocates a subscription block ($C \leftarrow FE_SB_DestinationD_t$) from the pool. The subscription blocks are returned to the pool if and when the subscription is nullified through a CFE_SB_Unsubscribe call.

The software bus provides a set of figures regarding memory capacity, current memory utilization and high water marks relevant to the SB memory pool. This information may be requested by sending the command to dump the SB statistics packet. In addition, the current memory utilization value and the 'unmarked memory' value (CFE_SB_BUF_MEMOR YBYTES minus peak memory in use) are sent in software bus housekeeping telemetry. The unmarked memory value should be monitored regularly to ensure that the value (in bytes) does not continue to decline or approach zero. If this value were to approach zero, there is a possibility that memory requests would fail which may inhibit the sending of a message. The current memory utilization value should also be monitored to ensure the system contains no memory leaks. The value (in bytes) should remain stable under nominal conditions. Refer to the ES users guide for more information regarding the ES Memory Pool.

Next: Autonomous Actions Prev: Subscriptions

Up To: Software Bus Terminology

16.2 Autonomous Actions

The software bus is primarily a set of library routines that are called by other software tasks to send and receive packets. The software bus does not perform any operations autonomously, except for sending event messages if errors are detected during the transfer of packets.

As do other tasks, the SB task sends out housekeeping telemetry when requested through the 'Send Housekeeping Data' command.

Next: Operation of the SB Software Prev: Software Bus Terminology Up To: cFE Software Bus Overview

16.3 Operation of the SB Software

- · Initialization
- All Resets
- Message Routing
- Packet Sequence Values
- Message Limit Error
- Pipe Overflow Error
- · SB Event Filtering
- · Diagnostic Data
- · Control of Packet Routing
- · Quality of Service
- Known Problem

Next: Initialization

Prev: Autonomous Actions

Up To: cFE Software Bus Overview

16.3.1 Initialization

No action is required by the ground to initialize the software bus. The software bus initializes internal data structures and tables the same way regardless of the type of reset.

Next: All Resets

Up To: Operation of the SB Software

16.3.2 All Resets

The software bus does not preserve any information across a reset of any kind. The software bus initializes internal data structures and tables the same way regardless of the type of reset. The routing is reestablished as the system initializes. It is normal procedure for each task of the system to create the pipe or pipes it needs and do all of its subscriptions during task initialization.

After any reset the following statements are true:

- The routing table is cleared and does not contain any routes.
- · All subscriptions are lost and must be regenerated.
- The pipe table contains no data, all pipes must be recreated.
- Any packets in transit at the time of the reset are lost.
- The sequence counters for telemetry packets will begin again with a value of one.

Next: Message Routing Prev: Initialization

Up To: Operation of the SB Software

16.3.3 Message Routing

In the software bus, all messages are processed in a similar way. The software bus uses the Message ID and the packet length fields (contained in the header) for routing the message to the destination pipe. If either of these two fields do not pass validation, the software bus generates an error event and aborts the delivery process. The software bus performs some validation checks by simply checking message header values against mission or platform configuration parameters. Messages originating from various tasks or instruments are routed to one or more pipes, where they wait until read by a task. The routing configuration for each message is established when applications call one of the SB subscribe APIs. The subscribe APIs take a Message ID and a Pipe ID as parameters. The routing for each packet is stored in SB memory and may be requested at any time by sending the 'Send Routing Info' command. The software bus also provides a set of figures regarding capacity, current utilization and high water marks relevant to the routing. This information may be requested by sending the command to dump the SB statistics packet.

Next: Packet Sequence Values

Prev: All Resets

Up To: Operation of the SB Software

16.3.4 Packet Sequence Values

The sequence count behavior depends on if the message is a command type or telemetry type.

The sequence counter for command messages is not altered by the software bus.

For telemetry messages sent with the CFE_SB_SendMsg API, the software bus populates the packet sequence header field for all messages. The first time a telemetry message is sent with a new Message ID, the sequence counter field in the header is set to a value of one. For subsequent sends of a message, the sequence counter is incremented by one regardless of the number of destinations for the packet. After a rollover condition the sequence counter will be a value of zero for one instance. The sequence counter is incremented in the CFE_SB_SendMsg API after all the checks have passed prior to the actual sending of the message. This includes the parameter checks and the memory allocation check. Note: The count is incremented regardless of whether there are any subscribers.

For telemetry messages sent with the CFE_SB_PassMsg API the sequence counter is not incremented. This method of message delivery is recommended for situations where the sender did not generate the packet, such as a network interface application passing a packet from a remote system to the local software bus.

Next: Message Limit Error Prev: Message Routing

Up To: Operation of the SB Software

16.3.5 Message Limit Error

Before placing a message on a pipe, the software bus checks the message limit to ensure the maximum number of packets in transit to the destination is not exceeded. If placing the message on the pipe would exceed the message limit, then the action of sending to that pipe is aborted and the 'Message Limit Error' event is sent. This condition will typically occur when an application that receives the packets does not respond quickly enough, or if the sender of the packets produces them too quickly.

This condition occurs often during development and during integration, for example when a remote processor gets reset or a 1553 cable becomes disconnected. Because of the common occurrences, the event may have filtering associated with it. Any filtering for this event would be performed by the cFE Event Services (EVS). Filtering for SB events may be specified in the cFE platform configuration file or may be commanded after the system initializes.

If this error occurs during nominal conditions, it could be an indication that the 'message limit' is not set correctly. The message limit is given at the time of the subscription and given as a parameter in the subscribe API. With the CF—E_SB_Subscribe API, the SB uses a default message limit value specified by CFE_SB_DEFAULT_MSG_LIMIT. This constant is currently set to a value of four. If the default value is insufficient, the message limit value can be specified in the CFE_SB_SubscribeEx_API.

A related failure is the pipe overflow condition, which can occur if the total number of packets (of all kinds) sent to a particular pipe is too large.

Next: Pipe Overflow Error
Prev: Packet Sequence Values
Up To: Operation of the SB Software

16.3.6 Pipe Overflow Error

Another common error that occurs during the send process is the pipe overflow error. This condition occurs if the total number of packets (of all kinds) sent to a particular pipe is too large. If this error occurs too frequently, it may be an indication that the pipe depth is not set correctly. The pipe depth is given at the time the pipe is created as a parameter in the CFE SB CreatePipe API.

Next: SB Event Filtering Prev: Message Limit Error

Up To: Operation of the SB Software

16.3.7 SB Event Filtering

Most filtering for SB events is performed by the cFE Event Services (EVS). Filtering for SB events may be specified in the cFE platform configuration file or may be commanded after the system initializes. There is no SB event log that limits the number of events based on the capacity of the log, as in the heritage software bus.

There is one case in which events are filtered by the software bus instead of event services. This occurs when the software bus needs to suppress events so that a fatal recursive event condition does not transpire. Because the CFE← _SB_SendMsg API is a library function that calls CFE_EVS_SendEvent, and CFE_EVS_SendEvent is a library function that calls CFE_SB_SendMsg, a calling sequence could cause a stack overflow if the recursion is not properly terminated. The cFE software bus detects this condition and properly terminates the recursion. This is done by using a set of flags (one flag per event in the Send API) which determine whether an API has relinquished its stack. If the CFE_SB_Send← Msg needs to send an event that may cause recursion, the flag is set and the event is sent. CFE_EVS_SendEvent then calls CFE_SB_SendMsg in the same thread. If the second call to CFE_SB_SendMsg needs to send that same event again, it finds that the flag is set and the CFE_EVS_SendEvent call is bypassed, terminating the recursion. The result is that the user will see only one event instead of the many events that would normally occur without the protection. The heritage software bus did not have this condition because it stored events in the software bus event log and another thread would read them out at a later time.

Next: Diagnostic Data Prev: Pipe Overflow Error

Up To: Operation of the SB Software

16.3.8 Diagnostic Data

The cFE software bus provides a set of commands to dump SB diagnostic data to help troubleshoot problems or check configuration settings. These commands allow the user to view the routing table, the pipe table or the message map. The message map is a lookup table used during a send operation to give fast access to the routing table index that corresponds to the message being sent.

The software bus also provides a statistics packet that can be used to tune the configuration parameters. This information is sent to the ground in the form of an SB packet when the corresponding command is received. The cFE limits the number of system pipes, unique Message IDs, buffer memory, messages on a pipe and subscriptions per Message ID. These limits are configurable through cFE platform and mission configuration parameters. The statistics packet was designed to let the project verify that these user settings provide the necessary margin to meet requirements.

The SB statistics information shows 'Currently In Use' figures, 'High Water Mark' figures and 'Max Allowed' figures for the following: buffer memory, messages on each pipe (pipe depth stats), System Pipes, Unique Message IDs and total subscriptions.

Depending on the task-scheduling implementation details of the operating system, it is possible to see the peak messages on a pipe occasionally exceed the depth of the pipe. The "Peak Messages In Use" parameter is included in the SB statistics packet under the pipe depth stats.

Next: Control of Packet Routing Prev: SB Event Filtering

Up To: Operation of the SB Software

16.3.9 Control of Packet Routing

The software bus allows the ground to disable and enable the sending of packets of a specified Message ID to a specified pipe. All destinations that are needed for normal operation are enabled by default. Modifying the routing of packets may be required for the following reasons:

- In flight, one can enable diagnostic packets to see them on the ground.
- · During testing, one can disable a destination to simulate an anomaly.

Next: Quality of Service Prev: Diagnostic Data

Up To: Operation of the SB Software

16.3.10 Quality of Service

The software bus has a parameter in the CFE_SB_SubscribeEx API named Quality, which means Quality of Service (QOS) for off-board routing and is of the type CFE_SB_Qos_t. This structure has two members named priority and reliability. The Quality parameter is currently unused by the software bus. It is a placeholder to be used with the future software bus capability of inter-processor communication. Although currently the software bus does not read the Quality values, it would be best to set this parameter to the value defined as CFE_SB_Default_Qos. This value is set internally by the software bus with values of zero for priority and reliability. The values of zero will correspond to low priority and low reliability. Setting the QOS value to the CFE_SB_Default_Qos will ensure seamless integration when the software bus is expanded to support inter-processor communication.

Next: Known Problem

Prev: Control of Packet Routing
Up To: Operation of the SB Software

16.3.11 Known Problem

The software bus may perform unexpectedly under an unlikely corner-case scenario. This scenario was revealed in a stress test. The stress test was designed to deplete the Software Bus memory pool by having a high priority application continuously send 1000 byte packets to a lower priority application until the memory pool code returned an error code and sent the following event. "CFE_ES:getPoolBuf err:Request won't fit in remaining memory" At this point the higher priority sending application would stop executing. This would allow the lower priority receiving application to begin receiving the 1000 byte packets. After the receiving app processed all of the packets, the memory was restored to the memory pool as expected. The SB memory-in-use telemetry was zero because there were no software bus packets in transit. At this point any attempt to send a new-sized packet on the software bus was be rejected. The ES memory pool stated that the "... Request won't fit in remaining memory" even though there was currently no memory in use.

The simplest way to prevent this behavior is to ensure that there is margin when sizing the SB memory pool. To check the margin, monitor the "Peak Memory in Use" vs. the configuration parameter CFE_SB_BUF_MEMORY_BYTES which indicates the amount allocated.

Next: Frequently Asked Questions about Software Bus

Prev: Quality of Service

Up To: Operation of the SB Software

16.4 Frequently Asked Questions about Software Bus

(Q) How is the memory pool handle (sent in SB housekeeping telemetry) intended to be used?

The memory pool handle is used to analyze the SB memory pool statistics. The cFE ES command (CFE_E← S_SEND_MEM_POOL_STATS_CC) to dump the memory pool statistics takes the pool handle as a parameter. These statistics tell how the SB memory pool is configured and gives details on margin. An improperly configured SB memory pool may inhibit communication. This may occur if there is not enough margin to create a block of the size needed for a transfer. Refer to the ES memory pool users guide for more details. Memory Pool

(Q) When sending a message, what message header fields are critical for routing the message?

To route the message properly, the software bus uses only the Message ID and packet length fields from the header of the message. If the packet length field is incorrect, then the buffer allocation for the message will also be incorrect. This may appear to the receiver as a truncated message or a message with unknown data added to the end of the message.

(Q) How many copies of the message are performed in a typical message delivery?

There is a single copy of the message performed during a typical delivery. During the CFE_SB_SendMsg API, the software bus copies the message from the callers memory space to the software bus memory space. The CFE __SB_RcvMsg API gives the user a pointer to the message in the software bus memory space. This is equivalent to the copy mode send and pointer mode receive in the heritage software bus used on WMAP, ST5, SDO etc.

(Q) When does the software bus free the message buffer during a typical message delivery process? Or how long is the message, and the pointer to the message in the CFE_SB_RcvMsg valid?

After receiving a message by calling CFE_SB_RcvMsg, the message received stays in the software bus memory until the next call to CFE_SB_RcvMsg with the same Pipe Id. This means that the message pointer given by the software bus to the caller of CFE_SB_RcvMsg is valid until the next call to CFE_SB_RcvMsg with the same pipe id. If the caller needs the message longer than the next call to CFE_SB_RcvMsg, the caller must copy the message to its memory space.

(Q) The first parameter in the CFE_SB_RcvMsg API is a pointer to a pointer which can get confusing. How can I be sure that the correct address is given for this parameter.

Typically a caller declares a ptr of type CFE_SB_Msg_t (i.e. CFE_SB_Msg_t *Ptr) then gives the address of that pointer (&Ptr) as this parameter. After a successful call to CFE_SB_RcvMsg, Ptr will point to the first byte of the software bus message header. This should be used as a read-only pointer. In systems with an MMU, writes to this pointer may cause a memory protection fault.

(Q) Why am I not seeing expected Message Limit error events or Pipe Overflow events?

It is possible the events are being filtered by cFE Event Services. The filtering for this event may be specified in the platform configuration file or it may have been commanded after the system initializes.

There is a corresponding counter for each of these conditions. First verify that the condition is happening by viewing the counter in SB HK telemetry. If the condition is happening, you can view the SB filter information through the EVS App Data Main page by clicking the 'go to' button for SB. The event Id for these events can be learned through a previous event or from the cfe_sb_events.h file.

(Q) Why does the SB provide event filtering through the platform configuration file?

To give the user the ability to filter events before an EVS command can be sent. During system initialization, there are many conditions occurring that can cause a flood of SB events such as No Subscribers, Pipe Overflow and Msgld to Pipe errors. This gives the user a way to limit these events.

(Q) Why does SB have so many debug event messages?

The SB debug messages are positive acknowledgments that an action (like receiving a cmd, creating a pipe or subscribing to a message) has occurred. They are intended to help isolate system problems. For instance, if an expected response to a command is not happening, it may be possible to repeat the scenario with the debug event turned on to verify that the command was successfully received.

(Q) How is the QOS parameter in the CFE SB SubscribeEx used by the software bus?

The QOS parameter is currently unused by the software bus. It is a placeholder to be used with the future software bus capability of inter-processor communication. Setting the QOS value to the SB defined CFE_SB_Default_
Qos (QOS.Priority=0,QOS.Reliability=0) will ensure seamless integration when the software bus is expanded to support inter-processor communication.

(Q) Can I confirm my software bus message was delivered?

There is no built in mechanism for confirming delivery (it could span systems). This could be accomplished by generating a response message from the receiver.

Prev: Operation of the SB Software Up To: cFE Software Bus Overview

17 cFE Software Bus Commands

The following is a list of commands that are processed by the cFE Software Bus Task.

Global CFE_SB_DISABLE_ROUTE_CC

Disable Software Bus Route

Global CFE SB DISABLE SUB REPORTING CC

Disable Subscription Reporting Command

Global CFE_SB_ENABLE_ROUTE_CC

Enable Software Bus Route

Global CFE_SB_ENABLE_SUB_REPORTING_CC

Enable Subscription Reporting Command

Global CFE_SB_NOOP_CC

Software Bus No-Op

Global CFE_SB_RESET_COUNTERS_CC

Software Bus Reset Counters

Global CFE_SB_SEND_MAP_INFO_CC

Write Map Info to a File

Global CFE_SB_SEND_PIPE_INFO_CC

Write Pipe Info to a File

Global CFE SB SEND PREV SUBS CC

Send Previous Subscriptions Command

Global CFE SB SEND ROUTING INFO CC

Write Software Bus Routing Info to a File

Global CFE_SB_SEND_SB_STATS_CC

Send Software Bus Statistics

18 cFE Software Bus Telemetry

The following are telemetry packets generated by the cFE Software Bus Task.

Class CFE_SB_AllSubscriptionsTlm_Payload_t

SB Previous Subscriptions Packet

Class CFE_SB_HousekeepingTlm_Payload_t

Software Bus task housekeeping Packet

Class CFE_SB_SingleSubscriptionTIm_Payload_t

SB Subscription Report Packet

Class CFE_SB_StatsTIm_Payload_t

SB Statistics Telemetry Packet

19 cFE Software Bus Configuration Parameters

The following are configuration parameters used to configure the cFE Software Bus either for each platform or for a mission as a whole.

Global CFE MISSION SB MAX PIPES

Maximum Number of pipes that SB command/telemetry messages may hold

Global CFE_MISSION_SB_MAX_SB_MSG_SIZE

Maximum SB Message Size

Global CFE PLATFORM ENDIAN

Platform Endian Indicator

Global CFE PLATFORM SB BUF MEMORY BYTES

Size of the SB buffer memory pool

Global CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME

Default Message Map Filename

Global CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT

Default Subscription Message Limit

Global CFE PLATFORM SB DEFAULT PIPE FILENAME

Default Pipe Information Filename

Global CFE_PLATFORM_SB_DEFAULT_REPORT_SENDER

Define Default Sender Information Storage Mode

Global CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME

Default Routing Information Filename

Global CFE_PLATFORM_SB_FILTERED_EVENT1

SB Event Filtering

Global CFE_PLATFORM_SB_HIGHEST_VALID_MSGID

Highest Valid Message Id

Global CFE_PLATFORM_SB_MAX_DEST_PER_PKT

Maximum Number of unique local destinations a single Msgld can have

Global CFE PLATFORM SB MAX MSG IDS

Maximum Number of Unique Message IDs SB Routing Table can hold

Global CFE PLATFORM SB MAX PIPE DEPTH

Maximum depth allowed when creating an SB pipe

Global CFE PLATFORM SB MAX PIPES

Maximum Number of Unique Pipes SB Routing Table can hold

20 cFE Table Services Overview

Applications often organize sets of their parameters into logical units called tables. These are typically constant parameters that can change the behavior of a flight software algorithm and are only intended to be modified by operations personnel. Examples of this would be attitude control gains, sensor scalefactors, telemetry filter settings, etc.

Table Services (TBL) provides a centralized control of flight software tables. Operations personnel would interact with TBL in order to dump the contents of current tables, load new table images, verify the contents of a table image and manage Critical tables.

None of the cFE core applications (EVS, SB, ES, TIME, or TBL) use tables, and it is possible to build cFE without Table Services if not needed or an alternative parameter management mechanism is to be utilized.

For additional detail on Tables and how to manage them, see the following sections:

- Managing Tables
- · cFE Table Types and Table Options
- · Table Registry
- Table Services Telemetry
- · Effects of Processor Reset on Tables
- · How To Remove cFE Table Services
- Frequently Asked Questions about Table Services

20.1 Managing Tables

In order to effectively manage tables, an operator needs to understand how cFE Applications manage tables from their end. There are a number of methods that cFE Applications typically use to manage their tables. Each method is appropriate based upon the nature of the contents of the table.

cFE Applications are required to periodically check to see if their table is to be validated, updated (or in the case of dump-only tables, dumped). Most Applications perform this periodic management at the same time as housekeeping requests are processed. This table management is performed by the cFE Application that "owns" a table (ie - the cFE Application that registered the table with cFE Table Services). It is possible for cFE Applications to "share" a table with other cFE Applications. An Application that shares a table does not typically perform any of the management duties associated with that table.

A table can have one of two different types and a number of different options. These are discussed further in later sections. An operator should understand the chosen type and selected options for a particular table before attempting to modify a table's contents.

To understand the methods of maintaining a table, it is important that the terminology be clear. A table has two images: "Active" and "Inactive". The Active table is the one that a cFE Application is currently accessing when it executes. The Inactive table is a copy of the Active table that an operator (or on-board process such as a stored command processor) can manipulate and change to have a newly desired set of data.

To create an Inactive table image on board, the operator would be required to perform a "Load" to the table. Loads are table images stored in on-board files. The Load can contain either a complete table image or just a part of a table image. If the Load contains just a portion, the Inactive image is first initialized with the contents of the Active image and then the portion identified in the Load file is written on top of the Active image. After the initial Load, an operator can continue to manipulate the Inactive table image with additional partial table load images. This allows the operator to reconfigure the contents of multiple portions of the table before deciding to "Validate" and/or "Activate" it.

Some cFE Applications provide special functions that will examine a table image to determine if the contents are logically sound. This function is referred to as the "Validation Function." When a cFE Application assigns a Validation Function to a table during the table registration process, it is then requiring that a Validation be performed before the table can be Activated. When an operator requests a Validation of a table image, they are sending a request to the owning Application to execute the associated Validation Function on that image. The results of this function are then reported in telemetry. If the Validation is successful, the operator is free to perform a table Activation. If the Validation fails, the operator would be required to make additional changes to the Inactive table image and attempt another Validation before commanding an Activation.

To change an Inactive table image into the Active table image, an operator must Activate a table. When an operator sends the table Activation command, they are notifying the table's owning Application that a new table image is available. It is then up to the Application to determine when is the best time to perform the "Update" of the table. When an Application performs an Update, the contents of the Inactive table image become the Active table image.

Next: cFE Table Types and Table Options
Up To: cFE Table Services Overview

20.2 cFE Table Types and Table Options

A cFE Application Developer has several choices when creating a cFE Application. There are two basic types of tables: single buffered and double buffered. In addition to these two basic types there are a small variety of options possible with each table. These options control special characteristics of the table such as whether it is dump-only, critical or whether it has an application defined location in memory.

Each choice has its advantages and disadvantages. The developer chooses the appropriate type based upon the requirements of the application. Anyone operating a particular cFE Application must understand the nature of the type and options selected for a particular table before they can successfully understand how to perform updates, validations, etc.

For more information on the different types of tables available, see the following sections:

- · Table Types
 - Single Buffered Tables
 - Double Buffered Tables
- · Table Options
 - Tables with Validation Functions
 - Critical Tables
 - User Defined Address Tables
 - Dump Only Tables

Next: Single Buffered Tables
Prev: Managing Tables

Up To: cFE Table Services Overview

20.2.1 Single Buffered Tables

The default table type for a cFE Application to use is a single buffered table. The principle advantage of a single buffered table is that it can share one of several shared table buffers for uploaded and pending table images. Since many cFE Applications have relatively small tables that are not changed at time critical moments or are not changed very often during a mission, single buffered tables represent the most memory resource efficient method of being managed.

The number of single buffered tables that can have inactive table images being manipulated at one time is specified by a TBL Services configuration parameter (CFE_TBL_MAX_SIMULTANEOUS_LOADS) found in the cfe_platform_cfg.h file associated with the processor in question. This parameter identifies the number of shared table buffers that are available.

Since inactive single buffered table images share a common resource, it may not be prudent for an operator to load an image and then delay on the image's activation for an extended period of time.

Single buffered tables are allowed to be critical (see Critical Tables), dump-only (see Dump Only Tables) and/or have a user-defined address (see User Defined Address Tables).

Next: Double Buffered Tables

Up To: cFE Table Types and Table Options

20.2.2 Double Buffered Tables

Under certain conditions, a cFE Application Developer may choose to use a double buffered table type within their application. Double buffered tables retain a dedicated inactive image of the table data. With a dedicated inactive table image available, double buffered tables are then capable of efficiently swapping table contents and/or delaying the activation of a table's contents for an indeterminate amount of time.

Some cFE Applications prefer to delay the Activation of a table until a specified time (e.g. - a Spacecraft Ephemeris). These tables are typically defined as double buffered tables so that the Inactive image can be left sitting untouched for an extended period of time without interfering with shared resources for other tables. Then the Application can perform the Update when the time is right.

Applications which have unusually large tables may decide to conserve memory resources by making them double buffered. This is because the shared buffers used by single buffered tables must be sized to match the largest table. If there is one table that is unusually large, there is little reason to allocate up to CFE_TBL_MAX_SIMULTANEOUS_L OADS number of buffers that size. A double buffered table will only allocate ONE extra buffer of that size.

Performance minded Applications that are required to perform processing with tight timing deadlines may choose to use double buffered tables because the Update for a double buffered table is deterministic and quick.

Next: Tables with Validation Functions

Prev: Single Buffered Tables

Up To: cFE Table Types and Table Options

20.2.3 Tables with Validation Functions

Applications that associate Validation Functions with their tables when the tables are registered are effectively requiring that the contents of a table be logically Validated before it is Activated. The cFE will refuse to let a table with an associated Validation Function be Activated until a successful Validation on the Inactive table image has occurred.

Tables that are NOT assigned a Validation Function are assumed to be valid regardless of the contents of the table image. These tables do not require a Validation Command prior to Activation.

Next: Critical Tables

Prev: Double Buffered Tables

Up To: cFE Table Types and Table Options

20.2.4 Critical Tables

Applications that must be able to recover quickly from a Processor Reset may select the "Critical" table option when registering their table. Table Services automatically creates a Critical Data Store for the table and ensures that the contents of the Critical Data Store are updated whenever a Table Activation occurs.

If a Processor Reset happens, when the Application attempts to Register the table again, Table Services automatically locates the associated Critical Data Store and initializes the Table with the saved contents.

Next: User Defined Address Tables
Prev: Tables with Validation Functions
Up To: cFE Table Types and Table Options

20.3 Table Registry 57

20.2.5 User Defined Address Tables

In order to provide a mechanism for Flight Software Maintenance teams to quickly create a table image for dumping contents of memory that isn't normally loaded by the ground, there is an option to create User-Defined Address tables. These tables, when they are first registered, provide a memory address where the Active image of the table is to be maintained. Normally, the address is specified by Table Services from its memory pool.

By specifying the address, the Flight Software Maintenance team can create a Dump-Only table that contains the contents of a data structure that is not normally accessible via telemetry or table dumps. Then, on command, the Flight Software Maintenance team can periodically dump the data structure's contents to an on-board file(s) that can then be transferred to the ground for later analysis.

Next: Dump Only Tables Prev: Critical Tables

Up To: cFE Table Types and Table Options

20.2.6 Dump Only Tables

On occasion, cFE Applications require a segment of memory in which the Application writes data. The typical cFE Table is not normally modified directly by an Application but only via Load and Activate commands from either the Ground or Stored Command Processor. However, for those situations where an Application wishes to modify the contents of a data structure and the Application is limited in its telemtry bandwidth so that the modified data cannot be telemetered, the Application can create a Dump-Only table.

Dump-Only tables are not allowed to be modified via the Load/Validate/Activate process most other tables are. They are only supposed to be modified by onboard Applications. The Operator can still command a Dump which will be processed by the table's owning Application when it manages its tables. By letting the Application perform the dump, the Operator can feel confident that the table contents are a complete snapshot in time and not corrupted by taking a snapshot while the Application was in the process of modifying its contents.

Next: Table Registry

Prev: User Defined Address Tables

Up To: cFE Table Types and Table Options

20.3 Table Registry

When Applications register tables, Table Services retains pertinent information on the table in the Table Registry. The following information (along with other information that is less important for an operator) is kept for each table:

- The Application ID of the Application that Registered the table
- · The full name of the table
- The size, in bytes, of the table
- Pointers to the start addresses of the Table's image buffers, Active and Inactive (if appropriate)
- · A pointer to the start address of a Validation Function
- · A flag indicating whether a table image has been loaded into an Inactive buffer

- · A flag indicating whether the table is Critical and its associated CDS Handle if it is
- A flag indicating whether the table has ever been loaded (initialized)
- · A flag indicating whether the table is Dump Only
- A flag indicating whether the table has an Update Pending
- A flag indicating whether the table is double buffered or not
- · The System Time when the Table was last Updated
- · The filename of the last file loaded into the table
- The File Creation Time for the last file used to load the contents of the table

This information can be obtained by either sending the Dump Registry command which will put all of the information from the Table Registry into an onboard file for later downlink or the operator can send a command to Telemeter the Registry Entry for a single table. This will cause the pertinent registry entry for a single table to be sent via a telemetry packet.

The API function CFE_TBL_Register() returns either CFE_SUCCESS or CFE_TBL_INFO_RECOVERED_TBL to indicate that the table was successfully registered. The difference is whether the table data was recovered from CDS as part of the registration. There are several error return values that describe why the function failed to register the table but nothing related to why the restoration from CDS might have failed. There is, however, a message written to the System Error Log by Table Services that can be dumped by the ground to get this information. Note that failure to restore a table from CDS is not an expected error and requires some sort of data corruption to occur.

Next: Table Services Telemetry

Prev: cFE Table Types and Table Options Up To: cFE Table Services Overview

20.4 Table Services Telemetry

Table Services produces two different telemetry packets. The first packet, referred to as the Table Services Housekeeping Packet, is routinely produced by Table Services upon receipt of the Housekeeping Request message that is typically sent to all Applications by an on board scheduler. The contents and format of this packet are described in detail at CFE_TBL_HkPacket_t.

Next: Effects of Processor Reset on Tables

Prev: Table Registry

Up To: cFE Table Services Overview

20.5 Effects of Processor Reset on Tables

When a processor resets, the Table Registry is re-initialized. All Applications must, therefore, re-register and re-initialize their tables. The one exception, however, is if the Application has previously tagged a table as "Critical" during Table Registration, then Table Services will attempt to locate a table image for that table stored in the Critical Data Store. Table Services also attempts to locate the Critical Table Registry which is also maintained in the Critical Data Store.

If Table Services is able to find a valid table image for a Critical table in the Critical Data Store, the contents of the table are automatically loaded into the table and the Application is notified that the table does not require additional initialization.

Next: How To Remove cFE Table Services

Prev: Table Services Telemetry
Up To: cFE Table Services Overview

20.6 How To Remove cFE Table Services

It is possible to build the CFE without including Table Services. This is only applicable if the mission does not intend to use any CFS applications that require CFE type table services, or if the mission intends to provide custom table services. If CFE Table Services are removed, the CFE makefile will no longer try to make the Table Services application and the link makefile will no longer include the Table Services object module in the CFE-CORE. Even if excluded from the build, the Table Services source and header files will remain in the CFE source tree.

If EXCLUDE_CFE_TBL is defined (typically in the applicable *_platform_config.h file) Executive services will not load or shut down table services. Note this option does not effect the build and link of table services.

To remove table services from the build completely, remove "tbl" from the CFE_CORE_MODULES in the cfe/fsw/cfe-core CMakeLists.txt directory (note this option also needs EXCLUDE_CFE_TBL defined or executive services will try to load it).

Removing Table Services reduces the size of the CFE-CORE load file and also reduces the amount of RAM memory required to load the cFE. Each development environment will have unique savings. The numbers from an example default linux build are as follows:

```
Size of core cFE binary load file with Table Services: 963K Size of core cFE binary load file w/o building Table services: 871K RAM used after loading cFE with Table Services: 153K RAM used after loading cFE w/o loading Table Services: 144M
```

Next: Frequently Asked Questions about Table Services

Prev: Effects of Processor Reset on Tables
Up To: cFE Table Services Overview

20.7 Frequently Asked Questions about Table Services

(Q) Is it an error to load a table image that is smaller than the registered size?

Table images that are smaller than the declared size of a table fall into one of two categories.

If the starting offset of the table image (as specified in the Table Image secondary file header) is not equal to zero, then the table image is considered to be a "partial" table load. Partial loads are valid as long as a table has been previously loaded with a non-"partial" table image.

If the starting offset of the table image is zero and the size is less than the declared size of the table, the image is considered "short" but valid. This feature allows application developers to use variable length tables.

(Q) I tried to validate a table and received the following event message that said the event failed:

"MyApp validation failed for Inactive 'MyApp.MyTable', Status=0x####"

What happened?

The event message indicates the application who owns the table has discovered a problem with the contents of the image. The code number following the 'Status' keyword is defined by the Application. The documentation for the specified Application should be referred to in order to identify the exact nature of the problem.

(Q) What commands do I use to load a table with a new image?

There are a number of steps required to load a table.

1. The operator needs to create a cFE Table Services compatible table image file with the desired data contained in it. This can be accomplished by creating a 'C' source file, compiling it with the appropriate cross compiler for the onboard platform and then running the elf2cfetbl utility on the resultant object file.

- 2. The file needs to be loaded into the onboard processor's filesystem using whichever file transfer protocol is used for that mission.
- 3. The Load Command is sent next to tell Table Services to load the table image file into the Inactive Table Image Buffer for the table identified in the file.
- 4. The Validate Command is then sent to validate the contents of the inactive table image. This will ensure the file was not corrupted or improperly defined. The results of the validation are reported in Table Services Housekeeping Telemetry. If a table does not have a validation function associated with it, the operator may wish to compare the computed CRC to verify the table contents match what was intended.
- 5. Upon successful validation, the operator then sends the Activate Command. The application owning the table should, within a reasonable amount of time, perform a table update and send an event message.

(Q) What causes cFE Table Services to generate the following sys log message: CFE_TBL:GetAddressInternal-App(%d) attempt to access unowned Tbl Handle=%d

When an application sharing its table(s) with one or more applications is reloaded, the reloaded application's table handle(s) are released. cFE Table Services sees that the table(s) are shared and keeps a 'shadow' version of the table in the Table Services registry. The registry will show the released, shared tables with no name. When the applications sharing the table attempt to access the table via the 'old', released handle, Table Services will return an error code to the applications and generate the sys log message. The applications may then unregister the 'old' handle(s) in order to remove the released, shared table(s) from the Table Services registry and share the newly loaded application table(s).

(Q) When does the Table Services Abort Table Load command need to be issued?

The Abort command should be used whenever a table image has been loaded but the application has not yet activated it and the operator no longer wants the table to be loaded.

The purpose of the Abort command is to free a previously allocated table buffer. It should be noted, however, that multiple table loads to the SAME table without an intervening activation or abort, will simply OVERWRITE the previous table load using the SAME buffer.

Therefore, the most likely scenarios that would lead to a needed abort are as follows:

- 1. Operator loads a table and realizes immediately that the load is not wanted.
- 2. Operator loads a table and performs a validation on it. Regardless of whether the table passes or fails the validation, if the operator no longer wants to activate the table, the abort command should be issued.
 - It should be noted that a table image that fails activation is retained in the inactive buffer for diagnosis, if necessary. It is NOT released until it is aborted or overwritten and successfully validated and activated.
- 3. A table image was loaded; the image was successfully validated; the command for activation was sent; but the application fails to perform the activation.

The Abort command will free the table buffer and clear the activation request.

This situation can occur when either the application is improperly designed and fails to adequately manage its tables (sometimes seen in the lab during development) or the application is "hung" and not performing as it should.

Prev: How To Remove cFE Table Services
Up To: cFE Table Services Overview

21 cFE Table Services Commands

The following is a list of commands that are processed by the cFE Table Services Task.

```
Global CFE_TBL_ABORT_LOAD_CC
   Abort Table Load
Global CFE_TBL_ACTIVATE_CC
   Activate Table
Global CFE TBL DELETE CDS CC
   Delete Critical Table from Critical Data Store
Global CFE_TBL_DUMP_CC
   Dump Table
Global CFE TBL DUMP REGISTRY CC
   Dump Table Registry
Global CFE_TBL_LOAD_CC
   Load Table
Global CFE_TBL_NOOP_CC
   Table No-Op
Global CFE_TBL_RESET_COUNTERS_CC
   Table Reset Counters
Global CFE_TBL_SEND_REGISTRY_CC
   Telemeter One Table Registry Entry
Global CFE TBL VALIDATE CC
```

22 cFE Table Services Telemetry

The following are telemetry packets generated by the cFE Table Services Task.

```
Class CFE_TBL_HousekeepingTlm_Payload_t
Table Services Housekeeping Packet

Class CFE_TBL_TblRegPacket_Payload_t
Table Registry Info Packet
```

Validate Table

23 cFE Table Services Configuration Parameters

The following are configuration parameters used to configure the cFE Table Services either for each platform or for a mission as a whole.

Global CFE MISSION TBL MAX FULL NAME LEN

Maximum Length of Full Table Name in messages

Global CFE_MISSION_TBL_MAX_NAME_LENGTH

Maximum Table Name Length

Global CFE_PLATFORM_TBL_BUF_MEMORY_BYTES

Size of Table Services Table Memory Pool

Global CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE

Default Filename for a Table Registry Dump

Global CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES

Maximum Number of Critical Tables that can be Registered

Global CFE PLATFORM TBL MAX DBL TABLE SIZE

Maximum Size Allowed for a Double Buffered Table

Global CFE_PLATFORM_TBL_MAX_NUM_HANDLES

Maximum Number of Table Handles

Global CFE_PLATFORM_TBL_MAX_NUM_TABLES

Maximum Number of Tables Allowed to be Registered

Global CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS

Maximum Number of Simultaneous Table Validations

Global CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS

Maximum Number of Simultaneous Loads to Support

Global CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE

Maximum Size Allowed for a Single Buffered Table

Global CFE_PLATFORM_TBL_VALID_PRID_1

Processor ID values used for table load validation

Global CFE PLATFORM TBL VALID PRID COUNT

Number of Processor ID's specified for validation

Global CFE_PLATFORM_TBL_VALID_SCID_1

Spacecraft ID values used for table load validation

Global CFE_PLATFORM_TBL_VALID_SCID_COUNT

Number of Spacecraft ID's specified for validation

24 cFE Time Services Overview

The cFE Time Service (TIME) is one of the cFE core services. TIME provides time correlation, distribution and synchronization services. TIME exists in two varieties: a Time Server responsible for maintaining the master time reference for all remote systems, and a Time Client responsible for synchronizing to that master time reference.

Since TIME is a generic implementation aimed to meet the needs of a variety of mission configurations, there are numerous configuration parameters, which dictate the behavior of TIME (see cfe_mission_cfg.h and cfe_platform_cfg.h for the specific mission configuration).

With the exception of those sections specific to Time Clients and Servers, this document assumes the most common physical environment - one instantiation of cFE installed on a single processor. Therefore, TIME represents cFE Time Services configured as a Time Server.

For additional detail on Time Services and how to manage it, see the following sections:

- Time Components
- Time Structure
- Time Formats
- · Time Configuration
 - Time Format Selection
 - Enabling Fake Tone Signal
 - Selecting Tone and Data Ordering
 - Specifying Tone and Data Window
 - Specifying Time Server/Client
 - Specifying Time Tone Byte Order
 - Virtual MET
 - Specifying Time Source
 - Specifying Time Signal
- Time Services Paradigm(s)
- · Flywheeling

- Time State
- · Initialization
 - Power-On Reset
 - Processor Reset
- Initialization
 - Power-On Reset
 - Processor Reset
- · Normal Operation
 - Client
 - Server
 - * Setting Time
 - * Adjusting Time
 - * Setting MET
- · Frequently Asked Questions

24.1 Time Components

Time knowledge is stored in several pieces, so that the time information can more easily be manipulated and utilized. These components include:

The **Ground Epoch** is an arbitrary date and time that establishes the zero point for spacecraft time calculations. The selection of the epoch is mission specific, although in the past, it was common to select the same epoch as defined for the Operating System used by the computers hosting the ground system software. Recent mission epoch selections have also included using zero seconds after midnight, Jan 1, 2001.

Spacecraft Time is the number of seconds (and fraction of a second) since the ground epoch. Spacecraft time is the sum of **Mission Elapsed Time** (MET) and the **Spacecraft Time Correlation Factor** (STCF). By definition, MET is a measure of time since launch or separation. However, for most missions the MET actually represents the amount of time since powering on the hardware containing the MET timer. The STCF correlates the MET to the ground epoch.

24.2 Time Structure 65

The **Tone** is the signal that MET seconds have incremented. In most hardware configurations, the tone is synonymous with the **1 PPS** signal. The tone signal may be generated by a local hardware timer, or by an external event (G ← PS receiver, spacewire time tick, 1553 bus signal, etc). TIME may also be configured to simulate the tone for lab environments that do not have the necessary hardware to provide a tone signal. Note that MET sub-seconds will be zero at the instant of the tone.

Time at the Tone is the spacecraft time at the most recent "valid" tone.

Time since the Tone is the amount of time since the tone (usually less than one second). This value is often measured using the local processor clock. Upon detecting the tone signal, TIME stores the contents of the local processor clock to facilitate this measurement.

Thus, Current Spacecraft Time is the sum of "time at the tone" and "time since the tone".

Leap Seconds occur to keep clocks correlated to astronomical observations. The modern definition of a second (9,192,631,770 oscillations of a cesium-133 atom) is constant while the earth's rotation has been slow by a small fraction of a second per day. The **International Earth Rotation and Reference System Service** (IERS) maintains the count of leap seconds as a signed whole number that is subject to update twice a year. Although it is possible to have a negative leap second count if the earth rotates too fast, it is highly unlikely. The initial count of leap seconds (10) was established in January of 1972 and the first leap second was added to the initial count in June of 1972. The most recent leap seconds are announced by the International Earth Rotation Service (IERS): https://www.iers.org in IERS Bulletin C (leap second announcements). Search the IERS site for "Bulletin C" to obtain the latest issue/announcement.

Next: Time Structure

Up To: cFE Time Services Overview

24.2 Time Structure

The cFE implementation of the **System Time Structure** is a modified version of the CCSDS Unsegmented Time Code (CUC) which includes 4 bytes of seconds, and 4 bytes of subseconds, where a subsecond is equivalent to $1/(2^32)$ seconds. The system time structure is used by TIME to store current time, time at the tone, time since the tone, the MET, the STCF and command arguments for time adjustments. Note that typically the 32 bits of seconds and the upper 16 bits of subseconds are used for time stamping Software bus messages, but this is dependent on the underlying defintion.

The system time structure is defined as follows:

Next: Time Formats
Prev: Time Components

Up To: cFE Time Services Overview

24.3 Time Formats

International Atomic Time (TAI) is one of two time formats supported by cFE TIME. TAI is the number of seconds and sub-seconds elapsed since the ground epoch as measured with the atomic clock previously described. TAI has no reference to leap seconds and is calculated using the following equation:

```
TAI = MET + STCF
```

It should be noted that TAI is only "true" TAI when the selected ground epoch is the same as the TAI epoch (zero seconds after midnight, January 1, 1958). However, nothing precludes configuring cFE TIME to calculate time in the TAI format and setting the STCF to correlate to any other epoch definition.

Coordinated Universal Time (UTC) is the other time format supported by cFE TIME. UTC differs from TAI in the fact that UTC includes a leap seconds adjustment. TIME computes UTC using the following equation:

```
UTC = TAI - Leap Seconds.
```

The preceding UTC equation might seem to imply that TAI includes leap seconds and UTC does not - which is not the case. In fact, the UTC calculation includes a leap seconds adjustment that subtracts leap seconds from the same time components used to create TAI. Alternatively, it might be less confusing to express the UTC equation as follows:

```
UTC = MET + STCF - Leap Seconds
```

Next: Time Configuration Prev: Time Components

Up To: cFE Time Services Overview

24.4 Time Configuration

All configurations of TIME require a local processor source for a 1Hz interrupt and access to a local clock with a resolution fine enough that it can be used to measure short periods of elapsed time. The local interrupt is used to wake-up TIME at a regular interval for the purpose of verifying that the tone is being received. The local clock is used to measure time since the tone and to provide coarse verification that the tone is occurring at approximately one second intervals. The presumption is that the tone is the most accurate timer in the system and, within reason, is to be trusted. Note that nothing precludes the use of the MET as the local clock, assuming the MET is both local and provides sub-second data. However, the tone must not be used as the source for the local 1Hz interrupt.

Consider the following brief description of three hypothetical hardware configurations. These sample systems may be used as reference examples to help clarify the descriptions of the various TIME configuration selections.

In the first system, there is no MET timer and therefore no tone signal. The MET is a count of the number of "fake" tones generated by TIME software. There is no validation performed regarding the quality of time data. This hardware configuration is a common lab environment using COTS equipment.

In the second system, the MET timer is a hardware register that is directly accessible by TIME. When MET seconds increment, a processor interrupt signals the tone. Upon detecting the tone, TIME can read the MET to establish the time at the tone. To verify that the tone is valid, TIME need only validate that this tone signal occurred approximately one second after the previous tone signal (as measured with the local clock).

In the third system, the MET is located on hardware connected via spacewire. When MET seconds increment, a spacewire time tick triggers a local processor interrupt to signal the tone. Shortly after announcing the tone, the hardware containing the MET also generates a spacewire data packet containing the MET value corresponding to the tone. $T \leftarrow IME$ must wait until both the tone and data packet have been received before validating the tone. The tone must have occurred approximately one second after the previous tone signal and the data packet must have been received within a specified window in time following the tone.

The hardware design choice for how the tone signal is distributed is not material to TIME configuration. The software detecting the tone need only call the cFE API function announcing the arrival of the tone. This function is designed to be called from interrupt handlers.

For detail on each of the individual configuration settings for cFE Time Services, see the following sections:

- · Time Format Selection
- Enabling Fake Tone Signal
- · Selecting Tone and Data Ordering
- · Specifying Tone and Data Window
- · Specifying Time Server/Client
- · Specifying Time Tone Byte Order
- Virtual MET
- · Specifying Time Source
- Specifying Time Signal

Next: Time Services Paradigm(s)

Prev: Time Formats

Up To: cFE Time Services Overview

24.4.1 Time Format Selection

Time format is defined in the mission configuration header file.

This selection defines the default time format as TAI or UTC. The API functions to get time in either specific format are still enabled, but the API function to get time in the default format will follow this selection. Enable one, and **only one**, of the following time format definitions:

```
#define CFE_TIME_CFG_DEFAULT_TAI TRUE
#define CFE_TIME_CFG_DEFAULT_UTC FALSE
```

or

```
#define CFE_TIME_CFG_DEFAULT_TAI FALSE
#define CFE_TIME_CFG_DEFAULT_UTC TRUE
```

The choice of time format is a mission specific decision and is not directly affected by the hardware configuration.

See also

```
CFE_TIME_CFG_DEFAULT_TAI, CFE_TIME_CFG_DEFAULT_UTC
```

Next: Enabling Fake Tone Signal Up To: Time Configuration

24.4.2 Enabling Fake Tone Signal

The fake tone is defined in the mission configuration header file.

If this selection is set to TRUE, TIME will generate a "fake" tone signal by calling the same API function as would be called upon detection of the "real" tone signal. Enable the fake tone only for hardware configurations that do not provide a tone signal.

```
#define CFE_TIME_CFG_FAKE_TONE TRUE
```

Hypothetical hardware configuration number one (described above) would enable the fake tone signal.

See also

```
CFE_TIME_CFG_FAKE_TONE
```

Next: Selecting Tone and Data Ordering

Prev: Time Format Selection Up To: Time Configuration

24.4.3 Selecting Tone and Data Ordering

Tone and data order is defined in the mission configuration header file.

This selection defines which comes first - the tone or the time at the tone data. Does the time data describe the tone that already occurred, or the tone that has not yet occurred? This decision may be driven by the hardware design but can also be arbitrary. Enable one, and only one, of the following:

```
#define CFE_TIME_AT_TONE_WAS
#define CFE_TIME_AT_TONE_WILL_BE
```

Hypothetical hardware configuration number three (described Time Configuration above) would enable "time at the tone was".

See also

```
CFE_TIME_AT_TONE_WAS, CFE_TIME_AT_TONE_WILL_BE
```

Next: Specifying Tone and Data Window

Prev: Enabling Fake Tone Signal Up To: Time Configuration

24.4.4 Specifying Tone and Data Window

The tone and data window is defined in the mission configuration header file.

In concert with the definition of tone and data order, this selection defines the valid window in time for the second of the pair to follow the first. Both must be defined, units are micro-seconds.

```
#define CFE_TIME_MIN_ELAPSED 0
#define CFE_TIME_MAX_ELAPSED 100000
```

Hypothetical hardware configuration number three (described above) might use these values which describe a window that begins immediately after the tone and lasts for one tenth of a second.

See also

```
CFE_TIME_MIN_ELAPSED, CFE_TIME_MAX_ELAPSED
```

Next: Specifying Time Server/Client Prev: Selecting Tone and Data Ordering

Up To: Time Configuration

24.4.5 Specifying Time Server/Client

Configure TIME as a client only when the target system has multiple processors running separate instantiations of the cFE. One instantiation must be configured as the server and the remainder configured as clients. If the target system has only one processor running the cFE, then TIME must be configured as a server.

Enable one, and only one, of the following definitions in the platform configuration header file:

```
#define CFE_TIME_CFG_SERVER TRUE
#define CFE_TIME_CFG_CLIENT FALSE

Or
```

```
#define CFE_TIME_CFG_SERVER FALSE
#define CFE_TIME_CFG_CLIENT TRUE
```

See also

```
CFE_TIME_CFG_SERVER, CFE_TIME_CFG_CLIENT
```

Next: Specifying Time Tone Byte Order Prev: Specifying Tone and Data Window

Up To: Time Configuration

24.4.6 Specifying Time Tone Byte Order

By default, the CFE time tone message is a payload of integers in platform-endian order (containing the tone's timestamp, the leap seconds, and state information.) In some configurations, it may be better to have the payload produced in big-endian order—particularly in mixed-endian environments.

In order to force the tone message to be in big-endian order, you must define the following:

#define CFE_PLATFORM_TIME_CFG_BIGENDIAN

Next: Virtual MET

Prev: Specifying Time Server/Client

Up To: Time Configuration

24.4.7 Virtual MET

This configuration option refers to whether the MET is local to this instantiation of TIME. If the MET is not local then TIME must be configured as using a virtual MET.

Therefore, all TIME clients must be configured as using a virtual MET. If the MET was local to any TIME client, then that instantiation of TIME would have to be the server.

TIME servers must be configured as using a virtual MET

Next: Specifying Time Source

Prev: Specifying Time Tone Byte Order

Up To: Time Configuration

24.4.8 Specifying Time Source

TIME configuration provides the ability to specify where the source for time data is originating - either internal or external. In hypothetical system one, the MET is internal. In system two, TIME cannot directly read the MET, therefore time data must be received from an external source.

This selection also enables a command interface to switch between internal and external input. When commanded to use internal time data, TIME will ignore the external data. However, TIME will continue to use the API function as the trigger to generate a "time at the tone" command packet regardless of the internal/external command selection.

Set the following definition to TRUE only for TIME servers using an external time data source.

```
#define CFE_TIME_CFG_SOURCE TRUE
```

The remainder of this section pertains only to TIME servers configured to accept external time data.

When configured to accept external time data, TIME requires an additional definition for the type of external data (GPS, MET, spacecraft time, etc.). This selection will enable an API function specific to the selected data type. Regardless of how the time data is received, the receiver need only pass the data to the appropriate API function.

TIME servers using an external time data source must set one, and only one, of the following to TRUE, for example:

```
#define CFE_TIME_CFG_SRC_MET TRUE
#define CFE_TIME_CFG_SRC_GPS FALSE
#define CFE_TIME_CFG_SRC_TIME FALSE
```

configuration definitions for the particular source.

If the cfe_platform_cfg.h file contains "#define CFE_TIME_CFG_SOURCE TRUE" then time is configured to allow switching between internal and external time sources (see CFE_TIME_SET_SOURCE_CC). If this configuration parameter is set to FALSE then the command to set the source will be rejected.

If this configuration parameter is set to TRUE then ONE and ONLY ONE of the following configuration parameters must also be set TRUE in order to specify the external time source, for example:

```
#define CFE_TIME_CFG_SRC_MET TRUE
#define CFE_TIME_CFG_SRC_GPS FALSE
#define CFE_TIME_CFG_SRC_TIME FALSE
```

Note that Internal MET source depends on available hardware. It may be the local count of tone signals, the contents of a hardware register or an OS specific time function.

Note also that when configured to use an external time source, commands to set the time will be overwritten.

See also

```
CFE_TIME_CFG_SRC_MET, CFE_TIME_CFG_SRC_GPS, CFE_TIME_CFG_SRC_TIME
```

Next: Specifying Time Signal

Prev: Virtual MET

Up To: Time Configuration

24.4.9 Specifying Time Signal

Some hardware configurations support a primary and redundant tone signal selection. Setting the following configuration definition to TRUE will result in enabling a TIME command to select the active tone signal.

```
#define CFE_TIME_CFG_SIGNAL TRUE
```

Note: this feature requires additional custom software to make the physical signal switch.

See also

```
CFE_TIME_CFG_SIGNAL
```

Next: Time Services Paradigm(s)
Prev: Specifying Time Source
Up To: Time Configuration

24.5 Time Format Selection

Time format is defined in the mission configuration header file.

This selection defines the default time format as TAI or UTC. The API functions to get time in either specific format are still enabled, but the API function to get time in the default format will follow this selection. Enable one, and **only one**, of the following time format definitions:

```
#define CFE_TIME_CFG_DEFAULT_TAI TRUE
#define CFE_TIME_CFG_DEFAULT_UTC FALSE

Or

#define CFE_TIME_CFG_DEFAULT_TAI FALSE
#define CFE_TIME_CFG_DEFAULT_UTC TRUE
```

The choice of time format is a mission specific decision and is not directly affected by the hardware configuration.

See also

```
CFE TIME CFG DEFAULT TAI, CFE TIME CFG DEFAULT UTC
```

Next: Enabling Fake Tone Signal Up To: Time Configuration

24.6 Enabling Fake Tone Signal

The fake tone is defined in the mission configuration header file.

If this selection is set to TRUE, TIME will generate a "fake" tone signal by calling the same API function as would be called upon detection of the "real" tone signal. Enable the fake tone only for hardware configurations that do not provide a tone signal.

```
#define CFE_TIME_CFG_FAKE_TONE TRUE
```

Hypothetical hardware configuration number one (described above) would enable the fake tone signal.

See also

```
CFE_TIME_CFG_FAKE_TONE
```

Next: Selecting Tone and Data Ordering

Prev: Time Format Selection Up To: Time Configuration

24.7 Selecting Tone and Data Ordering

Tone and data order is defined in the mission configuration header file.

This selection defines which comes first - the tone or the time at the tone data. Does the time data describe the tone that already occurred, or the tone that has not yet occurred? This decision may be driven by the hardware design but can also be arbitrary. Enable one, and only one, of the following:

```
#define CFE_TIME_AT_TONE_WAS
#define CFE_TIME_AT_TONE_WILL_BE
```

Hypothetical hardware configuration number three (described Time Configuration above) would enable "time at the tone was".

See also

```
CFE TIME AT TONE WAS, CFE TIME AT TONE WILL BE
```

Next: Specifying Tone and Data Window Prev: Enabling Fake Tone Signal Up To: Time Configuration

24.8 Specifying Tone and Data Window

The tone and data window is defined in the mission configuration header file.

In concert with the definition of tone and data order, this selection defines the valid window in time for the second of the pair to follow the first. Both must be defined, units are micro-seconds.

```
#define CFE_TIME_MIN_ELAPSED 0
#define CFE_TIME_MAX_ELAPSED 100000
```

Hypothetical hardware configuration number three (described above) might use these values which describe a window that begins immediately after the tone and lasts for one tenth of a second.

See also

```
CFE_TIME_MIN_ELAPSED, CFE_TIME_MAX_ELAPSED
```

Next: Specifying Time Server/Client
Prev: Selecting Tone and Data Ordering

Up To: Time Configuration

24.9 Specifying Time Server/Client

Configure TIME as a client only when the target system has multiple processors running separate instantiations of the cFE. One instantiation must be configured as the server and the remainder configured as clients. If the target system has only one processor running the cFE, then TIME must be configured as a server.

Enable one, and only one, of the following definitions in the platform configuration header file:

```
#define CFE_TIME_CFG_SERVER TRUE
#define CFE_TIME_CFG_CLIENT FALSE

Or

#define CFE_TIME_CFG_SERVER FALSE
#define CFE_TIME_CFG_CLIENT TRUE
```

See also

CFE TIME CFG SERVER, CFE TIME CFG CLIENT

Next: Specifying Time Tone Byte Order Prev: Specifying Tone and Data Window

Up To: Time Configuration

24.10 Specifying Time Tone Byte Order

By default, the CFE time tone message is a payload of integers in platform-endian order (containing the tone's timestamp, the leap seconds, and state information.) In some configurations, it may be better to have the payload produced in big-endian order—particularly in mixed-endian environments.

In order to force the tone message to be in big-endian order, you must define the following:

```
#define CFE_PLATFORM_TIME_CFG_BIGENDIAN
```

Next: Virtual MET

Prev: Specifying Time Server/Client

Up To: Time Configuration

24.11 Virtual MET

This configuration option refers to whether the MET is local to this instantiation of TIME. If the MET is not local then TIME must be configured as using a virtual MET.

Therefore, all TIME clients must be configured as using a virtual MET. If the MET was local to any TIME client, then that instantiation of TIME would have to be the server.

TIME servers must be configured as using a virtual MET

Next: Specifying Time Source

Prev: Specifying Time Tone Byte Order

Up To: Time Configuration

24.12 Specifying Time Source

TIME configuration provides the ability to specify where the source for time data is originating - either internal or external. In hypothetical system one, the MET is internal. In system two, TIME cannot directly read the MET, therefore time data must be received from an external source.

This selection also enables a command interface to switch between internal and external input. When commanded to use internal time data, TIME will ignore the external data. However, TIME will continue to use the API function as the trigger to generate a "time at the tone" command packet regardless of the internal/external command selection.

Set the following definition to TRUE only for TIME servers using an external time data source.

```
#define CFE_TIME_CFG_SOURCE TRUE
```

The remainder of this section pertains only to TIME servers configured to accept external time data.

When configured to accept external time data, TIME requires an additional definition for the type of external data (GPS, MET, spacecraft time, etc.). This selection will enable an API function specific to the selected data type. Regardless of how the time data is received, the receiver need only pass the data to the appropriate API function.

TIME servers using an external time data source must set one, and only one, of the following to TRUE, for example:

```
#define CFE_TIME_CFG_SRC_MET TRUE
#define CFE_TIME_CFG_SRC_GPS FALSE
#define CFE_TIME_CFG_SRC_TIME FALSE
```

configuration definitions for the particular source.

If the cfe_platform_cfg.h file contains "#define CFE_TIME_CFG_SOURCE TRUE" then time is configured to allow switching between internal and external time sources (see CFE_TIME_SET_SOURCE_CC). If this configuration parameter is set to FALSE then the command to set the source will be rejected.

If this configuration parameter is set to TRUE then ONE and ONLY ONE of the following configuration parameters must also be set TRUE in order to specify the external time source, for example:

```
#define CFE_TIME_CFG_SRC_MET TRUE
#define CFE_TIME_CFG_SRC_GPS FALSE
#define CFE_TIME_CFG_SRC_TIME FALSE
```

Note that Internal MET source depends on available hardware. It may be the local count of tone signals, the contents of a hardware register or an OS specific time function.

Note also that when configured to use an external time source, commands to set the time will be overwritten.

See also

```
CFE TIME CFG SRC MET, CFE TIME CFG SRC GPS, CFE TIME CFG SRC TIME
```

Next: Specifying Time Signal

Prev: Virtual MET

Up To: Time Configuration

24.13 Specifying Time Signal

Some hardware configurations support a primary and redundant tone signal selection. Setting the following configuration definition to TRUE will result in enabling a TIME command to select the active tone signal.

```
#define CFE_TIME_CFG_SIGNAL TRUE
```

Note: this feature requires additional custom software to make the physical signal switch.

See also

CFE_TIME_CFG_SIGNAL

Next: Time Services Paradigm(s)
Prev: Specifying Time Source
Up To: Time Configuration

24.14 Time Services Paradigm(s)

In order for the cFE Time Services to work for a particular mission, the methods of obtaining time, distributing time and translating time must follow some standard paradigms used in previous missions. The following describes this expected context:

Mission dependent hardware provides the Tone. When this Tone message is received, TIME latches the local time based on the local clock. Note that in lab environments, a simulated Tone capability exists which uses an SB message. Mission dependent hardware also provides the "time at the tone" message based on the hardware latched time and the reference times stored by TIME Server. The TIME Client then updates its local reference time based on the local hardware latched time at the Tone and the provided Time-at-Tone message packet when certain checks (such as the Validity bit being set) pass.

When used in an environment that includes multiple processors, each running a separate instantiation of cFE software, the presumption is that TIME will be distributed in a client/server relationship. In this model, one processor will have TIME configured as the server and the other processors as clients. The TIME server will maintain the various time components and publish a "time at the tone" message to provide synchronized time to the TIME clients. Environments that have only a single instance of TIME must be configured as a TIME server.

In all configurations, the final step in calculating the time "right now" for any instantiation of TIME is to use a local processor clock to measure the "time since the tone".

The specific MET hardware properties will determine whether the MET value can be modified. However, the cFE design is such that there should never be a need to purposefully change or reset the MET.

Regardless of the physical hardware implementation for the MET (elapsed seconds, elapsed ticks, etc.), cFE TIME will convert the hardware MET value into a System Time Format structure for time calculations and will report the converted value in telemetry. cFE TIME will also maintain and report the STCF in a System Time Format structure.

cFE TIME has no knowledge of the current epoch; it is up to the user to keep time on the spacecraft correlated to an epoch. An exception might appear to be the epoch definition required in the cFE mission configuration definition file. However, this definition is for use only by the API functions that convert spacecraft time and file system time, and the API function that prints spacecraft time as a date and time text string. The cFE "get time" functions are independent of the ground epoch.

The mission configuration parameters, CFE_TIME_CFG_DEFAULT_TAI and CFE_TIME_CFG_DEFAULT_UTC specify the default time format. Applications are encouraged to use the CFE_TIME_GetTime API, which returns time in the format specified by this configuration parameter.

Next: Flywheeling Prev: Time Components

Up To: cFE Time Services Overview

24.15 Flywheeling 77

24.15 Flywheeling

Flywheeling occurs when TIME is not getting a valid tone signal or external "time at the tone" message. While this has minimal impact on internal operations, it can result in the drifting apart of times being stored by different spacecraft systems.

Flywheeling occurs when at least one of the following conditions is true:

- · loss of tone signal
- · loss of "time at the tone" data packet
- · signal and packet not within valid window
- · commanded into fly-wheel mode

If the TIME server is in Flywheel mode then the TIME client is also in flywheel mode.

Next: Time State

Prev: Time Services Paradigm(s)
Up To: cFE Time Services Overview

24.16 Time State

Clock state is a combination of factors, most significantly whether the spacecraft time has been accurately set and whether Time Service is operating in FLYWHEEL mode. A ground command is provided to set the state to reflect when the ground has determined the spacecraft time is now correct, or that time is no longer correct. This information will be distributed to Time Clients, and in turn, to any interested sub-systems. If time has not been set then TIME services reports the state of time as invalid, regardless of whether time is flywheeling or not. Also, this command may be used to force a Time Server or Time Client into FLYWHEEL mode. Use of FLYWHEEL mode is mainly for debug purposes although, in extreme circumstances, it may be of value to force Time Service not to rely on normal time updates. Note that when commanded into FLYWHEEL mode, the Time Service will remain so until receipt of another "set state" command setting the state into a mode other than FLYWHEEL. Note also that setting the clock state to VALID or INV \leftarrow ALID on a Time Client that is currently getting time updates from the Time Server will have very limited effect. As soon as the Time Client receives the next time update, the VALID/INVALID selection will be set to that of the Time Server. However, setting a Time Client to FLYWHEEL cannot be overridden by the Time Server since the Time Client will ignore time updates from the Time Server while in FLYWHEEL mode.

Next: Initialization Prev: Flywheeling

Up To: cFE Time Services Overview

24.17 Initialization

No action is required by the ground to initialize the TIME software; however, time variables in the TIME Server must be set by command to allow correct time to propagate.

For a description of what happens during each type of reset, see below:

- · Power-On Reset
- Processor Reset

Next: Power-On Reset Prev: Time State

Up To: cFE Time Services Overview

24.17.1 Power-On Reset

TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

Next: Processor Reset Up To: Initialization

24.17.2 Processor Reset

In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

Next: Normal Operation Prev: Power-On Reset Up To: Initialization 24.18 Power-On Reset 79

24.18 Power-On Reset

TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

Next: Processor Reset Up To: Initialization

24.19 Processor Reset

In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

Next: Normal Operation Prev: Power-On Reset Up To: Initialization

24.20 Initialization

No action is required by the ground to initialize the TIME software; however, time variables in the TIME Server must be set by command to allow correct time to propagate.

For a description of what happens during each type of reset, see below:

- · Power-On Reset
- Processor Reset

Next: Power-On Reset Prev: Time State

Up To: cFE Time Services Overview

24.20.1 Power-On Reset

TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

Next: Processor Reset Up To: Initialization

24.20.2 Processor Reset

In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

Next: Normal Operation Prev: Power-On Reset Up To: Initialization

24.21 Power-On Reset

TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

Next: Processor Reset Up To: Initialization

24.22 Processor Reset 81

24.22 Processor Reset

In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

Next: Normal Operation Prev: Power-On Reset Up To: Initialization

24.23 Normal Operation

The following sections describe the operator's resposibilities for maintaining time under nominal conditions:

- Client
- Server

Next: Client Prev: Initialization

Up To: cFE Time Services Overview

24.23.1 Client

Under normal operation, TIME Client systems do not require any attention from the ground, however TIME clients do provide commands to set the persistent latency between the server and client. Latency can be either added or subtracted to the current TIME client time calculation to account for the latency.

Next: Server

Up To: Normal Operation

24.23.2 Server

TIME Servers require maintenance by the operations team to ensure the spacecraft is maintaining a time that can be successfully correlated to other entities. The following sections describe the commands that the operations team can use to help maintain a proper time reference:

- · Setting Time
- · Adjusting Time
- Setting MET

Next: Setting Time Prev: Client

Up To: Normal Operation

24.23.2.1 Setting Time

The Time Server provides commands to set time. The new time value represents the desired offset from mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI:

```
STCF = new time - current MET current time = current MET + STCF
```

If Time Service is configured to compute current time as UTC:

See also

CFE_TIME_SET_TIME_CC

Next: Adjusting Time Up To: Server

24.24 Client 83

24.23.2.2 Adjusting Time

The TIME Server includes commands to set the STCF, Leap Seconds, and Validity state. The STCF should be set implicity using the CFE_TIME_SET_TIME_CC or explicitly using CFE_TIME_SET_STCF_CC. TIME provides the ability to command a one time adjustment (CFE_TIME_ADD_ADJUST_CC and CFE_TIME_SUB_ADJUST_CC) to the current STCF. In addition there is a 1Hz adjustment (CFE_TIME_ADD_1HZ_ADJUSTMENT_CC and CFE_TIME_SUB_1HZ_
ADJUSTMENT_CC) that can be made to the STCF to compensate for oscillator drift. Mission specific ground correlation should be used to assist in determining the proper values to use. The Leap Seconds should be set to the current TA I-UTC. Note that the International Earth Rotation and Reference Systems Service Bulletin C, which defines the current difference, reports it as UTC-TAI, and thus that value must be negated. The Leap Seconds value will always be a positive number. The Validity state does not have to be set to invalid to change the STCF or Leap Seconds, and should be set to valid at any time that the TIME Server time reference should be synchronized to by the other systems.

See also

CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_A \leftarrow DD_1HZ_ADJUSTMENT_CC, CFE_TIME_SUB_1HZ_ADJUSTMENT_CC, CFE_TIME_SET_LEAP_SECOND \leftarrow S_CC

Next: Setting MET Prev: Setting Time Up To: Server

24.23.2.3 Setting MET

The TIME Server provides the capability to set the MET. Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to. Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt. The new MET takes effect immediately upon execution of this command.

See also

CFE_TIME_SET_MET_CC

Next: Frequently Asked Questions

Prev: Adjusting Time Up To: Server

24.24 Client

Under normal operation, TIME Client systems do not require any attention from the ground, however TIME clients do provide commands to set the persistent latency between the server and client. Latency can be either added or subtracted to the current TIME client time calculation to account for the latency.

Next: Server

Up To: Normal Operation

24.25 Server

TIME Servers require maintenance by the operations team to ensure the spacecraft is maintaining a time that can be successfully correlated to other entities. The following sections describe the commands that the operations team can use to help maintain a proper time reference:

- · Setting Time
- · Adjusting Time
- Setting MET

Next: Setting Time Prev: Client

Up To: Normal Operation

24.25.0.1 Setting Time

The Time Server provides commands to set time. The new time value represents the desired offset from mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI:

```
STCF = new time - current MET current time = current MET + STCF
```

If Time Service is configured to compute current time as UTC:

See also

CFE_TIME_SET_TIME_CC

Next: Adjusting Time Up To: Server

24.26 Setting Time 85

24.25.0.2 Adjusting Time

The TIME Server includes commands to set the STCF, Leap Seconds, and Validity state. The STCF should be set implicity using the CFE_TIME_SET_TIME_CC or explicitly using CFE_TIME_SET_STCF_CC. TIME provides the ability to command a one time adjustment (CFE_TIME_ADD_ADJUST_CC and CFE_TIME_SUB_ADJUST_CC) to the current STCF. In addition there is a 1Hz adjustment (CFE_TIME_ADD_1HZ_ADJUSTMENT_CC and CFE_TIME_SUB_1HZ_\Leftarrow ADJUSTMENT_CC) that can be made to the STCF to compensate for oscillator drift. Mission specific ground correlation should be used to assist in determining the proper values to use. The Leap Seconds should be set to the current TA\Leftarrow I-UTC. Note that the International Earth Rotation and Reference Systems Service Bulletin C, which defines the current difference, reports it as UTC-TAI, and thus that value must be negated. The Leap Seconds value will always be a positive number. The Validity state does not have to be set to invalid to change the STCF or Leap Seconds, and should be set to valid at any time that the TIME Server time reference should be synchronized to by the other systems.

See also

CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_A⇔ DD_1HZ_ADJUSTMENT_CC, CFE_TIME_SUB_1HZ_ADJUSTMENT_CC, CFE_TIME_SET_LEAP_SECOND⇔ S CC

Next: Setting MET Prev: Setting Time Up To: Server

24.25.0.3 Setting MET

The TIME Server provides the capability to set the MET. Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to. Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt. The new MET takes effect immediately upon execution of this command.

See also

```
CFE_TIME_SET_MET_CC
```

Next: Frequently Asked Questions

Prev: Adjusting Time Up To: Server

24.26 Setting Time

The Time Server provides commands to set time. The new time value represents the desired offset from mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI:

```
STCF = new time - current MET current time = current MET + STCF
```

If Time Service is configured to compute current time as UTC:

See also

CFE TIME SET TIME CC

Next: Adjusting Time Up To: Server

24.27 **Adjusting Time**

The TIME Server includes commands to set the STCF, Leap Seconds, and Validity state. The STCF should be set implicity using the CFE_TIME_SET_TIME_CC or explicitly using CFE_TIME_SET_STCF_CC. TIME provides the ability to command a one time adjustment (CFE_TIME_ADD_ADJUST_CC and CFE_TIME_SUB_ADJUST_CC) to the current STCF. In addition there is a 1Hz adjustment (CFE_TIME_ADD_1HZ_ADJUSTMENT_CC and CFE_TIME_SUB_1HZ_ ADJUSTMENT CC) that can be made to the STCF to compensate for oscillator drift. Mission specific ground correlation should be used to assist in determining the proper values to use. The Leap Seconds should be set to the current TA← I-UTC. Note that the International Earth Rotation and Reference Systems Service Bulletin C, which defines the current difference, reports it as UTC-TAI, and thus that value must be negated. The Leap Seconds value will always be a positive number. The Validity state does not have to be set to invalid to change the STCF or Leap Seconds, and should be set to valid at any time that the TIME Server time reference should be synchronized to by the other systems.

See also

CFE TIME ADD ADJUST CC, CFE TIME SUB ADJUST CC, CFE TIME SET STCF CC, CFE TIME A \leftarrow DD_1HZ_ADJUSTMENT_CC, CFE_TIME_SUB_1HZ_ADJUSTMENT_CC, CFE_TIME_SET_LEAP_SECOND↔ S_CC

Next: Setting MET Prev: Setting Time Up To: Server

24.28 **Setting MET**

The TIME Server provides the capability to set the MET. Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to. Note also that Time Service "assumes" that during normal operation. the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt. The new MET takes effect immediately upon execution of this command.

See also

CFE_TIME_SET_MET_CC

Next: Frequently Asked Questions

Prev: Adjusting Time

Up To: Server

24.29 **Frequently Asked Questions**

(Q)

Prev: Normal Operation

Up To: cFE Time Services Overview

25 cFE Time Services Commands

The following is a list of commands that are processed by the cFE Time Services Task.

Global CFE TIME ADD 1HZ ADJUSTMENT CC

Add Delta to Spacecraft Time Correlation Factor each 1Hz

Global CFE_TIME_ADD_ADJUST_CC

Add Delta to Spacecraft Time Correlation Factor

Global CFE TIME ADD DELAY CC

Add Time to Tone Time Delay

Global CFE_TIME_NOOP_CC

Time No-Op

Global CFE_TIME_RESET_COUNTERS_CC

Time Reset Counters

Global CFE TIME SEND DIAGNOSTIC TLM CC

Request TIME Diagnostic Telemetry

Global CFE_TIME_SET_LEAP_SECONDS_CC

Set Leap Seconds

Global CFE TIME SET MET CC

Set Mission Elapsed Time

Global CFE_TIME_SET_SIGNAL_CC

Set Tone Signal Source

Global CFE_TIME_SET_SOURCE_CC

Set Time Source

Global CFE TIME SET STATE CC

Set Time State

Global CFE_TIME_SET_STCF_CC

Set Spacecraft Time Correlation Factor

Global CFE TIME SET TIME CC

Set Spacecraft Time

Global CFE_TIME_SUB_1HZ_ADJUSTMENT_CC

Subtract Delta from Spacecraft Time Correlation Factor each 1Hz

Global CFE_TIME_SUB_ADJUST_CC

Subtract Delta from Spacecraft Time Correlation Factor

Global CFE_TIME_SUB_DELAY_CC

Subtract Time from Tone Time Delay

26 cFE Time Services Telemetry

The following are telemetry packets generated by the cFE Time Services Task.

Class CFE TIME DiagnosticTlm Payload t

Time Services Diagnostics Packet

Class CFE_TIME_HousekeepingTIm_Payload_t

Time Services Housekeeping Packet

27 cFE Time Services Configuration Parameters

The following are configuration parameters used to configure the cFE Time Services either for each platform or for a mission as a whole.

Global CFE MISSION TIME AT TONE WAS

Default Time and Tone Order

Global CFE_MISSION_TIME_CFG_DEFAULT_TAI

Default Time Format

Global CFE_MISSION_TIME_CFG_FAKE_TONE

Default Time Format

Global CFE_MISSION_TIME_DEF_MET_SECS

Default Time Values

Global CFE MISSION TIME EPOCH YEAR

Default EPOCH Values

Global CFE_MISSION_TIME_FS_FACTOR

Time File System Factor

Global CFE_MISSION_TIME_MIN_ELAPSED

Min and Max Time Elapsed

Global CFE_PLATFORM_TIME_CFG_LATCH_FLY

Define Periodic Time to Update Local Clock Tone Latch

Global CFE_PLATFORM_TIME_CFG_SERVER

Time Server or Time Client Selection

Global CFE_PLATFORM_TIME_CFG_SIGNAL

Include or Exclude the Primary/Redundant Tone Selection Cmd

Global CFE_PLATFORM_TIME_CFG_SOURCE

Include or Exclude the Internal/External Time Source Selection Cmd

Global CFE_PLATFORM_TIME_CFG_SRC_MET

Choose the External Time Source for Server only

Global CFE_PLATFORM_TIME_CFG_START_FLY

Define Time to Start Flywheel Since Last Tone

Global CFE_PLATFORM_TIME_CFG_TONE_LIMIT

Define Timing Limits From One Tone To The Next

Global CFE PLATFORM TIME CFG VIRTUAL

Time Tone In Big-Endian Order

Local MET or Virtual MET Selection for Time Servers

Global CFE_PLATFORM_TIME_MAX_DELTA_SECS

Define the Max Delta Limits for Time Servers using an Ext Time Source

Global CFE PLATFORM TIME MAX LOCAL SECS

Define the Local Clock Rollover Value in seconds and subseconds

Global CFE PLATFORM TIME START TASK PRIORITY

Define TIME Task Priorities

Global CFE PLATFORM TIME START TASK STACK SIZE

Define TIME Task Stack Sizes

28 cFE Event Message Cross Reference

The following cross reference maps the text associated with each cFE Event Message to its Event Message Identifier. A user can search this page for the text of the message they wish to learn more about and then click on the associated Event Message Identifier to obtain more information.

```
Global CFE ES ALL APPS EID
   'App Info file written to %s, Entries=%d, FileSize=%d'
Global CFE_ES_BOOT_ERR_EID
  'Invalid cFE restart type %d'
Global CFE ES BUILD INF EID
  'Build s s'
Global CFE ES CC1 ERR EID
  'Invalid ground command code: ID = 0x%X, CC = %d'
Global CFE ES CDS DELETE ERR EID
  'Error while deleting '%s' from CDS, See SysLog.(Err=0x%08X)'
Global CFE ES CDS DELETE TBL ERR EID
  'CDS '%s' is a Critical Table CDS. Must be deleted via TBL Command'
Global CFE ES CDS DELETED INFO EID
  'Successfully removed '%s' from CDS'
Global CFE ES CDS DUMP ERR EID
  'Error writing CDS Registry to '%s', Status=0x%08X'
Global CFE ES CDS NAME ERR EID
  'Unable to locate '%s' in CDS Registry'
Global CFE ES CDS OWNER ACTIVE EID
   'CDS '%s' not deleted because owning app is active'
```

```
Global CFE ES CDS REG DUMP INF EID
   'Successfully dumped CDS Registry to '%s':Size=%d, Entries=%d'
Global CFE ES CDS REGISTER ERR EID
  '%s Failed to Register CDS '%s', Status=0x%08X'
Global CFE ES CREATING CDS DUMP ERR EID
  'Error creating CDS dump file '%s', Status=0x%08X'
Global CFE ES ERLOG1 INF EID
  'Cleared mode log data'
Global CFE ES ERLOG2 EID
  '%s written:Size=%d'
Global CFE ES ERLOG2 ERR EID
  'Error creating file %s, stat=0x%x'
Global CFE ES ERR SYSLOGMODE EID
  'Set OverWriteSysLog Command: Invalid Mode setting = %d'
Global CFE ES ERREXIT APP ERR EID
  'Exit Application %s on Error Failed: CleanUpApp Error 0x%08X.'
Global CFE ES ERREXIT APP INF EID
  'Exit Application %s Completed.'
Global CFE_ES_EXIT_APP_ERR_EID
  'Exit Application %s Failed: CleanUpApp Error 0x%08X.'
Global CFE_ES_EXIT_APP_INF_EID
  'Exit Application %s Completed.'
Global CFE ES FILEWRITE ERR EID
  'File write, byte cnt err, file %s, request=%d, actual=%d'
Global CFE ES INIT INF EID
  'cFE ES Initialized'
Global CFE ES INITSTATS INF EID
  'cFE Version %d.%d.%d chksm %d, OSAL Version %d.%d'
Global CFE_ES_INVALID_POOL_HANDLE_ERR_EID
  'Cannot telemeter memory pool stats. Illegal Handle (0x%08X)'
Global CFE ES LEN ERR EID
  'Invalid cmd length:
                         ID = 0x%X, CC = %d, Exp Len = %d, Len = %d'
Global CFE_ES_MID_ERR_EID
  'Invalid command pipe message ID: 0x%X'
Global CFE ES NOOP INF EID
  'No-op command'
Global CFE ES ONE APP EID
  'Sent %s application data'
Global CFE ES ONE APPID ERR EID
  'Failed to send %s application data: GetAppIDByName Failed, RC = 0x%08X'
Global CFE ES ONE ERR EID
  'Failed to send %s application data, RC = %08X'
```

Global CFE ES OSCREATE ERR EID

'Failed to write App Info file, OS_creat returned %d'

Global CFE_ES_PCR_ERR1_EID

'ES_ProcControlReq: Invalid State (EXCEPTION) Application %s.'

Global CFE ES PCR ERR2 EID

'ES_ProcControlReq: Unknown State (%d) Application %s.'

Global CFE ES PERF DATAWRITTEN EID

'%s written:Size=%d,EntryCount=%d'

Global CFE_ES_PERF_FILTMSKCMD_EID

'Set Performance Filter Mask command'

Global CFE ES PERF FILTMSKERR EID

'Error:Performance Filter Mask Index value greater than CFE_ES_PERF_32BIT_ \leftrightarrow WORDS_IN_MASK (which is a whole number derived from CFE_PLATFORM_ES_PERF_M \leftrightarrow AX_IDS / 32)'

Global CFE ES PERF LOG ERR EID

'Error creating file %s, stat=%d'

Global CFE ES PERF STARTCMD EID

'Start collecting performance data command, trigger mode = d'

Global CFE ES PERF STARTCMD ERR EID

'Cannot start collecting performance data, perf data write in progress'

Global CFE_ES_PERF_STARTCMD_TRIG_ERR_EID

'Cannot start collecting performance data, trigger mode (d) out of range (d to d)'

Global CFE ES PERF STOPCMD EID

'Perf Stop Cmd Rcvd,%s will write %d entries.%dmS dly every %d entries'

Global CFE ES PERF STOPCMD ERR2 EID

'Stop performance data cmd ignored, perf data write in progress'

Global CFE_ES_PERF_TRIGMSKCMD_EID

'Set Performance Trigger Mask command'

Global CFE_ES_PERF_TRIGMSKERR_EID

Global CFE_ES_RELOAD_APP_DBG_EID

'Reload Application %s Initiated.'

Global CFE ES RELOAD APP ERR1 EID

'Failed to reload Application %s, rc = %08X'

Global CFE ES RELOAD APP ERR2 EID

'Reload Application %s, GetAppIDByName failed. RC = 0x%08X.'

Global CFE ES RELOAD APP ERR3 EID

'Reload Application %s Failed: AppCreate Error 0x%08X.'

Global CFE ES RELOAD APP ERR4 EID

'Reload Application %s Failed: CleanUpApp Error 0x%08X.'

```
Global CFE ES RELOAD APP INF EID
   'Reload Application %s Completed.'
Global CFE ES RESET INF EID
  'Reset Counters command'
Global CFE ES RESET PR COUNT EID
  'Reset Processor Reset Count to Zero'
Global CFE ES RESTART APP DBG EID
  'Restart Application %s Initiated.'
Global CFE ES RESTART APP ERR1 EID
  'Restart Application %s Failed, RC = 0x\%08X'
Global CFE ES RESTART APP ERR2 EID
  'Restart Application %s, GetAppIDByName failed. RC = 0x%08X.'
Global CFE ES RESTART APP ERR3 EID
  'Restart Application %s Failed: AppCreate Error 0x%08X.'
Global CFE ES RESTART APP ERR4 EID
  'Restart Application %s Failed: CleanUpApp Error 0x%08X.'
Global CFE ES RESTART APP INF EID
  'Restart Application %s Completed.'
Global CFE ES RST ACCESS EID
  'Error accessing ER Log,%s not written.Stat=0x%08x'
Global CFE ES SET MAX PR COUNT EID
  'Maximum Processor Reset Count set to: %d'
Global CFE ES SHELL ERR EID
  'Failed to invoke shell command %s, rc = %08X'
Global CFE ES SHELL INF EID
  'Invoked shell command %s'
Global CFE_ES_START_ERR_EID
  'Failed to start %s from %s, RC = %08X'
Global CFE_ES_START_EXC_ACTION_ERR_EID
  'CFE_ES_StartAppCmd: Invalid Exception Action: %d.'
Global CFE ES START INF EID
  'Started %s from %s, AppID = %d'
Global CFE_ES_START_INVALID_ENTRY_POINT_ERR_EID
  'CFE_ES_StartAppCmd: App Entry Point is NULL.'
Global CFE ES START INVALID FILENAME ERR EID
  'CFE_ES_StartAppCmd: invalid filename:
Global CFE ES START NULL APP NAME ERR EID
  'CFE_ES_StartAppCmd: App Name is NULL.'
Global CFE ES START PRIORITY ERR EID
   'CFE_ES_StartAppCmd: Priority is too large: %d.'
Global CFE ES START STACK ERR EID
  'CFE_ES_StartAppCmd: Stack size is less than system Minimum:
```

```
Global CFE_ES_STOP_DBG_EID
   'Stop Application %s Initiated.'
Global CFE ES STOP ERR1 EID
  'Stop Application %s Failed, RC = 0x\%08X'
Global CFE ES STOP ERR2 EID
  'Stop Application %s, GetAppIDByName failed. RC = 0x%08X.'
Global CFE ES STOP ERR3 EID
  'Stop Application %s Failed: CleanUpApp Error 0x%08X.'
Global CFE ES STOP INF EID
  'Stop Application %s Completed.'
Global CFE ES SYSLOG1 INF EID
  'Cleared Executive Services log data'
Global CFE ES SYSLOG2 EID
  '%s written:Size=%d, Entries=%d'
Global CFE ES SYSLOG2 ERR EID
  'Error creating file %s, stat=0x%x'
Global CFE ES SYSLOGMODE EID
  'Set OverWriteSysLog Command Received with Mode setting = %d'
Global CFE ES TASKINFO EID
  'Task Info file written to %s, Entries=%d, FileSize=%d'
Global CFE ES TASKINFO OSCREATE ERR EID
  'Failed to write Task Info file, OS_creat returned %d'
Global CFE ES TASKINFO WR ERR EID
  'Failed to write Task Info file, Task write RC = 0x%08X, exp %d'
Global CFE ES TASKINFO WRHDR ERR EID
  'Failed to write Task Info file, WriteHdr rtnd %08X, exp %d'
Global CFE ES TASKWR ERR EID
  'Failed to write App Info file, Task write RC = 0x%08X, exp %d'
Global CFE ES TLM POOL STATS INFO EID
  'Successfully telemetered memory pool stats for 0x%08X'
Global CFE ES VERSION INF EID
  'Mission s.s, s, s'
Global CFE_ES_WRHDR_ERR_EID
  'Failed to write App Info file, WriteHdr rtnd %08X, exp %d'
Global CFE ES WRITE CFE HDR ERR EID
  'Error writing cFE File Header to '%s', Status=0x%08X'
Global CFE EVS ADDFILTER EID
  'Add Filter Command Received with AppName = %s, EventID = 0x%08x, Mask =
  0x%04x'
Global CFE EVS DELFILTER EID
  'Delete Filter Command Received with AppName = %s, EventID = 0x\%08x'
```

```
Global CFE EVS DISAPPENTTYPE EID
  'Disable App Event Type Command Received with AppName = %s, EventType Bit
  Mask = 0x\%02x'
Global CFE EVS DISAPPEVT EID
  'Disable App Events Command Received with AppName = %s'
Global CFE EVS DISEVTTYPE EID
  'Disable Event Type Command Received with Event Type Bit Mask = 0x%02x'
Global CFE EVS DISPORT EID
  'Disable Ports Command Received with Port Bit Mask = 0x%02x'
Global CFE EVS ENAAPPEVT EID
  'Enable App Events Command Received with AppName = %s'
Global CFE EVS ENAAPPEVTTYPE EID
  'Enable App Event Type Command Received with AppName = %s, EventType Bit
  Mask = 0x\%02x'
Global CFE EVS ENAEVTTYPE EID
  'Enable Event Type Command Received with Event Type Bit Mask = 0x%02x'
Global CFE EVS ENAPORT EID
  'Enable Ports Command Received with Port Bit Mask = 0x%02x'
Global CFE EVS ERR APPNOREGS EID
  '%s not registered with EVS: CC = %lu'
Global CFE EVS ERR CC EID
  'Invalid command code - ID = 0x\%08x, CC = %d'
Global CFE_EVS_ERR_CRDATFILE_EID
  'Write App Data Command Error: OS_creat = 0x%08X, filename = %s'
Global CFE EVS ERR CRLOGFILE EID
  'Write Log File Command Error: OS_creat = 0x%08X, filename = %s'
Global CFE EVS ERR EVTIDNOREGS EID
  '%s Event ID %d not registered for filtering: CC = %lu'
Global CFE EVS ERR ILLAPPIDRANGE EID
  'Illegal application ID %d retrieved for %s: CC = %lu'
Global CFE EVS ERR ILLEGALFMTMOD EID
   'Set Event Format Mode Command:
                                    Invalid Event Format Mode = 0x\%02x'
Global CFE_EVS_ERR_INVALID_BITMASK_EID
  'Bit Mask = 0x%X out of range: CC = %lu'
Global CFE EVS ERR LOGMODE EID
   'Set Log Mode Command Error: Log Mode = %d
Global CFE EVS ERR MAXREGSFILTER EID
  'Add Filter Command: number of registered filters has reached max = %d'
Global CFE EVS ERR MSGID EID
   'Invalid command packet, Message ID = 0x%08X'
Global CFE EVS ERR NOAPPIDFOUND EID
```

'Unable to retrieve application ID for %s: CC = %lu'

```
Global CFE_EVS_ERR_UNREGISTERED_EVS_APP
   'App %s not registered with Event Services. Unable to send event'
Global CFE EVS ERR WRDATFILE EID
   'Write App Data Command Error: OS_write = 0x%08X, filename = %s'
Global CFE EVS ERR WRLOGFILE EID
  'Write Log File Command Error: OS_write = 0x%08X, filename = %s'
Global CFE_EVS_EVT_FILTERED_EID
  'Add Filter Command: AppName = %s, EventID = 0x\%08x is already registered for
  filtering'
Global CFE_EVS_FILTER_MAX_EID
  'Max filter count reached, AppName = %s, EventID = 0x%08x: Filter locked
  until reset'
Global CFE_EVS_LEN_ERR_EID
  'Invalid cmd length: ID = 0x%X, CC = %d, Exp Len = %d, Len = %d'
Global CFE EVS LOGMODE EID
  'Set Log Mode Command Error: Log Mode = %d'
Global CFE EVS NO LOGCLR EID
  'Clear Log Command: Event Log is Disabled'
Global CFE EVS NO LOGSET EID
  'Set Log Mode Command: Event Log is Disabled'
Global CFE EVS NO LOGWR EID
  'Write Log Command: Event Log is Disabled'
Global CFE EVS NOOP EID
  'No-op command'
Global CFE_EVS_RSTALLFILTER_EID
  'Reset All Filters Command Received with AppName = %s'
Global CFE EVS RSTCNT EID
  'Reset Counters Command Received'
Global CFE EVS RSTEVTCNT EID
  'Reset Event Counter Command Received with AppName = %s'
Global CFE EVS RSTFILTER EID
  'Reset Filter Command Received with AppName = %s, EventID = 0x%08x'
Global CFE_EVS_SETEVTFMTMOD_EID
  'Set Event Format Mode Command Received with Mode = 0x%02x'
Global CFE EVS SETFILTERMSK EID
   'Set Filter Mask Command Received with AppName=%s, EventID=0x%08x, Mask=0x%04x'
Global CFE EVS STARTUP EID
  'cFE EVS Initialized'
Global CFE EVS WRDAT EID
  'Write App Data Command: %d application data entries written to %s'
Global CFE EVS WRLOG EID
  'Write Log File Command: %d event log entries written to %s'
```

```
Global CFE SB BAD CMD CODE EID
  'Invalid Cmd, Unexpected Command Code %d'
Global CFE SB BAD MSGID EID
  'Invalid Cmd, Unexpected Msg Id: 0x%04x'
Global CFE SB BAD PIPEID EID
  'Rcv Err:PipeId %d does not exist,app %s'
Global CFE SB CMD0 RCVD EID
  'No-op Cmd Rcvd'
Global CFE SB CMD1 RCVD EID
   'Reset Counters Cmd Rcvd'
Global CFE_SB_CR_PIPE_BAD_ARG_EID
  'CreatePipeErr:Bad Input Arg:app=%s,ptr=0x%x,depth=%d,maxdepth=%d'
Global CFE SB CR PIPE ERR EID
  'CreatePipeErr:OS_QueueCreate returned %d,app %s'
Global CFE SB CR PIPE NAME TAKEN EID
  'CreatePipeErr:Name Taken:app=%s,ptr=0x%x,depth=%d,maxdepth=%d'
Global CFE SB CR PIPE NO FREE EID
  'CreatePipeErr:No Free:app=%s,ptr=0x%x,depth=%d,maxdepth=%d'
Global CFE_SB_DEL_PIPE_ERR1_EID
  'Pipe Delete Error: Bad Argument, PipedId %d, Requestor %s, Idx %d, Stat %d'
Global CFE SB DEL PIPE ERR2 EID
  'Pipe Delete Error: Caller(%s) is not the owner of pipe %d'
Global CFE SB DEST BLK ERR EID
  'Subscribe Err: Request for Destination Blk failed for Msq 0x%x, Pipe %s'
Global CFE SB DSBL RTE1 EID
  'Disable Route Cmd:Route does not exist, Msg 0x%x, Pipe %d'
Global CFE_SB_DSBL_RTE2_EID
  'Route Disabled, Msg 0x%x, Pipe %d'
Global CFE SB DSBL RTE3 EID
  'Disable Route Cmd: Invalid Param. Msg 0x%x, Pipe %d'
Global CFE SB DUP SUBSCRIP EID
  'Duplicate Subscription, MsgId 0x%x on %s pipe, app %s'
Global CFE SB ENBL RTE1 EID
  'Enbl Route Cmd:Route does not exist.Msg 0x%x,Pipe %d'
Global CFE SB ENBL RTE2 EID
  'Enabling Route, Msg 0x%x, Pipe %d'
Global CFE SB ENBL RTE3 EID
  'Enbl Route Cmd: Invalid Param. Msg 0x%x, Pipe %d'
Global CFE SB FILEWRITE ERR EID
```

'File write, byte cnt err, file %s, request=%d, actual=%d'

```
Global CFE SB FULL SUB PKT EID
   'Full Sub Pkt %d Sent, Entries=%d, Stat=0x%x
Global CFE_SB_GET_BUF_ERR_EID
  'Send Err: Request for Buffer Failed. MsqId 0x%x, app %s, size %d'
Global CFE SB GETPIPEIDBYNAME EID
  'GetPipeIdByName: ID retrieved. Name %s,IdOut 0x%x, app %s'
Global CFE SB GETPIPEIDBYNAME NAME ERR EID
  'GetPipeIdByName Err: Name not found, Name %s, IdOut 0xx, App %s'
Global CFE SB GETPIPEIDBYNAME NULL ERR EID
  'GetPipeIdByName Err:Bad input argument, Name 0x%x, IdOut 0xx, App %s'
Global CFE SB GETPIPENAME EID
  'GetPipeName: Name retrieved. NameOut %s,Id %d, app %s'
Global CFE SB GETPIPENAME ID ERR EID
  'GetPipeName: Id error. NameOut %s,Id %d, app %s'
Global CFE SB GETPIPENAME NULL PTR EID
  'GetPipeName: Null ptr error. Id %d, app %s'
Global CFE_SB_GETPIPEOPTS_EID
  'GetPipeOpts: Options retrieved. app %s'
Global CFE SB GETPIPEOPTS ID ERR EID
  'GetPipeOptsErr:Invalid pipe id (%d).app %s'
Global CFE SB GETPIPEOPTS PTR ERR EID
  'GetPipeOptsErr:Invalid opts ptr.app %s'
Global CFE SB GLS INV CALLER EID
  'SB GetLastSender Err:Caller(%s) is not the owner of pipe %d'
Global CFE SB INIT EID
  'cFE SB Initialized'
Global CFE SB LEN ERR EID
  'Invalid cmd length: ID = 0x%X, CC = %d, Exp Len = %d, Len = %d'
Global CFE SB LSTSNDER ERR1 EID
  'SB GetLastSender Err:Rcvd Null Ptr,Pipe=d,App=s'
Global CFE SB LSTSNDER ERR2 EID
  'SB GetLastSender Err:Rcvd Invalid Pipe=d, App=s'
Global CFE SB MAX DESTS MET EID
  'Subscribe Err: Max Dests (%d) In Use For Msg 0x%x, pipe %s, app %s'
Global CFE SB MAX MSGS MET EID
  'Subscribe Err: Max Msgs (%d) In Use, MsgId 0x%x, pipe %s, app %s'
Global CFE SB MAX PIPES MET EID
  'CreatePipeErr:Max Pipes(%d) In Use.app %s'
Global CFE SB MSG TOO BIG EID
   'Send Err: Msg Too Big MsgId=0x%x,app=%s,size=%d,MaxSz=%d'
```

```
Global CFE SB MSGID LIM ERR EID
   'Send Err: Msq Limit Err MsqId 0x%x, pipe %s, sender %s'
Global CFE SB PART SUB PKT EID
  'Partial Sub Pkt %d Sent, Entries=%d, Stat=0x%x'
Global CFE SB PIPE ADDED EID
  'Pipe Created:name %s,id %d,app %s'
Global CFE SB PIPE DELETED EID
  'Pipe Deleted:id %d,owner %s'
Global CFE SB Q FULL ERR EID
  'Pipe Overflow, MsqId Ox%x, pipe %s, stat Ox%x, app %s'
Global CFE SB Q RD ERR EID
  'Pipe Read Err, pipe %s, app %s, stat 0x%x'
Global CFE SB Q WR ERR EID
  'Pipe Write Err, MsgId 0x%x, pipe %s, stat 0x%x, app %s'
Global CFE SB RCV BAD ARG EID
  'Rcv Err:Bad Input Arg:BufPtr 0x%x,pipe %d,t/o %d,app %s'
Global CFE SB SEND BAD ARG EID
  'Send Err:Bad input argument, Arg 0x%x, App %s'
Global CFE SB SEND INV MSGID EID
   'Send Err:Invalid msgid in msg,MsgId 0x%x,App %s'
Global CFE SB SEND NO SUBS EID
  'No subscribers for MsqId 0x%x, sender %s'
Global CFE SB SETPIPEOPTS EID
   'SetPipeOpts: Options set (%d). app %s'
Global CFE SB SETPIPEOPTS ID ERR EID
  'SetPipeOptsErr:Invalid pipe id (%d).app %s'
Global CFE_SB_SETPIPEOPTS_OWNER_ERR_EID
  'SetPipeOptsErr:Caller not owner (%d).app %s'
Global CFE_SB_SND_RTG_EID
  '%s written:Size=%d,Entries=%d'
Global CFE SB SND RTG ERR1 EID
  'Error creating file %s, stat=0x%x'
Global CFE_SB_SND_STATS_EID
  'Software Bus Statistics packet sent'
Global CFE SB SUB ARG ERR EID
  'Subscribe Err:Bad Arg, MsgId 0x%x, PipeId %d, app %s, scope %d'
Global CFE SB SUB INV CALLER EID
  'Subscribe Err:Caller(%s) is not the owner of pipe %d, Msg=0x%x'
Global CFE_SB_SUB_INV_PIPE_EID
   'Subscribe Err:Invalid Pipe Id, Msg=0x%x, PipeId=%d, App %s'
Global CFE SB SUBSCRIPTION RCVD EID
   'Subscription Rcvd:MsgId 0x%x on %s(%d),app %s'
```

```
Global CFE SB SUBSCRIPTION REMOVED EID
   'Subscription Removed: Msq 0x%x on pipe %d, app %s'
Global CFE SB SUBSCRIPTION RPT EID
   'Sending Subscription Report Msg=0x%x, Pipe=%d, Stat=0x%x'
Global CFE_SB_UNSUB_ARG_ERR_EID
  'UnSubscribe Err:Bad Arg, MsgId 0x%x, PipeId %d, app %s, scope %d'
Global CFE SB UNSUB INV CALLER EID
   'Unsubscribe Err:Caller(%s) is not the owner of pipe %d,Msq=0x%x'
Global CFE SB UNSUB INV PIPE EID
  'Unsubscribe Err:Invalid Pipe Id Msg=0x%x,Pipe=%d,app=%s'
Global CFE SB UNSUB NO SUBS EID
  'Unsubscribe Err: No subs for Msg 0x%x on %s, app %s'
Global CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID
  'Illegal attempt to activate dump-only table '%s''
Global CFE TBL ACTIVATE ERR EID
  'Cannot activate table '%s'. No Inactive image available'
Global CFE TBL ASSUMED VALID INF EID
  'Tbl Services assumes '%s' is valid. No Validation Function has been registered'
Global CFE TBL CC1 ERR EID
  'Invalid command code - ID = 0x%X, CC = %d'
Global CFE TBL CDS DELETE ERR EID
  'Error while deleting '%s' from CDS, See SysLog.(Err=0x%08X)'
Global CFE TBL CDS DELETED INFO EID
   'Successfully removed '%s' from CDS'
Global CFE TBL CDS NOT FOUND ERR EID
  'Unable to locate '%s' in CDS Registry'
Global CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID
  'CDS '%s' owning app is still active'
Global CFE TBL CREATING DUMP FILE ERR EID
  'Error creating dump file '%s', Status=0x%08X'
Global CFE TBL DUMP PENDING ERR EID
  'A dump for '%s' is already pending'
Global CFE_TBL_FAIL_HK_SEND_ERR_EID
  'Unable to send Hk Packet (Status=0x%08X)'
Global CFE TBL FAIL NOTIFY SEND ERR EID
  'Manage Notification Pkt Error (MsgId=0x%08X, CC=0x%04X, Param=0x%08X, Status=0x%08X)'
Global CFE TBL FILE ACCESS ERR EID
  'Unable to open file '%s' for table load, Status = 0x%08X'
Global CFE TBL FILE INCOMPLETE ERR EID
  'Incomplete load of '%s' into '%s' working buffer'
Global CFE TBL FILE LOADED INF EID
   'Successful load of '%s' into '%s' working buffer'
```

Global CFE_TBL_FILE_STD_HDR_ERR_EID

```
'Unable to read std header for '%s', Status = 0x%08X'
Global CFE TBL FILE SUBTYPE ERR EID
  'File subtype for '%s' is wrong. Subtype = 0x\%08X'
Global CFE TBL FILE TBL HDR ERR EID
  'Unable to read tbl header for '%s', Status = 0x\%08X'
Global CFE TBL FILE TOO BIG ERR EID
  'File '%s' has more data than Tbl Hdr indicates (%d)'
Global CFE_TBL_FILE_TYPE_ERR_EID
  'File '%s' is not a cFE file type, ContentType = 0x%08X'
Global CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID
  'Cmd for Table '%s' had illegal buffer parameter (0x%08X)'
Global CFE_TBL_IN_REGISTRY_ERR_EID
  ''%s' found in Table Registry. CDS cannot be deleted until table is unregistered'
Global CFE TBL INIT INF EID
  'Task Initialized'
Global CFE TBL INTERNAL ERROR ERR EID
  'Internal Error (Status=0x%08X)'
Global CFE TBL LEN ERR EID
  'Invalid cmd pkt - ID = 0x\%X, CC = %d, Len = %d'
Global CFE_TBL_LOAD_ABORT_ERR_EID
  'Cannot abort load of '%s'. No load started.'
Global CFE TBL LOAD ABORT INF EID
  'Table Load Aborted for '%s''
Global CFE TBL LOAD DUMPONLY ERR EID
  Attempted to load Dump Only Tbl 's'
Global CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID
  'Cannot load '%s' (%d) at offset %d in '%s' (%d)'
Global CFE TBL LOAD IN PROGRESS ERR EID
  Load already in progress for 's'
Global CFE TBL LOAD PEND REQ INF EID
  'Tbl Services notifying App that '%s' has a load pending'
Global CFE TBL LOAD SUCCESS INF EID
  'Successfully loaded '%s' from '%s''
Global CFE_TBL_LOAD_TYPE_ERR_EID
  '%s Failed to Load '%s' (Invalid Source Type)" </tt></dd> <dt>\anchor <math>\_\leftarrow
  cfeevents000241 Global \ internalref cfe tbl events 8h#a0291d922d547d4c3e7f579c361e6f4
  "CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID" </dt><dd>> <tt> 'Attempted to load
  DUMP-ONLY table '\%s' from '\%s'' </tt></dd> <dt>\anchor _cfeevents000250
  Global \_internalref cfe__tbl__events_8h#a251e3f2575102c2782539826e5acdd9e
  "CFE_TBL_LOADING_PENDING_ERR_EID" </dt><dd>> <tt> 'Attempted to load table
  '\%s' while previous load is still pending' </tt></dd> <dt>\anchor <math>\_\leftarrow
  cfeevents000212 Global \_internalref cfe__tbl__events_8h#a92b85df6bed26d6e37695db70b792c
```

Generated by Doxygen

"CFE_TBL_MID_ERR_EID" </dt><dd> <tt> 'Invalid message ID - ID = 0x\%X' </tt></dd> <dt>\anchor cfeevents000228 Global \ internalref cfe tbl↔ __events_8h#a8d2fa0ab9e0f8cbb42f91ad9ae51ec1f "CFE_TBL_NO_INACTIVE_BUFF↔ ER_ERR_EID" </dt><dd> <tt> 'No Inactive Buffer for Table '\%s' present' $</tt></dd> <dt>\anchor _cfeevents000219 Global _internalref cfe__tbl_<math>\leftrightarrow$ ID" </dt><dd> <tt> 'Unable to locate '\%s' in Table Registry' </tt></dd> <dt>\anchor _cfeevents000222 Global _internalref cfe__tbl__events_8h#aaec327141d0145940 "CFE_TBL_NO_WORK_BUFFERS_ERR_EID" </dt><dd> <tt> 'No working buffers available for table '\%s'' </tt></dd> <dt>\anchor _cfeevents000200 Global _internalref cfe__tbl__events_8h#acc829f747453b863fb05914bbae5bb7e "CFE_TBL_NOOP_INF_EID" </dt><dd> <tt> 'No-op command' </tt> </dd> <dt>\anchor _cfeevents000245 Global \ internalref cfe tbl events 8h#ac6bbd22efd1b2df7128e461e6f33533d "CFE_TBL_NOT_CRITICAL_TBL_ERR_EID" </dt><dd>> <tt> 'Table '\%s' is in Critical Table Registry but CDS is not tagged as a table' </tt></dd> <dt>\anchor ← cfeevents000246 Global _internalref cfe__tbl__events_8h#a8160667895f1793ac33f0aedba370_ "CFE_TBL_NOT_IN_CRIT_REG_ERR_EID" </dt><dd>> <tt> 'Table '\%s' is not found in Critical Table Registry' $</tt></dd> <dt>\anchor _cfeevents000203 <math>\leftrightarrow$ Global _internalref cfe__tbl__events_8h#a8a9bff78075d63a98402accbd334885d "CFE_TBL_OVERWRITE_DUMP_INF_EID" </dt><dd> <tt> 'Successfully overwrote '\%s' with Table '\%s'' $</tt></dd> <dt>\anchor _cfeevents000205 Global <math>\leftarrow$ _TBL_OVERWRITE_REG_DUMP_INF_EID" </dt><dd> <tt> 'Successfully overwrote '\%s' with Table Registry' </tt></dd> <dt>\anchor _cfeevents000236 Global _internalref cfe__tbl__events_8h#a9f3d77cb32582f4ff23e3c92acba4ab7 "CF \leftarrow E_TBL_PARTIAL_LOAD_ERR_EID" </dt><dd> <tt>''\%s' has partial load for uninitialized table '\%s'' </tt></dd> <dt>\anchor _cfeevents000263 Global $\ensuremath{\mbox{\sc Linternalref}}$ cfe_tbl_events_8h#a557fe388d1cda9389a954e258f112e7d "CFE \leftrightarrow _TBL_PROCESSOR_ID_ERR_EID" $</dt><dd><tt>'Unable to verify Processor I <math>\leftarrow$ D for '\%s', ID = 0x\%08X' </tt></dd> <dt>\anchor _cfeevents000256 Global _internalref cfe__tbl__events_8h#a24a3ea7397da377a5ec207f2936e2cb9 "C \leftrightarrow FE TBL REGISTER ERR EID" </dt><dd>> <tt> '\%s Failed to Register '\%s', Status=0x\%08X' </tt></dd> <dt>\anchor _cfeevents000201 Global _internalref cfe tbl events 8h#a285c927ff2a1185ff955fb250382fbe5 "CFE TBL RESET INF \leftrightarrow EID" $</dt><dd><tt> 'Reset Counters command' <math></tt> </dd> <dt>\anchor <math>_\leftrightarrow$ cfeevents000257 Global _internalref cfe__tbl__events_8h#a63522653228fb514b11ecfefba22c6 "CFE_TBL_SHARE_ERR_EID" </dt><dd>> <tt> '\%s Failed to Share '\%s', Status=0x\%08↔ $X' </tt></dd> <dt>\anchor _cfeevents000262 Global _internalref cfe_<math>\leftarrow$ $\texttt{tbl} \underline{\quad} \texttt{events_8h\#a23f09c79f441fcc9876915992bf31d2f} \ \texttt{"CFE_TBL_SPACECRAFT_ID} \\ \leftarrow \texttt{CFE_TBL_SPACECRAFT_ID} \\ \leftarrow \texttt{CFE_TBL_$ _ERR_EID" </dt><dd> <tt> 'Unable to verify Spacecraft ID for '\%s', I \leftrightarrow $D = 0x\%08X' </tt></dd> <dt>\anchor _cfeevents000208 Global _internalref$ _INF_EID" </dt><dd> <tt> 'Table Registry entry for '\%s' will be telemetered' $</tt></dd> <dt>\anchor _cfeevents000238 Global _internalref cfe__tbl_<math>\leftarrow$ EID" </dt><dd> <tt> 'Too many Dump Only Table Dumps have been requested' $</tt></dd> <dt>\anchor _cfeevents000229 Global _internalref cfe__tbl_<math>\leftarrow$ $events_8h\#a127191cb9457a8002052e92ebf8fe79d "CFE_TBL_TOO_MANY_VALIDATIONS \leftrightarrow CFE_TBL_TOO_MANY_VALIDATIONS \leftrightarrow CFE_TBL_TOO_MANUN \to CFE_TBL_TOO_MANY \to CFE_TBL_TOO_MANY \to CFE_TBL_TOO_MANY \to CFE_TBL_TOO_MANY \to CFE_TBL_TOO_MANY \to CFE_TBL_TOO_MANY \to CFE_TBL_TOO_MANUN \to CFE_TB$ ERR EID" </dt><dd> <tt> 'Too many Table Validations have been requested' $</tt></dd> <dt>\anchor _cfeevents000258 Global _internalref cfe__tbl_<math>\leftarrow$ </dt><dd> <tt> '%s Failed to Unregister '%s', Status=<math>0x\%08X' </tt></dd><dt>\anchor _cfeevents000243 Global _internalref cfe__tbl__events_8h#a28bcda5a746c811fe "CFE_TBL_UNVALIDATED_ERR_EID" </dt><dd> <tt> 'Cannot activate table '\%s'.

```
Inactive image not Validated' </tt></dd> <dt>\anchor _cfeevents000260 ←
  Global \_internalref cfe__tbl__events_8h#a5acdcade08086741149d2473c0fdaebb
  "CFE_TBL_UPDATE_ERR_EID" </dt><dd>> <tt> '\%s Failed to Update '\%s', Status=0x\%08↔
  Х"
Global CFE TBL UPDATE SUCCESS INF EID
  '%s Successfully Updated '%s''
Global CFE_TBL_VAL_REQ_MADE_INF_EID
  'Tbl Services issued validation request for '%s''
Global CFE_TBL_VALIDATION_ERR_EID
  '%s validation failed for Inactive '%s', Status=0x%08X'
Global CFE TBL VALIDATION INF EID
   '%s validation successful for Inactive '%s''
Global CFE TBL WRITE CFE HDR ERR EID
  'Error writing cFE File Header to '%s', Status=0x%08X'
Global CFE TBL WRITE DUMP INF EID
  'Successfully dumped Table '%s' to '%s''
Global CFE_TBL_WRITE_REG_DUMP_INF_EID
  'Successfully dumped Table Registry to '%s':Size=%d, Entries=%d'
Global CFE_TBL_WRITE_TBL_HDR_ERR_EID
  'Error writing Tbl image File Header to '%s', Status=0x%08X'
Global CFE_TBL_WRITE_TBL_IMG_ERR_EID
  'Error writing Tbl image to '%s', Status=0x%08X'
Global CFE TBL WRITE TBL REG ERR EID
  'Error writing Registry to '%s', Status=0x%08X'
Global CFE TBL ZERO LENGTH LOAD ERR EID
  'Table Hdr in '%s' indicates no data in file'
Global CFE TIME 1HZ CFG EID
  '1Hz Adjust commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to
  true'
Global CFE TIME 1HZ EID
  'STCF 1Hz Adjust - secs = %d, ssecs = 0x%X, dir = %d'
Global CFE TIME CC ERR EID
  'Invalid command code - ID = 0x%X, CC = %d'
Global CFE TIME DELAY CFG EID
  'Set Delay commands invalid without CFE_PLATFORM_TIME_CFG_CLIENT set to true'
Global CFE TIME DELAY EID
  'Set Tone Delay - secs = %d, usecs = %d, ssecs = 0x%X, dir = %d'
Global CFE TIME DELAY ERR EID
  'Invalid Tone Delay - secs = %d, usecs = %d'
Global CFE_TIME_DELTA_CFG_EID
  'STCF Adjust commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to
```

true'

Generated by Doxygen

```
Global CFE_TIME_DELTA_EID
  'STCF Adjust - secs = %d, usecs = %d, ssecs = 0x%X, dir[1=Positive, 2=Negative]
  = %d'
Global CFE_TIME_DELTA_ERR_EID
  'Invalid STCF Adjust - secs = %d, usecs = %d, dir[1=Positive, 2=Negative] =
  용d '
Global CFE_TIME_DIAG_EID
  'Request diagnostics command'
Global CFE_TIME_FLY_OFF_EID
  'Stop FLYWHEEL'
Global CFE TIME FLY ON EID
   'Start FLYWHEEL'
Global CFE TIME ID ERR EID
  'Invalid message ID - ID = 0x%X'
Global CFE TIME INIT EID
  'cFE TIME Initialized'
Global CFE_TIME_LEAPS_CFG_EID
  'Set Leaps commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'
Global CFE_TIME_LEAPS_EID
  'Set Leap Seconds = %d'
Global CFE_TIME_LEN_ERR_EID
  'Invalid cmd length: ID = 0x\%X, CC = %d, Exp Len = %d, Len = %d'
Global CFE TIME MET CFG EID
  'Set MET commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'
Global CFE TIME MET EID
  'Set MET - secs = %d, usecs = %d, ssecs = 0x%X'
Global CFE TIME MET ERR EID
  'Invalid MET - secs = %d, usecs = %d'
Global CFE TIME NOOP EID
  'No-op command'
Global CFE TIME RESET EID
  'Reset Counters command'
Global CFE TIME SIGNAL CFG EID
  'Set Signal commands invalid without CFE_PLATFORM_TIME_CFG_SIGNAL set to
  true'
Global CFE_TIME_SIGNAL_EID
  'Set Tone Source = %s'
Global CFE TIME SIGNAL ERR EID
  'Invalid Tone Source = 0x%X'
Global CFE_TIME_SOURCE_CFG_EID
  'Set Source commands invalid without CFE_PLATFORM_TIME_CFG_SOURCE set to
  true'
```

```
Global CFE_TIME_SOURCE_EID
  'Set Time Source = %s'
Global CFE TIME SOURCE ERR EID
  'Invalid Time Source = 0x%X'
Global CFE TIME STATE EID
  'Set Clock State = %s'
Global CFE TIME STATE ERR EID
  'Invalid Clock State = 0x%X'
Global CFE TIME STCF CFG EID
  'Set STCF commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'
Global CFE_TIME_STCF_EID
  'Set STCF - secs = %d, usecs = %d, ssecs = 0x%X'
Global CFE TIME STCF ERR EID
  'Invalid STCF - secs = %d, usecs = %d'
Global CFE_TIME_TIME_CFG_EID
  'Set Time commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'
Global CFE TIME TIME EID
  'Set Time - secs = %d, usecs = %d, ssecs = 0x%X'
Global CFE TIME TIME ERR EID
  'Invalid Time - secs = %d, usecs = %d'
```

29 cFE Command Mnemonic Cross Reference

The following cross reference maps the cFE command codes to Command Mnemonics. To learn about the details of a particular command, click on its associated command code.

```
Global CFE_ES_CLEAR_ER_LOG_CC

$sc_$cpu_ES_ClearERLog

Global CFE_ES_CLEAR_SYSLOG_CC

$sc_$cpu_ES_ClearSysLog

Global CFE_ES_DELETE_CDS_CC

$sc_$cpu_ES_DeleteCDS

Global CFE_ES_DUMP_CDS_REGISTRY_CC

$sc_$cpu_ES_WriteCDS2File

Global CFE_ES_NOOP_CC

$sc_$cpu_ES_NOOP

Global CFE_ES_OVER_WRITE_SYSLOG_CC

$sc_$cpu_ES_OverwriteSysLogMode

Global CFE_ES_QUERY_ALL_CC

$sc_$cpu_ES_WriteAppInfo2File
```

```
Global CFE_ES_QUERY_ALL_TASKS_CC
   $sc $cpu ES WriteTaskInfo2File
Global CFE_ES_QUERY_ONE_CC
   $sc_$cpu_ES_QueryApp
Global CFE ES RELOAD APP CC
   $sc_$cpu_ES_ReloadApp
Global CFE_ES_RESET_COUNTERS_CC
   $sc $cpu ES ResetCtrs
Global CFE_ES_RESET_PR_COUNT_CC
   $sc $cpu ES ResetPRCnt
Global CFE ES RESTART APP CC
   $sc_$cpu_ES_ResetApp
Global CFE ES RESTART CC
   $sc_$cpu_ES_ProcessorReset, $sc_$cpu_ES_PowerOnReset
Global CFE ES SEND MEM POOL STATS CC
   $sc_$cpu_ES_PoolStats
Global CFE ES SET MAX PR COUNT CC
   $sc_$cpu_ES_SetMaxPRCnt
Global CFE_ES_SET_PERF_FILTER_MASK_CC
   $sc_$cpu_ES_LAFilterMask
Global CFE_ES_SET_PERF_TRIGGER_MASK_CC
   $sc_$cpu_ES_LATriggerMask
Global CFE ES SHELL CC
   $sc $cpu$ ES Shell
Global CFE ES START APP CC
   $sc_$cpu_ES_StartApp
Global CFE_ES_START_PERF_DATA_CC
   $sc_$cpu_ES_StartLAData
Global CFE_ES_STOP_APP_CC
   $sc_$cpu_ES_StopApp
Global CFE_ES_STOP_PERF_DATA_CC
   $sc_$cpu_ES_StopLAData
Global CFE_ES_WRITE_ER_LOG_CC
   $sc_$cpu_ES_WriteERLog2File
Global CFE ES WRITE SYSLOG CC
   $sc_$cpu_ES_WriteSysLog2File
Global CFE EVS ADD EVENT FILTER CC
   $sc_$cpu_EVS_AddEvtFltr
Global CFE EVS CLEAR LOG CC
   $sc_$cpu_EVS_ClrLog
Global CFE_EVS_DELETE_EVENT_FILTER_CC
   $sc_$cpu_EVS_DelEvtFltr
```

```
Global CFE EVS DISABLE APP EVENT TYPE CC
   $sc $cpu EVS DisAppEvtType, $sc $cpu EVS DisAppEvtTypeMask
Global CFE EVS DISABLE APP EVENTS CC
  $sc_$cpu_EVS_DisAppEvGen
Global CFE EVS DISABLE EVENT TYPE CC
   $sc $cpu EVS DisEventType, $sc $cpu EVS DisEventTypeMask
Global CFE EVS DISABLE PORTS CC
   $sc $cpu EVS DisPort, $sc $cpu EVS DisPortMask
Global CFE EVS ENABLE APP EVENT TYPE CC
   $sc $cpu EVS EnaAppEvtType, $sc $cpu EVS EnaAppEvtTypeMask
Global CFE EVS ENABLE APP EVENTS CC
  $sc_$cpu_EVS_EnaAppEvGen
Global CFE EVS ENABLE EVENT TYPE CC
  $sc_$cpu_EVS_EnaEventType, $sc_$cpu_EVS_EnaEventTypeMask
Global CFE EVS ENABLE PORTS CC
  $sc_$cpu_EVS_EnaPort, $sc_$cpu_EVS_EnaPortMask
Global CFE EVS NOOP CC
  $sc_$cpu_EVS_NOOP
Global CFE_EVS_RESET_ALL_FILTERS_CC
   $sc_$cpu_EVS_RstAllFltrs
Global CFE_EVS_RESET_APP_COUNTER_CC
  $sc_$cpu_EVS_RstAppCtrs
Global CFE EVS RESET COUNTERS CC
  $sc $cpu EVS ResetCtrs
Global CFE EVS RESET FILTER CC
  $sc_$cpu_EVS_RstBinFltrCtr
Global CFE_EVS_SET_EVENT_FORMAT_MODE_CC
  $sc $cpu EVS SetEvtFmt
Global CFE_EVS_SET_FILTER_CC
  $sc_$cpu_EVS_SetBinFltrMask
Global CFE EVS SET LOG MODE CC
  $sc_$cpu_EVS_SetLogMode
Global CFE_EVS_WRITE_APP_DATA_FILE_CC
  $sc_$cpu_EVS_WriteAppData2File
Global CFE EVS WRITE LOG DATA FILE CC
  $sc_$cpu_EVS_WriteLog2File
Global CFE SB DISABLE ROUTE CC
  $sc_$cpu_SB_DisRoute
Global CFE SB DISABLE SUB REPORTING CC
   $sc_$cpu_SB_DisSubRptg
Global CFE SB ENABLE ROUTE CC
```

\$sc \$cpu SB EnaRoute

```
Global CFE_SB_ENABLE_SUB_REPORTING_CC
   $sc $cpu SB EnaSubRptg
Global CFE SB NOOP CC
   $sc_$cpu_SB_NOOP
Global CFE SB RESET COUNTERS CC
   $sc $cpu SB ResetCtrs
Global CFE_SB_SEND_MAP_INFO_CC
   $sc_$cpu_SB_WriteMap2File
Global CFE_SB_SEND_PIPE_INFO_CC
   $sc $cpu SB WritePipe2File
Global CFE SB SEND PREV SUBS CC
   $sc_$cpu_SB_SendPrevSubs
Global CFE_SB_SEND_ROUTING_INFO_CC
   $sc_$cpu_SB_WriteRouting2File
Global CFE SB SEND SB STATS CC
   $sc_$cpu_SB_DumpStats
Global CFE TBL ABORT LOAD CC
   $sc_$cpu_TBL_LOADABORT
Global CFE_TBL_ACTIVATE_CC
   $sc_$cpu_TBL_ACTIVATE
Global CFE_TBL_DELETE_CDS_CC
   $sc_$cpu_TBL_DeleteCDS
Global CFE TBL DUMP CC
   $sc_$cpu_TBL_DUMP
Global CFE TBL DUMP REGISTRY CC
   $sc_$cpu_TBL_WriteReg2File
Global CFE_TBL_LOAD_CC
   $sc_$cpu_TBL_Load
Global CFE_TBL_NOOP_CC
   $sc_$cpu_TBL_NOOP
Global CFE_TBL_RESET_COUNTERS_CC
   $sc_$cpu_TBL_ResetCtrs
Global CFE_TBL_SEND_REGISTRY_CC
   $sc_$cpu_TBL_TLMReg
Global CFE_TBL_VALIDATE_CC
   $sc_$cpu_TBL_VALIDATE
Global CFE_TIME_ADD_1HZ_ADJUSTMENT_CC
   $sc_$cpu_TIME_Add1HzSTCF
Global CFE TIME ADD ADJUST CC
   $sc_$cpu_TIME_AddSTCFAdj
Global CFE_TIME_ADD_DELAY_CC
   $sc_$cpu_TIME_AddClockLat
```

```
Global CFE_TIME_NOOP_CC
  $sc $cpu TIME NOOP
Global CFE TIME RESET COUNTERS CC
  $sc_$cpu_TIME_ResetCtrs
Global CFE TIME SEND DIAGNOSTIC TLM CC
  $sc_$cpu_TIME_RequestDiag
Global CFE_TIME_SET_LEAP_SECONDS_CC
  $sc_$cpu_TIME_SetClockLeap
Global CFE_TIME_SET_MET_CC
  $sc_$cpu_TIME_SetClockMET
Global CFE_TIME_SET_SIGNAL_CC
  $sc_$cpu_TIME_SetSignal
Global CFE TIME SET SOURCE CC
  $sc_$cpu_TIME_SetSource
Global CFE_TIME_SET_STATE_CC
  $sc_$cpu_TIME_SetState
Global CFE_TIME_SET_STCF_CC
   $sc $cpu TIME SetClockSTCF
Global CFE_TIME_SET_TIME_CC
  $sc_$cpu_TIME_SetClock
Global CFE TIME SUB 1HZ ADJUSTMENT CC
  $sc_$cpu_TIME_Sub1HzSTCF
Global CFE TIME SUB ADJUST CC
  $sc_$cpu_TIME_SubSTCFAdj
Global CFE_TIME_SUB_DELAY_CC
  $sc_$cpu_TIME_SubClockLat
```

30 cFE Telemetry Mnemonic Cross Reference

The following cross reference maps the cFE telemetry packet members to their associated ground system telemetry mnemonics.

```
Global CFE_ES_AppInfo_t::AddressesAreValid
$sc_$cpu_ES_AddrsValid

Global CFE_ES_AppInfo_t::AppId
$sc_$cpu_ES_AppID

Global CFE_ES_AppInfo_t::BSSAddress
$sc_$cpu_ES_BSSAddress

Global CFE_ES_AppInfo_t::BSSSize
$sc $cpu ES BSSSize
```

```
Global CFE ES Applnfo t::CodeAddress
   $sc $cpu ES CodeAddress
Global CFE ES Applnfo t::CodeSize
   $sc_$cpu_ES_CodeSize
Global CFE_ES_AppInfo_t::DataAddress
   $sc $cpu ES DataAddress
Global CFE_ES_AppInfo_t::DataSize
   $sc $cpu ES DataSize
Global CFE_ES_AppInfo_t::EntryPoint [OS_MAX_API_NAME]
   $sc $cpu ES AppEntryPt[OS MAX API NAME]
Global CFE ES Applnfo t::ExceptionAction
   $sc_$cpu_ES_ExceptnActn
Global CFE ES Applnfo t::ExecutionCounter
   $sc_$cpu_ES_ExecutionCtr
Global CFE ES Applnfo t::FileName [OS MAX PATH LEN]
   $sc_$cpu_ES_AppFilename[OS_MAX_PATH_LEN]
Global CFE ES Applnfo t::MainTaskld
   $sc_$cpu_ES_MainTaskId
Global CFE_ES_AppInfo_t::MainTaskName [OS_MAX_API_NAME]
   $sc_$cpu_ES_MainTaskName[OS_MAX_API_NAME]
Global CFE ES Applnfo t::Moduleld
   $sc $cpu ES ModuleID
Global CFE_ES_AppInfo_t::Name [OS_MAX_API_NAME]
   $sc $cpu ES AppName[OS MAX API NAME]
Global CFE_ES_AppInfo_t::NumOfChildTasks
   $sc $cpu ES ChildTasks
Global CFE_ES_AppInfo_t::Priority
   $sc $cpu ES Priority
Global CFE_ES_AppInfo_t::StackSize
   $sc_$cpu_ES_StackSize
Global CFE ES Applnfo t::StartAddress
   $sc_$cpu_ES_StartAddr
Global CFE ES Applnfo t::Type
   $sc_$cpu_ES_AppType
Global CFE ES HousekeepingTlm Payload t::BootSource
   $sc_$cpu_ES_BootSource
Global CFE ES HousekeepingTlm Payload t::CFECoreChecksum
   $sc_$cpu_ES_CKSUM
Global CFE_ES_HousekeepingTlm_Payload_t::CFEMajorVersion
   $sc $cpu ES CFEMAJORVER
Global CFE_ES_HousekeepingTlm_Payload_t::CFEMinorVersion
   $sc $cpu ES CFEMINORVER
```

```
Global CFE ES HousekeepingTlm Payload t::CFEMissionRevision
   $sc $cpu ES CFEMISSIONREV
Global CFE ES HousekeepingTlm Payload t::CFERevision
   $sc $cpu ES CFEREVISION
Global CFE_ES_HousekeepingTIm_Payload_t::CommandCounter
   $sc $cpu ES CMDPC
Global CFE ES HousekeepingTlm Payload t::CommandErrorCounter
   $sc $cpu ES CMDEC
Global CFE ES HousekeepingTlm Payload t::ERLogEntries
   $sc $cpu ES ERLOGENTRIES
Global CFE ES HousekeepingTlm Payload t::ERLogIndex
   $sc_$cpu_ES_ERLOGINDEX
Global CFE ES HousekeepingTlm Payload t::HeapBlocksFree
   $sc_$cpu_ES_HeapBlocksFree
Global CFE ES HousekeepingTlm Payload t::HeapBytesFree
   $sc_$cpu_ES_HeapBytesFree
Global CFE ES HousekeepingTlm Payload t::HeapMaxBlockSize
   $sc_$cpu_ES_HeapMaxBlkSize
Global CFE ES HousekeepingTlm Payload t::MaxProcessorResets
   $sc $cpu ES MaxProcResets
Global CFE_ES_HousekeepingTlm_Payload_t::OSALMajorVersion
   $sc $cpu ES OSMAJORVER
Global CFE_ES_HousekeepingTlm_Payload_t::OSALMinorVersion
   $sc $cpu ES OSMINORVER
Global CFE_ES_HousekeepingTIm_Payload_t::OSALMissionRevision
   $sc $cpu ES OSMISSIONREV
Global CFE_ES_HousekeepingTlm_Payload_t::OSALRevision
   $sc $cpu ES OSREVISION
Global CFE_ES_HousekeepingTIm_Payload_t::PerfDataCount
   $sc $cpu ES PerfDataCnt
Global CFE ES HousekeepingTlm Payload t::PerfDataEnd
   $sc_$cpu_ES_PerfDataEnd
Global CFE ES HousekeepingTlm Payload t::PerfDataStart
   $sc_$cpu_ES_PerfDataStart
Global CFE ES HousekeepingTlm Payload t::PerfDataToWrite
   $sc $cpu ES PerfData2Write
Global CFE ES HousekeepingTlm Payload t::PerfFilterMask [CFE MISSION ES PERF MAX IDS/32]
   $sc_$cpu_ES_PerfFltrMask[MaskCnt]
Global CFE_ES_HousekeepingTlm_Payload_t::PerfMode
   $sc $cpu ES PerfMode
Global CFE_ES_HousekeepingTlm_Payload_t::PerfState
   $sc $cpu ES PerfState
```

```
Global CFE ES HousekeepingTlm Payload t::PerfTriggerCount
   $sc $cpu ES PerfTrigCnt
Global CFE ES HousekeepingTlm Payload t::PerfTriggerMask [CFE MISSION ES PERF MAX IDS/32]
   $sc $cpu ES PerfTrigMask[MaskCnt]
Global CFE_ES_HousekeepingTlm_Payload_t::ProcessorResets
   $sc $cpu ES ProcResetCnt
Global CFE_ES_HousekeepingTlm_Payload_t::RegisteredCoreApps
   $sc $cpu ES RegCoreApps
Global CFE ES HousekeepingTlm Payload t::RegisteredExternalApps
   $sc $cpu ES RegExtApps
Global CFE ES HousekeepingTlm Payload t::RegisteredLibs
   $sc_$cpu_ES_RegLibs
Global CFE ES HousekeepingTlm Payload t::RegisteredTasks
   $sc_$cpu_ES_RegTasks
Global CFE ES HousekeepingTlm Payload t::ResetSubtype
   $sc_$cpu_ES_ResetSubtype
Global CFE ES HousekeepingTlm Payload t::ResetType
   $sc_$cpu_ES_ResetType
Global CFE_ES_HousekeepingTIm_Payload_t::SysLogBytesUsed
   $sc $cpu ES SYSLOGBYTEUSED
Global CFE_ES_HousekeepingTIm_Payload_t::SysLogEntries
   $sc $cpu ES SYSLOGENTRIES
Global CFE_ES_HousekeepingTlm_Payload_t::SysLogMode
   $sc $cpu ES SYSLOGMODE
Global CFE_ES_HousekeepingTlm_Payload_t::SysLogSize
   $sc $cpu ES SYSLOGSIZE
Global CFE_ES_MemPoolStats_t::BlockStats [CFE_ES_MAX_MEMPOOL_BLOCK_SIZES]
   $sc $cpu ES BlkStats[BLK SIZES]
Global CFE ES MemPoolStats t::CheckErrCtr
   $sc_$cpu_ES_BlkErrCTR
Global CFE ES MemPoolStats t::NumBlocksRequested
   $sc_$cpu_ES_BlksREQ
Global CFE ES MemPoolStats t::NumFreeBytes
   $sc_$cpu_ES_FreeBytes
Global CFE ES MemPoolStats t::PoolSize
   $sc_$cpu_ES_PoolSize
Global CFE ES PoolStatsTlm Payload t::PoolHandle
   $sc_$cpu_ES_PoolHandle
Global CFE EVS AppTImData t::AppEnableStatus
   $sc_$cpu_EVS_APP[CFE_ES_MAX_APPLICATIONS].APPENASTAT
Global CFE_EVS_AppTImData_t::AppID
   $sc $cpu EVS APP[CFE ES MAX APPLICATIONS].APPID
```

```
Global CFE EVS AppTImData t::AppMessageSentCounter
   $sc $cpu EVS APP[CFE ES MAX APPLICATIONS].APPMSGSENTC
Global CFE EVS AppTImData t::Padding
   $sc $cpu EVS APP[CFE ES MAX APPLICATIONS].SPARE2ALIGN3
Global CFE_EVS_HousekeepingTIm_Payload_t::AppData [CFE_MISSION_ES_MAX_APPLICATIONS]
   $sc $cpu EVS APP[CFE ES MAX APPLICATIONS]
Global CFE_EVS_HousekeepingTlm_Payload_t::CommandCounter
   $sc $cpu EVS CMDPC
Global CFE EVS HousekeepingTlm Payload t::CommandErrorCounter
   $sc $cpu EVS CMDEC
Global CFE EVS HousekeepingTlm Payload t::LogEnabled
   $sc_$cpu_EVS_LOGENABLED
Global CFE EVS HousekeepingTlm Payload t::LogFullFlag
  $sc_$cpu_EVS_LOGFULL
Global CFE EVS HousekeepingTlm Payload t::LogMode
   $sc $cpu EVS LOGMODE
Global CFE EVS HousekeepingTlm Payload t::LogOverflowCounter
  $sc_$cpu_EVS_LOGOVERFLOWC
Global CFE EVS HousekeepingTlm Payload t::MessageFormatMode
   $sc $cpu EVS MSGFMTMODE
Global CFE_EVS_HousekeepingTIm_Payload_t::MessageSendCounter
  $sc $cpu EVS MSGSENTC
Global CFE_EVS_HousekeepingTlm_Payload_t::MessageTruncCounter
   $sc $cpu EVS MSGTRUNC
Global CFE EVS HousekeepingTlm Payload t::OutputPort
  $sc $cpu EVS OUTPUTPORT
Global CFE_EVS_HousekeepingTlm_Payload_t::Spare1
   $sc $cpu EVS HK SPARE1
Global CFE_EVS_HousekeepingTIm_Payload_t::Spare2
  $sc $cpu EVS HK SPARE2
Global CFE EVS HousekeepingTlm Payload t::Spare3
  $sc_$cpu_EVS_HK_SPARE3
Global CFE EVS HousekeepingTlm Payload t::UnregisteredAppCounter
  $sc_$cpu_EVS_UNREGAPPC
Global CFE EVS LongEventTlm Payload t::Message [CFE MISSION EVS MAX MESSAGE LENGTH]
   $sc $cpu EVS EVENT[CFE EVS MAX MESSAGE LENGTH]
Global CFE EVS LongEventTlm Payload t::Spare1
  $sc_$cpu_EVS_SPARE1
Global CFE_EVS_LongEventTIm_Payload_t::Spare2
   $sc $cpu EVS SPARE2
Global CFE_EVS_PacketID_t::AppName [CFE_MISSION_MAX_API_LEN]
   $sc $cpu EVS APPNAME[OS MAX API NAME]
```

```
Global CFE EVS PacketID t::EventID
   $sc $cpu EVS EVENTID
Global CFE EVS PacketID t::EventType
   $sc $cpu EVS EVENTTYPE
Global CFE EVS PacketID t::ProcessorID
   $sc $cpu EVS PROCESSORID
Global CFE_EVS_PacketID_t::SpacecraftID
   $sc $cpu EVS SCID
Global CFE_SB_HousekeepingTIm_Payload_t::CommandCounter
   $sc $cpu SB CMDPC
Global CFE SB HousekeepingTlm Payload t::CommandErrorCounter
   $sc_$cpu_SB_CMDEC
Global CFE SB HousekeepingTlm Payload t::CreatePipeErrorCounter
   $sc_$cpu_SB_NewPipeEC
Global CFE SB HousekeepingTlm Payload t::DuplicateSubscriptionsCounter
   $sc $cpu SB DupSubCnt
Global CFE SB HousekeepingTlm Payload t::GetPipeldByNameErrorCounter
   $sc_$cpu_SB_GetPipeIDByNameEC
Global CFE_SB_HousekeepingTIm_Payload_t::InternalErrorCounter
   $sc $cpu SB InternalEC
Global CFE_SB_HousekeepingTlm_Payload_t::MemInUse
   $sc $cpu SB MemInUse
Global CFE_SB_HousekeepingTIm_Payload_t::MemPoolHandle
   $sc $cpu SB MemPoolHdl
Global CFE SB HousekeepingTlm Payload t::MsgLimitErrorCounter
   $sc $cpu SB MsgLimEC
Global CFE_SB_HousekeepingTlm_Payload_t::MsgReceiveErrorCounter
   $sc $cpu SB MsgRecEC
Global CFE_SB_HousekeepingTlm_Payload_t::MsgSendErrorCounter
   $sc $cpu SB MsgSndEC
Global CFE SB HousekeepingTlm Payload t::NoSubscribersCounter
   $sc_$cpu_SB_NoSubEC
Global CFE SB HousekeepingTlm Payload t::PipeOptsErrorCounter
   $sc_$cpu_SB_PipeOptsEC
Global CFE SB HousekeepingTlm Payload t::PipeOverflowErrorCounter
   $sc $cpu SB PipeOvrEC
Global CFE SB HousekeepingTlm Payload t::Spare2Align [1]
   $sc_$cpu_SB_Spare2Align[2]
Global CFE_SB_HousekeepingTlm_Payload_t::SubscribeErrorCounter
   $sc $cpu SB SubscrEC
Global CFE_SB_HousekeepingTlm_Payload_t::UnmarkedMem
   $sc $cpu SB UnMarkedMem
```

```
Global CFE SB PipeDepthStats t::Depth
   $sc $cpu SB Stat.SB SMPDS[CFE SB MAX PIPES].SB PDDEPTH
Global CFE_SB_PipeDepthStats_t::InUse
   $sc $cpu SB Stat.SB SMPDS[CFE SB MAX PIPES].SB PDINUSE
Global CFE_SB_PipeDepthStats_t::PeakInUse
   $sc $cpu SB Stat.SB SMPDS[CFE SB MAX PIPES].SB PDPKINUSE
Global CFE SB PipeDepthStats t::PipeId
   $sc $cpu SB Stat.SB SMPDS[CFE SB MAX PIPES].SB PDPIPEID
Global CFE SB PipeDepthStats t::Spare
   $sc $cpu SB Stat.SB SMPDS[CFE SB MAX PIPES].SB PDSPARE
Global CFE SB StatsTlm Payload t::MaxMemAllowed
   $sc_$cpu_SB_Stat.SB_SMMBMALW
Global CFE SB StatsTlm Payload t::MaxMsgldsAllowed
   $sc_$cpu_SB_Stat.SB_SMMMIDALW
Global CFE SB StatsTlm Payload t::MaxPipeDepthAllowed
   $sc_$cpu_SB_Stat.SB_SMMPDALW
Global CFE SB StatsTlm Payload t::MaxPipesAllowed
   $sc_$cpu_SB_Stat.SB_SMMPALW
Global CFE SB StatsTlm Payload t::MaxSubscriptionsAllowed
   $sc $cpu SB Stat.SB SMMSALW
Global CFE SB StatsTlm Payload t::MemInUse
   $sc $cpu SB Stat.SB SMBMIU
Global CFE SB StatsTlm Payload t::MsgldsInUse
   $sc $cpu SB Stat.SB SMMIDIU
Global CFE SB StatsTlm Payload t::PeakMemInUse
   $sc $cpu SB Stat.SB SMPBMIU
Global CFE_SB_StatsTIm_Payload_t::PeakMsgldsInUse
   $sc $cpu SB Stat.SB SMPMIDIU
Global CFE SB StatsTlm Payload t::PeakPipesInUse
   $sc_$cpu_SB_Stat.SB_SMPPIU
Global CFE SB StatsTlm Payload t::PeakSBBuffersInUse
   $sc_$cpu_SB_Stat.SB_SMPSBBIU
Global CFE SB StatsTlm Payload t::PeakSubscriptionsInUse
   $sc_$cpu_SB_Stat.SB_SMPSIU
Global CFE SB StatsTlm Payload t::PipeDepthStats [CFE MISSION SB MAX PIPES]
   $sc_$cpu_SB_Stat.SB_SMPDS[CFE_SB_MAX_PIPES]
Global CFE SB StatsTlm Payload t::PipesInUse
   $sc_$cpu_SB_Stat.SB_SMPIU
Global CFE SB StatsTlm Payload t::SBBuffersInUse
   $sc $cpu SB Stat.SB SMSBBIU
Global CFE_SB_StatsTIm_Payload_t::SubscriptionsInUse
   $sc $cpu SB Stat.SB SMSIU
```

```
Global CFE TBL HousekeepingTlm Payload t::ActiveBuffer
   $sc $cpu TBL LastValBuf
Global CFE TBL HousekeepingTlm Payload t::ByteAlignPad1
   $sc $cpu TBL ByteAlignPad1
Global CFE_TBL_HousekeepingTlm_Payload_t::CommandCounter
   $sc $cpu TBL CMDPC
Global CFE TBL HousekeepingTlm Payload t::CommandErrorCounter
   $sc $cpu TBL CMDEC
Global CFE_TBL_HousekeepingTlm_Payload_t::FailedValCounter
   $sc $cpu TBL ValFailedCtr
Global CFE TBL HousekeepingTlm Payload t::LastFileDumped [CFE MISSION MAX PATH LEN]
   $sc_$cpu_TBL_LastFileDumped[OS_MAX_PATH_LEN]
Global CFE TBL HousekeepingTlm Payload t::LastFileLoaded [CFE MISSION MAX PATH LEN]
   $sc $cpu TBL LastFileLoaded[OS MAX PATH LEN]
Global CFE TBL HousekeepingTlm Payload t::LastTableLoaded [CFE MISSION TBL MAX FULL NAME L←
   EN]
   $sc $cpu TBL LastTableLoaded[CFE TBL MAX FULL NAME LEN]
Global CFE TBL HousekeepingTIm Payload t::LastUpdatedTable [CFE MISSION TBL MAX FULL NAME ←
   LEN]
   $sc $cpu TBL LastUpdTblName[CFE TB MAX FULL NAME LEN]
Global CFE TBL HousekeepingTlm Payload t::LastUpdateTime
   $sc $cpu TBL LastUpdTime, $sc $cpu TBL SECONDS, $sc $cpu TBL SUBSECONDS
Global CFE_TBL_HousekeepingTlm_Payload_t::LastValCrc
   $sc $cpu TBL LastValCRC
Global CFE_TBL_HousekeepingTIm_Payload_t::LastValStatus
   $sc $cpu TBI LastValS
Global CFE_TBL_HousekeepingTIm_Payload_t::LastValTableName [CFE_MISSION_TBL_MAX_FULL_NAME_←
   LEN]
   $sc $cpu TBL LastValTblName[CFE TB MAX FULL NAME LEN]
Global CFE_TBL_HousekeepingTlm_Payload_t::MemPoolHandle
   $sc_$cpu_TBL_MemPoolHandle
Global CFE TBL HousekeepingTlm Payload t::NumFreeSharedBufs
   $sc_$cpu_TBL_NumFreeShrBuf
Global CFE_TBL_HousekeepingTlm_Payload_t::NumLoadPending
   $sc_$cpu_TBL_NumUpdatesPend
Global CFE TBL HousekeepingTlm Payload t::NumTables
   $sc_$cpu_TBL_NumTables
Global CFE_TBL_HousekeepingTlm_Payload_t::NumValRequests
   $sc $cpu TBL ValReqCtr
Global CFE_TBL_HousekeepingTIm_Payload_t::SuccessValCounter
   $sc $cpu TBL ValSuccessCtr
```

```
Global CFE TBL HousekeepingTlm Payload t::ValidationCounter
   $sc $cpu TBL ValCompltdCtr
Global CFE TBL TblRegPacket Payload t::ActiveBufferAddr
   $sc $cpu TBL ActBufAdd
Global CFE_TBL_TblRegPacket_Payload_t::ByteAlign4
   $sc $cpu TBL Spare4
Global CFE TBL TblRegPacket Payload t::Crc
   $sc $cpu TBL CRC
Global CFE TBL TblRegPacket Payload t::Critical
   $sc $cpu TBL Spare3
Global CFE TBL TblRegPacket Payload t::DoubleBuffered
   $sc_$cpu_TBL_DblBuffered
Global CFE TBL TblRegPacket Payload t::DumpOnly
   $sc_$cpu_TBL_DumpOnly
Global CFE_TBL_TblRegPacket_Payload_t::FileCreateTimeSecs
   $sc $cpu TBL FILECSECONDS
Global CFE TBL TblRegPacket Payload t::FileCreateTimeSubSecs
   $sc_$cpu_TBL_FILECSUBSECONDS
Global CFE TBL TblRegPacket Payload t::InactiveBufferAddr
   $sc $cpu TBL IActBufAdd
Global CFE_TBL_TblRegPacket_Payload_t::LastFileLoaded [CFE_MISSION_MAX_PATH_LEN]
   $sc $cpu TBL LastFileUpd[OS MAX PATH LEN]
Global CFE TBL TblRegPacket Payload t::LoadPending
   $sc $cpu TBL UpdatePndng
Global CFE TBL TblRegPacket Payload t::Name [CFE MISSION TBL MAX FULL NAME LEN]
   $sc $cpu TBL Name[CFE TB MAX FULL NAME LEN]
Global CFE_TBL_TblRegPacket_Payload_t::OwnerAppName [CFE_MISSION_MAX_API_LEN]
   $sc $cpu TBL OwnerApp[OS MAX API NAME]
Global CFE TBL TblRegPacket Payload t::Size
   $sc_$cpu_TBL_SIZE
Global CFE TBL TblRegPacket Payload t::TableLoadedOnce
   $sc_$cpu_TBL_LoadedOnce
Global CFE TBL TblRegPacket Payload t::TimeOfLastUpdate
   $sc_$cpu_TBL_TimeLastUpd, $sc_$cpu_TBL_TLUSECONDS, $sc_$cpu_TBL_TLUSUBSECONDS
Global CFE TBL TblRegPacket Payload t::ValidationFuncPtr
   $sc $cpu TBL ValFuncPtr
Global CFE TIME DiagnosticTlm Payload t::AtToneDelay
   $sc_$cpu_TIME_DLatentS, $sc_$cpu_TIME_DLatentSs
Global CFE_TIME_DiagnosticTIm_Payload_t::AtToneLatch
   $sc_$cpu_TIME_DTValidS, $sc_$cpu_TIME_DTValidSs
Global CFE_TIME_DiagnosticTIm_Payload_t::AtToneLeapSeconds
   $sc $cpu TIME DLeapS
```

```
Global CFE TIME DiagnosticTIm Payload t::AtToneMET
   $sc $cpu TIME DTMETS, $sc $cpu TIME DTMETSs
Global CFE TIME DiagnosticTlm Payload t::AtToneSTCF
   $sc $cpu TIME DSTCFS, $sc $cpu TIME DSTCFSS
Global CFE_TIME_DiagnosticTIm_Payload_t::ClockFlyState
   $sc $cpu TIME DFlywheel
Global CFE TIME DiagnosticTlm Payload t::ClockSetState
   $sc $cpu TIME DValid
Global CFE_TIME_DiagnosticTIm_Payload_t::ClockSignal
   $sc $cpu TIME DSignal
Global CFE TIME DiagnosticTlm Payload t::ClockSource
   $sc_$cpu_TIME_DSource
Global CFE TIME DiagnosticTlm Payload t::ClockStateAPI
   $sc $cpu TIME DAPIState
Global CFE TIME DiagnosticTlm Payload t::ClockStateFlags
   $sc $cpu TIME DStateFlags, $sc $cpu TIME DFlagSet, $sc $cpu TIME DFlagFly, $sc $cpu TIME DFlagSrc,
   $sc $cpu TIME DFlagPri, $sc $cpu TIME DFlagSfly, $sc $cpu TIME DFlagCfly, $sc $cpu TIME DFlagAdjd,
   $sc $cpu TIME DFlag1Hzd, $sc $cpu TIME DFlagClat, $sc $cpu TIME DFlagSorC, $sc $cpu TIME DFlag↔
   NIU
Global CFE_TIME_DiagnosticTIm_Payload_t::CurrentLatch
   $sc_$cpu_TIME_DLocalS, $sc_$cpu_TIME_DLocalSs
Global CFE_TIME_DiagnosticTIm_Payload_t::CurrentMET
   $sc $cpu TIME DMETS, $sc $cpu TIME DMETSs
Global CFE_TIME_DiagnosticTIm_Payload_t::CurrentTAI
   $sc_$cpu_TIME_DTAIS, $sc_$cpu_TIME_DTAISS
Global CFE_TIME_DiagnosticTIm_Payload_t::CurrentUTC
   $sc $cpu TIME DUTCS, $sc $cpu TIME DUTCSS
Global CFE_TIME_DiagnosticTIm_Payload_t::DataStoreStatus
   $sc_$cpu_TIME_DataStStat
Global CFE_TIME_DiagnosticTIm_Payload_t::DelayDirection
   $sc_$cpu_TIME_DLatentDir
Global CFE_TIME_DiagnosticTIm_Payload_t::Forced2Fly
   $sc_$cpu_TIME_DCMD2Fly
Global CFE_TIME_DiagnosticTIm_Payload_t::LocalIntCounter
   $sc $cpu TIME D1HzISRCNT
Global CFE TIME DiagnosticTIm Payload t::LocalTaskCounter
   $sc_$cpu_TIME_D1HzTaskCNT
Global CFE TIME DiagnosticTlm Payload t::MaxElapsed
   $sc $cpu TIME DMaxWindow
Global CFE_TIME_DiagnosticTIm_Payload_t::MaxLocalClock
   $sc $cpu TIME DWrapS, $sc $cpu TIME DWrapSs
```

```
Global CFE TIME DiagnosticTIm Payload t::MinElapsed
   $sc $cpu TIME DMinWindow
Global CFE TIME DiagnosticTIm Payload t::OneHzAdjust
   $sc $cpu TIME D1HzAdjS, $sc $cpu TIME D1HzAdjSs
Global CFE_TIME_DiagnosticTIm_Payload_t::OneHzDirection
   $sc $cpu TIME D1HzAdjDir
Global CFE TIME DiagnosticTlm Payload t::OneTimeAdjust
   $sc $cpu TIME DAdjustS, $sc $cpu TIME DAdjustSs
Global CFE TIME DiagnosticTlm Payload t::OneTimeDirection
   $sc $cpu TIME DAdjustDir
Global CFE TIME DiagnosticTlm Payload t::ServerFlyState
   $sc_$cpu_TIME_DSrvFly
Global CFE TIME DiagnosticTIm Payload t::TimeSinceTone
   $sc_$cpu_TIME_DElapsedS, $sc_$cpu_TIME_DElapsedSs
Global CFE TIME DiagnosticTIm Payload t::ToneDataCounter
   $sc_$cpu_TIME_DTatTCNT
Global CFE TIME DiagnosticTlm Payload t::ToneDataLatch
   $sc_$cpu_TIME_DTDS, $sc_$cpu_TIME_DTDSs
Global CFE TIME DiagnosticTIm Payload t::ToneIntCounter
   $sc $cpu TIME DTsISRCNT
Global CFE_TIME_DiagnosticTIm_Payload_t::ToneIntErrorCounter
   $sc $cpu TIME DTsISRERR
Global CFE_TIME_DiagnosticTIm_Payload_t::ToneMatchCounter
   $sc $cpu TIME DVerifyCNT
Global CFE TIME DiagnosticTlm Payload t::ToneMatchErrorCounter
   $sc $cpu TIME DVerifyER
Global CFE_TIME_DiagnosticTIm_Payload_t::ToneOverLimit
   $sc $cpu TIME DMaxSs
Global CFE_TIME_DiagnosticTIm_Payload_t::ToneSignalCounter
   $sc $cpu TIME DTSDetCNT
Global CFE TIME DiagnosticTlm Payload t::ToneSignalLatch
   $sc_$cpu_TIME_DTTS, $sc_$cpu_TIME_DTTSs
Global CFE TIME DiagnosticTIm Payload t::ToneTaskCounter
   $sc_$cpu_TIME_DTsTaskCNT
Global CFE TIME DiagnosticTlm Payload t::ToneUnderLimit
   $sc $cpu TIME DMinSs
Global CFE TIME DiagnosticTIm Payload t::VersionCounter
   $sc_$cpu_TIME_DVersionCNT
Global CFE_TIME_DiagnosticTIm_Payload_t::VirtualMET
   $sc $cpu TIME DLogicalMET
Global CFE_TIME_HousekeepingTIm_Payload_t::ClockStateAPI
   $sc $cpu TIME DAPIState
```

31 Version Numbers 119

```
Global CFE TIME HousekeepingTlm Payload t::ClockStateFlags
   $sc $cpu TIME StateFlg, $sc $cpu TIME FlagSet, $sc $cpu TIME FlagFly, $sc $cpu TIME FlagSrc, $sc ↔
   $cpu TIME FlagPri, $sc $cpu TIME FlagSfly, $sc $cpu TIME FlagCfly, $sc $cpu TIME FlagAdjd, $sc $cpu ←
   TIME Flag1Hzd, $sc $cpu TIME FlagClat, $sc $cpu TIME FlagSorC, $sc $cpu TIME FlagNIU
Global CFE TIME HousekeepingTlm Payload t::CommandCounter
   $sc_$cpu_TIME_CMDPC
Global CFE_TIME_HousekeepingTIm_Payload_t::CommandErrorCounter
   $sc $cpu TIME CMDEC
Global CFE TIME HousekeepingTlm Payload t::LeapSeconds
   $sc $cpu TIME LeapSecs
Global CFE TIME HousekeepingTlm Payload t::Seconds1HzAdj
   $sc $cpu TIME 1HzAdjSecs
Global CFE_TIME_HousekeepingTIm_Payload_t::SecondsDelay
   $sc $cpu TIME 1HzAdjSecs
Global CFE_TIME_HousekeepingTIm_Payload_t::SecondsMET
   $sc $cpu TIME METSecs
Global CFE_TIME_HousekeepingTIm_Payload_t::SecondsSTCF
   $sc_$cpu_TIME_STCFSecs
Global CFE TIME HousekeepingTlm Payload t::Subsecs1HzAdj
   $sc $cpu TIME 1HzAdjSSecs
Global CFE TIME HousekeepingTlm Payload t::SubsecsDelay
   $sc_$cpu_TIME_1HzAdjSSecs
Global CFE_TIME_HousekeepingTIm_Payload_t::SubsecsMET
   $sc_$cpu_TIME_METSubsecs
Global CFE TIME HousekeepingTlm Payload t::SubsecsSTCF
   $sc_$cpu_TIME_STCFSubsecs
```

31 Version Numbers

Version Number Semantics

The version number is a sequence of four numbers, generally separated by dots when written. These are, in order, the Major number, the Minor number, the Implementation Revision number, and the Mission Revision number. At their option, Missions may modify the Mission Revision information as needed to suit their needs.

The Major number shall be incremented on release to indicate when there is a change to an API that may cause existing correctly-written cFS components to stop working. It may also be incremented for a release that contains changes deemed to be of similar impact, even if there are no actual changes to the API.

The Minor number shall be incremented on release to indicate the addition of features to the API, which do not break the existing code. It may also be incremented for a release that contains changes deemed to be of similar impact, even if there are no actual updates to the API.

The Implementation Revision Version number shall be incremented on changes to software in the master branch, or other changes that benefit from unique identification. It is used for identifying open source development versions. It is important to note that Major and Minor numbers are only updated upon official releases of tagged versions (see the release tab), **NOT** on development version updates in the master branch.

The Major, Minor, and Implementation Revision numbers are provided in this header file as part of the API definition; this macro must expand to a simple integer value, so that it can be used in simple if directives by the macro preprocessor.

The Mission Version number shall be set to zero in all officially released packages, and is entirely reserved for the use of the mission. The Mission Version is provided as a simple macro defined in the cfe platform cfg.h header file.

Version Number Flexibility

The major number may increment when there is no breaking change to the API, if the changes are significant enough to warrant the same level of attention as a breaking API change.

The minor number may increment when there have been no augmentations to the API, if changes are as significant as additions to the public API.

The revision numbers may update in implementations where no actual implementation-specific code has changed, if there are other changes within the release with similar significance.

How and Where Defined

The Major, Minor, and Revision components of the version are provided as simple macros defined in the cfe_version.h header file as part of the API definition; these macros must expand to simple integer values, so that they can be used in simple if directives by the macro preprocessor.

The Mission Version is provided as a simple macro defined in the cfe_platform_cfg.h header file. As delivered in official releases, these macros must expand to simple integer values, so that they can be used in simple macro preprocessor conditions, but delivered code should not prevent a mission from, for example, deciding that the Mission Version is actually a text string.

32 cFE Mission Configuration Parameters

Global CFE_MISSION_CMD_MID_BASE1

cFE Message ID Base Numbers

Global CFE_MISSION_ES_HK_TLM_MSG

cFE Portable Message Numbers for Telemetry

Global CFE MISSION EVS CMD MSG

cFE Portable Message Numbers for Commands

Global CFE MISSION MAX API LEN

cFE Maximum length for API names within data exchange structures

Global CFE MISSION MAX FILE LEN

cFE Maximum length for filenames within data exchange structures

33 Deprecated List 121

Global CFE_MISSION_MAX_PATH_LEN

cFE Maximum length for pathnames within data exchange structures

Global CFE_MISSION_SB_PACKET_TIME_FORMAT

Packet Timestamp Format Selection

Global CFE_MISSION_SPACECRAFT_ID

Spacecraft ID

Global CFE_MISSION_TIME_DATA_CMD_MSG

cFE Portable Message Numbers for Global Messages

Module Packet timestamp format identifiers

cFE SB message format

33 Deprecated List

Global boolean

Use bool

Global CFE_OS_ERR_INVALID_ID

Global CFE_OS_ERR_INVALID_PRIORITY

Global CFE_OS_ERR_NAME_NOT_FOUND

Global CFE_OS_ERR_NAME_TAKEN

Global CFE_OS_ERR_NAME_TOO_LONG

Global CFE_OS_ERR_NO_FREE_IDS

Global CFE_OS_ERR_SEM_NOT_FULL

Global CFE OS ERROR

Global CFE_OS_ERROR_ADDRESS_MISALIGNED

Global CFE_OS_ERROR_TIMEOUT

Global CFE_OS_FS_ERR_DRIVE_NOT_CREATED

Global CFE OS FS ERR INVALID POINTER

Global CFE_OS_FS_ERR_NAME_TOO_LONG

```
Global CFE_OS_FS_ERR_PATH_TOO_LONG
Global CFE OS FS ERROR
Global CFE OS INVALID INT NUM
Global CFE OS INVALID POINTER
Global CFE_OS_QUEUE_EMPTY
Global CFE_OS_QUEUE_FULL
Global CFE_OS_QUEUE_ID_ERROR
Global CFE_OS_QUEUE_INVALID_SIZE
Global CFE OS QUEUE TIMEOUT
Global CFE_OS_SEM_FAILURE
Global CFE_OS_SEM_TIMEOUT
Global CFE OSAPI NOT IMPLEMENTED
Global FALSE
   Use false
Global os dirp t
Global OS_ExcAttachHandler (uint32 ExceptionNumber, void(*ExceptionHandler)(uint32, const void *, uint32),
   int32 parameter)
   Planning move to PSP due to platform dependencies
Global OS_ExcDisable (int32 ExceptionNumber)
   Planning move to PSP due to platform dependencies
Global OS ExcEnable (int32 ExceptionNumber)
   Planning move to PSP due to platform dependencies
Global OS FDTableEntry
   Use OS_file_prop_t
Global OS_FPUExcAttachHandler (uint32 ExceptionNumber, osal_task_entry ExceptionHandler, int32 parame-
   ter)
   Planning move to PSP due to platform dependencies
Global OS_FPUExcDisable (int32 ExceptionNumber)
   Planning move to PSP due to platform dependencies
```

33 Deprecated List 123

```
Global OS FPUExcEnable (int32 ExceptionNumber)
   Planning move to PSP due to platform dependencies
Global OS FPUExcGetMask (uint32 *mask)
   Planning move to PSP due to platform dependencies
Global OS_FPUExcSetMask (uint32 mask)
   Planning move to PSP due to platform dependencies
Global OS_FS_ERR_INVALID_FD
   Invalid ID
Global OS_FS_ERR_INVALID_POINTER
   Invalid pointer
Global OS_FS_ERR_NO_FREE_FDS
   No free IDs
Global OS FS ERROR
   Failed execution
Global OS FS SUCCESS
   Successful execution
Global OS FS UNIMPLEMENTED
   Not implemented
Global os_fshealth_t
   type no longer used
Global OS_IntAck (int32 InterruptNumber)
   platform dependencies, removing from OSAL
Global OS_IntAttachHandler (uint32 InterruptNumber, osal_task_entry InterruptHandler, int32 parameter)
   platform dependencies, removing from OSAL
Global OS_IntDisable (int32 Level)
   platform dependencies, removing from OSAL
Global OS_IntEnable (int32 Level)
   platform dependencies, removing from OSAL
Global OS IntGetMask (uint32 *mask)
   platform dependencies, removing from OSAL
Global OS IntLock (void)
   platform dependencies, removing from OSAL
Global OS IntSetMask (uint32 mask)
   platform dependencies, removing from OSAL
Global OS IntUnlock (int32 IntLevel)
   platform dependencies, removing from OSAL
Global OS module record t
   Use OS_module_prop_t
Global OS opendir (const char *path)
   Replaced by OS_DirectoryOpen()
Global OS_ShMemAttach (cpuaddr *Address, uint32 ld)
   Never implemented
```

Global OS_ShMemCreate (uint32 *Id, uint32 NBytes, const char *SegName) Never implemented	
Global OS_ShMemGetIdByName (uint32 *ShMemId, const char *SegName) Never implemented	
Global OS_ShMemInit (void) Never implemented	
Global OS_ShMemSemGive (uint32 ld) Never implemented	
Global OS_ShMemSemTake (uint32 ld) Never implemented	
Global OS_TaskRegister (void) Explicit registration call no longer needed	
Global osalbool Use bool	
Module OSAPIExc Planning move to PSP due to platform dependencies	
Module OSAPIFPUExc Planning move to PSP due to platform dependencies	
Module OSAPlinterrupt Platform dependencies	
Module OSAPIShMem Not in current implementations	
Global TRUE Use true	
34 Module Index	
34.1 Modules	
Here is a list of all modules:	
cFE Return Code Defines	136
cFE Entry/Exit APIs	185
cFE Application Control APIs	187
cFE Application Behavior APIs	190
cFE Information APIs	195
cFE Child Task APIs	201
cFE Miscellaneous APIs	205

34.1 Modules 125

cFE Critical Data Store APIs	208
cFE Memory Manager APIs	212
cFE Performance Monitor APIs	219
cFE Generic Counter APIs	222
cFE Registration APIs	228
cFE Send Event APIs	231
cFE Reset Event Filter APIs	236
cFE File Header Management APIs	238
cFE Compressed File Management APIs	242
cFE File Utility APIs	245
cFE SB Packet Type Defines	246
cFE Pipe Management APIs	247
cFE Message Subscription Control APIs	253
cFE Send/Receive Message APIs	258
cFE Zero Copy Message APIs	262
cFE Setting Message Characteristics APIs	267
cFE Getting Message Characteristics APIs	27 4
cFE Checksum Control APIs	28 1
cFE Message ID APIs	284
cFE Table Type Defines	288
cFE Registration APIs	29 1
cFE Manage Table Content APIs	297
cFE Access Table Content APIs	305
cFE Get Table Information APIs	311
cFE Get Current Time APIs	315
cFE Get Time Information APIs	319
cFE Time Arithmetic APIs	322
cFE Time Conversion APIs	325
cFE External Time Source APIs	329
cFE Miscellaneous Time APIs	334

cFE Clock State Flag Defines	336
OSAL Object Type Defines	339
OSAL Semaphore State Defines	343
OSAL Core Operation APIs	344
OSAL Object Utility APIs	348
OSAL Task APIs	350
OSAL Message Queue APIs	356
OSAL Semaphore APIs	361
OSAL Time/Tick APIs	377
OSAL Exception APIs	380
OSAL Floating Point Unit Exception APIs	381
OSAL Interrupt APIs	385
OSAL Shared memory APIs	391
OSAL Heap APIs	393
OSAL Error Info APIs	394
OSAL Select APIs	395
OSAL Printf APIs	398
OSAL File Access Option Defines	400
OSAL Refernce Point For Seek Offset Defines	401
OSAL Volume Type Defines	402
OSAL Standard File APIs	403
OSAL Directory APIs	417
OSAL File System Level APIs	422
OSAL Shell APIs	430
OSAL Dynamic Loader and Symbol APIs	431
OSAL Socket Address APIs	436
OSAL Socket Management APIs	440
OSAL Timer APIs	448
OSAL Return Code Defines	458

35 Data Structure Index 127

35 Data Structure Index

35.1 Data Structures

Here are the data structures with brief descriptions:

CCSDS APIDQHdr t	
CCSDS Primary with APID Qualifier Header Type Definition	469
CCSDS_APIDqualifiers_t	470
CCSDS_CmdSecHdr_t	470
CCSDS_CommandPacket_t	471
CCSDS_PriHdr_t	472
CCSDS_SpacePacket_t	473
CCSDS_TelemetryPacket_t	474
CCSDS_TImSecHdr_t	474
CFE_ES_AppInfo_t Application Information	475
CFE_ES_AppNameCmd_Payload_t Command Structure for Commands requiring just an Application Name	482
CFE_ES_AppNameCmd_t	483
CFE_ES_AppReloadCmd_Payload_t Reload Application Command	483
CFE_ES_BlockStats_t Block statistics	484
CFE_ES_CDSRegDumpRec_t CDS Register Dump Record	486
CFE_ES_DeleteCDS_t	487
CFE_ES_DeleteCDSCmd_Payload_t Delete Critical Data Store Command	488
CFE_ES_DumpCDSRegistry_t	489
CFE_ES_DumpCDSRegistryCmd_Payload_t Dump CDS Registry Command	490
CFE_ES_FileNameCmd_Payload_t Payload format for commands which accept a single file name	491
CFE_ES_FileNameCmd_t	491
CFE_ES_HousekeepingTIm_Payload_t	492

CFE_ES_HousekeepingTlm_t	504
CFE_ES_MemPoolStats_t Memory Pool Statistics	505
CFE_ES_MemStatsTIm_t	507
CFE_ES_NoArgsCmd_t Generic "no arguments" command	508
CFE_ES_OneAppTIm_Payload_t	509
CFE_ES_OneAppTlm_t	510
CFE_ES_OverWriteSyslog_t	510
CFE_ES_OverWriteSysLogCmd_Payload_t Overwrite/Discard System Log Configuration Command	511
CFE_ES_PoolAlign_t Pool Alignement	512
CFE_ES_PoolStatsTIm_Payload_t	513
CFE_ES_ReloadApp_t	514
CFE_ES_Restart_t	515
CFE_ES_RestartCmd_Payload_t Restart cFE Command	516
CFE_ES_SendMemPoolStats_t	517
CFE_ES_SendMemPoolStatsCmd_Payload_t Telemeter Memory Pool Statistics Command	518
CFE_ES_SetMaxPRCount_t	519
CFE_ES_SetMaxPRCountCmd_Payload_t Set Maximum Processor Reset Count Command	520
CFE_ES_SetPerfFilterMask_t	521
CFE_ES_SetPerfFilterMaskCmd_Payload_t Set Performance Analyzer Filter Mask Command	521
CFE_ES_SetPerfTriggerMask_t	522
CFE_ES_SetPerfTrigMaskCmd_Payload_t Set Performance Analyzer Trigger Mask Command	523
CFE_ES_Shell_t	524
CFE_ES_ShellCmd_Payload_t Shell Command	525
CFE_ES_ShellPacket_Payload_t	526

35.1 Data Structures 129

CFE_ES_ShellTIm_t	527
CFE_ES_StartApp_t	528
CFE_ES_StartAppCmd_Payload_t Start Application Command	529
CFE_ES_StartPerfCmd_Payload_t Start Performance Analyzer Command	531
CFE_ES_StartPerfData_t	532
CFE_ES_StopPerfCmd_Payload_t Stop Performance Analyzer Command	532
CFE_ES_StopPerfData_t	533
CFE_ES_TaskInfo_t Task Info	534
CFE_EVS_AppDataCmd_Payload_t Write Event Services Application Information to File Command	536
CFE_EVS_AppNameBitMaskCmd_Payload_t Enable/Disable an Event Type for an Application	537
CFE_EVS_AppNameBitMaskCmd_t	538
CFE_EVS_AppNameCmd_Payload_t Enable/Disable Application Events or Reset One or All Filter Counters	539
CFE_EVS_AppNameCmd_t	539
CFE_EVS_AppNameEventIDCmd_Payload_t Reset an Event Filter for an Application	540
CFE_EVS_AppNameEventIDCmd_t	541
CFE_EVS_AppNameEventIDMaskCmd_Payload_t Set, Add or Delete an Event Filter for an Application	542
CFE_EVS_AppNameEventIDMaskCmd_t	543
CFE_EVS_AppTImData_t	544
CFE_EVS_BinFilter_t Event message filter defintion structure	546
CFE_EVS_BitMaskCmd_Payload_t Enable/Disable Events or Ports Commands	547
CFE_EVS_BitMaskCmd_t	548
CFE_EVS_HousekeepingTlm_Payload_t	548
CFE_EVS_HousekeepingTIm_t	553

CFE_EVS_LogFileCmd_Payload_t Write Event Log to File Command	554
CFE_EVS_LongEventTIm_Payload_t	555
CFE_EVS_LongEventTIm_t	557
CFE_EVS_NoArgsCmd_t Command with no additional arguments	557
CFE_EVS_PacketID_t	558
CFE_EVS_SetEventFormatMode_Payload_t Set Event Format Mode or Set Log Mode Commands	560
CFE_EVS_SetEventFormatMode_t	561
CFE_EVS_SetLogMode_Payload_t Set Event Format Mode or Set Log Mode Commands	562
CFE_EVS_SetLogMode_t	563
CFE_EVS_ShortEventTim_Payload_t	564
CFE_EVS_ShortEventTIm_t	564
CFE_EVS_WriteAppDataFile_t	565
CFE_EVS_WriteLogDataFile_t	566
CFE_FS_Header_t Standard cFE File header structure definition	567
CFE_PSP_CommandData_t	569
CFE_PSP_MemTable_t	572
CFE_PSP_VersionInfo_t	573
CFE_SB_AllSubscriptionsTIm_Payload_t	574
CFE_SB_AllSubscriptionsTIm_t	576
CFE_SB_HousekeepingTlm_Payload_t	577
CFE_SB_HousekeepingTlm_t	582
CFE_SB_Msg_t Generic Software Bus Message Type Definition	583
CFE_SB_MsgMapFileEntry_t SB Map File Entry	584
CFE_SB_PipeDepthStats_t SB Pipe Depth Statistics	585
CFE_SB_Qos_t Quality Of Service Type Definition	587

35.1 Data Structures 131

CFE_SB_RouteCmd_Payload_t Enable/Disable Route Commands	500
Enable/Disable Route Commands	588
CFE_SB_RouteCmd_t	590
CFE_SB_RoutingFileEntry_t SB Routing File Entry	591
CFE_SB_SenderId_t Message Sender Identification Type Definition	59 3
CFE_SB_SingleSubscriptionTlm_Payload_t	594
CFE_SB_SingleSubscriptionTlm_t	595
CFE_SB_StatsTIm_Payload_t	596
CFE_SB_StatsTIm_t	602
CFE_SB_SubEntries_t SB Previous Subscriptions Entry	602
CFE_SB_WriteFileInfoCmd_Payload_t Write File Info Commands	604
CFE_SB_WriteFileInfoCmd_t	605
CFE_TBL_AbortLoad_t	605
CFE_TBL_AbortLoadCmd_Payload_t Abort Load Command	606
CFE_TBL_Activate_t	607
CFE_TBL_ActivateCmd_Payload_t Activate Table Command	608
CFE_TBL_DelCDSCmd_Payload_t Delete Critical Table CDS Command	609
CFE_TBL_DeleteCDS_t	610
CFE_TBL_Dump_t	610
CFE_TBL_DumpCmd_Payload_t Dump Table Command	61 1
CFE_TBL_DumpRegistry_t	613
CFE_TBL_DumpRegistryCmd_Payload_t Dump Registry Command	613
CFE_TBL_File_Hdr_t The definition of the header fields that are included in CFE Table Data files	614
CFE_TBL_FileDef_t	616
CFE_TBL_HousekeepingTlm_Payload_t	617

CFE_TBL_HousekeepingTlm_t	624
CFE_TBL_Info_t Table Info	624
CFE_TBL_Load_t	628
CFE_TBL_LoadCmd_Payload_t Load Table Command	629
CFE_TBL_NoArgsCmd_t Generic "no arguments" command	630
CFE_TBL_NotifyCmd_Payload_t Table Management Notification Message	630
CFE_TBL_NotifyCmd_t	631
CFE_TBL_SendRegistry_t	632
CFE_TBL_SendRegistryCmd_Payload_t Telemeter Table Registry Entry Command	633
CFE_TBL_TableRegistryTlm_t	634
CFE_TBL_TblRegPacket_Payload_t	635
CFE_TBL_Validate_t	640
CFE_TBL_ValidateCmd_Payload_t Validate Table Command	641
CFE_TIME_1HzCmd_t	642
CFE_TIME_DiagnosticTIm_Payload_t	643
CFE_TIME_DiagnosticTIm_t	656
CFE_TIME_FakeToneCmd_t	656
CFE_TIME_HousekeepingTlm_Payload_t	657
CFE_TIME_HousekeepingTIm_t	661
CFE_TIME_LeapsCmd_Payload_t	662
CFE_TIME_NoArgsCmd_t	663
CFE_TIME_OneHzAdjustmentCmd_Payload_t	663
CFE_TIME_OneHzAdjustmentCmd_t	664
CFE_TIME_ResetVars_t Time related variables that are maintained through a Processor Reset	665
CFE_TIME_SetLeapSeconds_t	667
CFE_TIME_SetSignal_t	668

35.1 Data Structures 133

CFE_TIME_SetSource_t	668
CFE_TIME_SetState_t	669
CFE_TIME_SignalCmd_Payload_t	670
CFE_TIME_SourceCmd_Payload_t	671
CFE_TIME_StateCmd_Payload_t	671
CFE_TIME_SysTime_t Data structure used to hold system time values	672
CFE_TIME_TimeCmd_Payload_t	673
CFE_TIME_TimeCmd_t	674
CFE_TIME_ToneDataCmd_Payload_t	675
CFE_TIME_ToneDataCmd_t	676
CFE_TIME_ToneSignalCmd_t	677
OS_bin_sem_prop_t OSAL binary semaphore properties	678
OS_count_sem_prop_t OSAL counting semaphore properties	679
os_dirent_t Directory entry	680
OS_FdSet An abstract structure capable of holding several OSAL IDs	680
OS_file_prop_t OSAL file properties	681
os_fsinfo_t OSAL file system info	682
os_fstat_t File system status	684
OS_heap_prop_t OSAL heap properties	685
OS_module_address_t OSAL module address properties	686
OS_module_prop_t OSAL module properties	688
OS_mut_sem_prop_t OSAL mutexe properties	689
OS_queue_prop_t OSAL queue properties	690

OS_SockAddr_t Encapsulates a generic network address	691
OS_SockAddrData_t Storage buffer for generic network address	692
OS_socket_prop_t Encapsulates socket properties	694
OS_static_symbol_record_t Associates a single symbol name with a memory address	695
OS_task_prop_t OSAL task properties	696
OS_time_t OSAL time	697
OS_timebase_prop_t Time base properties	698
OS_timer_prop_t Timer properties	700
OS_VolumeInfo_t Internal structure of the OS volume table for mounted file systems and path translation	701
Target_PspConfigData	703
36 File Index	
36.1 File List	
Here is a list of all files with brief descriptions:	
build/doc/osconfig-example.h	706
build/native/inc/osconfig.h	714
cpu1_msgids.h	723
cpu1_platform_cfg.h	729
sample_mission_cfg.h	824
sample_perfids.h	862
	065
cfe/fsw/cfe-core/src/inc/ccsds.h	865
cfe/fsw/cfe-core/src/inc/ccsds.h cfe/fsw/cfe-core/src/inc/cfe.h	882

36.1 File List 135

cfe/fsw/cfe-core/src/inc/cfe_es_events.h	906
cfe/fsw/cfe-core/src/inc/cfe_es_extern_typedefs.h	955
cfe/fsw/cfe-core/src/inc/cfe_es_msg.h	961
cfe/fsw/cfe-core/src/inc/cfe_evs.h	990
cfe/fsw/cfe-core/src/inc/cfe_evs_events.h	996
cfe/fsw/cfe-core/src/inc/cfe_evs_extern_typedefs.h	1019
cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h	1022
cfe/fsw/cfe-core/src/inc/cfe_fs.h	1050
cfe/fsw/cfe-core/src/inc/cfe_fs_extern_typedefs.h	1053
cfe/fsw/cfe-core/src/inc/cfe_sb.h	1056
cfe/fsw/cfe-core/src/inc/cfe_sb_events.h	1066
cfe/fsw/cfe-core/src/inc/cfe_sb_extern_typedefs.h	1102
cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h	1105
cfe/fsw/cfe-core/src/inc/cfe_tbl.h	1120
cfe/fsw/cfe-core/src/inc/cfe_tbl_events.h	1124
cfe/fsw/cfe-core/src/inc/cfe_tbl_extern_typedefs.h	1161
cfe/fsw/cfe-core/src/inc/cfe_tbl_filedef.h	1162
cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h	1163
cfe/fsw/cfe-core/src/inc/cfe_time.h	1174
cfe/fsw/cfe-core/src/inc/cfe_time_events.h	1180
cfe/fsw/cfe-core/src/inc/cfe_time_extern_typedefs.h	1201
cfe/fsw/cfe-core/src/inc/cfe_time_msg.h	1206
cfe/fsw/cfe-core/src/inc/cfe_version.h	1228
cfe/fsw/cfe-core/src/inc/network_includes.h	1229
osal/src/os/inc/common_types.h	1229
osal/src/os/inc/osapi-os-core.h	1236
osal/src/os/inc/osapi-os-filesys.h	1245
osal/src/os/inc/osapi-os-loader.h	1253
osal/src/os/inc/osapi-os-net.h	1254
osal/src/os/inc/osapi-os-timer.h	1256

osal/src/os/inc/osapi-version.h	1257
osal/src/os/inc/osapi.h	1259
psp/fsw/inc/cfe_psp.h	1261
psp/fsw/inc/cfe_psp_configdata.h	1286
psp/fsw/pc-linux/src/cfe_psp_exception.c	1287
psp/fsw/pc-linux/src/cfe_psp_memory.c	1289
psp/fsw/pc-linux/src/cfe_psp_memtab.c	1299
psp/fsw/pc-linux/src/cfe_psp_ssr.c	1300
psp/fsw/pc-linux/src/cfe_psp_start.c	1300
psp/fsw/pc-linux/src/cfe_psp_support.c	1307
psp/fsw/pc-linux/src/cfe_psp_timer.c	1309
psp/fsw/pc-linux/src/cfe_psp_voltab.c	1312
psp/fsw/pc-linux/src/cfe_psp_watchdog.c	1313

37 Module Documentation

37.1 cFE Return Code Defines

Macros

• #define CFE SUCCESS (0)

Sucessful execution.

#define CFE_STATUS_NO_COUNTER_INCREMENT ((int32)0x48000001)

No Counter Increment.

#define CFE_STATUS_WRONG_MSG_LENGTH ((int32)0xc8000002)

Wrong Message Length.

• #define CFE_STATUS_UNKNOWN_MSG_ID ((int32)0xc8000003)

Unknown Message ID.

• #define CFE_STATUS_BAD_COMMAND_CODE ((int32)0xc8000004)

Bad Command Code.

• #define CFE_STATUS_NOT_IMPLEMENTED ((int32)0xc800ffff)

Not Implemented.

• #define CFE_EVS_UNKNOWN_FILTER ((int32)0xc2000001)

Unknown Filter.

#define CFE_EVS_APP_NOT_REGISTERED ((int32)0xc2000002)

Application Not Registered.

• #define CFE_EVS_APP_ILLEGAL_APP_ID ((int32)0xc2000003)

Illegal Application ID.

 #define CFE_EVS_APP_FILTER_OVERLOAD ((int32)0xc2000004) Application Filter Overload. #define CFE EVS RESET AREA POINTER ((int32)0xc2000005) Reset Area Pointer Failure. #define CFE EVS EVT NOT REGISTERED ((int32)0xc2000006) Event Not Registered. #define CFE EVS FILE WRITE ERROR ((int32)0xc2000007) File Write Error. #define CFE EVS INVALID PARAMETER ((int32)0xc2000008) Invalid Pointer. #define CFE EVS FUNCTION DISABLED ((int32)0xc2000009) Function Disabled. #define CFE EVS NOT IMPLEMENTED ((int32)0xc200ffff) Not Implemented. #define CFE_ES_ERR_APPID ((int32)0xc4000001) Application ID Error. #define CFE ES ERR APPNAME ((int32)0xc4000002) Application Name Error. #define CFE_ES_ERR_BUFFER ((int32)0xc4000003) Invalid Pointer. #define CFE_ES_ERR_APP_CREATE ((int32)0xc4000004) Application Create Error. #define CFE_ES_ERR_CHILD_TASK_CREATE ((int32)0xc4000005) Child Task Create Error. #define CFE_ES_ERR_SYS_LOG_FULL ((int32)0xc4000006) System Log Full. #define CFE_ES_ERR_MEM_HANDLE ((int32)0xc4000007) Memory Handle Error. #define CFE_ES_ERR_MEM_BLOCK_SIZE ((int32)0xc4000008) Memory Block Size Error. #define CFE_ES_ERR_LOAD_LIB ((int32)0xc4000009) Load Library Error. #define CFE_ES_BAD_ARGUMENT ((int32)0xc400000a) Bad Argument. #define CFE ES ERR CHILD TASK REGISTER ((int32)0xc400000b) Child Task Register Error. #define CFE_ES_ERR_SHELL_CMD ((int32)0xc400000c) Shell Command Error. #define CFE ES CDS ALREADY EXISTS ((int32)0x4400000d) CDS Already Exists. #define CFE_ES_CDS_INSUFFICIENT_MEMORY ((int32)0xc400000e) CDS Insufficient Memory. #define CFE ES CDS INVALID NAME ((int32)0xc400000f) CDS Invalid Name. #define CFE ES CDS INVALID SIZE ((int32)0xc4000010)

CDS Invalid Size.

#define CFE_ES_CDS_REGISTRY_FULL ((int32)0xc4000011)

CDS Registry Full. #define CFE_ES_CDS_INVALID ((int32)0xc4000012) CDS Invalid. #define CFE ES CDS ACCESS ERROR ((int32)0xc4000013) CDS Access Error. #define CFE_ES_FILE_IO_ERR ((int32)0xc4000014) File IO Error. #define CFE ES RST ACCESS ERR ((int32)0xc4000015) Reset Area Access Error. #define CFE_ES_ERR_TASKID ((int32)0xc4000016) Task ID Error. #define CFE ES ERR APP REGISTER ((int32)0xc4000017) Application Register Error. #define CFE_ES_ERR_CHILD_TASK_DELETE ((int32)0xc4000018) Child Task Delete Error. #define CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK ((int32)0xc4000019) Child Task Delete Passed Main Task. #define CFE_ES_CDS_BLOCK_CRC_ERR ((int32)0xc400001A) CDS Block CRC Error. #define CFE_ES_MUT_SEM_DELETE_ERR ((int32)0xc400001B) Mutex Semaphore Delete Error. • #define CFE_ES_BIN_SEM_DELETE_ERR ((int32)0xc400001C) Binary Semaphore Delete Error. #define CFE_ES_COUNT_SEM_DELETE_ERR ((int32)0xc400001D) Counte Semaphore Delete Error. #define CFE_ES_QUEUE_DELETE_ERR ((int32)0xc400001E) Queue Delete Error. #define CFE_ES_FILE_CLOSE_ERR ((int32)0xc400001F) File Close Error. #define CFE_ES_CDS_WRONG_TYPE_ERR ((int32)0xc4000020) CDS Wrong Type Error. #define CFE ES CDS NOT FOUND ERR ((int32)0xc4000021) CDS Not Found Error. #define CFE ES CDS OWNER ACTIVE ERR ((int32)0xc4000022) CDS Owner Active Error. • #define CFE ES APP CLEANUP ERR ((int32)0xc4000023) Application Cleanup Error. #define CFE ES TIMER DELETE ERR ((int32)0xc4000024) Timer Delete Error. #define CFE_ES_BUFFER_NOT_IN_POOL ((int32)0xc4000025) Buffer Not In Pool. #define CFE ES TASK DELETE ERR ((int32)0xc4000026) Task Delete Error. #define CFE_ES_OPERATION_TIMED_OUT ((int32)0xc4000027) Operation Timed Out.

#define CFE ES LIB ALREADY LOADED ((int32)0x44000028)

Library Already Loaded.

```
• #define CFE_ES_ERR_SYS_LOG_TRUNCATED ((int32)0x44000028)
     System Log Message Truncated.

    #define CFE ES NOT IMPLEMENTED ((int32)0xc400ffff)

     Not Implemented.

    #define CFE FS BAD ARGUMENT ((int32)0xc6000001)

     Bad Argument.

    #define CFE FS INVALID PATH ((int32)0xc6000002)

     Invalid Path.
• #define CFE_FS_FNAME_TOO_LONG ((int32)0xc6000003)
     Filename Too Long.

    #define CFE FS GZIP BAD DATA ((int32)0xc6000004)

     GZIP File Bad Data.

    #define CFE FS GZIP BAD CODE BLOCK ((int32)0xc6000005)

     GZIP File Bad Code Block.
#define CFE_FS_GZIP_NO_MEMORY ((int32)0xc6000006)
     GZIP Memory Buffer Exhausted.

    #define CFE FS GZIP CRC ERROR ((int32)0xc6000007)

     GZIP CRC Error.

    #define CFE_FS_GZIP_LENGTH_ERROR ((int32)0xc6000008)

     GZIP Length Error.
#define CFE_FS_GZIP_WRITE_ERROR ((int32)0xc6000009)
     GZIP Write Error.

    #define CFE_FS_GZIP_READ_ERROR ((int32)0xc600000A)

     GZIP Read Error.

    #define CFE_FS_GZIP_OPEN_OUTPUT ((int32)0xc600000B)

     GZIP Open Output Error.

    #define CFE_FS_GZIP_OPEN_INPUT ((int32)0xc600000C)

     GZIP Open Input Error.

    #define CFE_FS_GZIP_READ_ERROR_HEADER ((int32)0xc600000D)

     GZIP Read Header Error.

    #define CFE_FS_GZIP_INDEX_ERROR ((int32)0xc600000E)

     GZIP Index Error.

    #define CFE_FS_GZIP_NON_ZIP_FILE ((int32)0xc600000F)

     GZIP Not Zip File.

    #define CFE FS NOT IMPLEMENTED ((int32)0xc600ffff)

     Not Implemented.

    #define CFE_OS_ERROR (OS_ERROR)

     DEPRECATED.

    #define CFE OS INVALID POINTER (OS INVALID POINTER)

     DEPRECATED.

    #define CFE_OS_ERROR_ADDRESS_MISALIGNED (OS_ERROR_ADDRESS_MISALIGNED)

     DEPRECATED.

    #define CFE OS ERROR TIMEOUT (OS ERROR TIMEOUT)

     DEPRECATED.

    #define CFE OS INVALID INT NUM (OS INVALID INT NUM)

     DEPRECATED.

    #define CFE OS SEM FAILURE (OS SEM FAILURE)
```

DEPRECATED.

```
    #define CFE_OS_SEM_TIMEOUT (OS_SEM_TIMEOUT)

    DEPRECATED.

    #define CFE OS QUEUE EMPTY (OS QUEUE EMPTY)

    DEPRECATED.

    #define CFE_OS_QUEUE_FULL (OS_QUEUE_FULL)

    DEPRECATED.

    #define CFE_OS_QUEUE_TIMEOUT (OS_QUEUE_TIMEOUT)

    DEPRECATED.

    #define CFE_OS_QUEUE_INVALID_SIZE (OS_QUEUE_INVALID_SIZE)

    DEPRECATED.

    #define CFE OS QUEUE ID ERROR (OS QUEUE ID ERROR)

    DEPRECATED.

    #define CFE_OS_ERR_NAME_TOO_LONG (OS_ERR_NAME_TOO_LONG)

    DEPRECATED.

    #define CFE_OS_ERR_NO_FREE_IDS (OS_ERR_NO_FREE_IDS)

    DEPRECATED.

    #define CFE_OS_ERR_NAME_TAKEN (OS_ERR_NAME_TAKEN)

    DEPRECATED.

    #define CFE_OS_ERR_INVALID_ID (OS_ERR_INVALID_ID)

    DEPRECATED.

    #define CFE_OS_ERR_NAME_NOT_FOUND (OS_ERR_NAME_NOT_FOUND)

    DEPRECATED.

    #define CFE_OS_ERR_SEM_NOT_FULL (OS_ERR_SEM_NOT_FULL)

    DEPRECATED.

    #define CFE_OS_ERR_INVALID_PRIORITY (OS_ERR_INVALID_PRIORITY)

    DEPRECATED.

    #define CFE_OS_FS_ERROR (OS_ERROR)

    DEPRECATED.

    #define CFE_OS_FS_ERR_INVALID_POINTER (OS_INVALID_POINTER)

    DEPRECATED.
• #define CFE OS FS ERR PATH TOO LONG (OS FS ERR PATH TOO LONG)
    DEPRECATED.

    #define CFE OS FS ERR NAME TOO LONG (OS FS ERR NAME TOO LONG)

    DEPRECATED.
• #define CFE OS FS ERR DRIVE NOT CREATED (OS FS ERR DRIVE NOT CREATED)
    DEPRECATED.

    #define CFE OSAPI NOT IMPLEMENTED (OS ERR NOT IMPLEMENTED)

    DEPRECATED.
#define CFE_SB_TIME_OUT ((int32)0xca000001)
    Time Out.

    #define CFE SB NO MESSAGE ((int32)0xca000002)

    No Message.

    #define CFE SB BAD ARGUMENT ((int32)0xca000003)

    Bad Argument.

    #define CFE SB MAX PIPES MET ((int32)0xca000004)

    Max Pipes Met.
```

#define CFE_SB_PIPE_CR_ERR ((int32)0xca000005)
 Pipe Create Error.

#define CFE_SB_PIPE_RD_ERR ((int32)0xca000006)

Pipe Read Error.

#define CFE_SB_MSG_TOO_BIG ((int32)0xca000007)

Message Too Big.

#define CFE_SB_BUF_ALOC_ERR ((int32)0xca000008)

Buffer Allocation Error.

• #define CFE_SB_MAX_MSGS_MET ((int32)0xca000009)

Max Messages Met.

#define CFE_SB_MAX_DESTS_MET ((int32)0xca00000a)

Max Destinations Met.

#define CFE SB NO SUBSCRIBERS ((int32)0xca00000b)

No Subscribers.

#define CFE_SB_INTERNAL_ERR ((int32)0xca00000c)

Internal Error.

#define CFE SB WRONG MSG TYPE ((int32)0xca00000d)

Wrong Message Type.

#define CFE_SB_BUFFER_INVALID ((int32)0xca00000e)

Buffer Invalid.

#define CFE_SB_NO_MSG_RECV ((int32)0xca00000f)

No Message Recieved.

#define CFE_SB_NOT_IMPLEMENTED ((int32)0xca00ffff)

Not Implemented.

#define CFE_TBL_ERR_INVALID_HANDLE ((int32)0xcc000001)

Invalid Handle.

#define CFE_TBL_ERR_INVALID_NAME ((int32)0xcc000002)

Invalid Name.

#define CFE_TBL_ERR_INVALID_SIZE ((int32)0xcc000003)

Invalid Size.

#define CFE_TBL_INFO_UPDATE_PENDING ((int32)0x4c000004)

Update Pending.

#define CFE_TBL_ERR_NEVER_LOADED ((int32)0xcc000005)

Never Loaded.

#define CFE TBL ERR REGISTRY FULL ((int32)0xcc000006)

Registry Full.

#define CFE_TBL_WARN_DUPLICATE ((int32)0x4c000007)

Duplicate Warning.

#define CFE TBL ERR NO ACCESS ((int32)0xcc000008)

No Access.

#define CFE_TBL_ERR_UNREGISTERED ((int32)0xcc000009)

Unregistered.

#define CFE TBL ERR BAD APP ID ((int32)0xcc00000A)

Bad Application ID.

#define CFE TBL ERR HANDLES FULL ((int32)0xcc00000B)

Handles Full.

#define CFE TBL ERR DUPLICATE DIFF SIZE ((int32)0xcc00000C)

Duplicate Table With Different Size. #define CFE_TBL_ERR_DUPLICATE_NOT_OWNED ((int32)0xcc00000D) Dupicate Table And Not Owned. #define CFE TBL INFO UPDATED ((int32)0x4c00000E) Updated. #define CFE TBL ERR NO BUFFER AVAIL ((int32)0xcc00000F) No Buffer Available. #define CFE_TBL_ERR_DUMP_ONLY ((int32)0xcc000010) Dump Only Error. #define CFE TBL ERR ILLEGAL SRC TYPE ((int32)0xcc000011) Illegal Source Type. • #define CFE TBL ERR LOAD IN PROGRESS ((int32)0xcc000012) Load In Progress. #define CFE_TBL_ERR_FILE_NOT_FOUND ((int32)0xcc000013) File Not Found. #define CFE_TBL_ERR_FILE_TOO_LARGE ((int32)0xcc000014) File Too Large. #define CFE_TBL_WARN_SHORT_FILE ((int32)0x4c000015) Short File Warning. #define CFE_TBL_ERR_BAD_CONTENT_ID ((int32)0xcc000016) Bad Content ID. #define CFE TBL INFO NO UPDATE PENDING ((int32)0x4c000017) No Update Pending. • #define CFE TBL INFO TABLE LOCKED ((int32)0x4c000018) Table Locked. #define CFE TBL INFO VALIDATION PENDING ((int32)0x4c000019) #define CFE TBL INFO NO VALIDATION PENDING ((int32)0x4c00001A) #define CFE_TBL_ERR_BAD_SUBTYPE_ID ((int32)0xcc00001B) Bad Subtype ID. #define CFE_TBL_ERR_FILE_SIZE_INCONSISTENT ((int32)0xcc00001C) File Size Inconsistent. #define CFE_TBL_ERR_NO_STD_HEADER ((int32)0xcc00001D) No Standard Header. #define CFE TBL ERR NO TBL HEADER ((int32)0xcc00001E) No Table Header. #define CFE TBL ERR FILENAME TOO LONG ((int32)0xcc00001F) Filename Too Long. • #define CFE TBL ERR FILE FOR WRONG TABLE ((int32)0xcc000020) File For Wrong Table. #define CFE TBL ERR LOAD INCOMPLETE ((int32)0xcc000021) Load Incomplete. #define CFE TBL WARN PARTIAL LOAD ((int32)0x4c000022) Partial Load Warning. #define CFE_TBL_ERR_PARTIAL_LOAD ((int32)0xcc000023) Partial Load Error. • #define CFE_TBL_INFO_DUMP_PENDING ((int32)0x4c000024)

Dump Pending.

#define CFE_TBL_ERR_INVALID_OPTIONS ((int32)0xcc000025)
 Invalid Options.

• #define CFE TBL WARN NOT CRITICAL ((int32)0x4c000026)

Not Critical Warning.

#define CFE_TBL_INFO_RECOVERED_TBL ((int32)0x4c000027)

Recovered Table.

#define CFE_TBL_ERR_BAD_SPACECRAFT_ID ((int32)0xcc000028)

Bad Spacecraft ID.

• #define CFE TBL ERR BAD PROCESSOR ID ((int32)0xcc000029)

Bad Processor ID.

• #define CFE_TBL_MESSAGE_ERROR ((int32)0xcc00002a)

Message Error.

- #define CFE_TBL_ERR_SHORT_FILE ((int32)0xcc00002b)
- #define CFE_TBL_ERR_ACCESS ((int32)0xcc00002c)
- #define CFE_TBL_NOT_IMPLEMENTED ((int32)0xcc00ffff)

Not Implemented.

#define CFE_TIME_NOT_IMPLEMENTED ((int32)0xce00ffff)

Not Implemented.

#define CFE_TIME_INTERNAL_ONLY ((int32)0xce000001)

Internal Only.

#define CFE_TIME_OUT_OF_RANGE ((int32)0xce000002)

Out Of Range.

#define CFE_TIME_TOO_MANY_SYNCH_CALLBACKS ((int32)0xce000003)

Too Many Sync Callbacks.

• #define CFE_TIME_CALLBACK_NOT_REGISTERED ((int32)0xce0000004)

Callback Not Registered.

- 37.1.1 Detailed Description
- 37.1.2 Macro Definition Documentation

37.1.2.1 CFE_ES_APP_CLEANUP_ERR

```
#define CFE_ES_APP_CLEANUP_ERR ((int32)0xc4000023)
```

Application Cleanup Error.

Occurs when an attempt was made to Clean Up an application which involves calling Table, EVS, and SB cleanup functions, then deleting all ES resources, child tasks, and unloading the object module. The approach here is to keep going even though one of these steps had an error. There will be syslog messages detailing each problem.

Definition at line 580 of file cfe_error.h.

37.1.2.2 CFE_ES_BAD_ARGUMENT

```
#define CFE_ES_BAD_ARGUMENT ((int32)0xc400000a)
```

Bad Argument.

Bad parameter passed into an ES API.

Definition at line 347 of file cfe_error.h.

37.1.2.3 CFE_ES_BIN_SEM_DELETE_ERR

```
#define CFE_ES_BIN_SEM_DELETE_ERR ((int32)0xc400001C)
```

Binary Semaphore Delete Error.

Occurs when trying to delete a Binary Semaphore that belongs to a task that ES is cleaning up.

Definition at line 509 of file cfe_error.h.

37.1.2.4 CFE_ES_BUFFER_NOT_IN_POOL

```
#define CFE_ES_BUFFER_NOT_IN_POOL ((int32)0xc4000025)
```

Buffer Not In Pool.

The specified address is not in the memory pool.

Definition at line 597 of file cfe_error.h.

37.1.2.5 CFE_ES_CDS_ACCESS_ERROR

```
#define CFE_ES_CDS_ACCESS_ERROR ((int32)0xc4000013)
```

CDS Access Error.

The CDS was inaccessible

Definition at line 429 of file cfe_error.h.

37.1.2.6 CFE_ES_CDS_ALREADY_EXISTS

```
#define CFE_ES_CDS_ALREADY_EXISTS ((int32)0x4400000d)
```

CDS Already Exists.

The Application is receiving the pointer to a CDS that was already present.

Definition at line 371 of file cfe_error.h.

37.1.2.7 CFE_ES_CDS_BLOCK_CRC_ERR

```
#define CFE_ES_CDS_BLOCK_CRC_ERR ((int32)0xc400001A)
```

CDS Block CRC Error.

Occurs when trying to read a CDS Data block and the CRC of the current data does not match the stored CRC for the data. Either the contents of the CDS Data Block are corrupted or the CDS Control Block is corrupted.

Definition at line 490 of file cfe_error.h.

37.1.2.8 CFE_ES_CDS_INSUFFICIENT_MEMORY

```
#define CFE_ES_CDS_INSUFFICIENT_MEMORY ((int32)0xc400000e)
```

CDS Insufficient Memory.

The Application is requesting a CDS Block that is larger than the remaining CDS memory.

Definition at line 381 of file cfe_error.h.

37.1.2.9 CFE_ES_CDS_INVALID

```
#define CFE_ES_CDS_INVALID ((int32)0xc4000012)
```

CDS Invalid.

The CDS contents are invalid.

Definition at line 420 of file cfe_error.h.

37.1.2.10 CFE_ES_CDS_INVALID_NAME

```
#define CFE_ES_CDS_INVALID_NAME ((int32)0xc400000f)
```

CDS Invalid Name.

The Application is requesting a CDS Block with an invalid ASCII string name. Either the name is too long (> CFE_MI ← SSION_ES_CDS_MAX_NAME_LENGTH) or was an empty string.

Definition at line 391 of file cfe_error.h.

37.1.2.11 CFE_ES_CDS_INVALID_SIZE

```
#define CFE_ES_CDS_INVALID_SIZE ((int32)0xc4000010)
```

CDS Invalid Size.

The Application is requesting a CDS Block with a size of zero.

Definition at line 400 of file cfe_error.h.

37.1.2.12 CFE_ES_CDS_NOT_FOUND_ERR

```
#define CFE_ES_CDS_NOT_FOUND_ERR ((int32)0xc4000021)
```

CDS Not Found Error.

Occurs when a search of the Critical Data Store Registry does not find a critical data store with the specified name.

Definition at line 555 of file cfe_error.h.

37.1.2.13 CFE_ES_CDS_OWNER_ACTIVE_ERR

```
#define CFE_ES_CDS_OWNER_ACTIVE_ERR ((int32)0xc4000022)
```

CDS Owner Active Error.

Occurs when an attempt was made to delete a CDS when an application with the same name associated with the CDS is still present. CDSs can ONLY be deleted when Applications that created them are not present in the system.

Definition at line 566 of file cfe_error.h.

37.1.2.14 CFE_ES_CDS_REGISTRY_FULL

```
#define CFE_ES_CDS_REGISTRY_FULL ((int32)0xc4000011)
```

CDS Registry Full.

The CDS Registry has as many entries in it as it can hold. The CDS Registry size can be adjusted with the CFE_PL ATFORM_ES_CDS_MAX_NUM_ENTRIES macro defined in the cfe_platform_cfg.h file.

Definition at line 411 of file cfe_error.h.

37.1.2.15 CFE_ES_CDS_WRONG_TYPE_ERR

```
#define CFE_ES_CDS_WRONG_TYPE_ERR ((int32)0xc4000020)
```

CDS Wrong Type Error.

Occurs when Table Services is trying to delete a Critical Data Store that is not a Critical Table Image or when Executive Services is trying to delete a Critical Table Image.

Definition at line 546 of file cfe_error.h.

37.1.2.16 CFE_ES_COUNT_SEM_DELETE_ERR

```
#define CFE_ES_COUNT_SEM_DELETE_ERR ((int32)0xc400001D)
```

Counte Semaphore Delete Error.

Occurs when trying to delete a Counting Semaphore that belongs to a task that ES is cleaning up.

Definition at line 518 of file cfe_error.h.

37.1.2.17 CFE ES ERR APP CREATE

```
#define CFE_ES_ERR_APP_CREATE ((int32)0xc4000004)
```

Application Create Error.

There was an error loading or creating the App.

Definition at line 298 of file cfe_error.h.

37.1.2.18 CFE_ES_ERR_APP_REGISTER

```
#define CFE_ES_ERR_APP_REGISTER ((int32)0xc4000017)
```

Application Register Error.

Occurs when the CFE_ES_RegisterApp fails.

Definition at line 463 of file cfe_error.h.

37.1.2.19 CFE_ES_ERR_APPID

```
#define CFE_ES_ERR_APPID ((int32)0xc4000001)
```

Application ID Error.

The given application ID does not reflect a currently active application.

Definition at line 274 of file cfe_error.h.

37.1.2.20 CFE_ES_ERR_APPNAME

```
#define CFE_ES_ERR_APPNAME ((int32)0xc4000002)
```

Application Name Error.

There is no match for the given application name in the current application list.

Definition at line 282 of file cfe_error.h.

37.1.2.21 CFE_ES_ERR_BUFFER

```
#define CFE_ES_ERR_BUFFER ((int32)0xc4000003)
```

Invalid Pointer.

Invalid pointer argument (NULL)

Definition at line 290 of file cfe_error.h.

37.1.2.22 CFE_ES_ERR_CHILD_TASK_CREATE

```
#define CFE_ES_ERR_CHILD_TASK_CREATE ((int32)0xc4000005)
```

Child Task Create Error.

There was an error creating a child task.

Definition at line 306 of file cfe_error.h.

37.1.2.23 CFE_ES_ERR_CHILD_TASK_DELETE

```
#define CFE_ES_ERR_CHILD_TASK_DELETE ((int32)0xc4000018)
```

Child Task Delete Error.

There was an error deleting a child task.

Definition at line 471 of file cfe_error.h.

37.1.2.24 CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK

```
#define CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK ((int32)0xc4000019)
```

Child Task Delete Passed Main Task.

There was an attempt to delete a cFE App Main Task with the CFE_ES_DeleteChildTask API.

Definition at line 480 of file cfe_error.h.

37.1.2.25 CFE_ES_ERR_CHILD_TASK_REGISTER

```
#define CFE_ES_ERR_CHILD_TASK_REGISTER ((int32)0xc400000b)
```

Child Task Register Error.

Errors occured when trying to register a child task.

Definition at line 355 of file cfe_error.h.

```
37.1.2.26 CFE_ES_ERR_LOAD_LIB
```

```
#define CFE_ES_ERR_LOAD_LIB ((int32)0xc4000009)
```

Load Library Error.

Could not load the shared library.

Definition at line 339 of file cfe_error.h.

37.1.2.27 CFE_ES_ERR_MEM_BLOCK_SIZE

```
#define CFE_ES_ERR_MEM_BLOCK_SIZE ((int32)0xc4000008)
```

Memory Block Size Error.

The block size requested is invalid.

Definition at line 331 of file cfe_error.h.

37.1.2.28 CFE_ES_ERR_MEM_HANDLE

```
#define CFE_ES_ERR_MEM_HANDLE ((int32)0xc4000007)
```

Memory Handle Error.

The Memory Pool handle is invalid.

Definition at line 323 of file cfe_error.h.

37.1.2.29 CFE_ES_ERR_SHELL_CMD

```
#define CFE_ES_ERR_SHELL_CMD ((int32)0xc400000c)
```

Shell Command Error.

Error occured ehen trying to pass a system call to the OS shell

Definition at line 363 of file cfe_error.h.

37.1.2.30 CFE_ES_ERR_SYS_LOG_FULL

```
#define CFE_ES_ERR_SYS_LOG_FULL ((int32)0xc4000006)
```

System Log Full.

The cFE system Log is full. This error means the message was not logged at all

Definition at line 315 of file cfe_error.h.

37.1.2.31 CFE_ES_ERR_SYS_LOG_TRUNCATED

```
#define CFE_ES_ERR_SYS_LOG_TRUNCATED ((int32)0x44000028)
```

System Log Message Truncated.

This information code means the last syslog message was truncated due to insufficient space in the log buffer.

Definition at line 634 of file cfe_error.h.

37.1.2.32 CFE_ES_ERR_TASKID

```
#define CFE_ES_ERR_TASKID ((int32)0xc4000016)
```

Task ID Error.

Occurs when the Task ID passed into CFE_ES_GetTaskInfo is invalid.

Definition at line 455 of file cfe_error.h.

37.1.2.33 CFE_ES_FILE_CLOSE_ERR

```
#define CFE_ES_FILE_CLOSE_ERR ((int32)0xc400001F)
```

File Close Error.

Occurs when trying to close a file that belongs to a task that ES is cleaning up.

Definition at line 536 of file cfe_error.h.

37.1.2.34 CFE_ES_FILE_IO_ERR

```
#define CFE_ES_FILE_IO_ERR ((int32)0xc4000014)
```

File IO Error.

Occurs when a file operation fails

Definition at line 438 of file cfe_error.h.

37.1.2.35 CFE_ES_LIB_ALREADY_LOADED

```
#define CFE_ES_LIB_ALREADY_LOADED ((int32)0x44000028)
```

Library Already Loaded.

Occurs if CFE_ES_LoadLibrary detects that the requested library name is already loaded.

Definition at line 624 of file cfe_error.h.

37.1.2.36 CFE_ES_MUT_SEM_DELETE_ERR

```
#define CFE_ES_MUT_SEM_DELETE_ERR ((int32)0xc400001B)
```

Mutex Semaphore Delete Error.

Occurs when trying to delete a Mutex that belongs to a task that ES is cleaning up.

Definition at line 499 of file cfe_error.h.

37.1.2.37 CFE_ES_NOT_IMPLEMENTED

```
#define CFE_ES_NOT_IMPLEMENTED ((int32)0xc400ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 645 of file cfe_error.h.

37.1.2.38 CFE_ES_OPERATION_TIMED_OUT

```
#define CFE_ES_OPERATION_TIMED_OUT ((int32)0xc4000027)
```

Operation Timed Out.

Occurs if the timeout for a given operation was exceeded

Definition at line 615 of file cfe_error.h.

37.1.2.39 CFE_ES_QUEUE_DELETE_ERR

```
#define CFE_ES_QUEUE_DELETE_ERR ((int32)0xc400001E)
```

Queue Delete Error.

Occurs when trying to delete a Queue that belongs to a task that ES is cleaning up.

Definition at line 527 of file cfe_error.h.

37.1.2.40 CFE_ES_RST_ACCESS_ERR

```
#define CFE_ES_RST_ACCESS_ERR ((int32)0xc4000015)
```

Reset Area Access Error.

Occurs when the BSP is not successful in returning the reset area address.

Definition at line 447 of file cfe_error.h.

37.1.2.41 CFE_ES_TASK_DELETE_ERR

```
#define CFE_ES_TASK_DELETE_ERR ((int32)0xc4000026)
```

Task Delete Error.

Occurs when trying to delete a task that ES is cleaning up.

Definition at line 607 of file cfe_error.h.

37.1.2.42 CFE_ES_TIMER_DELETE_ERR

```
#define CFE_ES_TIMER_DELETE_ERR ((int32)0xc4000024)
```

Timer Delete Error.

Occurs when trying to delete a Timer that belongs to a task that ES is cleaning up.

Definition at line 589 of file cfe_error.h.

37.1.2.43 CFE_EVS_APP_FILTER_OVERLOAD

```
#define CFE_EVS_APP_FILTER_OVERLOAD ((int32)0xc2000004)
```

Application Filter Overload.

Number of Application event filters input upon registration is greater than CFE_PLATFORM_EVS_MAX_EVENT_FIL← TERS

Definition at line 207 of file cfe_error.h.

37.1.2.44 CFE_EVS_APP_ILLEGAL_APP_ID

```
#define CFE_EVS_APP_ILLEGAL_APP_ID ((int32)0xc2000003)
```

Illegal Application ID.

Application ID returned by CFE ES GetAppIDByName is greater than CFE PLATFORM ES MAX APPLICATIONS

Definition at line 198 of file cfe_error.h.

37.1.2.45 CFE_EVS_APP_NOT_REGISTERED

```
#define CFE_EVS_APP_NOT_REGISTERED ((int32)0xc2000002)
```

Application Not Registered.

Calling application never previously called CFE EVS Register

Definition at line 189 of file cfe_error.h.

37.1.2.46 CFE_EVS_EVT_NOT_REGISTERED

```
#define CFE_EVS_EVT_NOT_REGISTERED ((int32)0xc2000006)
```

Event Not Registered.

CFE_EVS_ResetFilter EventID argument was not found in any event filter registered by the calling application.

Definition at line 226 of file cfe_error.h.

37.1.2.47 CFE_EVS_FILE_WRITE_ERROR

```
#define CFE_EVS_FILE_WRITE_ERROR ((int32)0xc2000007)
```

File Write Error.

A file write error occurred while processing an EVS command

Definition at line 234 of file cfe_error.h.

37.1.2.48 CFE_EVS_FUNCTION_DISABLED

```
#define CFE_EVS_FUNCTION_DISABLED ((int32)0xc2000009)
```

Function Disabled.

EVS command sent that requires a feature currently turned off This is to differentiate between "NOT_IMPLEMENTED" where the feature IS implemented but it is disabled at runtime.

Definition at line 251 of file cfe_error.h.

37.1.2.49 CFE_EVS_INVALID_PARAMETER

```
#define CFE_EVS_INVALID_PARAMETER ((int32)0xc2000008)
```

Invalid Pointer.

Invalid parameter supplied to EVS command

Definition at line 242 of file cfe_error.h.

37.1.2.50 CFE_EVS_NOT_IMPLEMENTED

```
#define CFE_EVS_NOT_IMPLEMENTED ((int32)0xc200ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 262 of file cfe_error.h.

37.1.2.51 CFE_EVS_RESET_AREA_POINTER

```
#define CFE_EVS_RESET_AREA_POINTER ((int32)0xc2000005)
```

Reset Area Pointer Failure.

Could not get pointer to the ES Reset area, so we could not get the pointer to the EVS Log.

Definition at line 216 of file cfe_error.h.

37.1.2.52 CFE_EVS_UNKNOWN_FILTER

```
#define CFE_EVS_UNKNOWN_FILTER ((int32)0xc2000001)
```

Unknown Filter.

CFE EVS Register FilterScheme parameter was illegal

Definition at line 181 of file cfe_error.h.

37.1.2.53 CFE_FS_BAD_ARGUMENT

```
#define CFE_FS_BAD_ARGUMENT ((int32)0xc6000001)
```

Bad Argument.

A parameter given by a caller to a File Services API did not pass validation checks.

Definition at line 659 of file cfe_error.h.

```
37.1.2.54 CFE_FS_FNAME_TOO_LONG
```

```
#define CFE_FS_FNAME_TOO_LONG ((int32)0xc6000003)
```

Filename Too Long.

FS filename string is too long

Definition at line 675 of file cfe_error.h.

37.1.2.55 CFE_FS_GZIP_BAD_CODE_BLOCK

```
#define CFE_FS_GZIP_BAD_CODE_BLOCK ((int32)0xc6000005)
```

GZIP File Bad Code Block.

The GZIP file codeblock is bad, which means the file is most likely corrupted

Definition at line 690 of file cfe_error.h.

37.1.2.56 CFE_FS_GZIP_BAD_DATA

```
#define CFE_FS_GZIP_BAD_DATA ((int32)0xc6000004)
```

GZIP File Bad Data.

The GZIP file contains invalid data and cannot be read

Definition at line 682 of file cfe_error.h.

37.1.2.57 CFE_FS_GZIP_CRC_ERROR

```
#define CFE_FS_GZIP_CRC_ERROR ((int32)0xc6000007)
```

GZIP CRC Error.

There is a CRC error in the GZIP file, which means the file is most likely corrupted.

Definition at line 706 of file cfe_error.h.

37.1.2.58 CFE_FS_GZIP_INDEX_ERROR

```
#define CFE_FS_GZIP_INDEX_ERROR ((int32)0xc600000E)
```

GZIP Index Error.

An error occurred trying to read the GZIP index, which means the file is most likely corrupted.

Definition at line 766 of file cfe_error.h.

37.1.2.59 CFE_FS_GZIP_LENGTH_ERROR

```
#define CFE_FS_GZIP_LENGTH_ERROR ((int32)0xc6000008)
```

GZIP Length Error.

There is a length error in the GZIP internal data structures, which means the file is most likely corrupted.

Definition at line 714 of file cfe_error.h.

37.1.2.60 CFE_FS_GZIP_NO_MEMORY

```
#define CFE_FS_GZIP_NO_MEMORY ((int32)0xc6000006)
```

GZIP Memory Buffer Exhausted.

The memory buffer used by the decompression routine is exhausted.

Definition at line 698 of file cfe_error.h.

37.1.2.61 CFE_FS_GZIP_NON_ZIP_FILE

```
#define CFE_FS_GZIP_NON_ZIP_FILE ((int32)0xc600000F)
```

GZIP Not Zip File.

The file to be decompressed is not a valid GZIP file

Definition at line 773 of file cfe_error.h.

37.1.2.62 CFE_FS_GZIP_OPEN_INPUT

```
#define CFE_FS_GZIP_OPEN_INPUT ((int32)0xc600000C)
```

GZIP Open Input Error.

An error occurred trying to open the GZIP file to be decompressed. The function must be able to open the GZIP file as read-only in order to decompress it to a new file (most likely in a RAM disk)

Definition at line 749 of file cfe_error.h.

37.1.2.63 CFE_FS_GZIP_OPEN_OUTPUT

```
#define CFE_FS_GZIP_OPEN_OUTPUT ((int32)0xc600000B)
```

GZIP Open Output Error.

An error occurred trying to open the DestinationFile where the GZIP file will be uncompressed. The function must be able to open a new write-only file to store the uncompressed file in.

Definition at line 739 of file cfe error.h.

37.1.2.64 CFE_FS_GZIP_READ_ERROR

```
#define CFE_FS_GZIP_READ_ERROR ((int32)0xc600000A)
```

GZIP Read Error.

An error occurred trying to read the GZIP file

Definition at line 729 of file cfe_error.h.

37.1.2.65 CFE_FS_GZIP_READ_ERROR_HEADER

```
#define CFE_FS_GZIP_READ_ERROR_HEADER ((int32)0xc600000D)
```

GZIP Read Header Error.

An error occured trying to read the GZIP file header, which means the file is most likely corrupted or not a valid GZIP file.

Definition at line 758 of file cfe_error.h.

37.1.2.66 CFE_FS_GZIP_WRITE_ERROR

```
#define CFE_FS_GZIP_WRITE_ERROR ((int32)0xc6000009)
```

GZIP Write Error.

An error occurred trying to write the uncompressed file.

Definition at line 722 of file cfe_error.h.

37.1.2.67 CFE_FS_INVALID_PATH

```
#define CFE_FS_INVALID_PATH ((int32)0xc6000002)
```

Invalid Path.

FS was unable to extract a filename from a path string

Definition at line 667 of file cfe_error.h.

37.1.2.68 CFE_FS_NOT_IMPLEMENTED

```
#define CFE_FS_NOT_IMPLEMENTED ((int32)0xc600ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 784 of file cfe_error.h.

37.1.2.69 CFE_OS_ERR_INVALID_ID

```
#define CFE_OS_ERR_INVALID_ID (OS_ERR_INVALID_ID)
```

DEPRECATED.

Deprecated

Definition at line 806 of file cfe_error.h.

37.1.2.70 CFE_OS_ERR_INVALID_PRIORITY

#define CFE_OS_ERR_INVALID_PRIORITY (OS_ERR_INVALID_PRIORITY)

DEPRECATED.

Deprecated

Definition at line 809 of file cfe_error.h.

37.1.2.71 CFE_OS_ERR_NAME_NOT_FOUND

#define CFE_OS_ERR_NAME_NOT_FOUND (OS_ERR_NAME_NOT_FOUND)

DEPRECATED.

Deprecated

Definition at line 807 of file cfe_error.h.

37.1.2.72 CFE_OS_ERR_NAME_TAKEN

#define CFE_OS_ERR_NAME_TAKEN (OS_ERR_NAME_TAKEN)

DEPRECATED.

Deprecated

Definition at line 805 of file cfe_error.h.

37.1.2.73 CFE_OS_ERR_NAME_TOO_LONG

#define CFE_OS_ERR_NAME_TOO_LONG (OS_ERR_NAME_TOO_LONG)

DEPRECATED.

Deprecated

Definition at line 803 of file cfe_error.h.

```
37.1.2.74 CFE_OS_ERR_NO_FREE_IDS
```

```
#define CFE_OS_ERR_NO_FREE_IDS (OS_ERR_NO_FREE_IDS)
```

DEPRECATED.

Deprecated

Definition at line 804 of file cfe_error.h.

```
37.1.2.75 CFE_OS_ERR_SEM_NOT_FULL
```

```
#define CFE_OS_ERR_SEM_NOT_FULL (OS_ERR_SEM_NOT_FULL)
```

DEPRECATED.

Deprecated

Definition at line 808 of file cfe_error.h.

37.1.2.76 CFE_OS_ERROR

#define CFE_OS_ERROR (OS_ERROR)

DEPRECATED.

Deprecated

Definition at line 791 of file cfe_error.h.

37.1.2.77 CFE_OS_ERROR_ADDRESS_MISALIGNED

#define CFE_OS_ERROR_ADDRESS_MISALIGNED (OS_ERROR_ADDRESS_MISALIGNED)

DEPRECATED.

Deprecated

Definition at line 793 of file cfe_error.h.

37.1.2.78 CFE_OS_ERROR_TIMEOUT

#define CFE_OS_ERROR_TIMEOUT (OS_ERROR_TIMEOUT)

DEPRECATED.

Deprecated

Definition at line 794 of file cfe_error.h.

37.1.2.79 CFE_OS_FS_ERR_DRIVE_NOT_CREATED

#define CFE_OS_FS_ERR_DRIVE_NOT_CREATED (OS_FS_ERR_DRIVE_NOT_CREATED)

DEPRECATED.

Deprecated

Definition at line 814 of file cfe_error.h.

37.1.2.80 CFE_OS_FS_ERR_INVALID_POINTER

#define CFE_OS_FS_ERR_INVALID_POINTER (OS_INVALID_POINTER)

DEPRECATED.

Deprecated

Definition at line 811 of file cfe_error.h.

37.1.2.81 CFE_OS_FS_ERR_NAME_TOO_LONG

#define CFE_OS_FS_ERR_NAME_TOO_LONG (OS_FS_ERR_NAME_TOO_LONG)

DEPRECATED.

Deprecated

Definition at line 813 of file cfe_error.h.

37.1.2.82 CFE_OS_FS_ERR_PATH_TOO_LONG

#define CFE_OS_FS_ERR_PATH_TOO_LONG (OS_FS_ERR_PATH_TOO_LONG)

DEPRECATED.

Deprecated

Definition at line 812 of file cfe_error.h.

37.1.2.83 CFE_OS_FS_ERROR

#define CFE_OS_FS_ERROR (OS_ERROR)

DEPRECATED.

Deprecated

Definition at line 810 of file cfe_error.h.

37.1.2.84 CFE_OS_INVALID_INT_NUM

#define CFE_OS_INVALID_INT_NUM (OS_INVALID_INT_NUM)

DEPRECATED.

Deprecated

Definition at line 795 of file cfe_error.h.

37.1.2.85 CFE_OS_INVALID_POINTER

#define CFE_OS_INVALID_POINTER (OS_INVALID_POINTER)

DEPRECATED.

Deprecated

Definition at line 792 of file cfe_error.h.

```
37.1.2.86 CFE_OS_QUEUE_EMPTY
```

#define CFE_OS_QUEUE_EMPTY (OS_QUEUE_EMPTY)

DEPRECATED.

Deprecated

Definition at line 798 of file cfe_error.h.

37.1.2.87 CFE_OS_QUEUE_FULL

#define CFE_OS_QUEUE_FULL (OS_QUEUE_FULL)

DEPRECATED.

Deprecated

Definition at line 799 of file cfe_error.h.

37.1.2.88 CFE_OS_QUEUE_ID_ERROR

#define CFE_OS_QUEUE_ID_ERROR (OS_QUEUE_ID_ERROR)

DEPRECATED.

Deprecated

Definition at line 802 of file cfe_error.h.

37.1.2.89 CFE_OS_QUEUE_INVALID_SIZE

#define CFE_OS_QUEUE_INVALID_SIZE (OS_QUEUE_INVALID_SIZE)

DEPRECATED.

Deprecated

Definition at line 801 of file cfe_error.h.

37.1.2.90 CFE_OS_QUEUE_TIMEOUT

#define CFE_OS_QUEUE_TIMEOUT (OS_QUEUE_TIMEOUT)

DEPRECATED.

Deprecated

Definition at line 800 of file cfe_error.h.

37.1.2.91 CFE_OS_SEM_FAILURE

#define CFE_OS_SEM_FAILURE (OS_SEM_FAILURE)

DEPRECATED.

Deprecated

Definition at line 796 of file cfe_error.h.

37.1.2.92 CFE_OS_SEM_TIMEOUT

#define CFE_OS_SEM_TIMEOUT (OS_SEM_TIMEOUT)

DEPRECATED.

Deprecated

Definition at line 797 of file cfe_error.h.

37.1.2.93 CFE_OSAPI_NOT_IMPLEMENTED

#define CFE_OSAPI_NOT_IMPLEMENTED (OS_ERR_NOT_IMPLEMENTED)

DEPRECATED.

Deprecated

Definition at line 815 of file cfe_error.h.

37.1.2.94 CFE_SB_BAD_ARGUMENT

```
#define CFE_SB_BAD_ARGUMENT ((int32)0xca000003)
```

Bad Argument.

A parameter given by a caller to a Software Bus API did not pass validation checks.

Definition at line 850 of file cfe_error.h.

37.1.2.95 CFE SB BUF ALOC ERR

```
#define CFE_SB_BUF_ALOC_ERR ((int32)0xca000008)
```

Buffer Allocation Error.

This error code will be returned from CFE_SB_SendMsg when the memory in the SB message buffer pool has been depleted. The amount of memory in the pool is dictated by the configuration parameter CFE_PLATFORM_SB_BU ← F_MEMORY_BYTES specified in the cfe_platform_cfg.h file. Also the memory statistics, including current utilization figures and high water marks for the SB Buffer memory pool can be monitored by sending a Software Bus command to send the SB statistics packet.

Definition at line 914 of file cfe error.h.

37.1.2.96 CFE_SB_BUFFER_INVALID

```
#define CFE_SB_BUFFER_INVALID ((int32)0xca00000e)
```

Buffer Invalid.

This error code will be returned when a request to release or send a zero copy buffer is invalid, such as if the handle or buffer is not correct or the buffer was previously released.

Definition at line 980 of file cfe_error.h.

37.1.2.97 CFE SB INTERNAL ERR

```
#define CFE_SB_INTERNAL_ERR ((int32)0xca00000c)
```

Internal Error.

This error code will be returned by the CFE_SB_Subscribe API if the code detects an internal index is out of range. The most likely cause would be a Single Event Upset.

Definition at line 959 of file cfe error.h.

37.1.2.98 CFE_SB_MAX_DESTS_MET

```
#define CFE_SB_MAX_DESTS_MET ((int32)0xca00000a)
```

Max Destinations Met.

Will be returned when calling one of the SB subscription API's if the SB routing table cannot accommodate another destination for a particular the given message ID. This occurs when the number of destinations in use meets the platform configuration parameter CFE_PLATFORM_SB_MAX_DEST_PER_PKT.

Definition at line 938 of file cfe_error.h.

37.1.2.99 CFE_SB_MAX_MSGS_MET

```
#define CFE_SB_MAX_MSGS_MET ((int32)0xca000009)
```

Max Messages Met.

Will be returned when calling one of the SB subscription API's if the SB routing table cannot accommodate another unique message ID because the platform configuration parameter CFE PLATFORM SB MAX MSG IDS has been met.

Definition at line 925 of file cfe_error.h.

37.1.2.100 CFE_SB_MAX_PIPES_MET

```
#define CFE_SB_MAX_PIPES_MET ((int32)0xca000004)
```

Max Pipes Met.

This error code will be returned from CFE_SB_CreatePipe when the SB cannot accommodate the request to create a pipe because the maximum number of pipes (CFE_PLATFORM_SB_MAX_PIPES) are in use. This configuration parameter is defined in the cfe_platform_cfg.h file.

Definition at line 862 of file cfe_error.h.

37.1.2.101 CFE_SB_MSG_TOO_BIG

```
#define CFE_SB_MSG_TOO_BIG ((int32)0xca000007)
```

Message Too Big.

The size field in the message header indicates the message exceeds the max Software Bus message size. The max size is defined by configuration parameter CFE_MISSION_SB_MAX_SB_MSG_SIZE in cfe_mission_cfg.h

Definition at line 899 of file cfe_error.h.

37.1.2.102 CFE_SB_NO_MESSAGE

```
#define CFE_SB_NO_MESSAGE ((int32)0xca000002)
```

No Message.

When "Polling" a pipe for a message in CFE_SB_RcvMsg, this return value indicates that there was not a message on the pipe.

Definition at line 840 of file cfe_error.h.

37.1.2.103 CFE_SB_NO_MSG_RECV

```
#define CFE_SB_NO_MSG_RECV ((int32)0xca00000f)
```

No Message Recieved.

When trying to determine the last senders ID, this return value indicates that there was not a message recived on the pipe.

Definition at line 990 of file cfe error.h.

37.1.2.104 CFE_SB_NO_SUBSCRIBERS

```
#define CFE_SB_NO_SUBSCRIBERS ((int32)0xca00000b)
```

No Subscribers.

This error code is returned by the CFE_SB_Unsubscribe API if there has not been an entry in the routing tables for the Msgld/Pipeld given as parameters.

Definition at line 948 of file cfe_error.h.

37.1.2.105 CFE_SB_NOT_IMPLEMENTED

```
#define CFE_SB_NOT_IMPLEMENTED ((int32)0xca00ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 1002 of file cfe_error.h.

37.1.2.106 CFE_SB_PIPE_CR_ERR

```
#define CFE_SB_PIPE_CR_ERR ((int32)0xca000005)
```

Pipe Create Error.

The maximum number of queues(OS_MAX_QUEUES) are in use. Or possibly a lower level problem with creating the underlying queue has occurred such as a lack of memory. If the latter is the problem, the status code displayed in the event must be tracked.

Definition at line 874 of file cfe error.h.

37.1.2.107 CFE_SB_PIPE_RD_ERR

```
#define CFE_SB_PIPE_RD_ERR ((int32)0xca000006)
```

Pipe Read Error.

This return value indicates an error at the Queue read level. This error typically cannot be corrected by the caller. Some possible causes are: queue was not properly initialized or created, the number of bytes read from the queue was not the number of bytes requested in the read. The queue id is invalid. Similar errors regarding the pipe will be caught by higher level code in the Software Bus.

Definition at line 888 of file cfe_error.h.

37.1.2.108 CFE_SB_TIME_OUT

```
#define CFE_SB_TIME_OUT ((int32)0xca000001)
```

Time Out.

In CFE_SB_RcvMsg, this return value indicates that a packet has not been received in the time given in the "timeout" parameter.

Definition at line 830 of file cfe_error.h.

37.1.2.109 CFE_SB_WRONG_MSG_TYPE

```
#define CFE_SB_WRONG_MSG_TYPE ((int32)0xca00000d)
```

Wrong Message Type.

This error code will be returned when a request such as CFE_SB_SetMsgTime is made on a packet that does not include a field for msg time.

Definition at line 969 of file cfe_error.h.

37.1.2.110 CFE_STATUS_BAD_COMMAND_CODE

```
#define CFE_STATUS_BAD_COMMAND_CODE ((int32)0xc8000004)
```

Bad Command Code.

This error code will be returned when a message identification process determined that the command code is does not correspond to any known value

Definition at line 155 of file cfe_error.h.

37.1.2.111 CFE STATUS NO COUNTER INCREMENT

```
#define CFE_STATUS_NO_COUNTER_INCREMENT ((int32)0x48000001)
```

No Counter Increment.

Informational code indicating that a command was processed successfully but that the command counter should *not* be incremented.

Definition at line 128 of file cfe error.h.

37.1.2.112 CFE_STATUS_NOT_IMPLEMENTED

```
#define CFE_STATUS_NOT_IMPLEMENTED ((int32)0xc800ffff)
```

Not Implemented.

Current version does not have the function or the feature of the function implemented. This could be due to either an early build for this platform or the platform does not support the specified feature.

Definition at line 166 of file cfe_error.h.

37.1.2.113 CFE_STATUS_UNKNOWN_MSG_ID

```
#define CFE_STATUS_UNKNOWN_MSG_ID ((int32)0xc8000003)
```

Unknown Message ID.

This error code will be returned when a message identification process determined that the message ID does not correspond to a known value

Definition at line 146 of file cfe_error.h.

37.1.2.114 CFE_STATUS_WRONG_MSG_LENGTH

```
#define CFE_STATUS_WRONG_MSG_LENGTH ((int32)0xc8000002)
```

Wrong Message Length.

This error code will be returned when a message validation process determined that the message length is incorrect

Definition at line 137 of file cfe_error.h.

37.1.2.115 CFE_SUCCESS

```
#define CFE_SUCCESS (0)
```

Sucessful execution.

Operation was performed successfully

Definition at line 120 of file cfe_error.h.

37.1.2.116 CFE_TBL_ERR_ACCESS

```
#define CFE_TBL_ERR_ACCESS ((int32)0xcc00002c)
```

Error code indicating that the TBL file could not be opened by the OS.

Definition at line 1433 of file cfe_error.h.

```
37.1.2.117 CFE_TBL_ERR_BAD_APP_ID
```

```
#define CFE_TBL_ERR_BAD_APP_ID ((int32)0xcc00000A)
```

Bad Application ID.

The calling application does not have a legitimate Application ID. Most likely cause is a failure to register with the cFE via the CFE_ES_RegisterApp function.

Definition at line 1100 of file cfe_error.h.

37.1.2.118 CFE_TBL_ERR_BAD_CONTENT_ID

```
#define CFE_TBL_ERR_BAD_CONTENT_ID ((int32)0xcc000016)
```

Bad Content ID.

The calling Application called CFE_TBL_Load with a filename that specified a file whose content ID was not that of a table image.

Definition at line 1214 of file cfe_error.h.

37.1.2.119 CFE_TBL_ERR_BAD_PROCESSOR_ID

```
#define CFE_TBL_ERR_BAD_PROCESSOR_ID ((int32)0xcc000029)
```

Bad Processor ID.

The selected table file failed validation for Processor ID. The platform configuration file has verification of table files enabled for Processor ID and an attempt was made to load a table with an invalid Processor ID in the table file header.

Definition at line 1413 of file cfe error.h.

37.1.2.120 CFE_TBL_ERR_BAD_SPACECRAFT_ID

```
#define CFE_TBL_ERR_BAD_SPACECRAFT_ID ((int32)0xcc000028)
```

Bad Spacecraft ID.

The selected table file failed validation for Spacecraft ID. The platform configuration file has verification of table files enabled for Spacecraft ID and an attempt was made to load a table with an invalid Spacecraft ID in the table file header.

Definition at line 1401 of file cfe_error.h.

37.1.2.121 CFE_TBL_ERR_BAD_SUBTYPE_ID

```
#define CFE_TBL_ERR_BAD_SUBTYPE_ID ((int32)0xcc00001B)
```

Bad Subtype ID.

The calling Application tried to access a table file whose Subtype identifier indicated it was not a table image file.

Definition at line 1255 of file cfe_error.h.

37.1.2.122 CFE_TBL_ERR_DUMP_ONLY

```
#define CFE_TBL_ERR_DUMP_ONLY ((int32)0xcc000010)
```

Dump Only Error.

The calling Application has attempted to perform a load on a table that was created with "Dump Only" attributes.

Definition at line 1158 of file cfe error.h.

37.1.2.123 CFE_TBL_ERR_DUPLICATE_DIFF_SIZE

```
#define CFE_TBL_ERR_DUPLICATE_DIFF_SIZE ((int32)0xcc00000C)
```

Duplicate Table With Different Size.

An application attempted to register a table with the same name as a table that is already in the registry. The size of the new table is different from the size already in the registry.

Definition at line 1119 of file cfe_error.h.

37.1.2.124 CFE_TBL_ERR_DUPLICATE_NOT_OWNED

```
#define CFE_TBL_ERR_DUPLICATE_NOT_OWNED ((int32)0xcc00000D)
```

Dupicate Table And Not Owned.

An application attempted to register a table with the same name as a table that is already in the registry. The previously registered table is owned by a different application.

Definition at line 1129 of file cfe_error.h.

37.1.2.125 CFE_TBL_ERR_FILE_FOR_WRONG_TABLE

```
#define CFE_TBL_ERR_FILE_FOR_WRONG_TABLE ((int32)0xcc000020)
```

File For Wrong Table.

The calling Application tried to load a table using a file whose header indicated that it was for a different table.

Definition at line 1301 of file cfe_error.h.

37.1.2.126 CFE_TBL_ERR_FILE_NOT_FOUND

```
#define CFE_TBL_ERR_FILE_NOT_FOUND ((int32)0xcc000013)
```

File Not Found.

The calling Application called CFE_TBL_Load with a bad filename.

Definition at line 1184 of file cfe_error.h.

37.1.2.127 CFE_TBL_ERR_FILE_SIZE_INCONSISTENT

```
#define CFE_TBL_ERR_FILE_SIZE_INCONSISTENT ((int32)0xcc00001C)
```

File Size Inconsistent.

The calling Application tried to access a table file whose Subtype identifier indicated it was not a table image file.

Definition at line 1264 of file cfe_error.h.

37.1.2.128 CFE_TBL_ERR_FILE_TOO_LARGE

```
#define CFE_TBL_ERR_FILE_TOO_LARGE ((int32)0xcc000014)
```

File Too Large.

The calling Application called CFE_TBL_Load with a filename that specified a file that contained more data than the size of the table OR which contained more data than specified in the table header.

Definition at line 1194 of file cfe_error.h.

37.1.2.129 CFE_TBL_ERR_FILENAME_TOO_LONG

```
#define CFE_TBL_ERR_FILENAME_TOO_LONG ((int32)0xcc00001F)
```

Filename Too Long.

The calling Application tried to load a table using a filename that was too long.

Definition at line 1291 of file cfe_error.h.

37.1.2.130 CFE_TBL_ERR_HANDLES_FULL

```
#define CFE_TBL_ERR_HANDLES_FULL ((int32)0xcc00000B)
```

Handles Full.

An application attempted to create a table and the Table Handle Array already used all CFE_PLATFORM_TBL_MAX — _NUM_HANDLES in it.

Definition at line 1109 of file cfe_error.h.

37.1.2.131 CFE_TBL_ERR_ILLEGAL_SRC_TYPE

```
#define CFE_TBL_ERR_ILLEGAL_SRC_TYPE ((int32)0xcc000011)
```

Illegal Source Type.

The calling Application called CFE TBL Load with an illegal value for the second parameter.

Definition at line 1167 of file cfe_error.h.

37.1.2.132 CFE_TBL_ERR_INVALID_HANDLE

```
#define CFE_TBL_ERR_INVALID_HANDLE ((int32)0xcc000001)
```

Invalid Handle.

The calling Application attempted to pass a Table handle that represented too large an index or identified a Table Access Descriptor that was not used.

Definition at line 1016 of file cfe_error.h.

37.1.2.133 CFE_TBL_ERR_INVALID_NAME

```
#define CFE_TBL_ERR_INVALID_NAME ((int32)0xcc000002)
```

Invalid Name.

The calling Application attempted to register a table whose name length exceeded the platform configuration value of CFE_MISSION_TBL_MAX_NAME_LENGTH or was zero characters long.

Definition at line 1026 of file cfe_error.h.

37.1.2.134 CFE_TBL_ERR_INVALID_OPTIONS

```
#define CFE_TBL_ERR_INVALID_OPTIONS ((int32)0xcc000025)
```

Invalid Options.

The calling Application has used an illegal combination of table options. A summary of the illegal combinations are as follows:

#CFE_TBL_OPT_USR_DEF_ADDR cannot be combined with any of the following:

- 1. CFE_TBL_OPT_DBL_BUFFER
- 2. CFE_TBL_OPT_LOAD_DUMP
- 3. CFE_TBL_OPT_CRITICAL

#CFE_TBL_OPT_DBL_BUFFER cannot be combined with the following:

- 1. CFE_TBL_OPT_USR_DEF_ADDR
- 2. CFE TBL OPT DUMP ONLY

Definition at line 1363 of file cfe_error.h.

37.1.2.135 CFE TBL ERR INVALID SIZE

```
#define CFE_TBL_ERR_INVALID_SIZE ((int32)0xcc000003)
```

Invalid Size.

The calling Application attempted to register a table: a) that was a double buffered table with size greater than CFE_← PLATFORM_TBL_MAX_DBL_TABLE_SIZE b) that was a single buffered table with size greater than CFE_PLATFO← RM_TBL_MAX_SNGL_TABLE_SIZE c) that had a size of zero

Definition at line 1037 of file cfe_error.h.

37.1.2.136 CFE_TBL_ERR_LOAD_IN_PROGRESS

```
#define CFE_TBL_ERR_LOAD_IN_PROGRESS ((int32)0xcc000012)
```

Load In Progress.

The calling Application called CFE_TBL_Load when another Application was trying to load the table.

Definition at line 1176 of file cfe_error.h.

37.1.2.137 CFE_TBL_ERR_LOAD_INCOMPLETE

```
#define CFE_TBL_ERR_LOAD_INCOMPLETE ((int32)0xcc000021)
```

Load Incomplete.

The calling Application tried to load a table file whose header claimed the load was larger than what was actually read from the file.

Definition at line 1311 of file cfe_error.h.

37.1.2.138 CFE_TBL_ERR_NEVER_LOADED

```
#define CFE_TBL_ERR_NEVER_LOADED ((int32)0xcc000005)
```

Never Loaded.

Table has not been loaded with data.

Definition at line 1053 of file cfe_error.h.

37.1.2.139 CFE_TBL_ERR_NO_ACCESS

```
#define CFE_TBL_ERR_NO_ACCESS ((int32)0xcc000008)
```

No Access.

The calling application either failed when calling CFE_TBL_Register, failed when calling CFE_TBL_Share or forgot to call either one.

Definition at line 1081 of file cfe_error.h.

37.1.2.140 CFE_TBL_ERR_NO_BUFFER_AVAIL

```
#define CFE_TBL_ERR_NO_BUFFER_AVAIL ((int32)0xcc00000F)
```

No Buffer Available.

The calling Application has tried to allocate a working buffer but none were available.

Definition at line 1149 of file cfe_error.h.

37.1.2.141 CFE_TBL_ERR_NO_STD_HEADER

```
#define CFE_TBL_ERR_NO_STD_HEADER ((int32)0xcc00001D)
```

No Standard Header.

The calling Application tried to access a table file whose standard cFE File Header was the wrong size, etc.

Definition at line 1272 of file cfe_error.h.

37.1.2.142 CFE_TBL_ERR_NO_TBL_HEADER

```
#define CFE_TBL_ERR_NO_TBL_HEADER ((int32)0xcc00001E)
```

No Table Header.

The calling Application tried to access a table file whose standard cFE Table File Header was the wrong size, etc.

Definition at line 1281 of file cfe_error.h.

37.1.2.143 CFE_TBL_ERR_PARTIAL_LOAD

```
#define CFE_TBL_ERR_PARTIAL_LOAD ((int32)0xcc000023)
```

Partial Load Error.

The calling Application tried to load a table file whose header claimed the load did not start with the first byte and the table image had NEVER been loaded before. Partial loads are not allowed on uninitialized tables. It should be noted that CFE_TBL_WARN_SHORT_FILE also indicates a partial load.

Definition at line 1335 of file cfe_error.h.

37.1.2.144 CFE_TBL_ERR_REGISTRY_FULL

```
#define CFE_TBL_ERR_REGISTRY_FULL ((int32)0xcc000006)
```

Registry Full.

An application attempted to create a table and the Table registry already contained CFE_PLATFORM_TBL_MAX_N ← UM_TABLES in it.

Definition at line 1062 of file cfe_error.h.

```
37.1.2.145 CFE_TBL_ERR_SHORT_FILE
```

```
#define CFE_TBL_ERR_SHORT_FILE ((int32)0xcc00002b)
```

Error code indicating that the TBL file is shorter than indicated in the file header.

Definition at line 1427 of file cfe_error.h.

37.1.2.146 CFE_TBL_ERR_UNREGISTERED

```
#define CFE_TBL_ERR_UNREGISTERED ((int32)0xcc000009)
```

Unregistered.

The calling application is trying to access a table that has been unregistered.

Definition at line 1090 of file cfe_error.h.

37.1.2.147 CFE_TBL_INFO_DUMP_PENDING

```
#define CFE_TBL_INFO_DUMP_PENDING ((int32)0x4c000024)
```

Dump Pending.

The calling Application should call CFE_TBL_Manage for the specified table. The ground has requested a dump of the Dump-Only table and needs to synchronize with the owning application.

Definition at line 1346 of file cfe_error.h.

37.1.2.148 CFE_TBL_INFO_NO_UPDATE_PENDING

```
#define CFE_TBL_INFO_NO_UPDATE_PENDING ((int32)0x4c000017)
```

No Update Pending.

The calling Application has attempted to update a table without a pending load.

Definition at line 1222 of file cfe_error.h.

37.1.2.149 CFE_TBL_INFO_NO_VALIDATION_PENDING

```
#define CFE_TBL_INFO_NO_VALIDATION_PENDING ((int32)0x4c00001A)
```

No Validation Pending

The calling Application tried to validate a table that did not have a validation request pending.

Definition at line 1246 of file cfe error.h.

37.1.2.150 CFE_TBL_INFO_RECOVERED_TBL

```
#define CFE_TBL_INFO_RECOVERED_TBL ((int32)0x4c000027)
```

Recovered Table.

The calling Application registered a critical table whose previous contents were discovered in the Critical Data Store. The discovered contents were copied back into the newly registered table as the table's initial contents.

NOTE: In this situation, the contents of the table are NOT validated using the table's validation function.

Definition at line 1389 of file cfe_error.h.

37.1.2.151 CFE_TBL_INFO_TABLE_LOCKED

```
#define CFE_TBL_INFO_TABLE_LOCKED ((int32)0x4c000018)
```

Table Locked.

The calling Application tried to update a table that is locked by another user.

Definition at line 1230 of file cfe_error.h.

37.1.2.152 CFE_TBL_INFO_UPDATE_PENDING

```
#define CFE_TBL_INFO_UPDATE_PENDING ((int32)0x4c000004)
```

Update Pending.

The calling Application has identified a table that has a load pending.

Definition at line 1045 of file cfe_error.h.

37.1.2.153 CFE_TBL_INFO_UPDATED

```
#define CFE_TBL_INFO_UPDATED ((int32)0x4c00000E)
```

Updated.

The calling Application has identified a table that has been updated.

NOTE: This is a nominal return code informing the calling application that the table identified in the call has had its contents updated since the last time the application obtained its address or status.

Definition at line 1140 of file cfe_error.h.

37.1.2.154 CFE_TBL_INFO_VALIDATION_PENDING

```
#define CFE_TBL_INFO_VALIDATION_PENDING ((int32)0x4c000019)
```

Validation Pending

The calling Application should call CFE_TBL_Validate for the specified table.

Definition at line 1238 of file cfe error.h.

37.1.2.155 CFE_TBL_MESSAGE_ERROR

```
#define CFE_TBL_MESSAGE_ERROR ((int32)0xcc00002a)
```

Message Error.

Error code indicating that the TBL command was not processed successfully and that the error counter should be incremented.

Definition at line 1421 of file cfe_error.h.

37.1.2.156 CFE_TBL_NOT_IMPLEMENTED

```
#define CFE_TBL_NOT_IMPLEMENTED ((int32)0xcc00ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 1445 of file cfe_error.h.

37.1.2.157 CFE_TBL_WARN_DUPLICATE

```
#define CFE_TBL_WARN_DUPLICATE ((int32)0x4c000007)
```

Duplicate Warning.

This is an error that the registration is trying to replace an existing table with the same name. The previous table stays in place and the new table is rejected.

Definition at line 1072 of file cfe_error.h.

37.1.2.158 CFE_TBL_WARN_NOT_CRITICAL

```
#define CFE_TBL_WARN_NOT_CRITICAL ((int32)0x4c000026)
```

Not Critical Warning.

The calling Application attempted to register a table as "Critical". Table Services failed to create an appropriate Critical Data Store (See System Log for reason) to save the table contents. The table will be treated as a normal table from now on.

Definition at line 1375 of file cfe_error.h.

37.1.2.159 CFE_TBL_WARN_PARTIAL_LOAD

```
#define CFE_TBL_WARN_PARTIAL_LOAD ((int32)0x4c000022)
```

Partial Load Warning.

The calling Application tried to load a table file whose header claimed the load did not start with the first bytelt should be noted that CFE TBL WARN SHORT FILE also indicates a partial load.

Definition at line 1322 of file cfe_error.h.

37.1.2.160 CFE_TBL_WARN_SHORT_FILE

```
#define CFE_TBL_WARN_SHORT_FILE ((int32)0x4c000015)
```

Short File Warning.

The calling Application called CFE_TBL_Load with a filename that specified a file that started with the first byte of the table but contained less data than the size of the table. It should be noted that CFE_TBL_WARN_PARTIAL_LOAD also indicates a partial load (one that starts at a non-zero offset).

Definition at line 1205 of file cfe_error.h.

37.1.2.161 CFE_TIME_CALLBACK_NOT_REGISTERED

```
#define CFE_TIME_CALLBACK_NOT_REGISTERED ((int32)0xce000004)
```

Callback Not Registered.

An attempt to unregister a cFE Time Services Synchronization callback has failed because the specified callback function was not located in the Synchronization Callback Registry.

Definition at line 1509 of file cfe error.h.

37.1.2.162 CFE TIME INTERNAL ONLY

```
#define CFE_TIME_INTERNAL_ONLY ((int32)0xce000001)
```

Internal Only.

One of the TIME Services API functions to set the time with data from an external time source has been called, but TIME Services has been commanded to not accept external time data. However, the command is still a signal for the Time Server to generate a "time at the tone" command packet using internal data.

Definition at line 1473 of file cfe_error.h.

37.1.2.163 CFE_TIME_NOT_IMPLEMENTED

```
#define CFE_TIME_NOT_IMPLEMENTED ((int32)0xce00ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 1461 of file cfe_error.h.

37.1.2.164 CFE_TIME_OUT_OF_RANGE

```
#define CFE_TIME_OUT_OF_RANGE ((int32)0xce000002)
```

Out Of Range.

One of the TIME Services API functions to set the time with data from an external time source has been called, but TIME Services has determined that the new time data is invalid. However, the command is still a signal for the Time Server to generate a "time at the tone" command packet using internal data.

Note that the test for invalid time update data only occurs if TIME Services has previously been commanded to set the clock state to "valid".

Definition at line 1488 of file cfe error.h.

37.1.2.165 CFE_TIME_TOO_MANY_SYNCH_CALLBACKS

```
#define CFE_TIME_TOO_MANY_SYNCH_CALLBACKS ((int32)0xce000003)
```

Too Many Sync Callbacks.

An attempt to register too many cFE Time Services Synchronization callbacks has been made. Only one callback function is allowed per application. It is expected that the application itself will distribute the single callback to child threads as needed.

Definition at line 1499 of file cfe error.h.

37.2 cFE Entry/Exit APIs

Functions

• void CFE_ES_Main (uint32 StartType, uint32 StartSubtype, uint32 Modeld, const char *StartFilePath)

cFE Main Entry Point used by Board Support Package to start cFE

• int32 CFE_ES_ResetCFE (uint32 ResetType)

Reset the cFE Core and all cFE Applications.

- 37.2.1 Detailed Description
- 37.2.2 Function Documentation

37.2.2.1 CFE_ES_Main()

cFE Main Entry Point used by Board Support Package to start cFE

Description

cFE main entry point. This is the entry point into the cFE software. It is called only by the Board Support Package software.

Assumptions, External Events, and Notes:

None

Parameters

in	StartType	Identifies whether this was a CFE_PSP_RST_TYPE_POWERON or CFE_PSP_RST_TYPE_PROCESSOR.
in	StartSubtype	Specifies, in more detail, what caused the StartType identified above. See CFE_PSP_RST_SUBTYPE_POWER_CYCLE for possible examples.
in	Modeld	Identifies the source of the Boot as determined by the BSP.
in	StartFilePath	Identifies the startup file to use to initialize the cFE apps.

See also

CFE ES ResetCFE

37.2.2.2 CFE_ES_ResetCFE()

Reset the cFE Core and all cFE Applications.

Description

This API causes an immediate reset of the cFE Kernel and all cFE Applications. The caller can specify whether the reset should clear all memory (CFE_PSP_RST_TYPE_POWERON) or try to retain volatile memory areas (CFE← _PSP_RST_TYPE_PROCESSOR).

Assumptions, External Events, and Notes:

None

Parameters

in	ResetType	Identifies the type of reset desired. Allowable settings are:
		CFE_PSP_RST_TYPE_POWERON - Causes all memory to be cleared
		 CFE_PSP_RST_TYPE_PROCESSOR - Attempts to retain volatile disk, critical data store and user reserved memory.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NOT_IMPLEMENTED	Not Implemented.

See also

CFE_ES_Main

37.3 cFE Application Control APIs

Functions

int32 CFE_ES_RestartApp (uint32 AppID)

Restart a single cFE Application.

• int32 CFE_ES_ReloadApp (uint32 AppID, const char *AppFileName)

Reload a single cFE Application.

int32 CFE_ES_DeleteApp (uint32 AppID)

Delete a cFE Application.

- 37.3.1 Detailed Description
- 37.3.2 Function Documentation

37.3.2.1 CFE_ES_DeleteApp()

Delete a cFE Application.

Description

This API causes a cFE Application to be stopped deleted.

Assumptions, External Events, and Notes:

None

Parameters

in	AppID	Identifies the application to be reset.

Returns

Execution status, see cFE Return Code Defines

See also

CFE_ES_RestartApp, CFE_ES_ReloadApp

37.3.2.2 CFE_ES_ReloadApp()

Reload a single cFE Application.

Description

This API causes a cFE Application to be stopped and restarted from the specified file.

Assumptions, External Events, and Notes:

The specified application will be deleted before it is reloaded from the specified file. In the event that an application cannot be reloaded due to a corrupt file, the application may no longer be reloaded when given a valid load file (it has been deleted and no longer exists). To recover, the application may be restarted by loading the application via the ES_STARTAPP command (CFE_ES_START_APP_CC).

Parameters

in	AppID	Identifies the application to be reset.
in	AppFileName	Identifies the new file to start.

Returns

Execution status, see cFE Return Code Defines

See also

```
CFE_ES_RestartApp, CFE_ES_DeleteApp, CFE_ES_START_APP_CC
```

37.3.2.3 CFE_ES_RestartApp()

Restart a single cFE Application.

Description

This API causes a cFE Application to be stopped and restarted.

Assumptions, External Events, and Notes:

None

Parameters

in	AppID	Identifies the application to be reset.
----	-------	---

Returns

Execution status, see cFE Return Code Defines

See also

CFE_ES_ReloadApp, CFE_ES_DeleteApp

37.4 cFE Application Behavior APIs

Functions

void CFE_ES_ExitApp (uint32 ExitStatus)

Exit a cFE Application.

bool CFE_ES_RunLoop (uint32 *ExitStatus)

Check for Exit, Restart, or Reload commands.

int32 CFE_ES_WaitForSystemState (uint32 MinSystemState, uint32 TimeOutMilliseconds)

Allow an Application to Wait for a minimum global system state.

void CFE_ES_WaitForStartupSync (uint32 TimeOutMilliseconds)

Allow an Application to Wait for the "OPERATIONAL" global system state.

int32 CFE_ES_RegisterApp (void)

Registers a cFE Application with the Executive Services.

void CFE_ES_IncrementTaskCounter (void)

Increments the execution counter for the calling task.

- 37.4.1 Detailed Description
- 37.4.2 Function Documentation

```
37.4.2.1 CFE_ES_ExitApp()
```

Exit a cFE Application.

Description

This API is the "Exit Point" for the cFE application

Assumptions, External Events, and Notes:

None

Parameters

```
in ExitStatus .
```

Returns

Execution status, see cFE Return Code Defines

See also

```
CFE_ES_RunLoop, CFE_ES_RegisterApp
```

37.4.2.2 CFE_ES_IncrementTaskCounter()

Increments the execution counter for the calling task.

Description

This routine increments the execution counter that is stored for the calling task. It can be called from cFE Application main tasks, child tasks, or cFE Core application main tasks. Normally, the call is not necessary from a cFE Application, since the CFE_ES_RunLoop call increments the counter for the Application.

Assumptions, External Events, and Notes:

NOTE: This API is not needed for Appplications that call the CFE_ES_RunLoop call.

See also

CFE_ES_RunLoop

37.4.2.3 CFE_ES_RegisterApp()

Registers a cFE Application with the Executive Services.

Description

This API registers the calling Application with the cFE.

Assumptions, External Events, and Notes:

NOTE: This function MUST be called before any other cFE API functions are called.

Returns

Execution status, see cFE Return Code Defines

See also

CFE_ES_ExitApp, CFE_ES_RunLoop

37.4.2.4 CFE_ES_RunLoop()

Check for Exit, Restart, or Reload commands.

Description

This is the API that allows an app to check for exit requests from the system.

Assumptions, External Events, and Notes:

None

Parameters

in	ExitStatus	A pointer to a variable containing the Application's desired run status. Acceptable values are:
		CFE_ES_RunStatus_APP_RUN - Indicates that the Application should continue to run.
		CFE_ES_RunStatus_APP_EXIT - Indicates that the Application wants to exit normally.
		CFE_ES_RunStatus_APP_ERROR - Indicates that the Application is quitting with an error.

Returns

Boolean indicating application should continue running

Return values

true	Application should continue running
false	Application should not continue running

See also

```
CFE_ES_ExitApp, CFE_ES_RegisterApp
```

37.4.2.5 CFE_ES_WaitForStartupSync()

Allow an Application to Wait for the "OPERATIONAL" global system state.

Description

This is the API that allows an app to wait for the rest of the apps to complete their entire initialization before continuing. It is most useful for applications such as Health and Safety or the Scheduler that need to wait until applications exist and are running before sending out packets to them.

This is a specialized wrapper for CFE_ES_WaitForSystemState for compatibility with applications using this API.

Assumptions, External Events, and Notes:

This API should only be called as the last item of an Apps initialization. In addition, this API should only be called by an App that is started from the ES Startup file. It should not be used by an App that is started after the system is running. (Although it will cause no harm)

Parameters

i	n	TimeOutMilliseconds	The timeout value in Milliseconds. This parameter must be at least 1000. Lower
			values will be rounded up. There is not an option to wait indefinitely to avoid hanging
			a critical application because a non-critical app did not start.

See also

CFE ES RunLoop

37.4.2.6 CFE_ES_WaitForSystemState()

Allow an Application to Wait for a minimum global system state.

Description

This is the API that allows an app to wait for the rest of the apps to complete a given stage of initialization before continuing.

This gives finer grained control than CFE ES WaitForStartupSync

Assumptions, External Events, and Notes:

This API assumes that the caller has also been initialized sufficiently to satisfy the global system state it is waiting for, and the apps own state will be updated accordingly.

Parameters

in	TimeOutMilliseconds	The timeout value in Milliseconds. This parameter must be at least 1000. Lower values will be rounded up. There is not an option to wait indefinitely to avoid hanging a critical application because a non-critical app did
in	MinSystemState	Determine the state of the App

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	State successfully achieved
CFE_ES_OPERATION_TIMED_OUT	Timeout was reached

See also

CFE_ES_RunLoop

37.5 cFE Information APIs 195

37.5 cFE Information APIs

Functions

int32 CFE ES GetResetType (uint32 *ResetSubtypePtr)

Return the most recent Reset Type.

int32 CFE_ES_GetAppID (uint32 *AppIdPtr)

Get an Application ID for the calling Application.

int32 CFE_ES_GetAppIDByName (uint32 *AppIdPtr, const char *AppName)

Get an Application ID associated with a specified Application name.

int32 CFE_ES_GetAppName (char *AppName, uint32 AppId, uint32 BufferLength)

Get an Application name for a specified Application ID.

• int32 CFE_ES_GetAppInfo (CFE_ES_AppInfo_t *AppInfo, uint32 AppId)

Get Application Information given a specified App ID.

int32 CFE_ES_GetTaskInfo (CFE_ES_TaskInfo_t *TaskInfo, uint32 TaskId)

Get Task Information given a specified Task ID.

37.5.1 Detailed Description

37.5.2 Function Documentation

37.5.2.1 CFE_ES_GetAppID()

Get an Application ID for the calling Application.

Description

This routine retrieves the cFE Application ID for the calling Application.

Assumptions, External Events, and Notes:

NOTE: All tasks associated with the Application would return the same Application ID.

Parameters

ſ	in	AppldPtr	Pointer to variable that is to receive the Application's ID.
ſ	out	*AppIdPtr	Application ID of the calling Application.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_ERR_APPID	Application ID Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.

See also

CFE_ES_GetResetType, CFE_ES_GetAppIDByName, CFE_ES_GetAppName, CFE_ES_GetTaskInfo

37.5.2.2 CFE_ES_GetAppIDByName()

Get an Application ID associated with a specified Application name.

Description

This routine retrieves the cFE Application ID associated with a specified Application name.

Assumptions, External Events, and Notes:

None

Parameters

in	AppldPtr	Pointer to variable that is to receive the Application's ID.
in	AppName	Pointer to null terminated character string containing an Application name.
out	*AppIdPtr	Application ID of the calling Application.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_ERR_APPNAME	Application Name Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.

37.5 cFE Information APIs 197

See also

 $CFE_ES_GetAppID, CFE_ES_GetAppID, CFE_ES_GetAppName, CFE_ES_GetTaskInfo$

37.5.2.3 CFE_ES_GetAppInfo()

Get Application Information given a specified App ID.

Description

This routine retrieves the information about an App associated with a specified App ID. The information includes all of the information ES maintains for an application (documented in the CFE_ES_AppInfo_t type)

Assumptions, External Events, and Notes:

None

Parameters

in	AppInfo	Pointer to a CFE_ES_AppInfo_t structure that holds the specific Application information.
in	Appld	Application ID of Application whose name is being requested.
out	*AppInfo	Filled out CFE_ES_AppInfo_t structure containing the App Name, and application memory addresses among other fields.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_ERR_APPID	Application ID Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.

See also

CFE_ES_GetRepetType, CFE_ES_GetAppID, CFE_ES_GetAppIDByName, CFE_ES_GetAppName

37.5.2.4 CFE_ES_GetAppName()

Get an Application name for a specified Application ID.

Description

This routine retrieves the cFE Application name associated with a specified Application ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE_ES_ERR_APPID), an empty string is returned. CFE_ES_ERR_APPID will be returned if the specified Application ID (Appld) is invalid or not in use.

Parameters

in	AppName	Pointer to a character array of at least BufferLength in size that will be filled with the appropriate Application name.
in	Appld	Application ID of Application whose name is being requested.
in	BufferLength	The maximum number of characters, including the null terminator, that can be put into the AppName buffer. This routine will truncate the name to this length, if necessary.
out	*AppName	Null terminated Application name of the Application associated with the specified Application ID.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_ERR_APPID	Application ID Error.

See also

CFE_ES_GetResetType, CFE_ES_GetAppID, CFE_ES_GetAppIDByName, CFE_ES_GetTaskInfo

37.5.2.5 CFE_ES_GetResetType()

Return the most recent Reset Type.

37.5 cFE Information APIs 199

Description

Provides the caller with codes that identifies the type of Reset the processor most recently underwent. The caller can also obtain information on what caused the reset by supplying a pointer to a variable that will be filled with the Reset Sub-Type.

Assumptions, External Events, and Notes:

None

Parameters

in	ResetSubtypePtr	Pointer to uint32 type variable in which the Reset Sub-Type will be stored. The caller can set this pointer to NULL if the Sub-Type is of no interest.
out	*ResetSubtypePtr	If the provided pointer was not \mathtt{NULL} , the Reset Sub-Type is stored at the given address. For a list of possible Sub-Type values, see "Reset Sub-Types" .

Returns

Processor reset type

Return values

```
CFE_PSP_RST_TYPE_POWERON

CFE_PSP_RST_TYPE_PROCESSOR
```

See also

CFE ES GetAppID, CFE ES GetAppIDByName, CFE ES GetAppName, CFE ES GetTaskInfo

37.5.2.6 CFE_ES_GetTaskInfo()

Get Task Information given a specified Task ID.

Description

This routine retrieves the information about a Task associated with a specified Task ID. The information includes Task Name, and Parent/Creator Application ID.

Assumptions, External Events, and Notes:

None

Parameters

in	TaskInfo	Pointer to a CFE_ES_TaskInfo_t structure that holds the specific task information.	
in	Taskld	Application ID of Application whose name is being requested.	
out	* TaskInfo	Filled out CFE_ES_TaskInfo_t structure containing the Task Name, Parent App Name, Parent App ID among other fields.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_ERR_TASKID	Task ID Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.

See also

 ${\sf CFE_ES_GetAppID}, {\sf CFE_ES_GetAppIDByName}, {\sf CFE_ES_GetAppName}$

37.6 cFE Child Task APIs 201

37.6 cFE Child Task APIs

Functions

• int32 CFE ES RegisterChildTask (void)

Registers a cFE Child task associated with a cFE Application.

• int32 CFE_ES_CreateChildTask (uint32 *TaskIdPtr, const char *TaskName, CFE_ES_ChildTaskMainFuncPtr_t FunctionPtr, uint32 *StackPtr, uint32 StackSize, uint32 Priority, uint32 Flags)

Creates a new task under an existing Application.

int32 CFE_ES_DeleteChildTask (uint32 TaskId)

Deletes a task under an existing Application.

• void CFE_ES_ExitChildTask (void)

Exits a child task.

- 37.6.1 Detailed Description
- 37.6.2 Function Documentation

37.6.2.1 CFE_ES_CreateChildTask()

Creates a new task under an existing Application.

Description

This routine creates a new task (a separate execution thread) owned by the calling Application.

Assumptions, External Events, and Notes:

None

Parameters

in	TaskldPtr	A pointer to a variable that will be filled in with the new task's ID.
in	TaskName	A pointer to a string containing the desired name of the new task. This can be up to
		OS_MAX_API_NAME characters, including the trailing null.

Parameters

in	FunctionPtr	A pointer to the function that will be spawned as a new task. This function must have the following signature: uint32 function(void). Input parameters for the new task are not supported.
in	StackPtr	A pointer to the location where the child task's stack pointer should start. NOTE: Not all underlying operating systems support this parameter.
in	StackSize	The number of bytes to allocate for the new task's stack.
in	Priority	The priority for the new task. Lower numbers are higher priority, with 0 being the highest priority. Applications cannot create tasks with a higher priority (lower number) than their own priority.
in	Flags	Reserved for future expansion.
out	*TaskIdPtr	The Task ID of the newly created child task.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_ERR_CHILD_TASK_CREATE	Child Task Create Error.

See also

 $CFE_ES_RegisterChildTask, CFE_ES_DeleteChildTask, CFE_ES_ExitChildTask$

37.6.2.2 CFE_ES_DeleteChildTask()

Deletes a task under an existing Application.

Description

This routine deletes a task under an Application specified by the TaskId obtained when the child task was created using the CFE_ES_CreateChildTask API.

Assumptions, External Events, and Notes:

None

37.6 cFE Child Task APIs 203

Parameters

in	Task⊷	The task ID previously obtained when the Child Task was created with the
	ld	CFE_ES_CreateChildTask API.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_NOT_IMPLEMENTED	Not Implemented.

See also

CFE_ES_RegisterChildTask, CFE_ES_CreateChildTask, CFE_ES_ExitChildTask

37.6.2.3 CFE_ES_ExitChildTask()

Exits a child task.

Description

This routine allows the current executing child task to exit and be deleted by ES.

Assumptions, External Events, and Notes:

This function cannot be called from an Application's Main Task.

Returns

This function does not return a value, but if it does return at all, it is assumed that the Task was either unregistered or this function was called from a cFE Application's main task.

See also

CFE_ES_RegisterChildTask, CFE_ES_CreateChildTask, CFE_ES_DeleteChildTask

37.6.2.4 CFE_ES_RegisterChildTask()

Registers a cFE Child task associated with a cFE Application.

Description

This routine registers a cFE Child task and associates it with its parent cFE Application.

Assumptions, External Events, and Notes:

NOTE: This API MUST be called by the Child Task before any other cFE API calls are made.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_ERR_CHILD_TASK_REGISTER	Child Task Register Error.

See also

 $CFE_ES_CreateChildTask, CFE_ES_DeleteChildTask, CFE_ES_ExitChildTask$

37.7 cFE Miscellaneous APIs

Functions

- int32 CFE_ES_WriteToSysLog (const char *SpecStringPtr,...) OS_PRINTF(1 Write a string to the cFE System Log.
- int32 uint32 CFE_ES_CalculateCRC (const void *DataPtr, uint32 DataLength, uint32 InputCRC, uint32 TypeCRC)

 Calculate a CRC on a block of memory.
- void CFE_ES_ProcessCoreException (uint32 HostTaskId, const char *ReasonString, const uint32 *Context
 — Pointer, uint32 ContextSize)

Process an exception detected by the underlying OS/PSP.

37.7.1 Detailed Description

37.7.2 Function Documentation

37.7.2.1 CFE_ES_CalculateCRC()

Calculate a CRC on a block of memory.

Description

This routine calculates a cyclic redundancy check (CRC) on a block of memory. The CRC algorithm used is determined by the last parameter.

Assumptions, External Events, and Notes:

None

Parameters

in	DataPtr	Pointer to the base of the memory block.	
in	DataLength	The number of bytes in the memory block.	
in	InputCRC	A starting value for use in the CRC calculation. This parameter allows the user to calculate the CRC of non-contiguous blocks as a single value. Nominally, the user should set this value to	
		zero.	
in	TypeCRC	One of the following CRC algorithm selections:	
		CFE_MISSION_ES_CRC_8 - (Not currently implemented)	
		• CFE_MISSION_ES_CRC_16 - a CRC-16 algorithm	
Generat	ed by Doxygen	CFE_MISSION_ES_CRC_32 - (not currently implemented)	

Returns

The result of the CRC calculation on the specified memory block, or error code cFE Return Code Defines

37.7.2.2 CFE_ES_ProcessCoreException()

Process an exception detected by the underlying OS/PSP.

Description

This hook routine is called from the PSP when an exception occurs

Assumptions, External Events, and Notes:

None.

Parameters

in	HostTaskId	The OS (not OSAL) task ID
in	ReasonString	Identifier from PSP
in	ContextPointer	Context data from PSP
in	ContextSize	Size of context data from PSP

37.7.2.3 CFE_ES_WriteToSysLog()

Write a string to the cFE System Log.

Description

This routine writes a formatted string to the cFE system log. This can be used to record very low-level errors that can't be reported using the Event Services. This function is used in place of printf for flight software. It should be used for significant startup events, critical errors, and conditionally compiled debug software.

Assumptions, External Events, and Notes:

None

Parameters

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_ERR_SYS_LOG_FULL	System Log Full.

37.8 cFE Critical Data Store APIs

Functions

• int32 CFE ES RegisterCDS (CFE ES CDSHandle t *HandlePtr, int32 BlockSize, const char *Name)

Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)

• int32 CFE_ES_CopyToCDS (CFE_ES_CDSHandle_t Handle, void *DataToCopy)

Save a block of data in the Critical Data Store (CDS)

int32 CFE ES RestoreFromCDS (void *RestoreToMemory, CFE ES CDSHandle t Handle)

Recover a block of data from the Critical Data Store (CDS)

- 37.8.1 Detailed Description
- 37.8.2 Function Documentation

37.8.2.1 CFE_ES_CopyToCDS()

Save a block of data in the Critical Data Store (CDS)

Description

This routine copies a specified block of memory into the Critical Data Store that had been previously registered via CFE_ES_RegisterCDS. The block of memory to be copied must be at least as big as the size specified when registering the CDS.

Assumptions, External Events, and Notes:

None

Parameters

in	Handle	The handle of the CDS block that was previously obtained from CFE_ES_RegisterCDS.
in	DataToCopy	A Pointer to the block of memory to be copied into the CDS.

Returns

Execution status, see cFE Return Code Defines

Return values

OS_SUCCESS	Successful execution.
CFE_ES_ERR_MEM_HANDLE	Memory Handle Error.
OS_ERROR	Problem with handle or a size mismatch

See also

CFE_ES_RegisterCDS, CFE_ES_RestoreFromCDS

37.8.2.2 CFE_ES_RegisterCDS()

Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)

Description

This routine allocates a block of memory in the Critical Data Store and associates it with the calling Application. The memory can survive an Application restart as well as a Processor Reset.

Assumptions, External Events, and Notes:

None

Parameters

in	HandlePtr	Pointer Application's variable that will contain the CDS Memory Block Handle.
in	BlockSize	The number of bytes needed in the CDS.
in	Name	A pointer to a character string containing an application unique name of CFE_MISSION_ES_CDS_MAX_NAME_LENGTH characters or less.
out	*HandlePtr	The handle of the CDS block that can be used in CFE_ES_CopyToCDS and CFE_ES_RestoreFromCDS.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	The memory block was successfully created in the CDS.
CFE_ES_NOT_IMPLEMENTED	The processor does not support a Critical Data Store.

Return values

CFE_ES_CDS_ALREADY_EXISTS	CDS Already Exists.
CFE_ES_CDS_INVALID_SIZE	CDS Invalid Size.
CFE_ES_CDS_INVALID_NAME	CDS Invalid Name.
CFE_ES_CDS_REGISTRY_FULL	CDS Registry Full.

See also

CFE_ES_CopyToCDS, CFE_ES_RestoreFromCDS

37.8.2.3 CFE_ES_RestoreFromCDS()

Recover a block of data from the Critical Data Store (CDS)

Description

This routine copies data from the Critical Data Store identified with the <code>Handle</code> into the area of memory pointed to by the <code>RestoreToMemory</code> pointer. The area of memory to be copied into must be at least as big as the size specified when registering the CDS. The recovery will indicate an error if the data integrity check maintained by the CDS indicates the contents of the CDS have changed. However, the contents will still be copied into the specified area of memory.

Assumptions, External Events, and Notes:

None

Parameters

in	Handle	The handle of the CDS block that was previously obtained from CFE_ES_RegisterCDS.
in	RestoreToMemory	A Pointer to the block of memory that is to be restored with the contents of the CDS.
out	*RestoreToMemory	The contents of the specified CDS.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_CDS_BLOCK_CRC_ERR	CDS Block CRC Error.
OS ERROR	Problem with handle or a size mismatch

See also

CFE_ES_RegisterCDS, CFE_ES_CopyToCDS

37.9 cFE Memory Manager APIs

Functions

• int32 CFE ES PoolCreateNoSem (CFE ES MemHandle t *HandlePtr, uint8 *MemPtr, uint32 Size)

Initializes a memory pool created by an application without using a semaphore during processing.

• int32 CFE_ES_PoolCreate (CFE_ES_MemHandle_t *HandlePtr, uint8 *MemPtr, uint32 Size)

Initializes a memory pool created by an application while using a semaphore during processing.

int32 CFE_ES_PoolCreateEx (CFE_ES_MemHandle_t *HandlePtr, uint8 *MemPtr, uint32 Size, uint32 Num
 —
 BlockSizes, uint32 *BlockSizes, uint16 UseMutex)

Initializes a memory pool created by an application with application specified block sizes.

• int32 CFE_ES_GetPoolBuf (uint32 **BufPtr, CFE_ES_MemHandle_t HandlePtr, uint32 Size)

Gets a buffer from the memory pool created by CFE ES PoolCreate or CFE ES PoolCreateNoSem.

• int32 CFE_ES_GetPoolBufInfo (CFE_ES_MemHandle_t HandlePtr, uint32 *BufPtr)

Gets info on a buffer previously allocated via CFE_ES_GetPoolBuf.

• int32 CFE_ES_PutPoolBuf (CFE_ES_MemHandle_t HandlePtr, uint32 *BufPtr)

Releases a buffer from the memory pool that was previously allocated via CFE ES GetPoolBuf.

int32 CFE ES GetMemPoolStats (CFE ES MemPoolStats t *BufPtr, CFE ES MemHandle t Handle)

Extracts the statistics maintained by the memory pool software.

37.9.1 Detailed Description

37.9.2 Function Documentation

37.9.2.1 CFE_ES_GetMemPoolStats()

Extracts the statistics maintained by the memory pool software.

Description

This routine fills the CFE_ES_MemPoolStats_t data structure with the statistics maintained by the memory pool software. These statistics can then be telemetered by the calling Application.

Assumptions, External Events, and Notes:

None

Parameters

in	BufPtr	Pointer to CFE_ES_MemPoolStats_t data structure to be filled with memory statistics.
in	Handle	The handle to the memory pool whose statistics are desired.
out	*BufPtr	Memory Pool Statistics stored in given data structure.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_ERR_MEM_HANDLE	Memory Handle Error.

See also

 $CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_PoolCreateEx, CFE_ES_GetPoolBuf, CFE_ES_C$

37.9.2.2 CFE_ES_GetPoolBuf()

Gets a buffer from the memory pool created by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.

Description

This routine obtains a block of memory from the memory pool supplied by the calling application.

Assumptions, External Events, and Notes:

1. The size allocated from the memory pool is, at a minimum, 12 bytes more than requested.

Parameters

in	BufPtr	A pointer to the Application's pointer in which will be stored the address of the allocated memory buffer.
in	HandlePtr	The handle to the memory pool as returned by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.
in	Size	The size of the buffer requested. NOTE: The size allocated may be larger.
out	*BufPtr	The address of the requested buffer.

Returns

Bytes Allocated, or error code cFE Return Code Defines

Return values

CFE_ES_ERR_MEM_HANDLE	Memory Handle Error.
CFE_ES_ERR_MEM_BLOCK_SIZE	Memory Block Size Error.

See also

 $\label{lem:cfe_es_polCreate} CFE_ES_PoolCreateNoSem, CFE_ES_PoolCreateEx, CFE_ES_PutPoolBuf, CFE_ES_GetMemPoolStats, CFE_ES_GetPoolBufInfo\\$

37.9.2.3 CFE_ES_GetPoolBufInfo()

Gets info on a buffer previously allocated via CFE_ES_GetPoolBuf.

Description

This routine gets info on a buffer in the memory pool.

Assumptions, External Events, and Notes:

None

Parameters

in		The handle to the memory pool as returned by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.
in	BufPtr	A pointer to the memory buffer to provide status for.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_ERR_MEM_HANDLE	Memory Handle Error.
CFE_ES_BUFFER_NOT_IN_POOL	Buffer Not In Pool.

See also

 $\label{lem:cfe_es_pool} CFE_ES_PoolCreateNoSem, CFE_ES_PoolCreateEx, CFE_ES_GetPoolBuf, CFE_ES_GetPoolBuf,$

37.9.2.4 CFE_ES_PoolCreate()

Initializes a memory pool created by an application while using a semaphore during processing.

Description

This routine initializes a pool of memory supplied by the calling application. When a memory pool created by this routine is processed, mutex handling will be performed.

Assumptions, External Events, and Notes:

- 1. The size of the pool must be an integral number of 32-bit words
- 2. The start address of the pool must be 32-bit aligned
- 3. 168 bytes are used for internal bookkeeping, therefore, they will not be available for allocation.

Parameters

in	HandlePtr	A pointer to the variable the caller wishes to have the memory pool handle kept in.
in	MemPtr	A Pointer to the pool of memory created by the calling application. This address must be on a 32-bit boundary.
in	Size	The size of the pool of memory. Note that this must be an integral number of 32 bit words.
out	*HandlePtr	The memory pool handle.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 ${\tt CFE_ES_PoolCreateEx, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf, CFE_ES_} \\ GetMemPoolStats$

37.9.2.5 CFE_ES_PoolCreateEx()

Initializes a memory pool created by an application with application specified block sizes.

Description

This routine initializes a pool of memory supplied by the calling application.

Assumptions, External Events, and Notes:

- 1. The size of the pool must be an integral number of 32-bit words
- 2. The start address of the pool must be 32-bit aligned
- 3. 168 bytes are used for internal bookkeeping, therefore, they will not be available for allocation.

Parameters

in	HandlePtr	A pointer to the variable the caller wishes to have the memory pool handle kept in.	
in	MemPtr	A Pointer to the pool of memory created by the calling application. This address must be	
		on a 32-bit boundary.	
in	Size	The size of the pool of memory. Note that this must be an integral number of 32 bit words.	
in	NumBlockSizes	The number of different block sizes specified in the BlockSizes array. If set equal to	
		zero or if greater than 17, then default block sizes are used.	
in	BlockSizes	Pointer to an array of sizes to be used instead of the default block sizes specified by	
		CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 through	
		CFE_PLATFORM_ES_MAX_BLOCK_SIZE. If the pointer is equal to NULL, the default	
		block sizes are used.	
in	UseMutex	Flag indicating whether the new memory pool will be processing with mutex handling or	
		not. Valid parameter values are CFE_ES_USE_MUTEX and CFE_ES_NO_MUTEX	
out	*HandlePtr	The memory pool handle.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 $\label{lem:cfe_es_pol} \mbox{CFE_ES_PoolCreateNoSem, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf, CFE_ES_} \\ \mbox{GetMemPoolStats} \\ \mbox{GetMemPoolStats} \\ \mbox{CFE_ES_PoolCreateNoSem, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf, CFE_ES_} \\ \mbox{CFE_ES_PoolCreateNoSem, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf, CFE_ES_} \\ \mbox{CFE_ES_PoolCreateNoSem, CFE_ES_} \\ \mbox{CFE_ES$

37.9.2.6 CFE_ES_PoolCreateNoSem()

Initializes a memory pool created by an application without using a semaphore during processing.

Description

This routine initializes a pool of memory supplied by the calling application. When a memory pool created by this routine is processed, no mutex handling is performed.

Assumptions, External Events, and Notes:

- 1. The size of the pool must be an integral number of 32-bit words
- 2. The start address of the pool must be 32-bit aligned
- 3. 168 bytes are used for internal bookkeeping, therefore, they will not be available for allocation.

Parameters

in	HandlePtr	A pointer to the variable the caller wishes to have the memory pool handle kept in.	
in	MemPtr	A Pointer to the pool of memory created by the calling application. This address must be on a 32-bit boundary.	
		32-bit bouridary.	
in	Size	The size of the pool of memory. Note that this must be an integral number of 32 bit words.	
out	*HandlePtr	The memory pool handle.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_PoolCreate, CFE_ES_PoolCreateEx, CFE_ES_GetPoolBuf, CFE_ES_PutPoolBuf, CFE_ES_Get← MemPoolStats

37.9.2.7 CFE_ES_PutPoolBuf()

Releases a buffer from the memory pool that was previously allocated via CFE_ES_GetPoolBuf.

Description

This routine releases a buffer back into the memory pool.

Assumptions, External Events, and Notes:

None

Parameters

in	HandlePtr	The handle to the memory pool as returned by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.
in	BufPtr	A pointer to the memory buffer to be released.

Returns

Bytes released, or error code cFE Return Code Defines

Return values

CFE_ES_ERR_MEM_HANDLE	Memory Handle Error.
-----------------------	----------------------

See also

 $\label{lem:cfe_es_pool} CFE_ES_PoolCreate No Sem, \ CFE_ES_PoolCreate Ex, \ CFE_ES_Get PoolBuf, \ CFE_ES_Get PoolBuf, \ CFE_ES_Get PoolBuf Info$

37.10 cFE Performance Monitor APIs

Macros

#define CFE_ES_PerfLogEntry(id) (CFE_ES_PerfLogAdd(id, 0))

Entry marker for use with Software Performance Analysis Tool.

• #define CFE_ES_PerfLogExit(id) (CFE_ES_PerfLogAdd(id, 1))

Exit marker for use with Software Performance Analysis Tool.

Functions

void CFE_ES_PerfLogAdd (uint32 Marker, uint32 EntryExit)
 Function called by CFE_ES_PerfLogEntry and CFE_ES_PerfLogExit macros.

37.10.1 Detailed Description

37.10.2 Macro Definition Documentation

37.10.2.1 CFE_ES_PerfLogEntry

Entry marker for use with Software Performance Analysis Tool.

Description

This macro logs the entry or start event/marker for the specified entry id. This macro, in conjunction with the CFE_ES_PerfLogExit, is used by the Software Performance Analysis tool (see section 5.15).

Assumptions, External Events, and Notes:

None

Parameters

in	id	Identifier of the specific event or marker.
----	----	---

See also

```
CFE_ES_PerfLogExit, CFE_ES_PerfLogAdd
```

Definition at line 1325 of file cfe_es.h.

37.10.2.2 CFE_ES_PerfLogExit

Exit marker for use with Software Performance Analysis Tool.

Description

This macro logs the exit or end event/marker for the specified entry id. This macro, in conjunction with the CFE

_ES_PerfLogEntry, is used by the Software Performance Analysis tool (see section 5.15).

Assumptions, External Events, and Notes:

None

Parameters

in	id	Identifier of the specific event or marker.
----	----	---

See also

```
CFE_ES_PerfLogEntry, CFE_ES_PerfLogAdd
```

Definition at line 1344 of file cfe_es.h.

37.10.3 Function Documentation

37.10.3.1 CFE_ES_PerfLogAdd()

Function called by CFE_ES_PerfLogEntry and CFE_ES_PerfLogExit macros.

Description

This function logs the entry and exit marker for the specified id. This function is used by the Software Performance Analysis tool (see section 5.15).

Assumptions, External Events, and Notes:

None

Parameters

in	Marker	Identifier of the specific event or marker.
in	EntryExit	Used to specify Entry(0) or Exit(1)

See also

 ${\sf CFE_ES_PerfLogEntry}, {\sf CFE_ES_PerfLogExit}$

37.11 cFE Generic Counter APIs

Functions

• int32 CFE ES RegisterGenCounter (uint32 *CounterIdPtr, const char *CounterName)

Register a generic counter.

• int32 CFE_ES_DeleteGenCounter (uint32 CounterId)

Delete a generic counter.

int32 CFE_ES_IncrementGenCounter (uint32 CounterId)

Increments the specified generic counter.

• int32 CFE_ES_SetGenCount (uint32 CounterId, uint32 Count)

Set the specified generic counter.

int32 CFE_ES_GetGenCount (uint32 CounterId, uint32 *Count)

Get the specified generic counter count.

• int32 CFE_ES_GetGenCounterIDByName (uint32 *CounterIdPtr, const char *CounterName)

Get the Id associated with a generic counter name.

37.11.1 Detailed Description

37.11.2 Function Documentation

37.11.2.1 CFE_ES_DeleteGenCounter()

Delete a generic counter.

Description

This routine deletes a previously registered generic counter.

Assumptions, External Events, and Notes:

None.

Parameters

in	Counter⊷	The Counter Id of the newly created counter.
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 $\label{lem:cfe_es_encounter} CFE_ES_IncrementGenCounter, \ CFE_ES_IncrementGenCounter, \ CFE_ES_SetGenCount, \ CFE_ES_GetGenCounter, \ CFE_ES_GetGen$

37.11.2.2 CFE_ES_GetGenCount()

Get the specified generic counter count.

Description

This routine gets the value of a generic counter.

Assumptions, External Events, and Notes:

None.

Parameters

in	Counter← Id	The Counter to get the value from.
in	*Count	The value of the Counter.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 $\label{lem:cfe_es_register} CFE_ES_RegisterGenCounter, \ \ CFE_ES_SetGenCount, \ \ CFE_ES_Increment \leftarrow GenCounter, \ \ CFE_ES_GetGenCounterIDByName$

37.11.2.3 CFE_ES_GetGenCounterIDByName()

Get the Id associated with a generic counter name.

Description

This routine gets the Counter Id for a generic counter specified by name.

Assumptions, External Events, and Notes:

None.

Parameters

in	*CounterName	The name of the Counter.
out	*CounterIdPtr	The Counter Id for the given name.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 $\label{lem:cfe_es_register} CFE_ES_RegisterGenCounter, \ CFE_ES_SetGenCount, \ CFE_ES_Increment \leftarrow GenCounter, \ CFE_ES_GetGenCount$

37.11.2.4 CFE_ES_IncrementGenCounter()

Increments the specified generic counter.

Description

This routine increments the specified generic counter.

Assumptions, External Events, and Notes:

None.

Parameters

in	Counter←	The Counter to be incremented.
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

CFE_ES_RegisterGenCounter, CFE_ES_DeleteGenCounter, CFE_ES_SetGenCount, CFE_ES_GetGenCount, CFE_ES_GetGenCounter, CFE_ES_GetGenCount

37.11.2.5 CFE_ES_RegisterGenCounter()

Register a generic counter.

Description

This routine registers a generic counter.

Assumptions, External Events, and Notes:

None.

Parameters

in	*CounterName	The Name of the generic counter.
out	*CounterIdPtr	The Counter Id of the newly created counter.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 $\label{lem:cfe_es_def} \mbox{CFE_ES_IncrementGenCounter}, \ \ \mbox{CFE_ES_DeleteGenCounter}, \ \ \mbox{CFE_ES_SetGenCount}, \ \ \mbox{CFE_ES_GetGenCounterIDByName}$

37.11.2.6 CFE_ES_SetGenCount()

Set the specified generic counter.

Description

This routine sets the specified generic counter to the specified value.

Assumptions, External Events, and Notes:

None.

Parameters

in	Counter← Id	The Counter to be set.
in	Count	The new value of the Counter.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 $\label{lem:cfe_es_register} CFE_ES_DeleteGenCounter, \ CFE_ES_IncrementGenCounter, \ CFE_ES_Get \\ GenCount, \ CFE_ES_GetGenCounterIDByName$

37.12 cFE Registration APIs

Functions

• int32 CFE EVS Register (void *Filters, uint16 NumFilteredEvents, uint16 FilterScheme)

Register an application for receiving event services.

• int32 CFE EVS Unregister (void)

Cleanup internal structures used by the event manager for the calling Application.

- 37.12.1 Detailed Description
- 37.12.2 Function Documentation

37.12.2.1 CFE_EVS_Register()

Register an application for receiving event services.

Description

This routine registers an application with event services and allocates/initializes the internal data structures used to support this application's events. An application may not send events unless it has called this routine. The routine also accepts a filter array structure for applications requiring event filtering. In the current implementation of the EVS, only the binary filtering scheme is supported. See section TBD of the cFE Application Programmer's Guide for a description of the behavior of binary filters. Applications may call CFE_EVS_Register more than once, but each call will wipe out all filters registered by previous calls (filter registration is NOT cumulative).

Assumptions, External Events, and Notes:

Note: Event filters can be added, deleted or modified by ground commands. All filtering schemes include a default setting that results in no filtering (such as CFE_EVS_NO_FILTER for binary filters).

```
Filter Scheme: Binary
```

Code: CFE_EVS_EventFilter_BINARY

Filter Structure:

```
typedef struct {
     uint16 EventID,
     uint16 Mask;
} CFE_EVS_BinFilter_t;
```

Parameters

in	Filters	Pointer to an array of event message filters, or NULL if no filtering is desired. The structure of an event message filter depends on the FilterScheme selected. (see Filter Schemes mentioned above)
in	NumFilteredEvents	The number of event message filters included in this call. This must be less than or equal to the maximum number of events allowed per application (CFE_PLATFORM_EVS_MAX_EVENT_FILTERS).
in	FilterScheme	The event filtering scheme that this application will use. For the first implementation of the event services, only filter type CFE_EVS_EventFilter_BINARY will be supported.

Returns

Execution status below or from CFE_ES_GetAppID, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_EVS_APP_FILTER_OVERLOAD	Application Filter Overload.
CFE_EVS_UNKNOWN_FILTER	Unknown Filter.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.

See also

CFE_EVS_Unregister

37.12.2.2 CFE_EVS_Unregister()

Cleanup internal structures used by the event manager for the calling Application.

Description

This routine un-registers the calling application from receiving event services and removes and deletes the calling applications filters and counters from the internal event service filter and counter tables if registered. Applications must call this routine as part of their orderly shutdown process.

Assumptions, External Events, and Notes:

None

Returns

Execution status below or from CFE_ES_GetAppID/CFE_ES_PutPoolBuf, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.

See also

CFE_EVS_Register

37.13 cFE Send Event APIs

Functions

- int32 CFE_EVS_SendEvent (uint16 EventID, uint16 EventType, const char *Spec,...) OS_PRINTF(3 Generate a software event.
- int32 int32 CFE_EVS_SendEventWithAppID (uint16 EventID, uint16 EventType, uint32 AppID, const char *Spec,...) OS_PRINTF(4

Generate a software event given the specified Application ID.

• int32 int32 int32 CFE_EVS_SendTimedEvent (CFE_TIME_SysTime_t Time, uint16 EventID, uint16 EventType, const char *Spec,...) OS_PRINTF(4

Generate a software event with a specific time tag.

37.13.1 Detailed Description

37.13.2 Function Documentation

37.13.2.1 CFE_EVS_SendEvent()

```
int32 CFE_EVS_SendEvent (
            uint16 EventID,
            uint16 EventType,
            const char * Spec,
            ... )
```

Generate a software event.

Description

This routine generates a software event message. If the EventID is not filtered, the event will be sent as a software bus message, optionally logged in the local event log, and optionally sent as an ASCII text string out the enabled output port(s).

Assumptions, External Events, and Notes:

This API only works within the context of a registered application or core service. For messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE_ES_WriteToSysLog can be used for reporting.

Parameters

in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and	
		supplied by the application sending the event.	

Parameters

in	EventType	A numeric literal used to classify an event, one of:
		CFE_EVS_EventType_DEBUG
		CFE_EVS_EventType_INFORMATION
		CFE_EVS_EventType_ERROR
		CFE_EVS_EventType_CRITICAL
in	Spec	A pointer to a null terminated text string describing the output format for the event. This is the same type of format string used for the ANSI printf function. Nominally the post-conversion string is limited to 80 characters, but this limit is configurable through the parameter CFE_MISSION_EVS_MAX_MESSAGE_LENGTH. Characters beyond the limit will be truncated. Do not use floating point conversions (f, e, E, g, and G) in the format string unless your application will be running in a system that supports floating point arithmetic. Do not use non-printable characters (\tau, \n, etc.) in the format string; they will mess up the formatting when the events are displayed on the ground system.

Returns

Execution status below or from CFE_ES_GetAppID/CFE_SB_SendMsg, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.

See also

CFE_EVS_SendEventWithAppID, CFE_EVS_SendTimedEvent

37.13.2.2 CFE_EVS_SendEventWithAppID()

Generate a software event given the specified Application ID.

Description

This routine generates a software event message. If the EventID is not filtered, the event will be sent as a software bus message, optionally logged in the local event log, and optionally sent as an ASCII text string out the enabled output port(s). Note that this function should really only be used from within an API in order to preserve the context of an Application's event. In general, CFE_EVS_SendEvent should be used.

Assumptions, External Events, and Notes:

The Application ID must correspond to a registered application or core service. For messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE_ES_WriteToSysLog can be used for reporting.

Parameters

in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and supplied by the application sending the event.
in	EventType	A numeric literal used to classify an event, one of:
in	AppID	The Application ID from which the event message should appear.
in	Spec	A pointer to a null terminated text string describing the output format for the event. This is the same type of format string used for the ANSI printf function. Nominally the post-conversion string is limited to 80 characters, but this limit is configurable through the parameter CFE_MISSION_EVS_MAX_MESSAGE_LENGTH. Characters beyond the limit will be truncated. Do not use floating point conversions (f, e, E, g, and G) in the format string unless your application will be running in a system that supports floating point arithmetic. Do not use non-printable characters (\tau, \n, etc.) in the format string; they will mess up the formatting when the events are displayed on the ground system.

Returns

Execution status below or from CFE_ES_GetAppID/CFE_SB_SendMsg, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.

See also

CFE_EVS_SendEvent, CFE_EVS_SendTimedEvent

37.13.2.3 CFE_EVS_SendTimedEvent()

Generate a software event with a specific time tag.

Description

This routine is the same as CFE_EVS_SendEvent except that the caller specifies the event time instead of having the EVS use the current spacecraft time. This routine should be used in situations where an error condition is detected at one time, but the event message is reported at a later time.

Assumptions, External Events, and Notes:

This API only works within the context of a registered application or core service. For messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE_ES_WriteToSysLog can be used for reporting.

Parameters

in	Time	The time to include in the event. This will usually be a time returned by the function CFE_TIME_GetTime.	
in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and supplied by the application sending the event.	
in	EventType	A numeric literal used to classify an event, one of: • CFE_EVS_EventType_DEBUG	
		CFE_EVS_EventType_INFORMATION	
		CFE_EVS_EventType_ERROR	
		CFE_EVS_EventType_CRITICAL	
in	Spec	A pointer to a null terminated text string describing the output format for the event. This is the same type of format string used for the ANSI printf function. Nominally the post-conversion string is limited to 80 characters, but this limit is configurable through the parameter CFE_MISSION_EVS_MAX_MESSAGE_LENGTH. Characters beyond the limit will be truncated. Do not use floating point conversions (f, e, E, g, and G) in the format string unless your application will be running in a system that supports floating point arithmetic. Do not use non-printable characters (\tau, \n, etc.) in the format string; they will mess up the formatting when the events are displayed on the ground system.	

Returns

Execution status below or from CFE_ES_GetAppID/CFE_SB_SendMsg, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.

See also

CFE_EVS_SendEvent, CFE_EVS_SendEventWithAppID

37.14 cFE Reset Event Filter APIs

Functions

• int32 CFE EVS ResetFilter (int16 EventID)

Resets the calling application's event filter for a single event ID.

• int32 CFE_EVS_ResetAllFilters (void)

Resets all of the calling application's event filters.

37.14.1 Detailed Description

37.14.2 Function Documentation

37.14.2.1 CFE_EVS_ResetAllFilters()

Resets all of the calling application's event filters.

Description

This routine resets all the calling application's event filter counters to zero, providing a quick and convenient method for resetting event filters.

Assumptions, External Events, and Notes:

None

Returns

Execution status below or from CFE ES GetAppID, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.

See also

CFE_EVS_ResetFilter

37.14.2.2 CFE_EVS_ResetFilter()

Resets the calling application's event filter for a single event ID.

Description

The effect of resetting an event filter depends on the filter scheme. The CFE_EVS_EventFilter_BINARY scheme resets the filter counter for the specified Event ID.

Assumptions, External Events, and Notes:

None

Parameters

in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and
		supplied by the application sending the event.

Returns

Execution status below or from CFE_ES_GetAppID, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.

See also

CFE_EVS_ResetAllFilters

37.15 cFE File Header Management APIs

Functions

int32 CFE FS ReadHeader (CFE FS Header t *Hdr, int32 FileDes)

Read the contents of the Standard cFE File Header.

void CFE_FS_InitHeader (CFE_FS_Header_t *Hdr, const char *Description, uint32 SubType)

Initializes the contents of the Standard cFE File Header.

int32 CFE_FS_WriteHeader (int32 FileDes, CFE_FS_Header_t *Hdr)

Write the specified Standard cFE File Header to the specified file.

int32 CFE_FS_SetTimestamp (int32 FileDes, CFE_TIME_SysTime_t NewTimestamp)

Modifies the Time Stamp field in the Standard cFE File Header for the specified file.

37.15.1 Detailed Description

37.15.2 Function Documentation

37.15.2.1 CFE_FS_InitHeader()

Initializes the contents of the Standard cFE File Header.

Description

This API will clear the specified CFE_FS_Header_t variable and initialize the description field with the specified value

Parameters

in	Pointer to a variable of type CFE_FS_Header_t that will be cleared and initialize	
in	*Description Initializes Header's Description	
in	SubType	Initializes Header's SubType

See also

CFE_FS_WriteHeader

37.15.2.2 CFE_FS_ReadHeader()

Read the contents of the Standard cFE File Header.

Description

This API will fill the specified CFE_FS_Header_t variable with the contents of the Standard cFE File Header of the file identified by the given File Descriptor.

Assumptions, External Events, and Notes:

1. The File has already been successfully opened using OS open and the caller has a legitimate File Descriptor.

Parameters

in	FileDes	File Descriptor obtained from a previous call to OS_open that is associated with the file whose	
		header is to be read.	
in	Hdr	Pointer to a variable of type CFE_FS_Header_t that will be filled with the contents of the	
		Standard cFE File Header.	
out	*Hdr	Contents of the Standard cFE File Header for the specified file.	

Returns

Execution status, see cFE Return Code Defines

See also

```
CFE_FS_WriteHeader
```

37.15.2.3 CFE_FS_SetTimestamp()

Modifies the Time Stamp field in the Standard cFE File Header for the specified file.

Description

This API will modify the timestamp found in the Standard cFE File Header of the specified file. The timestamp will be replaced with the time specified by the caller.

Assumptions, External Events, and Notes:

- 1. The File has already been successfully opened using OS_open and the caller has a legitimate File Descriptor.
- 2. The NewTimestamp field has been filled appropriately by the Application.

Parameters

in	FileDes	File Descriptor obtained from a previous call to OS_open that is associated with the file	
		whose header is to be read.	
in	NewTimestamp	A CFE_TIME_SysTime_t data structure containing the desired time to be put into the file's	
		Standard cFE File Header.	

Returns

Execution status, see cFE Return Code Defines

37.15.2.4 CFE_FS_WriteHeader()

Write the specified Standard cFE File Header to the specified file.

Description

This API will output the specified CFE_FS_Header_t variable, with some fields automatically updated, to the specified file as the Standard cFE File Header. This API will automatically populate the following fields in the specified CFE_FS_Header_t:

- 1. ContentType Filled with 0x63464531 ('cFE1')
- 2. Length Filled with the sizeof(CFE_FS_Header_t)
- 3. Spacecraft ID Filled with the Spacecraft ID
- 4. ProcessorID Filled with the Processor ID
- 5. ApplicationID Filled with the Application ID
- 6. TimeSeconds Filled with the Time, in seconds, as obtained by CFE_TIME_GetTime
- 7. TimeSubSeconds Filled with the Time, subseconds, as obtained by CFE_TIME_GetTime

Assumptions, External Events, and Notes:

- 1. The File has already been successfully opened using OS_open and the caller has a legitimate File Descriptor.
- 2. The SubType field has been filled appropriately by the Application.
- 3. The Description field has been filled appropriately by the Application.

Parameters

in	FileDes	File Descriptor obtained from a previous call to OS_open that is associated with the file whose	
		header is to be read.	
in	Hdr	Pointer to a variable of type CFE_FS_Header_t that will be filled with the contents of the	
		Standard cFE File Header. Generated by Doxygen	
out	*Hdr	Contents of the Standard cFE File Header for the specified file.	

Returns

Execution status, see cFE Return Code Defines

See also

CFE_FS_ReadHeader

37.16 cFE Compressed File Management APIs

Functions

bool CFE FS IsGzFile (const char *FileName)

Determines if a file is a Gzip/compressed file.

• int32 CFE FS Decompress (const char *SourceFile, const char *DestinationFile)

Decompresses the source file to the destination file.

 int32 CFE_FS_GetUncompressedFile (char *OutputNameBuffer, uint32 OutputNameBufferSize, const char *GzipFileName, const char *TempDir)

Decompresses the source file to a temporary file created in the temp dir.

37.16.1 Detailed Description

37.16.2 Function Documentation

37.16.2.1 CFE_FS_Decompress()

Decompresses the source file to the destination file.

Description

This API will decompress the source file to the file specified by the destination file. The file must be compressed using the "gzip" utility. This utility is available on most unix workstations, Mac OS X, Cygwin, and MinGW for Windows. More information can be found at http://www.gzip.org/

Uses a global state buffer but protects the global by a mutex, so it may block if more than one thread tries to do this at any given time.

Assumptions, External Events, and Notes:

- 1. The paths and filenames used here are cfe compliant file names.
- 2. The source file is compressed with the "gzip" utility.
- 3. The destination file does not exist, or can be overwritten.

Parameters

in	SourceFile	The "gzipped" file to decompress.
out	DestinationFile	The path/filename to write the decompressed or "gunzipped" file to.

Returns

Execution status, see cFE Return Code Defines

37.16.2.2 CFE_FS_GetUncompressedFile()

Decompresses the source file to a temporary file created in the temp dir.

Description

This is a wrapper around the CFE_FS_Decompress function that formulates a temporary file name based on the gzip file name, saving the caller from needing to do this. The temporary file name is created in the given temp directory.

Assumptions, External Events, and Notes:

The name passed in as "GzipFileName" is not checked again, it is assumed to have passed the criteria in CFE_
FS_IsGzFile. If this is not true then the conversion to a temporary file name may produce incorrect results.

Parameters

in	OutputNameBuffer	A caller-supplied buffer for storing the temp file name
in	OutputNameBufferSize	The size of OutputNameBuffer
in	GzipFileName	The "gzipped" file to decompress.
in	TempDir	The directory in which the temporary file should be created

Returns

Execution status, see cFE Return Code Defines

37.16.2.3 CFE_FS_IsGzFile()

Determines if a file is a Gzip/compressed file.

Description

This API will check the filename and return true if the file is a gzip file. The check is currently based on the filename, so the zipped files should use the ".gz" extention.

Assumptions, External Events, and Notes:

1. A gzipped file will use the ".gz" filename extention.

Parameters

in	FileName	The name of the file.
----	----------	-----------------------

Returns

Boolean for file has ".gz" extension

Return values

true	File has ".gz" extension	
false	File does not have ".gz" extension	

37.17 cFE File Utility APIs

Functions

• int32 CFE_FS_ExtractFilenameFromPath (const char *OriginalPath, char *FileNameOnly)

Extracts the filename from a unix style path and filename string.

37.17.1 Detailed Description

37.17.2 Function Documentation

37.17.2.1 CFE_FS_ExtractFilenameFromPath()

Extracts the filename from a unix style path and filename string.

Description

This API will take the original unix path/filename combination and extract the base filename. Example: Given the path/filename: "/cf/apps/myapp.o.gz" this function will return the filename: "myapp.o.gz".

Assumptions, External Events, and Notes:

- 1. The paths and filenames used here are the standard unix style filenames separated by "/" characters.
- 2. The extracted filename (including terminator) is no longer than OS_MAX_PATH_LEN

Parameters

in	OriginalPath	The original path.
out	FileNameOnly	The filename that is extracted from the path.

Returns

Execution status, see cFE Return Code Defines

37.18 cFE SB Packet Type Defines

```
Macros
```

```
• #define CFE SB PKTTYPE INVALID 0
```

CFE_SB_GetPktType response if message type can not be determined

• #define CFE_SB_PKTTYPE_CMD 1

CFE_SB_GetPktType response for command packets

• #define CFE_SB_PKTTYPE_TLM 2

CFE_SB_GetPktType response for telemetry packets

37.18.1 Detailed Description

37.18.2 Macro Definition Documentation

```
37.18.2.1 CFE_SB_PKTTYPE_CMD
```

```
#define CFE_SB_PKTTYPE_CMD 1
```

CFE_SB_GetPktType response for command packets

Definition at line 110 of file cfe_sb.h.

```
37.18.2.2 CFE_SB_PKTTYPE_INVALID
```

```
#define CFE_SB_PKTTYPE_INVALID 0
```

CFE_SB_GetPktType response if message type can not be determined

Definition at line 109 of file cfe sb.h.

37.18.2.3 CFE_SB_PKTTYPE_TLM

#define CFE_SB_PKTTYPE_TLM 2

CFE_SB_GetPktType response for telemetry packets

Definition at line 111 of file cfe_sb.h.

37.19 cFE Pipe Management APIs

Functions

• int32 CFE SB CreatePipe (CFE SB Pipeld t *PipeldPtr, uint16 Depth, const char *PipeName)

Creates a new software bus pipe.

• int32 CFE_SB_DeletePipe (CFE_SB_PipeId_t PipeId)

Delete a software bus pipe.

• int32 CFE SB SetPipeOpts (CFE SB Pipeld t Pipeld, uint8 Opts)

Set options on a pipe.

int32 CFE_SB_GetPipeOpts (CFE_SB_PipeId_t PipeId, uint8 *OptPtr)

Get options on a pipe.

int32 CFE_SB_GetPipeName (char *PipeNameBuf, size_t PipeNameSize, CFE_SB_PipeId_t PipeId)

Get the pipe name for a given id.

• int32 CFE SB GetPipeIdByName (CFE SB PipeId t *PipeIdPtr, const char *PipeName)

Get pipe id by pipe name.

37.19.1 Detailed Description

37.19.2 Function Documentation

37.19.2.1 CFE_SB_CreatePipe()

Creates a new software bus pipe.

Description

This routine creates and initializes an input pipe that the calling application can use to receive software bus messages. By default, no messages are routed to the new pipe. So, the application must use CFE_SB_Subscribe to specify which messages it wants to receive on this pipe.

Assumptions, External Events, and Notes:

None

Parameters

in	PipeldPtr	A pointer to a variable of type CFE_SB_PipeId_t, which will be filled in with the pipe ID information by the CFE_SB_CreatePipe routine.	
in	Depth The maximum number of messages that will be allowed on this pipe at one time.		
in	PipeName		
Generated by Doxygen		The string must be no longer than OS_MAX_API_NAME (including terminator). Longer strings will be truncated.	
out	*PipeIdPtr	The identifier for the created pipe.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_MAX_PIPES_MET	Max Pipes Met.
CFE_SB_PIPE_CR_ERR	Pipe Create Error.

See also

CFE_SB_DeletePipe CFE_SB_GetPipeOpts CFE_SB_SetPipeOpts CFE_SB_GetPipeIdByName

37.19.2.2 CFE_SB_DeletePipe()

Delete a software bus pipe.

Description

This routine deletes an input pipe and cleans up all data structures associated with the pipe. All subscriptions made for this pipe by calls to CFE_SB_Subscribe will be automatically removed from the SB routing tables. Any messages in the pipe will be discarded.

Applications should not call this routine for all of their SB pipes as part of their orderly shutdown process, as the pipe will be deleted by the support framework at the appropriate time.

Assumptions, External Events, and Notes:

None

Parameters

in	Pipe⊷	The pipe ID (obtained previously from CFE_SB_CreatePipe) of the pipe to be deleted.
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

 ${\sf CFE_SB_CreatePipe\ CFE_SB_GetPipe\ Opts\ CFE_SB_SetPipe\ Opts\ CFE_SB_GetPipe\ IdBy\ Name}$

37.19.2.3 CFE_SB_GetPipeIdByName()

Get pipe id by pipe name.

Description

This routine finds the pipe id for a pipe name.

Parameters

in	PipeName	The name of the pipe.
out	PipeldPtr	The Pipeld for that name.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_CreatePipe CFE_SB_DeletePipe CFE_SB_SetPipeOpts CFE_SB_PIPEOPTS_IGNOREMINE

37.19.2.4 CFE_SB_GetPipeName()

Get the pipe name for a given id.

Description

This routine finds the pipe name for a pipe id.

Parameters

out	PipeNameBuf	The buffer to receive the pipe name.
in	PipeNameSize	The size (in chars) of the PipeName buffer.
in	Pipeld	The Pipeld for that name.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_CreatePipe CFE_SB_DeletePipe CFE_SB_SetPipeOpts CFE_SB_GetPipeIdByName

37.19.2.5 CFE_SB_GetPipeOpts()

Get options on a pipe.

Description

This routine gets the current options on a pipe.

Parameters

in	Pipeld	The pipe ID of the pipe to get options from.
out	*OptPtr	A bit field of options.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

CFE_SB_CreatePipe CFE_SB_DeletePipe CFE_SB_SetPipeOpts CFE_SB_GetPipeIdByName CFE_SB_PIP← EOPTS_IGNOREMINE

37.19.2.6 CFE_SB_SetPipeOpts()

Set options on a pipe.

Description

This routine sets (or clears) options to alter the pipe's behavior. Options are (re)set every call to this routine.

Parameters

in	Pipe← Id	The pipe ID of the pipe to set options on.
in	Opts	A bit field of options.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE SB BAD ARGUMENT	Bad Argument.



 ${\it CFE_SB_CreatePipe\ CFE_SB_DeletePipe\ CFE_SB_GetPipeOpts\ CFE_SB_GetPipeIdByName\ CFE_SB_PIP} \leftarrow {\it EOPTS_IGNOREMINE}$

37.20 cFE Message Subscription Control APIs

Functions

 int32 CFE_SB_SubscribeEx (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld, CFE_SB_Qos_t Quality, uint16 MsgLim)

Subscribe to a message on the software bus.

• int32 CFE SB Subscribe (CFE SB Msgld t Msgld, CFE SB Pipeld t Pipeld)

Subscribe to a message on the software bus with default parameters.

- int32 CFE_SB_SubscribeLocal (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld, uint16 MsgLim)
 - Subscribe to a message while keeping the request local to a cpu.
- int32 CFE_SB_Unsubscribe (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Remove a subscription to a message on the software bus.

• int32 CFE_SB_UnsubscribeLocal (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Remove a subscription to a message on the software bus on the current CPU.

37.20.1 Detailed Description

37.20.2 Function Documentation

37.20.2.1 CFE_SB_Subscribe()

Subscribe to a message on the software bus with default parameters.

Description

This routine adds the specified pipe to the destination list for the specified message ID. This is the same as CFE
_SB_SubscribeEx with the Quality field set to CFE_SB_Default_Qos and MsgLim set to CFE_PLATFORM_SB_
_DEFAULT_MSG_LIMIT (4).

Assumptions, External Events, and Notes:

Note: As subscriptions are received, the destinations are added to the head of a linked list. During the sending of a message, the list is traversed beginning at the head of the list. Therefore the message will first be sent to the last subscriber. If an application has timing constraints and needs to receive a message in the shortest possible time, the developer may consider holding off its subscription until other applications have subscribed to the message.

Parameters

in	Msg←	The message ID of the message to be subscribed to.
	ld	
in	Pipe←	The pipe ID of the pipe the subscribed message should be sent to.
	ld	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_MAX_MSGS_MET	Max Messages Met.
CFE_SB_MAX_DESTS_MET	Max Destinations Met.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_BUF_ALOC_ERR	Buffer Allocation Error.

See also

CFE_SB_SubscribeEx, CFE_SB_SubscribeLocal, CFE_SB_Unsubscribe, CFE_SB_UnsubscribeLocal

37.20.2.2 CFE_SB_SubscribeEx()

Subscribe to a message on the software bus.

Description

This routine adds the specified pipe to the destination list associated with the specified message ID.

Assumptions, External Events, and Notes:

Note: As subscriptions are received, the destinations are added to the head of a linked list. During the sending of a message, the list is traversed beginning at the head of the list. Therefore the message will first be sent to the last subscriber. If an application has timing constraints and needs to receive a message in the shortest possible time, the developer may consider holding off its subscription until other applications have subscribed to the message.

Parameters

in	Msgld	The message ID of the message to be subscribed to.
in	Pipeld	The pipe ID of the pipe the subscribed message should be sent to.
in	Quality	The requested Quality of Service (QoS) required of the messages. Most callers will use CFE_SB_Default_Qos for this parameter.
in	MsgLim	The maximum number of messages with this Message ID to allow in this pipe at the same time.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_MAX_MSGS_MET	Max Messages Met.
CFE_SB_MAX_DESTS_MET	Max Destinations Met.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_BUF_ALOC_ERR	Buffer Allocation Error.

See also

CFE_SB_Subscribe, CFE_SB_SubscribeLocal, CFE_SB_Unsubscribe, CFE_SB_UnsubscribeLocal

37.20.2.3 CFE_SB_SubscribeLocal()

Subscribe to a message while keeping the request local to a cpu.

Description

This routine adds the specified pipe to the destination list for the specified message ID. This is similar to CFE_
SB_SubscribeEx with the Quality field set to CFE_SB_Default_Qos and MsgLim set to CFE_PLATFORM_SB_
DEFAULT_MSG_LIMIT, but will not report the subscription. Subscription Reporting is enabled for interprocessor communication by way of the Software Bus Network (SBN) Application.

Assumptions, External Events, and Notes:

• This API is typically only used by Software Bus Network (SBN) Application

Parameters

in	Msgld	Msgld The message ID of the message to be subscribed to.	
in	Pipeld	The pipe ID of the pipe the subscribed message should be sent to.	
in	MsgLim	The maximum number of messages with this Message ID to allow in this pipe at the same time.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_MAX_MSGS_MET	Max Messages Met.
CFE_SB_MAX_DESTS_MET	Max Destinations Met.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_BUF_ALOC_ERR	Buffer Allocation Error.

See also

CFE_SB_Subscribe, CFE_SB_SubscribeEx, CFE_SB_Unsubscribe, CFE_SB_UnsubscribeLocal

37.20.2.4 CFE_SB_Unsubscribe()

Remove a subscription to a message on the software bus.

Description

This routine removes the specified pipe from the destination list for the specified message ID.

Assumptions, External Events, and Notes:

None

Parameters

Í	in	Msg← Id	The message ID of the message to be unsubscribed.
Í	in	Pipe⊷ Id	The pipe ID of the pipe the subscribed message should no longer be sent to.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_NO_SUBSCRIBERS	No Subscribers.
CFE_SB_INTERNAL_ERR	Internal Error.

See also

CFE_SB_Subscribe, CFE_SB_SubscribeEx, CFE_SB_SubscribeLocal, CFE_SB_UnsubscribeLocal

37.20.2.5 CFE_SB_UnsubscribeLocal()

Remove a subscription to a message on the software bus on the current CPU.

Description

This routine removes the specified pipe from the destination list for the specified message ID on the current CPU.

Assumptions, External Events, and Notes:

• This API is typically only used by Software Bus Network (SBN) Application

Parameters

in	Msg⊷ Id	The message ID of the message to be unsubscribed.
in	Pipe← Id	The pipe ID of the pipe the subscribed message should no longer be sent to.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_NO_SUBSCRIBERS	No Subscribers.
CFE_SB_INTERNAL_ERR	Internal Error.

See also

CFE_SB_Subscribe, CFE_SB_SubscribeEx, CFE_SB_SubscribeLocal, CFE_SB_Unsubscribe

37.21 cFE Send/Receive Message APIs

Functions

```
    int32 CFE SB SendMsg (CFE SB Msg t *MsgPtr)
```

Send a software bus message.

int32 CFE_SB_PassMsg (CFE_SB_Msg_t *MsgPtr)

Passes a software bus message.

int32 CFE_SB_RcvMsg (CFE_SB_MsgPtr_t *BufPtr, CFE_SB_Pipeld_t Pipeld, int32 TimeOut)

Receive a message from a software bus pipe.

37.21.1 Detailed Description

37.21.2 Function Documentation

37.21.2.1 CFE_SB_PassMsg()

Passes a software bus message.

Description

This routine sends the specified message to all subscribers. The software bus will read the message ID from the message header to determine which pipes should receive the message. This routine is intended to pass messages not generated by the sending application.

Assumptions, External Events, and Notes:

- This routine will not normally wait for the receiver tasks to process the message before returning control to the caller's task.
- However, if a higher priority task is pending and subscribed to this message, that task may get to run before CFE_SB_PassMsg returns control to the caller.
- Unlike CFE_SB_SendMsg this routine will preserve the source sequence counter in a telemetry message.

Parameters

in	MsgPtr	A pointer to the message to be sent. This must point to the first byte of the software bus message
		header (CFE_SB_Msg_t).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_MSG_TOO_BIG	Message Too Big.
CFE_SB_BUF_ALOC_ERR	Buffer Allocation Error.

See also

```
CFE_SB_RcvMsg, CFE_SB_ZeroCopySend, CFE_SB_SendMsg
```

37.21.2.2 CFE_SB_RcvMsg()

Receive a message from a software bus pipe.

Description

This routine retrieves the next message from the specified pipe. If the pipe is empty, this routine will block until either a new message comes in or the timeout value is reached.

Assumptions, External Events, and Notes:

Note - If an error occurs in this API, the *BufPtr value may be NULL or random. Therefore, it is recommended that the return code be tested for CFE_SUCCESS before processing the message.

Parameters

in	BufPtr	A pointer to a local variable of type CFE_SB_MsgPtr_t. Typically a caller declares a ptr of type CFE_SB_Msg_t (i.e. CFE_SB_Msg_t *Ptr) then gives the address of that pointer (&Ptr) as this parmeter. After a successful receipt of a message, *BufPtr will point to the first byte of the software bus message header. This should be used as a read-only pointer (in systems with an MMU, writes to this pointer may cause a memory protection fault). The *BufPtr is valid only until the next call to CFE_SB_RcvMsg for the same pipe.	
in	Pipeld	The pipe ID of the pipe containing the message to be obtained.	
in	TimeOut	The number of milliseconds to wait for a new message if the pipe is empty at the time of the call. This can also be set to CFE_SB_POLL for a non-blocking receive or CFE_SB_PEND_FOREVER to wait forever for a message to arrive.	
out	*BufPtr	A pointer to the message obtained from the pipe. Valid only until the next call to CFE_SB_RcvMsg for the same pipe.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_TIME_OUT	Time Out.
CFE_SB_PIPE_RD_ERR	Pipe Read Error.
CFE_SB_NO_MESSAGE	No Message.

See also

CFE SB SendMsg, CFE SB ZeroCopySend

37.21.2.3 CFE_SB_SendMsg()

Send a software bus message.

Description

This routine sends the specified message to all subscribers. The software bus will read the message ID from the message header to determine which pipes should receive the message.

Assumptions, External Events, and Notes:

- This routine will not normally wait for the receiver tasks to process the message before returning control to the caller's task.
- However, if a higher priority task is pending and subscribed to this message, that task may get to run before CFE_SB_SendMsg returns control to the caller.
- This function tracks and increments the source sequence counter of a telemetry message.

Parameters

in	MsgPtr	A pointer to the message to be sent. This must point to the first byte of the software bus message
		header (CFE_SB_Msg_t).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_MSG_TOO_BIG	Message Too Big.
CFE_SB_BUF_ALOC_ERR	Buffer Allocation Error.

See also

CFE_SB_RcvMsg, CFE_SB_ZeroCopySend, CFE_SB_PassMsg

37.22 cFE Zero Copy Message APIs

Functions

• CFE_SB_Msg_t * CFE_SB_ZeroCopyGetPtr (uint16 MsgSize, CFE_SB_ZeroCopyHandle_t *BufferHandle)

Get a buffer pointer to use for "zero copy" SB sends.

int32 CFE_SB_ZeroCopyReleasePtr (CFE_SB_Msg_t *Ptr2Release, CFE_SB_ZeroCopyHandle_t Buffer
 Handle)

Release an unused "zero copy" buffer pointer.

- int32 CFE_SB_ZeroCopySend (CFE_SB_Msg_t *MsgPtr, CFE_SB_ZeroCopyHandle_t BufferHandle) Send an SB message in "zero copy" mode.
- int32 CFE_SB_ZeroCopyPass (CFE_SB_Msg_t *MsgPtr, CFE_SB_ZeroCopyHandle_t BufferHandle)

 Pass an SB message in "zero copy" mode.

37.22.1 Detailed Description

37.22.2 Function Documentation

37.22.2.1 CFE_SB_ZeroCopyGetPtr()

Get a buffer pointer to use for "zero copy" SB sends.

Description

This routine can be used to get a pointer to one of the software bus' internal memory buffers that are used for sending messages. The caller can use this memory buffer to build an SB message, then send it using the CFE_S B_ZeroCopySend function. This interface is more complicated than the normal CFE_SB_ZeroCopySend interface, but it avoids an extra copy of the message from the user's memory buffer to the software bus internal buffer. The "zero copy" interface can be used to improve performance in high-rate, high-volume software bus traffic.

Assumptions, External Events, and Notes:

- 1. The pointer returned by CFE_SB_ZeroCopyGetPtr is only good for one call to CFE_SB_ZeroCopySend.
- 2. Applications should be written as if CFE_SB_ZeroCopyGetPtr is equivalent to a malloc() and CFE_SB ← ZeroCopySend is equivalent to a free().
- Applications must not de-reference the message pointer (for reading or writing) after the call to CFE_SB_

 ZeroCopySend.

Parameters

in	MsgSize	The size of the SB message buffer the caller wants (including the SB message header).
out	BufferHandle	A handle that must be supplied when sending or releasing in zero copy mode.

Returns

A pointer to a memory buffer that can be used to build one SB message for use with CFE_SB_ZeroCopySend.

See also

CFE SB ZeroCopyReleasePtr, CFE SB ZeroCopySend

37.22.2.2 CFE SB ZeroCopyPass()

Pass an SB message in "zero copy" mode.

Description

This routine sends a message that has been created directly in an internal SB message buffer by an application (after a call to CFE_SB_ZeroCopyGetPtr). This interface is more complicated than the normal CFE_SB_SendMsg interface, but it avoids an extra copy of the message from the user's memory buffer to the software bus internal buffer. The "zero copy" interface can be used to improve performance in high-rate, high-volume software bus traffic. This version is intended to pass messages not generated by the caller (to preserve the source sequence count).

Assumptions, External Events, and Notes:

- 1. The pointer returned by CFE_SB_ZeroCopyGetPtr is only good for one call to CFE_SB_ZeroCopySend or CFE_SB_ZeroCopyPass.
- 2. Callers must not use the same SB message buffer for multiple sends.
- 3. Applications should be written as if CFE_SB_ZeroCopyGetPtr is equivalent to a malloc() and CFE_SB←
 _ZeroCopyPass is equivalent to a free().
- Applications must not de-reference the message pointer (for reading or writing) after the call to CFE_SB_←
 ZeroCopyPass.
- Unlike CFE_SB_ZeroCopySend this routine will preserve the source sequence counter in a telemetry message.

Parameters

in	MsgPtr	A pointer to the SB message to be sent.
in	BufferHandle	The handle supplied with the CFE_SB_ZeroCopyGetPtr call.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_MSG_TOO_BIG	Message Too Big.
CFE_SB_BUF_ALOC_ERR	Buffer Allocation Error.
CFE_SB_BUFFER_INVALID	Buffer Invalid.

See also

CFE_SB_PassMsg, CFE_SB_ZeroCopySend, CFE_SB_ZeroCopyReleasePtr, CFE_SB_ZeroCopyGetPtr

37.22.2.3 CFE_SB_ZeroCopyReleasePtr()

Release an unused "zero copy" buffer pointer.

Description

This routine can be used to release a pointer to one of the software bus' internal memory buffers.

Assumptions, External Events, and Notes:

1. This function is not needed for normal "zero copy" transfers. It is needed only for cleanup when an application gets a pointer using CFE_SB_ZeroCopyGetPtr, but (due to some error condition) never uses that pointer for a CFE_SB_ZeroCopySend

Parameters

in	Ptr2Release	A pointer to the SB internal buffer. This must be a pointer returned by a call to CFE_SB_ZeroCopyGetPtr, but never used in a call to CFE_SB_ZeroCopySend.	
in	BufferHandle	This must be the handle supplied with the pointer when CFE_SB_ZeroCopyGetPtr was called.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_BUFFER_INVALID	Buffer Invalid.

See also

CFE_SB_ZeroCopyGetPtr, CFE_SB_ZeroCopySend

37.22.2.4 CFE_SB_ZeroCopySend()

Send an SB message in "zero copy" mode.

Description

This routine sends a message that has been created directly in an internal SB message buffer by an application (after a call to CFE_SB_ZeroCopyGetPtr). This interface is more complicated than the normal CFE_SB_SendMsg interface, but it avoids an extra copy of the message from the user's memory buffer to the software bus internal buffer. The "zero copy" interface can be used to improve performance in high-rate, high-volume software bus traffic.

Assumptions, External Events, and Notes:

- 1. The pointer returned by CFE_SB_ZeroCopyGetPtr is only good for one call to CFE_SB_ZeroCopySend.
- 2. Callers must not use the same SB message buffer for multiple sends.
- 3. Applications should be written as if CFE_SB_ZeroCopyGetPtr is equivalent to a malloc() and CFE_SB← ZeroCopySend is equivalent to a free().
- Applications must not de-reference the message pointer (for reading or writing) after the call to CFE_SB_←
 ZeroCopySend.
- 5. This function tracks and increments the source sequence counter of a telemetry message.

Parameters

in	MsgPtr	A pointer to the SB message to be sent.
in	BufferHandle	The handle supplied with the CFE_SB_ZeroCopyGetPtr call.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_MSG_TOO_BIG	Message Too Big.
CFE_SB_BUF_ALOC_ERR	Buffer Allocation Error.
CFE_SB_BUFFER_INVALID	Buffer Invalid.

See also

 ${\sf CFE_SB_SendMsg}, {\sf CFE_SB_RcvMsg}, {\sf CFE_SB_ZeroCopyReleasePtr}, {\sf CFE_SB_ZeroCopyGetPtr}$

37.23 cFE Setting Message Characteristics APIs

Functions

void CFE_SB_InitMsg (void *MsgPtr, CFE_SB_MsgId_t MsgId, uint16 Length, bool Clear)
 Initialize a buffer for a software bus message.

void CFE_SB_SetMsgld (CFE_SB_MsgPtr_t MsgPtr, CFE_SB_Msgld_t Msgld)

Sets the message ID of a software bus message.

• void CFE_SB_SetUserDataLength (CFE_SB_MsgPtr_t MsgPtr, uint16 DataLength)

Sets the length of user data in a software bus message.

void CFE_SB_SetTotalMsgLength (CFE_SB_MsgPtr_t MsgPtr, uint16 TotalLength)

Sets the total length of a software bus message.

• int32 CFE_SB_SetMsgTime (CFE_SB_MsgPtr_t MsgPtr, CFE_TIME_SysTime_t Time)

Sets the time field in a software bus message.

void CFE_SB_TimeStampMsg (CFE_SB_MsgPtr_t MsgPtr)

Sets the time field in a software bus message with the current spacecraft time.

• int32 CFE_SB_SetCmdCode (CFE_SB_MsgPtr_t MsgPtr, uint16 CmdCode)

Sets the command code field in a software bus message.

 int32 CFE_SB_MessageStringSet (char *DestStringPtr, const char *SourceStringPtr, uint32 DestMaxSize, uint32 SourceMaxSize)

Copies a string into a software bus message.

37.23.1 Detailed Description

37.23.2 Function Documentation

37.23.2.1 CFE_SB_InitMsg()

Initialize a buffer for a software bus message.

Description

This routine fills in the header information needed to create a valid software bus message.

Assumptions, External Events, and Notes:

None

Parameters

in	MsgPtr	A pointer to the buffer that will contain the message. This will point to the first byte of the message header. The void* data type allows the calling routine to use any data type when declaring its message buffer.	
in	Msgld	The message ID to put in the message header.	
in	Length	The total number of bytes of message data, including the SB message header .	
in	Clear	A flag indicating whether to clear the rest of the message:	
		true - fill sequence count and packet data with zeroes.	
		false - leave sequence count and packet data unchanged.	

See also

 $CFE_SB_SetMsgId,\ CFE_SB_SetUserDataLength,\ CFE_SB_SetTotalMsgLength,\ CFE_SB_SetMsgTime,\ CFL_SB_SetMsgTime,\ CFL_SB_SetMs$

37.23.2.2 CFE SB MessageStringSet()

Copies a string into a software bus message.

Description

Strings within software bus messages have a defined/fixed maximum length, and may not necessarily be null terminated within the message. This presents a possible issue when using the C library functions to copy strings out of a message.

This performs a very similar function to "strncpy()" except that the sizes of *both* buffers are passed in. Neither buffer is required to be null-terminated, but copying will stop after the first termination character is encountered.

If the destination buffer is not completely filled by the source data (such as if the supplied string was shorter than the allotted length) the destination buffer will be padded with NUL characters up to the size of the buffer, similar to what strncpy() does. This ensures that the entire destination buffer is set.

Note

If the source string buffer is already guaranteed to be null terminated, then there is no difference between the C library "strncpy()" function and this implementation. It is only necessary to use this when termination of the source buffer is not guaranteed.

Parameters

out	DestStringPtr	Pointer to destination buffer (component of SB message definition)
in	SourceStringPtr	Pointer to source buffer
in	DestMaxSize	Size of destination buffer as defined by the message definition
in	SourceMaxSize	Size of source buffer

Returns

Number of characters copied or error code, see cFE Return Code Defines

37.23.2.3 CFE_SB_SetCmdCode()

Sets the command code field in a software bus message.

Description

This routine sets the command code of a software bus message (if SB messages are implemented as CCSDS packets, this will be the function code).

Assumptions, External Events, and Notes:

• If the underlying implementation of software bus messages does not include a command code field, then this routine will do nothing to the message contents and will return CFE_SB_WRONG_MSG_TYPE.

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message. This must point to the first byte of the message header.
in	CmdCode	The command code to include in the message.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE SB WRONG MSG TYPE	Wrong Message Type.

See also

 $CFE_SB_SetMsgId,\ CFE_SB_SetUserDataLength,\ CFE_SB_SetTotalMsgLength,\ CFE_SB_SetMsgTime,\ CF \\ E_SB_TimeStampMsg,\ CFE_SB_GetCmdCode,\ CFE_SB_InitMsg$

37.23.2.4 CFE_SB_SetMsgld()

Sets the message ID of a software bus message.

Description

This routine sets the Message ID in a software bus message header.

Assumptions, External Events, and Notes:

None

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message. This must point to the first byte of
		the message header.
in	Msgld	The message ID to put into the message header.

Returns

The software bus Message ID from the message header.

See also

CFE_SB_GetMsgId, CFE_SB_SetUserDataLength, CFE_SB_SetTotalMsgLength, CFE_SB_SetMsgTime, CF← E_SB_TimeStampMsg, CFE_SB_SetCmdCode, CFE_SB_InitMsg

37.23.2.5 CFE_SB_SetMsgTime()

Sets the time field in a software bus message.

Description

This routine sets the time of a software bus message. Most applications will want to use CFE_SB_TimeStampMsg instead of this function. But, when needed, CFE_SB_SetMsgTime can be used to send a group of SB messages with identical time stamps.

Assumptions, External Events, and Notes:

- If the underlying implementation of software bus messages does not include a time field, then this routine will do nothing to the message contents and will return CFE_SB_WRONG_MSG_TYPE.
- Note default implementation of command messages do not have a time field and will trigger the CFE_SB_← WRONG_MSG_TYPE error

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message. This must point to the first byte of the message header.
in	Time	The time to include in the message. This will usually be a time returned by the function CFE_TIME_GetTime.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_SB_WRONG_MSG_TYPE	Wrong Message Type.

See also

 $CFE_SB_SetMsgId,\ CFE_SB_SetUserDataLength,\ CFE_SB_SetTotalMsgLength,\ CFE_SB_GetMsgTime,\ CFL_SB_SetMsgTime,\ CFL_SB_InitMsg$

37.23.2.6 CFE_SB_SetTotalMsgLength()

Sets the total length of a software bus message.

Description

This routine sets the field in the SB message header that determines the total length of the message. SB message header formats can be different for each deployment of the cFE. So, applications should use this function rather than trying to poke a length value directly into their SB message buffers.

Assumptions, External Events, and Notes:

None

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message. This must point to the first byte of the message header.
in	TotalLength	The length to set (total size of the message, in bytes, including headers).

See also

CFE_SB_SetMsgId, CFE_SB_SetUserDataLength, CFE_SB_GetTotalMsgLength, CFE_SB_SetMsgTime, CF← SB TimeStampMsg, CFE SB SetCmdCode, CFE SB InitMsg

37.23.2.7 CFE_SB_SetUserDataLength()

Sets the length of user data in a software bus message.

Description

This routine sets the field in the SB message header that determines the size of the user data in a software bus message. SB message header formats can be different for each deployment of the cFE. So, applications should use this function rather than trying to poke a length value directly into their SB message buffers.

Assumptions, External Events, and Notes:

· You must set a valid message ID in the SB message header before calling this function.

Parameters

in	<i>MsgPtr</i>	A pointer to the buffer that contains the software bus message. This must point to the first byte
		of the message header.
in	DataLength	The length to set (size of the user data, in bytes).

See also

CFE_SB_SetMsgId, CFE_SB_GetUserDataLength, CFE_SB_SetTotalMsgLength, CFE_SB_SetMsgTime, CF← SB TimeStampMsg, CFE SB SetCmdCode, CFE SB InitMsg

37.23.2.8 CFE_SB_TimeStampMsg()

Sets the time field in a software bus message with the current spacecraft time.

Description

This routine sets the time of a software bus message with the current spacecraft time. This will be the same time that is returned by the function CFE_TIME_GetTime.

Assumptions, External Events, and Notes:

• If the underlying implementation of software bus messages does not include a time field, then this routine will do nothing.

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message. This must point to the first byte of
		the message header.

See also

 $CFE_SB_SetMsgId,\ CFE_SB_SetUserDataLength,\ CFE_SB_SetTotalMsgLength,\ CFE_SB_SetMsgTime,\ CF \leftarrow E_SB_SetCmdCode,\ CFE_SB_InitMsg$

37.24 cFE Getting Message Characteristics APIs

Functions

void * CFE SB GetUserData (CFE SB MsgPtr t MsgPtr)

Get a pointer to the user data portion of a software bus message.

• CFE_SB_MsgId_t CFE_SB_GetMsgId (const CFE_SB_Msg_t *MsgPtr)

Get the message ID of a software bus message.

uint16 CFE_SB_GetUserDataLength (const CFE_SB_Msg_t *MsgPtr)

Gets the length of user data in a software bus message.

uint16 CFE_SB_GetTotalMsgLength (const CFE_SB_Msg_t *MsgPtr)

Gets the total length of a software bus message.

uint16 CFE_SB_GetCmdCode (CFE_SB_MsgPtr_t MsgPtr)

Gets the command code field from a software bus message.

• CFE TIME SysTime t CFE SB GetMsgTime (CFE SB MsgPtr t MsgPtr)

Gets the time field from a software bus message.

uint32 CFE_SB_GetLastSenderId (CFE_SB_SenderId_t **Ptr, CFE_SB_PipeId_t PipeId)

Retrieve the application Info of the sender for the last message.

 int32 CFE_SB_MessageStringGet (char *DestStringPtr, const char *SourceStringPtr, const char *DefaultString, uint32 DestMaxSize, uint32 SourceMaxSize)

Copies a string out of a software bus message.

37.24.1 Detailed Description

37.24.2 Function Documentation

```
37.24.2.1 CFE_SB_GetCmdCode()
```

Gets the command code field from a software bus message.

Description

This routine gets the command code from a software bus message (if SB messages are implemented as CCSDS packets, this will be the function code).

Assumptions, External Events, and Notes:

If the underlying implementation of software bus messages does not include a command code field, then this
routine will return a zero.

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message. This must point to the first byte of
		the message header.

Returns

The command code included in the software bus message header (if present). Otherwise, returns a command code value of zero.

See also

 $CFE_SB_GetUserData, CFE_SB_GetMsgId, CFE_SB_GetUserDataLength, CFE_SB_GetTotalMsgLength, CFE_SB_GetMsgTime, CFE_SB_SetCmdCode, CFE_SB_GetChecksum$

37.24.2.2 CFE_SB_GetLastSenderId()

Retrieve the application Info of the sender for the last message.

Description

This routine can be used after a successful CFE_SB_RcvMsg call to find out which application sent the message that was received.

Assumptions, External Events, and Notes:

Note - If an error occurs in this API, the *Ptr value may be NULL or random. Therefore, it is recommended that the return code be tested for CFE_SUCCESS before reading the sender information.

Parameters

in	Ptr	A pointer to a local variable of type CFE_SB_SenderId_t. Typically a caller declares a ptr of type CFE_SB_SenderId_t (i.e. CFE_SB_SenderId_t *Ptr) then gives the address of that pointer (&Ptr) for this parameter. After a successful call to this API, *Ptr will point to the first byte of the CFE_SB_SenderId_t structure containing the sender information for the last message received on the given pipe. This should be used as a read-only pointer (in systems with an MMU, writes to this pointer may cause a memory protection fault). The *Ptr is valid only until the next call to CFE_SB_RcvMsg for the same pipe.
in	Pipe⊷	The pipe ID of the pipe the message was taken from.
	ld	

Returns

The last sender's application ID

37.24.2.3 CFE_SB_GetMsgld()

Get the message ID of a software bus message.

Description

This routine returns the message ID from a software bus message.

Assumptions, External Events, and Notes:

None

Parameters

	in	MsgPtr	A pointer to the buffer that contains the software bus message.	
--	----	--------	---	--

Returns

The software bus Message ID from the message header.

See also

CFE_SB_GetUserData, CFE_SB_SetMsgId, CFE_SB_GetUserDataLength, CFE_SB_GetTotalMsgLength, CF← E_SB_GetMsgTime, CFE_SB_GetCmdCode, CFE_SB_GetChecksum

37.24.2.4 CFE_SB_GetMsgTime()

Gets the time field from a software bus message.

Description

This routine gets the time from a software bus message.

Assumptions, External Events, and Notes:

- If the underlying implementation of software bus messages does not include a time field, then this routine will return a zero time.
- · Note default implementation of command messages do not have a time field.

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message. This must point to the first byte of
		the message header.

Returns

The system time included in the software bus message header (if present), otherwise, returns a time value of zero.

See also

CFE_SB_GetUserData, CFE_SB_GetMsgId, CFE_SB_GetUserDataLength, CFE_SB_GetTotalMsgLength, CF← SB SetMsgTime, CFE SB GetCmdCode, CFE SB GetChecksum

37.24.2.5 CFE_SB_GetTotalMsgLength()

Gets the total length of a software bus message.

Description

This routine returns the total size of the software bus message.

Assumptions, External Events, and Notes:

· For the CCSDS implementation of this API, the size is derived from the message header.

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message. This must point to the first byte of
		the message header.

Returns

The total size (in bytes) of the software bus message, including headers.

See also

CFE_SB_GetUserData, CFE_SB_GetMsgId, CFE_SB_GetUserDataLength, CFE_SB_SetTotalMsgLength, CF← E_SB_GetMsgTime, CFE_SB_GetCmdCode, CFE_SB_GetChecksum

37.24.2.6 CFE_SB_GetUserData()

Get a pointer to the user data portion of a software bus message.

Description

This routine returns a pointer to the user data portion of a software bus message. SB message header formats can be different for each deployment of the cFE. So, applications should use this function and avoid hard coding offsets into their SB message buffers.

Assumptions, External Events, and Notes:

None

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message.
----	--------	---

Returns

A pointer to the first byte of user data within the software bus message.

See also

CFE_SB_GetMsgId, CFE_SB_GetUserDataLength, CFE_SB_GetTotalMsgLength, CFE_SB_GetMsgTime, CF← SB GetCmdCode, CFE SB GetChecksum

37.24.2.7 CFE_SB_GetUserDataLength()

Gets the length of user data in a software bus message.

Description

This routine returns the size of the user data in a software bus message.

Assumptions, External Events, and Notes:

None

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message. This must point to the first byte of
		the message header.

Returns

The size (in bytes) of the user data in the software bus message.

See also

CFE_SB_GetUserData, CFE_SB_GetMsgId, CFE_SB_SetUserDataLength, CFE_SB_GetTotalMsgLength, CF← SB GetMsgTime, CFE SB GetCmdCode, CFE SB GetChecksum

37.24.2.8 CFE_SB_MessageStringGet()

Copies a string out of a software bus message.

Description

Strings within software bus messages have a defined/fixed maximum length, and may not necessarily be null terminated within the message. This presents a possible issue when using the C library functions to copy strings out of a message.

This function should replace use of C library functions such as strcpy/strncpy when copying strings out of software bus messages to local storage buffers.

Up to [SourceMaxSize] or [DestMaxSize-1] (whichever is smaller) characters will be coped from the source buffer to the destination buffer, and a NUL termination character will be written to the destination buffer as the last character.

If the DefaultString pointer is non-NULL, it will be used in place of the source string if the source is an empty string. This is typically a string constant that comes from the platform configuration, allowing default values to be assumed for fields that are unspecified.

IMPORTANT - the default string, if specified, must be null terminated. This will be the case if a string literal is passed in (the typical/expected use case).

If the default is NULL, then only the source string will be copied, and the result will be an empty string if the source was empty.

If the destination buffer is too small to store the entire string, it will be truncated, but it will still be null terminated.

Parameters

out	DestStringPtr	Pointer to destination buffer
in	SourceStringPtr	Pointer to source buffer (component of SB message definition)
in	DefaultString	Default string to use if source is empty
in	DestMaxSize	Size of destination storage buffer (must be at least 2)
in	SourceMaxSize	Size of source buffer as defined by the message definition

Returns

Number of characters copied or error code, see cFE Return Code Defines

37.25 cFE Checksum Control APIs

Functions

uint16 CFE SB GetChecksum (CFE SB MsgPtr t MsgPtr)

Gets the checksum field from a software bus message.

• void CFE_SB_GenerateChecksum (CFE_SB_MsgPtr_t MsgPtr)

Calculates and sets the checksum of a software bus message.

bool CFE_SB_ValidateChecksum (CFE_SB_MsgPtr_t MsgPtr)

Validates the checksum of a software bus message.

37.25.1 Detailed Description

37.25.2 Function Documentation

37.25.2.1 CFE_SB_GenerateChecksum()

Calculates and sets the checksum of a software bus message.

Description

This routine calculates the checksum of a software bus message according to an implementation-defined algorithm. Then, it sets the checksum field in the message with the calculated value. The contents and location of this field will depend on the underlying implementation of software bus messages. It may be a checksum, a CRC, or some other algorithm.

Assumptions, External Events, and Notes:

• If the underlying implementation of software bus messages does not include a checksum field, then this routine will do nothing.

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message. This must point to the first byte of
		the message header.

See also

CFE_SB_ValidateChecksum, CFE_SB_GetChecksum

37.25.2.2 CFE_SB_GetChecksum()

Gets the checksum field from a software bus message.

Description

This routine gets the checksum (or other message integrity check value) from a software bus message. The contents and location of this field will depend on the underlying implementation of software bus messages. It may be a checksum, a CRC, or some other algorithm. Users should not call this function as part of a message integrity check (call CFE SB ValidateChecksum instead).

Assumptions, External Events, and Notes:

If the underlying implementation of software bus messages does not include a checksum field, then this routine
will return a zero.

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message. This must point to the first byte of
		the message header.

Returns

The checksum included in the software bus message header (if present), otherwise, returns a checksum value of zero.

See also

CFE_SB_GetUserData, CFE_SB_GetMsgId, CFE_SB_GetUserDataLength, CFE_SB_GetTotalMsgLength, CF← E_SB_GetMsgTime, CFE_SB_GetCmdCode, CFE_SB_GetChecksum CFE_SB_ValidateChecksum, CFE_SB← GenerateChecksum

37.25.2.3 CFE_SB_ValidateChecksum()

Validates the checksum of a software bus message.

Description

This routine calculates the expected checksum of a software bus message according to an implementation-defined algorithm. Then, it checks the calculated value against the value in the message's checksum. If the checksums do not match, this routine will generate an event message reporting the error.

Assumptions, External Events, and Notes:

• If the underlying implementation of software bus messages does not include a checksum field, then this routine will always return true.

Parameters

in	MsgPtr	A pointer to the buffer that contains the software bus message. This must point to the first byte of
		the message header.

Returns

Boolean checksum result

Return values

true	The checksum field in the packet is valid.
false	The checksum field in the packet is not valid or the message type is wrong.

See also

CFE_SB_GenerateChecksum, CFE_SB_GetChecksum

37.26 cFE Message ID APIs

Functions

bool CFE SB IsValidMsgld (CFE SB Msgld t Msgld)

Identifies whether a given CFE_SB_MsgId_t is valid.

• static bool CFE_SB_Msgld_Equal (CFE_SB_Msgld_t Msgld1, CFE_SB_Msgld_t Msgld2)

Identifies whether two CFE_SB_Msgld_t values are equal.

static CFE_SB_Msgld_Atom_t CFE_SB_MsgldToValue (CFE_SB_Msgld_t Msgld)

Converts a CFE_SB_Msgld_t to a normal integer.

static CFE_SB_Msgld_t CFE_SB_ValueToMsgld (CFE_SB_Msgld_Atom_t MsgldValue)

Converts a normal integer into a CFE_SB_Msgld_t.

uint32 CFE_SB_GetPktType (CFE_SB_Msgld_t Msgld)

Identifies packet type given message ID.

37.26.1 Detailed Description

37.26.2 Function Documentation

37.26.2.1 CFE_SB_GetPktType()

Identifies packet type given message ID.

Provides the packet type associated with the given message ID

Returns

Packet type

Return values

CFE_SB_PKTTYPE_CMD	Command packet type
CFE_SB_PKTTYPE_TLM	Telemetry packet type
CFE_SB_PKTTYPE_INVALID	Invalid/unknown packet type

Referenced by CFE_SB_ValueToMsgId().

37.26.2.2 CFE_SB_lsValidMsgld()

Identifies whether a given CFE_SB_MsgId_t is valid.

Description

Implements a basic sanity check on the value provided

Returns

Boolean message ID validity indicator

Return values

true	Message ID is within the valid range
false	Message ID is not within the valid range

37.26.2.3 CFE_SB_Msgld_Equal()

Identifies whether two CFE_SB_Msgld_t values are equal.

Description

In cases where the CFE_SB_Msgld_t type is not a simple integer type, it may not be possible to do a direct equality check. This inline function provides an abstraction for the equality check between two CFE_SB_Msgld_t values.

Applications should transition to using this function to compare Msgld values for equality to remain compatible with future versions of cFE.

Returns

Boolean message ID equality indicator

Return values

true	Message IDs are Equal
false	Message IDs are not Equal

Definition at line 1365 of file cfe_sb.h.

References CFE_SB_MSGID_UNWRAP_VALUE.

37.26.2.4 CFE_SB_MsgldToValue()

Converts a CFE_SB_Msgld_t to a normal integer.

Description

In cases where the CFE_SB_Msgld_t type is not a simple integer type, it is not possible to directly display the value in a printf-style statement, use it in a switch() statement, or other similar use cases.

This inline function provides the ability to map a CFE_SB_Msgld_t type back into a simple integer value.

Applications should transition to using this function wherever a CFE_SB_Msgld_t type needs to be used as an integer.

Assumptions and Notes:

This negates the type safety that was gained by using a non- integer type for the CFE_SB_Msgld_t value. This should only be used in specific cases such as UI display (printf, events, etc) where the value is being sent externally. Any internal API calls should be updated to use the CFE_SB_Msgld_t type directly, rather than an integer type.

Returns

Integer representation of the CFE SB Msgld t

Definition at line 1396 of file cfe_sb.h.

References CFE_SB_MSGID_UNWRAP_VALUE.

37.26.2.5 CFE_SB_ValueToMsgld()

Converts a normal integer into a CFE_SB_Msgld_t.

Description

In cases where the CFE_SB_Msgld_t type is not a simple integer type, it is not possible to directly use an integer value supplied via a define or similar method.

This inline function provides the ability to map an integer value into a corresponding CFE_SB_Msgld_t value.

Applications should transition to using this function wherever an integer needs to be used for a CFE_SB_Msgld_t.

Assumptions and Notes:

This negates the type safety that was gained by using a non- integer type for the CFE_SB_Msgld_t value. This should only be used in specific cases where the value is coming from an external source. Any internal API calls should be updated to return the CFE_SB_Msgld_t type directly, rather than an integer type.

Returns

```
CFE SB Msgld t representation of the integer
```

Definition at line 1425 of file cfe_sb.h.

References CFE_SB_GetPktType(), and CFE_SB_MSGID_WRAP_VALUE.

Here is the call graph for this function:



37.27 cFE Table Type Defines

```
Macros
```

• #define CFE TBL OPT BUFFER MSK (0x0001)

Table buffer mask.

• #define CFE_TBL_OPT_SNGL_BUFFER (0x0000)

Single buffer table.

#define CFE TBL OPT DBL BUFFER (0x0001)

Double buffer table.

#define CFE_TBL_OPT_LD_DMP_MSK (0x0002)

Table load/dump mask.

#define CFE TBL OPT LOAD DUMP (0x0000)

Load/Dump table.

#define CFE_TBL_OPT_DUMP_ONLY (0x0002)

Dump only table.

#define CFE_TBL_OPT_USR_DEF_MSK (0x0004)

Table user defined mask.

#define CFE_TBL_OPT_NOT_USR_DEF (0x0000)

Not user defined table.

#define CFE_TBL_OPT_USR_DEF_ADDR (0x0006)

User Defined table,.

#define CFE_TBL_OPT_CRITICAL_MSK (0x0008)

Table critical mask.

• #define CFE_TBL_OPT_NOT_CRITICAL (0x0000)

Not critical table.

#define CFE_TBL_OPT_CRITICAL (0x0008)

Critical table.

#define CFE_TBL_OPT_DEFAULT (CFE_TBL_OPT_SNGL_BUFFER | CFE_TBL_OPT_LOAD_DUMP)
 Default table options.

37.27.1 Detailed Description

37.27.2 Macro Definition Documentation

37.27.2.1 CFE_TBL_OPT_BUFFER_MSK

#define CFE_TBL_OPT_BUFFER_MSK (0x0001)

Table buffer mask.

Definition at line 53 of file cfe_tbl.h.

37.27.2.2 CFE_TBL_OPT_CRITICAL

#define CFE_TBL_OPT_CRITICAL (0x0008)

Critical table.

Definition at line 67 of file cfe_tbl.h.

37.27.2.3 CFE_TBL_OPT_CRITICAL_MSK

#define CFE_TBL_OPT_CRITICAL_MSK (0x0008)

Table critical mask.

Definition at line 65 of file cfe_tbl.h.

37.27.2.4 CFE_TBL_OPT_DBL_BUFFER

#define CFE_TBL_OPT_DBL_BUFFER (0x0001)

Double buffer table.

Definition at line 55 of file cfe_tbl.h.

37.27.2.5 CFE_TBL_OPT_DEFAULT

#define CFE_TBL_OPT_DEFAULT (CFE_TBL_OPT_SNGL_BUFFER | CFE_TBL_OPT_LOAD_DUMP)

Default table options.

Definition at line 70 of file cfe_tbl.h.

37.27.2.6 CFE_TBL_OPT_DUMP_ONLY

#define CFE_TBL_OPT_DUMP_ONLY (0x0002)

Dump only table.

Definition at line 59 of file cfe_tbl.h.

```
37.27.2.7 CFE_TBL_OPT_LD_DMP_MSK
```

#define CFE_TBL_OPT_LD_DMP_MSK (0x0002)

Table load/dump mask.

Definition at line 57 of file cfe tbl.h.

37.27.2.8 CFE_TBL_OPT_LOAD_DUMP

#define CFE_TBL_OPT_LOAD_DUMP (0x0000)

Load/Dump table.

Definition at line 58 of file cfe tbl.h.

37.27.2.9 CFE_TBL_OPT_NOT_CRITICAL

#define CFE_TBL_OPT_NOT_CRITICAL (0x0000)

Not critical table.

Definition at line 66 of file cfe_tbl.h.

37.27.2.10 CFE_TBL_OPT_NOT_USR_DEF

#define CFE_TBL_OPT_NOT_USR_DEF (0x0000)

Not user defined table.

Definition at line 62 of file cfe_tbl.h.

37.27.2.11 CFE_TBL_OPT_SNGL_BUFFER

#define CFE_TBL_OPT_SNGL_BUFFER (0x0000)

Single buffer table.

Definition at line 54 of file cfe_tbl.h.

37.27.2.12 CFE_TBL_OPT_USR_DEF_ADDR

#define CFE_TBL_OPT_USR_DEF_ADDR (0x0006)

User Defined table,.

Note

Automatically includes CFE_TBL_OPT_DUMP_ONLY option

Definition at line 63 of file cfe_tbl.h.

37.27.2.13 CFE_TBL_OPT_USR_DEF_MSK

#define CFE_TBL_OPT_USR_DEF_MSK (0x0004)

Table user defined mask.

Definition at line 61 of file cfe tbl.h.

37.28 cFE Registration APIs

Functions

• int32 CFE_TBL_Register (CFE_TBL_Handle_t *TblHandlePtr, const char *Name, uint32 Size, uint16 TblOption ← Flags, CFE_TBL_CallbackFuncPtr_t TblValidationFuncPtr)

Register a table with cFE to obtain Table Management Services.

int32 CFE_TBL_Share (CFE_TBL_Handle_t *TblHandlePtr, const char *TblName)

Obtain handle of table registered by another application.

• int32 CFE_TBL_Unregister (CFE_TBL_Handle_t TblHandle)

Unregister a previously registered table and free associated resources.

37.28.1 Detailed Description

37.28.2 Function Documentation

37.28.2.1 CFE_TBL_Register()

Register a table with cFE to obtain Table Management Services.

Description

When an application is created and initialized, it is responsible for creating its table images via the TBL API. The application must inform the Table Service of the table name, table size and selection of optional table features.

Assumptions, External Events, and Notes:

Note: This function call can block. Therefore, interrupt service routines should NOT create their own tables. An application should create any table(s) and provide the handle(s) to the interrupt service routine.

Parameters

in	TblHandlePtr	a pointer to a CFE_TBL_Handle_t type variable that will be assigned the table's handle. The table handle is required for other API calls when accessing the data contained in the table.
in	Name	The application-specific name. This name will be combined with the name of the application to produce a processor specific name of the form "ApplicationName.TableName". The processor specific name will be used in commands for modifying or viewing the contents of the table.

Parameters

in	Size	The size, in bytes, of the table to be created. This is the size that will be allocated as
		a shared memory resource between the Table Management Service and the calling
		application.

Parameters

TblOptionFlags Flag bits indicating selected options for table. A bitwise OR of the following option in flags: • CFE TBL OPT DEFAULT - The default setting for table options is a combination of CFE TBL OPT SNGL BUFFER and CFE TBL OPT LOAD DUMP. See below for a description of these two options. This option is mutually exclusive with the CFE TBL OPT DBL BUFFER, CFE TBL OPT DUMP ONLY and CFE_TBL_OPT_USR_DEF_ADDR options. CFE TBL OPT SNGL BUFFER - When this option is selected, the table will use a shared session table for performing table modifications and a memory copy from the session table to the "active" table buffer will occur when the table is updated. This is the preferred option since it will minimize memory usage. This option is mutually exclusive with the CFE TBL OPT DBL BUFFER option • CFE_TBL_OPT_DBL_BUFFER - When this option is selected, two instances of the table are created. One is considered the "active" table and the other the "inactive" table. Whenever table modifications occur, they do not require the use of a common session table. Modifications occur in the "inactive" buffer. Then, when it is time to update the table, the pointer to the "active" table is changed to point to the "inactive" buffer thus making it the new "active" buffer. This feature is most useful for time critical applications (ie - interrupt service routines, etc). This option is mutually exclusive with the CFE TBL OPT SNGL BUFFER and CFE TBL OPT DEFAULT option. • CFE TBL OPT LOAD DUMP - When this option is selected, the Table Service is allowed to perform all operations on the specified table. This option is mutually exclusive with the CFE_TBL_OPT_DUMP_ONLY option. CFE TBL OPT DUMP ONLY - When this option is selected, the Table Service will not perform table loads to this table. This does not prevent, however, a task from writing to the table via an address obtained with the CFE TBL GetAddress API function. This option is mutually exclusive with the CFE TBL OPT LOAD DUMP and CFE TBL OPT DEFAULT options. If the Application wishes to specify their own block of memory as the Dump Only table, they need to also include the CFE TBL OPT USR DEF ADDR option explained below. • CFE TBL OPT NOT USR DEF - When this option is selected, Table Services allocates memory for the table and, in the case of a double buffered table, it allocates the same amount of memory again for the second buffer. This option is mutually exclusive with the CFE TBL OPT USR DEF ADDR option. • CFE TBL OPT USR DEF ADDR- When this option is selected, the Table Service will not allocate memory for the table. Table Services will require the Application to identify the location of the active table buffer via the CFE TBL Load function. This option implies the CFE TBL OPT DUMP ONLY and the CFE TBL OPT SNGL BUFFER options and is mutually exclusive of the CFE_TBL_OPT_DBL_BUFFER option. • CFE_TBL_OPT_CRITICAL- When this option is selected, the Table Service will automatically allocate space in the Critical Data Store (CDS) for the table and insure that the contents in the CDS are the same as the contents of the currently active buffer for the table. This option is mutually exclusive of the Generated by Doxygen CFE TBL OPT USR DEF ADDR and CFE TBL OPT DUMP ONLY

options. It should also be noted that the use of this option with double buffered tables will prevent the update of the double buffered table from being

Parameters

in	TblValidationFuncPtr	is a pointer to a function that will be executed in the context of the Table Management Service when the contents of a table need to be validated. If set to NULL, then the Table Management Service will assume any data is valid. If the value is not NULL, it must be a pointer to a function with the following prototype: int32 CallbackFunc(void *TblPtr); where TblPtr will be a pointer to the table data that is to be verified. When the function returns CFE_SUCCESS, the data is considered valid and ready for a commit. When the function returns a negative value, the data is considered invalid and an Event Message will be issued containing the returned value. If the function should return a positive number, the table is considered invalid and the return code is considered invalid. Validation functions must return either CFE_SUCCESS or a negative number (whose value is at the developer's discretion). The validation function will be executed in the Application's context so that Event Messages describing the validation failure are possible from within the function.
out	*TblHandlePtr	Handle used to identify table to cFE when performing Table operations. This value is returned at the address specified by TblHandlePtr.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_TBL_INFO_RECOVERED_TBL	Recovered Table.
CFE_TBL_ERR_DUPLICATE_DIFF_SIZE	Duplicate Table With Different Size.
CFE_TBL_ERR_DUPLICATE_NOT_OWNED	Dupicate Table And Not Owned.
CFE_TBL_ERR_REGISTRY_FULL	Registry Full.
CFE_TBL_ERR_HANDLES_FULL	Handles Full.
CFE_TBL_ERR_INVALID_SIZE	Invalid Size.
CFE_TBL_ERR_INVALID_NAME	Invalid Name.
CFE_TBL_ERR_BAD_APP_ID	Bad Application ID.
CFE_ES_ERR_APPNAME	Application Name Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.

See also

```
CFE_TBL_Unregister, CFE_TBL_Share
```

37.28.2.2 CFE_TBL_Share()

Obtain handle of table registered by another application.

Description

After a table has been created, other applications can gain access to that table via the table handle. In order for two or more applications to share a table, the applications that do not create the table must obtain the handle using this function.

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandlePtr	A pointer to a CFE_TBL_Handle_t type variable that will be assigned the table's handle. The table handle is required for other API calls when accessing the data contained in the table.
in	TblName	The processor specific name of the table. It is important to note that the processor specific table name is different from the table name specified in the CFE_TBL_Register API call. The processor specific table name includes the name of the application that created the table. The name would be of the form "ApplicationName.TableName". An example of this would be "ACS.TamParams" for a table called "TamParams" that was registered by the application called "ACS".
out	*TblHandlePtr	Handle used to identify table to cFE when performing Table operations. This value is returned at the address specified by TblHandlePtr.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_TBL_ERR_HANDLES_FULL	Handles Full.
CFE_TBL_ERR_INVALID_NAME	Invalid Name.
CFE_TBL_ERR_BAD_APP_ID	Bad Application ID.
CFE_ES_ERR_APPNAME	Application Name Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.

See also

```
CFE_TBL_Unregister, CFE_TBL_Register
```

37.28.2.3 CFE_TBL_Unregister()

Unregister a previously registered table and free associated resources.

Description

When an application is being removed from the system, it should unregister those tables that it created. The application should call this function as a part of its cleanup process. The table will be removed from memory once all table addresses referencing it have been released.

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be unregistered.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_TBL_ERR_BAD_APP_ID	Bad Application ID.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_ES_ERR_APPNAME	Application Name Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.

See also

CFE_TBL_Share, CFE_TBL_Register

37.29 cFE Manage Table Content APIs

Functions

• int32 CFE_TBL_Load (CFE_TBL_Handle_t TblHandle, CFE_TBL_SrcEnum_t SrcType, const void *SrcDataPtr)

Load a specified table with data from specified source.

• int32 CFE_TBL_Update (CFE_TBL_Handle_t TblHandle)

Update contents of a specified table, if an update is pending.

• int32 CFE_TBL_Validate (CFE_TBL_Handle_t TblHandle)

Perform steps to validate the contents of a table image.

int32 CFE_TBL_Manage (CFE_TBL_Handle_t TblHandle)

Perform standard operations to maintain a table.

• int32 CFE_TBL_DumpToBuffer (CFE_TBL_Handle_t TblHandle)

Copies the contents of a Dump Only Table to a shared buffer.

• int32 CFE TBL Modified (CFE TBL Handle t TblHandle)

Notify cFE Table Services that table contents have been modified by the Application.

37.29.1 Detailed Description

37.29.2 Function Documentation

37.29.2.1 CFE_TBL_DumpToBuffer()

Copies the contents of a Dump Only Table to a shared buffer.

Description

Copies contents of a Dump Only table to a shared buffer so that it can be written to a file by the Table Services routine. This function is called by the Application that owns the table in response to a CFE_TBL_INFO_DUMP_

PENDING status obtained via CFE_TBL_GetStatus.

Assumptions, External Events, and Notes:

- 1. If the table does not have a dump pending status, nothing will occur (no error, no dump)
- 2. Applications may wish to use this function in lieu of CFE_TBL_Manage for their Dump Only tables

Parameters

in	TblHandle	Handle of Table to be dumped.
----	-----------	-------------------------------

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_ERR_APPNAME	Application Name Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.
CFE_TBL_ERR_BAD_APP_ID	Bad Application ID.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Manage

37.29.2.2 CFE_TBL_Load()

Load a specified table with data from specified source.

Description

Once an application has created a table (CFE_TBL_Register), it must provide the values that initialize the contents of that table. The application accomplishes this with one of two different TBL API calls. This function call initializes the table with values that are held in a data structure.

Assumptions, External Events, and Notes:

This function call can block. Therefore, interrupt service routines should NOT initialize their own tables. An application should initialize any table(s) prior to providing the handle(s) to the interrupt service routine.

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be loaded.
in	SrcType	Flag indicating the nature of the given SrcDataPtr below. This value can be any one of the following:
		CFE_TBL_SRC_FILE - File source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a null terminated character string. The string should specify the full path and filename of the file containing the initial data contents of the table.
		CFE_TBL_SRC_ADDRESS - Address source When this option is selected, the
		SrcDataPtr will be interpreted as a pointer to a memory location that is the beginning of the initialization data for loading the table OR, in the case of a "user defined to be of only table, the address of the active table itself. The block of memory is assumed to be of the same size specified in the CFE TBL Register function Size parameter.

Parameters

in	SrcDataPtr	Pointer to either a character string specifying a filename or a memory address of a block of
		binary data to be loaded into a table or, if the table was registered with the
		CFE_TBL_OPT_USR_DEF_ADDR option, the address of the active table buffer.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_TBL_WARN_SHORT_FILE	Short File Warning.
CFE_TBL_WARN_PARTIAL_LOAD	Partial Load Warning.
CFE_TBL_ERR_BAD_APP_ID	Bad Application ID.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_ES_ERR_APPNAME	Application Name Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.
CFE_TBL_ERR_DUMP_ONLY	Dump Only Error.
CFE_TBL_ERR_ILLEGAL_SRC_TYPE	Illegal Source Type.
CFE_TBL_ERR_LOAD_IN_PROGRESS	Load In Progress.
CFE_TBL_ERR_NO_BUFFER_AVAIL	No Buffer Available.
CFE_TBL_ERR_FILE_NOT_FOUND	File Not Found.
CFE_TBL_ERR_FILE_TOO_LARGE	File Too Large.
CFE_TBL_ERR_BAD_CONTENT_ID	Bad Content ID.
CFE_TBL_ERR_PARTIAL_LOAD	Partial Load Error.

See also

```
CFE_TBL_Update, CFE_TBL_Validate, CFE_TBL_Manage
```

```
37.29.2.3 CFE_TBL_Manage()
```

Perform standard operations to maintain a table.

Description

An application is **required** to perform a periodic check for an update or a validation request for all the tables that it creates. Typically, the application that created the table would call this function at the start or conclusion of any routine processing cycle. If a table update or validation request is pending, this function would perform either or both before returning.

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be managed.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_APPNAME	Application Name Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.
CFE_TBL_ERR_BAD_APP_ID	Bad Application ID.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Update, CFE_TBL_Validate, CFE_TBL_Load, CFE_TBL_DumpToBuffer

37.29.2.4 CFE_TBL_Modified()

Notify cFE Table Services that table contents have been modified by the Application.

Description

This API notifies Table Services that the contents of the specified table has been modified by the Application. This notification is important when a table has been registered as "Critical" because Table Services can then update the contents of the table kept in the Critical Data Store.

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle of Table that was modified.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_ERR_APPNAME	Application Name Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.
CFE_TBL_ERR_BAD_APP_ID	Bad Application ID.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Manage

37.29.2.5 CFE_TBL_Update()

Update contents of a specified table, if an update is pending.

Description

An application is **required** to perform a periodic check for an update for all the tables that it creates. Typically, the application that created the table would call this function at the start or conclusion of any routine processing cycle or at regular intervals. To determine whether an update is pending prior to making this call, the Application can use the CFE_TBL_GetStatus API first. If a table update is pending, it will take place during this function call.

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be updated.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_TBL_INFO_NO_UPDATE_PENDING	No Update Pending.
CFE_TBL_ERR_BAD_APP_ID	Bad Application ID.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_ES_ERR_APPNAME	Application Name Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.

See also

```
CFE_TBL_Load, CFE_TBL_Validate, CFE_TBL_Manage
```

Perform steps to validate the contents of a table image.

Description

An application is **required** to perform a periodic check for an update or a validation request for all the tables that it creates. Typically, the application that created the table would call this function at the start or conclusion of any routine processing cycle. To determine whether a validation request is pending prior to making this call, the Application can use the CFE_TBL_GetStatus API first. If a table validation is pending, the Application would call this function to perform the necessary actions.

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be managed.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.

Return values

ENDING	CFE_TBL_INFO_NO_VALIDATION_PENDING
PPNAME Application Name Error.	CFE_ES_ERR_APPNAME
BUFFER Invalid Pointer.	CFE_ES_ERR_BUFFER
_APP_ID Bad Application ID.	CFE_TBL_ERR_BAD_APP_ID
ACCESS No Access.	CFE_TBL_ERR_NO_ACCESS
HANDLE Invalid Handle.	CFE_TBL_ERR_INVALID_HANDLE

See also

CFE_TBL_Update, CFE_TBL_Manage, CFE_TBL_Load

37.30 cFE Access Table Content APIs

Functions

- int32 CFE_TBL_GetAddress (void **TblPtr, CFE_TBL_Handle_t TblHandle)
 - Obtain the current address of the contents of the specified table.
- int32 CFE TBL ReleaseAddress (CFE TBL Handle t TblHandle)
 - Release previously obtained pointer to the contents of the specified table.
- int32 CFE_TBL_GetAddresses (void **TblPtrs[], uint16 NumTables, const CFE_TBL_Handle_t TblHandles[])
 Obtain the current addresses of an array of specified tables.
- int32 CFE_TBL_ReleaseAddresses (uint16 NumTables, const CFE_TBL_Handle_t TblHandles[])

Release the addresses of an array of specified tables.

```
37.30.1 Detailed Description
```

37.30.2 Function Documentation

37.30.2.1 CFE_TBL_GetAddress()

Obtain the current address of the contents of the specified table.

Description

When a table has been created and initialized, it is available to any application that can identify it with its unique handle. In order to view the data contained in the table, an application must call this function or CFE_TBL_Get← Addresses.

Assumptions, External Events, and Notes:

- 1. This call can be a blocking call when the table is not double buffered and is shared with another application of lower priority that just happens to be in the middle of a table update of the specific table. If this occurs, the application performing the table update will automatically have its priority elevated in order to release the resource as soon as possible.
- An application must always release the returned table address using the CFE_TBL_ReleaseAddress or CF

 E_TBL_ReleaseAddresses function prior to either a CFE_TBL_Update call or any blocking call (e.g. pending
 on software bus message, etc). Table updates cannot occur while table addresses have not been released.
- CFE_TBL_ERR_NEVER_LOADED will be returned if the table has never been loaded (either from file or from a block of memory), but the function will still return a valid table pointer to a table with all zero content. This pointer mush be released with the CFE_TBL_ReleaseAddress API before the table can be loaded with data.

Parameters

in	TblPtr	The address of a pointer that will be loaded with the address of the first byte of the table. This pointer can then be typecast by the calling application to the appropriate table data structure.	
in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the	
		Table whose address is to be returned.	
out	*TblPtr	Address of the first byte of data associated with the specified table.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_TBL_ERR_BAD_APP_ID	Bad Application ID.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_ES_ERR_APPNAME	Application Name Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.
CFE_TBL_ERR_UNREGISTERED	Unregistered.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.

See also

CFE_TBL_ReleaseAddress, CFE_TBL_GetAddresses, CFE_TBL_ReleaseAddresses

37.30.2.2 CFE_TBL_GetAddresses()

Obtain the current addresses of an array of specified tables.

Description

When a table has been created and initialized, it is available to any application that can identify it with its unique handle. In order to view the data contained in the table, an application must call this function or CFE_TBL_Get← Addresses.

Assumptions, External Events, and Notes:

- This call can be a blocking call when the table is not double buffered and is shared with another application
 of lower priority that just happens to be in the middle of a table update of the specific table. If this occurs,
 the application performing the table update will automatically have its priority elevated in order to release the
 resource as soon as possible.
- An application must always release the returned table address using the CFE_TBL_ReleaseAddress or CF

 E_TBL_ReleaseAddresses function prior to either a CFE_TBL_Update call or any blocking call (e.g. pending
 on software bus message, etc). Table updates cannot occur while table addresses have not been released.
- 3. CFE_TBL_ERR_NEVER_LOADED will be returned if the table has never been loaded (either from file or from a block of memory), but the function will still return a valid table pointer to a table with all zero content. This pointer mush be released with the CFE_TBL_ReleaseAddress API before the table can be loaded with data.

Parameters

in	TblPtrs	Array of Pointers to variables that calling Application wishes to hold the start addresses of the	
		Tables.	
in	NumTables	Size of TblPtrs and TblHandles arrays.	
in	TblHandles	Array of Table Handles, previously obtained from CFE_TBL_Register or CFE_TBL_Share, of	
		those tables whose start addresses are to be obtained.	
out	*TbIPtrs	Array of addresses of the first byte of data associated with the specified tables.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_TBL_ERR_BAD_APP_ID	Bad Application ID.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_ES_ERR_APPNAME	Application Name Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.
CFE_TBL_ERR_UNREGISTERED	Unregistered.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.

See also

CFE_TBL_GetAddress, CFE_TBL_ReleaseAddress, CFE_TBL_ReleaseAddresses

37.30.2.3 CFE_TBL_ReleaseAddress()

Release previously obtained pointer to the contents of the specified table.

Description

Each application is required to release a table address obtained through the CFE_TBL_GetAddress function.

Assumptions, External Events, and Notes:

An application must always release the returned table address using the CFE_TBL_ReleaseAddress function prior to either a CFE_TBL_Update call or any blocking call (e.g. - pending on software bus message, etc). Table updates cannot occur while table addresses have not been released.

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table whose address is to be released.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_TBL_ERR_BAD_APP_ID	Bad Application ID.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_ES_ERR_APPNAME	Application Name Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.

See also

CFE_TBL_GetAddress, CFE_TBL_GetAddresses, CFE_TBL_ReleaseAddresses

37.30.2.4 CFE_TBL_ReleaseAddresses()

Release the addresses of an array of specified tables.

Description

Each application is required to release a table address obtained through the CFE TBL GetAddress function.

Assumptions, External Events, and Notes:

An application must always release the returned table address using the CFE_TBL_ReleaseAddress function prior to either a CFE_TBL_Update call or any blocking call (e.g. - pending on software bus message, etc). Table updates cannot occur while table addresses have not been released.

Parameters

in	NumTables	Size of TblHandles array.	
in	TblHandles	Array of Table Handles, previously obtained from CFE_TBL_Register or CFE_TBL_Share, of	
		those tables whose start addresses are to be released.	

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_TBL_ERR_BAD_APP_ID	Bad Application ID.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_ES_ERR_APPNAME	Application Name Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.

See also

 ${\sf CFE_TBL_GetAddress}, {\sf CFE_TBL_ReleaseAddress}, {\sf CFE_TBL_GetAddresses}$

37.31 cFE Get Table Information APIs

Functions

• int32 CFE TBL GetStatus (CFE TBL Handle t TblHandle)

Obtain current status of pending actions for a table.

• int32 CFE_TBL_GetInfo (CFE_TBL_Info_t *TbIInfoPtr, const char *TbIName)

Obtain characteristics/information of/about a specified table.

 int32 CFE_TBL_NotifyByMessage (CFE_TBL_Handle_t TblHandle, CFE_SB_Msgld_t Msgld, uint16 CommandCode, uint32 Parameter)

Instruct cFE Table Services to notify Application via message when table requires management.

37.31.1 Detailed Description

37.31.2 Function Documentation

37.31.2.1 CFE_TBL_GetInfo()

Obtain characteristics/information of/about a specified table.

Description

This API provides the registry information associated with the specified table. The function fills the given data structure with the data found in the Table Registry.

Assumptions, External Events, and Notes:

None

Parameters

in	TblInfoPtr	A pointer to a CFE_TBL_Info_t data structure that is to be populated with table characteristics and information.
in	TblName	The processor specific name of the table. It is important to note that the processor specific table name is different from the table name specified in the CFE_TBL_Register API call. The processor specific table name includes the name of the application that created the table. The name would be of the form "ApplicationName.TableName". An example of this would be "ACS.TamParams" for a table called "TamParams" that was registered by the application called "ACS".
out	*TblInfoPtr	Description of the tables characteristics and registry information stored in the CFE_TBL_Info_t data structure format.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_TBL_ERR_INVALID_NAME	Invalid Name.

See also

CFE_TBL_GetStatus

37.31.2.2 CFE_TBL_GetStatus()

Obtain current status of pending actions for a table.

Description

An application is **required** to perform a periodic check for an update or a validation request for all the tables that it creates. Typically, the application that created the table would call this function at the start or conclusion of any routine processing cycle. If a table update or validation request is pending, the Application should follow up with a call to CFE_TBL_Update or CFE_TBL_Validate respectively.

Assumptions, External Events, and Notes:

None

Parameters

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be managed.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_TBL_INFO_UPDATE_PENDING	Update Pending.
CFE_TBL_INFO_VALIDATION_PENDING	

Return values

CFE_TBL_INFO_DUMP_PENDING	Dump Pending.
CFE_ES_ERR_APPNAME	Application Name Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.
CFE_TBL_ERR_BAD_APP_ID	Bad Application ID.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

```
CFE_TBL_Manage, CFE_TBL_Update, CFE_TBL_Validate, CFE_TBL_GetInfo
```

37.31.2.3 CFE_TBL_NotifyByMessage()

Instruct cFE Table Services to notify Application via message when table requires management.

Description

This API instructs Table Services to send a message to the calling Application whenever the specified table requires management by the application. This feature allows applications to avoid polling table services via the CFE_TB

L_Manage call to determine whether a table requires updates, validation, etc. This API should be called following the CFE_TBL Register API whenever the owning application requires this feature.

Assumptions, External Events, and Notes:

- · Only the application that owns the table is allowed to register a notification message
- Recommend NOT using the ground command MID which typically impacts command counters. The typical
 approach is to use a unique MID for inter-task communications similar to how schedulers typically trigger
 application housekeeping messages.

Parameters

in	TblHandle	Handle of Table with which the message should be associated.
in	Msgld	Message ID to be used in notification message sent by Table Services.
in	CommandCode	Command Code value to be placed in secondary header of message sent by Table Services.
in	Parameter	Application defined value to be passed as a parameter in the message sent by Table Services. Suggested use includes an application's table index that allows the same Msgld and Command Code to be used for all table management notifications.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_ES_ERR_APPNAME	Application Name Error.
CFE_ES_ERR_BUFFER	Invalid Pointer.
CFE_TBL_ERR_BAD_APP_ID	Bad Application ID.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

CFE_TBL_Register

37.32 cFE Get Current Time APIs

Functions

CFE_TIME_SysTime_t CFE_TIME_GetTime (void)

Get the current spacecraft time.

CFE TIME SysTime t CFE TIME GetTAI (void)

Get the current TAI (MET + SCTF) time.

CFE_TIME_SysTime_t CFE_TIME_GetUTC (void)

Get the current UTC (MET + SCTF - Leap Seconds) time.

• CFE_TIME_SysTime_t CFE_TIME_GetMET (void)

Get the current value of the Mission Elapsed Time (MET).

• uint32 CFE_TIME_GetMETseconds (void)

Get the current seconds count of the mission-elapsed time.

uint32 CFE_TIME_GetMETsubsecs (void)

Get the current sub-seconds count of the mission-elapsed time.

37.32.1 Detailed Description

37.32.2 Function Documentation

```
37.32.2.1 CFE_TIME_GetMET()
```

Get the current value of the Mission Elapsed Time (MET).

Description

This routine returns the current mission-elapsed time (MET). MET is usually derived from a hardware-based clock that is not adjusted during normal operations. Callers of this routine should not assume that the MET return value has any specific relationship to any ground-based time standard.

Assumptions, External Events, and Notes:

None

Returns

The current MET

See also

 $\label{lem:cfe_time_get} CFE_TIME_GetTAI, \ CFE_TIME_GetUTC, \ CFE_TIME_GetMETseconds, \ CFE_TIME_ \\ GetMETsubsecs, \ CFE_TIME_MET2SCTime$

```
37.32.2.2 CFE_TIME_GetMETseconds()
```

Get the current seconds count of the mission-elapsed time.

Description

This routine is the same as CFE_TIME_GetMET, except that it returns only the integer seconds portion of the MET time.

Assumptions, External Events, and Notes:

None

Returns

The current MET seconds

See also

 $\label{lem:cfe_time_get} CFE_TIME_GetTIME_GetTIME_GetMET, \ CFE_TIME_GetME \ \ \\ CFE_TIME_GetMET, \ CFE_TI$

37.32.2.3 CFE_TIME_GetMETsubsecs()

Get the current sub-seconds count of the mission-elapsed time.

Description

This routine is the same as CFE_TIME_GetMET, except that it returns only the integer sub-seconds portion of the MET time. Each count is equal to $2^{(-32)}$ seconds.

Assumptions, External Events, and Notes:

None

Returns

The current MET sub-seconds

See also

 $\label{lem:cfe_time_get} CFE_TIME_GetTIME_GetTIME_GetMET, \ CFE_TIME_GetMEC GetMEC G$

37.32.2.4 CFE_TIME_GetTAI()

Get the current TAI (MET + SCTF) time.

Description

This routine returns the current TAI time to the caller. TAI is an international time standard that does not include leap seconds. This routine should only be used in situations where TAI is absolutely required. Applications that call CFE_TIME_GetTAI may not be portable to all missions. Maintenance of correct TAI in flight is not guaranteed under all mission operations scenarios. To maintain re-usability across missions, most applications should be using CFE_TIME_GetTime, rather than the specific routines for getting UTC/TAI directly.

Assumptions, External Events, and Notes:

- 1. The "TAI" time returned is referenced to the mission-defined time epoch, which may or may not be the same as the standard TAI epoch.
- 2. Even though TAI does not include leap seconds, the time returned by this function can still jump forward or backward without warning when the spacecraft clock is set or adjusted by operators. Applications using this function must be able to handle these time discontinuities gracefully.

Returns

The current spacecraft time in TAI

See also

 $\label{lem:cfe_time_get} \mbox{CFE_TIME_GetMET, CFE_TIME_GetMETseconds, CFE_TIME_} \\ \mbox{GetMETsubsecs}$

37.32.2.5 CFE_TIME_GetTime()

Get the current spacecraft time.

Description

This routine returns the current spacecraft time. The time returned is either TAI (no leap seconds) or UTC (including leap seconds). This choice is made in the mission configuration file by defining either CFE_MISSION_TIME_CF← G_DEFAULT_TAI or CFE_MISSION_TIME_CFG_DEFAULT_UTC as true at compile time. To maintain re-usability across missions, most applications should be using this function (or CFE_TIME_GetTime) rather than the specific routines for getting UTC/TAI directly.

Assumptions, External Events, and Notes:

None

Returns

The current spacecraft time in default format

See also

CFE_TIME_GetTAI, CFE_TIME_GetUTC, CFE_TIME_GetMET, CFE_TIME_GetMETseconds, CFE_TIME_←
GetMETsubsecs

37.32.2.6 CFE_TIME_GetUTC()

Get the current UTC (MET + SCTF - Leap Seconds) time.

Description

This routine returns the current UTC time to the caller. This routine should only be used in situations where UTC is absolutely required. Applications that call CFE_TIME_GetUTC may not be portable to all missions. Maintenance of correct UTC in flight is not guaranteed under all mission operations scenarios. If UTC is maintained in flight, it will jump backwards occasionally due to leap second adjustments. To maintain re-usability across missions, most applications should be using CFE_TIME_GetTime, rather than the specific routines for getting UTC/TAI directly.

Assumptions, External Events, and Notes:

Note: The "UTC" time returned is referenced to the mission-defined time epoch, which may or may not be the same as the standard UTC epoch.

Returns

The current spacecraft time in UTC

See also

CFE_TIME_GetTIME_GetTAI, CFE_TIME_GetMET, CFE_TIME_GetMETseconds, CFE_TIME_←
GetMETsubsecs

37.33 cFE Get Time Information APIs

Functions

CFE_TIME_SysTime_t CFE_TIME_GetSTCF (void)

Get the current value of the spacecraft time correction factor (STCF).

int16 CFE_TIME_GetLeapSeconds (void)

Get the current value of the leap seconds counter.

CFE_TIME_ClockState_Enum_t CFE_TIME_GetClockState (void)

Get the current state of the spacecraft clock.

• uint16 CFE TIME GetClockInfo (void)

Provides information about the spacecraft clock.

37.33.1 Detailed Description

37.33.2 Function Documentation

37.33.2.1 CFE_TIME_GetClockInfo()

Provides information about the spacecraft clock.

Description

This routine returns information on the spacecraft clock in a bit mask.

Assumptions, External Events, and Notes:

None

Returns

Spacecraft clock information, cFE Clock State Flag Defines. To extract the information from the returned value, the flags can be used as in the following:

```
if ((ReturnValue & CFE_TIME_FLAG_xxxxxx) == CFE_TIME_FLAG_xxxxxx) then the following definition of the CFE_TIME_FLAG_xxxxxx is true.
```

See also

```
CFE_TIME_GetSTCF, CFE_TIME_GetLeapSeconds, CFE_TIME_GetClockState
```

```
37.33.2.2 CFE_TIME_GetClockState()
```

Get the current state of the spacecraft clock.

Description

This routine returns the spacecraft clock state. Applications that are highly dependent on valid time may want to call this routine before taking actions based on the times returned by the various clock routines

Assumptions, External Events, and Notes:

None

Returns

The current spacecraft clock state

See also

CFE_TIME_GetSTCF, CFE_TIME_GetLeapSeconds, CFE_TIME_GetClockInfo

37.33.2.3 CFE_TIME_GetLeapSeconds()

Get the current value of the leap seconds counter.

Description

This routine returns the current value of the leap seconds counter. This is the delta seconds between international atomic time (TAI) and universal coordinated time (UTC). Applications cannot set or adjust the leap seconds; that can only be done through ground commands. However, science applications may want to include the leap seconds counter in their data products to aid in time correlation during downstream science data processing. Note that some mission operations teams do not maintain the leap seconds count, preferring to adjust the STCF instead. Users of this function should check with their mission ops team to see how they are planning to handle leap seconds.

Assumptions, External Events, and Notes:

None

Returns

The current spacecraft leap seconds.

See also

CFE_TIME_GetSTCF, CFE_TIME_GetClockState, CFE_TIME_GetClockInfo

37.33.2.4 CFE_TIME_GetSTCF()

Get the current value of the spacecraft time correction factor (STCF).

Description

This routine returns the current value of the spacecraft time correction factor. This is the delta time between the MET and the TAI time. Applications cannot set or adjust the STCF; that can only be done through ground commands. However, science applications may want to include the STCF in their data products to aid in time correlation during downstream science data processing.

Assumptions, External Events, and Notes:

Does not include leap seconds

Returns

The current SCTF

See also

CFE_TIME_GetLeapSeconds, CFE_TIME_GetClockState, CFE_TIME_GetClockInfo

37.34 cFE Time Arithmetic APIs

Functions

- CFE_TIME_SysTime_t CFE_TIME_Add (CFE_TIME_SysTime_t Time1, CFE_TIME_SysTime_t Time2)
 Adds two time values.
- CFE_TIME_SysTime_t CFE_TIME_Subtract (CFE_TIME_SysTime_t Time1, CFE_TIME_SysTime_t Time2)
 Subtracts two time values.
- CFE_TIME_Compare_t CFE_TIME_Compare (CFE_TIME_SysTime_t TimeA, CFE_TIME_SysTime_t TimeB)
 Compares two time values.

37.34.1 Detailed Description

37.34.2 Function Documentation

37.34.2.1 CFE_TIME_Add()

```
CFE_TIME_SysTime_t CFE_TIME_Add (

CFE_TIME_SysTime_t Time1,

CFE_TIME_SysTime_t Time2)
```

Adds two time values.

Description

This routine adds the two specified times and returns the result. Normally, at least one of the input times should be a value representing a delta time. Adding two absolute times together will not cause an error, but the result will probably be meaningless.

Assumptions, External Events, and Notes:

None

Parameters

in	Time1	The first time to be added.
in	Time2	The second time to be added.

Returns

The sum of the two times. If the sum is greater than the maximum value that can be stored in a CFE_TIME_Sys← Time_t, the result will roll over (this is not considered an error).

See also

```
CFE_TIME_Subtract, CFE_TIME_Compare
```

37.34.2.2 CFE_TIME_Compare()

```
CFE_TIME_Compare_t CFE_TIME_Compare (

CFE_TIME_SysTime_t TimeA,

CFE_TIME_SysTime_t TimeB)
```

Compares two time values.

Description

This routine compares two time values to see which is "greater". It is important that applications use this function rather than trying to directly compare the component pieces of times. This function will handle roll-over cases seamlessly, which may not be intuitively obvious. The cFE's internal representation of time "rolls over" when the 32 bit seconds count reaches 0xFFFFFFF. Also, subtracting a delta time from an absolute time close to the epoch could result in "roll under". The strange cases that result from these situations can be handled by defining the comparison function for times as follows: Plot the two times on the circumference of a circle where 0 is at the top and 0x80000000 is at the bottom. If the shortest arc from time A to time B runs clockwise around the circle, then time A is less than time B. If the shortest arc from A to B runs counter-clockwise, then time A is greater than time B.

Assumptions, External Events, and Notes:

None

Parameters

in	TimeA	The first time to compare.
in	TimeB	The second time to compare.

Returns

The result of comparing the two times.

Return values

CFE_TIME_EQUAL	The two specified times are considered to be equal.
CFE_TIME_A_GT↔	The first specified time is considered to be after the second specified time.
_B	
CFE_TIME_A_LT↔	The first specified time is considered to be before the second specified time.
_ <i>B</i>	

See also

```
CFE_TIME_Add, CFE_TIME_Subtract
```

37.34.2.3 CFE_TIME_Subtract()

Subtracts two time values.

Description

This routine subtracts time2 from time1 and returns the result. The time values can represent either absolute or delta times, but not all combinations make sense.

- AbsTime AbsTime = DeltaTime
- AbsTime DeltaTime = AbsTime
- DeltaTime DeltaTime = DeltaTime
- DeltaTime AbsTime = garbage

Assumptions, External Events, and Notes:

None

Parameters

	in	Time1	The base time.
ſ	in	Time2	The time to be subtracted from the base time.

Returns

The result of subtracting the two times. If the subtraction results in an underflow, the result will roll over (this is not considered an error).

See also

CFE_TIME_Add, CFE_TIME_Compare

37.35 cFE Time Conversion APIs

Functions

CFE_TIME_SysTime_t CFE_TIME_MET2SCTime (CFE_TIME_SysTime_t METTime)

Convert specified MET into Spacecraft Time.

• uint32 CFE_TIME_Sub2MicroSecs (uint32 SubSeconds)

Converts a sub-seconds count to an equivalent number of microseconds.

uint32 CFE_TIME_Micro2SubSecs (uint32 MicroSeconds)

Converts a number of microseconds to an equivalent sub-seconds count.

uint32 CFE_TIME_CFE2FSSeconds (uint32 SecondsCFE)

Converts cFE seconds into the File System's seconds.

uint32 CFE_TIME_FS2CFESeconds (uint32 SecondsFS)

Converts a file system's seconds into cFE seconds.

37.35.1 Detailed Description

37.35.2 Function Documentation

37.35.2.1 CFE_TIME_CFE2FSSeconds()

Converts cFE seconds into the File System's seconds.

Description

File systems use specific time epochs for their time tagging of files. Since spacecraft systems rarely use an epoch that matches a particular file system, this function provides a mechanism to translate a given spacecraft time (in seconds) to the file system's time. The conversion is controlled by the configuration parameter CFE_MISSIO N_TIME_FS_FACTOR which is set equal to the number of seconds between the spacecraft's epoch and the file system's epoch.

Assumptions, External Events, and Notes:

None

Parameters

in	SecondsCFE	The spacecraft time, in seconds, to be converted.
----	------------	---

Returns

The equivalent time, in seconds, for the file system.

See also

CFE_TIME_MET2SCTime, CFE_TIME_Sub2MicroSecs, CFE_TIME_Micro2SubSecs, CFE_TIME_FS2CFE ← Seconds

37.35.2.2 CFE_TIME_FS2CFESeconds()

Converts a file system's seconds into cFE seconds.

Description

File systems use specific time epochs for their time tagging of files. Since spacecraft systems rarely use an epoch that matches a particular file system, this function provides a mechanism to translate a file system time (in seconds) into the spacecraft time (in seconds). The conversion is controlled by the configuration parameter CFE_MISSI←ON_TIME_FS_FACTOR which is set equal to the number of seconds between the spacecraft's epoch and the file system's epoch.

Assumptions, External Events, and Notes:

None

Parameters

in S	SecondsFS	The file system time, in seconds, to be converted.
------	-----------	--

Returns

The equivalent time, in seconds, for the spacecraft.

See also

 $\label{lem:cfe_time_metasctime} CFE_TIME_Sub2MicroSecs, \ CFE_TIME_Micro2SubSecs, \ CFE_TIME_CFE2FS \leftrightarrow Seconds$

37.35.2.3 CFE_TIME_MET2SCTime()

Convert specified MET into Spacecraft Time.

Description

This function returns Spacecraft Time given MET. Note that Spacecraft Time is returned as either UTC or T← AI depending on whether the mission configuration parameter CFE_MISSION_TIME_CFG_DEFAULT_UTC or CFE_MISSION_TIME_CFG_DEFAULT_TAI was set to true at compile time.

Assumptions, External Events, and Notes:

None

Parameters

```
in | METTime | The MET to be converted.
```

Returns

Spacecraft Time (UTC or TAI) corresponding to the specified MET

See also

CFE_TIME_GetMET, CFE_TIME_GetMETseconds, CFE_TIME_GetMETsubsecs, CFE_TIME_Sub2MicroSecs, CFE_TIME_Micro2SubSecs, CFE_TIME_CFE2FSSeconds, CFE_TIME_FS2CFESeconds

37.35.2.4 CFE_TIME_Micro2SubSecs()

Converts a number of microseconds to an equivalent sub-seconds count.

Description

This routine converts from microseconds (each tick is 1e-06 seconds) to a subseconds count (each tick is $1/2^32$ seconds).

Assumptions, External Events, and Notes:

None

Parameters

in	MicroSeconds	The sub-seconds count to convert.
----	--------------	-----------------------------------

Returns

The equivalent number of subseconds. If the number of microseconds passed in is greater than one second, (i.e. > 999,999), the return value is equal to 0xfffffff.

See also

CFE_TIME_MET2SCTime, CFE_TIME_Sub2MicroSecs, CFE_TIME_CFE2FSSeconds, CFE_TIME_FS2CFE ← Seconds

37.35.2.5 CFE_TIME_Sub2MicroSecs()

Converts a sub-seconds count to an equivalent number of microseconds.

Description

This routine converts from a sub-seconds count (each tick is $1/2^3$ 2 seconds) to microseconds (each tick is 1e-06 seconds).

Assumptions, External Events, and Notes:

None

Parameters

in	SubSeconds	The sub-seconds count to convert.

Returns

The equivalent number of microseconds.

See also

 $\label{lem:cfe_time_metascrime} CFE_TIME_Micro2SubSecs, \ CFE_TIME_CFE2FSSeconds, \ CFE_TIME_FS2CFE \\ \hookrightarrow Seconds$

37.36 cFE External Time Source APIs

Functions

void CFE TIME ExternalTone (void)

Provides the 1 Hz signal from an external source.

void CFE TIME ExternalMET (CFE TIME SysTime t NewMET)

Provides the Mission Elapsed Time from an external source.

void CFE TIME ExternalGPS (CFE TIME SysTime t NewTime, int16 NewLeaps)

Provide the time from an external source that has data common to GPS receivers.

void CFE_TIME_ExternalTime (CFE_TIME_SysTime_t NewTime)

Provide the time from an external source that measures time relative to a known epoch.

int32 CFE_TIME_RegisterSynchCallback (CFE_TIME_SynchCallbackPtr_t CallbackFuncPtr)

Registers a callback function that is called whenever time synchronization occurs.

int32 CFE_TIME_UnregisterSynchCallback (CFE_TIME_SynchCallbackPtr_t CallbackFuncPtr)

Unregisters a callback function that is called whenever time synchronization occurs.

```
37.36.1 Detailed Description
```

37.36.2 Function Documentation

37.36.2.1 CFE_TIME_ExternalGPS()

Provide the time from an external source that has data common to GPS receivers.

Description

This routine provides a method to provide cFE TIME with current time data acquired from an external source. There is a presumption that this function will be called at the appropriate time (relative to the tone) such that this call may be used by cFE TIME as the signal to generate the "time at the tone" data command. The "time at the tone" data command must arrive within the configuration parameter specified window for tone signal and data packet verification.

Internally, cFE TIME will calculate a new STCF as the difference between this new time value and the space-craft MET value at the tone. This allows cFE TIME to always calculate time as the sum of MET and STCF. The value of STCF will change only as much as the drift factor between spacecraft MET and the external time source.

Assumptions, External Events, and Notes:

• This routine is included in the API only when 3 specific configuration parameters are set to true. The first is CFE_PLATFORM_TIME_CFG_SERVER which defines this instantiation of cFE TIME as a time server (not a client). The second required configuration parameter is CFE_PLATFORM_TIME_CFG_SOURCE which enables time source selection commands to the cFE TIME task, and further enables configuration definitions for the selected type of external time data. The third configuration parameter required for this routine is C← FE_PLATFORM_TIME_CFG_SRC_GPS, which indicates that the external time data consists of a time value relative to a known epoch, plus a leap seconds value.

Parameters

in	NewTime	The MET value at the next (or previous) 1 Hz tone signal.	
in	NewLeaps	The Leap Seconds value used to calculate time as UTC.	

See also

```
CFE_TIME_ExternalTone, CFE_TIME_ExternalMET, CFE_TIME_ExternalTime
```

37.36.2.2 CFE_TIME_ExternalMET()

Provides the Mission Elapsed Time from an external source.

Description

This routine provides a method to provide cFE TIME with MET acquired from an external source. There is a presumption that this function will be called at the appropriate time (relative to the tone) such that this call may be used by cFE TIME as the signal to generate the "time at the tone" data command. The "time at the tone" data command must arrive within the configuration parameter specified window for tone signal and data packet verification.

The MET value at the tone "should" have zero subseconds. Although the interface accepts non-zero values for sub-seconds, it may be harmful to other applications that expect zero subseconds at the moment of the tone. Any decision to use non-zero subseconds should be carefully considered.

Assumptions, External Events, and Notes:

• This routine is included in the API only when 3 specific configuration parameters are set to true. The first is CFE_PLATFORM_TIME_CFG_SERVER which defines this instantiation of cFE TIME as a time server (not a client). The second required configuration parameter is CFE_PLATFORM_TIME_CFG_SOURCE which enables time source selection commands to the cFE TIME task, and further enables configuration definitions for the selected type of external time data. The third configuration parameter required for this routine is CF← E_PLATFORM_TIME_CFG_SRC_MET, which indicates that the external time data consists of MET.

Parameters

in	NewMET	The MET value at the next (or previous) 1 Hz tone signal.
----	--------	---

See also

CFE_TIME_ExternalTone, CFE_TIME_ExternalGPS, CFE_TIME_ExternalTime

37.36.2.3 CFE_TIME_ExternalTime()

Provide the time from an external source that measures time relative to a known epoch.

Description

This routine provides a method to provide cFE TIME with current time data acquired from an external source. There is a presumption that this function will be called at the appropriate time (relative to the tone) such that this call may be used by cFE TIME as the signal to generate the "time at the tone" data command. The "time at the tone" data command must arrive within the configuration specified window for tone signal and data packet verification.

Internally, cFE TIME will calculate a new STCF as the difference between this new time value and the space-craft MET value at the tone. This allows cFE TIME to always calculate time as the sum of MET and STCF. The value of STCF will change only as much as the drift factor between spacecraft MET and the external time source.

Assumptions, External Events, and Notes:

• This routine is included in the API only when 3 specific configuration parameters are set to true. The first is CFE_PLATFORM_TIME_CFG_SERVER which defines this instanciation of cFE TIME as a time server (not a client). The second required configuration parameter is CFE_PLATFORM_TIME_CFG_SOURCE which enables time source selection commands to the cFE TIME task, and further enables configuration definitions for the selected type of external time data. The third configuration parameter required for this routine is CF← E_PLATFORM_TIME_CFG_SRC_TIME, which indicates that the external time data consists of a time value relative to a known epoch.

Parameters

in	NewTime	The MET value at the next (or previous) 1 Hz tone signal.
----	---------	---

See also

CFE TIME ExternalTone, CFE TIME ExternalMET, CFE TIME ExternalGPS

37.36.2.4 CFE_TIME_ExternalTone()

Provides the 1 Hz signal from an external source.

Description

This routine provides a method for cFE TIME software to be notified of the occurance of the 1Hz tone signal without knowledge of the specific hardware design. Regardless of the source of the tone, this routine should be called as soon as possible after detection to allow cFE TIME software the opportunity to latch the local clock as close as possible to the instant of the tone.

Assumptions, External Events, and Notes:

• This routine may be called directly from within the context of an interrupt handler.

See also

```
CFE_TIME_ExternalMET, CFE_TIME_ExternalGPS, CFE_TIME_ExternalTime
```

37.36.2.5 CFE_TIME_RegisterSynchCallback()

Registers a callback function that is called whenever time synchronization occurs.

Description

This routine passes a callback function pointer for an Application that wishes to be notified whenever a legitimate time synchronization signal (typically a 1 Hz) is received.

Assumptions, External Events, and Notes:

Only a single callback per application is supported, and this function should only be called from a single thread within each application (typically the apps main thread). If an application requires triggering multiple child tasks at 1Hz, it should distribute the timing signal internally, rather than registering for multiple callbacks.

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_TIME_TOO_MANY_SYNCH_CALLBACKS	Too Many Sync Callbacks.
CFE_ES_ERR_APPID	Application ID Error.

See also

CFE_TIME_UnregisterSynchCallback

37.36.2.6 CFE_TIME_UnregisterSynchCallback()

Unregisters a callback function that is called whenever time synchronization occurs.

Description

This routine removes the specified callback function pointer from the list of Callback functions that are called whenever a time synchronization (typically the 1Hz signal) is received.

Assumptions, External Events, and Notes:

Only a single callback per application is supported, and this function should only be called from a single thread within each application (typically the apps main thread).

Returns

Execution status, see cFE Return Code Defines

Return values

CFE_SUCCESS	Sucessful execution.
CFE_TIME_CALLBACK_NOT_REGISTERED	Callback Not Registered.
CFE_ES_ERR_APPID	Application ID Error.

See also

CFE_TIME_RegisterSynchCallback

37.37 cFE Miscellaneous Time APIs

Functions

```
• void CFE_TIME_Print (char *PrintBuffer, CFE_TIME_SysTime_t TimeToPrint)

Print a time value as a string.
```

• void CFE_TIME_Local1HzISR (void)

This function should be called from the system PSP layer once per second.

37.37.1 Detailed Description

37.37.2 Function Documentation

37.37.2.1 CFE_TIME_Local1HzISR()

This function should be called from the system PSP layer once per second.

Description

Drives the time processing logic from the system PSP layer. This must be called once per second based on a hardware interrupt or OS kernel signal.

Assumptions, External Events, and Notes:

This will update the global data structures accordingly, incrementing each by the 1Hz amount.

37.37.2.2 CFE_TIME_Print()

Print a time value as a string.

Description

This routine prints the specified time to the specified string buffer in the following format:

```
yyyy-ddd-hh:mm:ss.xxxxx\0
```

where:

- yyyy = year
- ddd = Julian day of the year
- hh = hour of the day (0 to 23)
- mm = minute (0 to 59)
- ss = second (0 to 59)
- xxxxx = subsecond formatted as a decimal fraction (1/4 second = 0.25000)
- \0 = trailing null

Assumptions, External Events, and Notes:

- The value of the time argument is simply added to the configuration definitions for the ground epoch and converted into a fixed length string in the buffer provided by the caller.
- A loss of data during the string conversion will occur if the computed year exceeds 9999. However, a year that large would require an unrealistic definition for the ground epoch since the maximum amount of time represented by a CFE_TIME_SysTime structure is approximately 136 years.

Parameters

in	PrintBuffer	Pointer to a character array of at least CFE_TIME_PRINTED_STRING_SIZE characters in length
in	TimeToPrint	The time to print into the character array.
out	*PrintBuffer	The time as a character string as described above.

37.38 cFE Clock State Flag Defines

Macros

• #define CFE_TIME_FLAG_CLKSET 0x8000

The spacecraft time has been set.

#define CFE TIME FLAG FLYING 0x4000

This instance of Time Services is flywheeling.

#define CFE TIME FLAG SRCINT 0x2000

The clock source is set to "internal".

• #define CFE_TIME_FLAG_SIGPRI 0x1000

The clock signal is set to "primary".

• #define CFE_TIME_FLAG_SRVFLY 0x0800

The Time Server is in flywheel mode.

• #define CFE_TIME_FLAG_CMDFLY 0x0400

This instance of Time Services was commanded into flywheel mode.

• #define CFE TIME FLAG ADDADJ 0x0200

One time STCF Adjustment is to be done in positive direction.

#define CFE_TIME_FLAG_ADD1HZ 0x0100

1 Hz STCF Adjustment is to be done in a positive direction

#define CFE TIME FLAG ADDTCL 0x0080

Time Client Latency is applied in a positive direction.

• #define CFE_TIME_FLAG_SERVER 0x0040

This instance of Time Services is a Time Server.

• #define CFE_TIME_FLAG_GDTONE 0x0020

The tone received is good compared to the last tone received.

• #define CFE_TIME_FLAG_UNUSED 0x001F

Reserved flags - should be zero.

37.38.1 Detailed Description

37.38.2 Macro Definition Documentation

37.38.2.1 CFE_TIME_FLAG_ADD1HZ

```
#define CFE_TIME_FLAG_ADD1HZ 0x0100
```

1 Hz STCF Adjustment is to be done in a positive direction

Definition at line 716 of file cfe_time_msg.h.

37.38.2.2 CFE_TIME_FLAG_ADDADJ

#define CFE_TIME_FLAG_ADDADJ 0x0200

One time STCF Adjustment is to be done in positive direction.

Definition at line 715 of file cfe_time_msg.h.

37.38.2.3 CFE_TIME_FLAG_ADDTCL

#define CFE_TIME_FLAG_ADDTCL 0x0080

Time Client Latency is applied in a positive direction.

Definition at line 717 of file cfe_time_msg.h.

37.38.2.4 CFE_TIME_FLAG_CLKSET

#define CFE_TIME_FLAG_CLKSET 0x8000

The spacecraft time has been set.

Definition at line 709 of file cfe_time_msg.h.

37.38.2.5 CFE_TIME_FLAG_CMDFLY

#define CFE_TIME_FLAG_CMDFLY 0x0400

This instance of Time Services was commanded into flywheel mode.

Definition at line 714 of file cfe_time_msg.h.

37.38.2.6 CFE_TIME_FLAG_FLYING

#define CFE_TIME_FLAG_FLYING 0x4000

This instance of Time Services is flywheeling.

Definition at line 710 of file cfe_time_msg.h.

37.38.2.7 CFE_TIME_FLAG_GDTONE

#define CFE_TIME_FLAG_GDTONE 0x0020

The tone received is good compared to the last tone received.

Definition at line 719 of file cfe_time_msg.h.

37.38.2.8 CFE_TIME_FLAG_SERVER

#define CFE_TIME_FLAG_SERVER 0x0040

This instance of Time Services is a Time Server.

Definition at line 718 of file cfe_time_msg.h.

37.38.2.9 CFE_TIME_FLAG_SIGPRI

#define CFE_TIME_FLAG_SIGPRI 0x1000

The clock signal is set to "primary".

Definition at line 712 of file cfe_time_msg.h.

37.38.2.10 CFE_TIME_FLAG_SRCINT

#define CFE_TIME_FLAG_SRCINT 0x2000

The clock source is set to "internal".

Definition at line 711 of file cfe_time_msg.h.

37.38.2.11 CFE_TIME_FLAG_SRVFLY

#define CFE_TIME_FLAG_SRVFLY 0x0800

The Time Server is in flywheel mode.

Definition at line 713 of file cfe_time_msg.h.

37.38.2.12 CFE_TIME_FLAG_UNUSED

#define CFE_TIME_FLAG_UNUSED 0x001F

Reserved flags - should be zero.

Definition at line 720 of file cfe_time_msg.h.

37.39 OSAL Object Type Defines

Macros

- #define OS_OBJECT_TYPE_UNDEFINED 0x00 Object type undefined.
- #define OS_OBJECT_TYPE_OS_TASK 0x01
 Object task type.
- #define OS_OBJECT_TYPE_OS_QUEUE 0x02
 Object queue type.
- #define OS_OBJECT_TYPE_OS_COUNTSEM 0x03
 Object counting semaphore type.
- #define OS_OBJECT_TYPE_OS_BINSEM 0x04
 Object binary semaphore type.
- #define OS_OBJECT_TYPE_OS_MUTEX 0x05
 Object mutex type.
- #define OS_OBJECT_TYPE_OS_STREAM 0x06
 Object stream type.
- #define OS_OBJECT_TYPE_OS_DIR 0x07
 Object directory type.
- #define OS_OBJECT_TYPE_OS_TIMEBASE 0x08

 Object timebase type.
- #define OS_OBJECT_TYPE_OS_TIMECB 0x09

 Object timer callback type.
- #define OS_OBJECT_TYPE_OS_MODULE 0x0A Object module type.
- #define OS_OBJECT_TYPE_OS_FILESYS 0x0B
 Object file system type.
- #define OS_OBJECT_TYPE_OS_CONSOLE 0x0C
 Object console type.
- #define OS_OBJECT_TYPE_USER 0x10
 Object user type.

37.39.1 Detailed Description

37.39.2 Macro Definition Documentation

37.39.2.1 OS_OBJECT_TYPE_OS_BINSEM

#define OS_OBJECT_TYPE_OS_BINSEM 0x04

Object binary semaphore type.

Definition at line 35 of file osapi-os-core.h.

37.39.2.2 OS_OBJECT_TYPE_OS_CONSOLE

#define OS_OBJECT_TYPE_OS_CONSOLE 0x0C

Object console type.

Definition at line 43 of file osapi-os-core.h.

37.39.2.3 OS_OBJECT_TYPE_OS_COUNTSEM

#define OS_OBJECT_TYPE_OS_COUNTSEM 0x03

Object counting semaphore type.

Definition at line 34 of file osapi-os-core.h.

37.39.2.4 OS_OBJECT_TYPE_OS_DIR

#define OS_OBJECT_TYPE_OS_DIR 0x07

Object directory type.

Definition at line 38 of file osapi-os-core.h.

37.39.2.5 OS_OBJECT_TYPE_OS_FILESYS

#define OS_OBJECT_TYPE_OS_FILESYS 0x0B

Object file system type.

Definition at line 42 of file osapi-os-core.h.

37.39.2.6 OS_OBJECT_TYPE_OS_MODULE

#define OS_OBJECT_TYPE_OS_MODULE 0x0A

Object module type.

Definition at line 41 of file osapi-os-core.h.

37.39.2.7 OS_OBJECT_TYPE_OS_MUTEX

#define OS_OBJECT_TYPE_OS_MUTEX 0x05

Object mutex type.

Definition at line 36 of file osapi-os-core.h.

37.39.2.8 OS_OBJECT_TYPE_OS_QUEUE

#define OS_OBJECT_TYPE_OS_QUEUE 0x02

Object queue type.

Definition at line 33 of file osapi-os-core.h.

37.39.2.9 OS_OBJECT_TYPE_OS_STREAM

#define OS_OBJECT_TYPE_OS_STREAM 0x06

Object stream type.

Definition at line 37 of file osapi-os-core.h.

37.39.2.10 OS_OBJECT_TYPE_OS_TASK

#define OS_OBJECT_TYPE_OS_TASK 0x01

Object task type.

Definition at line 32 of file osapi-os-core.h.

37.39.2.11 OS_OBJECT_TYPE_OS_TIMEBASE

#define OS_OBJECT_TYPE_OS_TIMEBASE 0x08

Object timebase type.

Definition at line 39 of file osapi-os-core.h.

37.39.2.12 OS_OBJECT_TYPE_OS_TIMECB

#define OS_OBJECT_TYPE_OS_TIMECB 0x09

Object timer callback type.

Definition at line 40 of file osapi-os-core.h.

37.39.2.13 OS_OBJECT_TYPE_UNDEFINED

#define OS_OBJECT_TYPE_UNDEFINED 0x00

Object type undefined.

Definition at line 31 of file osapi-os-core.h.

37.39.2.14 OS_OBJECT_TYPE_USER

#define OS_OBJECT_TYPE_USER 0x10

Object user type.

Definition at line 44 of file osapi-os-core.h.

37.40 OSAL Semaphore State Defines

Macros

• #define OS_SEM_FULL 1

Semaphore full state.

• #define OS_SEM_EMPTY 0

Semaphore empty state.

37.40.1 Detailed Description

37.40.2 Macro Definition Documentation

37.40.2.1 OS_SEM_EMPTY

#define OS_SEM_EMPTY 0

Semaphore empty state.

Definition at line 54 of file osapi-os-core.h.

37.40.2.2 OS_SEM_FULL

#define OS_SEM_FULL 1

Semaphore full state.

Definition at line 53 of file osapi-os-core.h.

37.41 OSAL Core Operation APIs

Functions

void OS Application Startup (void)

Application startup.

• void OS_Application_Run (void)

Application run.

int32 OS_API_Init (void)

Initialization of API.

void OS_IdleLoop (void)

Background thread implementation - waits forever for events to occur.

void OS_DeleteAllObjects (void)

delete all resources created in OSAL.

· void OS_ApplicationShutdown (uint8 flag)

Initiate orderly shutdown.

void OS_ApplicationExit (int32 Status)

Exit/Abort the application.

37.41.1 Detailed Description

These are for OSAL core operations for startup/initialization, running, and shutdown. Typically only used in bsps, unit tests, psps, etc.

Not intended for user application use

37.41.2 Function Documentation

37.41.2.1 OS_API_Init()

```
int32 OS_API_Init (
     void )
```

Initialization of API.

This function returns initializes the internal data structures of the OS Abstraction Layer. It must be called in the application startup code before calling any other OS routines.

Returns

Execution status, see OSAL Return Code Defines. Any error code (negative) means the OSAL can not be initialized. Typical platform specific response is to abort since additional OSAL calls will have undefined behavior.

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	Failed execution.

Referenced by OS_Application_Startup().

37.41.2.2 OS_Application_Run()


Application run.

Run abstraction such that the same BSP can be used for operations and testing.

Definition at line 365 of file cfe_psp_start.c.

References CFE_PSP_DeleteProcessorReservedMemory(), OS_DeleteAllObjects(), OS_IdleLoop(), and OS_printf().

Here is the call graph for this function:



37.41.2.3 OS_Application_Startup()

```
\begin{tabular}{ll} \beg
```

Application startup.

Startup abstraction such that the same BSP can be used for operations and testing.


Definition at line 160 of file cfe_psp_start.c.

References CFE_PSP_CPU_NAME_LENGTH, CFE_PSP_CpuId, CFE_PSP_CpuName, CFE_PSP_DisplayUsage(), CFE_PSP_InitProcessorReservedMemory(), CFE_PSP_MAIN_FUNCTION, CFE_PSP_NONVOL_STARTUP_FILE, CFE_PSP_Panic(), CFE_PSP_ProcessArgumentDefaults(), CFE_PSP_RESET_NAME_LENGTH, CFE_PSP_RST_

TYPE_POWERON, CFE_PSP_RST_TYPE_PROCESSOR, CFE_PSP_SetupLocal1Hz(), CFE_PSP_SigintHandler(), CFE_PSP_SpacecraftId, CFE_PSP_SUCCESS, CFE_PSP_CommandData_t::CpuId, CFE_PSP_CommandData

_t::CpuName, CFE_PSP_CommandData_t::GotCpuId, CFE_PSP_CommandData_t::GotCpuName, CFE_PSP_CommandData_t::GotCpuName, CFE_PSP_CommandData_t::GotSpacecraftId, CFE_PSP_CommandData_t::GotSpacecraftId, CFE_PSP_CommandData_t::GotSpacecraftId, CFE_PSP_CommandData_t::GotSpacecraftId, CFE_PSP_CommandData_t::GotSpacecraftId, CFE_PSP_CommandData_t::GotSpacecraftId, CFE_PSP_CommandData_t::ResetType, CFE_PSP_COmmandData_t::ResetType, CFE_PSP_COmmandData_t::SpacecraftId, and CFE_PSP_CommandData_t::SubType.

Here is the call graph for this function:



37.41.2.4 OS_ApplicationExit()

Exit/Abort the application.

Indicates that the OSAL application should exit and return control to the OS This is intended for e.g. scripted unit testing where the test needs to end without user intervention.

This function does not return. Production code typically should not ever call this.

Note

This exits the entire process including tasks that have been created.

37.41.2.5 OS_ApplicationShutdown()

Initiate orderly shutdown.

Indicates that the OSAL application should perform an orderly shutdown of ALL tasks, clean up all resources, and exit the application.

This allows the task currently blocked in OS_IdleLoop() to wake up, and for that function to return to its caller.

This is preferred over e.g. OS_ApplicationExit() which exits immediately and does not provide for any means to clean up first.

Parameters

```
in | flag | set to true to initiate shutdown, false to cancel
```

Referenced by CFE_PSP_SigintHandler().

37.41.2.6 OS_DeleteAllObjects()

delete all resources created in OSAL.

provides a means to clean up all resources allocated by this instance of OSAL. It would typically be used during an orderly shutdown but may also be helpful for testing purposes.

Referenced by OS_Application_Run().

37.41.2.7 OS_ldleLoop()

```
void OS_IdleLoop (
     void )
```

Background thread implementation - waits forever for events to occur.

This should be called from the BSP main routine or initial thread after all other board and application initialization has taken place and all other tasks are running.

Typically just waits forever until "OS_shutdown" flag becomes true.

Referenced by OS Application Run().

37.42 OSAL Object Utility APIs

Functions

• uint32 OS IdentifyObject (uint32 object id)

Obtain the type of an object given an arbitrary object ID.

int32 OS_ConvertToArrayIndex (uint32 object_id, uint32 *ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

• void OS_ForEachObject (uint32 creator_id, OS_ArgCallback_t callback_ptr, void *callback_arg) call the supplied callback function for all valid object IDs

37.42.1 Detailed Description

37.42.2 Function Documentation

37.42.2.1 OS_ConvertToArrayIndex()

Converts an abstract ID into a number suitable for use as an array index.

This will return a unique zero-based integer number in the range of [0,MAX) for any valid object ID. This may be used by application code as an array index for indexing into local tables.

Note

This does NOT verify the validity of the ID, that is left to the caller. This is only the conversion logic.

Parameters

in	object_id	The object ID to operate on
out	*ArrayIndex	The Index to return

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INCORRECT_OBJ_TYPE	Incorrect object type.

37.42.2.2 OS_ForEachObject()

call the supplied callback function for all valid object IDs

Loops through all defined OSAL objects and calls callback_ptr on each one If creator_id is nonzero then only objects with matching creator id are processed.

37.42.2.3 OS_IdentifyObject()

Obtain the type of an object given an arbitrary object ID.

Given an arbitrary object ID, get the type of the object

Parameters

in	object⊷	The object ID to operate on	l
	_id		١

Returns

The object type portion of the object_id, see OSAL Object Type Defines for expected values

37.43 OSAL Task APIs

Functions

int32 OS_TaskCreate (uint32 *task_id, const char *task_name, osal_task_entry function_pointer, uint32 *stack
 _pointer, uint32 stack_size, uint32 priority, uint32 flags)

Creates a task and starts running it.

int32 OS_TaskDelete (uint32 task_id)

Deletes the specified Task.

void OS TaskExit (void)

Exits the calling task.

int32 OS_TaskInstallDeleteHandler (osal_task_entry function_pointer)

Installs a handler for when the task is deleted.

int32 OS_TaskDelay (uint32 millisecond)

Delay a task for specified amount of milliseconds.

int32 OS TaskSetPriority (uint32 task id, uint32 new priority)

Sets the given task to a new priority.

int32 OS_TaskRegister (void)

Obsolete.

uint32 OS TaskGetId (void)

Obtain the task id of the calling task.

int32 OS TaskGetIdByName (uint32 *task id, const char *task name)

Find an existing task ID by name.

int32 OS_TaskGetInfo (uint32 task_id, OS_task_prop_t *task_prop)

Fill a property object buffer with details regarding the resource.

37.43.1 Detailed Description

37.43.2 Function Documentation

37.43.2.1 OS_TaskCreate()

Creates a task and starts running it.

Creates a task and passes back the id of the task created. Task names must be unique; if the name already exists this function fails. Names cannot be NULL.

37.43 OSAL Task APIs 351

Parameters

out	task_id	will be set to the ID of the newly-created resource	
in	task_name	the name of the new resource to create	
in	function_pointer	inter the entry point of the new task	
in	stack_pointer	pointer to the stack for the task, or NULL to allocate a stack from the system memory heap	
in	stack_size	the size of the stack, or 0 to use a default stack size.	
in	priority	initial priority of the new task	
in	flags initial options for the new task		

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if any of the necessary pointers are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_INVALID_PRIORITY	if the priority is bad
OS_ERR_NO_FREE_IDS	if there can be no more tasks created
OS_ERR_NAME_TAKEN	if the name specified is already used by a task
OS_ERROR	if an unspecified/other error occurs

37.43.2.2 OS_TaskDelay()

Delay a task for specified amount of milliseconds.

Causes the current thread to be suspended from execution for the period of millisecond.

Parameters

in	millisecond	Amount of time to delay

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if sleep fails or millisecond = 0

37.43.2.3 OS_TaskDelete()

Deletes the specified Task.

The task will be removed from the local tables. and the OS will be configured to stop executing the task at the next opportunity.

Parameters

in	task⊷	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the ID given to it is invalid
OS_ERROR	if the OS delete call fails

37.43.2.4 OS_TaskExit()

```
void OS_TaskExit (
     void )
```

Exits the calling task.

The calling thread is terminated. This function does not return.

37.43.2.5 OS_TaskGetId()

Obtain the task id of the calling task.

This function returns the task id of the calling task

Returns

Task ID, or zero if the operation failed (zero is never a valid task ID)

37.43 OSAL Task APIs 353

37.43.2.6 OS_TaskGetIdByName()

Find an existing task ID by name.

This function tries to find a task Id given the name of a task

Parameters

out <i>task_id</i>		will be set to the ID of the existing resource
in	task_name	the name of the existing resource to find

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if the pointers passed in are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name wasn't found in the table

37.43.2.7 OS_TaskGetInfo()

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info (creator, stack size, priority, name) about the specified task.

Parameters

in	task_id	The object ID to operate on
out	task_prop	The property object buffer to fill

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the ID passed to it is invalid
OS_INVALID_POINTER	if the task_prop pointer is NULL

37.43.2.8 OS_TaskInstallDeleteHandler()

Installs a handler for when the task is deleted.

This function is used to install a callback that is called when the task is deleted. The callback is called when OS_Task Delete is called with the task ID. A task delete handler is useful for cleaning up resources that a task creates, before the task is removed from the system.

Parameters

in	function_pointer	function to be called when task exits
----	------------------	---------------------------------------

Returns

Execution status, see OSAL Return Code Defines

37.43.2.9 OS_TaskRegister()

Obsolete.

Deprecated Explicit registration call no longer needed

Obsolete function retained for compatibility purposes. Does Nothing in the current implementation.

Returns

```
OS_SUCCESS (always), see OSAL Return Code Defines
```

37.43.2.10 OS_TaskSetPriority()

Sets the given task to a new priority.

37.43 OSAL Task APIs 355

Parameters

in	task_id	The object ID to operate on
in	new_priority	Set the new priority

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the ID passed to it is invalid
OS_ERR_INVALID_PRIORITY	if the priority is greater than the max allowed
OS_ERROR	if the OS call to change the priority fails

37.44 OSAL Message Queue APIs

Functions

• int32 OS_QueueCreate (uint32 *queue_id, const char *queue_name, uint32 queue_depth, uint32 data_size, uint32 flags)

Create a message queue.

• int32 OS QueueDelete (uint32 queue id)

Deletes the specified message queue.

int32 OS_QueueGet (uint32 queue_id, void *data, uint32 size, uint32 *size_copied, int32 timeout)

Receive a message on a message queue.

• int32 OS_QueuePut (uint32 queue_id, const void *data, uint32 size, uint32 flags)

Put a message on a message queue.

• int32 OS_QueueGetIdByName (uint32 *queue_id, const char *queue_name)

Find an existing queue ID by name.

• int32 OS_QueueGetInfo (uint32 queue_id, OS_queue_prop_t *queue_prop)

Fill a property object buffer with details regarding the resource.

37.44.1 Detailed Description

37.44.2 Function Documentation

37.44.2.1 OS_QueueCreate()

Create a message queue.

This is the function used to create a queue in the operating system. Depending on the underlying operating system, the memory for the queue will be allocated automatically or allocated by the code that sets up the queue. Queue names must be unique; if the name already exists this function fails. Names cannot be NULL.

Parameters

out	queue_id	will be set to the ID of the newly-created resource
in	queue_name	the name of the new resource to create
in	queue_depth	the maximum depth of the queue
in	data_size	the size of each entry in the queue
in	flags	options for the queue (reserved for future use, pass as 0)

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if a pointer passed in is NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NO_FREE_IDS	if there are already the max queues created
OS_ERR_NAME_TAKEN	if the name is already being used on another queue
OS_ERROR	if the OS create call fails

37.44.2.2 OS_QueueDelete()

Deletes the specified message queue.

This is the function used to delete a queue in the operating system. This also frees the respective queue_id to be used again when another queue is created.

Note

If There are messages on the queue, they will be lost and any subsequent calls to QueueGet or QueuePut to this queue will result in errors

Parameters

in	queue←	The object ID to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in does not exist
OS_ERROR	if the OS call to delete the queue fails

37.44.2.3 OS_QueueGet()

```
int32 OS_QueueGet (
          uint32 queue_id,
          void * data,
          uint32 size,
          uint32 * size_copied,
          int32 timeout )
```

Receive a message on a message queue.

If a message is pending, it is returned immediately. Otherwise the calling task will block until a message arrives or the timeout expires.

Parameters

in	queue_id	The object ID to operate on	
out	data	The buffer to store the received message	
in	size	The size of the data buffer	
out	size_copied	Set to the actual size of the message	
in	timeout	The maximum amount of time to block, or OS_PEND to wait forever	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the given ID does not exist
OS_INVALID_POINTER	if a pointer passed in is NULL
OS_QUEUE_EMPTY	if the Queue has no messages on it to be recieved
OS_QUEUE_TIMEOUT	if the timeout was OS_PEND and the time expired
OS_QUEUE_INVALID_SIZE	if the size copied from the queue was not correct

37.44.2.4 OS_QueueGetIdByName()

Find an existing queue ID by name.

This function tries to find a queue Id given the name of the queue. The id of the queue is passed back in queue_id.

Parameters

out	queue_id	will be set to the ID of the existing resource
in	queue_name	the name of the existing resource to find

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if the name or id pointers are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	the name was not found in the table

37.44.2.5 OS_QueueGetInfo()

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info (name and creator) about the specified queue.

Parameters

in	queue_id	The object ID to operate on
out	queue_prop	The property object buffer to fill

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if queue_prop is NULL
OS_ERR_INVALID_ID	if the ID given is not a valid queue

37.44.2.6 OS_QueuePut()

Put a message on a message queue.

Parameters

in	queue⊷	The object ID to operate on
	_id	
in	data	The buffer containing the message to put
in	size	The size of the data buffer
in	flags	Currently reserved/unused, should be passed as 0

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the queue id passed in is not a valid queue
OS_INVALID_POINTER	if the data pointer is NULL
OS_QUEUE_FULL	if the queue cannot accept another message
OS_ERROR	if the OS call returns an error

37.45 OSAL Semaphore APIs

Functions

• int32 OS_BinSemCreate (uint32 *sem_id, const char *sem_name, uint32 sem_initial_value, uint32 options)

Creates a binary semaphore.

• int32 OS_BinSemFlush (uint32 sem_id)

Unblock all tasks pending on the specified semaphore.

int32 OS BinSemGive (uint32 sem id)

Increment the semaphore value.

• int32 OS BinSemTake (uint32 sem id)

Decrement the semaphore value.

int32 OS_BinSemTimedWait (uint32 sem_id, uint32 msecs)

Decrement the semaphore value with a timeout.

int32 OS_BinSemDelete (uint32 sem_id)

Deletes the specified Binary Semaphore.

int32 OS BinSemGetIdByName (uint32 *sem id, const char *sem name)

Find an existing semaphore ID by name.

int32 OS_BinSemGetInfo (uint32 sem_id, OS_bin_sem_prop_t *bin_prop)

Fill a property object buffer with details regarding the resource.

• int32 OS_CountSemCreate (uint32 *sem_id, const char *sem_name, uint32 sem_initial_value, uint32 options)

Creates a counting semaphore.

int32 OS_CountSemGive (uint32 sem_id)

Increment the semaphore value.

int32 OS_CountSemTake (uint32 sem_id)

Decrement the semaphore value.

int32 OS_CountSemTimedWait (uint32 sem_id, uint32 msecs)

Decrement the semaphore value with timeout.

int32 OS_CountSemDelete (uint32 sem_id)

Deletes the specified counting Semaphore.

int32 OS_CountSemGetIdByName (uint32 *sem_id, const char *sem_name)

Find an existing semaphore ID by name.

int32 OS_CountSemGetInfo (uint32 sem_id, OS_count_sem_prop_t *count_prop)

Fill a property object buffer with details regarding the resource.

int32 OS_MutSemCreate (uint32 *sem_id, const char *sem_name, uint32 options)

Creates a mutex semaphore.

int32 OS_MutSemGive (uint32 sem_id)

Releases the mutex object referenced by sem_id.

int32 OS_MutSemTake (uint32 sem_id)

Acquire the mutex object referenced by sem_id.

int32 OS MutSemDelete (uint32 sem id)

Deletes the specified Mutex Semaphore.

int32 OS_MutSemGetIdByName (uint32 *sem_id, const char *sem_name)

Find an existing mutex ID by name.

int32 OS_MutSemGetInfo (uint32 sem_id, OS_mut_sem_prop_t *mut_prop)

Fill a property object buffer with details regarding the resource.

37.45.1 Detailed Description

37.45.2 Function Documentation

37.45.2.1 OS_BinSemCreate()

Creates a binary semaphore.

Creates a binary semaphore with initial value specified by sem_initial_value and name specified by sem_name. sem_id will be returned to the caller

Parameters

out	sem_id	will be set to the ID of the newly-created resource
in	sem_name	the name of the new resource to create
in	sem_initial_value	the initial value of the binary semaphore
in	options	Reserved for future use, should be passed as 0.

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if sen name or sem_id are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NO_FREE_IDS	if all of the semaphore ids are taken
OS_ERR_NAME_TAKEN	if this is already the name of a binary semaphore
OS_SEM_FAILURE	if the OS call failed

37.45.2.2 OS_BinSemDelete()

Deletes the specified Binary Semaphore.

363 This is the function used to delete a binary semaphore in the operating system. This also frees the respective sem_id to be used again when another semaphore is created.

Parameters

in	sem←	The object ID to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid binary semaphore
OS_SEM_FAILURE	the OS call failed

37.45.2.3 OS_BinSemFlush()

Unblock all tasks pending on the specified semaphore.

The function unblocks all tasks pending on the specified semaphore. However, this function does not change the state of the semaphore.

Parameters

in	sem←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a binary semaphore
OS_SEM_FAILURE	if an unspecified failure occurs

37.45.2.4 OS_BinSemGetIdByName()

```
int32 OS_BinSemGetIdByName (
```

```
uint32 * sem_id,
const char * sem_name )
```

Find an existing semaphore ID by name.

This function tries to find a binary sem Id given the name of a bin_sem The id is returned through sem_id

Parameters

out	sem_id	will be set to the ID of the existing resource
in	sem_name	the name of the existing resource to find

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is semid or sem_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

37.45.2.5 OS_BinSemGetInfo()

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info(name and creator) about the specified binary semaphore.

Parameters

in	sem_id	The object ID to operate on
out	bin_prop	The property object buffer to fill

Returns

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the bin_prop pointer is null

37.45.2.6 OS_BinSemGive()

Increment the semaphore value.

The function unlocks the semaphore referenced by sem_id by performing a semaphore unlock operation on that semaphore. If the semaphore value resulting from this operation is positive, then no threads were blocked waiting for the semaphore to become unlocked; the semaphore value is simply incremented for this semaphore.

Parameters

in	sem⊷	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_SEM_FAILURE	the semaphore was not previously initialized or is not in the array of semaphores defined
	by the system
OS_ERR_INVALID_ID	if the id passed in is not a binary semaphore

37.45.2.7 OS_BinSemTake()

Decrement the semaphore value.

The locks the semaphore referenced by sem_id by performing a semaphore lock operation on that semaphore. If the semaphore value is currently zero, then the calling thread shall not return from the call until it either locks the semaphore or the call is interrupted.

Parameters

in	sem⊷	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	the ld passed in is not a valid binary semaphore
OS_SEM_FAILURE	if the OS call failed

37.45.2.8 OS_BinSemTimedWait()

Decrement the semaphore value with a timeout.

The function locks the semaphore referenced by sem_id. However, if the semaphore cannot be locked without waiting for another process or thread to unlock the semaphore, this wait shall be terminated when the specified timeout, msecs, expires.

Parameters

ĺ	in	sem⊷	The object ID to operate on
		_id	
ĺ	in	msecs	The maximum amount of time to block, in milliseconds

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_SEM_TIMEOUT	if semaphore was not relinquished in time
OS_SEM_FAILURE	the semaphore was not previously initialized or is not in the array of semaphores defined by the system
OS_ERR_INVALID_ID	if the ID passed in is not a valid semaphore ID

37.45.2.9 OS_CountSemCreate()

Creates a counting semaphore.

Creates a counting semaphore with initial value specified by sem_initial_value and name specified by sem_name. sem_id will be returned to the caller

Parameters

out	sem_id	will be set to the ID of the newly-created resource
in	sem_name	the name of the new resource to create
in	sem_initial_value	the initial value of the counting semaphore
in	options	Reserved for future use, should be passed as 0.

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if sen name or sem_id are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NO_FREE_IDS	if all of the semaphore ids are taken
OS_ERR_NAME_TAKEN	if this is already the name of a counting semaphore
OS_SEM_FAILURE	if the OS call failed
OS_INVALID_SEM_VALUE	if the semaphore value is too high

37.45.2.10 OS_CountSemDelete()

Deletes the specified counting Semaphore.

Parameters

in	sem⊷	The object ID to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid counting semaphore
OS_SEM_FAILURE	the OS call failed

37.45.2.11 OS_CountSemGetIdByName()

Find an existing semaphore ID by name.

This function tries to find a counting sem Id given the name of a count_sem The id is returned through sem_id

Parameters

out	sem_id	will be set to the ID of the existing resource
in	sem_name	the name of the existing resource to find

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is semid or sem_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

37.45.2.12 OS_CountSemGetInfo()

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info(name and creator) about the specified counting semaphore.

Parameters

in	sem_id	The object ID to operate on
out	count_prop	The property object buffer to fill

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the count_prop pointer is null

37.45.2.13 OS_CountSemGive()

Increment the semaphore value.

The function unlocks the semaphore referenced by sem_id by performing a semaphore unlock operation on that semaphore. If the semaphore value resulting from this operation is positive, then no threads were blocked waiting for the semaphore to become unlocked; the semaphore value is simply incremented for this semaphore.

Parameters

in	sem⊷	The object ID to operate on
	_id	

Returns

Return values

OS_SUCCESS	Successful execution.	
OS_SEM_FAILURE	the semaphore was not previously initialized or is not in the array of semaphores defined	
	by the system	
OS_ERR_INVALID_ID	if the id passed in is not a counting semaphore	

37.45.2.14 OS_CountSemTake()

Decrement the semaphore value.

The locks the semaphore referenced by sem_id by performing a semaphore lock operation on that semaphore. If the semaphore value is currently zero, then the calling thread shall not return from the call until it either locks the semaphore or the call is interrupted.

Parameters

in	sem⊷	The object ID to operate on	I
	_id		

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	the ld passed in is not a valid counting semaphore
OS_SEM_FAILURE	if the OS call failed

37.45.2.15 OS_CountSemTimedWait()

Decrement the semaphore value with timeout.

The function locks the semaphore referenced by sem_id. However, if the semaphore cannot be locked without waiting for another process or thread to unlock the semaphore, this wait shall be terminated when the specified timeout, msecs, expires.

Parameters

in	sem← _id	The object ID to operate on
in	msecs	The maximum amount of time to block, in milliseconds

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.	
OS_SEM_TIMEOUT	if semaphore was not relinquished in time	
OS_SEM_FAILURE	the semaphore was not previously initialized or is not in the array of semaphores defined by the system	
OS_ERR_INVALID_ID	if the ID passed in is not a valid semaphore ID	

37.45.2.16 OS_MutSemCreate()

Creates a mutex semaphore.

Mutex semaphores are always created in the unlocked (full) state.

Parameters

	out	sem_id	will be set to the ID of the newly-created resource
ĺ	in	sem_name	the name of the new resource to create
in		options	reserved for future use. Should be passed as 0.

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if sem_id or sem_name are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME

Return values

OS_ERR_NO_FREE_IDS	if there are no more free mutex lds
OS_ERR_NAME_TAKEN	if there is already a mutex with the same name
OS_SEM_FAILURE	if the OS call failed

37.45.2.17 OS_MutSemDelete()

Deletes the specified Mutex Semaphore.

Delete the semaphore. This also frees the respective sem_id such that it can be used again when another is created.

Parameters

in	sem⇔	The object ID to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid mutex
OS_SEM_FAILURE	if the OS call failed

37.45.2.18 OS_MutSemGetIdByName()

Find an existing mutex ID by name.

This function tries to find a mutex sem Id given the name of a mut_sem. The id is returned through sem_id

Parameters

out	sem_id	will be set to the ID of the existing resource
in	sem_name	the name of the existing resource to find

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is semid or sem_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

37.45.2.19 OS_MutSemGetInfo()

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info(name and creator) about the specified mutex semaphore.

Parameters

in	sem_id	The object ID to operate on
out	mut_prop	The property object buffer to fill

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the mut_prop pointer is null

37.45.2.20 OS_MutSemGive()

Releases the mutex object referenced by sem_id.

If there are threads blocked on the mutex object referenced by mutex when this function is called, resulting in the mutex becoming available, the scheduling policy shall determine which thread shall acquire the mutex.

Parameters

in	sem⊷	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid mutex
OS_SEM_FAILURE	if an unspecified error occurs

37.45.2.21 OS_MutSemTake()

Acquire the mutex object referenced by sem_id.

If the mutex is already locked, the calling thread shall block until the mutex becomes available. This operation shall return with the mutex object referenced by mutex in the locked state with the calling thread as its owner.

Parameters

in	sem←	The object ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_SEM_FAILURE	if the semaphore was not previously initialized or is not in the array of semaphores defined by the system
OS_ERR_INVALID_ID	the id passed in is not a valid mutex

37.46 OSAL Time/Tick APIs

Functions

int32 OS_Milli2Ticks (uint32 milli_seconds)

Convert time units from milliseconds to system ticks.

• int32 OS_Tick2Micros (void)

Get the system tick size, in microseconds.

int32 OS_GetLocalTime (OS_time_t *time_struct)

Get the local time.

int32 OS_SetLocalTime (OS_time_t *time_struct)

Set the local time.

37.46.1 Detailed Description

37.46.2 Function Documentation

37.46.2.1 OS_GetLocalTime()

Get the local time.

This function gets the local time from the underlying OS.

Note

Mission time management typically uses the cFE Time Service

Parameters

out	time_struct	An OS_time_t that will be set to the current time

Returns

Get local time status, see OSAL Return Code Defines

Referenced by CFE_PSP_Get_Timebase(), and CFE_PSP_GetTime().

37.46.2.2 OS_Milli2Ticks()

Convert time units from milliseconds to system ticks.

This function accepts a time interval in milliseconds and returns the tick equivalent. If the result is not an exact number of system ticks, the result will be rounded up to the nearest tick.

Parameters

in	milli_seconds	the number of milliseconds
----	---------------	----------------------------

Returns

The number of ticks

37.46.2.3 OS_SetLocalTime()

Set the local time.

This function sets the local time on the underlying OS.

Note

Mission time management typically uses the cFE Time Services

Parameters

```
in time_struct An OS_time_t containing the current time
```

Returns

Set local time status, see OSAL Return Code Defines

37.46.2.4 OS_Tick2Micros()

```
int32 OS_Tick2Micros (
    void )
```

Get the system tick size, in microseconds.

This function returns the duration of a system tick in micro seconds

NI	^ tr	١

care is taken to ensure this does not return "0" since it is often used as the divisor in mathematical operations

Returns

Duration of a system tick in microseconds

37.47 OSAL Exception APIs

Functions

• int32 OS_ExcAttachHandler (uint32 ExceptionNumber, void(*ExceptionHandler)(uint32, const void *, uint32), int32 parameter)

placeholder; not currently implemented

int32 OS_ExcEnable (int32 ExceptionNumber)

placeholder; not currently implemented

int32 OS_ExcDisable (int32 ExceptionNumber)

placeholder; not currently implemented

37.47.1 Detailed Description

Note

Not implemented in current OSAL version

Deprecated Planning move to PSP due to platform dependencies

37.47.2 Function Documentation

37.47.2.1 OS_ExcAttachHandler()

placeholder; not currently implemented

Deprecated Planning move to PSP due to platform dependencies

```
37.47.2.2 OS_ExcDisable()
```

placeholder; not currently implemented

Deprecated Planning move to PSP due to platform dependencies

37.47.2.3 OS_ExcEnable()

placeholder; not currently implemented

Deprecated Planning move to PSP due to platform dependencies

37.48 OSAL Floating Point Unit Exception APIs

Functions

- int32 OS_FPUExcAttachHandler (uint32 ExceptionNumber, osal_task_entry ExceptionHandler, int32 parameter)

 Set an FPU exception handler function.
- int32 OS_FPUExcEnable (int32 ExceptionNumber)

Enable FPU exceptions.

int32 OS FPUExcDisable (int32 ExceptionNumber)

Disable FPU exceptions.

int32 OS_FPUExcSetMask (uint32 mask)

Sets the FPU exception mask.

int32 OS_FPUExcGetMask (uint32 *mask)

Gets the FPU exception mask.

37.48.1 Detailed Description

Deprecated Planning move to PSP due to platform dependencies

37.48.2 Function Documentation

37.48.2.1 OS_FPUExcAttachHandler()

Set an FPU exception handler function.

The call associates a specified C routine to a specified FPU exception number. When the specified FPU Exception occurs, the ExceptionHandler routine will be called and passed the parameter.

Deprecated Planning move to PSP due to platform dependencies

Parameters

in	ExceptionNumber	The exception number to attach to
in	ExceptionHandler	Pointer to handler function
in	parameter	Argument to pass to handler

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_NOT_IMPLEMENTED	Not implemented.

37.48.2.2 OS_FPUExcDisable()

Disable FPU exceptions.

Deprecated Planning move to PSP due to platform dependencies

Parameters

in	ExceptionNumber	The exception number to disable
----	-----------------	---------------------------------

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_NOT_IMPLEMENTED	Not implemented.

37.48.2.3 OS_FPUExcEnable()

Enable FPU exceptions.

Deprecated Planning move to PSP due to platform dependencies

Parameters

in Exc	eptionNumber	The exception number to enable
---------------	--------------	--------------------------------

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_NOT_IMPLEMENTED	Not implemented.

37.48.2.4 OS_FPUExcGetMask()

Gets the FPU exception mask.

Deprecated Planning move to PSP due to platform dependencies

This function gets the FPU exception mask

Note

The exception environment is local to each task Therefore this must be called for each task that that wants to do floating point and catch exceptions.

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_NOT_IMPLEMENTED	Not implemented.

37.48.2.5 OS_FPUExcSetMask()

```
int32 OS_FPUExcSetMask (
```

```
uint32 mask )
```

Sets the FPU exception mask.

Deprecated Planning move to PSP due to platform dependencies

This function sets the FPU exception mask

Note

The exception environment is local to each task Therefore this must be called for each task that that wants to do floating point and catch exceptions.

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_NOT_IMPLEMENTED	Not implemented.

37.49 OSAL Interrupt APIs

Functions

• int32 OS_IntAttachHandler (uint32 InterruptNumber, osal_task_entry InterruptHandler, int32 parameter)

DEPRECATED; Associate an interrupt number to a specified handler routine.

• int32 OS_IntUnlock (int32 IntLevel)

DEPRECATED; Enable interrupts.

• int32 OS_IntLock (void)

DEPRECATED; Disable interrupts.

int32 OS_IntEnable (int32 Level)

DEPRECATED; Enables interrupts through Level.

• int32 OS_IntDisable (int32 Level)

DEPRECATED; Disable interrupts through Level.

int32 OS_IntSetMask (uint32 mask)

DEPRECATED; Set the CPU interrupt mask register.

int32 OS_IntGetMask (uint32 *mask)

DEPRECATED; Get the CPU interrupt mask register.

int32 OS_IntAck (int32 InterruptNumber)

DEPRECATED; Acknowledge the corresponding interrupt number.

37.49.1 Detailed Description

Deprecated Platform dependencies

37.49.2 Function Documentation

```
37.49.2.1 OS_IntAck()
```

DEPRECATED; Acknowledge the corresponding interrupt number.

Deprecated platform dependencies, removing from OSAL

Note

: placeholder; not currently implemented in sample implementations

Parameters

|--|

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_INT_NUM	Invalid Interrupt number.
OS_ERR_NOT_IMPLEMENTED	Not implemented.

37.49.2.2 OS_IntAttachHandler()

DEPRECATED; Associate an interrupt number to a specified handler routine.

Deprecated platform dependencies, removing from OSAL

The call associates a specified C routine to a specified interrupt number. Upon occurring of the InterruptNumber, the InerruptHandler routine will be called and passed the parameter.

Parameters

in	InterruptNumber	The Interrupt Number that will cause the start of the ISR
in	InterruptHandler	The ISR associated with this interrupt
in	parameter	Argument that is passed to the ISR

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	The Interrupt handler pointer is NULL
OS_ERR_NOT_IMPLEMENTED	Not implemented.

37.49.2.3 OS_IntDisable()

DEPRECATED; Disable interrupts through Level.

Deprecated platform dependencies, removing from OSAL

Parameters

ir	1	Level	the interrupts to disable
----	---	-------	---------------------------

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_NOT_IMPLEMENTED	Not implemented.

37.49.2.4 OS_IntEnable()

DEPRECATED; Enables interrupts through Level.

Deprecated platform dependencies, removing from OSAL

Parameters

in	Level	the interrupts to enable
----	-------	--------------------------

Returns

Return values

OS_SUCCESS	Successful execution.
OS_ERR_NOT_IMPLEMENTED	Not implemented.

37.49.2.5 OS_IntGetMask()

DEPRECATED; Get the CPU interrupt mask register.

Deprecated platform dependencies, removing from OSAL

Note

The interrupt bits are architecture-specific.

Parameters

Ī	out	mask	The register value will be stored to this location	1
---	-----	------	--	---

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_NOT_IMPLEMENTED	Not implemented.

37.49.2.6 OS_IntLock()

```
int32 OS_IntLock (
     void )
```

DEPRECATED; Disable interrupts.

Deprecated platform dependencies, removing from OSAL

Returns

An key value to be passed to OS_IntUnlock() to restore interrupts or error status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_NOT_IMPLEMENTED	Not implemented.

37.49.2.7 OS_IntSetMask()

DEPRECATED; Set the CPU interrupt mask register.

Deprecated platform dependencies, removing from OSAL

Note

The interrupt bits are architecture-specific.

Parameters

in	mask	The value to set in the register
----	------	----------------------------------

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_NOT_IMPLEMENTED	Not implemented.

37.49.2.8 OS_IntUnlock()

DEPRECATED; Enable interrupts.

Deprecated platform dependencies, removing from OSAL

Parameters

in	IntLevel	value from previous call to OS_IntLock()	
----	----------	--	--

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_NOT_IMPLEMENTED	Not implemented.

37.50 OSAL Shared memory APIs

Functions

• int32 OS ShMemInit (void)

DEPRECATED - platform dependent, never implemented in framework OSALs.

• int32 OS_ShMemCreate (uint32 *Id, uint32 NBytes, const char *SegName)

DEPRECATED - platform dependent, never implemented in framework OSALs.

• int32 OS_ShMemSemTake (uint32 ld)

DEPRECATED - platform dependent, never implemented in framework OSALs.

int32 OS_ShMemSemGive (uint32 ld)

DEPRECATED - platform dependent, never implemented in framework OSALs.

int32 OS ShMemAttach (cpuaddr *Address, uint32 ld)

DEPRECATED - platform dependent, never implemented in framework OSALs.

int32 OS_ShMemGetIdByName (uint32 *ShMemId, const char *SegName)

DEPRECATED - platform dependent, never implemented in framework OSALs.

37.50.1 Detailed Description

Deprecated Not in current implementations

37.50.2 Function Documentation

37.50.2.1 OS_ShMemAttach()

DEPRECATED - platform dependent, never implemented in framework OSALs.

Deprecated Never implemented

37.50.2.2 OS_ShMemCreate()

DEPRECATED - platform dependent, never implemented in framework OSALs.

Deprecated Never implemented

37.50.2.3 OS_ShMemGetIdByName()

DEPRECATED - platform dependent, never implemented in framework OSALs.

Deprecated Never implemented

37.50.2.4 OS_ShMemInit()

DEPRECATED - platform dependent, never implemented in framework OSALs.

Deprecated Never implemented

37.50.2.5 OS_ShMemSemGive()

DEPRECATED - platform dependent, never implemented in framework OSALs.

Deprecated Never implemented

37.50.2.6 OS_ShMemSemTake()

DEPRECATED - platform dependent, never implemented in framework OSALs.

Deprecated Never implemented

37.51 OSAL Heap APIs

Functions

• int32 OS_HeapGetInfo (OS_heap_prop_t *heap_prop)

Return current info on the heap.

37.51.1 Detailed Description

37.51.2 Function Documentation

37.51.2.1 OS_HeapGetInfo()

Return current info on the heap.

Parameters

out	heap_prop	Storage buffer for heap info
-----	-----------	------------------------------

Returns

37.52 OSAL Error Info APIs

Functions

• int32 OS_GetErrorName (int32 error_num, os_err_name_t *err_name)

Convert an error number to a string.

37.52.1 Detailed Description

37.52.2 Function Documentation

37.52.2.1 OS_GetErrorName()

Convert an error number to a string.

Parameters

in	error_num	Error number to convert
out	err_name	Buffer to store error string

Returns

37.53 OSAL Select APIs 395

37.53 OSAL Select APIs

Functions

int32 OS_SelectMultiple (OS_FdSet *ReadSet, OS_FdSet *WriteSet, int32 msecs)

Wait for events across multiple file handles.

int32 OS_SelectSingle (uint32 objid, uint32 *StateFlags, int32 msecs)

Wait for events on a single file handle.

int32 OS_SelectFdZero (OS_FdSet *Set)

Clear a FdSet structure.

int32 OS_SelectFdAdd (OS_FdSet *Set, uint32 objid)

Add an ID to an FdSet structure.

int32 OS_SelectFdClear (OS_FdSet *Set, uint32 objid)

Clear an ID from an FdSet structure.

bool OS_SelectFdlsSet (OS_FdSet *Set, uint32 objid)

Check if an FdSet structure contains a given ID.

37.53.1 Detailed Description

37.53.2 Function Documentation

37.53.2.1 OS_SelectFdAdd()

Add an ID to an FdSet structure.

After this call the set will contain the given OSAL ID

Returns

Execution status, see OSAL Return Code Defines

37.53.2.2 OS_SelectFdClear()

Clear an ID from an FdSet structure.

After this call the set will no longer contain the given OSAL ID

Returns

37.53.2.3 OS_SelectFdlsSet()

Check if an FdSet structure contains a given ID.

Returns

Boolean set status

Return values

true	FdSet structure contains ID
false	FDSet structure does not contain ID

37.53.2.4 OS_SelectFdZero()

Clear a FdSet structure.

After this call the set will contain no OSAL IDs

Returns

Execution status, see OSAL Return Code Defines

37.53.2.5 OS_SelectMultiple()

Wait for events across multiple file handles.

Wait for any of the given sets of IDs to be become readable or writable

This function will block until any of the following occurs:

- · At least one OSAL ID in the ReadSet is readable
- · At least one OSAL ID in the WriteSet is writable
- · The timeout has elapsed

The sets are input/output parameters. On entry, these indicate the file handle(s) to wait for. On exit, these are set to the actual file handle(s) that have activity.

If the timeout occurs this returns an error code and all output sets should be empty.

37.53 OSAL Select APIs 397

Note

This does not lock or otherwise protect the file handles in the given sets. If a filehandle supplied via one of the FdSet arguments is closed or modified by another while this function is in progress, the results are undefined. Because of this limitation, it is recommended to use OS_SelectSingle() whenever possible.

Returns

Execution status, see OSAL Return Code Defines

37.53.2.6 OS_SelectSingle()

Wait for events on a single file handle.

Wait for a single OSAL filehandle to change state

This function can be used to wait for a single OSAL stream ID to become readable or writable. On entry, the "StateFlags" parameter should be set to the desired state (OS_STREAM_STATE_READABLE and/or OS_STREAM_STATE_WR UTABLE) and upon return the flags will be set to the state actually detected.

As this operates on a single ID, the filehandle is protected during this call, such that another thread accessing the same handle will return an error. However, it is important to note that once the call returns then other threads may then also read/write and affect the state before the current thread can service it.

To mitigate this risk the application may prefer to use the OS_TimedRead/OS_TimedWrite calls.

Returns

Execution status, see OSAL Return Code Defines

37.54 OSAL Printf APIs

Functions

void OS_printf (const char *string,...) OS_PRINTF(1
 Abstraction for the system printf() call.

void void OS_printf_disable (void)

This function disables the output from OS_printf.

void OS printf enable (void)

This function enables the output from OS_printf.

37.54.1 Detailed Description

37.54.2 Function Documentation

37.54.2.1 OS_printf()

Abstraction for the system printf() call.

This function abstracts out the printf type statements. This is useful for using OS- specific thats that will allow non-polled print statements for the real time systems.

Operates in a manner similar to the printf() call defined by the standard C library and takes all the parameters and formatting options of printf. This abstraction may implement additional buffering, if necessary, to improve the real-time performance of the call.

Strings (including terminator) longer than OS_BUFFER_SIZE will be truncated.

The output of this routine also may be dynamically enabled or disabled by the OS_printf_enable() and OS_printf_edisable() calls, respectively.

Parameters

in	string	Format string, followed by additional arguments

Referenced by CFE_PSP_AttachExceptions(), CFE_PSP_InitCDS(), CFE_PSP_InitProcessorReservedMemory(), C← FE_PSP_InitResetArea(), CFE_PSP_InitUserReservedArea(), CFE_PSP_Panic(), CFE_PSP_Restart(), CFE_PSP_← SetupLocal1Hz(), OS_Application_Run(), and OS_Application_Startup().

37.54 OSAL Printf APIs 399

37.54.2.2 OS_printf_disable()

```
void void OS_printf_disable ( \mbox{void} \ \ \mbox{)}
```

This function disables the output from OS_printf.

37.54.2.3 OS_printf_enable()

This function enables the output from OS_printf.

37.55 OSAL File Access Option Defines

Macros

- #define OS_READ_ONLY 0
- #define OS_WRITE_ONLY 1
- #define OS_READ_WRITE 2
- 37.55.1 Detailed Description
- 37.55.2 Macro Definition Documentation

37.55.2.1 OS_READ_ONLY

#define OS_READ_ONLY 0

Read only file access

Definition at line 25 of file osapi-os-filesys.h.

37.55.2.2 OS_READ_WRITE

#define OS_READ_WRITE 2

Read write file access

Definition at line 27 of file osapi-os-filesys.h.

37.55.2.3 OS_WRITE_ONLY

#define OS_WRITE_ONLY 1

Write only file access

Definition at line 26 of file osapi-os-filesys.h.

37.56 OSAL Refernce Point For Seek Offset Defines

Macros

- #define OS_SEEK_SET 0
- #define OS_SEEK_CUR 1
- #define OS_SEEK_END 2

37.56.1 Detailed Description

37.56.2 Macro Definition Documentation

37.56.2.1 OS_SEEK_CUR

```
#define OS_SEEK_CUR 1
```

Seek offset current

Definition at line 34 of file osapi-os-filesys.h.

37.56.2.2 OS_SEEK_END

#define OS_SEEK_END 2

Seek offset end

Definition at line 35 of file osapi-os-filesys.h.

37.56.2.3 OS_SEEK_SET

#define OS_SEEK_SET 0

Seek offset set

Definition at line 33 of file osapi-os-filesys.h.

37.57 OSAL Volume Type Defines

Macros

- #define FS_BASED 0
- #define RAM_DISK 1
- #define EEPROM_DISK 2
- #define ATA_DISK 3
- 37.57.1 Detailed Description
- 37.57.2 Macro Definition Documentation

37.57.2.1 ATA_DISK

#define ATA_DISK 3

Volume type ATA disk

Definition at line 47 of file osapi-os-filesys.h.

37.57.2.2 EEPROM_DISK

#define EEPROM_DISK 2

Volume type EEPROM disk

Definition at line 46 of file osapi-os-filesys.h.

37.57.2.3 FS_BASED

#define FS_BASED 0

Volume type FS based

Definition at line 44 of file osapi-os-filesys.h.

37.57.2.4 RAM_DISK

#define RAM_DISK 1

Volume type RAM disk

Definition at line 45 of file osapi-os-filesys.h.

37.58 OSAL Standard File APIs

Functions

• int32 OS_creat (const char *path, int32 access)

Creates a file specified by path.

int32 OS_open (const char *path, int32 access, uint32 mode)

Opens a file.

• int32 OS close (uint32 filedes)

Closes an open file handle.

int32 OS read (uint32 filedes, void *buffer, uint32 nbytes)

Read from a file handle.

int32 OS_write (uint32 filedes, const void *buffer, uint32 nbytes)

Write to a file handle.

int32 OS TimedRead (uint32 filedes, void *buffer, uint32 nbytes, int32 timeout)

File/Stream input read with a timeout.

int32 OS TimedWrite (uint32 filedes, const void *buffer, uint32 nbytes, int32 timeout)

File/Stream output write with a timeout.

int32 OS chmod (const char *path, uint32 access)

Changes the permissions of a file.

int32 OS stat (const char *path, os fstat t *filestats)

Obtain information about a file or directory.

int32 OS Iseek (uint32 filedes, int32 offset, uint32 whence)

Seeks to the specified position of an open file.

int32 OS remove (const char *path)

Removes a file from the file system.

• int32 OS rename (const char *old filename, const char *new filename)

Renames a file.

int32 OS cp (const char *src, const char *dest)

Copies a single file from src to dest.

int32 OS_mv (const char *src, const char *dest)

Move a single file from src to dest.

int32 OS FDGetInfo (uint32 filedes, OS file prop t *fd prop)

Obtain information about an open file.

int32 OS_FileOpenCheck (const char *Filename)

Checks to see if a file is open.

int32 OS_CloseAllFiles (void)

Close all open files.

int32 OS_CloseFileByName (const char *Filename)

Close a file by filename.

37.58.1 Detailed Description

37.58.2 Function Documentation

37.58.2.1 OS_chmod()

Changes the permissions of a file.

Parameters

in	path	File to change
in	access	Desired access mode - see OSAL File Access Option Defines

Note

Some file systems do not implement permissions

Returns

Execution status, see OSAL Return Code Defines

37.58.2.2 OS_close()

Closes an open file handle.

This closes regular file handles and any other file-like resource, such as network streams or pipes.

Parameters

in	filedes	The handle ID to operate on
T11	medes	The handle ib to operate on

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERROR	if file descriptor could not be closed
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid

37.58.2.3 OS_CloseAllFiles()

Close all open files.

Closes All open files that were opened through the OSAL

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if one or more file close returned an error

37.58.2.4 OS_CloseFileByName()

Close a file by filename.

Allows a file to be closed by name. This will only work if the name passed in is the same name used to open the file.

Parameters

in Filename The file to close	
-----------------------------------	--

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_FS_ERR_PATH_INVALID	if the file is not found
OS_ERROR	if the file close returned an error

37.58.2.5 OS_cp()

Copies a single file from src to dest.

Note

The behvior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a varienty of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

Parameters

in	src	The source file to operate on
in	dest	The destination file

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the file could not be accessed
OS_INVALID_POINTER	if src or dest are NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	if the paths given are too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the dest name is too long to be stored locally

37.58.2.6 OS_creat()

Creates a file specified by path.

Creates a file specified by const char *path, with read/write permissions by access. The file is also automatically opened by the create call.

in	path	File name to create	
in	access	Intended access mode - see OSAL File Access Option Defines	

Note

Valid handle IDs are never negative. Failure of this call can be checked by testing if the result is less than 0.

Returns

A file handle ID or appropriate error code, see OSAL Return Code Defines

Return values

OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_TOO_LONG	if path exceeds the maximum number of chars
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_NAME_TOO_LONG	if the name of the file is too long
OS_ERROR	if permissions are unknown or OS call fails
OS_ERR_NO_FREE_IDS	if there are no free file descriptors left

37.58.2.7 OS_FDGetInfo()

Obtain information about an open file.

Copies the information of the given file descriptor into a structure passed in

Parameters

in		The handle ID to operate on
out	fd_prop	Storage buffer for file information

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid

37.58.2.8 OS_FileOpenCheck()

Checks to see if a file is open.

This function takes a filename and determines if the file is open. The function will return success if the file is open.

Parameters

Filename The file to operate on

Returns

OS_SUCCESS if the file is open, or appropriate error code

Return values

```
OS_ERROR if the file is not open
```

37.58.2.9 OS_lseek()

Seeks to the specified position of an open file.

Sets the read/write pointer to a specific offset in a specific file.

Parameters

in	filedes	The handle ID to operate on	
in	offset	The file offset to seek to	
in	whence	The reference point for offset, see OSAL Reference Point For Seek Offset Defines	

Returns

Byte offset from the beginning of the file or appropriate error code, see OSAL Return Code Defines

OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERROR	if OS call failed

37.58.2.10 OS_mv()

Move a single file from src to dest.

This first attempts to rename the file, which is faster if the source and destination reside on the same file system.

If this fails, it falls back to copying the file and removing the original.

Note

The behvior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a varienty of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

Parameters

in	src	The source file to operate on
in	dest	The destination file

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the file could not be renamed.
OS_INVALID_POINTER	if src or dest are NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	if the paths given are too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the dest name is too long to be stored locally

37.58.2.11 OS_open()

410	CONTENTS
710	CONTENTS

Opens a file.

Opens a file.

Parameters

in	path	File name to create	
in	access	Intended access mode - see OSAL File Access Option Defines	
in	mode	The file permissions. This parameter is passed through to the native open call, but will be ignored. The file mode (or permissions) are ignored by the POSIX open call when the O_CREAT access flag is not passed in.	

Note

Valid handle IDs are never negative. Failure of this call can be checked by testing if the result is less than 0.

Returns

A file handle ID or appropriate error code, see OSAL Return Code Defines

Return values

OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_TOO_LONG	if path exceeds the maximum number of chars
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_NAME_TOO_LONG	if the name of the file is too long
OS_ERROR	if permissions are unknown or OS call fails
OS_ERR_NO_FREE_IDS	if there are no free file descriptors left

37.58.2.12 OS_read()

Read from a file handle.

Reads up to nbytes from a file, and puts them into buffer.

in	filedes	The handle ID to operate on
out	buffer	Storage location for file data
in	nbytes	Maximum number of bytes to read

Note

All OSAL error codes are negative int32 values. Failure of this call can be checked by testing if the result is less than 0.

Returns

A non-negative byte count or appropriate error code, see OSAL Return Code Defines

Return values

OS_INVALID_POINTER	if buffer is a null pointer
OS_ERROR	if OS call failed
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid

37.58.2.13 OS_remove()

Removes a file from the file system.

Removes a given filename from the drive

Note

The behvior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a varienty of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

Parameters

in	path	The file to operate on
----	------	------------------------

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERROR	if there is no device or the driver returns error
OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_TOO_LONG	if path is too long to be stored locally
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_NAME_TOO_LONG	if the name of the file to remove is too long

37.58.2.14 OS_rename()

Renames a file.

Changes the name of a file, where the source and destination reside on the same file system.

Note

The behvior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a varienty of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

Parameters

in	old_filename	The original filename
in	new_filename	The desired filename

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the file could not be opened or renamed.
OS_INVALID_POINTER	if old or new are NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	if the paths given are too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the new name is too long to be stored locally

37.58.2.15 OS_stat()

Obtain information about a file or directory.

Returns information about a file or directory in a os_fstat_t structure

Parameters

in	path	The file to operate on
out	filestats	Buffer to store file information

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if path or filestats is NULL
OS_FS_ERR_PATH_TOO_LONG	if the path is too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the name of the file is too long to be stored
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_ERROR	if the OS call failed

37.58.2.16 OS_TimedRead()

File/Stream input read with a timeout.

This implements a time-limited read and is primarily intended for use with sockets but may also work with any other stream-like resource that the underlying OS supports.

If data is immediately available on the file/socket, this will return that data along with the actual number of bytes that were immediately available. It will not block.

If no data is immediately available, this will wait up to the given timeout for data to appear. If no data appears within the timeout period, then this returns an error code (not zero).

In all cases this will return successfully as soon as at least 1 byte of actual data is available. It will not attempt to read the entire input buffer.

If an EOF condition occurs prior to timeout, this function returns zero.

in	filedes	The handle ID to operate on
in	buffer	Source location for file data
in	nbytes	Maximum number of bytes to read
in	timeout	Maximum time to wait, in milliseconds (OS_PEND = forever)

Returns

Byte count on success, zero for timeout, or appropriate error code, see OSAL Return Code Defines

37.58.2.17 OS_TimedWrite()

File/Stream output write with a timeout.

This implements a time-limited write and is primarily intended for use with sockets but may also work with any other stream-like resource that the underlying OS supports.

If output buffer space is immediately available on the file/socket, this will place data into the buffer and return the actual number of bytes that were queued for output. It will not block.

If no output buffer space is immediately available, this will wait up to the given timeout for space to become available. If no space becomes available within the timeout period, then this returns an error code (not zero).

In all cases this will return successfully as soon as at least 1 byte of actual data is output. It will *not* attempt to write the entire output buffer.

If an EOF condition occurs prior to timeout, this function returns zero.

Parameters

in	filedes	The handle ID to operate on
in	buffer	Source location for file data
in	nbytes	Maximum number of bytes to read
in	timeout	Maximum time to wait, in milliseconds (OS_PEND = forever)

Returns

Byte count on success, zero for timeout, or appropriate error code, see OSAL Return Code Defines

37.58.2.18 OS_write()

Write to a file handle.

Writes to a file. copies up to a maximum of nbytes of buffer to the file described in filedes

Parameters

in	filedes	The handle ID to operate on
in	buffer	Source location for file data
in	nbytes	Maximum number of bytes to read

Note

All OSAL error codes are negative int32 values. Failure of this call can be checked by testing if the result is less than 0

Returns

A non-negative byte count or appropriate error code, see OSAL Return Code Defines

OS_INVALID_POINTER	if buffer is NULL
OS_ERROR	if OS call failed
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid

37.59 OSAL Directory APIs

Functions

```
    os_dirp_t OS_opendir (const char *path)
```

Opens a directory for searching.

- int32 OS_closedir (os_dirp_t directory)
- void OS_rewinddir (os_dirp_t directory)
- os_dirent_t * OS_readdir (os_dirp_t directory)
- int32 OS_DirectoryOpen (uint32 *dir_id, const char *path)

Opens a directory.

int32 OS_DirectoryClose (uint32 dir_id)

Closes an open directory.

int32 OS_DirectoryRewind (uint32 dir_id)

Rewinds an open directory.

int32 OS_DirectoryRead (uint32 dir_id, os_dirent_t *dirent)

Reads the next name in the directory.

• int32 OS_mkdir (const char *path, uint32 access)

Makes a new directory.

• int32 OS_rmdir (const char *path)

Removes a directory from the file system.

37.59.1 Detailed Description

37.59.2 Function Documentation

```
37.59.2.1 OS_closedir()
```

37.59.2.2 OS_DirectoryClose()

Closes an open directory.

The directory referred to by dir_id will be closed

Parameters

in	dir⇔	The handle ID of the directory
	_id	

Returns

Execution status, see OSAL Return Code Defines

37.59.2.3 OS_DirectoryOpen()

Opens a directory.

Prepares for reading the files within a directory

Parameters

out	dir←	The handle ID of the directory
	_id	
in	path	The directory to open

Returns

Execution status, see OSAL Return Code Defines

37.59.2.4 OS_DirectoryRead()

Reads the next name in the directory.

Obtains directory entry data for the next file from an open directory

in	dir←	The handle ID of the directory
	_id	
out	dirent	Buffer to store directory entry information

Returns

Execution status, see OSAL Return Code Defines

37.59.2.5 OS_DirectoryRewind()

Rewinds an open directory.

Resets a directory read handle back to the first file.

Parameters

in	dir⇔	The handle ID of the directory
	_id	

Returns

Execution status, see OSAL Return Code Defines

37.59.2.6 OS_mkdir()

Makes a new directory.

Makes a directory specified by path.

Parameters

in	path	The new directory name	
in	in access The permissions for the directory (reserved for future use		

Note

Current implementations do not utilize the "access" parameter. Applications should still pass the intended value (OS_READ_WRITE or OS_READ_ONLY) to be compatible with future implementations.

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_TOO_LONG	if the path is too long to be stored locally
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_ERROR	if the OS call fails

37.59.2.7 OS_opendir()

Opens a directory for searching.

Deprecated Replaced by OS_DirectoryOpen()

37.59.2.8 OS_readdir()

37.59.2.9 OS_rewinddir()

37.59.2.10 OS_rmdir()

Removes a directory from the file system.

Removes a directory from the structure. The directory must be empty prior to this operation.

in	path	The directory to remove

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	
OS_ERROR	if the directory remove operation failed

37.60 OSAL File System Level APIs

Functions

• int32 OS FileSysAddFixedMap (uint32 *filesys id, const char *phys path, const char *virt path)

Create a fixed mapping between an existing directory and a virtual OSAL mount point.

• int32 OS_mkfs (char *address, const char *devname, const char *volname, uint32 blocksize, uint32 numblocks)

Makes a file system on the target.

int32 OS_mount (const char *devname, const char *mountpoint)

Mounts a file system.

- int32 OS_initfs (char *address, const char *devname, const char *volname, uint32 blocksize, uint32 numblocks)

 Initializes an existing file system.
- int32 OS_rmfs (const char *devname)

Removes a file system.

int32 OS_unmount (const char *mountpoint)

Unmounts a mounted file system.

• int32 OS fsBlocksFree (const char *name)

Obtain number of blocks free.

int32 OS_fsBytesFree (const char *name, uint64 *bytes_free)

Obtains the number of free bytes in a volume.

int32 OS_chkfs (const char *name, bool repair)

Checks the health of a file system and repairs it if necessary.

int32 OS FS GetPhysDriveName (char *PhysDriveName, const char *MountPoint)

Obtains the physical drive name associated with a mount point.

• int32 OS TranslatePath (const char *VirtualPath, char *LocalPath)

Translates a OSAL Virtual file system path to a host Local path.

int32 OS_GetFsInfo (os_fsinfo_t *filesys_info)

Returns information about the file system.

37.60.1 Detailed Description

37.60.2 Function Documentation

37.60.2.1 OS_chkfs()

Checks the health of a file system and repairs it if necessary.

Checks the drives for inconsistencies and optionally also repairs it

Note

not all operating systems implement this function

Parameters

in	name	The device/path to operate on
in	repair	Whether to also repair inconsistencies

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	Name is NULL
OS_ERR_NOT_IMPLEMENTED	Not implemented.
OS_ERROR	Failed execution.

37.60.2.2 OS_FileSysAddFixedMap()

Create a fixed mapping between an existing directory and a virtual OSAL mount point.

This mimics the behavior of a "FS_BASED" entry in the VolumeTable but is registered at runtime. It is intended to be called by the PSP/BSP prior to starting the OSAL.

Parameters

	out	filesys_id An OSAL ID reflecting the file system	
Ī	in	phys_path	The native system directory (an existing mount point)
Ī	in	n virt_path The virtual mount point of this filesystem	

Returns

Execution status, see OSAL Return Code Defines

37.60.2.3 OS_FS_GetPhysDriveName()

Obtains the physical drive name associated with a mount point.

Returns the name of the physical volume associated with the drive, when given the OSAL mount point of the drive

Parameters

out	PhysDriveName	Buffer to store physical drive name
in	MountPoint	OSAL mount point

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if either parameter is NULL
OS_ERROR	if the mountpoint could not be found

37.60.2.4 OS_fsBlocksFree()

Obtain number of blocks free.

Returns the number of free blocks in a volume

Parameters

in	name	The device/path to operate on
----	------	-------------------------------

Returns

Block count or appropriate error code, see OSAL Return Code Defines

OS_INVALID_POINTER	if name is NULL
OS_FS_ERR_PATH_TOO_LONG	if the name is too long
OS_ERROR	if the OS call failed

37.60.2.5 OS_fsBytesFree()

Obtains the number of free bytes in a volume.

Returns the number of free bytes in a volume

Note

uses a 64 bit data type to support filesystems that are greater than 4 Gigabytes

Parameters

in	name	The device/path to operate on
out	bytes_free	The number of free bytes

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if name is NULL
OS_FS_ERR_PATH_TOO_LONG	if the name is too long
OS_ERROR	if the OS call failed

37.60.2.6 OS_GetFsInfo()

Returns information about the file system.

Returns information about the file system in an os_fsinfo_t. This includes the number of open files and file systems

i			
	out	filesys_info	Buffer to store filesystem information

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if filesys_info is NULL

37.60.2.7 OS_initfs()

Initializes an existing file system.

Initializes a file system on the target.

Parameters

in	address	The address at which to start the new disk. If address == 0, then space will be allocated by the OS	
in	devname	ame The name of the "generic" drive	
in	volname	The name of the volume (if needed, used on VxWorks)	
in	blocksize	The size of a single block on the drive	
in	numblocks	The number of blocks to allocate for the drive	

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if devname or volname are NULL
OS_FS_ERR_PATH_TOO_LONG	if the name is too long
OS_FS_ERR_DEVICE_NOT_FREE	if the volume table is full
OS_FS_ERR_DRIVE_NOT_CREATED	on error

37.60.2.8 OS_mkfs()

Makes a file system on the target.

Makes a file system on the target. Highly dependent on underlying OS and dependent on OS volume table definition.

Parameters

in	address	The address at which to start the new disk. If address == 0 space will be allocated by the OS.	
in	devname	devname The name of the "generic" drive	
in	volname	The name of the volume (if needed, used on VxWorks)	
in	blocksize	The size of a single block on the drive	
in	numblocks	The number of blocks to allocate for the drive	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if devname is NULL
OS_FS_ERR_DRIVE_NOT_CREATED	if the OS calls to create the the drive failed
OS_FS_ERR_DEVICE_NOT_FREE	if the volume table is full
OS_SUCCESS	on creating the disk

37.60.2.9 OS_mount()

Mounts a file system.

Mounts a file system / block device at the given mount point.

in	devname	The name of the drive to mount. devname is the same from OS_mkfs	
in	mountpoint	pint The name to call this disk from now on	

Returns

Execution status, see OSAL Return Code Defines

37.60.2.10 OS_rmfs()

Removes a file system.

This function will remove or un-map the target file system. Note that this is not the same as un-mounting the file system.

Parameters

in devname The	name of the "generic" drive
----------------	-----------------------------

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if devname is NULL
OS_ERROR	is the drive specified cannot be located

37.60.2.11 OS_TranslatePath()

Translates a OSAL Virtual file system path to a host Local path.

Translates a virtual path to an actual system path name

in	VirtualPath	OSAL virtual path name
out	LocalPath	Buffer to store native/translated path name

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if either parameter is NULL

37.60.2.12 OS_unmount()

Unmounts a mounted file system.

This function will unmount a drive from the file system and make all open file descriptors useless.

Note

Any open file descriptors referencing this file system should be closed prior to unmounting a drive

Parameters

in	mountpoint	The mount point to remove from OS_mount
----	------------	---

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if name is NULL
OS_FS_ERR_PATH_TOO_LONG	if the absolute path given is too long
OS_ERROR	if the OS calls failed

37.61 OSAL Shell APIs

Functions

• int32 OS_ShellOutputToFile (const char *Cmd, uint32 filedes)

Executes the command and sends output to a file.

37.61.1 Detailed Description

37.61.2 Function Documentation

37.61.2.1 OS_ShellOutputToFile()

Executes the command and sends output to a file.

Takes a shell command in and writes the output of that command to the specified file The output file must be opened previously with write access (OS_WRITE_ONLY or OS_READ_WRITE).

Parameters

in	Cmd	Command to pass to shell
in	filedes	File to send output to.

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERROR	if the command was not executed properly
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid

37.62 OSAL Dynamic Loader and Symbol APIs

Functions

• int32 OS_SymbolLookup (cpuaddr *symbol_address, const char *symbol_name)

Find the Address of a Symbol.

• int32 OS_SymbolTableDump (const char *filename, uint32 size_limit)

Dumps the system symbol table to a file.

int32 OS_ModuleLoad (uint32 *module_id, const char *module_name, const char *filename)

Loads an object file.

int32 OS_ModuleUnload (uint32 module_id)

Unloads the module file.

int32 OS_ModuleInfo (uint32 module_id, OS_module_prop_t *module_info)

Obtain information about a module.

37.62.1 Detailed Description

37.62.2 Function Documentation

37.62.2.1 OS_ModuleInfo()

Obtain information about a module.

Returns information about the loadable module

Parameters

in	module_id	OSAL ID of the previously the loaded module
out	module_info	Buffer to store module information

Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the module id invalid
OS_INVALID_POINTER	if the pointer to the ModuleInfo structure is invalid

37.62.2.2 OS_ModuleLoad()

```
int32 OS_ModuleLoad (
          uint32 * module_id,
          const char * module_name,
          const char * filename )
```

Loads an object file.

Loads an object file into the running operating system

Parameters

out	module_id	OSAL ID corresponding to the loaded module
in	module_name	Name of module
in	filename	File containing the object code to load

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the module cannot be loaded
OS_INVALID_POINTER	if one of the parameters is NULL
OS_ERR_NO_FREE_IDS	if the module table is full
OS_ERR_NAME_TAKEN	if the name is in use

37.62.2.3 OS_ModuleUnload()

Unloads the module file.

Unloads the module file from the running operating system

Parameters

in	module←	OSAL ID of the previously the loaded module
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the module is invalid or cannot be unloaded

37.62.2.4 OS_SymbolLookup()

Find the Address of a Symbol.

This calls to the OS dynamic symbol lookup implementation, and/or checks a static symbol table for a matching symbol name.

The static table is intended to support embedded targets that do not have module loading capability or have it disabled.

Parameters

out	symbol_address	Set to the address of the symbol
in	symbol_name	Name of the symbol to look up

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the symbol could not be found
OS_INVALID_POINTER	if one of the pointers passed in are NULL

37.62.2.5 OS_SymbolTableDump()

Dumps the system symbol table to a file.

Dumps the system symbol table to the specified filename

Parameters

in	filename	File to write to
in	size_limit	Maximum number of bytes to write

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_NOT_IMPLEMENTED	Not implemented.
OS_ERROR	if the symbol table could not be read or dumped

37.63 OSAL Socket Address APIs

Functions

```
    int32 OS_SocketAddrInit (OS_SockAddr_t *Addr, OS_SocketDomain_t Domain)
```

Initialize a socket address structure to hold an address of the given family.

int32 OS SocketAddrToString (char *buffer, uint32 buflen, const OS SockAddr t *Addr)

Get a string representation of a network host address.

int32 OS SocketAddrFromString (OS SockAddr t *Addr, const char *string)

Set a network host address from a string representation.

int32 OS_SocketAddrGetPort (uint16 *PortNum, const OS_SockAddr_t *Addr)

Get the port number of a network address.

int32 OS_SocketAddrSetPort (OS_SockAddr_t *Addr, uint16 PortNum)

Set the port number of a network address.

37.63.1 Detailed Description

These functions provide a means to manipulate network addresses in a manner that is (mostly) agnostic to the actual network address type.

Every network address should be representable as a string (i.e. dotted decimal IP, etc). This can serve as a the "common denominator" to all address types.

37.63.2 Function Documentation

37.63.2.1 OS_SocketAddrFromString()

Set a network host address from a string representation.

The specific format of the output string depends on the address family.

The address structure should have been previously initialized using OS_SocketAddrInit() to set the address family type.

Note

For IPv4, this would typically be the dotted-decimal format (X.X.X.X). It is up to the discretion of the underlying implementation whether to accept hostnames, as this depends on the availability of DNS services. Since many embedded deployments do not have name services, this should not be relied upon.

Parameters

ſ	out	Addr	The address buffer to initialize
	in	string	The string to initialize the address from.

Returns

Execution status, see OSAL Return Code Defines

37.63.2.2 OS_SocketAddrGetPort()

Get the port number of a network address.

For network prototcols that have the concept of a port number (such as TCP/IP and UDP/IP) this function gets the port number from the address structure.

Parameters

out	PortNum	Buffer to store the port number
in	Addr	The network address buffer

Returns

Execution status, see OSAL Return Code Defines

37.63.2.3 OS_SocketAddrInit()

Initialize a socket address structure to hold an address of the given family.

The address is set to a suitable default value for the family.

Parameters

out	Addr	The address buffer to initialize
in	Domain	The address family

Returns

Execution status, see OSAL Return Code Defines

37.63.2.4 OS_SocketAddrSetPort()

Set the port number of a network address.

For network protocols that have the concept of a port number (such as TCP/IP and UDP/IP) this function sets the port number from the address structure.

Parameters

in	PortNum	The port number to set
out	Addr	The network address buffer

Returns

Execution status, see OSAL Return Code Defines

37.63.2.5 OS_SocketAddrToString()

Get a string representation of a network host address.

The specific format of the output string depends on the address family.

This string should be suitable to pass back into OS_SocketAddrFromString() which should recreate the same network address, and it should also be meaningful to a user of printed or logged as a C string.

Note

For IPv4, this would typically be the dotted-decimal format (X.X.X.X).

Parameters

out	buffer	Buffer to hold the output string
in	buflen	Maximum length of the output string
in	Addr	The network address buffer to convert

Execution status, see OSAL Return Code Defines

37.64 OSAL Socket Management APIs

Functions

int32 OS_SocketOpen (uint32 *sock_id, OS_SocketDomain_t Domain, OS_SocketType_t Type)
 Opens a socket.

• int32 OS SocketBind (uint32 sock id, const OS SockAddr t *Addr)

Binds a socket to a given local address.

int32 OS SocketConnect (uint32 sock id, const OS SockAddr t *Addr, int32 timeout)

Connects a socket to a given remote address.

int32 OS SocketAccept (uint32 sock id, uint32 *connsock id, OS SockAddr t *Addr, int32 timeout)

Waits for and accept the next incoming connection on the given socket.

 int32 OS_SocketRecvFrom (uint32 sock_id, void *buffer, uint32 buflen, OS_SockAddr_t *RemoteAddr, int32 timeout)

Reads data from a message-oriented (datagram) socket.

- int32 OS_SocketSendTo (uint32 sock_id, const void *buffer, uint32 buflen, const OS_SockAddr_t *RemoteAddr)

 Sends data to a message-oriented (datagram) socket.
- int32 OS_SocketGetIdByName (uint32 *sock_id, const char *sock_name)

Gets an OSAL ID from a given name.

int32 OS_SocketGetInfo (uint32 sock_id, OS_socket_prop_t *sock_prop)

Gets information about an OSAL Socket ID.

int32 OS NetworkGetID (void)

Gets the network ID of the local machine.

• int32 OS_NetworkGetHostName (char *host_name, uint32 name_len)

Gets the local machine network host name.

37.64.1 Detailed Description

These functions are loosely related to the BSD Sockets API but made to be more consistent with other OSAL API functions. That is, they operate on OSAL IDs (32-bit opaque number values) and return an OSAL error code.

OSAL Socket IDs are very closely related to File IDs and share the same ID number space. Additionally, the file OS_\(\sigma\) read() / OS write() / OS close() calls also work on sockets.

Note that all of functions may return OS_ERR_NOT_IMPLEMENTED if network support is not configured at compile time.

37.64.2 Function Documentation

37.64.2.1 OS_NetworkGetHostName()

Gets the local machine network host name.

If configured in the underlying network stack, this function retrieves the local hostname of the system.

Parameters

out	host_name	Buffer to hold name information
in	name_len	Maximum length of host name buffer

Returns

Execution status, see OSAL Return Code Defines

37.64.2.2 OS_NetworkGetID()

```
int32 OS_NetworkGetID (
     void )
```

Gets the network ID of the local machine.

The ID is an implementation-defined value and may not be consistent in meaning across different platform types.

Note

This API may be removed in a future version of OSAL due to inconsistencies between platforms.

Returns

The ID or fixed value of -1 if the host id could not be found. Note it is not possible to differentiate between error codes and valid network IDs here. It is assumed, however, that -1 is never a valid ID.

37.64.2.3 OS_SocketAccept()

Waits for and accept the next incoming connection on the given socket.

This is used for sockets operating in a "server" role. The socket must be a stream type (connection-oriented) and previously bound to a local address using OS_SocketBind(). This will block the caller up to the given timeout or until an incoming connection request occurs, whichever happens first.

The new stream connection is then returned to the caller and the original server socket ID can be reused for the next connection.

Parameters

in	sock_id	The server socket ID, previously bound using OS_SocketBind()
out	connsock←	The connection socket, a new ID that can be read/written
	_id	
in	Addr	The remote address of the incoming connection
in	timeout	The maximum amount of time to wait, or OS_PEND to wait forever

Returns

Execution status, see OSAL Return Code Defines

37.64.2.4 OS_SocketBind()

Binds a socket to a given local address.

The specified socket will be bound to the local address and port, if available.

If the socket is connectionless, then it only binds to the local address.

If the socket is connection-oriented (stream), then this will also put the socket into a listening state for incoming connections at the local address.

Parameters

i	n	sock⊷	The socket ID
		_id	
i	n	Addr	The local address to bind to

Returns

Execution status, see OSAL Return Code Defines

37.64.2.5 OS_SocketConnect()

Connects a socket to a given remote address.

The socket will be connected to the remote address and port, if available. This only applies to stream-oriented sockets. Calling this on a datagram socket will return an error (these sockets should use SendTo/RecvFrom).

Parameters

in	sock⊷	The socket ID
	_id	
in	Addr	The remote address to connect to
in	timeout	The maximum amount of time to wait, or OS_PEND to wait forever

Returns

Execution status, see OSAL Return Code Defines

37.64.2.6 OS_SocketGetIdByName()

Gets an OSAL ID from a given name.

Note

OSAL Sockets use generated names according to the address and type.

See also

OS_SocketGetInfo()

Parameters

out	sock_id	Buffer to hold result
in	sock_name	Name of socket to find

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is id or name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

37.64.2.7 OS_SocketGetInfo()

Gets information about an OSAL Socket ID.

OSAL Sockets use generated names according to the address and type. This allows applications to find the name of a given socket.

Parameters

in	sock_id	The socket ID
out	sock_prop	Buffer to hold socket information

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the count_prop pointer is null

37.64.2.8 OS_SocketOpen()

Opens a socket.

A new, unconnected and unbound socket is allocated of the given domain and type.

Parameters

out	sock⊷	Buffer to hold the OSAL ID
	_id	
in	Domain	The domain / address family of the socket (INET or INET6, etc)
in	Туре	The type of the socket (STREAM or DATAGRAM)

Returns

Execution status, see OSAL Return Code Defines

37.64.2.9 OS_SocketRecvFrom()

Reads data from a message-oriented (datagram) socket.

If a message is already available on the socket, this should immediately return that data without blocking. Otherwise, it may block up to the given timeout.

Parameters

in	sock_id	The socket ID, previously bound using OS_SocketBind()
out	buffer	Pointer to message data receive buffer
in	buflen	The maximum length of the message data to receive
out	RemoteAddr	Buffer to store the remote network address (may be NULL)
in	timeout	The maximum amount of time to wait, or OS_PEND to wait forever

Returns

Count of actual bytes received or error status, see OSAL Return Code Defines

37.64.2.10 OS_SocketSendTo()

Sends data to a message-oriented (datagram) socket.

This sends data in a non-blocking mode. If the socket is not currently able to queue the message, such as if its outbound buffer is full, then this returns an error code.

Parameters

in	sock_id	The socket ID, which must be of the datagram type	
in	buffer	Pointer to message data to send	
in	buflen	The length of the message data to send	
in	RemoteAddr	Buffer containing the remote network address to send to	

Generated by Doxygen

ш	ΔTI	IP	nc

Count of actual bytes sent or error status, see OSAL Return Code Defines

37.65 OSAL Timer APIs

Functions

• int32 OS_TimeBaseCreate (uint32 *timebase_id, const char *timebase_name, OS_TimerSync_t external_sync)

Create an abstract Time Base resource.

• int32 OS_TimeBaseSet (uint32 timebase_id, uint32 start_time, uint32 interval_time)

Sets the tick period for simulated time base objects.

int32 OS TimeBaseDelete (uint32 timebase id)

Deletes a time base object.

int32 OS TimeBaseGetIdByName (uint32 *timebase id, const char *timebase name)

Find the ID of an existing time base resource.

int32 OS_TimeBaseGetInfo (uint32 timebase_id, OS_timebase_prop_t *timebase_prop)

Obtain information about a timebase resource.

int32 OS TimeBaseGetFreeRun (uint32 timebase id, uint32 *freerun val)

Read the value of the timebase free run counter.

int32 OS_TimerCreate (uint32 *timer_id, const char *timer_name, uint32 *clock_accuracy, OS_TimerCallback
 _t callback_ptr)

Create a timer object.

int32 OS_TimerAdd (uint32 *timer_id, const char *timer_name, uint32 timebase_id, OS_ArgCallback_
 t callback_ptr, void *callback_arg)

Add a timer object based on an existing TimeBase resource.

int32 OS_TimerSet (uint32 timer_id, uint32 start_time, uint32 interval_time)

Configures a periodic or one shot timer.

• int32 OS_TimerDelete (uint32 timer_id)

Deletes a timer resource.

int32 OS_TimerGetIdByName (uint32 *timer_id, const char *timer_name)

Locate an existing timer resource by name.

int32 OS TimerGetInfo (uint32 timer id, OS timer prop t *timer prop)

Gets information about an existing timer.

37.65.1 Detailed Description

37.65.2 Function Documentation

37.65 OSAL Timer APIs 449

37.65.2.1 OS_TimeBaseCreate()

Create an abstract Time Base resource.

An OSAL time base is an abstraction of a "timer tick" that can, in turn, be used for measurement of elapsed time between events.

Time bases can be simulated by the operating system using the OS kernel-provided timing facilities, or based on a hardware timing source if provided by the BSP.

A time base object has a servicing task associated with it, that runs at elevated priority and will thereby interrupt user-level tasks when timing ticks occur.

If the external_sync function is passed as NULL, the operating system kernel timing resources will be utilized for a simulated timer tick.

If the external_sync function is not NULL, this should point to a BSP-provided function that will block the calling task until the next tick occurs. This can be used for synchronizing with hardware events.

Note

When provisioning a tunable RTOS kernel, such as RTEMS, the kernel should be configured to support at least (OS_MAX_TASKS + OS_MAX_TIMEBASES) threads, to account for the helper threads associated with time base objects.

Parameters

out	timebase_id	An identifier corresponding to the timebase resource
in	timebase_name	The name of the time base
in	external_sync	A synchronization function for BSP hardware-based timer ticks

Returns

Execution status, see OSAL Return Code Defines

Referenced by OS_Application_Startup().

37.65.2.2 OS_TimeBaseDelete()

Deletes a time base object.

The helper task and any other resources associated with the time base abstraction will be freed.

Parameters

in	timebase⊷	The timebase resource to delete
	_id	

Returns

Execution status, see OSAL Return Code Defines

37.65.2.3 OS_TimeBaseGetFreeRun()

Read the value of the timebase free run counter.

Poll the timer free-running time counter in a lightweight fashion.

The free run count is a monotonically increasing value reflecting the total time elapsed since the timebase inception. Units are the same as the timebase itself, usually microseconds.

Applications may quickly and efficiently calculate relative time differences by polling this value and subtracting the previous counter value.

The absolute value of this counter is not relevant, because it will "roll over" after 2^32 units of time. For a timebase with microsecond units, this occurs approximately every 4294 seconds, or about 1.2 hours.

Note

To ensure consistency of results, the application should sample the value at a minimum of two times the roll over frequency, and calculate the difference between the consecutive samples.

Parameters

in	timebase⊷	The timebase to operate on
	_id	
out	freerun_val	Buffer to store the free run counter

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase

37.65 OSAL Timer APIs 451

37.65.2.4 OS_TimeBaseGetIdByName()

Find the ID of an existing time base resource.

Given a time base name, find and output the ID associated with it.

Parameters

out	timebase_id	The timebase resource ID
in	timebase_name	The name of the timebase resource to find

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if timebase_id or timebase_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

37.65.2.5 OS_TimeBaseGetInfo()

Obtain information about a timebase resource.

Fills the buffer referred to by the timebase_prop parameter with relevant information about the time base resource.

This function will pass back a pointer to structure that contains all of the relevant info(name and creator) about the specified timebase.

Parameters

in	timebase_id	The timebase resource ID
ou	timebase_prop	Buffer to store timebase properties

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_INVALID_POINTER	if the timebase_prop pointer is null

37.65.2.6 OS_TimeBaseSet()

Sets the tick period for simulated time base objects.

This sets the actual tick period for timing ticks that are simulated by the RTOS kernel (i.e. the "external_sync" parameter on the call to OS_TimeBaseCreate() is NULL).

The RTOS will be configured to wake up the helper thread at the requested interval.

This function has no effect for time bases that are using a BSP-provided external_sync function.

Parameters

in	timebase_id	The timebase resource to configure
in	start_time	The amount of delay for the first tick, in microseconds.
in	interval_time	The amount of delay between ticks, in microseconds.

Returns

Execution status, see OSAL Return Code Defines

Referenced by OS_Application_Startup().

37.65.2.7 OS_TimerAdd()

37.65 OSAL Timer APIs 453

```
OS_ArgCallback_t callback_ptr,
void * callback_arg )
```

Add a timer object based on an existing TimeBase resource.

A timer object is a resource that invokes the specified application-provided function upon timer expiration. Timers may be one-shot or periodic in nature.

This function uses an existing time base object to service this timer, which must exist prior to adding the timer. The precision of the timer is the same as that of the underlying time base object. Multiple timer objects can be created referring to a single time base object.

This routine also uses a different callback function prototype from OS_TimerCreate(), allowing a single opaque argument to be passed to the callback routine. The OSAL implementation does not use this parameter, and may be set NULL.

Warning

Depending on the OS, the callback_ptr function may be similar to an interrupt service routine. Calls that cause the code to block or require an application context (like sending events) are generally not supported.

Parameters

out	timer_id	The resource ID of the timer object
in	timer_name	Name of the timer object
in	timebase← _id	The time base resource to use as a reference
in	callback_ptr	Application-provided function to invoke
in	callback_arg	Opaque argument to pass to callback function

Returns

Execution status, see OSAL Return Code Defines

37.65.2.8 OS_TimerCreate()

Create a timer object.

A timer object is a resource that invokes the specified application-provided function upon timer expiration. Timers may be one-shot or periodic in nature.

This function creates a dedicated (hidden) time base object to service this timer, which is created and deleted with the timer object itself. The internal time base is configured for an OS simulated timer tick at the same interval as the timer.

Note

clock_accuracy comes from the underlying OS tick value. The nearest integer microsecond value is returned, so may not be exact.

Warning

Depending on the OS, the callback_ptr function may be similar to an interrupt service routine. Calls that cause the code to block or require an application context (like sending events) are generally not supported.

Parameters

out	timer_id	The resource ID of the timer object	
in	timer_name	Name of the timer object	
out	clock_accuracy	Expected precision of the timer, in microseconds. This is the underlying tick value rounded to the nearest microsecond integer.	
in	callback_ptr	The function pointer of the timer callback or ISR that will be called by the timer. The user's function is declared as follows: void timer_callback (uint32 timer_id) Where the timer_id is passed in to the function by the OSAL	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if any parameters are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_TAKEN	if the name is already in use by another timer.
OS_ERR_NO_FREE_IDS	if all of the timers are already allocated.
OS_TIMER_ERR_INVALID_ARGS	if the callback pointer is zero.
OS_TIMER_ERR_UNAVAILABLE	if the timer cannot be created.

37.65.2.9 OS_TimerDelete()

Deletes a timer resource.

The application callback associated with the timer will be stopped, and the resources freed for future use.

37.65 OSAL Timer APIs 455

Parameters

in	timer←	The timer ID to operate on
	_id	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the timer_id is invalid.
OS_TIMER_ERR_INTERNAL	if there was a problem deleting the timer in the host OS.

37.65.2.10 OS_TimerGetIdByName()

```
int32 OS_TimerGetIdByName (
          uint32 * timer_id,
          const char * timer_name )
```

Locate an existing timer resource by name.

Outputs the ID associated with the given timer, if it exists.

Parameters

out	timer_id	The timer ID corresponding to the name
in	timer_name	The timer name to find

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if timer_id or timer_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

37.65.2.11 OS_TimerGetInfo()

Gets information about an existing timer.

This function takes timer_id, and looks it up in the OS table. It puts all of the information known about that timer into a structure pointer to by timer_prop.

Parameters

in	timer_id	The timer ID to operate on	
out	timer_prop	Buffer containing timer properties	
		creator: the OS task ID of the task that created this timer	
		name: the string name of the timer	
		 start_time: the start time in microseconds, if any 	
		interval_time: the interval time in microseconds, if any	
		accuracy: the accuracy of the timer in microseconds	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timer
OS_INVALID_POINTER	if the timer_prop pointer is null

37.65.2.12 OS_TimerSet()

Configures a periodic or one shot timer.

This function programs the timer with a start time and an optional interval time. The start time is the time in microseconds when the user callback function will be called. If the interval time is non-zero, the timer will be reprogrammed with that interval in microseconds to call the user callback function periodically. If the start time and interval time are zero, the function will return an error.

For a "one-shot" timer, the start_time configures the expiration time, and the interval_time should be passed as zero to indicate the timer is not to be automatically reset.

37.65 OSAL Timer APIs 457

Note

The resolution of the times specified is limited to the clock accuracy returned in the OS_TimerCreate call. If the times specified in the start_msec or interval_msec parameters are less than the accuracy, they will be rounded up to the accuracy of the timer.

Parameters

in	timer_id	The timer ID to operate on	
in	start_time	Time in microseconds to the first expiration	
in	interval_time	Trime in microseconds between subsequent intervals, value of zero will only call the user callback function once after the start_msec time.	

Returns

Execution status, see OSAL Return Code Defines

Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the timer_id is not valid.
OS_TIMER_ERR_INTERNAL	if there was an error programming the OS timer.
OS_ERROR	if both start time and interval time are zero.

37.66 OSAL Return Code Defines

```
Macros
```

• #define OS_FS_ERR_PATH_TOO_LONG (-103)

FS path too long.

• #define OS_FS_ERR_NAME_TOO_LONG (-104)

FS name too long.

#define OS_FS_ERR_DRIVE_NOT_CREATED (-106)

FS drive not created.

#define OS_FS_ERR_DEVICE_NOT_FREE (-107)

FS device not free.

• #define OS_FS_ERR_PATH_INVALID (-108)

FS path invalid.

- #define OS_FS_SUCCESS OS_SUCCESS
- #define OS FS ERROR OS ERROR
- #define OS_FS_ERR_INVALID_POINTER OS_INVALID_POINTER
- #define OS_FS_ERR_NO_FREE_FDS OS_ERR_NO_FREE_IDS
- #define OS FS ERR INVALID FD OS ERR INVALID ID
- #define OS_FS_UNIMPLEMENTED OS_ERR_NOT_IMPLEMENTED
- #define OS SUCCESS (0)

Successful execution.

#define OS_ERROR (-1)

Failed execution.

#define OS_INVALID_POINTER (-2)

Invalid pointer.

• #define OS ERROR ADDRESS MISALIGNED (-3)

Address misalignment.

• #define OS_ERROR_TIMEOUT (-4)

Error timeout.

• #define OS_INVALID_INT_NUM (-5)

Invalid Interrupt number.

• #define OS_SEM_FAILURE (-6)

Semaphore failure.

#define OS_SEM_TIMEOUT (-7)

Semaphore timeout.

#define OS_QUEUE_EMPTY (-8)

Queue empty.

• #define OS_QUEUE_FULL (-9)

Queue full.

#define OS_QUEUE_TIMEOUT (-10)

Queue timeout.

#define OS QUEUE INVALID SIZE (-11)

Queue invalid size.

#define OS_QUEUE_ID_ERROR (-12)

Queue ID error.

#define OS_ERR_NAME_TOO_LONG (-13)

```
name length including null terminator greater than OS_MAX_API_NAME

    #define OS_ERR_NO_FREE_IDS (-14)

         No free IDs.
    • #define OS_ERR_NAME_TAKEN (-15)
         Name taken.

    #define OS ERR INVALID ID (-16)

         Invalid ID.

    #define OS_ERR_NAME_NOT_FOUND (-17)

         Name not found.

    #define OS_ERR_SEM_NOT_FULL (-18)

         Semaphore not full.

    #define OS ERR INVALID PRIORITY (-19)

         Invalid priority.

    #define OS_INVALID_SEM_VALUE (-20)

         Invalid semaphore value.
    • #define OS_ERR_FILE (-27)
         File error.
    • #define OS_ERR_NOT_IMPLEMENTED (-28)
         Not implemented.

    #define OS_TIMER_ERR_INVALID_ARGS (-29)

         Timer invalid arguments.

    #define OS_TIMER_ERR_TIMER_ID (-30)

         Timer ID error.
    • #define OS_TIMER_ERR_UNAVAILABLE (-31)
         Timer unavailable.
    • #define OS_TIMER_ERR_INTERNAL (-32)
         Timer internal error.

    #define OS_ERR_OBJECT_IN_USE (-33)

         Object in use.
    • #define OS_ERR_BAD_ADDRESS (-34)
         Bad address.

    #define OS_ERR_INCORRECT_OBJ_STATE (-35)

         Incorrect object state.

    #define OS_ERR_INCORRECT_OBJ_TYPE (-36)

         Incorrect object type.

    #define OS_ERR_STREAM_DISCONNECTED (-37)

         Stream disconnected.
37.66.1 Detailed Description
```

37.66.2 Macro Definition Documentation

37.66.2.1 OS_ERR_BAD_ADDRESS

```
#define OS_ERR_BAD_ADDRESS (-34)
```

Bad address.

Definition at line 76 of file osapi.h.

37.66.2.2 OS_ERR_FILE

```
#define OS_ERR_FILE (-27)
```

File error.

Definition at line 69 of file osapi.h.

37.66.2.3 OS_ERR_INCORRECT_OBJ_STATE

```
#define OS_ERR_INCORRECT_OBJ_STATE (-35)
```

Incorrect object state.

Definition at line 77 of file osapi.h.

37.66.2.4 OS_ERR_INCORRECT_OBJ_TYPE

```
#define OS_ERR_INCORRECT_OBJ_TYPE (-36)
```

Incorrect object type.

Definition at line 78 of file osapi.h.

37.66.2.5 OS_ERR_INVALID_ID

```
#define OS_ERR_INVALID_ID (-16)
```

Invalid ID.

Definition at line 64 of file osapi.h.

37.66.2.6 OS_ERR_INVALID_PRIORITY

#define OS_ERR_INVALID_PRIORITY (-19)

Invalid priority.

Definition at line 67 of file osapi.h.

37.66.2.7 OS_ERR_NAME_NOT_FOUND

#define OS_ERR_NAME_NOT_FOUND (-17)

Name not found.

Definition at line 65 of file osapi.h.

37.66.2.8 OS_ERR_NAME_TAKEN

#define OS_ERR_NAME_TAKEN (-15)

Name taken.

Definition at line 63 of file osapi.h.

37.66.2.9 OS_ERR_NAME_TOO_LONG

#define OS_ERR_NAME_TOO_LONG (-13)

name length including null terminator greater than OS_MAX_API_NAME

Definition at line 61 of file osapi.h.

37.66.2.10 OS_ERR_NO_FREE_IDS

#define OS_ERR_NO_FREE_IDS (-14)

No free IDs.

Definition at line 62 of file osapi.h.

37.66.2.11 OS_ERR_NOT_IMPLEMENTED

```
#define OS_ERR_NOT_IMPLEMENTED (-28)
```

Not implemented.

Definition at line 70 of file osapi.h.

37.66.2.12 OS_ERR_OBJECT_IN_USE

```
#define OS_ERR_OBJECT_IN_USE (-33)
```

Object in use.

Definition at line 75 of file osapi.h.

37.66.2.13 OS_ERR_SEM_NOT_FULL

```
#define OS_ERR_SEM_NOT_FULL (-18)
```

Semaphore not full.

Definition at line 66 of file osapi.h.

37.66.2.14 OS_ERR_STREAM_DISCONNECTED

```
#define OS_ERR_STREAM_DISCONNECTED (-37)
```

Stream disconnected.

Definition at line 79 of file osapi.h.

37.66.2.15 OS_ERROR

```
#define OS_ERROR (-1)
```

Failed execution.

Definition at line 49 of file osapi.h.

37.66.2.16 OS_ERROR_ADDRESS_MISALIGNED

#define OS_ERROR_ADDRESS_MISALIGNED (-3)

Address misalignment.

Definition at line 51 of file osapi.h.

37.66.2.17 OS_ERROR_TIMEOUT

#define OS_ERROR_TIMEOUT (-4)

Error timeout.

Definition at line 52 of file osapi.h.

37.66.2.18 OS_FS_ERR_DEVICE_NOT_FREE

#define OS_FS_ERR_DEVICE_NOT_FREE (-107)

FS device not free.

Definition at line 85 of file osapi-os-filesys.h.

37.66.2.19 OS_FS_ERR_DRIVE_NOT_CREATED

#define OS_FS_ERR_DRIVE_NOT_CREATED (-106)

FS drive not created.

Definition at line 84 of file osapi-os-filesys.h.

37.66.2.20 OS_FS_ERR_INVALID_FD

#define OS_FS_ERR_INVALID_FD OS_ERR_INVALID_ID

Deprecated Invalid ID

Definition at line 97 of file osapi-os-filesys.h.

37.66.2.21 OS_FS_ERR_INVALID_POINTER

#define OS_FS_ERR_INVALID_POINTER OS_INVALID_POINTER

Deprecated Invalid pointer

Definition at line 95 of file osapi-os-filesys.h.

37.66.2.22 OS_FS_ERR_NAME_TOO_LONG

#define OS_FS_ERR_NAME_TOO_LONG (-104)

FS name too long.

Definition at line 83 of file osapi-os-filesys.h.

37.66.2.23 OS_FS_ERR_NO_FREE_FDS

#define OS_FS_ERR_NO_FREE_FDS OS_ERR_NO_FREE_IDS

Deprecated No free IDs

Definition at line 96 of file osapi-os-filesys.h.

37.66.2.24 OS_FS_ERR_PATH_INVALID

#define OS_FS_ERR_PATH_INVALID (-108)

FS path invalid.

Definition at line 86 of file osapi-os-filesys.h.

37.66.2.25 OS_FS_ERR_PATH_TOO_LONG

#define OS_FS_ERR_PATH_TOO_LONG (-103)

FS path too long.

Definition at line 82 of file osapi-os-filesys.h.

37.66.2.26 OS_FS_ERROR

#define OS_FS_ERROR OS_ERROR

Deprecated Failed execution

Definition at line 94 of file osapi-os-filesys.h.

37.66.2.27 OS_FS_SUCCESS

#define OS_FS_SUCCESS OS_SUCCESS

Deprecated Successful execution

Definition at line 93 of file osapi-os-filesys.h.

37.66.2.28 OS_FS_UNIMPLEMENTED

#define OS_FS_UNIMPLEMENTED OS_ERR_NOT_IMPLEMENTED

Deprecated Not implemented

Definition at line 98 of file osapi-os-filesys.h.

37.66.2.29 OS_INVALID_INT_NUM

#define OS_INVALID_INT_NUM (-5)

Invalid Interrupt number.

Definition at line 53 of file osapi.h.

37.66.2.30 OS_INVALID_POINTER

#define OS_INVALID_POINTER (-2)

Invalid pointer.

Definition at line 50 of file osapi.h.

37.66.2.31 OS_INVALID_SEM_VALUE

```
#define OS_INVALID_SEM_VALUE (-20)
```

Invalid semaphore value.

Definition at line 68 of file osapi.h.

37.66.2.32 OS_QUEUE_EMPTY

```
#define OS_QUEUE_EMPTY (-8)
```

Queue empty.

Definition at line 56 of file osapi.h.

37.66.2.33 OS_QUEUE_FULL

```
#define OS_QUEUE_FULL (-9)
```

Queue full.

Definition at line 57 of file osapi.h.

37.66.2.34 OS_QUEUE_ID_ERROR

```
#define OS_QUEUE_ID_ERROR (-12)
```

Queue ID error.

Definition at line 60 of file osapi.h.

37.66.2.35 OS_QUEUE_INVALID_SIZE

```
#define OS_QUEUE_INVALID_SIZE (-11)
```

Queue invalid size.

Definition at line 59 of file osapi.h.

```
37.66.2.36 OS_QUEUE_TIMEOUT
```

```
#define OS_QUEUE_TIMEOUT (-10)
```

Queue timeout.

Definition at line 58 of file osapi.h.

37.66.2.37 OS_SEM_FAILURE

```
#define OS_SEM_FAILURE (-6)
```

Semaphore failure.

Definition at line 54 of file osapi.h.

37.66.2.38 OS_SEM_TIMEOUT

```
#define OS_SEM_TIMEOUT (-7)
```

Semaphore timeout.

Definition at line 55 of file osapi.h.

37.66.2.39 OS_SUCCESS

```
#define OS_SUCCESS (0)
```

Successful execution.

Definition at line 48 of file osapi.h.

Referenced by OS_Application_Startup().

37.66.2.40 OS_TIMER_ERR_INTERNAL

```
#define OS_TIMER_ERR_INTERNAL (-32)
```

Timer internal error.

Definition at line 74 of file osapi.h.

37.66.2.41 OS_TIMER_ERR_INVALID_ARGS

```
#define OS_TIMER_ERR_INVALID_ARGS (-29)
```

Timer invalid arguments.

Definition at line 71 of file osapi.h.

37.66.2.42 OS_TIMER_ERR_TIMER_ID

```
#define OS_TIMER_ERR_TIMER_ID (-30)
```

Timer ID error.

Definition at line 72 of file osapi.h.

37.66.2.43 OS_TIMER_ERR_UNAVAILABLE

#define OS_TIMER_ERR_UNAVAILABLE (-31)

Timer unavailable.

Definition at line 73 of file osapi.h.

38 Data Structure Documentation

38.1 CCSDS_APIDQHdr_t Struct Reference

CCSDS Primary with APID Qualifier Header Type Definition.

```
#include <ccsds.h>
```

Data Fields

• CCSDS_PriHdr_t Pri

CCSDS Primary Header CCSDS_PriHdr_t.

CCSDS_APIDqualifiers_t ApidQ

CCSDS APID Qualifier Secondary Header CCSDS_APIDqualifiers_t.

38.1.1 Detailed Description

CCSDS Primary with APID Qualifier Header Type Definition.

Definition at line 162 of file ccsds.h.

38.1.2 Field Documentation

38.1.2.1 ApidQ

```
CCSDS_APIDqualifiers_t CCSDS_APIDQHdr_t::ApidQ
```

CCSDS APID Qualifier Secondary Header CCSDS_APIDqualifiers_t.

Definition at line 164 of file ccsds.h.

38.1.2.2 Pri

```
CCSDS_PriHdr_t CCSDS_APIDQHdr_t::Pri
```

CCSDS Primary Header CCSDS_PriHdr_t.

Definition at line 163 of file ccsds.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/ccsds.h

38.2 CCSDS_APIDqualifiers_t Struct Reference

```
#include <ccsds.h>
```

Data Fields

- uint8 APIDQSubsystem [2]
- uint8 APIDQSystemId [2]

38.2.1 Detailed Description

Definition at line 144 of file ccsds.h.

38.2.2 Field Documentation

38.2.2.1 APIDQSubsystem

```
uint8 CCSDS_APIDqualifiers_t::APIDQSubsystem[2]
```

Definition at line 146 of file ccsds.h.

38.2.2.2 APIDQSystemId

```
uint8 CCSDS_APIDqualifiers_t::APIDQSystemId[2]
```

Definition at line 154 of file ccsds.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/ccsds.h

38.3 CCSDS_CmdSecHdr_t Struct Reference

```
#include <ccsds.h>
```

Data Fields

- uint8 FunctionCode
- uint8 Checksum

38.3.1 Detailed Description

Definition at line 108 of file ccsds.h.

38.3.2 Field Documentation

38.3.2.1 Checksum

uint8 CCSDS_CmdSecHdr_t::Checksum

Definition at line 115 of file ccsds.h.

38.3.2.2 FunctionCode

uint8 CCSDS_CmdSecHdr_t::FunctionCode

Definition at line 110 of file ccsds.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/ccsds.h

38.4 CCSDS_CommandPacket_t Struct Reference

#include <ccsds.h>

Data Fields

 CCSDS_SpacePacket_t SpacePacket Standard Header on all packets.

• CCSDS_CmdSecHdr_t Sec

38.4.1 Detailed Description

Definition at line 189 of file ccsds.h.

38.4.2 Field Documentation

38.4.2.1 Sec

```
CCSDS_CmdSecHdr_t CCSDS_CommandPacket_t::Sec
```

Definition at line 192 of file ccsds.h.

38.4.2.2 SpacePacket

```
CCSDS_SpacePacket_t CCSDS_CommandPacket_t::SpacePacket
```

Standard Header on all packets.

Definition at line 191 of file ccsds.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/ccsds.h

38.5 CCSDS_PriHdr_t Struct Reference

```
#include <ccsds.h>
```

Data Fields

- uint8 Streamld [2]
- uint8 Sequence [2]
- uint8 Length [2]

38.5.1 Detailed Description

Definition at line 86 of file ccsds.h.

38.5.2 Field Documentation

38.5.2.1 Length

```
uint8 CCSDS_PriHdr_t::Length[2]
```

Definition at line 100 of file ccsds.h.

38.5.2.2 Sequence

```
uint8 CCSDS_PriHdr_t::Sequence[2]
```

Definition at line 95 of file ccsds.h.

38.5.2.3 StreamId

```
uint8 CCSDS_PriHdr_t::StreamId[2]
```

Definition at line 88 of file ccsds.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/ccsds.h

38.6 CCSDS_SpacePacket_t Struct Reference

```
#include <ccsds.h>
```

Data Fields

• CCSDS_PriHdr_t Hdr

38.6.1 Detailed Description

Definition at line 167 of file ccsds.h.

38.6.2 Field Documentation

38.6.2.1 Hdr

```
CCSDS_PriHdr_t CCSDS_SpacePacket_t::Hdr
```

Complete "version 1" (standard) header

Definition at line 172 of file ccsds.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/ccsds.h

38.7 CCSDS_TelemetryPacket_t Struct Reference

```
#include <ccsds.h>
```

Data Fields

- CCSDS_SpacePacket_t SpacePacket Standard Header on all packets.
- CCSDS_TImSecHdr_t Sec

38.7.1 Detailed Description

Definition at line 197 of file ccsds.h.

38.7.2 Field Documentation

38.7.2.1 Sec

```
CCSDS_TlmSecHdr_t CCSDS_TelemetryPacket_t::Sec
```

Definition at line 200 of file ccsds.h.

38.7.2.2 SpacePacket

```
CCSDS_SpacePacket_t CCSDS_TelemetryPacket_t::SpacePacket
```

Standard Header on all packets.

Definition at line 199 of file ccsds.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/ccsds.h

38.8 CCSDS_TImSecHdr_t Struct Reference

#include <ccsds.h>

Data Fields

uint8 Time [CCSDS_TIME_SIZE]

38.8.1 Detailed Description

Definition at line 121 of file ccsds.h.

38.8.2 Field Documentation

38.8.2.1 Time

```
uint8 CCSDS_TlmSecHdr_t::Time[CCSDS_TIME_SIZE]
```

Definition at line 123 of file ccsds.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/ccsds.h

38.9 CFE_ES_AppInfo_t Struct Reference

Application Information.

```
#include <cfe_es.h>
```

Data Fields

• uint32 Appld

Application ID for this Application.

• uint32 Type

The type of App: CORE or EXTERNAL.

char Name [OS_MAX_API_NAME]

The Registered Name of the Application.

char EntryPoint [OS_MAX_API_NAME]

The Entry Point label for the Application.

char FileName [OS_MAX_PATH_LEN]

The Filename of the file containing the Application.

uint32 StackSize

The Stack Size of the Application.

uint32 ModuleId

The ID of the Loadable Module for the Application.

· uint32 AddressesAreValid

Indicates that the Code, Data, and BSS addresses/sizes are valid.

uint32 CodeAddress

The Address of the Application Code Segment.

• uint32 CodeSize

The Code Size of the Application.

uint32 DataAddress

The Address of the Application Data Segment.

· uint32 DataSize

The Data Size of the Application.

· uint32 BSSAddress

The Address of the Application BSS Segment.

• uint32 BSSSize

The BSS Size of the Application.

· uint32 StartAddress

The Start Address of the Application.

· uint16 ExceptionAction

What should occur if Application has an exception (Restart Application OR Restart Processor)

• uint16 Priority

The Priority of the Application.

uint32 MainTaskld

The Application's Main Task ID.

• uint32 ExecutionCounter

The Application's Main Task Execution Counter.

char MainTaskName [OS_MAX_API_NAME]

The Application's Main Task ID.

• uint32 NumOfChildTasks

Number of Child tasks for an App.

38.9.1 Detailed Description

Application Information.

Structure that is used to provide information about an app. It is primarily used for the QueryOne and QueryAll Commands.

Definition at line 207 of file cfe_es.h.

38.9.2 Field Documentation

38.9.2.1 AddressesAreValid

```
uint32 CFE_ES_AppInfo_t::AddressesAreValid
```

Indicates that the Code, Data, and BSS addresses/sizes are valid.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AddrsValid

Definition at line 225 of file cfe_es.h.

38.9.2.2 Appld

```
uint32 CFE_ES_AppInfo_t::AppId
```

Application ID for this Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppID

Definition at line 209 of file cfe_es.h.

38.9.2.3 BSSAddress

```
uint32 CFE_ES_AppInfo_t::BSSAddress
```

The Address of the Application BSS Segment.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BSSAddress

Definition at line 235 of file cfe_es.h.

38.9.2.4 BSSSize

```
uint32 CFE_ES_AppInfo_t::BSSSize
```

The BSS Size of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BSSSize

Definition at line 237 of file cfe_es.h.

38.9.2.5 CodeAddress

```
uint32 CFE_ES_AppInfo_t::CodeAddress
```

The Address of the Application Code Segment.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CodeAddress

Definition at line 227 of file cfe_es.h.

38.9.2.6 CodeSize

```
uint32 CFE_ES_AppInfo_t::CodeSize
```

The Code Size of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CodeSize

Definition at line 229 of file cfe_es.h.

38.9.2.7 DataAddress

```
uint32 CFE_ES_AppInfo_t::DataAddress
```

The Address of the Application Data Segment.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_DataAddress

Definition at line 231 of file cfe_es.h.

38.9.2.8 DataSize

```
uint32 CFE_ES_AppInfo_t::DataSize
```

The Data Size of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_DataSize

Definition at line 233 of file cfe_es.h.

```
38.9.2.9 EntryPoint
```

```
char CFE_ES_AppInfo_t::EntryPoint[OS_MAX_API_NAME]
```

The Entry Point label for the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppEntryPt[OS_MAX_API_NAME]

Definition at line 216 of file cfe_es.h.

38.9.2.10 ExceptionAction

```
uint16 CFE_ES_AppInfo_t::ExceptionAction
```

What should occur if Application has an exception (Restart Application OR Restart Processor)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ExceptnActn

Definition at line 241 of file cfe_es.h.

38.9.2.11 ExecutionCounter

```
uint32 CFE_ES_AppInfo_t::ExecutionCounter
```

The Application's Main Task Execution Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ExecutionCtr

Definition at line 248 of file cfe_es.h.

38.9.2.12 FileName

```
char CFE_ES_AppInfo_t::FileName[OS_MAX_PATH_LEN]
```

The Filename of the file containing the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppFilename[OS_MAX_PATH_LEN]

Definition at line 218 of file cfe_es.h.

```
38.9.2.13 MainTaskld
```

```
uint32 CFE_ES_AppInfo_t::MainTaskId
```

The Application's Main Task ID.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_MainTaskId

Definition at line 246 of file cfe_es.h.

38.9.2.14 MainTaskName

```
char CFE_ES_AppInfo_t::MainTaskName[OS_MAX_API_NAME]
```

The Application's Main Task ID.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_MainTaskName[OS_MAX_API_NAME]

Definition at line 250 of file cfe_es.h.

38.9.2.15 Moduleld

```
uint32 CFE_ES_AppInfo_t::ModuleId
```

The ID of the Loadable Module for the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ModuleID

Definition at line 223 of file cfe_es.h.

38.9.2.16 Name

```
char CFE_ES_AppInfo_t::Name[OS_MAX_API_NAME]
```

The Registered Name of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppName[OS_MAX_API_NAME]

Definition at line 214 of file cfe_es.h.

38.9.2.17 NumOfChildTasks

uint32 CFE_ES_AppInfo_t::NumOfChildTasks

Number of Child tasks for an App.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ChildTasks

Definition at line 252 of file cfe_es.h.

38.9.2.18 Priority

uint16 CFE_ES_AppInfo_t::Priority

The Priority of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_Priority

Definition at line 244 of file cfe_es.h.

38.9.2.19 StackSize

uint32 CFE_ES_AppInfo_t::StackSize

The Stack Size of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_StackSize

Definition at line 221 of file cfe_es.h.

38.9.2.20 StartAddress

uint32 CFE_ES_AppInfo_t::StartAddress

The Start Address of the Application.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_StartAddr

Definition at line 239 of file cfe_es.h.

```
38.9.2.21 Type
```

```
uint32 CFE_ES_AppInfo_t::Type
```

The type of App: CORE or EXTERNAL.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_AppType

Definition at line 211 of file cfe_es.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es.h

38.10 CFE_ES_AppNameCmd_Payload_t Struct Reference

Command Structure for Commands requiring just an Application Name.

```
#include <cfe_es_msg.h>
```

Data Fields

char Application [CFE_MISSION_MAX_API_LEN]
 ASCII text string containing Application Name.

38.10.1 Detailed Description

Command Structure for Commands requiring just an Application Name.

For command details, see CFE_ES_STOP_APP_CC, CFE_ES_RESTART_APP_CC, CFE_ES_QUERY_ONE_CC Definition at line 1258 of file cfe_es_msg.h.

38.10.2 Field Documentation

38.10.2.1 Application

```
char CFE_ES_AppNameCmd_Payload_t::Application[CFE_MISSION_MAX_API_LEN]
```

ASCII text string containing Application Name.

Definition at line 1260 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe es msg.h

38.11 CFE_ES_AppNameCmd_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
 cFE Software Bus Command Message Header
- CFE_ES_AppNameCmd_Payload_t Payload

38.11.1 Detailed Description

Definition at line 1263 of file cfe_es_msg.h.

38.11.2 Field Documentation

38.11.2.1 CmdHeader

```
uint8 CFE_ES_AppNameCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 1265 of file cfe_es_msg.h.

38.11.2.2 Payload

```
CFE_ES_AppNameCmd_Payload_t CFE_ES_AppNameCmd_t::Payload
```

Definition at line 1266 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.12 CFE_ES_AppReloadCmd_Payload_t Struct Reference

Reload Application Command.

```
#include <cfe_es_msg.h>
```

Data Fields

• char Application [CFE_MISSION_MAX_API_LEN]

ASCII text string containing Application Name.

char AppFileName [CFE_MISSION_MAX_PATH_LEN]

Full path and filename of Application's executable image.

38.12.1 Detailed Description

Reload Application Command.

For command details, see CFE_ES_RELOAD_APP_CC

Definition at line 1284 of file cfe_es_msg.h.

38.12.2 Field Documentation

38.12.2.1 AppFileName

```
char CFE_ES_AppReloadCmd_Payload_t::AppFileName[CFE_MISSION_MAX_PATH_LEN]
```

Full path and filename of Application's executable image.

Definition at line 1287 of file cfe_es_msg.h.

38.12.2.2 Application

```
char CFE_ES_AppReloadCmd_Payload_t::Application[CFE_MISSION_MAX_API_LEN]
```

ASCII text string containing Application Name.

Definition at line 1286 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.13 CFE_ES_BlockStats_t Struct Reference

Block statistics.

```
#include <cfe_es.h>
```

Data Fields

· uint32 BlockSize

Number of bytes in each of these blocks.

uint32 NumCreated

Number of Memory Blocks of this size created.

uint32 NumFree

Number of Memory Blocks of this size that are free.

38.13.1 Detailed Description

Block statistics.

Definition at line 273 of file cfe_es.h.

38.13.2 Field Documentation

38.13.2.1 BlockSize

uint32 CFE_ES_BlockStats_t::BlockSize

Number of bytes in each of these blocks.

Definition at line 275 of file cfe_es.h.

38.13.2.2 NumCreated

uint32 CFE_ES_BlockStats_t::NumCreated

Number of Memory Blocks of this size created.

Definition at line 276 of file cfe_es.h.

38.13.2.3 NumFree

uint32 CFE_ES_BlockStats_t::NumFree

Number of Memory Blocks of this size that are free.

Definition at line 277 of file cfe_es.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe es.h

38.14 CFE_ES_CDSRegDumpRec_t Struct Reference

CDS Register Dump Record.

```
#include <cfe_es.h>
```

Data Fields

• CFE_ES_CDSHandle_t Handle

Handle of CDS.

• uint32 Size

Size, in bytes, of the CDS memory block.

· bool Table

Flag that indicates whether CDS contains a Critical Table.

• char Name [CFE_ES_CDS_MAX_FULL_NAME_LEN]

Processor Unique Name of CDS.

uint8 ByteAlignSpare1

Spare byte to insure structure size is multiple of 4 bytes.

38.14.1 Detailed Description

CDS Register Dump Record.

Definition at line 307 of file cfe_es.h.

38.14.2 Field Documentation

38.14.2.1 ByteAlignSpare1

```
uint8 CFE_ES_CDSRegDumpRec_t::ByteAlignSpare1
```

Spare byte to insure structure size is multiple of 4 bytes.

Definition at line 313 of file cfe_es.h.

38.14.2.2 Handle

CFE_ES_CDSHandle_t CFE_ES_CDSRegDumpRec_t::Handle

Handle of CDS.

Definition at line 309 of file cfe_es.h.

38.14.2.3 Name

```
char CFE_ES_CDSRegDumpRec_t::Name[CFE_ES_CDS_MAX_FULL_NAME_LEN]
```

Processor Unique Name of CDS.

Definition at line 312 of file cfe_es.h.

38.14.2.4 Size

```
uint32 CFE_ES_CDSRegDumpRec_t::Size
```

Size, in bytes, of the CDS memory block.

Definition at line 310 of file cfe_es.h.

38.14.2.5 Table

```
bool CFE_ES_CDSRegDumpRec_t::Table
```

Flag that indicates whether CDS contains a Critical Table.

Definition at line 311 of file cfe_es.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe es.h

38.15 CFE_ES_DeleteCDS_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
 cFE Software Bus Command Message Header
- CFE_ES_DeleteCDSCmd_Payload_t Payload

38.15.1 Detailed Description

Definition at line 1327 of file cfe_es_msg.h.

38.15.2 Field Documentation

38.15.2.1 CmdHeader

```
uint8 CFE_ES_DeleteCDS_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 1329 of file cfe_es_msg.h.

38.15.2.2 Payload

```
CFE_ES_DeleteCDSCmd_Payload_t CFE_ES_DeleteCDS_t::Payload
```

Definition at line 1330 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.16 CFE_ES_DeleteCDSCmd_Payload_t Struct Reference

Delete Critical Data Store Command.

```
#include <cfe es msq.h>
```

Data Fields

• char CdsName [CFE_MISSION_ES_CDS_MAX_NAME_LEN]

ASCII text string containing name of CDS to delete.

38.16.1 Detailed Description

Delete Critical Data Store Command.

For command details, see CFE_ES_DELETE_CDS_CC

Definition at line 1321 of file cfe_es_msg.h.

38.16.2 Field Documentation

```
38.16.2.1 CdsName
```

```
char CFE_ES_DeleteCDSCmd_Payload_t::CdsName[CFE_MISSION_ES_CDS_MAX_NAME_LEN]
```

ASCII text string containing name of CDS to delete.

Definition at line 1323 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.17 CFE_ES_DumpCDSRegistry_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

• uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]

cFE Software Bus Command Message Header

• CFE_ES_DumpCDSRegistryCmd_Payload_t Payload

38.17.1 Detailed Description

Definition at line 1438 of file cfe_es_msg.h.

38.17.2 Field Documentation

38.17.2.1 CmdHeader

```
uint8 CFE_ES_DumpCDSRegistry_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 1440 of file cfe_es_msg.h.

38.17.2.2 Payload

```
CFE_ES_DumpCDSRegistryCmd_Payload_t CFE_ES_DumpCDSRegistry_t::Payload
```

Definition at line 1441 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.18 CFE_ES_DumpCDSRegistryCmd_Payload_t Struct Reference

Dump CDS Registry Command.

```
#include <cfe_es_msg.h>
```

Data Fields

char DumpFilename [CFE_MISSION_MAX_PATH_LEN]
 ASCII text string of full path and filename of file CDS Registry is to be written.

38.18.1 Detailed Description

Dump CDS Registry Command.

For command details, see CFE_ES_DUMP_CDS_REGISTRY_CC

Definition at line 1432 of file cfe_es_msg.h.

38.18.2 Field Documentation

38.18.2.1 DumpFilename

```
char CFE_ES_DumpCDSRegistryCmd_Payload_t::DumpFilename[CFE_MISSION_MAX_PATH_LEN]
```

ASCII text string of full path and filename of file CDS Registry is to be written.

Definition at line 1434 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe es msg.h

38.19 CFE_ES_FileNameCmd_Payload_t Struct Reference

Payload format for commands which accept a single file name.

```
#include <cfe_es_msg.h>
```

Data Fields

char FileName [CFE_MISSION_MAX_PATH_LEN]

ASCII text string containing full path and filename of file in which Application data is to be dumped.

38.19.1 Detailed Description

Payload format for commands which accept a single file name.

This format is shared by several executive services commands. For command details, see CFE_ES_QUERY_ALL_CC, CFE_ES_QUERY_ALL_TASKS_CC, CFE_ES_WRITE_SYSLOG_CC, and CFE_ES_WRITE_ER_LOG_CC

Definition at line 1183 of file cfe_es_msg.h.

38.19.2 Field Documentation

38.19.2.1 FileName

```
char CFE_ES_FileNameCmd_Payload_t::FileName[CFE_MISSION_MAX_PATH_LEN]
```

ASCII text string containing full path and filename of file in which Application data is to be dumped.

Definition at line 1185 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.20 CFE_ES_FileNameCmd_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
 - cFE Software Bus Command Message Header
- CFE ES FileNameCmd Payload t Payload

```
38.20.1 Detailed Description
Definition at line 1189 of file cfe_es_msg.h.
38.20.2 Field Documentation
38.20.2.1 CmdHeader
uint8 CFE_ES_FileNameCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
cFE Software Bus Command Message Header
Definition at line 1191 of file cfe_es_msg.h.
38.20.2.2 Payload
CFE_ES_FileNameCmd_Payload_t CFE_ES_FileNameCmd_t::Payload
Definition at line 1192 of file cfe_es_msg.h.
The documentation for this struct was generated from the following file:
    • cfe/fsw/cfe-core/src/inc/cfe_es_msg.h
```

38.21 CFE_ES_HousekeepingTlm_Payload_t Struct Reference

#include <cfe_es_msg.h>

Data Fields

uint8 CommandCounter

The ES Application Command Counter.

uint8 CommandErrorCounter

The ES Application Command Error Counter.

· uint16 CFECoreChecksum

Checksum of cFE Core Code.

· uint8 CFEMajorVersion

Major Version Number of cFE.

uint8 CFEMinorVersion

Minor Version Number of cFE.

· uint8 CFERevision

Sub-Minor Version Number of cFE.

· uint8 CFEMissionRevision

Mission Version Number of cFE.

· uint8 OSALMajorVersion

OS Abstraction Layer Major Version Number.

uint8 OSALMinorVersion

OS Abstraction Layer Minor Version Number.

uint8 OSALRevision

OS Abstraction Layer Revision Number.

uint8 OSALMissionRevision

OS Abstraction Layer MissionRevision Number.

uint32 SysLogBytesUsed

Total number of bytes used in system log.

uint32 SysLogSize

Total size of the system log.

uint32 SysLogEntries

Number of entries in the system log.

uint32 SysLogMode

Write/Overwrite Mode.

uint32 ERLogIndex

Current index of the ER Log (wraps around)

• uint32 ERLogEntries

Number of entries made in the ER Log since the power on.

uint32 RegisteredCoreApps

Number of Applications registered with ES.

uint32 RegisteredExternalApps

Number of Applications registered with ES.

uint32 RegisteredTasks

Number of Tasks (main AND child tasks) registered with ES.

uint32 RegisteredLibs

Number of Libraries registered with ES.

uint32 ResetType

Reset type (PROCESSOR or POWERON)

uint32 ResetSubtype

Reset Sub Type.

• uint32 ProcessorResets

Number of processor resets since last power on.

uint32 MaxProcessorResets

Max processor resets before a power on is done.

· uint32 BootSource

Boot source (as provided from BSP)

· uint32 PerfState

Current state of Performance Analyzer.

• uint32 PerfMode

Current mode of Performance Analyzer.

· uint32 PerfTriggerCount

Number of Times Perfomance Analyzer has Triggered.

uint32 PerfFilterMask [CFE_MISSION_ES_PERF_MAX_IDS/32]

Current Setting of Performance Analyzer Filter Masks.

uint32 PerfTriggerMask [CFE_MISSION_ES_PERF_MAX_IDS/32]

Current Setting of Performance Analyzer Trigger Masks.

uint32 PerfDataStart

Identifies First Stored Entry in Performance Analyzer Log.

uint32 PerfDataEnd

Identifies Last Stored Entry in Performance Analyzer Log.

· uint32 PerfDataCount

Number of Entries Put Into the Performance Analyzer Log.

· uint32 PerfDataToWrite

Number of Performance Analyzer Log Entries Left to be Written to Log Dump File.

· uint32 HeapBytesFree

Number of free bytes remaining in the OS heap.

uint32 HeapBlocksFree

Number of free blocks remaining in the OS heap.

• uint32 HeapMaxBlockSize

Number of bytes in the largest free block.

38.21.1 Detailed Description

Name Executive Services Housekeeping Packet

Definition at line 1485 of file cfe_es_msg.h.

38.21.2 Field Documentation

38.21.2.1 BootSource

uint32 CFE_ES_HousekeepingTlm_Payload_t::BootSource

Boot source (as provided from BSP)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BootSource

Definition at line 1542 of file cfe_es_msg.h.

38.21.2.2 CFECoreChecksum

uint16 CFE_ES_HousekeepingTlm_Payload_t::CFECoreChecksum

Checksum of cFE Core Code.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CKSUM

Definition at line 1492 of file cfe_es_msg.h.

38.21.2.3 CFEMajorVersion

uint8 CFE_ES_HousekeepingTlm_Payload_t::CFEMajorVersion

Major Version Number of cFE.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CFEMAJORVER

Definition at line 1494 of file cfe_es_msg.h.

38.21.2.4 CFEMinorVersion

uint8 CFE_ES_HousekeepingTlm_Payload_t::CFEMinorVersion

Minor Version Number of cFE.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CFEMINORVER

Definition at line 1496 of file cfe_es_msg.h.

38.21.2.5 CFEMissionRevision

uint8 CFE_ES_HousekeepingTlm_Payload_t::CFEMissionRevision

Mission Version Number of cFE.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CFEMISSIONREV

Definition at line 1500 of file cfe_es_msg.h.

38.21.2.6 **CFERevision**

uint8 CFE_ES_HousekeepingTlm_Payload_t::CFERevision

Sub-Minor Version Number of cFE.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CFEREVISION

Definition at line 1498 of file cfe_es_msg.h.

38.21.2.7 CommandCounter

uint8 CFE_ES_HousekeepingTlm_Payload_t::CommandCounter

The ES Application Command Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CMDPC

Definition at line 1487 of file cfe_es_msg.h.

38.21.2.8 CommandErrorCounter

 ${\tt uint 8 \ CFE_ES_HousekeepingTlm_Payload_t::} CommandErrorCounter$

The ES Application Command Error Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_CMDEC

Definition at line 1489 of file cfe_es_msg.h.

```
38.21.2.9 ERLogEntries
```

```
uint32 CFE_ES_HousekeepingTlm_Payload_t::ERLogEntries
```

Number of entries made in the ER Log since the power on.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ERLOGENTRIES

Definition at line 1522 of file cfe_es_msg.h.

38.21.2.10 ERLogIndex

```
uint32 CFE_ES_HousekeepingTlm_Payload_t::ERLogIndex
```

Current index of the ER Log (wraps around)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ERLOGINDEX

Definition at line 1520 of file cfe_es_msg.h.

38.21.2.11 HeapBlocksFree

```
uint32 CFE_ES_HousekeepingTlm_Payload_t::HeapBlocksFree
```

Number of free blocks remaining in the OS heap.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_HeapBlocksFree

Definition at line 1565 of file cfe_es_msg.h.

38.21.2.12 HeapBytesFree

```
uint32 CFE_ES_HousekeepingTlm_Payload_t::HeapBytesFree
```

Number of free bytes remaining in the OS heap.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_HeapBytesFree

Definition at line 1563 of file cfe_es_msg.h.

38.21.2.13 HeapMaxBlockSize

uint32 CFE_ES_HousekeepingTlm_Payload_t::HeapMaxBlockSize

Number of bytes in the largest free block.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_HeapMaxBlkSize

Definition at line 1567 of file cfe_es_msg.h.

38.21.2.14 MaxProcessorResets

uint32 CFE_ES_HousekeepingTlm_Payload_t::MaxProcessorResets

Max processor resets before a power on is done.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_MaxProcResets

Definition at line 1540 of file cfe_es_msg.h.

38.21.2.15 OSALMajorVersion

uint8 CFE_ES_HousekeepingTlm_Payload_t::OSALMajorVersion

OS Abstraction Layer Major Version Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_OSMAJORVER

Definition at line 1502 of file cfe_es_msg.h.

38.21.2.16 OSALMinorVersion

 $\verb|uint8| CFE_ES_HousekeepingTlm_Payload_t:: OSALMinorVersion|$

OS Abstraction Layer Minor Version Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_OSMINORVER

Definition at line 1504 of file cfe_es_msg.h.

38.21.2.17 OSALMissionRevision

uint8 CFE_ES_HousekeepingTlm_Payload_t::OSALMissionRevision

OS Abstraction Layer MissionRevision Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_OSMISSIONREV

Definition at line 1508 of file cfe_es_msg.h.

38.21.2.18 OSALRevision

uint8 CFE_ES_HousekeepingTlm_Payload_t::OSALRevision

OS Abstraction Layer Revision Number.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_OSREVISION

Definition at line 1506 of file cfe_es_msg.h.

38.21.2.19 PerfDataCount

uint32 CFE_ES_HousekeepingTlm_Payload_t::PerfDataCount

Number of Entries Put Into the Performance Analyzer Log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfDataCnt

Definition at line 1559 of file cfe_es_msg.h.

38.21.2.20 PerfDataEnd

uint32 CFE_ES_HousekeepingTlm_Payload_t::PerfDataEnd

Identifies Last Stored Entry in Performance Analyzer Log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfDataEnd

Definition at line 1557 of file cfe_es_msg.h.

38.21.2.21 PerfDataStart

uint32 CFE_ES_HousekeepingTlm_Payload_t::PerfDataStart

Identifies First Stored Entry in Performance Analyzer Log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfDataStart

Definition at line 1555 of file cfe_es_msg.h.

38.21.2.22 PerfDataToWrite

```
uint32 CFE_ES_HousekeepingTlm_Payload_t::PerfDataToWrite
```

Number of Performance Analyzer Log Entries Left to be Written to Log Dump File.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfData2Write

Definition at line 1561 of file cfe_es_msg.h.

38.21.2.23 PerfFilterMask

uint32 CFE_ES_HousekeepingTlm_Payload_t::PerfFilterMask[CFE_MISSION_ES_PERF_MAX_IDS/32]

Current Setting of Performance Analyzer Filter Masks.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfFltrMask[MaskCnt]

Definition at line 1551 of file cfe_es_msg.h.

38.21.2.24 PerfMode

uint32 CFE_ES_HousekeepingTlm_Payload_t::PerfMode

Current mode of Performance Analyzer.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfMode

Definition at line 1547 of file cfe_es_msg.h.

38.21.2.25 PerfState

uint32 CFE_ES_HousekeepingTlm_Payload_t::PerfState

Current state of Performance Analyzer.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfState

Definition at line 1545 of file cfe_es_msg.h.

38.21.2.26 PerfTriggerCount

uint32 CFE_ES_HousekeepingTlm_Payload_t::PerfTriggerCount

Number of Times Perfomance Analyzer has Triggered.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfTrigCnt

Definition at line 1549 of file cfe_es_msg.h.

38.21.2.27 PerfTriggerMask

uint32 CFE_ES_HousekeepingTlm_Payload_t::PerfTriggerMask[CFE_MISSION_ES_PERF_MAX_IDS/32]

Current Setting of Performance Analyzer Trigger Masks.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PerfTrigMask[MaskCnt]

Definition at line 1553 of file cfe_es_msg.h.

38.21.2.28 ProcessorResets

uint32 CFE_ES_HousekeepingTlm_Payload_t::ProcessorResets

Number of processor resets since last power on.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ProcResetCnt

Definition at line 1538 of file cfe_es_msg.h.

38.21.2.29 RegisteredCoreApps

```
uint32 CFE_ES_HousekeepingTlm_Payload_t::RegisteredCoreApps
```

Number of Applications registered with ES.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_RegCoreApps

Definition at line 1525 of file cfe_es_msg.h.

38.21.2.30 RegisteredExternalApps

```
uint32 CFE_ES_HousekeepingTlm_Payload_t::RegisteredExternalApps
```

Number of Applications registered with ES.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_RegExtApps

Definition at line 1527 of file cfe_es_msg.h.

38.21.2.31 RegisteredLibs

```
uint32 CFE_ES_HousekeepingTlm_Payload_t::RegisteredLibs
```

Number of Libraries registered with ES.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_RegLibs

Definition at line 1531 of file cfe_es_msg.h.

38.21.2.32 RegisteredTasks

```
uint32 CFE_ES_HousekeepingTlm_Payload_t::RegisteredTasks
```

Number of Tasks (main AND child tasks) registered with ES.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_RegTasks

Definition at line 1529 of file cfe_es_msg.h.

```
38.21.2.33 ResetSubtype
```

uint32 CFE_ES_HousekeepingTlm_Payload_t::ResetSubtype

Reset Sub Type.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ResetSubtype

Definition at line 1536 of file cfe_es_msg.h.

38.21.2.34 ResetType

uint32 CFE_ES_HousekeepingTlm_Payload_t::ResetType

Reset type (PROCESSOR or POWERON)

Telemetry Mnemonic(s) \$sc_\$cpu_ES_ResetType

Definition at line 1534 of file cfe_es_msg.h.

38.21.2.35 SysLogBytesUsed

uint32 CFE_ES_HousekeepingTlm_Payload_t::SysLogBytesUsed

Total number of bytes used in system log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_SYSLOGBYTEUSED

Definition at line 1511 of file cfe_es_msg.h.

38.21.2.36 SysLogEntries

uint32 CFE_ES_HousekeepingTlm_Payload_t::SysLogEntries

Number of entries in the system log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_SYSLOGENTRIES

Definition at line 1515 of file cfe_es_msg.h.

38.21.2.37 SysLogMode

```
uint32 CFE_ES_HousekeepingTlm_Payload_t::SysLogMode
```

Write/Overwrite Mode.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_SYSLOGMODE

Definition at line 1517 of file cfe_es_msg.h.

38.21.2.38 SysLogSize

```
uint32 CFE_ES_HousekeepingTlm_Payload_t::SysLogSize
```

Total size of the system log.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_SYSLOGSIZE

Definition at line 1513 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.22 CFE_ES_HousekeepingTlm_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

- uint8 TImHeader [CFE_SB_TLM_HDR_SIZE]
 - cFE Software Bus Telemetry Message Header
- CFE_ES_HousekeepingTlm_Payload_t Payload

38.22.1 Detailed Description

Definition at line 1571 of file cfe_es_msg.h.

38.22.2 Field Documentation

38.22.2.1 Payload

```
CFE_ES_HousekeepingTlm_Payload_t CFE_ES_HousekeepingTlm_t::Payload
```

Definition at line 1574 of file cfe_es_msg.h.

38.22.2.2 TImHeader

```
uint8 CFE_ES_HousekeepingTlm_t::TlmHeader[CFE_SB_TLM_HDR_SIZE]
```

cFE Software Bus Telemetry Message Header

Definition at line 1573 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe es msg.h

38.23 CFE_ES_MemPoolStats_t Struct Reference

Memory Pool Statistics.

```
#include <cfe_es.h>
```

Data Fields

• uint32 PoolSize

Size of Memory Pool (in bytes)

uint32 NumBlocksRequested

Number of times a memory block has been allocated.

uint32 CheckErrCtr

Number of errors detected when freeing a memory block.

• uint32 NumFreeBytes

Number of bytes never allocated to a block.

• CFE_ES_BlockStats_t BlockStats [CFE_ES_MAX_MEMPOOL_BLOCK_SIZES]

Contains stats on each block size.

38.23.1 Detailed Description

Memory Pool Statistics.

Definition at line 283 of file cfe_es.h.

```
38.23.2 Field Documentation
```

```
38.23.2.1 BlockStats
```

CFE_ES_BlockStats_t CFE_ES_MemPoolStats_t::BlockStats[CFE_ES_MAX_MEMPOOL_BLOCK_SIZES]

Contains stats on each block size.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BlkStats[BLK_SIZES]

Definition at line 293 of file cfe_es.h.

38.23.2.2 CheckErrCtr

uint32 CFE_ES_MemPoolStats_t::CheckErrCtr

Number of errors detected when freeing a memory block.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BlkErrCTR

Definition at line 289 of file cfe_es.h.

38.23.2.3 NumBlocksRequested

uint32 CFE_ES_MemPoolStats_t::NumBlocksRequested

Number of times a memory block has been allocated.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_BlksREQ

Definition at line 287 of file cfe_es.h.

38.23.2.4 NumFreeBytes

uint32 CFE_ES_MemPoolStats_t::NumFreeBytes

Number of bytes never allocated to a block.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_FreeBytes

Definition at line 291 of file cfe_es.h.

```
38.23.2.5 PoolSize
uint32 CFE_ES_MemPoolStats_t::PoolSize
Size of Memory Pool (in bytes)
```

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PoolSize

Definition at line 285 of file cfe_es.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe es.h

38.24 CFE_ES_MemStatsTIm_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

- uint8 TImHeader [CFE_SB_TLM_HDR_SIZE]
 cFE Software Bus Telemetry Message Header
- CFE_ES_PoolStatsTlm_Payload_t Payload

38.24.1 Detailed Description

Definition at line 1474 of file cfe_es_msg.h.

38.24.2 Field Documentation

38.24.2.1 Payload

CFE_ES_PoolStatsTlm_Payload_t CFE_ES_MemStatsTlm_t::Payload

Definition at line 1477 of file cfe_es_msg.h.

38.24.2.2 TImHeader

```
uint8 CFE_ES_MemStatsTlm_t::TlmHeader[CFE_SB_TLM_HDR_SIZE]
```

cFE Software Bus Telemetry Message Header

Definition at line 1476 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.25 CFE_ES_NoArgsCmd_t Struct Reference

Generic "no arguments" command.

```
#include <cfe_es_msg.h>
```

Data Fields

uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
 cFE Software Bus Command Message Header

38.25.1 Detailed Description

Generic "no arguments" command.

This command structure is used for commands that do not have any parameters. This includes:

- 1. The Housekeeping Request Message
- 2. The No-Op Command (For details, see CFE_ES_NOOP_CC)
- 3. The Reset Counters Command (For details, see CFE_ES_RESET_COUNTERS_CC)

Definition at line 1118 of file cfe_es_msg.h.

38.25.2 Field Documentation

38.25.2.1 CmdHeader

```
uint8 CFE_ES_NoArgsCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 1120 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.26 CFE_ES_OneAppTIm_Payload_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

CFE_ES_AppInfo_t AppInfo
 For more information, see CFE_ES_AppInfo_t.

38.26.1 Detailed Description

Name Single Application Information Packet

Definition at line 1452 of file cfe_es_msg.h.

38.26.2 Field Documentation

38.26.2.1 Applnfo

```
CFE_ES_AppInfo_t CFE_ES_OneAppTlm_Payload_t::AppInfo
```

For more information, see CFE_ES_AppInfo_t.

Definition at line 1454 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe es msg.h

38.27 CFE_ES_OneAppTIm_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

- uint8 TImHeader [CFE_SB_TLM_HDR_SIZE] cFE Software Bus Telemetry Message Header
- CFE_ES_OneAppTIm_Payload_t Payload

38.27.1 Detailed Description

Definition at line 1458 of file cfe_es_msg.h.

38.27.2 Field Documentation

38.27.2.1 Payload

```
CFE_ES_OneAppTlm_Payload_t CFE_ES_OneAppTlm_t::Payload
```

Definition at line 1461 of file cfe_es_msg.h.

38.27.2.2 TImHeader

```
uint8 CFE_ES_OneAppTlm_t::TlmHeader[CFE_SB_TLM_HDR_SIZE]
```

cFE Software Bus Telemetry Message Header

Definition at line 1460 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.28 CFE_ES_OverWriteSyslog_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

```
    uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

CFE_ES_OverWriteSysLogCmd_Payload_t Payload

38.28.1 Detailed Description

Definition at line 1217 of file cfe_es_msg.h.

38.28.2 Field Documentation

38.28.2.1 CmdHeader

```
uint8 CFE_ES_OverWriteSyslog_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 1219 of file cfe_es_msg.h.

38.28.2.2 Payload

```
CFE_ES_OverWriteSysLogCmd_Payload_t CFE_ES_OverWriteSyslog_t::Payload
```

Definition at line 1220 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.29 CFE_ES_OverWriteSysLogCmd_Payload_t Struct Reference

Overwrite/Discard System Log Configuration Command.

```
#include <cfe_es_msg.h>
```

Data Fields

• uint32 Mode

CFE_ES_LogMode_DISCARD=Throw away most recent messages, CFE_ES_LogMode_OVERWRITE=Overwrite oldest with most recent

38.29.1 Detailed Description

Overwrite/Discard System Log Configuration Command.

For command details, see CFE ES OVER WRITE SYSLOG CC

Definition at line 1210 of file cfe_es_msg.h.

38.29.2 Field Documentation

38.29.2.1 Mode

```
uint32 CFE_ES_OverWriteSysLogCmd_Payload_t::Mode
```

CFE_ES_LogMode_DISCARD=Throw away most recent messages, CFE_ES_LogMode_OVERWRITE=Overwrite oldest with most recent

Definition at line 1212 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.30 CFE ES PoolAlign t Union Reference

Pool Alignement.

```
#include <cfe_es.h>
```

Data Fields

void * Ptr

Aligned pointer.

long long int LongInt

Aligned Long Integer.

• long double LongDouble

Aligned Long Double.

38.30.1 Detailed Description

Pool Alignement.

Union that can be used for minimum memory alignment of ES memory pools on the target. It contains the longest native data types such that the alignment of this structure should reflect the largest possible alignment requirements for any data on this processor.

Definition at line 329 of file cfe es.h.

38.30.2 Field Documentation

38.30.2.1 LongDouble

long double CFE_ES_PoolAlign_t::LongDouble

Aligned Long Double.

Definition at line 334 of file cfe_es.h.

38.30.2.2 LongInt

long long int CFE_ES_PoolAlign_t::LongInt

Aligned Long Integer.

Definition at line 333 of file cfe_es.h.

38.30.2.3 Ptr

void* CFE_ES_PoolAlign_t::Ptr

Aligned pointer.

Definition at line 331 of file cfe_es.h.

The documentation for this union was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es.h

38.31 CFE_ES_PoolStatsTIm_Payload_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

• CFE_ES_MemHandle_t PoolHandle

Handle of memory pool whose stats are being telemetered.

CFE_ES_MemPoolStats_t PoolStats

For more info, see CFE_ES_MemPoolStats_t.

```
38.31.1 Detailed Description
```

Name Memory Pool Statistics Packet

Definition at line 1467 of file cfe_es_msg.h.

38.31.2 Field Documentation

38.31.2.1 PoolHandle

```
CFE_ES_MemHandle_t CFE_ES_PoolStatsTlm_Payload_t::PoolHandle
```

Handle of memory pool whose stats are being telemetered.

Telemetry Mnemonic(s) \$sc_\$cpu_ES_PoolHandle

Definition at line 1469 of file cfe_es_msg.h.

38.31.2.2 PoolStats

```
CFE_ES_MemPoolStats_t CFE_ES_PoolStatsTlm_Payload_t::PoolStats
```

For more info, see CFE_ES_MemPoolStats_t.

Definition at line 1471 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.32 CFE_ES_ReloadApp_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
 cFE Software Bus Command Message Header
- CFE_ES_AppReloadCmd_Payload_t Payload

38.32.1 Detailed Description

Definition at line 1291 of file cfe_es_msg.h.

38.32.2 Field Documentation

38.32.2.1 CmdHeader

```
uint8 CFE_ES_ReloadApp_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 1293 of file cfe es msg.h.

38.32.2.2 Payload

```
CFE_ES_AppReloadCmd_Payload_t CFE_ES_ReloadApp_t::Payload
```

Definition at line 1294 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.33 CFE_ES_Restart_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
 - cFE Software Bus Command Message Header
- CFE_ES_RestartCmd_Payload_t Payload

38.33.1 Detailed Description

Definition at line 1149 of file cfe_es_msg.h.

38.33.2 Field Documentation

```
38.33.2.1 CmdHeader
```

```
uint8 CFE_ES_Restart_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 1151 of file cfe_es_msg.h.

38.33.2.2 Payload

```
CFE_ES_RestartCmd_Payload_t CFE_ES_Restart_t::Payload
```

Definition at line 1152 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.34 CFE_ES_RestartCmd_Payload_t Struct Reference

Restart cFE Command.

```
#include <cfe_es_msg.h>
```

Data Fields

uint16 RestartType

```
CFE PSP RST TYPE PROCESSOR=Processor Reset or CFE PSP RST TYPE POWERON=Power-On Reset
```

38.34.1 Detailed Description

Restart cFE Command.

For command details, see CFE_ES_RESTART_CC

Definition at line 1143 of file cfe_es_msg.h.

38.34.2 Field Documentation

```
38.34.2.1 RestartType
```

```
uint16 CFE_ES_RestartCmd_Payload_t::RestartType
```

CFE_PSP_RST_TYPE_PROCESSOR=Processor Reset or CFE_PSP_RST_TYPE_POWERON=Power-On Reset

Definition at line 1145 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.35 CFE_ES_SendMemPoolStats_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]

cFE Software Bus Command Message Header

• CFE_ES_SendMemPoolStatsCmd_Payload_t Payload

38.35.1 Detailed Description

Definition at line 1420 of file cfe_es_msg.h.

38.35.2 Field Documentation

38.35.2.1 CmdHeader

uint8 CFE_ES_SendMemPoolStats_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]

cFE Software Bus Command Message Header

Definition at line 1422 of file cfe_es_msg.h.

38.35.2.2 Payload

```
CFE_ES_SendMemPoolStatsCmd_Payload_t CFE_ES_SendMemPoolStats_t::Payload
```

Definition at line 1423 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe es msg.h

38.36 CFE_ES_SendMemPoolStatsCmd_Payload_t Struct Reference

Telemeter Memory Pool Statistics Command.

```
#include <cfe_es_msg.h>
```

Data Fields

- char Application [CFE_MISSION_MAX_API_LEN]
 - RESERVED should be all zeroes
- · CFE ES MemHandle t PoolHandle

Handle of Pool whose statistics are to be telemetered.

38.36.1 Detailed Description

Telemeter Memory Pool Statistics Command.

For command details, see CFE_ES_SEND_MEM_POOL_STATS_CC

Definition at line 1413 of file cfe_es_msg.h.

38.36.2 Field Documentation

38.36.2.1 Application

```
char CFE_ES_SendMemPoolStatsCmd_Payload_t::Application[CFE_MISSION_MAX_API_LEN]
```

· RESERVED - should be all zeroes

Definition at line 1415 of file cfe_es_msg.h.

38.36.2.2 PoolHandle

```
CFE_ES_MemHandle_t CFE_ES_SendMemPoolStatsCmd_Payload_t::PoolHandle
```

Handle of Pool whose statistics are to be telemetered.

Definition at line 1416 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.37 CFE_ES_SetMaxPRCount_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]

cFE Software Bus Command Message Header

CFE_ES_SetMaxPRCountCmd_Payload_t Payload

38.37.1 Detailed Description

Definition at line 1309 of file cfe_es_msg.h.

38.37.2 Field Documentation

38.37.2.1 CmdHeader

```
uint8 CFE_ES_SetMaxPRCount_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 1311 of file cfe_es_msg.h.

38.37.2.2 Payload

```
CFE_ES_SetMaxPRCountCmd_Payload_t CFE_ES_SetMaxPRCount_t::Payload
```

Definition at line 1312 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe es msg.h

38.38 CFE_ES_SetMaxPRCountCmd_Payload_t Struct Reference

Set Maximum Processor Reset Count Command.

```
#include <cfe_es_msg.h>
```

Data Fields

uint16 MaxPRCount

New maximum number of Processor Resets before an automatic Power-On Reset is performed.

38.38.1 Detailed Description

Set Maximum Processor Reset Count Command.

For command details, see CFE ES SET MAX PR COUNT CC

Definition at line 1303 of file cfe_es_msg.h.

38.38.2 Field Documentation

38.38.2.1 MaxPRCount

```
uint16 CFE_ES_SetMaxPRCountCmd_Payload_t::MaxPRCount
```

New maximum number of Processor Resets before an automatic Power-On Reset is performed.

Definition at line 1305 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe es msg.h

38.39 CFE_ES_SetPerfFilterMask_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
 - cFE Software Bus Command Message Header
- CFE_ES_SetPerfFilterMaskCmd_Payload_t Payload

38.39.1 Detailed Description

Definition at line 1382 of file cfe_es_msg.h.

38.39.2 Field Documentation

38.39.2.1 CmdHeader

```
uint8 CFE_ES_SetPerfFilterMask_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 1384 of file cfe_es_msg.h.

38.39.2.2 Payload

```
CFE_ES_SetPerfFilterMaskCmd_Payload_t CFE_ES_SetPerfFilterMask_t::Payload
```

Definition at line 1385 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.40 CFE_ES_SetPerfFilterMaskCmd_Payload_t Struct Reference

Set Performance Analyzer Filter Mask Command.

#include <cfe_es_msq.h>

Data Fields

uint32 FilterMaskNum

Index into array of Filter Masks.

uint32 FilterMask

New Mask for specified entry in array of Filter Masks.

38.40.1 Detailed Description

Set Performance Analyzer Filter Mask Command.

For command details, see CFE_ES_SET_PERF_FILTER_MASK_CC

Definition at line 1375 of file cfe_es_msg.h.

38.40.2 Field Documentation

38.40.2.1 FilterMask

```
uint32 CFE_ES_SetPerfFilterMaskCmd_Payload_t::FilterMask
```

New Mask for specified entry in array of Filter Masks.

Definition at line 1378 of file cfe_es_msg.h.

38.40.2.2 FilterMaskNum

```
uint32 CFE_ES_SetPerfFilterMaskCmd_Payload_t::FilterMaskNum
```

Index into array of Filter Masks.

Definition at line 1377 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.41 CFE_ES_SetPerfTriggerMask_t Struct Reference

#include <cfe_es_msg.h>

Data Fields

```
• uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]

cFE Software Bus Command Message Header
```

• CFE_ES_SetPerfTrigMaskCmd_Payload_t Payload

38.41.1 Detailed Description

Definition at line 1401 of file cfe_es_msg.h.

38.41.2 Field Documentation

38.41.2.1 CmdHeader

```
uint8 CFE_ES_SetPerfTriggerMask_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 1403 of file cfe_es_msg.h.

38.41.2.2 Payload

```
CFE_ES_SetPerfTrigMaskCmd_Payload_t CFE_ES_SetPerfTriggerMask_t::Payload
```

Definition at line 1404 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.42 CFE_ES_SetPerfTrigMaskCmd_Payload_t Struct Reference

Set Performance Analyzer Trigger Mask Command.

```
#include <cfe_es_msg.h>
```

Data Fields

• uint32 TriggerMaskNum

Index into array of Trigger Masks.

• uint32 TriggerMask

New Mask for specified entry in array of Trigger Masks.

38.42.1 Detailed Description

Set Performance Analyzer Trigger Mask Command.

For command details, see CFE_ES_SET_PERF_TRIGGER_MASK_CC

Definition at line 1394 of file cfe_es_msg.h.

38.42.2 Field Documentation

38.42.2.1 TriggerMask

```
uint32 CFE_ES_SetPerfTrigMaskCmd_Payload_t::TriggerMask
```

New Mask for specified entry in array of Trigger Masks.

Definition at line 1397 of file cfe_es_msg.h.

38.42.2.2 TriggerMaskNum

```
uint32 CFE_ES_SetPerfTrigMaskCmd_Payload_t::TriggerMaskNum
```

Index into array of Trigger Masks.

Definition at line 1396 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe es msg.h

38.43 CFE_ES_Shell_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- cFE Software Bus Command Message Header

38.43.1 Detailed Description

Definition at line 1169 of file cfe_es_msg.h.

38.43.2 Field Documentation

38.43.2.1 CmdHeader

```
uint8 CFE_ES_Shell_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 1171 of file cfe_es_msg.h.

38.43.2.2 Payload

```
CFE_ES_ShellCmd_Payload_t CFE_ES_Shell_t::Payload
```

Definition at line 1172 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.44 CFE_ES_ShellCmd_Payload_t Struct Reference

Shell Command.

```
#include <cfe_es_msg.h>
```

Data Fields

- $\bullet \ \ \text{char CmdString [CFE_MISSION_ES_MAX_SHELL_CMD]}\\$
 - ASCII text string containing shell command to be executed.

char OutputFilename [CFE_MISSION_MAX_PATH_LEN]

Filename where shell command output is to be written.

```
38.44.1 Detailed Description
```

Shell Command.

For command details, see CFE_ES_SHELL_CC

Definition at line 1161 of file cfe_es_msg.h.

38.44.2 Field Documentation

38.44.2.1 CmdString

```
\verb|char CFE_ES_ShellCmd_Payload_t::CmdString[CFE_MISSION_ES_MAX\_SHELL\_CMD]| \\
```

ASCII text string containing shell command to be executed.

Definition at line 1163 of file cfe_es_msg.h.

38.44.2.2 OutputFilename

```
char CFE_ES_ShellCmd_Payload_t::OutputFilename[CFE_MISSION_MAX_PATH_LEN]
```

Filename where shell command output is to be written.

Definition at line 1165 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.45 CFE_ES_ShellPacket_Payload_t Struct Reference

```
#include <cfe_es_msq.h>
```

Data Fields

char ShellOutput [CFE_MISSION_ES_MAX_SHELL_PKT]

ASCII text string containing output from OS Shell that was received in response to an OS Shell Command.

38.45.1 Detailed Description

Name OS Shell Output Packet

Definition at line 1581 of file cfe_es_msg.h.

38.45.2 Field Documentation

38.45.2.1 ShellOutput

```
char CFE_ES_ShellPacket_Payload_t::ShellOutput[CFE_MISSION_ES_MAX_SHELL_PKT]
```

ASCII text string containing output from OS Shell that was received in response to an OS Shell Command.

Definition at line 1583 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.46 CFE_ES_ShellTIm_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

- uint8 TImHeader [CFE_SB_TLM_HDR_SIZE]
 cFE Software Bus Telemetry Message Header
- CFE_ES_ShellPacket_Payload_t Payload

38.46.1 Detailed Description

Definition at line 1587 of file cfe_es_msg.h.

38.46.2 Field Documentation

```
38.46.2.1 Payload
```

```
CFE_ES_ShellPacket_Payload_t CFE_ES_ShellTlm_t::Payload
```

Definition at line 1590 of file cfe_es_msg.h.

38.46.2.2 TImHeader

```
uint8 CFE_ES_ShellTlm_t::TlmHeader[CFE_SB_TLM_HDR_SIZE]
```

cFE Software Bus Telemetry Message Header

Definition at line 1589 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.47 CFE_ES_StartApp_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
 cFE Software Bus Command Message Header
- CFE_ES_StartAppCmd_Payload_t Payload

38.47.1 Detailed Description

Definition at line 1246 of file cfe_es_msg.h.

38.47.2 Field Documentation

38.47.2.1 CmdHeader

```
uint8 CFE_ES_StartApp_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 1248 of file cfe_es_msg.h.

```
38.47.2.2 Payload
```

```
CFE_ES_StartAppCmd_Payload_t CFE_ES_StartApp_t::Payload
```

Definition at line 1249 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.48 CFE_ES_StartAppCmd_Payload_t Struct Reference

Start Application Command.

```
#include <cfe_es_msg.h>
```

Data Fields

char Application [CFE_MISSION_MAX_API_LEN]

Name of Application to be started.

char AppEntryPoint [CFE_MISSION_MAX_API_LEN]

Symbolic name of Application's entry point.

• char AppFileName [CFE_MISSION_MAX_PATH_LEN]

Full path and filename of Application's executable image.

· uint32 StackSize

Desired stack size for the new application.

· uint16 ExceptionAction

CFE_ES_ExceptionAction_RESTART_APP=On exception, restart Application, CFE_ES_ExceptionAction_PROC_RE⇔ START=On exception, perform a Processor Reset

· uint16 Priority

The new Applications runtime priority.

38.48.1 Detailed Description

Start Application Command.

For command details, see CFE_ES_START_APP_CC

Definition at line 1229 of file cfe_es_msg.h.

38.48.2 Field Documentation

```
38.48.2.1 AppEntryPoint
```

```
char CFE_ES_StartAppCmd_Payload_t::AppEntryPoint[CFE_MISSION_MAX_API_LEN]
```

Symbolic name of Application's entry point.

Definition at line 1232 of file cfe es msg.h.

38.48.2.2 AppFileName

```
char CFE_ES_StartAppCmd_Payload_t::AppFileName[CFE_MISSION_MAX_PATH_LEN]
```

Full path and filename of Application's executable image.

Definition at line 1233 of file cfe_es_msg.h.

38.48.2.3 Application

```
char CFE_ES_StartAppCmd_Payload_t::Application[CFE_MISSION_MAX_API_LEN]
```

Name of Application to be started.

Definition at line 1231 of file cfe es msg.h.

38.48.2.4 ExceptionAction

```
uint16 CFE_ES_StartAppCmd_Payload_t::ExceptionAction
```

CFE_ES_ExceptionAction_RESTART_APP=On exception, restart Application, CFE_ES_ExceptionAction_PROC_R← ESTART=On exception, perform a Processor Reset

Definition at line 1238 of file cfe_es_msg.h.

38.48.2.5 Priority

```
uint16 CFE_ES_StartAppCmd_Payload_t::Priority
```

The new Applications runtime priority.

Definition at line 1242 of file cfe_es_msg.h.

38.48.2.6 StackSize

```
uint32 CFE_ES_StartAppCmd_Payload_t::StackSize
```

Desired stack size for the new application.

Definition at line 1236 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.49 CFE_ES_StartPerfCmd_Payload_t Struct Reference

Start Performance Analyzer Command.

```
#include <cfe_es_msg.h>
```

Data Fields

• uint32 TriggerMode

Desired trigger position (Start, Center, End)

38.49.1 Detailed Description

Start Performance Analyzer Command.

For command details, see CFE_ES_START_PERF_DATA_CC

Definition at line 1339 of file cfe_es_msg.h.

38.49.2 Field Documentation

38.49.2.1 TriggerMode

```
uint32 CFE_ES_StartPerfCmd_Payload_t::TriggerMode
```

Desired trigger position (Start, Center, End)

Definition at line 1341 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe es msg.h

38.50 CFE_ES_StartPerfData_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
 cFE Software Bus Command Message Header
- CFE_ES_StartPerfCmd_Payload_t Payload

38.50.1 Detailed Description

Definition at line 1344 of file cfe_es_msg.h.

38.50.2 Field Documentation

38.50.2.1 CmdHeader

```
uint8 CFE_ES_StartPerfData_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 1346 of file cfe_es_msg.h.

38.50.2.2 Payload

```
CFE_ES_StartPerfCmd_Payload_t CFE_ES_StartPerfData_t::Payload
```

Definition at line 1347 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.51 CFE_ES_StopPerfCmd_Payload_t Struct Reference

Stop Performance Analyzer Command.

#include <cfe_es_msg.h>

Data Fields

char DataFileName [CFE_MISSION_MAX_PATH_LEN]

ASCII text string of full path and filename of file Performance Analyzer data is to be written.

38.51.1 Detailed Description

Stop Performance Analyzer Command.

For command details, see CFE_ES_STOP_PERF_DATA_CC

Definition at line 1356 of file cfe_es_msg.h.

38.51.2 Field Documentation

38.51.2.1 DataFileName

```
char CFE_ES_StopPerfCmd_Payload_t::DataFileName[CFE_MISSION_MAX_PATH_LEN]
```

ASCII text string of full path and filename of file Performance Analyzer data is to be written.

Definition at line 1358 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.52 CFE_ES_StopPerfData_t Struct Reference

```
#include <cfe_es_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
 cFE Software Bus Command Message Header
- CFE_ES_StopPerfCmd_Payload_t Payload

38.52.1 Detailed Description

Definition at line 1362 of file cfe_es_msg.h.

38.52.2 Field Documentation

```
38.52.2.1 CmdHeader
```

```
uint8 CFE_ES_StopPerfData_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 1364 of file cfe_es_msg.h.

38.52.2.2 Payload

```
CFE_ES_StopPerfCmd_Payload_t CFE_ES_StopPerfData_t::Payload
```

Definition at line 1365 of file cfe_es_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es_msg.h

38.53 CFE_ES_TaskInfo_t Struct Reference

Task Info.

```
#include <cfe_es.h>
```

Data Fields

· uint32 Taskld

Task Id.

• uint32 ExecutionCounter

Task Execution Counter.

• uint8 TaskName [OS_MAX_API_NAME]

Task Name.

• uint32 Appld

Parent Application ID.

uint8 AppName [OS_MAX_API_NAME]

Parent Application Name.

38.53.1 Detailed Description

Task Info.

Definition at line 260 of file cfe_es.h.

38.53.2 Field Documentation

38.53.2.1 Appld

uint32 CFE_ES_TaskInfo_t::AppId

Parent Application ID.

Definition at line 265 of file cfe_es.h.

38.53.2.2 AppName

uint8 CFE_ES_TaskInfo_t::AppName[OS_MAX_API_NAME]

Parent Application Name.

Definition at line 266 of file cfe_es.h.

38.53.2.3 ExecutionCounter

uint32 CFE_ES_TaskInfo_t::ExecutionCounter

Task Execution Counter.

Definition at line 263 of file cfe_es.h.

38.53.2.4 Taskld

uint32 CFE_ES_TaskInfo_t::TaskId

Task Id.

Definition at line 262 of file cfe_es.h.

38.53.2.5 TaskName

```
uint8 CFE_ES_TaskInfo_t::TaskName[OS_MAX_API_NAME]
```

Task Name.

Definition at line 264 of file cfe_es.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_es.h

38.54 CFE_EVS_AppDataCmd_Payload_t Struct Reference

Write Event Services Application Information to File Command.

```
#include <cfe_evs_msg.h>
```

Data Fields

• char AppDataFilename [CFE_MISSION_MAX_PATH_LEN] Filename where application data is to be written.

38.54.1 Detailed Description

Write Event Services Application Information to File Command.

For command details, see CFE_EVS_WRITE_APP_DATA_FILE_CC

Definition at line 955 of file cfe_evs_msg.h.

38.54.2 Field Documentation

38.54.2.1 AppDataFilename

```
char CFE_EVS_AppDataCmd_Payload_t::AppDataFilename[CFE_MISSION_MAX_PATH_LEN]
```

Filename where application data is to be written.

Definition at line 956 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe evs msg.h

38.55 CFE_EVS_AppNameBitMaskCmd_Payload_t Struct Reference

Enable/Disable an Event Type for an Application.

```
#include <cfe_evs_msg.h>
```

Data Fields

char AppName [CFE MISSION MAX API LEN]

Application name to use in the command.

uint8 BitMask

BitMask to use in the command.

• uint8 Spare

Pad to even byte.

38.55.1 Detailed Description

Enable/Disable an Event Type for an Application.

For command details, see CFE_EVS_ENABLE_APP_EVENT_TYPE_CC and/or CFE_EVS_DISABLE_APP_EVENT

_TYPE_CC

Definition at line 1079 of file cfe_evs_msg.h.

38.55.2 Field Documentation

38.55.2.1 AppName

```
char CFE_EVS_AppNameBitMaskCmd_Payload_t::AppName[CFE_MISSION_MAX_API_LEN]
```

Application name to use in the command.

Definition at line 1080 of file cfe_evs_msg.h.

38.55.2.2 BitMask

```
uint8 CFE_EVS_AppNameBitMaskCmd_Payload_t::BitMask
```

BitMask to use in the command.

Definition at line 1081 of file cfe_evs_msg.h.

```
38.55.2.3 Spare
```

```
uint8 CFE_EVS_AppNameBitMaskCmd_Payload_t::Spare
```

Pad to even byte.

Definition at line 1082 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h

38.56 CFE_EVS_AppNameBitMaskCmd_t Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- CFE_EVS_AppNameBitMaskCmd_Payload_t Payload

38.56.1 Detailed Description

Definition at line 1085 of file cfe_evs_msg.h.

38.56.2 Field Documentation

38.56.2.1 CmdHeader

```
uint8 CFE_EVS_AppNameBitMaskCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 1086 of file cfe_evs_msg.h.

38.56.2.2 Payload

Definition at line 1087 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

· cfe/fsw/cfe-core/src/inc/cfe evs msg.h

38.57 CFE_EVS_AppNameCmd_Payload_t Struct Reference

Enable/Disable Application Events or Reset One or All Filter Counters.

```
#include <cfe_evs_msg.h>
```

Data Fields

char AppName [CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

38.57.1 Detailed Description

Enable/Disable Application Events or Reset One or All Filter Counters.

For command details, see CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC, CFE EVS_RESET_APP_COUNTER_CC and/or CFE_EVS_RESET_ALL_FILTERS_CC

Definition at line 1030 of file cfe_evs_msg.h.

38.57.2 Field Documentation

38.57.2.1 AppName

```
char CFE_EVS_AppNameCmd_Payload_t::AppName[CFE_MISSION_MAX_API_LEN]
```

Application name to use in the command.

Definition at line 1031 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe evs msg.h

38.58 CFE_EVS_AppNameCmd_t Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- CFE EVS AppNameCmd Payload t Payload

```
38.58.1 Detailed Description
```

Definition at line 1034 of file cfe_evs_msg.h.

38.58.2 Field Documentation

38.58.2.1 CmdHeader

```
uint8 CFE_EVS_AppNameCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 1035 of file cfe_evs_msg.h.

38.58.2.2 Payload

```
CFE_EVS_AppNameCmd_Payload_t CFE_EVS_AppNameCmd_t::Payload
```

Definition at line 1036 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe evs msg.h

38.59 CFE_EVS_AppNameEventIDCmd_Payload_t Struct Reference

Reset an Event Filter for an Application.

```
#include <cfe_evs_msg.h>
```

Data Fields

char AppName [CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

uint16 EventID

Event ID to use in the command.

38.59.1 Detailed Description

Reset an Event Filter for an Application.

For command details, see CFE_EVS_RESET_FILTER_CC

Definition at line 1055 of file cfe_evs_msg.h.

38.59.2 Field Documentation

38.59.2.1 AppName

```
char CFE_EVS_AppNameEventIDCmd_Payload_t::AppName[CFE_MISSION_MAX_API_LEN]
```

Application name to use in the command.

Definition at line 1056 of file cfe_evs_msg.h.

38.59.2.2 EventID

```
uint16 CFE_EVS_AppNameEventIDCmd_Payload_t::EventID
```

Event ID to use in the command.

Definition at line 1057 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h

38.60 CFE_EVS_AppNameEventIDCmd_t Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- CFE_EVS_AppNameEventIDCmd_Payload_t Payload

38.60.1 Detailed Description

Definition at line 1060 of file cfe_evs_msg.h.

38.60.2 Field Documentation

38.60.2.1 CmdHeader

```
uint8 CFE_EVS_AppNameEventIDCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 1061 of file cfe_evs_msg.h.

38.60.2.2 Payload

```
CFE_EVS_AppNameEventIDCmd_Payload_t CFE_EVS_AppNameEventIDCmd_t::Payload
```

Definition at line 1062 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h

38.61 CFE_EVS_AppNameEventIDMaskCmd_Payload_t Struct Reference

Set, Add or Delete an Event Filter for an Application.

```
#include <cfe_evs_msq.h>
```

Data Fields

char AppName [CFE_MISSION_MAX_API_LEN]

Application name to use in the command.

• uint16 EventID

Event ID to use in the command.

· uint16 Mask

Mask to use in the command.

38.61.1 Detailed Description

Set, Add or Delete an Event Filter for an Application.

For command details, see CFE_EVS_SET_FILTER_CC, CFE_EVS_ADD_EVENT_FILTER_CC and/or CFE_EVS_← DELETE_EVENT_FILTER_CC

Definition at line 1105 of file cfe_evs_msg.h.

38.61.2 Field Documentation

38.61.2.1 AppName

```
char CFE_EVS_AppNameEventIDMaskCmd_Payload_t::AppName[CFE_MISSION_MAX_API_LEN]
```

Application name to use in the command.

Definition at line 1106 of file cfe_evs_msg.h.

38.61.2.2 EventID

```
uint16 CFE_EVS_AppNameEventIDMaskCmd_Payload_t::EventID
```

Event ID to use in the command.

Definition at line 1107 of file cfe_evs_msg.h.

38.61.2.3 Mask

```
uint16 CFE_EVS_AppNameEventIDMaskCmd_Payload_t::Mask
```

Mask to use in the command.

Definition at line 1108 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h

38.62 CFE_EVS_AppNameEventIDMaskCmd_t Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- CFE_EVS_AppNameEventIDMaskCmd_Payload_t Payload

38.62.1 Detailed Description

Definition at line 1111 of file cfe_evs_msg.h.

38.62.2 Field Documentation

38.62.2.1 CmdHeader

```
uint8 CFE_EVS_AppNameEventIDMaskCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 1112 of file cfe_evs_msg.h.

38.62.2.2 Payload

```
{\tt CFE\_EVS\_AppNameEventIDMaskCmd\_Payload\_t\ CFE\_EVS\_AppNameEventIDMaskCmd\_t::Payload\ t::Payload\ t:
```

Definition at line 1113 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe evs msg.h

38.63 CFE_EVS_AppTImData_t Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

• uint32 AppID

Numerical application identifier.

uint16 AppMessageSentCounter

Application message sent counter.

• uint8 AppEnableStatus

Application event service enable status.

uint8 Padding

Padding for 32 bit boundary.

38.63.1 Detailed Description

Definition at line 1128 of file cfe_evs_msg.h.

38.63.2 Field Documentation

```
38.63.2.1 AppEnableStatus
```

```
uint8 CFE_EVS_AppTlmData_t::AppEnableStatus
```

Application event service enable status.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_ES_MAX_APPLICATIONS].APPENASTAT

Definition at line 1133 of file cfe_evs_msg.h.

38.63.2.2 AppID

```
uint32 CFE_EVS_AppTlmData_t::AppID
```

Numerical application identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_ES_MAX_APPLICATIONS].APPID

Definition at line 1129 of file cfe evs msg.h.

38.63.2.3 AppMessageSentCounter

```
uint16 CFE_EVS_AppTlmData_t::AppMessageSentCounter
```

Application message sent counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_ES_MAX_APPLICATIONS].APPMSGSENTC

Definition at line 1131 of file cfe_evs_msg.h.

38.63.2.4 Padding

```
uint8 CFE_EVS_AppTlmData_t::Padding
```

Padding for 32 bit boundary.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_ES_MAX_APPLICATIONS].SPARE2ALIGN3

Definition at line 1135 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe evs msg.h

38.64 CFE_EVS_BinFilter_t Struct Reference

Event message filter defintion structure.

```
#include <cfe_evs.h>
```

Data Fields

uint16 EventID

Numerical event identifier.

uint16 Mask

Binary filter mask value.

38.64.1 Detailed Description

Event message filter defintion structure.

Definition at line 111 of file cfe_evs.h.

38.64.2 Field Documentation

38.64.2.1 EventID

```
uint16 CFE_EVS_BinFilter_t::EventID
```

Numerical event identifier.

Definition at line 112 of file cfe_evs.h.

38.64.2.2 Mask

```
uint16 CFE_EVS_BinFilter_t::Mask
```

Binary filter mask value.

Definition at line 113 of file cfe_evs.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_evs.h

38.65 CFE_EVS_BitMaskCmd_Payload_t Struct Reference

Enable/Disable Events or Ports Commands.

```
#include <cfe_evs_msg.h>
```

Data Fields

· uint8 BitMask

BitMask to use in the command.

uint8 Spare

Pad to even byte.

38.65.1 Detailed Description

Enable/Disable Events or Ports Commands.

For command details, see CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE ← EVS_ENABLE_PORTS_CC and/or CFE_EVS_DISABLE_PORTS_CC

Definition at line 1003 of file cfe_evs_msg.h.

38.65.2 Field Documentation

38.65.2.1 BitMask

```
uint8 CFE_EVS_BitMaskCmd_Payload_t::BitMask
```

BitMask to use in the command.

Definition at line 1004 of file cfe_evs_msg.h.

38.65.2.2 Spare

```
uint8 CFE_EVS_BitMaskCmd_Payload_t::Spare
```

Pad to even byte.

Definition at line 1005 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe evs msg.h

38.66 CFE_EVS_BitMaskCmd_t Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- CFE_EVS_BitMaskCmd_Payload_t Payload

38.66.1 Detailed Description

Definition at line 1008 of file cfe_evs_msg.h.

38.66.2 Field Documentation

38.66.2.1 CmdHeader

```
uint8 CFE_EVS_BitMaskCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 1009 of file cfe_evs_msg.h.

38.66.2.2 Payload

```
CFE_EVS_BitMaskCmd_Payload_t CFE_EVS_BitMaskCmd_t::Payload
```

Definition at line 1010 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h

38.67 CFE_EVS_HousekeepingTIm_Payload_t Struct Reference

#include <cfe_evs_msg.h>

Data Fields

• uint8 CommandCounter

EVS Command Counter.

uint8 CommandErrorCounter

EVS Command Error Counter.

· uint8 MessageFormatMode

Event message format mode (short/long)

uint8 MessageTruncCounter

Event message truncation counter.

uint8 UnregisteredAppCounter

Unregistered application message send counter.

uint8 OutputPort

Output port mask.

• uint8 LogFullFlag

Local event log full flag.

• uint8 LogMode

Local event logging mode (overwrite/discard)

uint16 MessageSendCounter

Event message send counter.

uint16 LogOverflowCounter

Local event log overflow counter.

uint8 LogEnabled

Current event log enable/disable state.

• uint8 Spare1

Padding for 32 bit boundary.

• uint8 Spare2

Padding for 32 bit boundary.

• uint8 Spare3

Padding for 32 bit boundary.

CFE_EVS_AppTImData_t AppData [CFE_MISSION_ES_MAX_APPLICATIONS]

Array of registered application table data.

38.67.1 Detailed Description

Name Event Services Housekeeping Telemetry Packet

Definition at line 1144 of file cfe_evs_msg.h.

38.67.2 Field Documentation

```
38.67.2.1 AppData
```

CFE_EVS_AppTlmData_t CFE_EVS_HousekeepingTlm_Payload_t::AppData[CFE_MISSION_ES_MAX_APPLICATIONS]

Array of registered application table data.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APP[CFE_ES_MAX_APPLICATIONS]

Definition at line 1177 of file cfe_evs_msg.h.

38.67.2.2 CommandCounter

uint8 CFE_EVS_HousekeepingTlm_Payload_t::CommandCounter

EVS Command Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_CMDPC

Definition at line 1145 of file cfe_evs_msg.h.

38.67.2.3 CommandErrorCounter

uint8 CFE_EVS_HousekeepingTlm_Payload_t::CommandErrorCounter

EVS Command Error Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_CMDEC

Definition at line 1147 of file cfe_evs_msg.h.

38.67.2.4 LogEnabled

uint8 CFE_EVS_HousekeepingTlm_Payload_t::LogEnabled

Current event log enable/disable state.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_LOGENABLED

Definition at line 1168 of file cfe_evs_msg.h.

38.67.2.5 LogFullFlag

uint8 CFE_EVS_HousekeepingTlm_Payload_t::LogFullFlag

Local event log full flag.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_LOGFULL

Definition at line 1158 of file cfe_evs_msg.h.

38.67.2.6 LogMode

uint8 CFE_EVS_HousekeepingTlm_Payload_t::LogMode

Local event logging mode (overwrite/discard)

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_LOGMODE

Definition at line 1160 of file cfe_evs_msg.h.

38.67.2.7 LogOverflowCounter

uint16 CFE_EVS_HousekeepingTlm_Payload_t::LogOverflowCounter

Local event log overflow counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_LOGOVERFLOWC

Definition at line 1165 of file cfe_evs_msg.h.

38.67.2.8 MessageFormatMode

 ${\tt uint 8 \ CFE_EVS_HousekeepingTlm_Payload_t::} MessageFormatMode$

Event message format mode (short/long)

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_MSGFMTMODE

Definition at line 1149 of file cfe_evs_msg.h.

38.67.2.9 MessageSendCounter

uint16 CFE_EVS_HousekeepingTlm_Payload_t::MessageSendCounter

Event message send counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_MSGSENTC

Definition at line 1163 of file cfe_evs_msg.h.

38.67.2.10 MessageTruncCounter

uint8 CFE_EVS_HousekeepingTlm_Payload_t::MessageTruncCounter

Event message truncation counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_MSGTRUNC

Definition at line 1151 of file cfe_evs_msg.h.

38.67.2.11 OutputPort

uint8 CFE_EVS_HousekeepingTlm_Payload_t::OutputPort

Output port mask.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_OUTPUTPORT

Definition at line 1156 of file cfe_evs_msg.h.

38.67.2.12 Spare1

uint8 CFE_EVS_HousekeepingTlm_Payload_t::Spare1

Padding for 32 bit boundary.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_HK_SPARE1

Definition at line 1170 of file cfe_evs_msg.h.

38.67.2.13 Spare2

uint8 CFE_EVS_HousekeepingTlm_Payload_t::Spare2

Padding for 32 bit boundary.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_HK_SPARE2

Definition at line 1172 of file cfe_evs_msg.h.

38.67.2.14 Spare3

uint8 CFE_EVS_HousekeepingTlm_Payload_t::Spare3

Padding for 32 bit boundary.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_HK_SPARE3

Definition at line 1174 of file cfe_evs_msg.h.

38.67.2.15 UnregisteredAppCounter

uint8 CFE_EVS_HousekeepingTlm_Payload_t::UnregisteredAppCounter

Unregistered application message send counter.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_UNREGAPPC

Definition at line 1154 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h

38.68 CFE_EVS_HousekeepingTlm_t Struct Reference

#include <cfe_evs_msg.h>

Data Fields

```
• uint8 TlmHeader [CFE_SB_TLM_HDR_SIZE]
```

CFE_EVS_HousekeepingTlm_Payload_t Payload

38.68.1 Detailed Description

Definition at line 1182 of file cfe_evs_msg.h.

38.68.2 Field Documentation

38.68.2.1 Payload

```
CFE_EVS_HousekeepingTlm_Payload_t CFE_EVS_HousekeepingTlm_t::Payload
```

Definition at line 1184 of file cfe_evs_msg.h.

38.68.2.2 TImHeader

```
uint8 CFE_EVS_HousekeepingTlm_t::TlmHeader[CFE_SB_TLM_HDR_SIZE]
```

Definition at line 1183 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h

38.69 CFE_EVS_LogFileCmd_Payload_t Struct Reference

Write Event Log to File Command.

```
#include <cfe_evs_msg.h>
```

Data Fields

char LogFilename [CFE_MISSION_MAX_PATH_LEN]

Filename where log data is to be written.

38.69.1 Detailed Description

Write Event Log to File Command.

For command details, see CFE_EVS_WRITE_LOG_DATA_FILE_CC

Definition at line 939 of file cfe_evs_msg.h.

38.69.2 Field Documentation

38.69.2.1 LogFilename

```
char CFE_EVS_LogFileCmd_Payload_t::LogFilename[CFE_MISSION_MAX_PATH_LEN]
```

Filename where log data is to be written.

Definition at line 940 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h

38.70 CFE_EVS_LongEventTIm_Payload_t Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

• CFE_EVS_PacketID_t PacketID

Event packet information.

char Message [CFE_MISSION_EVS_MAX_MESSAGE_LENGTH]

Event message string.

• uint8 Spare1

Structure padding.

• uint8 Spare2

Structure padding.

38.70.1 Detailed Description

Name Event Message Telemetry Packet (Long format)

Definition at line 1207 of file cfe_evs_msg.h.

```
38.70.2 Field Documentation
```

```
38.70.2.1 Message
```

char CFE_EVS_LongEventTlm_Payload_t::Message[CFE_MISSION_EVS_MAX_MESSAGE_LENGTH]

Event message string.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_EVENT[CFE_EVS_MAX_MESSAGE_LENGTH]

Definition at line 1209 of file cfe_evs_msg.h.

38.70.2.2 PacketID

CFE_EVS_PacketID_t CFE_EVS_LongEventTlm_Payload_t::PacketID

Event packet information.

Definition at line 1208 of file cfe_evs_msg.h.

38.70.2.3 Spare1

uint8 CFE_EVS_LongEventTlm_Payload_t::Spare1

Structure padding.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_SPARE1

Definition at line 1211 of file cfe_evs_msg.h.

38.70.2.4 Spare2

uint8 CFE_EVS_LongEventTlm_Payload_t::Spare2

Structure padding.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_SPARE2

Definition at line 1213 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe evs msg.h

38.71 CFE_EVS_LongEventTIm_t Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

- uint8 TlmHeader [CFE_SB_TLM_HDR_SIZE]
- CFE_EVS_LongEventTlm_Payload_t Payload

38.71.1 Detailed Description

Definition at line 1225 of file cfe_evs_msg.h.

38.71.2 Field Documentation

38.71.2.1 Payload

```
CFE_EVS_LongEventTlm_Payload_t CFE_EVS_LongEventTlm_t::Payload
```

Definition at line 1227 of file cfe_evs_msg.h.

38.71.2.2 TImHeader

```
uint8 CFE_EVS_LongEventTlm_t::TlmHeader[CFE_SB_TLM_HDR_SIZE]
```

Definition at line 1226 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h

38.72 CFE_EVS_NoArgsCmd_t Struct Reference

Command with no additional arguments.

```
#include <cfe_evs_msg.h>
```

Data Fields

uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]

38.72.1 Detailed Description

Command with no additional arguments.

Definition at line 920 of file cfe_evs_msg.h.

38.72.2 Field Documentation

38.72.2.1 CmdHeader

```
uint8 CFE_EVS_NoArgsCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 921 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h

38.73 CFE_EVS_PacketID_t Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

char AppName [CFE_MISSION_MAX_API_LEN]

Application name.

• uint16 EventID

Numerical event identifier.

uint16 EventType

Numerical event type identifier.

• uint32 SpacecraftID

Spacecraft identifier.

• uint32 ProcessorID

Numerical processor identifier.

38.73.1 Detailed Description

Telemetry packet structures

Definition at line 1189 of file cfe_evs_msg.h.

38.73.2 Field Documentation

```
38.73.2.1 AppName
```

```
char CFE_EVS_PacketID_t::AppName[CFE_MISSION_MAX_API_LEN]
```

Application name.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_APPNAME[OS_MAX_API_NAME]

Definition at line 1190 of file cfe_evs_msg.h.

38.73.2.2 EventID

```
uint16 CFE_EVS_PacketID_t::EventID
```

Numerical event identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_EVENTID

Definition at line 1192 of file cfe_evs_msg.h.

38.73.2.3 EventType

```
uint16 CFE_EVS_PacketID_t::EventType
```

Numerical event type identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_EVENTTYPE

Definition at line 1194 of file cfe_evs_msg.h.

38.73.2.4 ProcessorID

```
uint32 CFE_EVS_PacketID_t::ProcessorID
```

Numerical processor identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_PROCESSORID

Definition at line 1198 of file cfe_evs_msg.h.

38.73.2.5 SpacecraftID

```
uint32 CFE_EVS_PacketID_t::SpacecraftID
```

Spacecraft identifier.

Telemetry Mnemonic(s) \$sc_\$cpu_EVS_SCID

Definition at line 1196 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h

38.74 CFE_EVS_SetEventFormatMode_Payload_t Struct Reference

Set Event Format Mode or Set Log Mode Commands.

```
#include <cfe_evs_msq.h>
```

Data Fields

• CFE_EVS_MsgFormat_Enum_t MsgFormat

Mode to use in the command.

• uint8 Spare

Pad to even byte.

38.74.1 Detailed Description

Set Event Format Mode or Set Log Mode Commands.

For command details, see CFE_EVS_SET_EVENT_FORMAT_MODE_CC and/or CFE_EVS_SET_LOG_MODE_CC

Definition at line 986 of file cfe_evs_msg.h.

38.74.2 Field Documentation

38.74.2.1 MsgFormat

```
CFE_EVS_MsgFormat_Enum_t CFE_EVS_SetEventFormatMode_Payload_t::MsgFormat
```

Mode to use in the command.

Definition at line 987 of file cfe evs msg.h.

38.74.2.2 Spare

```
uint8 CFE_EVS_SetEventFormatMode_Payload_t::Spare
```

Pad to even byte.

Definition at line 988 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe evs msg.h

38.75 CFE_EVS_SetEventFormatMode_t Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- CFE_EVS_SetEventFormatMode_Payload_t Payload

38.75.1 Detailed Description

Definition at line 991 of file cfe_evs_msg.h.

38.75.2 Field Documentation

38.75.2.1 CmdHeader

```
uint8 CFE_EVS_SetEventFormatMode_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 992 of file cfe_evs_msg.h.

```
38.75.2.2 Payload
```

```
CFE_EVS_SetEventFormatMode_Payload_t CFE_EVS_SetEventFormatMode_t::Payload
```

Definition at line 993 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h

38.76 CFE_EVS_SetLogMode_Payload_t Struct Reference

Set Event Format Mode or Set Log Mode Commands.

```
#include <cfe_evs_msq.h>
```

Data Fields

CFE_EVS_LogMode_Enum_t LogMode

Mode to use in the command.

• uint8 Spare

Pad to even byte.

38.76.1 Detailed Description

Set Event Format Mode or Set Log Mode Commands.

For command details, see CFE_EVS_SET_EVENT_FORMAT_MODE_CC and/or CFE_EVS_SET_LOG_MODE_CC

Definition at line 970 of file cfe_evs_msg.h.

38.76.2 Field Documentation

38.76.2.1 LogMode

```
CFE_EVS_LogMode_Enum_t CFE_EVS_SetLogMode_Payload_t::LogMode
```

Mode to use in the command.

Definition at line 971 of file cfe_evs_msg.h.

38.76.2.2 Spare

```
uint8 CFE_EVS_SetLogMode_Payload_t::Spare
```

Pad to even byte.

Definition at line 972 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h

38.77 CFE_EVS_SetLogMode_t Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- CFE_EVS_SetLogMode_Payload_t Payload

38.77.1 Detailed Description

Definition at line 975 of file cfe_evs_msg.h.

38.77.2 Field Documentation

38.77.2.1 CmdHeader

```
uint8 CFE_EVS_SetLogMode_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 976 of file cfe_evs_msg.h.

38.77.2.2 Payload

```
CFE_EVS_SetLogMode_Payload_t CFE_EVS_SetLogMode_t::Payload
```

Definition at line 977 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe evs msg.h

38.78 CFE_EVS_ShortEventTIm_Payload_t Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

CFE_EVS_PacketID_t PacketID

Event packet information.

38.78.1 Detailed Description

Name Event Message Telemetry Packet (Short format)

Definition at line 1220 of file cfe_evs_msg.h.

38.78.2 Field Documentation

38.78.2.1 PacketID

```
CFE_EVS_PacketID_t CFE_EVS_ShortEventTlm_Payload_t::PacketID
```

Event packet information.

Definition at line 1221 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h

38.79 CFE_EVS_ShortEventTIm_t Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

- uint8 TlmHeader [CFE_SB_TLM_HDR_SIZE]
- CFE_EVS_ShortEventTlm_Payload_t Payload

38.79.1 Detailed Description

Definition at line 1231 of file cfe_evs_msg.h.

38.79.2 Field Documentation

```
38.79.2.1 Payload
```

```
CFE_EVS_ShortEventTlm_Payload_t CFE_EVS_ShortEventTlm_t::Payload
```

Definition at line 1233 of file cfe_evs_msg.h.

38.79.2.2 TImHeader

```
uint8 CFE_EVS_ShortEventTlm_t::TlmHeader[CFE_SB_TLM_HDR_SIZE]
```

Definition at line 1232 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h

38.80 CFE_EVS_WriteAppDataFile_t Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- CFE_EVS_AppDataCmd_Payload_t Payload

38.80.1 Detailed Description

Definition at line 959 of file cfe_evs_msg.h.

38.80.2 Field Documentation

38.80.2.1 CmdHeader

```
\label{lem:cfe_evs_writeAppDataFile_t::CmdHeader[CFE\_SB\_CMD\_HDR\_SIZE]} \\
```

Definition at line 960 of file cfe_evs_msg.h.

38.80.2.2 Payload

```
CFE_EVS_AppDataCmd_Payload_t CFE_EVS_WriteAppDataFile_t::Payload
```

Definition at line 961 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h

38.81 CFE_EVS_WriteLogDataFile_t Struct Reference

```
#include <cfe_evs_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- CFE_EVS_LogFileCmd_Payload_t Payload

38.81.1 Detailed Description

Definition at line 943 of file cfe_evs_msg.h.

38.81.2 Field Documentation

38.81.2.1 CmdHeader

```
uint8 CFE_EVS_WriteLogDataFile_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 944 of file cfe evs msg.h.

38.81.2.2 Payload

```
{\tt CFE\_EVS\_LogFileCmd\_Payload\_t\ CFE\_EVS\_WriteLogDataFile\_t::Payload\_t\ CFE\_EVS\_WriteLogDataFi
```

Definition at line 945 of file cfe_evs_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe evs msg.h

38.82 CFE_FS_Header_t Struct Reference

Standard cFE File header structure definition.

```
#include <cfe_fs_extern_typedefs.h>
```

Data Fields

uint32 ContentType

Identifies the content type (='cFE1'=0x63464531)

uint32 SubType

Type of Content Type, if necessary.

· uint32 Length

Length of primary header.

uint32 SpacecraftID

Spacecraft that generated the file.

• uint32 ProcessorID

Processor that generated the file.

uint32 ApplicationID

Application that generated the file.

• uint32 TimeSeconds

File creation timestamp (seconds)

• uint32 TimeSubSeconds

File creation timestamp (sub-seconds)

char Description [CFE_FS_HDR_DESC_MAX_LEN]

File description.

38.82.1 Detailed Description

Standard cFE File header structure definition.

Definition at line 223 of file cfe_fs_extern_typedefs.h.

38.82.2 Field Documentation

38.82.2.1 ApplicationID

```
uint32 CFE_FS_Header_t::ApplicationID
```

Application that generated the file.

Definition at line 232 of file cfe_fs_extern_typedefs.h.

38.82.2.2 ContentType

```
uint32 CFE_FS_Header_t::ContentType
```

Identifies the content type (='cFE1'=0x63464531)

Definition at line 225 of file cfe_fs_extern_typedefs.h.

38.82.2.3 Description

```
char CFE_FS_Header_t::Description[CFE_FS_HDR_DESC_MAX_LEN]
```

File description.

Definition at line 237 of file cfe_fs_extern_typedefs.h.

38.82.2.4 Length

```
uint32 CFE_FS_Header_t::Length
```

Length of primary header.

Definition at line 229 of file cfe_fs_extern_typedefs.h.

38.82.2.5 ProcessorID

```
uint32 CFE_FS_Header_t::ProcessorID
```

Processor that generated the file.

Definition at line 231 of file cfe_fs_extern_typedefs.h.

38.82.2.6 SpacecraftID

```
uint32 CFE_FS_Header_t::SpacecraftID
```

Spacecraft that generated the file.

Definition at line 230 of file cfe_fs_extern_typedefs.h.

38.82.2.7 SubType

```
uint32 CFE_FS_Header_t::SubType
```

Type of ContentType, if necessary.

Standard SubType definitions can be found here

Definition at line 226 of file cfe_fs_extern_typedefs.h.

38.82.2.8 TimeSeconds

```
uint32 CFE_FS_Header_t::TimeSeconds
```

File creation timestamp (seconds)

Definition at line 234 of file cfe_fs_extern_typedefs.h.

38.82.2.9 TimeSubSeconds

```
uint32 CFE_FS_Header_t::TimeSubSeconds
```

File creation timestamp (sub-seconds)

Definition at line 235 of file cfe_fs_extern_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_fs_extern_typedefs.h

38.83 CFE_PSP_CommandData_t Struct Reference

Data Fields

- char ResetType [CFE_PSP_RESET_NAME_LENGTH]
- uint32 GotResetType
- uint32 SubType
- uint32 GotSubType
- char CpuName [CFE_PSP_CPU_NAME_LENGTH]
- uint32 GotCpuName
- uint32 Cpuld
- uint32 GotCpuld
- · uint32 SpacecraftId
- uint32 GotSpacecraftId

```
38.83.1 Detailed Description
```

Definition at line 87 of file cfe_psp_start.c.

38.83.2 Field Documentation

```
38.83.2.1 Cpuld
```

```
uint32 CFE_PSP_CommandData_t::CpuId
```

Definition at line 98 of file cfe_psp_start.c.

Referenced by CFE_PSP_ProcessArgumentDefaults(), and OS_Application_Startup().

38.83.2.2 CpuName

```
char CFE_PSP_CommandData_t::CpuName[CFE_PSP_CPU_NAME_LENGTH]
```

Definition at line 95 of file cfe_psp_start.c.

Referenced by CFE_PSP_ProcessArgumentDefaults(), and OS_Application_Startup().

38.83.2.3 GotCpuld

```
uint32 CFE_PSP_CommandData_t::GotCpuId
```

Definition at line 99 of file cfe_psp_start.c.

 $Referenced \ by \ CFE_PSP_Process Argument Defaults (), \ and \ OS_Application_Startup ().$

38.83.2.4 GotCpuName

```
uint32 CFE_PSP_CommandData_t::GotCpuName
```

Definition at line 96 of file cfe_psp_start.c.

Referenced by CFE_PSP_ProcessArgumentDefaults(), and OS_Application_Startup().

38.83.2.5 GotResetType

```
uint32 CFE_PSP_CommandData_t::GotResetType
```

Definition at line 90 of file cfe_psp_start.c.

Referenced by CFE_PSP_ProcessArgumentDefaults(), and OS_Application_Startup().

38.83.2.6 GotSpacecraftId

```
uint32 CFE_PSP_CommandData_t::GotSpacecraftId
```

Definition at line 102 of file cfe_psp_start.c.

Referenced by CFE_PSP_ProcessArgumentDefaults(), and OS_Application_Startup().

38.83.2.7 GotSubType

```
uint32 CFE_PSP_CommandData_t::GotSubType
```

Definition at line 93 of file cfe_psp_start.c.

Referenced by CFE_PSP_ProcessArgumentDefaults(), and OS_Application_Startup().

38.83.2.8 ResetType

```
char CFE_PSP_CommandData_t::ResetType[CFE_PSP_RESET_NAME_LENGTH]
```

Definition at line 89 of file cfe_psp_start.c.

Referenced by CFE_PSP_ProcessArgumentDefaults(), and OS_Application_Startup().

38.83.2.9 SpacecraftId

```
uint32 CFE_PSP_CommandData_t::SpacecraftId
```

Definition at line 101 of file cfe_psp_start.c.

Referenced by CFE_PSP_ProcessArgumentDefaults(), and OS_Application_Startup().

38.83.2.10 SubType

```
uint32 CFE_PSP_CommandData_t::SubType
```

Definition at line 92 of file cfe_psp_start.c.

Referenced by CFE PSP ProcessArgumentDefaults(), and OS Application Startup().

The documentation for this struct was generated from the following file:

• psp/fsw/pc-linux/src/cfe_psp_start.c

38.84 CFE_PSP_MemTable_t Struct Reference

```
#include <cfe_psp.h>
```

Data Fields

- uint32 MemoryType
- uint32 WordSize
- · cpuaddr StartAddr
- uint32 Size
- · uint32 Attributes

38.84.1 Detailed Description

Definition at line 152 of file cfe_psp.h.

38.84.2 Field Documentation

38.84.2.1 Attributes

```
uint32 CFE_PSP_MemTable_t::Attributes
```

Definition at line 158 of file cfe_psp.h.

38.84.2.2 MemoryType

```
uint32 CFE_PSP_MemTable_t::MemoryType
```

Definition at line 154 of file cfe_psp.h.

38.84.2.3 Size

```
uint32 CFE_PSP_MemTable_t::Size
```

Definition at line 157 of file cfe_psp.h.

38.84.2.4 StartAddr

```
cpuaddr CFE_PSP_MemTable_t::StartAddr
```

Definition at line 156 of file cfe_psp.h.

38.84.2.5 WordSize

```
uint32 CFE_PSP_MemTable_t::WordSize
```

Definition at line 155 of file cfe_psp.h.

The documentation for this struct was generated from the following file:

• psp/fsw/inc/cfe_psp.h

38.85 CFE_PSP_VersionInfo_t Struct Reference

```
#include <cfe_psp_configdata.h>
```

Data Fields

- uint8 MajorVersion
- uint8 MinorVersion
- · uint8 Revision
- uint8 MissionRev

38.85.1 Detailed Description

Definition at line 40 of file cfe_psp_configdata.h.

38.85.2 Field Documentation

38.85.2.1 MajorVersion

```
uint8 CFE_PSP_VersionInfo_t::MajorVersion
```

Definition at line 42 of file cfe_psp_configdata.h.

38.85.2.2 MinorVersion

```
uint8 CFE_PSP_VersionInfo_t::MinorVersion
```

Definition at line 43 of file cfe_psp_configdata.h.

38.85.2.3 MissionRev

```
uint8 CFE_PSP_VersionInfo_t::MissionRev
```

Definition at line 45 of file cfe_psp_configdata.h.

38.85.2.4 Revision

```
uint8 CFE_PSP_VersionInfo_t::Revision
```

Definition at line 44 of file cfe_psp_configdata.h.

The documentation for this struct was generated from the following file:

• psp/fsw/inc/cfe_psp_configdata.h

38.86 CFE_SB_AllSubscriptionsTlm_Payload_t Struct Reference

```
#include <cfe_sb_msg.h>
```

Data Fields

• uint32 PktSegment

Pkt number(starts at 1) in the series.

• uint32 TotalSegments

Total number of pkts needed to complete the request.

· uint32 Entries

Number of entries in the pkt.

• CFE_SB_SubEntries_t Entry [CFE_SB_SUB_ENTRIES_PER_PKT]

Array of CFE_SB_SubEntries_t entries.

38.86.1 Detailed Description

Name SB Previous Subscriptions Packet

This structure defines the pkt(s) sent by SB that contains a list of all current subscriptions. This pkt is generated on cmd and intended to be used primarily by the Software Bus Networking Application (SBN). Typically, when the cmd is received there are more subscriptions than can fit in one pkt. The complete list of subscriptions is sent via a series of segmented pkts.

Definition at line 740 of file cfe sb msg.h.

38.86.2 Field Documentation

38.86.2.1 Entries

uint32 CFE_SB_AllSubscriptionsTlm_Payload_t::Entries

Number of entries in the pkt.

Definition at line 744 of file cfe_sb_msg.h.

38.86.2.2 Entry

CFE_SB_SubEntries_t CFE_SB_AllSubscriptionsTlm_Payload_t::Entry[CFE_SB_SUB_ENTRIES_PER_PKT]

Array of CFE_SB_SubEntries_t entries.

Definition at line 745 of file cfe sb msg.h.

38.86.2.3 PktSegment

uint32 CFE_SB_AllSubscriptionsTlm_Payload_t::PktSegment

Pkt number(starts at 1) in the series.

Definition at line 742 of file cfe sb msg.h.

```
38.86.2.4 TotalSegments
```

```
uint32 CFE_SB_AllSubscriptionsTlm_Payload_t::TotalSegments
```

Total number of pkts needed to complete the request.

Definition at line 743 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h

38.87 CFE_SB_AllSubscriptionsTIm_t Struct Reference

```
#include <cfe_sb_msg.h>
```

Data Fields

• CFE_SB_TlmHdr_t Hdr

cFE Software Bus Telemetry Message Header

CFE_SB_AllSubscriptionsTlm_Payload_t Payload

38.87.1 Detailed Description

Definition at line 748 of file cfe_sb_msg.h.

38.87.2 Field Documentation

38.87.2.1 Hdr

CFE_SB_TlmHdr_t CFE_SB_AllSubscriptionsTlm_t::Hdr

cFE Software Bus Telemetry Message Header

Definition at line 749 of file cfe_sb_msg.h.

38.87.2.2 Payload

CFE_SB_AllSubscriptionsTlm_Payload_t CFE_SB_AllSubscriptionsTlm_t::Payload

Definition at line 750 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h

38.88 CFE_SB_HousekeepingTlm_Payload_t Struct Reference

#include <cfe_sb_msq.h>

Data Fields

• uint8 CommandCounter

Count of valid commands received.

• uint8 CommandErrorCounter

Count of invalid commands received.

uint8 NoSubscribersCounter

Count pkts sent with no subscribers.

uint8 MsgSendErrorCounter

Count of message send errors.

uint8 MsgReceiveErrorCounter

Count of message receive errors.

· uint8 InternalErrorCounter

Count of queue read or write errors.

uint8 CreatePipeErrorCounter

Count of errors in create pipe API.

uint8 SubscribeErrorCounter

Count of errors in subscribe API.

• uint8 PipeOptsErrorCounter

Count of errors in set/get pipe options API.

· uint8 DuplicateSubscriptionsCounter

Count of duplicate subscriptions.

uint8 GetPipeldByNameErrorCounter

Count of errors in get pipe id by name API.

• uint8 Spare2Align [1]

Spare bytes to ensure alignment.

uint16 PipeOverflowErrorCounter

Count of pipe overflow errors.

uint16 MsgLimitErrorCounter

Count of msg id to pipe errors.

• CFE ES MemHandle t MemPoolHandle

Handle to SB's Memory Pool.

· uint32 MemInUse

Memory in use.

uint32 UnmarkedMem

cfg param CFE_PLATFORM_SB_BUF_MEMORY_BYTES minus Peak Memory in use

```
38.88.1 Detailed Description
```

Name Software Bus task housekeeping Packet

Definition at line 541 of file cfe_sb_msg.h.

38.88.2 Field Documentation

38.88.2.1 CommandCounter

uint8 CFE_SB_HousekeepingTlm_Payload_t::CommandCounter

Count of valid commands received.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_CMDPC

Definition at line 543 of file cfe_sb_msg.h.

38.88.2.2 CommandErrorCounter

uint8 CFE_SB_HousekeepingTlm_Payload_t::CommandErrorCounter

Count of invalid commands received.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_CMDEC

Definition at line 545 of file cfe_sb_msg.h.

38.88.2.3 CreatePipeErrorCounter

uint8 CFE_SB_HousekeepingTlm_Payload_t::CreatePipeErrorCounter

Count of errors in create pipe API.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_NewPipeEC

Definition at line 556 of file cfe_sb_msg.h.

38.88.2.4 DuplicateSubscriptionsCounter

uint8 CFE_SB_HousekeepingTlm_Payload_t::DuplicateSubscriptionsCounter

Count of duplicate subscriptions.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_DupSubCnt

Definition at line 562 of file cfe_sb_msg.h.

38.88.2.5 GetPipeldByNameErrorCounter

 $\verb|uint8| CFE_SB_HousekeepingTlm_Payload_t::GetPipeIdByNameErrorCounter|$

Count of errors in get pipe id by name API.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_GetPipeIDByNameEC

Definition at line 564 of file cfe_sb_msg.h.

38.88.2.6 InternalErrorCounter

uint8 CFE_SB_HousekeepingTlm_Payload_t::InternalErrorCounter

Count of queue read or write errors.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_InternalEC

Definition at line 554 of file cfe_sb_msg.h.

38.88.2.7 MemInUse

 $\verb|uint32| CFE_SB_HousekeepingTlm_Payload_t::MemInUse|$

Memory in use.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MemInUse

Definition at line 577 of file cfe_sb_msg.h.

38.88.2.8 MemPoolHandle

CFE_ES_MemHandle_t CFE_SB_HousekeepingTlm_Payload_t::MemPoolHandle

Handle to SB's Memory Pool.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MemPoolHdl

Definition at line 574 of file cfe_sb_msg.h.

38.88.2.9 MsgLimitErrorCounter

uint16 CFE_SB_HousekeepingTlm_Payload_t::MsgLimitErrorCounter

Count of msg id to pipe errors.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MsgLimEC

Definition at line 571 of file cfe_sb_msg.h.

38.88.2.10 MsgReceiveErrorCounter

uint8 CFE_SB_HousekeepingTlm_Payload_t::MsgReceiveErrorCounter

Count of message receive errors.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MsgRecEC

Definition at line 552 of file cfe_sb_msg.h.

38.88.2.11 MsgSendErrorCounter

 ${\tt uint 8 \ CFE_SB_HousekeepingTlm_Payload_t::} {\tt MsgSendErrorCounter}$

Count of message send errors.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_MsgSndEC

Definition at line 549 of file cfe_sb_msg.h.

```
38.88.2.12 NoSubscribersCounter
```

uint8 CFE_SB_HousekeepingTlm_Payload_t::NoSubscribersCounter

Count pkts sent with no subscribers.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_NoSubEC

Definition at line 547 of file cfe_sb_msg.h.

38.88.2.13 PipeOptsErrorCounter

uint8 CFE_SB_HousekeepingTlm_Payload_t::PipeOptsErrorCounter

Count of errors in set/get pipe options API.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_PipeOptsEC

Definition at line 560 of file cfe_sb_msg.h.

38.88.2.14 PipeOverflowErrorCounter

uint16 CFE_SB_HousekeepingTlm_Payload_t::PipeOverflowErrorCounter

Count of pipe overflow errors.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_PipeOvrEC

Definition at line 569 of file cfe_sb_msg.h.

38.88.2.15 Spare2Align

uint8 CFE_SB_HousekeepingTlm_Payload_t::Spare2Align[1]

Spare bytes to ensure alignment.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Spare2Align[2]

Definition at line 566 of file cfe_sb_msg.h.

38.88.2.16 SubscribeErrorCounter

```
uint8 CFE_SB_HousekeepingTlm_Payload_t::SubscribeErrorCounter
```

Count of errors in subscribe API.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_SubscrEC

Definition at line 558 of file cfe_sb_msg.h.

38.88.2.17 UnmarkedMem

```
uint32 CFE_SB_HousekeepingTlm_Payload_t::UnmarkedMem
```

cfg param CFE_PLATFORM_SB_BUF_MEMORY_BYTES minus Peak Memory in use

Telemetry Mnemonic(s) \$sc_\$cpu_SB_UnMarkedMem

Definition at line 580 of file cfe sb msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h

38.89 CFE_SB_HousekeepingTlm_t Struct Reference

```
#include <cfe_sb_msg.h>
```

Data Fields

- CFE_SB_TlmHdr_t Hdr
 - cFE Software Bus Telemetry Message Header
- CFE_SB_HousekeepingTlm_Payload_t Payload

38.89.1 Detailed Description

Definition at line 584 of file cfe_sb_msg.h.

38.89.2 Field Documentation

```
38.89.2.1 Hdr
```

```
CFE_SB_TlmHdr_t CFE_SB_HousekeepingTlm_t::Hdr
```

cFE Software Bus Telemetry Message Header

Definition at line 585 of file cfe_sb_msg.h.

38.89.2.2 Payload

```
CFE_SB_HousekeepingTlm_Payload_t CFE_SB_HousekeepingTlm_t::Payload
```

Definition at line 586 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h

38.90 CFE_SB_Msg_t Union Reference

Generic Software Bus Message Type Definition.

```
#include <cfe_sb.h>
```

Data Fields

• CCSDS_PriHdr_t Hdr

CCSDS Primary Header CCSDS_PriHdr_t.

- CCSDS_SpacePacket_t SpacePacket
- uint32 Dword

Forces minimum of 32-bit alignment for this object.

• uint8 Byte [sizeof(CCSDS_PriHdr_t)]

Allows byte-level access.

38.90.1 Detailed Description

Generic Software Bus Message Type Definition.

Definition at line 150 of file cfe_sb.h.

38.90.2 Field Documentation

```
38.90.2.1 Byte
uint8 CFE_SB_Msg_t::Byte[sizeof(CCSDS_PriHdr_t)]
Allows byte-level access.
Definition at line 154 of file cfe_sb.h.
38.90.2.2 Dword
uint32 CFE_SB_Msg_t::Dword
Forces minimum of 32-bit alignment for this object.
Definition at line 153 of file cfe_sb.h.
38.90.2.3 Hdr
CCSDS_PriHdr_t CFE_SB_Msg_t::Hdr
CCSDS Primary Header CCSDS PriHdr t.
Definition at line 151 of file cfe sb.h.
38.90.2.4 SpacePacket
CCSDS_SpacePacket_t CFE_SB_Msg_t::SpacePacket
Definition at line 152 of file cfe_sb.h.
The documentation for this union was generated from the following file:
```

38.91 CFE_SB_MsgMapFileEntry_t Struct Reference

SB Map File Entry.

#include <cfe_sb_msg.h>

cfe/fsw/cfe-core/src/inc/cfe_sb.h

Data Fields

• CFE_SB_Msgld_t Msgld

Message Id which has been subscribed to.

CFE_SB_MsgRouteldx_Atom_t Index

Routing table index where pipe destinations are found.

38.91.1 Detailed Description

SB Map File Entry.

Structure of one element of the map information in response to CFE_SB_SEND_MAP_INFO_CC

Definition at line 683 of file cfe_sb_msg.h.

38.91.2 Field Documentation

38.91.2.1 Index

CFE_SB_MsgRouteIdx_Atom_t CFE_SB_MsgMapFileEntry_t::Index

Routing table index where pipe destinations are found.

Definition at line 685 of file cfe_sb_msg.h.

38.91.2.2 Msgld

CFE_SB_MsgId_t CFE_SB_MsgMapFileEntry_t::MsgId

Message Id which has been subscribed to.

Definition at line 684 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h

38.92 CFE_SB_PipeDepthStats_t Struct Reference

SB Pipe Depth Statistics.

#include <cfe_sb_msg.h>

Data Fields

· CFE SB Pipeld t Pipeld

Pipe Id associated with the stats below.

• uint8 Spare

Spare byte to ensure alignment.

• uint16 Depth

Number of messages the pipe can hold.

• uint16 InUse

Number of messages currently on the pipe.

• uint16 PeakInUse

Peak number of messages that have been on the pipe.

38.92.1 Detailed Description

SB Pipe Depth Statistics.

Used in SB Statistics Telemetry Packet CFE_SB_StatsTIm_t

Definition at line 595 of file cfe_sb_msg.h.

38.92.2 Field Documentation

38.92.2.1 Depth

uint16 CFE_SB_PipeDepthStats_t::Depth

Number of messages the pipe can hold.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_SB_MAX_PIPES].SB_PDDEPTH

Definition at line 601 of file cfe_sb_msg.h.

38.92.2.2 InUse

uint16 CFE_SB_PipeDepthStats_t::InUse

Number of messages currently on the pipe.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_SB_MAX_PIPES].SB_PDINUSE

Definition at line 603 of file cfe_sb_msg.h.

38.92.2.3 PeakInUse

```
uint16 CFE_SB_PipeDepthStats_t::PeakInUse
```

Peak number of messages that have been on the pipe.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_SB_MAX_PIPES].SB_PDPKINUSE

Definition at line 605 of file cfe_sb_msg.h.

38.92.2.4 Pipeld

```
CFE_SB_PipeId_t CFE_SB_PipeDepthStats_t::PipeId
```

Pipe Id associated with the stats below.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_SB_MAX_PIPES].SB_PDPIPEID

Definition at line 597 of file cfe_sb_msg.h.

38.92.2.5 Spare

```
uint8 CFE_SB_PipeDepthStats_t::Spare
```

Spare byte to ensure alignment.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_SB_MAX_PIPES].SB_PDSPARE

Definition at line 599 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h

38.93 CFE_SB_Qos_t Struct Reference

Quality Of Service Type Definition.

#include <cfe_sb.h>

Data Fields

· uint8 Priority

Specify high(1) or low(0) message priority for off-board routing, currently unused.

· uint8 Reliability

Specify high(1) or low(0) message transfer reliability for off-board routing, currently unused.

38.93.1 Detailed Description

Quality Of Service Type Definition.

 $Currently\ an\ unused\ parameter\ in\ CFE_SB_Subscribe Ex\ Intended\ to\ be\ used\ for\ interprocessor\ communication\ only$

Definition at line 197 of file cfe_sb.h.

38.93.2 Field Documentation

38.93.2.1 Priority

```
uint8 CFE_SB_Qos_t::Priority
```

Specify high(1) or low(0) message priority for off-board routing, currently unused.

Definition at line 198 of file cfe sb.h.

38.93.2.2 Reliability

```
uint8 CFE_SB_Qos_t::Reliability
```

Specify high(1) or low(0) message transfer reliability for off-board routing, currently unused.

Definition at line 199 of file cfe_sb.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_sb.h

38.94 CFE_SB_RouteCmd_Payload_t Struct Reference

Enable/Disable Route Commands.

```
#include <cfe_sb_msq.h>
```

Data Fields

CFE_SB_Msgld_t Msgld

Message ID of route to be enabled or disabled CFE_SB_Msgld_t.

CFE_SB_PipeId_t Pipe

Pipe ID of route to be enabled or disabled CFE_SB_PipeId_t.

· uint8 Spare

Spare byte to make command even number of bytes.

38.94.1 Detailed Description

Enable/Disable Route Commands.

This structure contains a definition used by two SB commands, 'Enable Route' CFE_SB_ENABLE_ROUTE_CC and 'Disable Route' CFE_SB_DISABLE_ROUTE_CC. A route is the destination pipe for a particular message and is therefore defined as a Msgld and Pipeld combination.

Definition at line 516 of file cfe_sb_msg.h.

38.94.2 Field Documentation

38.94.2.1 Msgld

CFE_SB_MsgId_t CFE_SB_RouteCmd_Payload_t::MsgId

Message ID of route to be enabled or disabled CFE SB Msgld t.

Definition at line 518 of file cfe_sb_msg.h.

38.94.2.2 Pipe

CFE_SB_PipeId_t CFE_SB_RouteCmd_Payload_t::Pipe

Pipe ID of route to be enabled or disabled CFE_SB_PipeId_t.

Definition at line 519 of file cfe_sb_msg.h.

```
38.94.2.3 Spare
uint8 CFE_SB_RouteCmd_Payload_t::Spare
Spare byte to make command even number of bytes.
Definition at line 520 of file cfe_sb_msg.h.
The documentation for this struct was generated from the following file:

    cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h

38.95
      CFE_SB_RouteCmd_t Struct Reference
#include <cfe_sb_msg.h>
Data Fields
    • CFE_SB_CmdHdr_t Hdr
         cFE Software Bus Command Message Header CFE_SB_CmdHdr_t
    • CFE_SB_RouteCmd_Payload_t Payload
38.95.1 Detailed Description
Definition at line 523 of file cfe_sb_msg.h.
38.95.2 Field Documentation
38.95.2.1 Hdr
CFE_SB_CmdHdr_t CFE_SB_RouteCmd_t::Hdr
```

cFE Software Bus Command Message Header CFE_SB_CmdHdr_t

Definition at line 524 of file cfe_sb_msg.h.

Generated by Doxygen

```
38.95.2.2 Payload
```

```
CFE_SB_RouteCmd_Payload_t CFE_SB_RouteCmd_t::Payload
```

Definition at line 525 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h

38.96 CFE_SB_RoutingFileEntry_t Struct Reference

SB Routing File Entry.

```
#include <cfe_sb_msg.h>
```

Data Fields

• CFE_SB_Msgld_t Msgld

Message Id portion of the route.

• CFE_SB_PipeId_t PipeId

Pipe Id portion of the route.

· uint8 State

Route Enabled or Disabled.

uint16 MsgCnt

Number of msgs with this Msgld sent to this Pipeld.

char AppName [CFE_MISSION_MAX_API_LEN]

Pipe Depth Statistics.

char PipeName [CFE_MISSION_MAX_API_LEN]

Pipe Depth Statistics.

38.96.1 Detailed Description

SB Routing File Entry.

Structure of one element of the routing information in response to CFE_SB_SEND_ROUTING_INFO_CC

Definition at line 668 of file cfe_sb_msg.h.

38.96.2 Field Documentation

```
38.96.2.1 AppName
```

```
char CFE_SB_RoutingFileEntry_t::AppName[CFE_MISSION_MAX_API_LEN]
```

Pipe Depth Statistics.

Definition at line 673 of file cfe_sb_msg.h.

38.96.2.2 MsgCnt

```
uint16 CFE_SB_RoutingFileEntry_t::MsgCnt
```

Number of msgs with this Msgld sent to this Pipeld.

Definition at line 672 of file cfe_sb_msg.h.

38.96.2.3 Msgld

```
CFE_SB_MsgId_t CFE_SB_RoutingFileEntry_t::MsgId
```

Message Id portion of the route.

Definition at line 669 of file cfe_sb_msg.h.

38.96.2.4 Pipeld

```
CFE_SB_PipeId_t CFE_SB_RoutingFileEntry_t::PipeId
```

Pipe Id portion of the route.

Definition at line 670 of file cfe_sb_msg.h.

38.96.2.5 PipeName

```
char CFE_SB_RoutingFileEntry_t::PipeName[CFE_MISSION_MAX_API_LEN]
```

Pipe Depth Statistics.

Definition at line 674 of file cfe_sb_msg.h.

38.96.2.6 State

```
uint8 CFE_SB_RoutingFileEntry_t::State
```

Route Enabled or Disabled.

Definition at line 671 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h

38.97 CFE_SB_SenderId_t Struct Reference

Message Sender Identification Type Definition.

```
#include <cfe_sb.h>
```

Data Fields

· uint32 ProcessorId

Processor Id from which the message was sent.

char AppName [OS_MAX_API_NAME]

Application that sent the message.

38.97.1 Detailed Description

Message Sender Identification Type Definition.

Parameter used in CFE_SB_GetLastSenderld API which allows the receiver of a message to validate the sender of the message.

Definition at line 210 of file cfe_sb.h.

38.97.2 Field Documentation

38.97.2.1 AppName

```
char CFE_SB_SenderId_t::AppName[OS_MAX_API_NAME]
```

Application that sent the message.

Definition at line 212 of file cfe_sb.h.

38.97.2.2 ProcessorId

```
uint32 CFE_SB_SenderId_t::ProcessorId
```

Processor Id from which the message was sent.

Definition at line 211 of file cfe sb.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe sb.h

38.98 CFE_SB_SingleSubscriptionTlm_Payload_t Struct Reference

```
#include <cfe_sb_msg.h>
```

Data Fields

• uint8 SubType

Subscription or Unsubscription.

• CFE_SB_Msgld_t Msgld

Msgld subscribed or unsubscribe to.

• CFE_SB_Qos_t Qos

Quality of Service, used only for interprocessor communication.

• CFE_SB_PipeId_t Pipe

Destination pipe id to send above msg id.

38.98.1 Detailed Description

Name SB Subscription Report Packet

This structure defines the pkt sent by SB when a subscription or a request to unsubscribe is received while subscription reporting is enabled. By default subscription reporting is disabled. This feature is intended to be used primarily by Software Bus Networking Application (SBN)

See also

```
CFE_SB_ENABLE_SUB_REPORTING_CC, CFE_SB_DISABLE_SUB_REPORTING_CC
```

Definition at line 699 of file cfe_sb_msg.h.

38.98.2 Field Documentation

```
38.98.2.1 Msgld
```

```
CFE_SB_MsgId_t CFE_SB_SingleSubscriptionTlm_Payload_t::MsgId
```

Msgld subscribed or unsubscribe to.

Definition at line 702 of file cfe sb msg.h.

38.98.2.2 Pipe

```
CFE_SB_PipeId_t CFE_SB_SingleSubscriptionTlm_Payload_t::Pipe
```

Destination pipe id to send above msg id.

Definition at line 704 of file cfe_sb_msg.h.

38.98.2.3 Qos

```
CFE_SB_Qos_t CFE_SB_SingleSubscriptionTlm_Payload_t::Qos
```

Quality of Service, used only for interprocessor communication.

Definition at line 703 of file cfe_sb_msg.h.

38.98.2.4 SubType

```
uint8 CFE_SB_SingleSubscriptionTlm_Payload_t::SubType
```

Subscription or Unsubscription.

Definition at line 701 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h

38.99 CFE_SB_SingleSubscriptionTlm_t Struct Reference

```
#include <cfe_sb_msg.h>
```

Data Fields

```
• CFE_SB_TImHdr_t Hdr
         cFE Software Bus Telemetry Message Header
    • CFE_SB_SingleSubscriptionTlm_Payload_t Payload
38.99.1 Detailed Description
Definition at line 708 of file cfe_sb_msg.h.
38.99.2 Field Documentation
38.99.2.1 Hdr
CFE_SB_TlmHdr_t CFE_SB_SingleSubscriptionTlm_t::Hdr
cFE Software Bus Telemetry Message Header
Definition at line 709 of file cfe_sb_msg.h.
38.99.2.2 Payload
CFE_SB_SingleSubscriptionTlm_Payload_t CFE_SB_SingleSubscriptionTlm_t::Payload
Definition at line 710 of file cfe_sb_msg.h.
The documentation for this struct was generated from the following file:
    • cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h
38.100 CFE_SB_StatsTIm_Payload_t Struct Reference
#include <cfe_sb_msg.h>
```

Data Fields

• uint32 MsgldsInUse

Current number of Msglds with a destination.

uint32 PeakMsgldsInUse

Peak number of Msglds with a destination.

uint32 MaxMsgldsAllowed

cFE Cfg Param CFE_PLATFORM_SB_MAX_MSG_IDS

uint32 PipesInUse

Number of pipes currently in use.

uint32 PeakPipesInUse

Peak number of pipes since last reboot.

uint32 MaxPipesAllowed

cFE Cfg Param CFE PLATFORM SB MAX PIPES

• uint32 MemInUse

Memory bytes currently in use for SB msg transfers.

• uint32 PeakMemInUse

Peak memory bytes in use for SB msg transfers.

uint32 MaxMemAllowed

cFE Cfg Param CFE_PLATFORM_SB_BUF_MEMORY_BYTES

• uint32 SubscriptionsInUse

Number of current subscriptions.

uint32 PeakSubscriptionsInUse

Peak number of subscriptions.

· uint32 MaxSubscriptionsAllowed

product of CFE_PLATFORM_SB_MAX_MSG_IDS and CFE_PLATFORM_SB_MAX_DEST_PER_PKT

• uint32 SBBuffersInUse

Number of SB message buffers currently in use.

• uint32 PeakSBBuffersInUse

Max number of SB message buffers in use.

uint32 MaxPipeDepthAllowed

cFE Cfg Param CFE_SB_MAX_PIPE_DEPTH

CFE_SB_PipeDepthStats_t PipeDepthStats [CFE_MISSION_SB_MAX_PIPES]

Pipe Depth Statistics CFE_SB_PipeDepthStats_t.

38.100.1 Detailed Description

Name SB Statistics Telemetry Packet

SB Statistics packet sent (via CFE SB SendMsg) in response to CFE SB SEND SB STATS CC

Definition at line 615 of file cfe_sb_msg.h.

38.100.2 Field Documentation

38.100.2.1 MaxMemAllowed uint32 CFE_SB_StatsTlm_Payload_t::MaxMemAllowed cFE Cfg Param CFE PLATFORM SB BUF MEMORY BYTES Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMBMALW Definition at line 635 of file cfe_sb_msg.h. 38.100.2.2 MaxMsgldsAllowed uint32 CFE_SB_StatsTlm_Payload_t::MaxMsgIdsAllowed cFE Cfg Param CFE_PLATFORM_SB_MAX_MSG_IDS Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMMIDALW Definition at line 621 of file cfe_sb_msg.h. 38.100.2.3 MaxPipeDepthAllowed uint32 CFE_SB_StatsTlm_Payload_t::MaxPipeDepthAllowed cFE Cfg Param CFE_SB_MAX_PIPE_DEPTH Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMPDALW Definition at line 651 of file cfe_sb_msg.h. 38.100.2.4 MaxPipesAllowed uint32 CFE_SB_StatsTlm_Payload_t::MaxPipesAllowed cFE Cfg Param CFE PLATFORM SB MAX PIPES

Definition at line 628 of file cfe_sb_msg.h.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMPALW

38.100.2.5 MaxSubscriptionsAllowed

uint32 CFE_SB_StatsTlm_Payload_t::MaxSubscriptionsAllowed

product of CFE PLATFORM SB MAX MSG IDS and CFE PLATFORM SB MAX DEST PER PKT

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMSALW

Definition at line 642 of file cfe_sb_msg.h.

38.100.2.6 MemInUse

uint32 CFE_SB_StatsTlm_Payload_t::MemInUse

Memory bytes currently in use for SB msg transfers.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMBMIU

Definition at line 631 of file cfe_sb_msg.h.

38.100.2.7 MsgldslnUse

uint32 CFE_SB_StatsTlm_Payload_t::MsgIdsInUse

Current number of Msglds with a destination.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMMIDIU

Definition at line 617 of file cfe_sb_msg.h.

38.100.2.8 PeakMemInUse

uint32 CFE_SB_StatsTlm_Payload_t::PeakMemInUse

Peak memory bytes in use for SB msg transfers.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPBMIU

Definition at line 633 of file cfe_sb_msg.h.

38.100.2.9 PeakMsgldsInUse

uint32 CFE_SB_StatsTlm_Payload_t::PeakMsgIdsInUse

Peak number of Msglds with a destination.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPMIDIU

Definition at line 619 of file cfe_sb_msg.h.

38.100.2.10 PeakPipesInUse

uint32 CFE_SB_StatsTlm_Payload_t::PeakPipesInUse

Peak number of pipes since last reboot.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPPIU

Definition at line 626 of file cfe_sb_msg.h.

38.100.2.11 PeakSBBuffersInUse

uint32 CFE_SB_StatsTlm_Payload_t::PeakSBBuffersInUse

Max number of SB message buffers in use.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPSBBIU

Definition at line 648 of file cfe_sb_msg.h.

38.100.2.12 PeakSubscriptionsInUse

 ${\tt uint32\ CFE_SB_StatsTlm_Payload_t::} Peak Subscriptions In Use$

Peak number of subscriptions.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPSIU

Definition at line 640 of file cfe_sb_msg.h.

```
38.100.2.13 PipeDepthStats
```

CFE_SB_PipeDepthStats_t CFE_SB_StatsTlm_Payload_t::PipeDepthStats[CFE_MISSION_SB_MAX_PIPES]

Pipe Depth Statistics CFE_SB_PipeDepthStats_t.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPDS[CFE_SB_MAX_PIPES]

Definition at line 653 of file cfe_sb_msg.h.

38.100.2.14 PipesInUse

uint32 CFE_SB_StatsTlm_Payload_t::PipesInUse

Number of pipes currently in use.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMPIU

Definition at line 624 of file cfe sb msg.h.

38.100.2.15 SBBuffersInUse

uint32 CFE_SB_StatsTlm_Payload_t::SBBuffersInUse

Number of SB message buffers currently in use.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMSBBIU

Definition at line 646 of file cfe_sb_msg.h.

38.100.2.16 SubscriptionsInUse

uint32 CFE_SB_StatsTlm_Payload_t::SubscriptionsInUse

Number of current subscriptions.

Telemetry Mnemonic(s) \$sc_\$cpu_SB_Stat.SB_SMSIU

Definition at line 638 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe sb msg.h

38.101 CFE_SB_StatsTIm_t Struct Reference

```
#include <cfe_sb_msg.h>
```

Data Fields

- CFE_SB_TImHdr_t Hdr
 cFE Software Bus Telemetry Message Header
- CFE_SB_StatsTlm_Payload_t Payload

38.101.1 Detailed Description

Definition at line 657 of file cfe_sb_msg.h.

38.101.2 Field Documentation

38.101.2.1 Hdr

```
CFE_SB_TlmHdr_t CFE_SB_StatsTlm_t::Hdr
```

cFE Software Bus Telemetry Message Header

Definition at line 658 of file cfe_sb_msg.h.

38.101.2.2 Payload

```
CFE_SB_StatsTlm_Payload_t CFE_SB_StatsTlm_t::Payload
```

Definition at line 659 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h

38.102 CFE_SB_SubEntries_t Struct Reference

SB Previous Subscriptions Entry.

#include <cfe_sb_msg.h>

Data Fields

• CFE_SB_Msgld_t Msgld

Msgld portion of the subscription.

• CFE SB Qos t Qos

Qos portion of the subscription.

CFE_SB_PipeId_t Pipe

Pipeld portion of the subscription.

38.102.1 Detailed Description

SB Previous Subscriptions Entry.

This structure defines an entry used in the CFE_SB_PrevSubsPkt_t Intended to be used primarily by Software Bus Networking Application (SBN)

Used in structure definition CFE_SB_AllSubscriptionsTIm_t

Definition at line 722 of file cfe_sb_msg.h.

38.102.2 Field Documentation

38.102.2.1 Msgld

CFE_SB_MsgId_t CFE_SB_SubEntries_t::MsgId

Msgld portion of the subscription.

Definition at line 724 of file cfe_sb_msg.h.

38.102.2.2 Pipe

CFE_SB_PipeId_t CFE_SB_SubEntries_t::Pipe

Pipeld portion of the subscription.

Definition at line 726 of file cfe_sb_msg.h.

```
38.102.2.3 Qos
```

```
CFE_SB_Qos_t CFE_SB_SubEntries_t::Qos
```

Qos portion of the subscription.

Definition at line 725 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h

38.103 CFE_SB_WriteFileInfoCmd_Payload_t Struct Reference

Write File Info Commands.

```
#include <cfe_sb_msg.h>
```

Data Fields

• char Filename [CFE_MISSION_MAX_PATH_LEN]

Path and Filename of data to be loaded.

38.103.1 Detailed Description

Write File Info Commands.

This structure contains a generic definition used by three SB commands, 'Write Routing Info to File' CFE_SB_SEND ← _ROUTING_INFO_CC, 'Write Pipe Info to File' CFE_SB_SEND_PIPE_INFO_CC and 'Write Map Info to File' CFE_S← B_SEND_MAP_INFO_CC.

Definition at line 492 of file cfe sb msg.h.

38.103.2 Field Documentation

38.103.2.1 Filename

```
char CFE_SB_WriteFileInfoCmd_Payload_t::Filename[CFE_MISSION_MAX_PATH_LEN]
```

Path and Filename of data to be loaded.

Definition at line 493 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe sb msg.h

38.104 CFE_SB_WriteFileInfoCmd_t Struct Reference

```
#include <cfe_sb_msg.h>
```

Data Fields

- CFE_SB_CmdHdr_t Hdr cFE Software Bus Command Message Header CFE_SB_CmdHdr_t
- CFE_SB_WriteFileInfoCmd_Payload_t Payload

38.104.1 Detailed Description

Definition at line 496 of file cfe_sb_msg.h.

38.104.2 Field Documentation

38.104.2.1 Hdr

```
CFE_SB_CmdHdr_t CFE_SB_WriteFileInfoCmd_t::Hdr
```

cFE Software Bus Command Message Header CFE_SB_CmdHdr_t

Definition at line 497 of file cfe_sb_msg.h.

38.104.2.2 Payload

```
CFE_SB_WriteFileInfoCmd_Payload_t CFE_SB_WriteFileInfoCmd_t::Payload
```

Definition at line 498 of file cfe_sb_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h

38.105 CFE_TBL_AbortLoad_t Struct Reference

```
#include <cfe_tbl_msg.h>
```

Data Fields

```
    uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
    cFE Software Bus Command Message Header
    CFE_TBL_AbortLoadCmd_Payload_t Payload
```

38.105.1 Detailed Description

Definition at line 666 of file cfe_tbl_msg.h.

38.105.2 Field Documentation

38.105.2.1 CmdHeader

```
uint8 CFE_TBL_AbortLoad_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 668 of file cfe_tbl_msg.h.

38.105.2.2 Payload

```
CFE_TBL_AbortLoadCmd_Payload_t CFE_TBL_AbortLoad_t::Payload
```

Definition at line 669 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h

38.106 CFE_TBL_AbortLoadCmd_Payload_t Struct Reference

Abort Load Command.

```
#include <cfe_tbl_msg.h>
```

Data Fields

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
 Full Name of Table whose load is to be aborted.

38.106.1 Detailed Description

Abort Load Command.

For command details, see CFE_TBL_ABORT_LOAD_CC

Definition at line 659 of file cfe_tbl_msg.h.

38.106.2 Field Documentation

38.106.2.1 TableName

char CFE_TBL_AbortLoadCmd_Payload_t::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table whose load is to be aborted.

ASCII string containing full table name identifier of a table whose load is to be aborted

Definition at line 661 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h

38.107 CFE_TBL_Activate_t Struct Reference

#include <cfe_tbl_msg.h>

Data Fields

• uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]

cFE Software Bus Command Message Header

• CFE_TBL_ActivateCmd_Payload_t Payload

38.107.1 Detailed Description

Definition at line 589 of file cfe_tbl_msg.h.

38.107.2 Field Documentation

38.107.2.1 CmdHeader

```
uint8 CFE_TBL_Activate_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 591 of file cfe_tbl_msg.h.

38.107.2.2 Payload

```
CFE_TBL_ActivateCmd_Payload_t CFE_TBL_Activate_t::Payload
```

Definition at line 592 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h

38.108 CFE_TBL_ActivateCmd_Payload_t Struct Reference

Activate Table Command.

```
#include <cfe_tbl_msg.h>
```

Data Fields

• char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN] Full Name of Table to be activated.

38.108.1 Detailed Description

Activate Table Command.

For command details, see CFE_TBL_ACTIVATE_CC

Definition at line 582 of file cfe_tbl_msg.h.

38.108.2 Field Documentation

```
38.108.2.1 TableName
```

```
char CFE_TBL_ActivateCmd_Payload_t::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Full Name of Table to be activated.

ASCII string containing full table name identifier of table to be activated

Definition at line 584 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h

38.109 CFE_TBL_DelCDSCmd_Payload_t Struct Reference

Delete Critical Table CDS Command.

```
#include <cfe_tbl_msq.h>
```

Data Fields

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
 Full Name of Table whose CDS is to be deleted.

38.109.1 Detailed Description

Delete Critical Table CDS Command.

For command details, see CFE_TBL_DELETE_CDS_CC

Definition at line 639 of file cfe_tbl_msg.h.

38.109.2 Field Documentation

38.109.2.1 TableName

```
\verb| char CFE_TBL_DelCDSCmd_Payload_t:: Table Name [CFE_MISSION_TBL_MAX_FULL_NAME\_LEN]| \\
```

Full Name of Table whose CDS is to be deleted.

ASCII string containing full table name identifier of a critical table whose CDS is to be deleted

Definition at line 641 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe tbl msg.h

```
38.110 CFE_TBL_DeleteCDS_t Struct Reference
```

```
#include <cfe_tbl_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
 cFE Software Bus Command Message Header
- CFE_TBL_DelCDSCmd_Payload_t Payload

38.110.1 Detailed Description

Definition at line 648 of file cfe_tbl_msg.h.

38.110.2 Field Documentation

38.110.2.1 CmdHeader

```
uint8 CFE_TBL_DeleteCDS_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 650 of file cfe_tbl_msg.h.

38.110.2.2 Payload

```
CFE_TBL_DelCDSCmd_Payload_t CFE_TBL_DeleteCDS_t::Payload
```

Definition at line 651 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h

38.111 CFE_TBL_Dump_t Struct Reference

#include <cfe_tbl_msg.h>

Data Fields

```
    uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
    cFE Software Bus Command Message Header
```

CFE_TBL_DumpCmd_Payload_t Payload

38.111.1 Detailed Description

Definition at line 547 of file cfe tbl msg.h.

38.111.2 Field Documentation

38.111.2.1 CmdHeader

```
uint8 CFE_TBL_Dump_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 549 of file cfe_tbl_msg.h.

38.111.2.2 Payload

```
CFE_TBL_DumpCmd_Payload_t CFE_TBL_Dump_t::Payload
```

Definition at line 550 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe tbl msg.h

38.112 CFE_TBL_DumpCmd_Payload_t Struct Reference

Dump Table Command.

```
#include <cfe_tbl_msg.h>
```

Data Fields

• uint16 ActiveTableFlag

```
CFE_TBL_BufferSelect_INACTIVE=Inactive Table, CFE_TBL_BufferSelect_ACTIVE=Active Table
```

• char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full name of table to be dumped.

• char DumpFilename [CFE_MISSION_MAX_PATH_LEN]

Full Filename where data is to be written.

```
38.112.1 Detailed Description
```

Dump Table Command.

For command details, see CFE_TBL_DUMP_CC

Definition at line 531 of file cfe tbl msg.h.

38.112.2 Field Documentation

38.112.2.1 ActiveTableFlag

```
uint16 CFE_TBL_DumpCmd_Payload_t::ActiveTableFlag
```

CFE_TBL_BufferSelect_INACTIVE=Inactive Table, CFE_TBL_BufferSelect_ACTIVE=Active Table

Selects either the "Inactive" (CFE_TBL_BufferSelect_INACTIVE) buffer or the "Active" (CFE_TBL_BufferSelect_ACT \(\cdot \) IVE) buffer to be dumped

Definition at line 533 of file cfe_tbl_msg.h.

38.112.2.2 DumpFilename

```
char CFE_TBL_DumpCmd_Payload_t::DumpFilename[CFE_MISSION_MAX_PATH_LEN]
```

Full Filename where data is to be written.

ASCII string containing full path of filename where data is to be dumped

Definition at line 542 of file cfe_tbl_msg.h.

38.112.2.3 TableName

```
char CFE_TBL_DumpCmd_Payload_t::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Full name of table to be dumped.

ASCII string containing full table name identifier of table to be dumped

Definition at line 539 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe tbl msg.h

38.113 CFE_TBL_DumpRegistry_t Struct Reference

```
#include <cfe_tbl_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
 cFE Software Bus Command Message Header
- CFE_TBL_DumpRegistryCmd_Payload_t Payload

38.113.1 Detailed Description

Definition at line 608 of file cfe_tbl_msg.h.

38.113.2 Field Documentation

38.113.2.1 CmdHeader

```
uint8 CFE_TBL_DumpRegistry_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 610 of file cfe_tbl_msg.h.

38.113.2.2 Payload

```
CFE_TBL_DumpRegistryCmd_Payload_t CFE_TBL_DumpRegistry_t::Payload
```

Definition at line 611 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h

38.114 CFE_TBL_DumpRegistryCmd_Payload_t Struct Reference

Dump Registry Command.

```
#include <cfe_tbl_msq.h>
```

Data Fields

char DumpFilename [CFE_MISSION_MAX_PATH_LEN]

Full Filename where dumped data is to be written.

38.114.1 Detailed Description

Dump Registry Command.

For command details, see CFE_TBL_DUMP_REGISTRY_CC

Definition at line 600 of file cfe_tbl_msg.h.

38.114.2 Field Documentation

38.114.2.1 DumpFilename

```
char CFE_TBL_DumpRegistryCmd_Payload_t::DumpFilename[CFE_MISSION_MAX_PATH_LEN]
```

Full Filename where dumped data is to be written.

ASCII string containing full path of filename where registry is to be dumped

Definition at line 602 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h

38.115 CFE_TBL_File_Hdr_t Struct Reference

The definition of the header fields that are included in CFE Table Data files.

```
#include <cfe_tbl_extern_typedefs.h>
```

Data Fields

- uint32 Reserved
- · uint32 Offset
- uint32 NumBytes
- char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

38.115.1 Detailed Description

The definition of the header fields that are included in CFE Table Data files.

This header follows the CFE FS header and precedes the the actual table data.

Definition at line 69 of file cfe tbl extern typedefs.h.

38.115.2 Field Documentation

38.115.2.1 NumBytes

```
uint32 CFE_TBL_File_Hdr_t::NumBytes
```

Number of bytes to load into table

Definition at line 73 of file cfe_tbl_extern_typedefs.h.

38.115.2.2 Offset

```
uint32 CFE_TBL_File_Hdr_t::Offset
```

Byte Offset at which load should commence

Definition at line 72 of file cfe_tbl_extern_typedefs.h.

38.115.2.3 Reserved

```
uint32 CFE_TBL_File_Hdr_t::Reserved
```

Future Use: NumTblSegments in File?

Definition at line 71 of file cfe_tbl_extern_typedefs.h.

38.115.2.4 TableName

```
char CFE_TBL_File_Hdr_t::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Fully qualified name of table to load

Definition at line 74 of file cfe_tbl_extern_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_tbl_extern_typedefs.h

38.116 CFE_TBL_FileDef_t Struct Reference

```
#include <cfe_tbl_filedef.h>
```

Data Fields

• char ObjectName [64]

Name of instantiated variable that contains desired table image.

char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of Table as defined onboard.

• char Description [CFE_FS_HDR_DESC_MAX_LEN]

Description of table image that is included in cFE File Header.

• char TgtFilename [CFE_MISSION_MAX_FILE_LEN]

Default filename to be used for output of elf2cfetbl utility.

· uint32 ObjectSize

Size, in bytes, of instantiated object.

38.116.1 Detailed Description

Definition at line 61 of file cfe tbl filedef.h.

38.116.2 Field Documentation

38.116.2.1 Description

```
char CFE_TBL_FileDef_t::Description[CFE_FS_HDR_DESC_MAX_LEN]
```

Description of table image that is included in cFE File Header.

Definition at line 65 of file cfe_tbl_filedef.h.

38.116.2.2 ObjectName

```
char CFE_TBL_FileDef_t::ObjectName[64]
```

Name of instantiated variable that contains desired table image.

Definition at line 63 of file cfe_tbl_filedef.h.

38.116.2.3 ObjectSize

```
uint32 CFE_TBL_FileDef_t::ObjectSize
```

Size, in bytes, of instantiated object.

Definition at line 67 of file cfe_tbl_filedef.h.

38.116.2.4 TableName

```
char CFE_TBL_FileDef_t::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Name of Table as defined onboard.

Definition at line 64 of file cfe_tbl_filedef.h.

38.116.2.5 TgtFilename

```
char CFE_TBL_FileDef_t::TgtFilename[CFE_MISSION_MAX_FILE_LEN]
```

Default filename to be used for output of elf2cfetbl utility.

Definition at line 66 of file cfe_tbl_filedef.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_tbl_filedef.h

38.117 CFE_TBL_HousekeepingTlm_Payload_t Struct Reference

```
#include <cfe_tbl_msg.h>
```

Data Fields

• uint8 CommandCounter

Count of valid commands received.

· uint8 CommandErrorCounter

Count of invalid commands received.

uint16 NumTables

Number of Tables Registered.

· uint16 NumLoadPending

Number of Tables pending on Applications for their update.

uint16 ValidationCounter

Number of completed table validations.

uint32 LastValCrc

Data Integrity Value computed for last table validated.

int32 LastValStatus

Returned status from validation function for last table validated.

bool ActiveBuffer

Indicator of whether table buffer validated was 0=Inactive, 1=Active.

char LastValTableName [CFE MISSION TBL MAX FULL NAME LEN]

Name of last table validated.

uint8 SuccessValCounter

Total number of successful table validations.

uint8 FailedValCounter

Total number of unsuccessful table validations.

uint8 NumValRequests

Number of times Table Services has requested validations from Apps.

· uint8 NumFreeSharedBufs

Number of free Shared Working Buffers.

uint8 ByteAlignPad1

Spare byte to ensure longword alignment.

CFE ES MemHandle t MemPoolHandle

Handle to TBL's memory pool.

CFE_TIME_SysTime_t LastUpdateTime

Time of last table update.

char LastUpdatedTable [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of the last table updated.

char LastFileLoaded [CFE_MISSION_MAX_PATH_LEN]

Path and Name of last table image file loaded.

char LastFileDumped [CFE_MISSION_MAX_PATH_LEN]

Path and Name of last file dumped to.

char LastTableLoaded [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of the last table loaded.

38.117.1 Detailed Description

Name Table Services Housekeeping Packet

Definition at line 704 of file cfe tbl msg.h.

38.117.2 Field Documentation

38.117.2.1 ActiveBuffer

bool CFE_TBL_HousekeepingTlm_Payload_t::ActiveBuffer

Indicator of whether table buffer validated was 0=Inactive, 1=Active.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastValBuf

Definition at line 731 of file cfe_tbl_msg.h.

38.117.2.2 ByteAlignPad1

uint8 CFE_TBL_HousekeepingTlm_Payload_t::ByteAlignPad1

Spare byte to ensure longword alignment.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ByteAlignPad1

Definition at line 747 of file cfe_tbl_msg.h.

38.117.2.3 CommandCounter

uint8 CFE_TBL_HousekeepingTlm_Payload_t::CommandCounter

Count of valid commands received.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_CMDPC

Definition at line 709 of file cfe_tbl_msg.h.

38.117.2.4 CommandErrorCounter

uint8 CFE_TBL_HousekeepingTlm_Payload_t::CommandErrorCounter

Count of invalid commands received.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_CMDEC

Definition at line 711 of file cfe_tbl_msg.h.

38.117.2.5 FailedValCounter

uint8 CFE_TBL_HousekeepingTlm_Payload_t::FailedValCounter

Total number of unsuccessful table validations.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ValFailedCtr

Definition at line 737 of file cfe_tbl_msg.h.

38.117.2.6 LastFileDumped

 $\verb|char CFE_TBL_HousekeepingTlm_Payload_t:: LastFileDumped[CFE_MISSION_MAX_PATH_LEN]| \\$

Path and Name of last file dumped to.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastFileDumped[OS_MAX_PATH_LEN]

Definition at line 757 of file cfe_tbl_msg.h.

38.117.2.7 LastFileLoaded

char CFE_TBL_HousekeepingTlm_Payload_t::LastFileLoaded[CFE_MISSION_MAX_PATH_LEN]

Path and Name of last table image file loaded.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastFileLoaded[OS_MAX_PATH_LEN]

Definition at line 755 of file cfe_tbl_msg.h.

38.117.2.8 LastTableLoaded

 $\verb| char CFE_TBL_HousekeepingTlm_Payload_t:: LastTableLoaded[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]| \\$

Name of the last table loaded.

Telemetry Mnemonic(s) \$sc \$cpu TBL LastTableLoaded[CFE TBL MAX FULL NAME LEN]

Definition at line 759 of file cfe_tbl_msg.h.

38.117.2.9 LastUpdatedTable

char CFE_TBL_HousekeepinqTlm_Payload_t::LastUpdatedTable[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of the last table updated.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastUpdTblName[CFE_TB_MAX_FULL_NAME_LEN]

Definition at line 753 of file cfe_tbl_msg.h.

38.117.2.10 LastUpdateTime

 $\verb|CFE_TIME_SysTime_t| CFE_TBL_House keepingTlm_Payload_t:: LastUp dateTime| CFE_TBL_House keepingTlm$

Time of last table update.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastUpdTime, \$sc_\$cpu_TBL_SECONDS, \$sc_\$cpu_TBL_SUBSECONDS

Definition at line 751 of file cfe_tbl_msg.h.

38.117.2.11 LastValCrc

uint32 CFE_TBL_HousekeepingTlm_Payload_t::LastValCrc

Data Integrity Value computed for last table validated.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastValCRC

Definition at line 727 of file cfe_tbl_msg.h.

38.117.2.12 LastValStatus

int32 CFE_TBL_HousekeepingTlm_Payload_t::LastValStatus

Returned status from validation function for last table validated.

Telemetry Mnemonic(s) \$sc_\$cpu_TBl_LastValS

Definition at line 729 of file cfe_tbl_msg.h.

```
38.117.2.13 LastValTableName
```

char CFE_TBL_HousekeepingTlm_Payload_t::LastValTableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Name of last table validated.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastValTblName[CFE_TB_MAX_FULL_NAME LEN]

Definition at line 733 of file cfe_tbl_msg.h.

38.117.2.14 MemPoolHandle

CFE_ES_MemHandle_t CFE_TBL_HousekeepingTlm_Payload_t::MemPoolHandle

Handle to TBL's memory pool.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_MemPoolHandle

Definition at line 749 of file cfe_tbl_msg.h.

38.117.2.15 NumFreeSharedBufs

uint8 CFE_TBL_HousekeepingTlm_Payload_t::NumFreeSharedBufs

Number of free Shared Working Buffers.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_NumFreeShrBuf

Definition at line 745 of file cfe_tbl_msg.h.

38.117.2.16 NumLoadPending

uint16 CFE_TBL_HousekeepingTlm_Payload_t::NumLoadPending

Number of Tables pending on Applications for their update.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_NumUpdatesPend

Definition at line 719 of file cfe_tbl_msg.h.

38.117.2.17 NumTables

uint16 CFE_TBL_HousekeepingTlm_Payload_t::NumTables

Number of Tables Registered.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_NumTables

Definition at line 717 of file cfe_tbl_msg.h.

38.117.2.18 NumValRequests

uint8 CFE_TBL_HousekeepingTlm_Payload_t::NumValRequests

Number of times Table Services has requested validations from Apps.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ValReqCtr

Definition at line 739 of file cfe tbl msg.h.

38.117.2.19 SuccessValCounter

uint8 CFE_TBL_HousekeepingTlm_Payload_t::SuccessValCounter

Total number of successful table validations.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ValSuccessCtr

Definition at line 735 of file cfe_tbl_msg.h.

38.117.2.20 ValidationCounter

uint16 CFE_TBL_HousekeepingTlm_Payload_t::ValidationCounter

Number of completed table validations.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ValCompltdCtr

Definition at line 725 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe tbl msg.h

38.118 CFE_TBL_HousekeepingTIm_t Struct Reference

```
#include <cfe_tbl_msg.h>
```

Data Fields

- uint8 TImHeader [CFE_SB_TLM_HDR_SIZE]
 cFE Software Bus Telemetry Message Header
- CFE_TBL_HousekeepingTlm_Payload_t Payload

38.118.1 Detailed Description

Definition at line 763 of file cfe_tbl_msg.h.

38.118.2 Field Documentation

38.118.2.1 Payload

 ${\tt CFE_TBL_HousekeepingTlm_Payload_t\ CFE_TBL_HousekeepingTlm_t::Payload_t\ CFE_TBL_t CF$

Definition at line 766 of file cfe_tbl_msg.h.

38.118.2.2 TImHeader

```
uint8 CFE_TBL_HousekeepingTlm_t::TlmHeader[CFE_SB_TLM_HDR_SIZE]
```

cFE Software Bus Telemetry Message Header

Definition at line 765 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h

38.119 CFE_TBL_Info_t Struct Reference

Table Info.

#include <cfe_tbl.h>

Data Fields

• uint32 Size

Size, in bytes, of Table.

uint32 NumUsers

Number of Apps with access to the table.

uint32 FileCreateTimeSecs

File creation time from last file loaded into table.

uint32 FileCreateTimeSubSecs

File creation time from last file loaded into table.

• uint32 Crc

Most recently calculated CRC by TBL services on table contents.

CFE_TIME_SysTime_t TimeOfLastUpdate

Time when Table was last updated.

• bool TableLoadedOnce

Flag indicating whether table has been loaded once or not.

bool DumpOnly

Flag indicating Table is NOT to be loaded.

· bool DoubleBuffered

Flag indicating Table has a dedicated inactive buffer.

· bool UserDefAddr

Flag indicating Table address was defined by Owner Application.

· bool Critical

Flag indicating Table contents are maintained in a CDS.

char LastFileLoaded [OS_MAX_PATH_LEN]

Filename of last file loaded into table.

38.119.1 Detailed Description

Table Info.

Definition at line 132 of file cfe_tbl.h.

38.119.2 Field Documentation

38.119.2.1 Crc

uint32 CFE_TBL_Info_t::Crc

Most recently calculated CRC by TBL services on table contents.

Definition at line 138 of file cfe_tbl.h.

38.119.2.2 Critical

```
bool CFE_TBL_Info_t::Critical
```

Flag indicating Table contents are maintained in a CDS.

Definition at line 144 of file cfe_tbl.h.

38.119.2.3 DoubleBuffered

```
bool CFE_TBL_Info_t::DoubleBuffered
```

Flag indicating Table has a dedicated inactive buffer.

Definition at line 142 of file cfe_tbl.h.

38.119.2.4 DumpOnly

```
bool CFE_TBL_Info_t::DumpOnly
```

Flag indicating Table is NOT to be loaded.

Definition at line 141 of file cfe_tbl.h.

38.119.2.5 FileCreateTimeSecs

```
uint32 CFE_TBL_Info_t::FileCreateTimeSecs
```

File creation time from last file loaded into table.

Definition at line 136 of file cfe_tbl.h.

38.119.2.6 FileCreateTimeSubSecs

```
uint32 CFE_TBL_Info_t::FileCreateTimeSubSecs
```

File creation time from last file loaded into table.

Definition at line 137 of file cfe_tbl.h.

38.119.2.7 LastFileLoaded

```
char CFE_TBL_Info_t::LastFileLoaded[OS_MAX_PATH_LEN]
```

Filename of last file loaded into table.

Definition at line 145 of file cfe_tbl.h.

38.119.2.8 NumUsers

```
uint32 CFE_TBL_Info_t::NumUsers
```

Number of Apps with access to the table.

Definition at line 135 of file cfe_tbl.h.

38.119.2.9 Size

```
uint32 CFE_TBL_Info_t::Size
```

Size, in bytes, of Table.

Definition at line 134 of file cfe_tbl.h.

38.119.2.10 TableLoadedOnce

```
bool CFE_TBL_Info_t::TableLoadedOnce
```

Flag indicating whether table has been loaded once or not.

Definition at line 140 of file cfe_tbl.h.

38.119.2.11 TimeOfLastUpdate

```
CFE_TIME_SysTime_t CFE_TBL_Info_t::TimeOfLastUpdate
```

Time when Table was last updated.

Definition at line 139 of file cfe_tbl.h.

```
38.119.2.12 UserDefAddr
```

```
bool CFE_TBL_Info_t::UserDefAddr
```

Flag indicating Table address was defined by Owner Application.

Definition at line 143 of file cfe_tbl.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_tbl.h

38.120 CFE_TBL_Load_t Struct Reference

```
#include <cfe_tbl_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
 cFE Software Bus Command Message Header
- CFE_TBL_LoadCmd_Payload_t Payload

38.120.1 Detailed Description

Definition at line 520 of file cfe_tbl_msg.h.

38.120.2 Field Documentation

38.120.2.1 CmdHeader

```
uint8 CFE_TBL_Load_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 522 of file cfe_tbl_msg.h.

```
38.120.2.2 Payload
```

```
CFE_TBL_LoadCmd_Payload_t CFE_TBL_Load_t::Payload
```

Definition at line 523 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h

38.121 CFE_TBL_LoadCmd_Payload_t Struct Reference

Load Table Command.

```
#include <cfe_tbl_msq.h>
```

Data Fields

• char LoadFilename [CFE_MISSION_MAX_PATH_LEN] Filename (and path) of data to be loaded.

38.121.1 Detailed Description

Load Table Command.

For command details, see CFE_TBL_LOAD_CC

Definition at line 513 of file cfe_tbl_msg.h.

38.121.2 Field Documentation

38.121.2.1 LoadFilename

```
char CFE_TBL_LoadCmd_Payload_t::LoadFilename[CFE_MISSION_MAX_PATH_LEN]
```

Filename (and path) of data to be loaded.

ASCII Character string containing full path filename for file to be loaded

Definition at line 515 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe tbl msg.h

38.122 CFE_TBL_NoArgsCmd_t Struct Reference

Generic "no arguments" command.

```
#include <cfe_tbl_msg.h>
```

Data Fields

uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
 cFE Software Bus Command Message Header

38.122.1 Detailed Description

Generic "no arguments" command.

This command structure is used for commands that do not have any parameters. This includes:

- 1. The Housekeeping Request Message
- 2. The No-Op Command (For details, see CFE_TBL_NOOP_CC)
- 3. The Reset Counters Command (For details, see CFE_TBL_RESET_COUNTERS_CC)

Definition at line 493 of file cfe_tbl_msg.h.

38.122.2 Field Documentation

38.122.2.1 CmdHeader

```
uint8 CFE_TBL_NoArgsCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 495 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h

38.123 CFE_TBL_NotifyCmd_Payload_t Struct Reference

Table Management Notification Message.

```
#include <cfe_tbl_msq.h>
```

Data Fields

uint32 Parameter

Application specified command parameter.

38.123.1 Detailed Description

Table Management Notification Message.

Description

Whenever an application that owns a table calls the CFE_TBL_NotifyByMessage API following the table registration, Table services will generate the following command message with the application specified message ID, command code and parameter whenever the table requires management (e.g. - loads and validations).

Definition at line 686 of file cfe_tbl_msg.h.

38.123.2 Field Documentation

38.123.2.1 Parameter

```
uint32 CFE_TBL_NotifyCmd_Payload_t::Parameter
```

Application specified command parameter.

Definition at line 688 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h

38.124 CFE_TBL_NotifyCmd_t Struct Reference

```
#include <cfe_tbl_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
 cFE Software Bus Command Message Header
- CFE TBL NotifyCmd Payload t Payload

```
38.124.1 Detailed Description
```

Definition at line 691 of file cfe_tbl_msg.h.

38.124.2 Field Documentation

38.124.2.1 CmdHeader

```
uint8 CFE_TBL_NotifyCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 693 of file cfe tbl msg.h.

38.124.2.2 Payload

```
CFE_TBL_NotifyCmd_Payload_t CFE_TBL_NotifyCmd_t::Payload
```

Definition at line 694 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h

38.125 CFE_TBL_SendRegistry_t Struct Reference

```
#include <cfe_tbl_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
 - cFE Software Bus Command Message Header
- CFE_TBL_SendRegistryCmd_Payload_t Payload

38.125.1 Detailed Description

Definition at line 628 of file cfe_tbl_msg.h.

38.125.2 Field Documentation

38.125.2.1 CmdHeader

```
uint8 CFE_TBL_SendRegistry_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 630 of file cfe_tbl_msg.h.

38.125.2.2 Payload

```
CFE_TBL_SendRegistryCmd_Payload_t CFE_TBL_SendRegistry_t::Payload
```

Definition at line 631 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h

38.126 CFE_TBL_SendRegistryCmd_Payload_t Struct Reference

Telemeter Table Registry Entry Command.

```
#include <cfe_tbl_msg.h>
```

Data Fields

• char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table whose registry entry is to be telemetered.

38.126.1 Detailed Description

Telemeter Table Registry Entry Command.

For command details, see CFE_TBL_SEND_REGISTRY_CC

Definition at line 619 of file cfe tbl msg.h.

38.126.2 Field Documentation

```
38.126.2.1 TableName
```

```
\verb|char CFE_TBL_SendRegistryCmd_Payload_t:: TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]| \\
```

Full Name of Table whose registry entry is to be telemetered.

ASCII string containing full table name identifier of table whose registry entry is to be telemetered via CFE_TBL_Table \leftarrow RegistryTIm_t

Definition at line 621 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h

38.127 CFE_TBL_TableRegistryTIm_t Struct Reference

```
#include <cfe_tbl_msg.h>
```

Data Fields

- uint8 TlmHeader [CFE_SB_TLM_HDR_SIZE]
 cFE Software Bus Telemetry Message Header
- CFE_TBL_TblRegPacket_Payload_t Payload

38.127.1 Detailed Description

Definition at line 811 of file cfe_tbl_msg.h.

38.127.2 Field Documentation

38.127.2.1 Payload

CFE_TBL_TblRegPacket_Payload_t CFE_TBL_TableRegistryTlm_t::Payload

Definition at line 814 of file cfe_tbl_msg.h.

38.127.2.2 TImHeader

```
uint8 CFE_TBL_TableRegistryTlm_t::TlmHeader[CFE_SB_TLM_HDR_SIZE]
```

cFE Software Bus Telemetry Message Header

Definition at line 813 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h

38.128 CFE_TBL_TblRegPacket_Payload_t Struct Reference

```
#include <cfe_tbl_msq.h>
```

Data Fields

· uint32 Size

Size, in bytes, of Table.

· uint32 Crc

Most recently calculated CRC of Table.

· cpuaddr ActiveBufferAddr

Address of Active Buffer.

· cpuaddr InactiveBufferAddr

Address of Inactive Buffer.

• cpuaddr ValidationFuncPtr

Ptr to Owner App's function that validates tbl contents.

CFE_TIME_SysTime_t TimeOfLastUpdate

Time when Table was last updated.

• uint32 FileCreateTimeSecs

File creation time from last file loaded into table.

uint32 FileCreateTimeSubSecs

File creation time from last file loaded into table.

• bool TableLoadedOnce

Flag indicating whether table has been loaded once or not.

bool LoadPending

Flag indicating an inactive buffer is ready to be copied.

bool DumpOnly

Flag indicating Table is NOT to be loaded.

· bool DoubleBuffered

Flag indicating Table has a dedicated inactive buffer.

char Name [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Processor specific table name.

char LastFileLoaded [CFE MISSION MAX PATH LEN]

Filename of last file loaded into table.

char OwnerAppName [CFE MISSION MAX API LEN]

Name of owning application.

bool Critical

Indicates whether table is Critical or not.

uint8 ByteAlign4

Spare byte to maintain byte alignment.

```
38.128.1 Detailed Description
```

Name Table Registry Info Packet

Definition at line 773 of file cfe_tbl_msg.h.

38.128.2 Field Documentation

38.128.2.1 ActiveBufferAddr

cpuaddr CFE_TBL_TblRegPacket_Payload_t::ActiveBufferAddr

Address of Active Buffer.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ActBufAdd

Definition at line 779 of file cfe_tbl_msg.h.

38.128.2.2 ByteAlign4

uint8 CFE_TBL_TblRegPacket_Payload_t::ByteAlign4

Spare byte to maintain byte alignment.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_Spare4

Definition at line 807 of file cfe_tbl_msg.h.

38.128.2.3 Crc

uint32 CFE_TBL_TblRegPacket_Payload_t::Crc

Most recently calculated CRC of Table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_CRC

Definition at line 777 of file cfe_tbl_msg.h.

38.128.2.4 Critical

bool CFE_TBL_TblReqPacket_Payload_t::Critical

Indicates whether table is Critical or not.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_Spare3

Definition at line 805 of file cfe_tbl_msg.h.

38.128.2.5 DoubleBuffered

bool CFE_TBL_TblRegPacket_Payload_t::DoubleBuffered

Flag indicating Table has a dedicated inactive buffer.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_DblBuffered

Definition at line 797 of file cfe_tbl_msg.h.

38.128.2.6 DumpOnly

bool CFE_TBL_TblRegPacket_Payload_t::DumpOnly

Flag indicating Table is NOT to be loaded.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_DumpOnly

Definition at line 795 of file cfe_tbl_msg.h.

38.128.2.7 FileCreateTimeSecs

uint32 CFE_TBL_TblRegPacket_Payload_t::FileCreateTimeSecs

File creation time from last file loaded into table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_FILECSECONDS

Definition at line 787 of file cfe_tbl_msg.h.

38.128.2.8 FileCreateTimeSubSecs

uint32 CFE_TBL_TblReqPacket_Payload_t::FileCreateTimeSubSecs

File creation time from last file loaded into table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_FILECSUBSECONDS

Definition at line 789 of file cfe_tbl_msg.h.

38.128.2.9 InactiveBufferAddr

cpuaddr CFE_TBL_TblRegPacket_Payload_t::InactiveBufferAddr

Address of Inactive Buffer.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_IActBufAdd

Definition at line 781 of file cfe_tbl_msg.h.

38.128.2.10 LastFileLoaded

char CFE_TBL_TblRegPacket_Payload_t::LastFileLoaded[CFE_MISSION_MAX_PATH_LEN]

Filename of last file loaded into table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LastFileUpd[OS_MAX_PATH_LEN]

Definition at line 801 of file cfe_tbl_msg.h.

38.128.2.11 LoadPending

 $\verb|bool CFE_TBL_TblRegPacket_Payload_t:: LoadPending|\\$

Flag indicating an inactive buffer is ready to be copied.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_UpdatePndng

Definition at line 793 of file cfe_tbl_msg.h.

```
38.128.2.12 Name
```

```
char CFE_TBL_TblReqPacket_Payload_t::Name[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Processor specific table name.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_Name[CFE_TB_MAX_FULL_NAME_LEN]

Definition at line 799 of file cfe_tbl_msg.h.

38.128.2.13 OwnerAppName

```
char CFE_TBL_TblRegPacket_Payload_t::OwnerAppName[CFE_MISSION_MAX_API_LEN]
```

Name of owning application.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_OwnerApp[OS_MAX_API_NAME]

Definition at line 803 of file cfe_tbl_msg.h.

38.128.2.14 Size

uint32 CFE_TBL_TblRegPacket_Payload_t::Size

Size, in bytes, of Table.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_SIZE

Definition at line 775 of file cfe_tbl_msg.h.

38.128.2.15 TableLoadedOnce

 $\verb|bool CFE_TBL_TblRegPacket_Payload_t:: TableLoadedOnce|\\$

Flag indicating whether table has been loaded once or not.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_LoadedOnce

Definition at line 791 of file cfe_tbl_msg.h.

```
38.128.2.16 TimeOfLastUpdate
```

```
CFE_TIME_SysTime_t CFE_TBL_TblRegPacket_Payload_t::TimeOfLastUpdate
```

Time when Table was last updated.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_TimeLastUpd, \$sc_\$cpu_TBL_TLUSECONDS, \$sc_\$cpu_TBL_TLUSUB ← SECONDS

Definition at line 785 of file cfe_tbl_msg.h.

38.128.2.17 ValidationFuncPtr

```
cpuaddr CFE_TBL_TblRegPacket_Payload_t::ValidationFuncPtr
```

Ptr to Owner App's function that validates tbl contents.

Telemetry Mnemonic(s) \$sc_\$cpu_TBL_ValFuncPtr

Definition at line 783 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h

38.129 CFE_TBL_Validate_t Struct Reference

```
#include <cfe_tbl_msg.h>
```

Data Fields

• uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]

cFE Software Bus Command Message Header

CFE_TBL_ValidateCmd_Payload_t Payload

38.129.1 Detailed Description

Definition at line 571 of file cfe tbl msg.h.

38.129.2 Field Documentation

38.129.2.1 CmdHeader

```
uint8 CFE_TBL_Validate_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

cFE Software Bus Command Message Header

Definition at line 573 of file cfe_tbl_msg.h.

38.129.2.2 Payload

```
CFE_TBL_ValidateCmd_Payload_t CFE_TBL_Validate_t::Payload
```

Definition at line 574 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe tbl msg.h

38.130 CFE_TBL_ValidateCmd_Payload_t Struct Reference

Validate Table Command.

```
#include <cfe_tbl_msg.h>
```

Data Fields

uint16 ActiveTableFlag

CFE_TBL_BufferSelect_INACTIVE=Inactive Table, CFE_TBL_BufferSelect_ACTIVE=Active Table

• char TableName [CFE_MISSION_TBL_MAX_FULL_NAME_LEN]

Full Name of Table to be validated.

38.130.1 Detailed Description

Validate Table Command.

For command details, see CFE_TBL_VALIDATE_CC

Definition at line 558 of file cfe_tbl_msg.h.

38.130.2 Field Documentation

38.130.2.1 ActiveTableFlag

```
uint16 CFE_TBL_ValidateCmd_Payload_t::ActiveTableFlag
```

CFE_TBL_BufferSelect_INACTIVE=Inactive Table, CFE_TBL_BufferSelect_ACTIVE=Active Table

Selects either the "Inactive" (CFE_TBL_BufferSelect_INACTIVE) buffer or the "Active" (CFE_TBL_BufferSelect_ACT \(\cdot \) IVE) buffer to be validated

Definition at line 560 of file cfe_tbl_msg.h.

38.130.2.2 TableName

```
char CFE_TBL_ValidateCmd_Payload_t::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Full Name of Table to be validated.

ASCII string containing full table name identifier of table to be validated

Definition at line 566 of file cfe_tbl_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe tbl msg.h

38.131 CFE_TIME_1HzCmd_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]

38.131.1 Detailed Description

Definition at line 869 of file cfe_time_msg.h.

38.131.2 Field Documentation

38.131.2.1 CmdHeader

```
uint8 CFE_TIME_1HzCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 871 of file cfe time msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_time_msg.h

38.132 CFE_TIME_DiagnosticTIm_Payload_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

CFE_TIME_SysTime_t AtToneMET

MET at time of tone.

CFE_TIME_SysTime_t AtToneSTCF

STCF at time of tone.

• CFE_TIME_SysTime_t AtToneDelay

Adjustment for slow tone detection.

CFE_TIME_SysTime_t AtToneLatch

Local clock latched at time of tone.

• int16 AtToneLeapSeconds

Leap Seconds at time of tone.

• int16 ClockStateAPI

Clock state as per API.

• CFE_TIME_SysTime_t TimeSinceTone

Time elapsed since the tone.

• CFE TIME SysTime t CurrentLatch

Local clock latched just "now".

CFE_TIME_SysTime_t CurrentMET

MET at this instant.

CFE_TIME_SysTime_t CurrentTAI

TAI at this instant.

CFE_TIME_SysTime_t CurrentUTC

UTC at this instant.

• int16 ClockSetState

Time has been "set".

· int16 ClockFlyState

Current fly-wheel state.

• int16 ClockSource

Internal vs external, etc.

int16 ClockSignal

Primary vs redundant, etc.

· int16 ServerFlyState

Used by clients only.

int16 Forced2Fly

Commanded into fly-wheel.

· uint16 ClockStateFlags

Clock State Flags.

• int16 OneTimeDirection

One time STCF adjustment direction (Add = 1, Sub = 2)

· int16 OneHzDirection

1Hz STCF adjustment direction

int16 DelayDirection

Client latency adjustment direction.

CFE TIME SysTime t OneTimeAdjust

Previous one-time STCF adjustment.

CFE_TIME_SysTime_t OneHzAdjust

Current 1Hz STCF adjustment.

CFE TIME SysTime t ToneSignalLatch

Local Clock latched at most recent tone signal.

CFE_TIME_SysTime_t ToneDataLatch

Local Clock latched at arrival of tone data.

uint32 ToneMatchCounter

Tone signal / data verification count.

uint32 ToneMatchErrorCounter

Tone signal / data verification error count.

· uint32 ToneSignalCounter

Tone signal detected SB message count.

• uint32 ToneDataCounter

Time at the tone data SB message count.

· uint32 ToneIntCounter

Tone signal ISR execution count.

• uint32 ToneIntErrorCounter

Tone signal ISR error count.

uint32 ToneTaskCounter

Tone task execution count.

· uint32 VersionCounter

Count of mods to time at tone reference data (version)

uint32 LocalIntCounter

Local 1Hz ISR execution count.

uint32 LocalTaskCounter

Local 1Hz task execution count.

uint32 VirtualMET

Software MET.

uint32 MinElapsed

Min tone signal / data pkt arrival window (Sub-seconds)

uint32 MaxElapsed

Max tone signal / data pkt arrival window (Sub-seconds)

CFE TIME SysTime t MaxLocalClock

Max local clock value before rollover.

• uint32 ToneOverLimit

Max between tone signal interrupts.

uint32 ToneUnderLimit

Min between tone signal interrupts.

· uint32 DataStoreStatus

Data Store status (preserved across processor reset)

38.132.1 Detailed Description

Name Time Services Diagnostics Packet

Definition at line 990 of file cfe_time_msg.h.

38.132.2 Field Documentation

38.132.2.1 AtToneDelay

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload_t::AtToneDelay

Adjustment for slow tone detection.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLatentS, \$sc_\$cpu_TIME_DLatentSs

Definition at line 999 of file cfe_time_msg.h.

38.132.2.2 AtToneLatch

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload_t::AtToneLatch

Local clock latched at time of tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTValidS, \$sc_\$cpu_TIME_DTValidSs

Definition at line 1001 of file cfe_time_msg.h.

```
38.132.2.3 AtToneLeapSeconds
```

```
int16 CFE_TIME_DiagnosticTlm_Payload_t::AtToneLeapSeconds
```

Leap Seconds at time of tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLeapS

Definition at line 1004 of file cfe_time_msg.h.

38.132.2.4 AtToneMET

```
CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload_t::AtToneMET
```

MET at time of tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTMETS, \$sc_\$cpu_TIME_DTMETSs

Definition at line 995 of file cfe_time_msg.h.

38.132.2.5 AtToneSTCF

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload_t::AtToneSTCF

STCF at time of tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DSTCFS, \$sc_\$cpu_TIME_DSTCFSS

Definition at line 997 of file cfe_time_msg.h.

38.132.2.6 ClockFlyState

int16 CFE_TIME_DiagnosticTlm_Payload_t::ClockFlyState

Current fly-wheel state.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DFlywheel

Definition at line 1028 of file cfe_time_msg.h.

```
38.132.2.7 ClockSetState
```

int16 CFE_TIME_DiagnosticTlm_Payload_t::ClockSetState

Time has been "set".

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DValid

Definition at line 1026 of file cfe_time_msg.h.

38.132.2.8 ClockSignal

int16 CFE_TIME_DiagnosticTlm_Payload_t::ClockSignal

Primary vs redundant, etc.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DSignal

Definition at line 1032 of file cfe_time_msg.h.

38.132.2.9 ClockSource

int16 CFE_TIME_DiagnosticTlm_Payload_t::ClockSource

Internal vs external, etc.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DSource

Definition at line 1030 of file cfe_time_msg.h.

38.132.2.10 ClockStateAPI

int16 CFE_TIME_DiagnosticTlm_Payload_t::ClockStateAPI

Clock state as per API.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DAPIState

Definition at line 1006 of file cfe_time_msg.h.

```
38.132.2.11 ClockStateFlags
```

uint16 CFE_TIME_DiagnosticTlm_Payload_t::ClockStateFlags

Clock State Flags.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DStateFlags, \$sc_\$cpu_TIME_DFlagSet, \$sc_\$cpu_TIME_DFlagFly, \$sc_\$cpu_TIME_DFlagSrc, \$sc_\$cpu_TIME_DFlagPri, \$sc_\$cpu_TIME_DFlagSfly, \$sc_← \$cpu_TIME_DFlagCfly, \$sc_\$cpu_TIME_DFlagAdjd, \$sc_\$cpu_TIME_DFlag1Hzd, \$sc_← \$cpu_TIME_DFlagClat, \$sc_\$cpu_TIME_DFlagSorC, \$sc_\$cpu_TIME_DFlagNIU

Definition at line 1042 of file cfe_time_msg.h.

38.132.2.12 CurrentLatch

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload_t::CurrentLatch

Local clock latched just "now".

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLocalS, \$sc_\$cpu_TIME_DLocalSs

Definition at line 1014 of file cfe time msg.h.

38.132.2.13 CurrentMET

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload_t::CurrentMET

MET at this instant.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMETS, \$sc_\$cpu_TIME_DMETSs

Definition at line 1016 of file cfe_time_msg.h.

38.132.2.14 CurrentTAI

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload_t::CurrentTAI

TAI at this instant.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTAIS, \$sc_\$cpu_TIME_DTAISS

Definition at line 1018 of file cfe_time_msg.h.

```
38.132.2.15 CurrentUTC
```

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload_t::CurrentUTC

UTC at this instant.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DUTCS, \$sc_\$cpu_TIME_DUTCSS

Definition at line 1020 of file cfe_time_msg.h.

38.132.2.16 DataStoreStatus

uint32 CFE_TIME_DiagnosticTlm_Payload_t::DataStoreStatus

Data Store status (preserved across processor reset)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DataStStat

Definition at line 1132 of file cfe_time_msg.h.

38.132.2.17 DelayDirection

int16 CFE_TIME_DiagnosticTlm_Payload_t::DelayDirection

Client latency adjustment direction.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLatentDir

Definition at line 1052 of file cfe_time_msg.h.

38.132.2.18 Forced2Fly

int16 CFE_TIME_DiagnosticTlm_Payload_t::Forced2Fly

Commanded into fly-wheel.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DCMD2Fly

Definition at line 1036 of file cfe_time_msg.h.

```
38.132.2.19 LocalIntCounter
```

uint32 CFE_TIME_DiagnosticTlm_Payload_t::LocalIntCounter

Local 1Hz ISR execution count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_D1HzISRCNT

Definition at line 1090 of file cfe_time_msg.h.

38.132.2.20 LocalTaskCounter

uint32 CFE_TIME_DiagnosticTlm_Payload_t::LocalTaskCounter

Local 1Hz task execution count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_D1HzTaskCNT

Definition at line 1092 of file cfe_time_msg.h.

38.132.2.21 MaxElapsed

uint32 CFE_TIME_DiagnosticTlm_Payload_t::MaxElapsed

Max tone signal / data pkt arrival window (Sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMaxWindow

Definition at line 1112 of file cfe_time_msg.h.

38.132.2.22 MaxLocalClock

 ${\tt CFE_TIME_SysTime_t} \ {\tt CFE_TIME_DiagnosticTlm_Payload_t::} \\ {\tt MaxLocalClock}$

Max local clock value before rollover.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DWrapS, \$sc_\$cpu_TIME_DWrapSs

Definition at line 1118 of file cfe_time_msg.h.

```
38.132.2.23 MinElapsed
```

uint32 CFE_TIME_DiagnosticTlm_Payload_t::MinElapsed

Min tone signal / data pkt arrival window (Sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMinWindow

Definition at line 1110 of file cfe_time_msg.h.

38.132.2.24 OneHzAdjust

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload_t::OneHzAdjust

Current 1Hz STCF adjustment.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_D1HzAdjS, \$sc_\$cpu_TIME_D1HzAdjSs

Definition at line 1060 of file cfe_time_msg.h.

38.132.2.25 OneHzDirection

int16 CFE_TIME_DiagnosticTlm_Payload_t::OneHzDirection

1Hz STCF adjustment direction

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_D1HzAdjDir

Definition at line 1050 of file cfe_time_msg.h.

38.132.2.26 OneTimeAdjust

 ${\tt CFE_TIME_SysTime_t} \ {\tt CFE_TIME_DiagnosticTlm_Payload_t::} {\tt OneTimeAdjust}$

Previous one-time STCF adjustment.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DAdjustS, \$sc_\$cpu_TIME_DAdjustSs

Definition at line 1058 of file cfe_time_msg.h.

```
38.132.2.27 OneTimeDirection
```

```
int16 CFE_TIME_DiagnosticTlm_Payload_t::OneTimeDirection
```

One time STCF adjustment direction (Add = 1, Sub = 2)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DAdjustDir

Definition at line 1048 of file cfe_time_msg.h.

38.132.2.28 ServerFlyState

```
int16 CFE_TIME_DiagnosticTlm_Payload_t::ServerFlyState
```

Used by clients only.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DSrvFly

Definition at line 1034 of file cfe_time_msg.h.

38.132.2.29 TimeSinceTone

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload_t::TimeSinceTone

Time elapsed since the tone.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DElapsedS, \$sc_\$cpu_TIME_DElapsedSs

Definition at line 1012 of file cfe_time_msg.h.

38.132.2.30 ToneDataCounter

uint32 CFE_TIME_DiagnosticTlm_Payload_t::ToneDataCounter

Time at the tone data SB message count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTatTCNT

Definition at line 1080 of file cfe_time_msg.h.

38.132.2.31 ToneDataLatch

CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload_t::ToneDataLatch

Local Clock latched at arrival of tone data.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTDS, \$sc_\$cpu_TIME_DTDSs

Definition at line 1068 of file cfe_time_msg.h.

38.132.2.32 ToneIntCounter

uint32 CFE_TIME_DiagnosticTlm_Payload_t::ToneIntCounter

Tone signal ISR execution count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTsISRCNT

Definition at line 1082 of file cfe_time_msg.h.

38.132.2.33 ToneIntErrorCounter

uint32 CFE_TIME_DiagnosticTlm_Payload_t::ToneIntErrorCounter

Tone signal ISR error count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTsISRERR

Definition at line 1084 of file cfe_time_msg.h.

38.132.2.34 ToneMatchCounter

uint32 CFE_TIME_DiagnosticTlm_Payload_t::ToneMatchCounter

Tone signal / data verification count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DVerifyCNT

Definition at line 1074 of file cfe_time_msg.h.

```
38.132.2.35 ToneMatchErrorCounter
```

```
uint32 CFE_TIME_DiagnosticTlm_Payload_t::ToneMatchErrorCounter
```

Tone signal / data verification error count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DVerifyER

Definition at line 1076 of file cfe_time_msg.h.

38.132.2.36 ToneOverLimit

```
uint32 CFE_TIME_DiagnosticTlm_Payload_t::ToneOverLimit
```

Max between tone signal interrupts.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMaxSs

Definition at line 1124 of file cfe_time_msg.h.

38.132.2.37 ToneSignalCounter

```
uint32 CFE_TIME_DiagnosticTlm_Payload_t::ToneSignalCounter
```

Tone signal detected SB message count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTSDetCNT

Definition at line 1078 of file cfe_time_msg.h.

38.132.2.38 ToneSignalLatch

```
CFE_TIME_SysTime_t CFE_TIME_DiagnosticTlm_Payload_t::ToneSignalLatch
```

Local Clock latched at most recent tone signal.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTTS, \$sc_\$cpu_TIME_DTTSs

Definition at line 1066 of file cfe_time_msg.h.

```
38.132.2.39 ToneTaskCounter
```

```
uint32 CFE_TIME_DiagnosticTlm_Payload_t::ToneTaskCounter
```

Tone task execution count.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DTsTaskCNT

Definition at line 1086 of file cfe_time_msg.h.

38.132.2.40 ToneUnderLimit

```
uint32 CFE_TIME_DiagnosticTlm_Payload_t::ToneUnderLimit
```

Min between tone signal interrupts.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DMinSs

Definition at line 1126 of file cfe time msg.h.

38.132.2.41 VersionCounter

```
uint32 CFE_TIME_DiagnosticTlm_Payload_t::VersionCounter
```

Count of mods to time at tone reference data (version)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DVersionCNT

Definition at line 1088 of file cfe_time_msg.h.

38.132.2.42 VirtualMET

```
uint32 CFE_TIME_DiagnosticTlm_Payload_t::VirtualMET
```

Software MET.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DLogicalMET

Definition at line 1098 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe time msg.h

38.133 CFE_TIME_DiagnosticTIm_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

- uint8 TlmHeader [CFE_SB_TLM_HDR_SIZE]
- CFE_TIME_DiagnosticTIm_Payload_t Payload

38.133.1 Detailed Description

Definition at line 1136 of file cfe_time_msg.h.

38.133.2 Field Documentation

38.133.2.1 Payload

```
CFE_TIME_DiagnosticTlm_Payload_t CFE_TIME_DiagnosticTlm_t::Payload
```

Definition at line 1139 of file cfe_time_msg.h.

38.133.2.2 TlmHeader

```
uint8 CFE_TIME_DiagnosticTlm_t::TlmHeader[CFE_SB_TLM_HDR_SIZE]
```

Definition at line 1138 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_time_msg.h

38.134 CFE_TIME_FakeToneCmd_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]

38.134.1 Detailed Description

Definition at line 889 of file cfe_time_msg.h.

38.134.2 Field Documentation

38.134.2.1 CmdHeader

uint8 CFE_TIME_FakeToneCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]

Definition at line 891 of file cfe time msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_time_msg.h

38.135 CFE_TIME_HousekeepingTIm_Payload_t Struct Reference

#include <cfe_time_msg.h>

Data Fields

uint8 CommandCounter

Time Command Execution Counter.

uint8 CommandErrorCounter

Time Command Error Counter.

• uint16 ClockStateFlags

State Flags.

• int16 ClockStateAPI

API State.

int16 LeapSeconds

Current Leaps Seconds.

• uint32 SecondsMET

Current MET (seconds)

uint32 SubsecsMET

Current MET (sub-seconds)

• uint32 SecondsSTCF

Current STCF (seconds)

uint32 SubsecsSTCF

Current STCF (sub-seconds)

uint32 Seconds1HzAdj

Current 1 Hz SCTF adjustment (seconds)

• uint32 Subsecs1HzAdj

Current 1 Hz SCTF adjustment (sub-seconds)

• uint32 SecondsDelay

Current 1 Hz SCTF Delay (seconds)

uint32 SubsecsDelay

Current 1 Hz SCTF Delay (sub-seconds)

```
38.135.1 Detailed Description
```

Name Time Services Housekeeping Packet

Definition at line 919 of file cfe_time_msg.h.

38.135.2 Field Documentation

38.135.2.1 ClockStateAPI

int16 CFE_TIME_HousekeepingTlm_Payload_t::ClockStateAPI

API State.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_DAPIState

Definition at line 934 of file cfe time msg.h.

38.135.2.2 ClockStateFlags

uint16 CFE_TIME_HousekeepingTlm_Payload_t::ClockStateFlags

State Flags.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_StateFlg, \$sc_\$cpu_TIME_FlagSet, \$sc_\$cpu_TIME_FlagFly, \$sc_\$cpu←

__TIME_FlagSrc, \$sc_\$cpu_TIME_FlagPri, \$sc_\$cpu_TIME_FlagSfly, \$sc_\$cpu_TIME_←

FlagCfly, \$sc_\$cpu_TIME_FlagAdjd, \$sc_\$cpu_TIME_Flag1Hzd, \$sc_\$cpu_TIME_FlagClat,

\$sc_\$cpu_TIME_FlagSorC, \$sc_\$cpu_TIME_FlagNIU

Definition at line 932 of file cfe_time_msg.h.

38.135.2.3 CommandCounter

uint8 CFE_TIME_HousekeepingTlm_Payload_t::CommandCounter

Time Command Execution Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_CMDPC

Definition at line 924 of file cfe_time_msg.h.

```
38.135.2.4 CommandErrorCounter
```

```
uint8 CFE_TIME_HousekeepingTlm_Payload_t::CommandErrorCounter
```

Time Command Error Counter.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_CMDEC

Definition at line 926 of file cfe_time_msg.h.

38.135.2.5 LeapSeconds

int16 CFE_TIME_HousekeepingTlm_Payload_t::LeapSeconds

Current Leaps Seconds.

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_LeapSecs

Definition at line 940 of file cfe_time_msg.h.

38.135.2.6 Seconds1HzAdj

uint32 CFE_TIME_HousekeepingTlm_Payload_t::Seconds1HzAdj

Current 1 Hz SCTF adjustment (seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_1HzAdjSecs

Definition at line 960 of file cfe_time_msg.h.

38.135.2.7 SecondsDelay

uint32 CFE_TIME_HousekeepingTlm_Payload_t::SecondsDelay

Current 1 Hz SCTF Delay (seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_1HzAdjSecs

Definition at line 970 of file cfe_time_msg.h.

```
38.135.2.8 SecondsMET
uint32 CFE_TIME_HousekeepingTlm_Payload_t::SecondsMET
Current MET (seconds)
Telemetry Mnemonic(s) $sc_$cpu_TIME_METSecs
Definition at line 946 of file cfe_time_msg.h.
38.135.2.9 SecondsSTCF
uint32 CFE_TIME_HousekeepingTlm_Payload_t::SecondsSTCF
Current STCF (seconds)
Telemetry Mnemonic(s) $sc_$cpu_TIME_STCFSecs
Definition at line 951 of file cfe_time_msg.h.
38.135.2.10 Subsecs1HzAdj
uint32 CFE_TIME_HousekeepingTlm_Payload_t::Subsecs1HzAdj
Current 1 Hz SCTF adjustment (sub-seconds)
Telemetry Mnemonic(s) $sc_$cpu_TIME_1HzAdjSSecs
Definition at line 962 of file cfe_time_msg.h.
38.135.2.11 SubsecsDelay
uint32 CFE_TIME_HousekeepingTlm_Payload_t::SubsecsDelay
Current 1 Hz SCTF Delay (sub-seconds)
Telemetry Mnemonic(s) $sc_$cpu_TIME_1HzAdjSSecs
```

Definition at line 972 of file cfe_time_msg.h.

38.135.2.12 SubsecsMET

uint32 CFE_TIME_HousekeepingTlm_Payload_t::SubsecsMET

Current MET (sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_METSubsecs

Definition at line 948 of file cfe_time_msg.h.

38.135.2.13 SubsecsSTCF

uint32 CFE_TIME_HousekeepingTlm_Payload_t::SubsecsSTCF

Current STCF (sub-seconds)

Telemetry Mnemonic(s) \$sc_\$cpu_TIME_STCFSubsecs

Definition at line 953 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_time_msg.h

38.136 CFE_TIME_HousekeepingTlm_t Struct Reference

#include <cfe_time_msg.h>

Data Fields

- uint8 TlmHeader [CFE_SB_TLM_HDR_SIZE]
- CFE_TIME_HousekeepingTlm_Payload_t Payload

38.136.1 Detailed Description

Definition at line 978 of file cfe_time_msg.h.

38.136.2 Field Documentation

```
38.136.2.1 Payload
```

```
CFE_TIME_HousekeepingTlm_Payload_t CFE_TIME_HousekeepingTlm_t::Payload
```

Definition at line 981 of file cfe_time_msg.h.

38.136.2.2 TlmHeader

```
uint8 CFE_TIME_HousekeepingTlm_t::TlmHeader[CFE_SB_TLM_HDR_SIZE]
```

Definition at line 980 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_time_msg.h


```
#include <cfe_time_msg.h>
```

Data Fields

• int16 LeapSeconds

38.137.1 Detailed Description

Definition at line 747 of file cfe_time_msg.h.

38.137.2 Field Documentation

38.137.2.1 LeapSeconds

```
int16 CFE_TIME_LeapsCmd_Payload_t::LeapSeconds
```

Definition at line 749 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe time msg.h

38.138 CFE_TIME_NoArgsCmd_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

• uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]

38.138.1 Detailed Description

Definition at line 729 of file cfe time msg.h.

38.138.2 Field Documentation

38.138.2.1 CmdHeader

```
uint8 CFE_TIME_NoArgsCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 731 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe time msg.h

38.139 CFE_TIME_OneHzAdjustmentCmd_Payload_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

- uint32 Seconds
- uint32 Subseconds

38.139.1 Detailed Description

Definition at line 844 of file cfe_time_msg.h.

38.139.2 Field Documentation

```
38.139.2.1 Seconds
```

```
uint32 CFE_TIME_OneHzAdjustmentCmd_Payload_t::Seconds
```

Definition at line 846 of file cfe_time_msg.h.

38.139.2.2 Subseconds

```
uint32 CFE_TIME_OneHzAdjustmentCmd_Payload_t::Subseconds
```

Definition at line 847 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_time_msg.h

38.140 CFE_TIME_OneHzAdjustmentCmd_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- CFE_TIME_OneHzAdjustmentCmd_Payload_t Payload

38.140.1 Detailed Description

Definition at line 851 of file cfe_time_msg.h.

38.140.2 Field Documentation

38.140.2.1 CmdHeader

```
uint8 CFE_TIME_OneHzAdjustmentCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 853 of file cfe_time_msg.h.

38.140.2.2 Payload

Definition at line 854 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_time_msg.h

38.141 CFE_TIME_ResetVars_t Struct Reference

Time related variables that are maintained through a Processor Reset.

```
#include <cfe_time.h>
```

Data Fields

· uint32 Signature

Data validation signature used to verify data structure contents.

• int16 LeapSeconds

Leap seconds value.

· uint16 ClockSignal

Current clock signal selection.

CFE_TIME_SysTime_t CurrentMET

Current Mission Elapsed Time (MET)

CFE_TIME_SysTime_t CurrentSTCF

Current Spacecraft Time Correlation Factor (STCF)

CFE_TIME_SysTime_t CurrentDelay

Current time client delay value.

38.141.1 Detailed Description

Time related variables that are maintained through a Processor Reset.

Description

The CFE_TIME_ResetVars_t data structure contains those variables that are maintained in an area of memory that is not cleared during a Processor Reset. This allows the cFE Time Service to maintain time to the best of its ability after a Processor Reset.

Definition at line 153 of file cfe time.h.

38.141.2 Field Documentation

```
38.141.2.1 ClockSignal
```

```
uint16 CFE_TIME_ResetVars_t::ClockSignal
```

Current clock signal selection.

Definition at line 157 of file cfe_time.h.

38.141.2.2 CurrentDelay

```
CFE_TIME_SysTime_t CFE_TIME_ResetVars_t::CurrentDelay
```

Current time client delay value.

Definition at line 160 of file cfe_time.h.

38.141.2.3 CurrentMET

```
CFE_TIME_SysTime_t CFE_TIME_ResetVars_t::CurrentMET
```

Current Mission Elapsed Time (MET)

Definition at line 158 of file cfe_time.h.

38.141.2.4 CurrentSTCF

```
CFE_TIME_SysTime_t CFE_TIME_ResetVars_t::CurrentSTCF
```

Current Spacecraft Time Correlation Factor (STCF)

Definition at line 159 of file cfe_time.h.

38.141.2.5 LeapSeconds

```
int16 CFE_TIME_ResetVars_t::LeapSeconds
```

Leap seconds value.

Definition at line 156 of file cfe_time.h.

38.141.2.6 Signature

```
uint32 CFE_TIME_ResetVars_t::Signature
```

Data validation signature used to verify data structure contents.

Definition at line 155 of file cfe_time.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_time.h

38.142 CFE_TIME_SetLeapSeconds_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- CFE_TIME_LeapsCmd_Payload_t Payload

38.142.1 Detailed Description

Definition at line 752 of file cfe_time_msg.h.

38.142.2 Field Documentation

38.142.2.1 CmdHeader

```
uint8 CFE_TIME_SetLeapSeconds_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 754 of file cfe_time_msg.h.

38.142.2.2 Payload

```
CFE_TIME_LeapsCmd_Payload_t CFE_TIME_SetLeapSeconds_t::Payload
```

Definition at line 755 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_time_msg.h

38.143 CFE_TIME_SetSignal_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- CFE_TIME_SignalCmd_Payload_t Payload

38.143.1 Detailed Description

Definition at line 804 of file cfe_time_msg.h.

38.143.2 Field Documentation

38.143.2.1 CmdHeader

```
uint8 CFE_TIME_SetSignal_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 806 of file cfe_time_msg.h.

38.143.2.2 Payload

```
CFE_TIME_SignalCmd_Payload_t CFE_TIME_SetSignal_t::Payload
```

Definition at line 807 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe_time_msg.h

38.144 CFE_TIME_SetSource_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- CFE_TIME_SourceCmd_Payload_t Payload

38.144.1 Detailed Description

Definition at line 787 of file cfe_time_msg.h.

38.144.2 Field Documentation

38.144.2.1 CmdHeader

```
uint8 CFE_TIME_SetSource_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 789 of file cfe_time_msg.h.

38.144.2.2 Payload

```
CFE_TIME_SourceCmd_Payload_t CFE_TIME_SetSource_t::Payload
```

Definition at line 790 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_time_msg.h

38.145 CFE_TIME_SetState_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- CFE_TIME_StateCmd_Payload_t Payload

38.145.1 Detailed Description

Definition at line 770 of file cfe_time_msg.h.

38.145.2 Field Documentation

38.145.2.1 CmdHeader

```
uint8 CFE_TIME_SetState_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 772 of file cfe_time_msg.h.

38.145.2.2 Payload

```
CFE_TIME_StateCmd_Payload_t CFE_TIME_SetState_t::Payload
```

Definition at line 773 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe time msg.h

38.146 CFE_TIME_SignalCmd_Payload_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

• int16 ToneSource

 $\label{local_constraints} \textit{CFE_TIME_ToneSignalSelect_PRIMARY=Primary} \quad \textit{Source}, \quad \textit{CFE_TIME_ToneSignalSelect_REDUNDANT=Redundant} \\ \textit{Source} \quad \text{} \\$

38.146.1 Detailed Description

Definition at line 797 of file cfe_time_msg.h.

38.146.2 Field Documentation

38.146.2.1 ToneSource

```
int16 CFE_TIME_SignalCmd_Payload_t::ToneSource
```

CFE_TIME_ToneSignalSelect_PRIMARY=Primary Source, CFE_TIME_ToneSignalSelect_REDUNDANT=Redundant Source

Selects either the "Primary" or "Redundant" tone signal source

Definition at line 799 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe time msg.h

38.147 CFE_TIME_SourceCmd_Payload_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

• int16 TimeSource

CFE_TIME_SourceSelect_INTERNAL=Internal Source, CFE_TIME_SourceSelect_EXTERNAL=External Source

38.147.1 Detailed Description

Definition at line 780 of file cfe_time_msg.h.

38.147.2 Field Documentation

38.147.2.1 TimeSource

```
int16 CFE_TIME_SourceCmd_Payload_t::TimeSource
```

CFE_TIME_SourceSelect_INTERNAL=Internal Source, CFE_TIME_SourceSelect_EXTERNAL=External Source

Selects either the "Internal" and "External" clock source

Definition at line 782 of file cfe time msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe time msg.h

38.148 CFE_TIME_StateCmd_Payload_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

· int16 ClockState

CFE_TIME_ClockState_INVALID=Spacecraft time has not been accurately set, CFE_TIME_ClockState_VAL←
ID=Spacecraft clock has been accurately set, CFE_TIME_ClockState_FLYWHEEL=Force into FLYWHEEL mode

```
38.148.1 Detailed Description
```

Definition at line 762 of file cfe_time_msg.h.

38.148.2 Field Documentation

38.148.2.1 ClockState

```
int16 CFE_TIME_StateCmd_Payload_t::ClockState
```

CFE_TIME_ClockState_INVALID=Spacecraft time has not been accurately set, CFE_TIME_ClockState_VAL← ID=Spacecraft clock has been accurately set, CFE_TIME_ClockState_FLYWHEEL=Force into FLYWHEEL mode

Selects the current clock state

Definition at line 764 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_time_msg.h

38.149 CFE_TIME_SysTime_t Struct Reference

Data structure used to hold system time values.

```
#include <cfe_time.h>
```

Data Fields

· uint32 Seconds

Number of seconds since epoch.

• uint32 Subseconds

Number of subseconds since epoch (LSB = 2^{\land} (-32) seconds)

38.149.1 Detailed Description

Data structure used to hold system time values.

Description

The CFE_TIME_SysTime_t data structure is used to hold time values. Time is referred to as the elapsed time (in seconds and subseconds) since a specified epoch time. The subseconds field contains the number of $2^{(-32)}$ second intervals that have elapsed since the epoch.

Definition at line 115 of file cfe time.h.

38.149.2 Field Documentation

38.149.2.1 Seconds

```
uint32 CFE_TIME_SysTime_t::Seconds
```

Number of seconds since epoch.

Definition at line 117 of file cfe time.h.

38.149.2.2 Subseconds

```
uint32 CFE_TIME_SysTime_t::Subseconds
```

Number of subseconds since epoch (LSB = 2^{\land} (-32) seconds)

Definition at line 118 of file cfe_time.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_time.h

38.150 CFE_TIME_TimeCmd_Payload_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

- uint32 Seconds
- uint32 MicroSeconds

38.150.1 Detailed Description

Definition at line 815 of file cfe_time_msg.h.

38.150.2 Field Documentation

38.150.2.1 MicroSeconds

```
uint32 CFE_TIME_TimeCmd_Payload_t::MicroSeconds
```

Definition at line 818 of file cfe_time_msg.h.

38.150.2.2 Seconds

```
uint32 CFE_TIME_TimeCmd_Payload_t::Seconds
```

Definition at line 817 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_time_msg.h

38.151 CFE_TIME_TimeCmd_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- CFE_TIME_TimeCmd_Payload_t Payload

38.151.1 Detailed Description

Definition at line 821 of file cfe_time_msg.h.

38.151.2 Field Documentation

38.151.2.1 CmdHeader

```
uint8 CFE_TIME_TimeCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 823 of file cfe_time_msg.h.

```
38.151.2.2 Payload
```

```
CFE_TIME_TimeCmd_Payload_t CFE_TIME_TimeCmd_t::Payload
```

Definition at line 824 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_time_msg.h

38.152 CFE_TIME_ToneDataCmd_Payload_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

- CFE_TIME_SysTime_t AtToneMET
 - MET at time of tone.
- CFE_TIME_SysTime_t AtToneSTCF

STCF at time of tone.

- int16 AtToneLeapSeconds
 - Leap Seconds at time of tone.
- int16 AtToneState

Clock state at time of tone.

38.152.1 Detailed Description

Definition at line 899 of file cfe_time_msg.h.

38.152.2 Field Documentation

38.152.2.1 AtToneLeapSeconds

```
int16 CFE_TIME_ToneDataCmd_Payload_t::AtToneLeapSeconds
```

Leap Seconds at time of tone.

Definition at line 903 of file cfe_time_msg.h.

38.152.2.2 AtToneMET

```
CFE_TIME_SysTime_t CFE_TIME_ToneDataCmd_Payload_t::AtToneMET
```

MET at time of tone.

Definition at line 901 of file cfe_time_msg.h.

38.152.2.3 AtToneState

```
int16 CFE_TIME_ToneDataCmd_Payload_t::AtToneState
```

Clock state at time of tone.

Definition at line 904 of file cfe_time_msg.h.

38.152.2.4 AtToneSTCF

```
CFE_TIME_SysTime_t CFE_TIME_ToneDataCmd_Payload_t::AtToneSTCF
```

STCF at time of tone.

Definition at line 902 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_time_msg.h

38.153 CFE_TIME_ToneDataCmd_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

- uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]
- CFE_TIME_ToneDataCmd_Payload_t Payload

38.153.1 Detailed Description

Definition at line 907 of file cfe_time_msg.h.

38.153.2 Field Documentation

38.153.2.1 CmdHeader

```
uint8 CFE_TIME_ToneDataCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 909 of file cfe_time_msg.h.

38.153.2.2 Payload

```
CFE_TIME_ToneDataCmd_Payload_t CFE_TIME_ToneDataCmd_t::Payload
```

Definition at line 910 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

• cfe/fsw/cfe-core/src/inc/cfe_time_msg.h

38.154 CFE_TIME_ToneSignalCmd_t Struct Reference

```
#include <cfe_time_msg.h>
```

Data Fields

• uint8 CmdHeader [CFE_SB_CMD_HDR_SIZE]

38.154.1 Detailed Description

Definition at line 879 of file cfe_time_msg.h.

38.154.2 Field Documentation

38.154.2.1 CmdHeader

```
uint8 CFE_TIME_ToneSignalCmd_t::CmdHeader[CFE_SB_CMD_HDR_SIZE]
```

Definition at line 881 of file cfe_time_msg.h.

The documentation for this struct was generated from the following file:

cfe/fsw/cfe-core/src/inc/cfe time msg.h

38.155 OS_bin_sem_prop_t Struct Reference

OSAL binary semaphore properties.

```
#include <osapi-os-core.h>
```

Data Fields

- char name [OS_MAX_API_NAME]
- · uint32 creator
- int32 value

38.155.1 Detailed Description

OSAL binary semaphore properties.

Definition at line 87 of file osapi-os-core.h.

38.155.2 Field Documentation

38.155.2.1 creator

```
uint32 OS_bin_sem_prop_t::creator
```

Definition at line 90 of file osapi-os-core.h.

38.155.2.2 name

```
char OS_bin_sem_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 89 of file osapi-os-core.h.

38.155.2.3 value

```
int32 OS_bin_sem_prop_t::value
```

Definition at line 91 of file osapi-os-core.h.

The documentation for this struct was generated from the following file:

· osal/src/os/inc/osapi-os-core.h

38.156 OS_count_sem_prop_t Struct Reference

OSAL counting semaphore properties.

```
#include <osapi-os-core.h>
```

Data Fields

- char name [OS_MAX_API_NAME]
- · uint32 creator
- int32 value

38.156.1 Detailed Description

OSAL counting semaphore properties.

Definition at line 95 of file osapi-os-core.h.

38.156.2 Field Documentation

38.156.2.1 creator

```
uint32 OS_count_sem_prop_t::creator
```

Definition at line 98 of file osapi-os-core.h.

38.156.2.2 name

```
char OS_count_sem_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 97 of file osapi-os-core.h.

38.156.2.3 value

```
int32 OS_count_sem_prop_t::value
```

Definition at line 99 of file osapi-os-core.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-os-core.h

38.157 os_dirent_t Struct Reference

```
Directory entry.
```

```
#include <osapi-os-filesys.h>
```

Data Fields

char FileName [OS_MAX_FILE_NAME]

38.157.1 Detailed Description

Directory entry.

Definition at line 200 of file osapi-os-filesys.h.

38.157.2 Field Documentation

38.157.2.1 FileName

```
char os_dirent_t::FileName[OS_MAX_FILE_NAME]
```

Definition at line 202 of file osapi-os-filesys.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-os-filesys.h

38.158 OS_FdSet Struct Reference

An abstract structure capable of holding several OSAL IDs.

```
#include <osapi-os-core.h>
```

Data Fields

• uint8 object_ids [(OS_MAX_NUM_OPEN_FILES+7)/8]

38.158.1 Detailed Description

An abstract structure capable of holding several OSAL IDs.

This is part of the select API and is manipulated using the related API calls. It should not be modified directly by applications.

See also

```
OS_SelectFdZero(), OS_SelectFdAdd(), OS_SelectFdClear(), OS_SelectFdIsSet()
```

Definition at line 136 of file osapi-os-core.h.

38.158.2 Field Documentation

```
38.158.2.1 object_ids
```

```
uint8 OS_FdSet::object_ids[(OS_MAX_NUM_OPEN_FILES+7)/8]
```

Definition at line 138 of file osapi-os-core.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-os-core.h

38.159 OS_file_prop_t Struct Reference

OSAL file properties.

```
#include <osapi-os-filesys.h>
```

Data Fields

- char Path [OS_MAX_PATH_LEN]
- uint32 User
- · uint8 IsValid

38.159.1 Detailed Description

OSAL file properties.

Definition at line 146 of file osapi-os-filesys.h.

38.159.2 Field Documentation

38.159.2.1 IsValid

```
uint8 OS_file_prop_t::IsValid
```

Definition at line 150 of file osapi-os-filesys.h.

38.159.2.2 Path

```
char OS_file_prop_t::Path[OS_MAX_PATH_LEN]
```

Definition at line 148 of file osapi-os-filesys.h.

38.159.2.3 User

```
uint32 OS_file_prop_t::User
```

Definition at line 149 of file osapi-os-filesys.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-os-filesys.h

38.160 os_fsinfo_t Struct Reference

OSAL file system info.

```
#include <osapi-os-filesys.h>
```

Data Fields

uint32 MaxFds

Total number of file descriptors.

• uint32 FreeFds

Total number that are free.

• uint32 MaxVolumes

Maximum number of volumes.

• uint32 FreeVolumes

Total number of volumes free.

38.160.1 Detailed Description

OSAL file system info.

Definition at line 137 of file osapi-os-filesys.h.

38.160.2 Field Documentation

38.160.2.1 FreeFds

uint32 os_fsinfo_t::FreeFds

Total number that are free.

Definition at line 140 of file osapi-os-filesys.h.

38.160.2.2 FreeVolumes

uint32 os_fsinfo_t::FreeVolumes

Total number of volumes free.

Definition at line 142 of file osapi-os-filesys.h.

38.160.2.3 MaxFds

uint32 os_fsinfo_t::MaxFds

Total number of file descriptors.

Definition at line 139 of file osapi-os-filesys.h.

38.160.2.4 MaxVolumes

uint32 os_fsinfo_t::MaxVolumes

Maximum number of volumes.

Definition at line 141 of file osapi-os-filesys.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-os-filesys.h

38.161 os_fstat_t Struct Reference

File system status.

```
#include <osapi-os-filesys.h>
```

Data Fields

- uint32 FileModeBits
- int32 FileTime
- uint32 FileSize

38.161.1 Detailed Description

File system status.

Note

This used to be directly typedef'ed to the "struct stat" from the C library

Some C libraries (glibc in particular) actually define member names to reference into sub-structures, so attempting to reuse a name like "st_mtime" might not work.

Definition at line 161 of file osapi-os-filesys.h.

38.161.2 Field Documentation

38.161.2.1 FileModeBits

```
uint32 os_fstat_t::FileModeBits
```

Definition at line 163 of file osapi-os-filesys.h.

38.161.2.2 FileSize

```
uint32 os_fstat_t::FileSize
```

Definition at line 165 of file osapi-os-filesys.h.

```
38.161.2.3 FileTime
```

```
int32 os_fstat_t::FileTime
```

Definition at line 164 of file osapi-os-filesys.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-os-filesys.h

38.162 OS_heap_prop_t Struct Reference

OSAL heap properties.

```
#include <osapi-os-core.h>
```

Data Fields

- uint32 free_bytes
- uint32 free_blocks
- uint32 largest_free_block

38.162.1 Detailed Description

OSAL heap properties.

See also

OS_HeapGetInfo()

Definition at line 121 of file osapi-os-core.h.

38.162.2 Field Documentation

38.162.2.1 free_blocks

uint32 OS_heap_prop_t::free_blocks

Definition at line 124 of file osapi-os-core.h.

```
38.162.2.2 free_bytes
```

```
uint32 OS_heap_prop_t::free_bytes
```

Definition at line 123 of file osapi-os-core.h.

38.162.2.3 largest_free_block

```
uint32 OS_heap_prop_t::largest_free_block
```

Definition at line 125 of file osapi-os-core.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-os-core.h

38.163 OS_module_address_t Struct Reference

OSAL module address properties.

```
#include <osapi-os-loader.h>
```

Data Fields

- · uint32 valid
- uint32 flags
- · cpuaddr code address
- · cpuaddr code_size
- cpuaddr data_address
- cpuaddr data_size
- cpuaddr bss_address
- · cpuaddr bss_size

38.163.1 Detailed Description

OSAL module address properties.

Definition at line 32 of file osapi-os-loader.h.

38.163.2 Field Documentation

```
38.163.2.1 bss_address
```

```
cpuaddr OS_module_address_t::bss_address
```

Definition at line 40 of file osapi-os-loader.h.

38.163.2.2 bss_size

```
cpuaddr OS_module_address_t::bss_size
```

Definition at line 41 of file osapi-os-loader.h.

38.163.2.3 code_address

```
cpuaddr OS_module_address_t::code_address
```

Definition at line 36 of file osapi-os-loader.h.

38.163.2.4 code_size

```
cpuaddr OS_module_address_t::code_size
```

Definition at line 37 of file osapi-os-loader.h.

38.163.2.5 data_address

```
cpuaddr OS_module_address_t::data_address
```

Definition at line 38 of file osapi-os-loader.h.

38.163.2.6 data_size

```
cpuaddr OS_module_address_t::data_size
```

Definition at line 39 of file osapi-os-loader.h.

```
38.163.2.7 flags
```

```
uint32 OS_module_address_t::flags
```

Definition at line 35 of file osapi-os-loader.h.

38.163.2.8 valid

```
uint32 OS_module_address_t::valid
```

Definition at line 34 of file osapi-os-loader.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-os-loader.h

38.164 OS_module_prop_t Struct Reference

OSAL module properties.

```
#include <osapi-os-loader.h>
```

Data Fields

- · cpuaddr entry point
- cpuaddr host_module_id
- char filename [OS_MAX_PATH_LEN]
- char name [OS_MAX_API_NAME]
- OS_module_address_t addr

38.164.1 Detailed Description

OSAL module properties.

Definition at line 45 of file osapi-os-loader.h.

38.164.2 Field Documentation

```
38.164.2.1 addr
```

```
OS_module_address_t OS_module_prop_t::addr
```

Definition at line 51 of file osapi-os-loader.h.

38.164.2.2 entry_point

```
cpuaddr OS_module_prop_t::entry_point
```

Definition at line 47 of file osapi-os-loader.h.

38.164.2.3 filename

```
char OS_module_prop_t::filename[OS_MAX_PATH_LEN]
```

Definition at line 49 of file osapi-os-loader.h.

38.164.2.4 host_module_id

```
cpuaddr OS_module_prop_t::host_module_id
```

Definition at line 48 of file osapi-os-loader.h.

38.164.2.5 name

```
char OS_module_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 50 of file osapi-os-loader.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-os-loader.h

38.165 OS_mut_sem_prop_t Struct Reference

OSAL mutexe properties.

```
#include <osapi-os-core.h>
```

Data Fields

```
    char name [OS_MAX_API_NAME]
```

· uint32 creator

38.165.1 Detailed Description

OSAL mutexe properties.

Definition at line 103 of file osapi-os-core.h.

38.165.2 Field Documentation

38.165.2.1 creator

```
uint32 OS_mut_sem_prop_t::creator
```

Definition at line 106 of file osapi-os-core.h.

38.165.2.2 name

```
char OS_mut_sem_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 105 of file osapi-os-core.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-os-core.h

38.166 OS_queue_prop_t Struct Reference

OSAL queue properties.

```
#include <osapi-os-core.h>
```

Data Fields

- char name [OS_MAX_API_NAME]
- · uint32 creator

38.166.1 Detailed Description

OSAL queue properties.

Definition at line 80 of file osapi-os-core.h.

38.166.2 Field Documentation

38.166.2.1 creator

uint32 OS_queue_prop_t::creator

Definition at line 83 of file osapi-os-core.h.

38.166.2.2 name

```
char OS_queue_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 82 of file osapi-os-core.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-os-core.h

38.167 OS_SockAddr_t Struct Reference

Encapsulates a generic network address.

```
#include <osapi-os-net.h>
```

Data Fields

uint32 ActualLength

Length of the actual address data.

OS_SockAddrData_t AddrData

Abstract Address data.

38.167.1 Detailed Description

Encapsulates a generic network address.

This is just an abstract buffer type that holds a network address. It is allocated for the worst-case size defined by OS_SOCKADDR_MAX_LEN, and the real size is stored within.

Definition at line 92 of file osapi-os-net.h.

38.167.2 Field Documentation

38.167.2.1 ActualLength

```
uint32 OS_SockAddr_t::ActualLength
```

Length of the actual address data.

Definition at line 94 of file osapi-os-net.h.

38.167.2.2 AddrData

```
OS_SockAddrData_t OS_SockAddr_t::AddrData
```

Abstract Address data.

Definition at line 95 of file osapi-os-net.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-os-net.h

38.168 OS_SockAddrData_t Union Reference

Storage buffer for generic network address.

```
#include <osapi-os-net.h>
```

Data Fields

• uint8 Buffer [OS_SOCKADDR_MAX_LEN]

Ensures length of at least OS_SOCKADDR_MAX_LEN.

• uint32 AlignU32

Ensures uint32 alignment.

void * AlignPtr

Ensures pointer alignment.

38.168.1 Detailed Description

Storage buffer for generic network address.

This is a union type that helps to ensure a minimum alignment value for the data storage, such that it can be cast to the system-specific type without increasing alignment requirements.

Definition at line 78 of file osapi-os-net.h.

38.168.2 Field Documentation

38.168.2.1 AlignPtr

void* OS_SockAddrData_t::AlignPtr

Ensures pointer alignment.

Definition at line 82 of file osapi-os-net.h.

38.168.2.2 AlignU32

uint32 OS_SockAddrData_t::AlignU32

Ensures uint32 alignment.

Definition at line 81 of file osapi-os-net.h.

38.168.2.3 Buffer

uint8 OS_SockAddrData_t::Buffer[OS_SOCKADDR_MAX_LEN]

Ensures length of at least OS_SOCKADDR_MAX_LEN.

Definition at line 80 of file osapi-os-net.h.

The documentation for this union was generated from the following file:

osal/src/os/inc/osapi-os-net.h

38.169 OS_socket_prop_t Struct Reference

Encapsulates socket properties.

```
#include <osapi-os-net.h>
```

Data Fields

• char name [OS_MAX_API_NAME]

Name of the socket.

· uint32 creator

OSAL TaskID which opened the socket.

38.169.1 Detailed Description

Encapsulates socket properties.

This is for consistency with other OSAL resource types. Currently no extra properties are exposed here but this could change in a future revision of OSAL as needed.

Definition at line 105 of file osapi-os-net.h.

38.169.2 Field Documentation

38.169.2.1 creator

```
uint32 OS_socket_prop_t::creator
```

OSAL TaskID which opened the socket.

Definition at line 108 of file osapi-os-net.h.

38.169.2.2 name

```
char OS_socket_prop_t::name[OS_MAX_API_NAME]
```

Name of the socket.

Definition at line 107 of file osapi-os-net.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-os-net.h

38.170 OS_static_symbol_record_t Struct Reference

Associates a single symbol name with a memory address.

```
#include <osapi-os-loader.h>
```

Data Fields

- const char * Name
- void(* Address)(void)
- const char * Module

38.170.1 Detailed Description

Associates a single symbol name with a memory address.

If the OS_STATIC_SYMBOL_TABLE feature is enabled, then an array of these structures should be provided by the application. When the application needs to find a symbol address, the static table will be checked in addition to (or instead of) the OS/library-provided lookup function.

This static symbol allows systems that do not implement dynamic module loading to maintain the same semantics as dynamically loaded modules.

Definition at line 67 of file osapi-os-loader.h.

38.170.2 Field Documentation

38.170.2.1 Address

```
void(* OS_static_symbol_record_t::Address) (void)
```

Definition at line 70 of file osapi-os-loader.h.

38.170.2.2 Module

```
const char* OS_static_symbol_record_t::Module
```

Definition at line 71 of file osapi-os-loader.h.

```
38.170.2.3 Name
```

```
const char* OS_static_symbol_record_t::Name
```

Definition at line 69 of file osapi-os-loader.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-os-loader.h

38.171 OS_task_prop_t Struct Reference

OSAL task properties.

```
#include <osapi-os-core.h>
```

Data Fields

- char name [OS_MAX_API_NAME]
- · uint32 creator
- uint32 stack_size
- · uint32 priority
- uint32 OStask_id

38.171.1 Detailed Description

OSAL task properties.

Definition at line 70 of file osapi-os-core.h.

38.171.2 Field Documentation

38.171.2.1 creator

uint32 OS_task_prop_t::creator

Definition at line 73 of file osapi-os-core.h.

```
38.171.2.2 name
```

```
char OS_task_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 72 of file osapi-os-core.h.

38.171.2.3 OStask_id

```
uint32 OS_task_prop_t::OStask_id
```

Definition at line 76 of file osapi-os-core.h.

38.171.2.4 priority

```
uint32 OS_task_prop_t::priority
```

Definition at line 75 of file osapi-os-core.h.

38.171.2.5 stack_size

```
uint32 OS_task_prop_t::stack_size
```

Definition at line 74 of file osapi-os-core.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-os-core.h

38.172 OS_time_t Struct Reference

OSAL time.

```
#include <osapi-os-core.h>
```

Data Fields

- uint32 seconds
- · uint32 microsecs

```
38.172.1 Detailed Description
```

OSAL time.

Definition at line 111 of file osapi-os-core.h.

38.172.2 Field Documentation

38.172.2.1 microsecs

```
uint32 OS_time_t::microsecs
```

Definition at line 114 of file osapi-os-core.h.

Referenced by CFE_PSP_Get_Timebase().

38.172.2.2 seconds

```
uint32 OS_time_t::seconds
```

Definition at line 113 of file osapi-os-core.h.

Referenced by CFE_PSP_Get_Timebase().

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-os-core.h

38.173 OS_timebase_prop_t Struct Reference

Time base properties.

```
#include <osapi-os-timer.h>
```

Data Fields

- char name [OS_MAX_API_NAME]
- · uint32 creator
- uint32 nominal_interval_time
- uint32 freerun_time
- · uint32 accuracy

38.173.1 Detailed Description

Time base properties.

Definition at line 40 of file osapi-os-timer.h.

38.173.2 Field Documentation

38.173.2.1 accuracy

uint32 OS_timebase_prop_t::accuracy

Definition at line 46 of file osapi-os-timer.h.

38.173.2.2 creator

uint32 OS_timebase_prop_t::creator

Definition at line 43 of file osapi-os-timer.h.

38.173.2.3 freerun_time

uint32 OS_timebase_prop_t::freerun_time

Definition at line 45 of file osapi-os-timer.h.

38.173.2.4 name

char OS_timebase_prop_t::name[OS_MAX_API_NAME]

Definition at line 42 of file osapi-os-timer.h.

38.173.2.5 nominal_interval_time

uint32 OS_timebase_prop_t::nominal_interval_time

Definition at line 44 of file osapi-os-timer.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-os-timer.h

38.174 OS_timer_prop_t Struct Reference

Timer properties.

```
#include <osapi-os-timer.h>
```

Data Fields

- char name [OS_MAX_API_NAME]
- · uint32 creator
- uint32 start_time
- uint32 interval_time
- uint32 accuracy

38.174.1 Detailed Description

Timer properties.

Definition at line 29 of file osapi-os-timer.h.

38.174.2 Field Documentation

38.174.2.1 accuracy

```
uint32 OS_timer_prop_t::accuracy
```

Definition at line 35 of file osapi-os-timer.h.

38.174.2.2 creator

uint32 OS_timer_prop_t::creator

Definition at line 32 of file osapi-os-timer.h.

38.174.2.3 interval_time

uint32 OS_timer_prop_t::interval_time

Definition at line 34 of file osapi-os-timer.h.

38.174.2.4 name

```
char OS_timer_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 31 of file osapi-os-timer.h.

38.174.2.5 start_time

```
uint32 OS_timer_prop_t::start_time
```

Definition at line 33 of file osapi-os-timer.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-os-timer.h

38.175 OS_VolumeInfo_t Struct Reference

Internal structure of the OS volume table for mounted file systems and path translation.

```
#include <osapi-os-filesys.h>
```

Data Fields

- char DeviceName [OS_FS_DEV_NAME_LEN]
- char PhysDevName [OS FS PHYS NAME LEN]
- uint32 VolumeType
- · uint8 VolatileFlag
- uint8 FreeFlag
- uint8 IsMounted
- char VolumeName [OS_FS_VOL_NAME_LEN]
- char MountPoint [OS_MAX_PATH_LEN]
- uint32 BlockSize

38.175.1 Detailed Description

Internal structure of the OS volume table for mounted file systems and path translation.

Definition at line 122 of file osapi-os-filesys.h.

38.175.2 Field Documentation

```
38.175.2.1 BlockSize
```

```
uint32 OS_VolumeInfo_t::BlockSize
```

Definition at line 132 of file osapi-os-filesys.h.

38.175.2.2 DeviceName

```
char OS_VolumeInfo_t::DeviceName[OS_FS_DEV_NAME_LEN]
```

Definition at line 124 of file osapi-os-filesys.h.

38.175.2.3 FreeFlag

```
uint8 OS_VolumeInfo_t::FreeFlag
```

Definition at line 128 of file osapi-os-filesys.h.

38.175.2.4 IsMounted

```
uint8 OS_VolumeInfo_t::IsMounted
```

Definition at line 129 of file osapi-os-filesys.h.

38.175.2.5 MountPoint

```
char OS_VolumeInfo_t::MountPoint[OS_MAX_PATH_LEN]
```

Definition at line 131 of file osapi-os-filesys.h.

38.175.2.6 PhysDevName

char OS_VolumeInfo_t::PhysDevName[OS_FS_PHYS_NAME_LEN]

Definition at line 125 of file osapi-os-filesys.h.

38.175.2.7 VolatileFlag

```
uint8 OS_VolumeInfo_t::VolatileFlag
```

Definition at line 127 of file osapi-os-filesys.h.

38.175.2.8 VolumeName

```
char OS_VolumeInfo_t::VolumeName[OS_FS_VOL_NAME_LEN]
```

Definition at line 130 of file osapi-os-filesys.h.

38.175.2.9 VolumeType

```
uint32 OS_VolumeInfo_t::VolumeType
```

Definition at line 126 of file osapi-os-filesys.h.

The documentation for this struct was generated from the following file:

· osal/src/os/inc/osapi-os-filesys.h

38.176 Target_PspConfigData Struct Reference

```
#include <cfe_psp_configdata.h>
```

Data Fields

- uint32 PSP_WatchdogMin
- uint32 PSP_WatchdogMax
- uint32 PSP_MemTableSize
- CFE_PSP_MemTable_t * PSP_MemoryTable
- uint32 OS VolumeTableSize
- OS_VolumeInfo_t * OS_VolumeTable
- uint32 OS_CpuContextSize
- uint32 HW_NumEepromBanks
- CFE_PSP_VersionInfo_t PSP_VersionInfo

38.176.1 Detailed Description

PSP/Hardware configuration parameters This structure should be instantiated by the PSP according such that other modules do not need to directly include the PSP configuration at compile time.

Definition at line 56 of file cfe psp configdata.h.

38.176.2 Field Documentation

```
38.176.2.1 HW_NumEepromBanks
```

```
uint32 Target_PspConfigData::HW_NumEepromBanks
```

Number of EEPROM banks on this platform

Definition at line 76 of file cfe_psp_configdata.h.

38.176.2.2 OS_CpuContextSize

```
uint32 Target_PspConfigData::OS_CpuContextSize
```

Processor Context type. This is needed to determine the size of the context entry in the ER log. It is a placeholder as the implementation to use it is not merged in yet.

Definition at line 71 of file cfe_psp_configdata.h.

38.176.2.3 OS_VolumeTable

```
OS_VolumeInfo_t* Target_PspConfigData::OS_VolumeTable
```

Pointer to OS volume table (forward reference)

Definition at line 64 of file cfe_psp_configdata.h.

38.176.2.4 OS_VolumeTableSize

```
uint32 Target_PspConfigData::OS_VolumeTableSize
```

Size of OS volume table

Definition at line 63 of file cfe_psp_configdata.h.

38.176.2.5 PSP_MemoryTable

```
CFE_PSP_MemTable_t* Target_PspConfigData::PSP_MemoryTable
```

Pointer to PSP memory table (forward reference)

Definition at line 61 of file cfe_psp_configdata.h.

38.176.2.6 PSP_MemTableSize

uint32 Target_PspConfigData::PSP_MemTableSize

Size of PSP memory table

Definition at line 60 of file cfe_psp_configdata.h.

38.176.2.7 PSP_VersionInfo

CFE_PSP_VersionInfo_t Target_PspConfigData::PSP_VersionInfo

Definition at line 78 of file cfe_psp_configdata.h.

38.176.2.8 PSP_WatchdogMax

uint32 Target_PspConfigData::PSP_WatchdogMax

PSP Maximum watchdog in milliseconds

Definition at line 59 of file cfe_psp_configdata.h.

38.176.2.9 PSP_WatchdogMin

uint32 Target_PspConfigData::PSP_WatchdogMin

PSP Minimum watchdog in milliseconds

Definition at line 58 of file cfe_psp_configdata.h.

The documentation for this struct was generated from the following file:

psp/fsw/inc/cfe_psp_configdata.h

39 File Documentation

39.1 build/doc/osconfig-example.h File Reference

Macros

• #define OS MAX TASKS

Configuration file Operating System Abstraction Layer.

• #define OS MAX QUEUES

The maximum number of queues to support.

• #define OS MAX COUNT SEMAPHORES

The maximum number of counting semaphores to support.

#define OS MAX BIN SEMAPHORES

The maximum number of binary semaphores to support.

#define OS MAX MUTEXES

The maximum number of mutexes to support.

#define OS MAX MODULES

The maximum number of modules to support.

#define OS_MAX_TIMEBASES

The maximum number of timebases to support.

#define OS MAX TIMERS

The maximum number of timer callbacks to support.

• #define OS_MAX_NUM_OPEN_FILES

The maximum number of concurrently open files to support.

#define OS_MAX_NUM_OPEN_DIRS

The maximum number of concurrently open directories to support.

• #define OS MAX FILE SYSTEMS

The maximum number of file systems to support.

• #define OS_MAX_SYM_LEN

The maximum length of symbols.

#define OS_MAX_FILE_NAME

The maximum length of OSAL file names.

#define OS_MAX_PATH_LEN

The maximum length of OSAL path names.

#define OS_MAX_API_NAME

The maximum length of OSAL resource names.

• #define OS_SOCKADDR_MAX_LEN

The maximum size of the socket address structure.

#define OS_BUFFER_SIZE

The maximum size of output produced by a single OS_printf()

#define OS_BUFFER_MSG_DEPTH

The maximum number of OS_printf() output strings to buffer.

#define OS_UTILITYTASK_PRIORITY

Priority level of the background utility task.

#define OS_UTILITYTASK_STACK_SIZE

The stack size of the background utility task.

• #define OS_MAX_CMD_LEN

The maximum size of a shell command.

• #define OS_QUEUE_MAX_DEPTH

The maximum depth of OSAL queues.

#define OS_SHELL_CMD_INPUT_FILE_NAME ""

The name of the temporary file used to store shell commands.

#define OS_PRINTF_CONSOLE_NAME ""

The name of the primary console device.

#define OS_MAX_CONSOLES 1

The maximum number of console devices to support.

39.1.1 Macro Definition Documentation

39.1.1.1 OS_BUFFER_MSG_DEPTH

```
#define OS_BUFFER_MSG_DEPTH
```

The maximum number of OS_printf() output strings to buffer.

Based on the OSAL_CONFIG_PRINTF_BUFFER_DEPTH configuration option

Definition at line 176 of file osconfig-example.h.

39.1.1.2 OS_BUFFER_SIZE

```
#define OS_BUFFER_SIZE
```

The maximum size of output produced by a single OS_printf()

Based on the OSAL_CONFIG_PRINTF_BUFFER_SIZE configuration option

Definition at line 169 of file osconfig-example.h.

39.1.1.3 OS_MAX_API_NAME

```
#define OS_MAX_API_NAME
```

The maximum length of OSAL resource names.

Based on the OSAL CONFIG MAX API NAME configuration option

Note

This value must include a terminating NUL character

Definition at line 152 of file osconfig-example.h.

39.1.1.4 OS_MAX_BIN_SEMAPHORES

#define OS_MAX_BIN_SEMAPHORES

The maximum number of binary semaphores to support.

Based on the OSAL_CONFIG_MAX_BIN_SEMAPHORES configuration option

Definition at line 61 of file osconfig-example.h.

39.1.1.5 OS_MAX_CMD_LEN

#define OS_MAX_CMD_LEN

The maximum size of a shell command.

This limit is only applicable if shell support is enabled.

Based on the OSAL CONFIG MAX CMD LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 207 of file osconfig-example.h.

39.1.1.6 OS_MAX_CONSOLES

#define OS_MAX_CONSOLES 1

The maximum number of console devices to support.

Fixed value based on current OSAL implementation, not user configurable.

Definition at line 249 of file osconfig-example.h.

39.1.1.7 OS_MAX_COUNT_SEMAPHORES

#define OS_MAX_COUNT_SEMAPHORES

The maximum number of counting semaphores to support.

Based on the OSAL_CONFIG_MAX_COUNT_SEMAPHORES configuration option

Definition at line 54 of file osconfig-example.h.

39.1.1.8 OS_MAX_FILE_NAME

#define OS_MAX_FILE_NAME

The maximum length of OSAL file names.

This limit applies specifically to the file name portion, not the directory portion, of a path name.

Based on the OSAL CONFIG MAX FILE NAME configuration option

Note

This value must include a terminating NUL character

Definition at line 131 of file osconfig-example.h.

39.1.1.9 OS_MAX_FILE_SYSTEMS

#define OS_MAX_FILE_SYSTEMS

The maximum number of file systems to support.

Based on the OSAL_CONFIG_MAX_FILE_SYSTEMS configuration option

Definition at line 110 of file osconfig-example.h.

39.1.1.10 OS_MAX_MODULES

#define OS_MAX_MODULES

The maximum number of modules to support.

Based on the OSAL_CONFIG_MAX_MODULES configuration option

Definition at line 75 of file osconfig-example.h.

39.1.1.11 OS_MAX_MUTEXES

#define OS_MAX_MUTEXES

The maximum number of mutexes to support.

Based on the OSAL_CONFIG_MAX_MUTEXES configuration option

Definition at line 68 of file osconfig-example.h.

39.1.1.12 OS_MAX_NUM_OPEN_DIRS

#define OS_MAX_NUM_OPEN_DIRS

The maximum number of concurrently open directories to support.

Based on the OSAL_CONFIG_MAX_NUM_OPEN_DIRS configuration option

Definition at line 103 of file osconfig-example.h.

39.1.1.13 OS_MAX_NUM_OPEN_FILES

#define OS_MAX_NUM_OPEN_FILES

The maximum number of concurrently open files to support.

Based on the OSAL CONFIG MAX NUM OPEN FILES configuration option

Definition at line 96 of file osconfig-example.h.

39.1.1.14 OS_MAX_PATH_LEN

#define OS_MAX_PATH_LEN

The maximum length of OSAL path names.

This limit applies to the overall length of a path name, including the file name and directory portions.

Based on the OSAL_CONFIG_MAX_PATH_LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 143 of file osconfig-example.h.

39.1.1.15 OS_MAX_QUEUES

#define OS_MAX_QUEUES

The maximum number of queues to support.

Based on the OSAL_CONFIG_MAX_QUEUES configuration option

Definition at line 47 of file osconfig-example.h.

39.1.1.16 OS_MAX_SYM_LEN

#define OS_MAX_SYM_LEN

The maximum length of symbols.

Based on the OSAL_CONFIG_MAX_SYM_LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 119 of file osconfig-example.h.

39.1.1.17 OS_MAX_TASKS

#define OS_MAX_TASKS

Configuration file Operating System Abstraction Layer.

The specific definitions in this file may only be modified by setting the respective OSAL configuration options in the CMake build.

Any direct modifications to the generated copy will be overwritten each time CMake executes.

Note

This file was automatically generated by CMake from /home/travis/build/nasa/cFS/cfe/default_config.cmake The maximum number of to support

Based on the OSAL_CONFIG_MAX_TASKS configuration option

Definition at line 40 of file osconfig-example.h.

39.1.1.18 OS_MAX_TIMEBASES

#define OS_MAX_TIMEBASES

The maximum number of timebases to support.

Based on the OSAL_CONFIG_MAX_TIMEBASES configuration option

Definition at line 82 of file osconfig-example.h.

39.1.1.19 OS_MAX_TIMERS

```
#define OS_MAX_TIMERS
```

The maximum number of timer callbacks to support.

Based on the OSAL CONFIG MAX TIMERS configuration option

Definition at line 89 of file osconfig-example.h.

39.1.1.20 OS_PRINTF_CONSOLE_NAME

```
#define OS_PRINTF_CONSOLE_NAME ""
```

The name of the primary console device.

This is the device to which OS_printf() output is written. The output may be configured to tag each line with this prefix for identification.

Based on the OSAL CONFIG PRINTF CONSOLE NAME configuration option

Definition at line 234 of file osconfig-example.h.

39.1.1.21 OS_QUEUE_MAX_DEPTH

```
#define OS_QUEUE_MAX_DEPTH
```

The maximum depth of OSAL queues.

Based on the OSAL_CONFIG_QUEUE_MAX_DEPTH configuration option

Definition at line 214 of file osconfig-example.h.

39.1.1.22 OS_SHELL_CMD_INPUT_FILE_NAME

```
#define OS_SHELL_CMD_INPUT_FILE_NAME ""
```

The name of the temporary file used to store shell commands.

This configuration is only applicable if shell support is enabled, and only necessary/relevant on some OS implementations.

Based on the OSAL_CONFIG_SHELL_CMD_INPUT_FILE_NAME configuration option

Definition at line 224 of file osconfig-example.h.

39.1.1.23 OS_SOCKADDR_MAX_LEN

#define OS_SOCKADDR_MAX_LEN

The maximum size of the socket address structure.

This is part of the Socket API, and should be set large enough to hold the largest address type in use on the target system.

Based on the OSAL_CONFIG_SOCKADDR_MAX_LEN configuration option

Definition at line 162 of file osconfig-example.h.

39.1.1.24 OS_UTILITYTASK_PRIORITY

#define OS_UTILITYTASK_PRIORITY

Priority level of the background utility task.

This task is responsible for writing buffered output of OS_printf to the actual console device, and any other future maintenance task.

Based on the OSAL_CONFIG_UTILITYTASK_PRIORITY configuration option

Definition at line 186 of file osconfig-example.h.

39.1.1.25 OS_UTILITYTASK_STACK_SIZE

#define OS_UTILITYTASK_STACK_SIZE

The stack size of the background utility task.

This task is responsible for writing buffered output of OS_printf to the actual console device, and any other future maintenance task.

Based on the OSAL_CONFIG_UTILITYTASK_STACK_SIZE configuration option

Definition at line 196 of file osconfig-example.h.

39.2 build/native/inc/osconfig.h File Reference

Macros

• #define OSAL CONFIG INCLUDE DYNAMIC LOADER

Configuration file Operating System Abstraction Layer.

- #define OSAL CONFIG INCLUDE NETWORK
- #define OSAL CONFIG INCLUDE STATIC LOADER
- #define OSAL CONFIG DEBUG PRINTF
- #define OSAL_CONFIG_DEBUG_PERMISSIVE_MODE
- #define OS_MAX_TASKS 64

The maximum number of to support.

#define OS MAX QUEUES 64

The maximum number of queues to support.

• #define OS MAX COUNT SEMAPHORES 20

The maximum number of counting semaphores to support.

• #define OS MAX BIN SEMAPHORES 20

The maximum number of binary semaphores to support.

• #define OS MAX MUTEXES 20

The maximum number of mutexes to support.

#define OS_MAX_MODULES 20

The maximum number of modules to support.

#define OS MAX TIMEBASES 5

The maximum number of timebases to support.

• #define OS_MAX_TIMERS 10

The maximum number of timer callbacks to support.

#define OS_MAX_NUM_OPEN_FILES 50

The maximum number of concurrently open files to support.

#define OS_MAX_NUM_OPEN_DIRS 4

The maximum number of concurrently open directories to support.

• #define OS_MAX_FILE_SYSTEMS 14

The maximum number of file systems to support.

• #define OS_MAX_SYM_LEN 64

The maximum length of symbols.

#define OS_MAX_FILE_NAME 20

The maximum length of OSAL file names.

#define OS_MAX_PATH_LEN 64

The maximum length of OSAL path names.

#define OS MAX API NAME 20

The maximum length of OSAL resource names.

#define OS SOCKADDR MAX LEN 28

The maximum size of the socket address structure.

• #define OS BUFFER SIZE 172

The maximum size of output produced by a single OS_printf()

#define OS_BUFFER_MSG_DEPTH 100

The maximum number of OS_printf() output strings to buffer.

#define OS UTILITYTASK PRIORITY 245

Priority level of the background utility task.

#define OS UTILITYTASK STACK SIZE 2048

The stack size of the background utility task.

• #define OS_MAX_CMD_LEN 1000

The maximum size of a shell command.

• #define OS_QUEUE_MAX_DEPTH 50

The maximum depth of OSAL queues.

#define OS_SHELL_CMD_INPUT_FILE_NAME ""

The name of the temporary file used to store shell commands.

#define OS_PRINTF_CONSOLE_NAME ""

The name of the primary console device.

• #define OS_MAX_CONSOLES 1

The maximum number of console devices to support.

39.2.1 Macro Definition Documentation

39.2.1.1 OS_BUFFER_MSG_DEPTH

```
#define OS_BUFFER_MSG_DEPTH 100
```

The maximum number of OS_printf() output strings to buffer.

Based on the OSAL_CONFIG_PRINTF_BUFFER_DEPTH configuration option

Definition at line 176 of file osconfig.h.

39.2.1.2 OS_BUFFER_SIZE

```
#define OS_BUFFER_SIZE 172
```

The maximum size of output produced by a single OS_printf()

Based on the OSAL_CONFIG_PRINTF_BUFFER_SIZE configuration option

Definition at line 169 of file osconfig.h.

39.2.1.3 OS_MAX_API_NAME

```
#define OS_MAX_API_NAME 20
```

The maximum length of OSAL resource names.

Based on the OSAL_CONFIG_MAX_API_NAME configuration option

Note

This value must include a terminating NUL character

Definition at line 152 of file osconfig.h.

39.2.1.4 OS_MAX_BIN_SEMAPHORES

```
#define OS_MAX_BIN_SEMAPHORES 20
```

The maximum number of binary semaphores to support.

Based on the OSAL_CONFIG_MAX_BIN_SEMAPHORES configuration option

Definition at line 61 of file osconfig.h.

39.2.1.5 OS_MAX_CMD_LEN

```
#define OS_MAX_CMD_LEN 1000
```

The maximum size of a shell command.

This limit is only applicable if shell support is enabled.

Based on the OSAL_CONFIG_MAX_CMD_LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 207 of file osconfig.h.

39.2.1.6 OS_MAX_CONSOLES

#define OS_MAX_CONSOLES 1

The maximum number of console devices to support.

Fixed value based on current OSAL implementation, not user configurable.

Definition at line 249 of file osconfig.h.

39.2.1.7 OS_MAX_COUNT_SEMAPHORES

#define OS_MAX_COUNT_SEMAPHORES 20

The maximum number of counting semaphores to support.

Based on the OSAL CONFIG MAX COUNT SEMAPHORES configuration option

Definition at line 54 of file osconfig.h.

39.2.1.8 OS_MAX_FILE_NAME

#define OS_MAX_FILE_NAME 20

The maximum length of OSAL file names.

This limit applies specifically to the file name portion, not the directory portion, of a path name.

Based on the OSAL_CONFIG_MAX_FILE_NAME configuration option

Note

This value must include a terminating NUL character

Definition at line 131 of file osconfig.h.

39.2.1.9 OS_MAX_FILE_SYSTEMS

#define OS_MAX_FILE_SYSTEMS 14

The maximum number of file systems to support.

Based on the OSAL CONFIG MAX FILE SYSTEMS configuration option

Definition at line 110 of file osconfig.h.

39.2.1.10 OS_MAX_MODULES

```
#define OS_MAX_MODULES 20
```

The maximum number of modules to support.

Based on the OSAL_CONFIG_MAX_MODULES configuration option

Definition at line 75 of file osconfig.h.

39.2.1.11 OS_MAX_MUTEXES

```
#define OS_MAX_MUTEXES 20
```

The maximum number of mutexes to support.

Based on the OSAL_CONFIG_MAX_MUTEXES configuration option

Definition at line 68 of file osconfig.h.

39.2.1.12 OS_MAX_NUM_OPEN_DIRS

```
#define OS_MAX_NUM_OPEN_DIRS 4
```

The maximum number of concurrently open directories to support.

Based on the OSAL_CONFIG_MAX_NUM_OPEN_DIRS configuration option

Definition at line 103 of file osconfig.h.

39.2.1.13 OS_MAX_NUM_OPEN_FILES

```
#define OS_MAX_NUM_OPEN_FILES 50
```

The maximum number of concurrently open files to support.

Based on the OSAL_CONFIG_MAX_NUM_OPEN_FILES configuration option

Definition at line 96 of file osconfig.h.

39.2.1.14 OS_MAX_PATH_LEN

#define OS_MAX_PATH_LEN 64

The maximum length of OSAL path names.

This limit applies to the overall length of a path name, including the file name and directory portions.

Based on the OSAL_CONFIG_MAX_PATH_LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 143 of file osconfig.h.

39.2.1.15 OS_MAX_QUEUES

#define OS_MAX_QUEUES 64

The maximum number of queues to support.

Based on the OSAL_CONFIG_MAX_QUEUES configuration option

Definition at line 47 of file osconfig.h.

39.2.1.16 OS_MAX_SYM_LEN

#define OS_MAX_SYM_LEN 64

The maximum length of symbols.

Based on the OSAL_CONFIG_MAX_SYM_LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 119 of file osconfig.h.

39.2.1.17 OS_MAX_TASKS

```
#define OS_MAX_TASKS 64
```

The maximum number of to support.

Based on the OSAL_CONFIG_MAX_TASKS configuration option

Definition at line 40 of file osconfig.h.

39.2.1.18 OS_MAX_TIMEBASES

```
#define OS_MAX_TIMEBASES 5
```

The maximum number of timebases to support.

Based on the OSAL_CONFIG_MAX_TIMEBASES configuration option

Definition at line 82 of file osconfig.h.

39.2.1.19 OS_MAX_TIMERS

```
#define OS_MAX_TIMERS 10
```

The maximum number of timer callbacks to support.

Based on the OSAL_CONFIG_MAX_TIMERS configuration option

Definition at line 89 of file osconfig.h.

39.2.1.20 OS_PRINTF_CONSOLE_NAME

```
#define OS_PRINTF_CONSOLE_NAME ""
```

The name of the primary console device.

This is the device to which OS_printf() output is written. The output may be configured to tag each line with this prefix for identification.

Based on the OSAL_CONFIG_PRINTF_CONSOLE_NAME configuration option

Definition at line 234 of file osconfig.h.

39.2.1.21 OS_QUEUE_MAX_DEPTH

#define OS_QUEUE_MAX_DEPTH 50

The maximum depth of OSAL queues.

Based on the OSAL_CONFIG_QUEUE_MAX_DEPTH configuration option

Definition at line 214 of file osconfig.h.

39.2.1.22 OS_SHELL_CMD_INPUT_FILE_NAME

#define OS_SHELL_CMD_INPUT_FILE_NAME ""

The name of the temporary file used to store shell commands.

This configuration is only applicable if shell support is enabled, and only necessary/relevant on some OS implementations.

Based on the OSAL_CONFIG_SHELL_CMD_INPUT_FILE_NAME configuration option

Definition at line 224 of file osconfig.h.

39.2.1.23 OS_SOCKADDR_MAX_LEN

#define OS_SOCKADDR_MAX_LEN 28

The maximum size of the socket address structure.

This is part of the Socket API, and should be set large enough to hold the largest address type in use on the target system.

Based on the OSAL_CONFIG_SOCKADDR_MAX_LEN configuration option

Definition at line 162 of file osconfig.h.

39.2.1.24 OS_UTILITYTASK_PRIORITY

#define OS_UTILITYTASK_PRIORITY 245

Priority level of the background utility task.

This task is responsible for writing buffered output of OS_printf to the actual console device, and any other future maintenance task.

Based on the OSAL_CONFIG_UTILITYTASK_PRIORITY configuration option

Definition at line 186 of file osconfig.h.

39.2.1.25 OS_UTILITYTASK_STACK_SIZE

#define OS_UTILITYTASK_STACK_SIZE 2048

The stack size of the background utility task.

This task is responsible for writing buffered output of OS_printf to the actual console device, and any other future maintenance task.

Based on the OSAL_CONFIG_UTILITYTASK_STACK_SIZE configuration option

Definition at line 196 of file osconfig.h.

39.2.1.26 OSAL_CONFIG_DEBUG_PERMISSIVE_MODE

#define OSAL_CONFIG_DEBUG_PERMISSIVE_MODE

Definition at line 26 of file osconfig.h.

39.2.1.27 OSAL CONFIG DEBUG PRINTF

#define OSAL_CONFIG_DEBUG_PRINTF

Definition at line 25 of file osconfig.h.

39.2.1.28 OSAL_CONFIG_INCLUDE_DYNAMIC_LOADER

#define OSAL_CONFIG_INCLUDE_DYNAMIC_LOADER

Configuration file Operating System Abstraction Layer.

The specific definitions in this file may only be modified by setting the respective OSAL configuration options in the CMake build.

Any direct modifications to the generated copy will be overwritten each time CMake executes.

Note

This file was automatically generated by CMake from /home/travis/build/nasa/cFS/osal/default_config.cmake

Definition at line 21 of file osconfig.h.

39.2.1.29 OSAL_CONFIG_INCLUDE_NETWORK

#define OSAL_CONFIG_INCLUDE_NETWORK

Definition at line 22 of file osconfig.h.

39.2.1.30 OSAL CONFIG INCLUDE STATIC LOADER

#define OSAL_CONFIG_INCLUDE_STATIC_LOADER

Definition at line 23 of file osconfig.h.

39.3 cpu1_msgids.h File Reference

```
#include "cfe_mission_cfg.h"
```

Macros

- #define CFE_EVS_CMD_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_EVS_CMD_MSG /*
 0x1801 */
- #define CFE_SB_CMD_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_SB_CMD_MSG /* 0x1803 */
- #define CFE_TBL_CMD_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_TBL_CMD_MSG /* 0x1804
 */
- #define CFE_TIME_CMD_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_TIME_CMD_MSG /*
 0x1805 */
- #define CFE ES CMD MID CFE MISSION CMD MID BASE1 + CFE MISSION ES CMD MSG/* 0x1806 */
- #define CFE_ES_SEND_HK_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_ES_SEND_HK_MSG /* 0x1808 */
- #define CFE_EVS_SEND_HK_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_EVS_SEND_HK_← MSG /* 0x1809 */
- #define CFE_SB_SEND_HK_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_SB_SEND_HK_MSG /* 0x180B */
- #define CFE_TBL_SEND_HK_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_TBL_SEND_HK_M
 SG /* 0x180C */
- #define CFE_TIME_SEND_HK_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_TIME_SEND_HK
 MSG /* 0x180D */
- #define CFE_TIME_TONE_CMD_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_TIME_TONE_C
 MD MSG /* 0x1810 */
- #define CFE_TIME_1HZ_CMD_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_TIME_1HZ_CMD
 MSG /* 0x1811 */

- #define CFE_ES_HK_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_ES_HK_TLM_MSG /*
 0x0800 */

#define CFE_EVS_HK_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_EVS_HK_TLM_MSG /*
 0x0801 */

- #define CFE_SB_HK_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_SB_HK_TLM_MSG /*
 0x0803 */
- #define CFE_TBL_HK_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_TBL_HK_TLM_MSG /*
 0x0804 */
- #define CFE_TIME_HK_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_TIME_HK_TLM_MSG /* 0x0805 */
- #define CFE_TIME_DIAG_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_TIME_DIAG_TLM
 MSG /* 0x0806 */
- #define CFE_EVS_SHORT_EVENT_MSG_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_EVS_S← HORT_EVENT_MSG_MSG /* 0x0809 */
- #define CFE_ES_APP_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_ES_APP_TLM_MSG /*
 0x080B */
- #define CFE_TBL_REG_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_TBL_REG_TLM_MSG /* 0x080C */
- #define CFE_SB_ALLSUBS_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_SB_ALLSUBS_← TLM_MSG /* 0x080D */
- #define CFE_SB_ONESUB_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_SB_ONESUB_T
 LM MSG /* 0x080E */
- #define CFE_ES_MEMSTATS_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_ES_MEMST

 ATS_TLM_MSG /* 0x0810 */
- #define CFE EVS EVENT MSG MID CFE EVS LONG EVENT MSG MID

39.3.1 Macro Definition Documentation

39.3.1.1 CFE_ES_APP_TLM_MID

#define CFE_ES_APP_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_ES_APP_TLM_MSG /* 0x080B */

Definition at line 85 of file cpu1_msgids.h.

39.3.1.2 CFE_ES_CMD_MID

#define CFE_ES_CMD_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_ES_CMD_MSG /* 0x1806 */

Definition at line 52 of file cpu1_msgids.h.

```
39.3.1.3 CFE_ES_HK_TLM_MID
```

```
#define CFE_ES_HK_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_ES_HK_TLM_MSG /* 0x0800 */
```

Definition at line 75 of file cpu1_msgids.h.

39.3.1.4 CFE_ES_MEMSTATS_TLM_MID

```
#define CFE_ES_MEMSTATS_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_ES_MEMSTATS_TLM_MSG /*
0x0810 */
```

Definition at line 90 of file cpu1_msgids.h.

39.3.1.5 CFE_ES_SEND_HK_MID

```
#define CFE_S_SEND_HK_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_ES_SEND_HK_MSG /* 0x1808 */
```

Definition at line 54 of file cpu1 msgids.h.

39.3.1.6 CFE_ES_SHELL_TLM_MID

```
#define CFE_ES_SHELL_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_ES_SHELL_TLM_MSG /* 0x080F */
```

Definition at line 89 of file cpu1 msgids.h.

39.3.1.7 CFE_EVS_CMD_MID

```
#define CFE_EVS_CMD_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_EVS_CMD_MSG /* 0x1801 */
```

Definition at line 47 of file cpu1_msgids.h.

39.3.1.8 CFE_EVS_EVENT_MSG_MID

```
#define CFE_EVS_EVENT_MSG_MID CFE_EVS_LONG_EVENT_MSG_MID
```

Definition at line 98 of file cpu1_msgids.h.

```
39.3.1.9 CFE_EVS_HK_TLM_MID
```

```
#define CFE_EVS_HK_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_EVS_HK_TLM_MSG /* 0x0801 */
```

Definition at line 76 of file cpu1_msgids.h.

39.3.1.10 CFE_EVS_LONG_EVENT_MSG_MID

```
#define CFE_EVS_LONG_EVENT_MSG_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_EVS_LONG_EVENT_MSG_MSG
/* 0x0808 */
```

Definition at line 82 of file cpu1_msgids.h.

39.3.1.11 CFE_EVS_SEND_HK_MID

```
#define CFE_EVS_SEND_HK_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_EVS_SEND_HK_MSG /* 0x1809 */
```

Definition at line 55 of file cpu1 msgids.h.

39.3.1.12 CFE_EVS_SHORT_EVENT_MSG_MID

```
#define CFE_EVS_SHORT_EVENT_MSG_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_EVS_SHORT_EVENT_MSG_←
MSG /* 0x0809 */
```

Definition at line 83 of file cpu1_msgids.h.

39.3.1.13 CFE_SB_ALLSUBS_TLM_MID

```
#define CFE_SB_ALLSUBS_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_SB_ALLSUBS_TLM_MSG /* 0x080 \leftrightarrow D */
```

Definition at line 87 of file cpu1_msgids.h.

39.3.1.14 CFE_SB_CMD_MID

```
#define CFE_SB_CMD_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_SB_CMD_MSG /* 0x1803 */
```

Definition at line 49 of file cpu1_msgids.h.

```
39.3.1.15 CFE_SB_HK_TLM_MID
```

```
#define CFE_SB_HK_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_SB_HK_TLM_MSG /* 0x0803 */
```

Definition at line 78 of file cpu1_msgids.h.

39.3.1.16 CFE_SB_ONESUB_TLM_MID

```
#define CFE_SB_ONESUB_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_SB_ONESUB_TLM_MSG /* 0x080E
*/
```

Definition at line 88 of file cpu1_msgids.h.

39.3.1.17 CFE_SB_SEND_HK_MID

```
#define CFE_SB_SEND_HK_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_SB_SEND_HK_MSG /* 0x180B */
```

Definition at line 57 of file cpu1 msgids.h.

39.3.1.18 CFE_SB_STATS_TLM_MID

```
#define CFE_SB_STATS_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_SB_STATS_TLM_MSG /* 0x080A */
```

Definition at line 84 of file cpu1 msgids.h.

39.3.1.19 CFE_TBL_CMD_MID

```
#define CFE_TBL_CMD_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_TBL_CMD_MSG /* 0x1804 */
```

Definition at line 50 of file cpu1_msgids.h.

39.3.1.20 CFE_TBL_HK_TLM_MID

```
#define CFE_TBL_HK_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_TBL_HK_TLM_MSG /* 0x0804 */
```

Definition at line 79 of file cpu1_msgids.h.

```
39.3.1.21 CFE_TBL_REG_TLM_MID
```

#define CFE_TBL_REG_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_TBL_REG_TLM_MSG /* 0x080C */

Definition at line 86 of file cpu1_msgids.h.

39.3.1.22 CFE TBL SEND HK MID

#define CFE_TBL_SEND_HK_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_TBL_SEND_HK_MSG /* 0x180C */

Definition at line 58 of file cpu1_msgids.h.

39.3.1.23 CFE_TIME_1HZ_CMD_MID

#define CFE_TIME_1HZ_CMD_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_TIME_1HZ_CMD_MSG /* 0x1811 */

Definition at line 62 of file cpu1_msgids.h.

39.3.1.24 CFE_TIME_CMD_MID

#define CFE_TIME_CMD_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_TIME_CMD_MSG /* 0x1805 */

Definition at line 51 of file cpu1_msgids.h.

39.3.1.25 CFE_TIME_DATA_CMD_MID

#define CFE_TIME_DATA_CMD_MID CFE_MISSION_CMD_MID_BASE_GLOB + CFE_MISSION_TIME_DATA_CMD_MSG /*
0x1860 */

Definition at line 68 of file cpu1 msgids.h.

39.3.1.26 CFE_TIME_DIAG_TLM_MID

#define CFE_TIME_DIAG_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_TIME_DIAG_TLM_MSG /* 0x0806

Definition at line 81 of file cpu1_msgids.h.

```
39.3.1.27 CFE_TIME_HK_TLM_MID
```

```
#define CFE_TIME_HK_TLM_MID CFE_MISSION_TLM_MID_BASE1 + CFE_MISSION_TIME_HK_TLM_MSG /* 0x0805 */
```

Definition at line 80 of file cpu1 msgids.h.

39.3.1.28 CFE_TIME_SEND_CMD_MID

```
#define CFE_TIME_SEND_CMD_MID CFE_MISSION_CMD_MID_BASE_GLOB + CFE_MISSION_TIME_SEND_CMD_MSG /*
0x1862 */
```

Definition at line 69 of file cpu1_msgids.h.

39.3.1.29 CFE_TIME_SEND_HK_MID

```
#define CFE_TIME_SEND_HK_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_TIME_SEND_HK_MSG /* 0x180D */
```

Definition at line 59 of file cpu1_msgids.h.

39.3.1.30 CFE_TIME_TONE_CMD_MID

```
#define CFE_TIME_TONE_CMD_MID CFE_MISSION_CMD_MID_BASE1 + CFE_MISSION_TIME_TONE_CMD_MSG /* 0x1810
*/
```

Definition at line 61 of file cpu1_msgids.h.

39.4 cpu1_platform_cfg.h File Reference

#include "cfe_mission_cfg.h"

Macros

- #define CFE PLATFORM CPU ID 1
- #define CFE_PLATFORM_CPU_NAME "CPU1"
- #define CFE PLATFORM SB MAX MSG IDS 256
- #define CFE PLATFORM SB MAX PIPES 64
- #define CFE PLATFORM SB MAX DEST PER PKT 16
- #define CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT 4
- #define CFE PLATFORM SB BUF MEMORY BYTES 524288
- #define CFE PLATFORM SB MAX PIPE DEPTH 256
- #define CFE PLATFORM SB HIGHEST VALID MSGID 0x1FFF
- #define CFE PLATFORM ENDIAN CCSDS LITTLE ENDIAN
- #define CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME "/ram/cfe_sb_route.dat"
- #define CFE PLATFORM SB DEFAULT PIPE FILENAME "/ram/cfe sb pipe.dat"
- #define CFE PLATFORM SB DEFAULT MAP FILENAME "/ram/cfe sb msgmap.dat"
- #define CFE_PLATFORM_SB_FILTERED_EVENT1 CFE_SB_SEND_NO_SUBS_EID
- #define CFE_PLATFORM_SB_FILTER_MASK1 CFE_EVS_FIRST_4_STOP
- #define CFE PLATFORM SB FILTERED EVENT2 CFE SB DUP SUBSCRIP EID
- #define CFE PLATFORM SB FILTER MASK2 CFE EVS FIRST 4 STOP
- #define CFE PLATFORM SB FILTERED EVENT3 CFE SB MSGID LIM ERR EID
- #define CFE PLATFORM SB FILTER MASK3 CFE EVS FIRST 16 STOP
- #define CFE PLATFORM SB FILTERED EVENT4 CFE SB Q FULL ERR EID
- #define CFE_PLATFORM_SB_FILTER_MASK4 CFE_EVS_FIRST_16_STOP
- #define CFE_PLATFORM_SB_FILTERED_EVENT5 0
- #define CFE PLATFORM SB FILTER MASK5 CFE EVS NO FILTER
- #define CFE PLATFORM SB FILTERED EVENT6 0
- #define CFE PLATFORM SB FILTER MASK6 CFE EVS NO FILTER
- #define CFE_PLATFORM_SB_FILTERED_EVENT7 0
- #define CFE_PLATFORM_SB_FILTER_MASK7 CFE_EVS_NO_FILTER
- #define CFE PLATFORM SB FILTERED EVENT8 0
- #define CFE_PLATFORM_SB_FILTER_MASK8 CFE_EVS_NO_FILTER
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01 8
- #define CFE PLATFORM SB MEM BLOCK SIZE 02 16
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03 20
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04 36
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05 64
- #define CFE PLATFORM SB MEM BLOCK SIZE 06 96
- #define CFE PLATFORM SB MEM BLOCK SIZE 07 128
- #define CFE PLATFORM SB MEM BLOCK SIZE 08 160
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09 256
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10 512
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11 1024
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12 2048
- #define CFE PLATFORM SB MEM BLOCK SIZE 13 4096
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14 8192
- #define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15 16384
- #define CFE PLATFORM SB MEM BLOCK SIZE 16 32768
- #define CFE_PLATFORM_SB_MAX_BLOCK_SIZE (CFE_MISSION_SB_MAX_SB_MSG_SIZE + 40)
- #define CFE_PLATFORM_SB_DEFAULT_REPORT_SENDER 1
- #define CFE PLATFORM TIME CFG SERVER true
- #define CFE PLATFORM TIME CFG CLIENT false

- #define CFE_PLATFORM_TIME_CFG_VIRTUAL true
- #define CFE PLATFORM TIME CFG SIGNAL false
- #define CFE_PLATFORM_TIME_CFG_SOURCE false
- #define CFE PLATFORM TIME CFG SRC MET false
- #define CFE_PLATFORM_TIME_CFG_SRC_GPS false
- #define CFE_PLATFORM_TIME_CFG_SRC_TIME false
- #define CFE_PLATFORM_TIME_MAX_DELTA_SECS 0
- #define CFE PLATFORM TIME MAX DELTA SUBS 500000
- #define CFE PLATFORM TIME MAX LOCAL SECS 27
- #define CFE_PLATFORM_TIME_MAX_LOCAL_SUBS 0
- #define CFE PLATFORM TIME CFG TONE LIMIT 20000
- #define CFE PLATFORM TIME CFG START FLY 2
- #define CFE_PLATFORM_TIME_CFG_LATCH_FLY 8
- #define CFE PLATFORM ES MAX APPLICATIONS 32
- #define CFE_PLATFORM_ES_MAX_LIBRARIES 10
- #define CFE_PLATFORM_ES_ER_LOG_ENTRIES 20
- #define CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE 128
- #define CFE PLATFORM ES SYSTEM LOG SIZE 3072
- #define CFE_PLATFORM_ES_OBJECT_TABLE_SIZE 30
- #define CFE PLATFORM ES MAX GEN COUNTERS 8
- #define CFE PLATFORM ES APP SCAN RATE 1000
- #define CFE_PLATFORM_ES_APP_KILL_TIMEOUT 5
- #define CFE PLATFORM ES RAM DISK SECTOR SIZE 512
- #define CFE PLATFORM ES RAM DISK NUM SECTORS 4096
- #define CFE PLATFORM ES RAM DISK PERCENT RESERVED 30
- #define CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING "/ram"
- #define CFE_PLATFORM_ES_CDS_SIZE (128 * 1024)
- #define CFE_PLATFORM_ES_USER_RESERVED_SIZE (1024 * 1024)
- #define CFE_PLATFORM_ES_RESET_AREA_SIZE (170 * 1024)
- #define CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN 4
- #define CFE PLATFORM ES NONVOL STARTUP FILE "/cf/cfe es startup.scr"
- #define CFE PLATFORM ES VOLATILE STARTUP FILE "/ram/cfe es startup.scr"
- #define CFE PLATFORM ES DEFAULT SHELL FILENAME "/ram/ShellCmd.out"
- #define CFE_PLATFORM_ES_MAX_SHELL_CMD 64
- #define CFE PLATFORM ES MAX SHELL PKT 64
- #define CFE_PLATFORM_ES_SHELL_OS_DELAY_MILLISEC 200
- #define CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE "/ram/cfe_es_app_info.log"
- #define CFE PLATFORM ES DEFAULT TASK LOG FILE "/ram/cfe es task info.log"
- #define CFE PLATFORM ES DEFAULT SYSLOG FILE "/ram/cfe es syslog.log"
- #define CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE "/ram/cfe_erlog.log"
- #define CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME "/ram/cfe_es_perf.dat"
- #define CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE "/ram/cfe_cds_reg.log"
- #define CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE 0
- #define CFE PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE 1
- #define CFE PLATFORM ES PERF MAX IDS 128
- #define CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE 10000
- #define CFE PLATFORM ES PERF FILTMASK NONE 0
- #define CFE_PLATFORM_ES_PERF_FILTMASK_ALL ~CFE_PLATFORM_ES_PERF_FILTMASK_NONE
- #define CFE_PLATFORM_ES_PERF_FILTMASK_INIT CFE_PLATFORM_ES_PERF_FILTMASK_ALL
- #define CFE PLATFORM ES PERF TRIGMASK NONE 0
- #define CFE_PLATFORM_ES_PERF_TRIGMASK_ALL ~CFE_PLATFORM_ES_PERF_TRIGMASK_NONE

• #define CFE_PLATFORM_ES_PERF_TRIGMASK_INIT CFE_PLATFORM_ES_PERF_TRIGMASK_NONE

- #define CFE PLATFORM ES PERF CHILD PRIORITY 200
- #define CFE PLATFORM ES PERF CHILD STACK SIZE 4096
- #define CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY 20
- #define CFE PLATFORM ES PERF ENTRIES BTWN DLYS 50
- #define CFE PLATFORM ES DEFAULT STACK SIZE 8192
- #define CFE PLATFORM ES EXCEPTION FUNCTION CFE ES ProcessCoreException
- #define CFE PLATFORM EVS START TASK PRIORITY 61
- #define CFE PLATFORM EVS START TASK STACK SIZE CFE PLATFORM ES DEFAULT STACK SIZE
- #define CFE PLATFORM SB START TASK PRIORITY 64
- #define CFE PLATFORM SB START TASK STACK SIZE CFE PLATFORM ES DEFAULT STACK SIZE
- #define CFE PLATFORM ES START TASK PRIORITY 68
- #define CFE_PLATFORM_ES_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
- #define CFE PLATFORM TIME START TASK PRIORITY 60
- #define CFE_PLATFORM_TIME_TONE_TASK_PRIORITY 25
- #define CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY 25
- #define CFE_PLATFORM_TIME_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_S
 ize
- #define CFE PLATFORM TIME TONE TASK STACK SIZE 4096
- #define CFE_PLATFORM_TIME_1HZ_TASK_STACK_SIZE 8192
- #define CFE_PLATFORM_TBL_START_TASK_PRIORITY 70
- #define CFE PLATFORM TBL START TASK STACK SIZE CFE PLATFORM ES DEFAULT STACK SIZE
- #define CFE PLATFORM ES CDS MAX NUM ENTRIES 512
- #define CFE PLATFORM ES MAX PROCESSOR RESETS 2
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 8
- #define CFE PLATFORM ES MEM BLOCK SIZE 02 16
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03 32
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04 48
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05 64
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06 96
- #define CFE PLATFORM ES MEM BLOCK SIZE 07 128
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08 160
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09 256
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10 512
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11 1024
- #define CFE PLATFORM ES MEM BLOCK SIZE 12 2048
- #define CFE PLATFORM ES MEM BLOCK SIZE 13 4096
- #define CFE PLATFORM ES MEM BLOCK SIZE 14 8192
- #define CFE PLATFORM ES MEM BLOCK SIZE 15 16384
- #define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16 32768
- #define CFE_PLATFORM_ES_MAX_BLOCK_SIZE 80000
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01 8
 #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02 16
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 03 32
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 04 48
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE 05 64
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 06 96
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07 128
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 08 160
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 09 256
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 10 512

- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11 1024
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 12 2048
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13 4096
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 14 8192
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15 16384
- #define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16 32768
- #define CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE 80000
- #define CFE PLATFORM EVS MAX EVENT FILTERS 8
- #define CFE PLATFORM EVS LOG ON
- #define CFE PLATFORM EVS DEFAULT LOG FILE "/ram/cfe evs.log"
- #define CFE PLATFORM EVS LOG MAX 20
- #define CFE PLATFORM EVS DEFAULT APP DATA FILE "/ram/cfe evs app.dat"
- #define CFE_PLATFORM_EVS_PORT_DEFAULT 0x0001
- #define CFE PLATFORM EVS DEFAULT TYPE FLAG 0xE
- #define CFE_PLATFORM_EVS_DEFAULT_LOG_MODE 1
- #define CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE CFE_EVS_MsgFormat_LONG
- #define CFE PLATFORM TBL BUF MEMORY BYTES 524288
- #define CFE PLATFORM TBL MAX DBL TABLE SIZE 16384
- #define CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE 16384
- #define CFE_PLATFORM_TBL_MAX_NUM_TABLES 128
- #define CFE PLATFORM TBL MAX CRITICAL TABLES 32
- #define CFE_PLATFORM_TBL_MAX_NUM_HANDLES 256
- #define CFE PLATFORM TBL MAX SIMULTANEOUS LOADS 4
- #define CFE PLATFORM TBL MAX NUM VALIDATIONS 10
- #define CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE "/ram/cfe_tbl_reg.log"
- #define CFE PLATFORM TBL VALID SCID COUNT 0
- #define CFE_PLATFORM_TBL_U32FROM4CHARS(_C1, _C2, _C3, _C4)
- #define CFE_PLATFORM_TBL_VALID_SCID_1 (CFE_MISSION_SPACECRAFT_ID)
- #define CFE_PLATFORM_TBL_VALID_SCID_2 (CFE_PLATFORM_TBL_U32FROM4CHARS('a', 'b', 'c', 'd'))
- #define CFE PLATFORM TBL VALID PRID COUNT 0
- #define CFE PLATFORM TBL VALID PRID 1 (CFE PLATFORM CPU ID)
- #define CFE_PLATFORM_TBL_VALID_PRID_2 (CFE_PLATFORM_TBL_U32FROM4CHARS('a', 'b', 'c', 'd'))
- #define CFE PLATFORM TBL VALID PRID 30
- #define CFE_PLATFORM_TBL_VALID_PRID_4 0
- #define CFE MISSION REV 0
- #define CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC 50
- #define CFE PLATFORM CORE MAX STARTUP MSEC 30000
- #define CFE PLATFORM ES STARTUP SCRIPT TIMEOUT MSEC 1000
- #define CFE CPU ID CFE PLATFORM CPU ID
- #define CFE CPU NAME CFE PLATFORM CPU NAME
- #define CFE_SB_MAX_MSG_IDS CFE_PLATFORM_SB_MAX_MSG_IDS
- #define CFE_SB_MAX_PIPES CFE_PLATFORM_SB_MAX_PIPES
- #define CFE_SB_MAX_DEST_PER_PKT CFE_PLATFORM_SB_MAX_DEST_PER_PKT
- #define CFE SB DEFAULT MSG LIMIT CFE PLATFORM SB DEFAULT MSG LIMIT
- #define CFE SB BUF MEMORY BYTES CFE PLATFORM SB BUF MEMORY BYTES
- #define CFE_SB_MAX_PIPE_DEPTH CFE_PLATFORM_SB_MAX_PIPE_DEPTH
- #define CFE_SB_HIGHEST_VALID_MSGID CFE_PLATFORM_SB_HIGHEST_VALID_MSGID
- #define CFE_SB_DEFAULT_ROUTING_FILENAME CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME
- #define CFE_SB_DEFAULT_PIPE_FILENAME CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME
- #define CFE SB DEFAULT MAP FILENAME CFE PLATFORM SB DEFAULT MAP FILENAME
- #define CFE SB FILTERED EVENT1 CFE PLATFORM SB FILTERED EVENT1

- #define CFE_SB_FILTER_MASK1 CFE_PLATFORM_SB_FILTER_MASK1
- #define CFE SB FILTERED EVENT2 CFE PLATFORM SB FILTERED EVENT2
- #define CFE_SB_FILTER_MASK2 CFE_PLATFORM_SB_FILTER_MASK2
- #define CFE SB FILTERED EVENT3 CFE PLATFORM SB FILTERED EVENT3
- #define CFE SB FILTER MASK3 CFE PLATFORM SB FILTER MASK3
- #define CFE SB FILTERED EVENT4 CFE PLATFORM SB FILTERED EVENT4
- #define CFE_SB_FILTER_MASK4 CFE_PLATFORM_SB_FILTER_MASK4
- #define CFE SB FILTERED EVENT5 CFE PLATFORM SB FILTERED EVENT5
- #define CFE SB FILTER MASK5 CFE PLATFORM SB FILTER MASK5
- #define CFE SB FILTERED EVENT6 CFE PLATFORM SB FILTERED EVENT6
- #define CFE SB FILTER MASK6 CFE PLATFORM SB FILTER MASK6
- #define CFE SB FILTERED EVENT7 CFE PLATFORM SB FILTERED EVENT7
- #define CFE_SB_FILTER_MASK7 CFE_PLATFORM_SB_FILTER_MASK7
- #define CFE SB FILTERED EVENT8 CFE PLATFORM SB FILTERED EVENT8
- #define CFE_SB_FILTER_MASK8 CFE_PLATFORM_SB_FILTER_MASK8
- #define CFE_SB_MEM_BLOCK_SIZE_01 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01
- #define CFE SB MEM BLOCK SIZE 02 CFE PLATFORM SB MEM BLOCK SIZE 02
- #define CFE SB MEM BLOCK SIZE 03 CFE PLATFORM SB MEM BLOCK SIZE 03
- #define CFE_SB_MEM_BLOCK_SIZE_04 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04
- #define CFE SB MEM BLOCK SIZE 05 CFE PLATFORM SB MEM BLOCK SIZE 05
- #define CFE SB MEM BLOCK SIZE 06 CFE PLATFORM SB MEM BLOCK SIZE 06
- #define CFE_SB_MEM_BLOCK_SIZE_07 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07
- #define CFE SB MEM BLOCK SIZE 08 CFE PLATFORM SB MEM BLOCK SIZE 08
- #define CFE SB MEM BLOCK SIZE 09 CFE PLATFORM SB MEM BLOCK SIZE 09
- #define CFE SB MEM BLOCK SIZE 10 CFE PLATFORM SB MEM BLOCK SIZE 10
- #define CFE SB MEM BLOCK SIZE 11 CFE PLATFORM SB MEM BLOCK SIZE 11
- #define CFE SB MEM BLOCK SIZE 12 CFE PLATFORM SB MEM BLOCK SIZE 12
- #define CFE_SB_MEM_BLOCK_SIZE_13 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13
- #define CFE_SB_MEM_BLOCK_SIZE_14 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14
- #define CFE_SB_MEM_BLOCK_SIZE_15 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15
- #define CFE SB MEM BLOCK SIZE 16 CFE PLATFORM SB MEM BLOCK SIZE 16

#define CFE SB MAX BLOCK SIZE CFE PLATFORM SB MAX BLOCK SIZE

- #define CFE SB DEFAULT REPORT SENDER CFE PLATFORM SB DEFAULT REPORT SENDER
- #define CFE_TIME_CFG_SERVER CFE_PLATFORM_TIME_CFG_SERVER
- #define CFE TIME CFG CLIENT CFE PLATFORM TIME CFG CLIENT
- #define CFE_TIME_CFG_VIRTUAL CFE_PLATFORM_TIME_CFG_VIRTUAL
- #define CFE TIME CFG SIGNAL CFE PLATFORM TIME CFG SIGNAL
- #define CFE TIME CFG SOURCE CFE PLATFORM TIME CFG SOURCE
- #define CFE TIME CFG SRC MET CFE PLATFORM TIME CFG SRC MET
- #define CFE TIME CFG SRC GPS CFE PLATFORM TIME CFG SRC GPS
- #define CFE TIME CFG SRC TIME CFE PLATFORM TIME CFG SRC TIME
- #define CFE_TIME_MAX_DELTA_SECS CFE_PLATFORM_TIME_MAX_DELTA_SECS
- #define CFE_TIME_MAX_DELTA_SUBS CFE_PLATFORM_TIME_MAX_DELTA_SUBS
- #define CFE TIME MAX LOCAL SECS CFE PLATFORM TIME MAX LOCAL SECS
- #define CFE TIME MAX LOCAL SUBS CFE PLATFORM TIME MAX LOCAL SUBS
- #define CFE_TIME_CFG_TONE_LIMIT CFE_PLATFORM_TIME_CFG_TONE_LIMIT
- #define CFE TIME CFG START FLY CFE PLATFORM TIME CFG START FLY
- #define CFE TIME CFG LATCH FLY CFE PLATFORM TIME CFG LATCH FLY
- #define CFE ES MAX APPLICATIONS CFE PLATFORM ES MAX APPLICATIONS
- #define CFE ES MAX LIBRARIES CFE PLATFORM ES MAX LIBRARIES
- #define CFE ES ER LOG ENTRIES CFE PLATFORM ES ER LOG ENTRIES

- #define CFE_ES_ER_LOG_MAX_CONTEXT_SIZE CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE
- #define CFE ES SYSTEM LOG SIZE CFE PLATFORM ES SYSTEM LOG SIZE
- #define CFE_ES_OBJECT_TABLE_SIZE CFE_PLATFORM_ES_OBJECT_TABLE_SIZE
- #define CFE_ES_MAX_GEN_COUNTERS CFE_PLATFORM_ES_MAX_GEN_COUNTERS
- #define CFE ES APP SCAN RATE CFE PLATFORM ES APP SCAN RATE
- #define CFE ES APP KILL TIMEOUT CFE PLATFORM ES APP KILL TIMEOUT
- #define CFE ES RAM DISK SECTOR SIZE CFE PLATFORM ES RAM DISK SECTOR SIZE
- #define CFE ES RAM DISK NUM SECTORS CFE PLATFORM ES RAM DISK NUM SECTORS
- #define CFE_ES_RAM_DISK_MOUNT_STRING CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING
- #define CFE_ES_CDS_SIZE CFE_PLATFORM_ES_CDS_SIZE
- #define CFE ES USER RESERVED SIZE CFE PLATFORM ES USER RESERVED SIZE
- #define CFE ES RESET AREA SIZE CFE PLATFORM ES RESET AREA SIZE
- #define CFE_ES_NONVOL_STARTUP_FILE CFE_PLATFORM_ES_NONVOL_STARTUP_FILE
- #define CFE_ES_VOLATILE_STARTUP_FILE CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE
- #define CFE ES DEFAULT SHELL FILENAME CFE PLATFORM ES DEFAULT SHELL FILENAME
- #define CFE ES MAX SHELL CMD CFE PLATFORM ES MAX SHELL CMD
- #define CFE_ES_MAX_SHELL_PKT CFE_PLATFORM_ES_MAX_SHELL_PKT
- #define CFE_ES_DEFAULT_APP_LOG_FILE CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE
- #define CFE_ES_DEFAULT_TASK_LOG_FILE CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE
- #define CFE_ES_DEFAULT_SYSLOG_FILE CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE
- #define CFE ES DEFAULT ER LOG FILE CFE PLATFORM ES DEFAULT ER LOG FILE
- #define CFE_ES_DEFAULT_PERF_DUMP_FILENAME CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FI
 LENAME
- #define CFE_ES_DEFAULT_CDS_REG_DUMP_FILE CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP←
 FILE
- #define CFE ES DEFAULT SYSLOG MODE CFE PLATFORM ES DEFAULT PR SYSLOG MODE
- #define CFE_ES_PERF_MAX_IDS CFE_PLATFORM_ES_PERF_MAX_IDS
- #define CFE_ES_PERF_DATA_BUFFER_SIZE CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE
- #define CFE ES PERF FILTMASK NONE CFE PLATFORM ES PERF FILTMASK NONE
- #define CFE ES PERF FILTMASK ALL CFE PLATFORM ES PERF FILTMASK ALL
- #define CFE ES PERF FILTMASK INIT CFE PLATFORM ES PERF FILTMASK INIT
- #define CFE_ES_PERF_TRIGMASK_NONE CFE_PLATFORM_ES_PERF_TRIGMASK_NONE
- #define CFE_ES_PERF_TRIGMASK_ALL CFE_PLATFORM_ES_PERF_TRIGMASK_ALL
- #define CFE_ES_PERF_TRIGMASK_INIT CFE_PLATFORM_ES_PERF_TRIGMASK_INIT
- #define CFE ES PERF CHILD PRIORITY CFE PLATFORM ES PERF CHILD PRIORITY
- #define CFE_ES_PERF_CHILD_STACK_SIZE CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE
- #define CFE ES PERF CHILD MS DELAY CFE PLATFORM ES PERF CHILD MS DELAY
- #define CFE_ES_PERF_ENTRIES_BTWN_DLYS CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS
- #define CFE_ES_DEFAULT_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
- #define CFE ES EXCEPTION FUNCTION CFE PLATFORM ES EXCEPTION FUNCTION
- #define CFE_EVS_START_TASK_PRIORITY CFE_PLATFORM_EVS_START_TASK_PRIORITY
- #define CFE EVS START TASK STACK SIZE CFE PLATFORM EVS START TASK STACK SIZE
- #define CFE SB START TASK PRIORITY CFE PLATFORM SB START TASK PRIORITY
- #define CFE_SB_START_TASK_STACK_SIZE CFE_PLATFORM_SB_START_TASK_STACK_SIZE
- #define CFE ES START TASK PRIORITY CFE PLATFORM ES START TASK PRIORITY
- #define CFE_ES_START_TASK_STACK_SIZE CFE_PLATFORM_ES_START_TASK_STACK_SIZE
- #define CFE_TIME_START_TASK_PRIORITY CFE_PLATFORM_TIME_START_TASK_PRIORITY
- #define CFE TIME TONE TASK PRIORITY CFE PLATFORM TIME TONE TASK PRIORITY
- #define CFE TIME 1HZ TASK PRIORITY CFE PLATFORM TIME 1HZ TASK PRIORITY

```
• #define CFE_TIME_START_TASK_STACK_SIZE CFE_PLATFORM_TIME_START_TASK_STACK_SIZE
```

- #define CFE TIME TONE TASK STACK SIZE CFE PLATFORM TIME TONE TASK STACK SIZE
- #define CFE_TIME_1HZ_TASK_STACK_SIZE CFE_PLATFORM_TIME_1HZ_TASK_STACK_SIZE
- #define CFE_TBL_START_TASK_PRIORITY CFE_PLATFORM_TBL_START_TASK_PRIORITY
- #define CFE TBL START TASK STACK SIZE CFE PLATFORM TBL START TASK STACK SIZE
- #define CFE ES CDS MAX NUM ENTRIES CFE PLATFORM ES CDS MAX NUM ENTRIES
- #define CFE ES MAX PROCESSOR RESETS CFE PLATFORM ES MAX PROCESSOR RESETS
- #define CFE ES MEM BLOCK SIZE 01 CFE PLATFORM ES MEM BLOCK SIZE 01
- #define CFE_ES_MEM_BLOCK_SIZE_02 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02
- #define CFE_ES_MEM_BLOCK_SIZE_03 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03
- #define CFE ES MEM BLOCK SIZE 04 CFE PLATFORM ES MEM BLOCK SIZE 04
- #define CFE_ES_MEM_BLOCK_SIZE_05 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05
- #define CFE_ES_MEM_BLOCK_SIZE_06 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06
- #define CFE_ES_MEM_BLOCK_SIZE_07 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07
- #define CFE_ES_MEM_BLOCK_SIZE_08 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08
- #define CFE_ES_MEM_BLOCK_SIZE_09 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09
- #define CFE_ES_MEM_BLOCK_SIZE_10 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10
- #define CFE_ES_MEM_BLOCK_SIZE_11 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11
- #define CFE ES MEM BLOCK SIZE 12 CFE PLATFORM ES MEM BLOCK SIZE 12
- #define CFE_ES_MEM_BLOCK_SIZE_13 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13
- #define CFE_ES_MEM_BLOCK_SIZE_14 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14
- #define CFE_ES_MEM_BLOCK_SIZE_15 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15
- #define CFE_ES_MEM_BLOCK_SIZE_16 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16
- #define CFE_ES_MAX_BLOCK_SIZE CFE_PLATFORM_ES_MAX_BLOCK_SIZE
- #define CFE_ES_CDS_MEM_BLOCK_SIZE_01 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01
- #define CFE_ES_CDS_MEM_BLOCK_SIZE_02 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02
- #define CFE ES CDS MEM BLOCK SIZE 03 CFE PLATFORM ES CDS MEM BLOCK SIZE 03
- #define CFE_ES_CDS_MEM_BLOCK_SIZE_04 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04
- #define CFE_ES_CDS_MEM_BLOCK_SIZE_05 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05
- #define CFE_ES_CDS_MEM_BLOCK_SIZE_06 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06
- #define CFE_ES_CDS_MEM_BLOCK_SIZE_07 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07
- #define CFE_ES_CDS_MEM_BLOCK_SIZE_08 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08
- #define CFE_ES_CDS_MEM_BLOCK_SIZE_09 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_09
- #define CFE_ES_CDS_MEM_BLOCK_SIZE_11 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11
- #define CFE_ES_CDS_MEM_BLOCK_SIZE_12 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12
 #define CFE_ES_CDS_MEM_BLOCK_SIZE_13 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13
- #define CFE ES CDS MEM BLOCK SIZE 14 CFE PLATFORM ES CDS MEM BLOCK SIZE 14
- #define CFE ES CDS MEM BLOCK SIZE 15 CFE PLATFORM ES CDS MEM BLOCK SIZE 15
- #define CFE ES CDS MEM BLOCK SIZE 16 CFE PLATFORM ES CDS MEM BLOCK SIZE 16
- #define CFE_ES_CDS_MAX_BLOCK_SIZE CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE
- #define CFE EVS MAX EVENT FILTERS CFE PLATFORM EVS MAX EVENT FILTERS
- #define CFE_EVS_LOG_ON CFE_PLATFORM_EVS_LOG_ON
- #define CFE EVS DEFAULT LOG FILE CFE PLATFORM EVS DEFAULT LOG FILE
- #define CFE_EVS_LOG_MAX CFE_PLATFORM_EVS_LOG_MAX
- #define CFE_EVS_DEFAULT_APP_DATA_FILE CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE
- #define CFE_EVS_PORT_DEFAULT CFE_PLATFORM_EVS_PORT_DEFAULT
- #define CFE EVS DEFAULT TYPE FLAG CFE PLATFORM EVS DEFAULT TYPE FLAG
- #define CFE EVS DEFAULT LOG MODE CFE PLATFORM EVS DEFAULT LOG MODE

- #define CFE_TBL_BUF_MEMORY_BYTES CFE_PLATFORM_TBL_BUF_MEMORY_BYTES
- #define CFE TBL MAX DBL TABLE SIZE CFE PLATFORM TBL MAX DBL TABLE SIZE
- #define CFE TBL MAX SNGL TABLE SIZE CFE PLATFORM TBL MAX SNGL TABLE SIZE
- #define CFE TBL MAX NUM TABLES CFE PLATFORM TBL MAX NUM TABLES
- #define CFE TBL MAX CRITICAL TABLES CFE PLATFORM TBL MAX CRITICAL TABLES
- #define CFE_TBL_MAX_NUM_HANDLES CFE_PLATFORM_TBL_MAX_NUM_HANDLES
- #define CFE_TBL_MAX_SIMULTANEOUS_LOADS CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS
- #define CFE TBL MAX NUM VALIDATIONS CFE PLATFORM TBL MAX NUM VALIDATIONS
- #define CFE TBL DEFAULT REG DUMP FILE CFE PLATFORM TBL DEFAULT REG DUMP FILE
- #define CFE TBL VALID SCID COUNT CFE PLATFORM TBL VALID SCID COUNT
- #define CFE TBL U32FROM4CHARS CFE PLATFORM TBL U32FROM4CHARS
- #define CFE TBL VALID SCID 1 CFE PLATFORM TBL VALID SCID 1
- #define CFE TBL VALID SCID 2 CFE PLATFORM TBL VALID SCID 2
- #define CFE_TBL_VALID_PRID_COUNT CFE_PLATFORM_TBL_VALID_PRID_COUNT
- #define CFE TBL VALID PRID 1 CFE PLATFORM TBL VALID PRID 1
- #define CFE_TBL_VALID_PRID_2 CFE_PLATFORM_TBL_VALID_PRID_2
- #define CFE_TBL_VALID_PRID_3 CFE_PLATFORM_TBL_VALID_PRID_3
- #define CFE TBL VALID PRID 4 CFE PLATFORM TBL VALID PRID 4
- #define CFE ES STARTUP SYNC POLL MSEC CFE PLATFORM ES STARTUP SYNC POLL MSEC
- #define CFE_CORE_MAX_STARTUP_MSEC CFE_PLATFORM_CORE_MAX_STARTUP_MSEC
- #define CFE_TIME_ENA_1HZ_CMD_PKT true

39.4.1 Macro Definition Documentation

39.4.1.1 CFE CORE MAX STARTUP MSEC

#define CFE_CORE_MAX_STARTUP_MSEC CFE_PLATFORM_CORE_MAX_STARTUP_MSEC

Definition at line 2111 of file cpu1 platform cfg.h.

39.4.1.2 CFE_CPU_ID

#define CFE_CPU_ID CFE_PLATFORM_CPU_ID

Definition at line 1930 of file cpu1 platform cfg.h.

39.4.1.3 CFE_CPU_NAME

#define CFE_CPU_NAME CFE_PLATFORM_CPU_NAME

Definition at line 1931 of file cpu1_platform_cfg.h.

```
39.4.1.4 CFE_ES_APP_KILL_TIMEOUT
```

#define CFE_ES_APP_KILL_TIMEOUT CFE_PLATFORM_ES_APP_KILL_TIMEOUT

Definition at line 1999 of file cpu1 platform cfg.h.

39.4.1.5 CFE ES APP SCAN RATE

#define CFE_ES_APP_SCAN_RATE CFE_PLATFORM_ES_APP_SCAN_RATE

Definition at line 1998 of file cpu1_platform_cfg.h.

39.4.1.6 CFE_ES_CDS_MAX_BLOCK_SIZE

#define CFE_ES_CDS_MAX_BLOCK_SIZE CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE

Definition at line 2082 of file cpu1_platform_cfg.h.

39.4.1.7 CFE_ES_CDS_MAX_NUM_ENTRIES

#define CFE_ES_CDS_MAX_NUM_ENTRIES CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES

Definition at line 2047 of file cpu1_platform_cfg.h.

39.4.1.8 CFE_ES_CDS_MEM_BLOCK_SIZE_01

#define CFE_ES_CDS_MEM_BLOCK_SIZE_01 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01

Definition at line 2066 of file cpu1_platform_cfg.h.

39.4.1.9 CFE_ES_CDS_MEM_BLOCK_SIZE_02

#define CFE_ES_CDS_MEM_BLOCK_SIZE_02 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02

Definition at line 2067 of file cpu1_platform_cfg.h.

```
39.4.1.10 CFE_ES_CDS_MEM_BLOCK_SIZE_03
#define CFE_ES_CDS_MEM_BLOCK_SIZE_03 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_03
Definition at line 2068 of file cpu1 platform cfg.h.
39.4.1.11 CFE ES CDS MEM BLOCK SIZE 04
#define CFE_ES_CDS_MEM_BLOCK_SIZE_04 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04
Definition at line 2069 of file cpu1_platform_cfg.h.
39.4.1.12 CFE_ES_CDS_MEM_BLOCK_SIZE_05
#define CFE_ES_CDS_MEM_BLOCK_SIZE_05 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05
Definition at line 2070 of file cpu1_platform_cfg.h.
39.4.1.13 CFE_ES_CDS_MEM_BLOCK_SIZE_06
#define CFE_ES_CDS_MEM_BLOCK_SIZE_06 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06
Definition at line 2071 of file cpu1 platform cfg.h.
39.4.1.14 CFE ES CDS MEM BLOCK SIZE 07
#define CFE_ES_CDS_MEM_BLOCK_SIZE_07 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07
Definition at line 2072 of file cpu1 platform cfg.h.
```

39.4.1.15 CFE_ES_CDS_MEM_BLOCK_SIZE_08 #define CFE_ES_CDS_MEM_BLOCK_SIZE_08 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08 Definition at line 2073 of file cpu1_platform_cfg.h.

```
39.4.1.16 CFE_ES_CDS_MEM_BLOCK_SIZE_09
#define CFE_ES_CDS_MEM_BLOCK_SIZE_09 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_09
Definition at line 2074 of file cpu1 platform cfg.h.
39.4.1.17 CFE ES CDS MEM BLOCK SIZE 10
#define CFE_ES_CDS_MEM_BLOCK_SIZE_10 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_10
Definition at line 2075 of file cpu1 platform cfg.h.
39.4.1.18 CFE_ES_CDS_MEM_BLOCK_SIZE_11
#define CFE_ES_CDS_MEM_BLOCK_SIZE_11 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11
Definition at line 2076 of file cpu1_platform_cfg.h.
39.4.1.19 CFE_ES_CDS_MEM_BLOCK_SIZE_12
#define CFE_ES_CDS_MEM_BLOCK_SIZE_12 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12
Definition at line 2077 of file cpu1 platform cfg.h.
39.4.1.20 CFE ES CDS MEM BLOCK SIZE 13
#define CFE_ES_CDS_MEM_BLOCK_SIZE_13 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13
Definition at line 2078 of file cpu1 platform cfg.h.
39.4.1.21 CFE_ES_CDS_MEM_BLOCK_SIZE_14
#define CFE_ES_CDS_MEM_BLOCK_SIZE_14 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_14
```

Definition at line 2079 of file cpu1_platform_cfg.h.

```
39.4.1.22 CFE_ES_CDS_MEM_BLOCK_SIZE_15
#define CFE_ES_CDS_MEM_BLOCK_SIZE_15 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15
Definition at line 2080 of file cpu1 platform cfg.h.
39.4.1.23 CFE ES CDS MEM BLOCK SIZE 16
#define CFE_ES_CDS_MEM_BLOCK_SIZE_16 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16
Definition at line 2081 of file cpu1_platform_cfg.h.
39.4.1.24 CFE_ES_CDS_SIZE
#define CFE_ES_CDS_SIZE CFE_PLATFORM_ES_CDS_SIZE
Definition at line 2004 of file cpu1_platform_cfg.h.
39.4.1.25 CFE_ES_DEFAULT_APP_LOG_FILE
#define CFE_ES_DEFAULT_APP_LOG_FILE CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE
Definition at line 2012 of file cpu1 platform cfg.h.
39.4.1.26 CFE ES DEFAULT CDS REG DUMP FILE
```

```
39.4.1.26 CFE_ES_DEFAULT_CDS_REG_DUMP_FILE

#define CFE_ES_DEFAULT_CDS_REG_DUMP_FILE CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE

Definition at line 2017 of file cpu1_platform_cfg.h.
```

```
39.4.1.27 CFE_ES_DEFAULT_ER_LOG_FILE

#define CFE_ES_DEFAULT_ER_LOG_FILE CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE

Definition at line 2015 of file cpu1_platform_cfg.h.
```

39.4.1.28 CFE_ES_DEFAULT_PERF_DUMP_FILENAME

#define CFE_ES_DEFAULT_PERF_DUMP_FILENAME CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME

Definition at line 2016 of file cpu1 platform cfg.h.

39.4.1.29 CFE ES DEFAULT SHELL FILENAME

#define CFE_ES_DEFAULT_SHELL_FILENAME CFE_PLATFORM_ES_DEFAULT_SHELL_FILENAME

Definition at line 2009 of file cpu1 platform cfg.h.

39.4.1.30 CFE_ES_DEFAULT_STACK_SIZE

#define CFE_ES_DEFAULT_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Definition at line 2031 of file cpu1_platform_cfg.h.

39.4.1.31 CFE_ES_DEFAULT_SYSLOG_FILE

#define CFE_ES_DEFAULT_SYSLOG_FILE CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE

Definition at line 2014 of file cpu1 platform cfg.h.

39.4.1.32 CFE ES DEFAULT SYSLOG MODE

#define CFE_ES_DEFAULT_SYSLOG_MODE CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE

Definition at line 2018 of file cpu1_platform_cfg.h.

39.4.1.33 CFE_ES_DEFAULT_TASK_LOG_FILE

#define CFE_ES_DEFAULT_TASK_LOG_FILE CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE

Definition at line 2013 of file cpu1_platform_cfg.h.

```
39.4.1.34 CFE_ES_ER_LOG_ENTRIES
```

#define CFE_ES_ER_LOG_ENTRIES CFE_PLATFORM_ES_ER_LOG_ENTRIES

Definition at line 1993 of file cpu1 platform cfg.h.

39.4.1.35 CFE ES ER LOG MAX CONTEXT SIZE

#define CFE_ES_ER_LOG_MAX_CONTEXT_SIZE CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE

Definition at line 1994 of file cpu1_platform_cfg.h.

39.4.1.36 CFE_ES_EXCEPTION_FUNCTION

#define CFE_ES_EXCEPTION_FUNCTION CFE_PLATFORM_ES_EXCEPTION_FUNCTION

Definition at line 2032 of file cpu1_platform_cfg.h.

39.4.1.37 CFE_ES_MAX_APPLICATIONS

#define CFE_ES_MAX_APPLICATIONS CFE_PLATFORM_ES_MAX_APPLICATIONS

Definition at line 1991 of file cpu1_platform_cfg.h.

39.4.1.38 CFE_ES_MAX_BLOCK_SIZE

#define CFE_ES_MAX_BLOCK_SIZE CFE_PLATFORM_ES_MAX_BLOCK_SIZE

Definition at line 2065 of file cpu1_platform_cfg.h.

39.4.1.39 CFE_ES_MAX_GEN_COUNTERS

#define CFE_ES_MAX_GEN_COUNTERS CFE_PLATFORM_ES_MAX_GEN_COUNTERS

Definition at line 1997 of file cpu1_platform_cfg.h.

```
39.4.1.40 CFE_ES_MAX_LIBRARIES
```

#define CFE_ES_MAX_LIBRARIES CFE_PLATFORM_ES_MAX_LIBRARIES

Definition at line 1992 of file cpu1 platform cfg.h.

39.4.1.41 CFE ES MAX PROCESSOR RESETS

#define CFE_ES_MAX_PROCESSOR_RESETS CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS

Definition at line 2048 of file cpu1_platform_cfg.h.

39.4.1.42 CFE_ES_MAX_SHELL_CMD

#define CFE_ES_MAX_SHELL_CMD CFE_PLATFORM_ES_MAX_SHELL_CMD

Definition at line 2010 of file cpu1_platform_cfg.h.

39.4.1.43 CFE_ES_MAX_SHELL_PKT

#define CFE_ES_MAX_SHELL_PKT CFE_PLATFORM_ES_MAX_SHELL_PKT

Definition at line 2011 of file cpu1_platform_cfg.h.

39.4.1.44 CFE_ES_MEM_BLOCK_SIZE_01

#define CFE_ES_MEM_BLOCK_SIZE_01 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01

Definition at line 2049 of file cpu1_platform_cfg.h.

39.4.1.45 CFE_ES_MEM_BLOCK_SIZE_02

#define CFE_ES_MEM_BLOCK_SIZE_02 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02

Definition at line 2050 of file cpu1_platform_cfg.h.

```
39.4.1.46 CFE_ES_MEM_BLOCK_SIZE_03
```

#define CFE_ES_MEM_BLOCK_SIZE_03 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03

Definition at line 2051 of file cpu1 platform cfg.h.

39.4.1.47 CFE ES MEM BLOCK SIZE 04

#define CFE_ES_MEM_BLOCK_SIZE_04 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04

Definition at line 2052 of file cpu1_platform_cfg.h.

39.4.1.48 CFE_ES_MEM_BLOCK_SIZE_05

#define CFE_ES_MEM_BLOCK_SIZE_05 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05

Definition at line 2053 of file cpu1_platform_cfg.h.

39.4.1.49 CFE_ES_MEM_BLOCK_SIZE_06

#define CFE_ES_MEM_BLOCK_SIZE_06 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06

Definition at line 2054 of file cpu1_platform_cfg.h.

39.4.1.50 CFE_ES_MEM_BLOCK_SIZE_07

#define CFE_ES_MEM_BLOCK_SIZE_07 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07

Definition at line 2055 of file cpu1_platform_cfg.h.

39.4.1.51 CFE_ES_MEM_BLOCK_SIZE_08

#define CFE_ES_MEM_BLOCK_SIZE_08 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08

Definition at line 2056 of file cpu1_platform_cfg.h.

```
39.4.1.52 CFE_ES_MEM_BLOCK_SIZE_09
#define CFE_ES_MEM_BLOCK_SIZE_09 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09
Definition at line 2057 of file cpu1 platform cfg.h.
39.4.1.53 CFE ES MEM BLOCK SIZE 10
#define CFE_ES_MEM_BLOCK_SIZE_10 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10
Definition at line 2058 of file cpu1_platform_cfg.h.
39.4.1.54 CFE_ES_MEM_BLOCK_SIZE_11
#define CFE_ES_MEM_BLOCK_SIZE_11 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11
Definition at line 2059 of file cpu1_platform_cfg.h.
39.4.1.55 CFE_ES_MEM_BLOCK_SIZE_12
#define CFE_ES_MEM_BLOCK_SIZE_12 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12
Definition at line 2060 of file cpu1 platform cfg.h.
39.4.1.56 CFE ES MEM BLOCK SIZE 13
#define CFE_ES_MEM_BLOCK_SIZE_13 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13
Definition at line 2061 of file cpu1 platform cfg.h.
39.4.1.57 CFE_ES_MEM_BLOCK_SIZE_14
```

#define CFE_ES_MEM_BLOCK_SIZE_14 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14

Definition at line 2062 of file cpu1_platform_cfg.h.

Definition at line 2007 of file cpu1_platform_cfg.h.

Definition at line 1996 of file cpu1 platform cfg.h.

```
39.4.1.58 CFE_ES_MEM_BLOCK_SIZE_15

#define CFE_ES_MEM_BLOCK_SIZE_15 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15

Definition at line 2063 of file cpu1_platform_cfg.h.
```

```
39.4.1.59 CFE_ES_MEM_BLOCK_SIZE_16

#define CFE_ES_MEM_BLOCK_SIZE_16 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16

Definition at line 2064 of file cpu1_platform_cfg.h.
```

```
39.4.1.60 CFE_ES_NONVOL_STARTUP_FILE

#define CFE_ES_NONVOL_STARTUP_FILE CFE_PLATFORM_ES_NONVOL_STARTUP_FILE
```

```
39.4.1.61 CFE_ES_OBJECT_TABLE_SIZE

#define CFE_ES_OBJECT_TABLE_SIZE CFE_PLATFORM_ES_OBJECT_TABLE_SIZE
```

```
39.4.1.62 CFE_ES_PERF_CHILD_MS_DELAY

#define CFE_ES_PERF_CHILD_MS_DELAY CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY

Definition at line 2029 of file cpu1 platform cfg.h.
```

```
39.4.1.63 CFE_ES_PERF_CHILD_PRIORITY

#define CFE_ES_PERF_CHILD_PRIORITY CFE_PLATFORM_ES_PERF_CHILD_PRIORITY

Definition at line 2027 of file cpu1_platform_cfg.h.
```

```
39.4.1.64 CFE_ES_PERF_CHILD_STACK_SIZE
```

#define CFE_ES_PERF_CHILD_STACK_SIZE CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE

Definition at line 2028 of file cpu1 platform cfg.h.

39.4.1.65 CFE_ES_PERF_DATA_BUFFER_SIZE

#define CFE_ES_PERF_DATA_BUFFER_SIZE CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE

Definition at line 2020 of file cpu1 platform cfg.h.

39.4.1.66 CFE_ES_PERF_ENTRIES_BTWN_DLYS

#define CFE_ES_PERF_ENTRIES_BTWN_DLYS CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS

Definition at line 2030 of file cpu1_platform_cfg.h.

39.4.1.67 CFE_ES_PERF_FILTMASK_ALL

#define CFE_ES_PERF_FILTMASK_ALL CFE_PLATFORM_ES_PERF_FILTMASK_ALL

Definition at line 2022 of file cpu1 platform cfg.h.

39.4.1.68 CFE_ES_PERF_FILTMASK_INIT

#define CFE_ES_PERF_FILTMASK_INIT CFE_PLATFORM_ES_PERF_FILTMASK_INIT

Definition at line 2023 of file cpu1_platform_cfg.h.

39.4.1.69 CFE_ES_PERF_FILTMASK_NONE

#define CFE_ES_PERF_FILTMASK_NONE CFE_PLATFORM_ES_PERF_FILTMASK_NONE

Definition at line 2021 of file cpu1_platform_cfg.h.

```
39.4.1.70 CFE_ES_PERF_MAX_IDS
```

```
#define CFE_ES_PERF_MAX_IDS CFE_PLATFORM_ES_PERF_MAX_IDS
```

Definition at line 2019 of file cpu1 platform cfg.h.

39.4.1.71 CFE_ES_PERF_TRIGMASK_ALL

```
#define CFE_ES_PERF_TRIGMASK_ALL CFE_PLATFORM_ES_PERF_TRIGMASK_ALL
```

Definition at line 2025 of file cpu1_platform_cfg.h.

39.4.1.72 CFE_ES_PERF_TRIGMASK_INIT

```
#define CFE_ES_PERF_TRIGMASK_INIT CFE_PLATFORM_ES_PERF_TRIGMASK_INIT
```

Definition at line 2026 of file cpu1_platform_cfg.h.

39.4.1.73 CFE_ES_PERF_TRIGMASK_NONE

```
#define CFE_ES_PERF_TRIGMASK_NONE CFE_PLATFORM_ES_PERF_TRIGMASK_NONE
```

Definition at line 2024 of file cpu1_platform_cfg.h.

39.4.1.74 CFE_ES_RAM_DISK_MOUNT_STRING

```
#define CFE_ES_RAM_DISK_MOUNT_STRING CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING
```

Definition at line 2003 of file cpu1_platform_cfg.h.

39.4.1.75 CFE_ES_RAM_DISK_NUM_SECTORS

```
#define CFE_ES_RAM_DISK_NUM_SECTORS CFE_PLATFORM_ES_RAM_DISK_NUM_SECTORS
```

Definition at line 2001 of file cpu1_platform_cfg.h.

39.4.1.76 CFE_ES_RAM_DISK_PERCENT_RESERVED

#define CFE_ES_RAM_DISK_PERCENT_RESERVED CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED

Definition at line 2002 of file cpu1 platform cfg.h.

39.4.1.77 CFE ES RAM DISK SECTOR SIZE

#define CFE_ES_RAM_DISK_SECTOR_SIZE CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE

Definition at line 2000 of file cpu1 platform cfg.h.

39.4.1.78 CFE_ES_RESET_AREA_SIZE

#define CFE_ES_RESET_AREA_SIZE CFE_PLATFORM_ES_RESET_AREA_SIZE

Definition at line 2006 of file cpu1_platform_cfg.h.

39.4.1.79 CFE_ES_START_TASK_PRIORITY

#define CFE_ES_START_TASK_PRIORITY CFE_PLATFORM_ES_START_TASK_PRIORITY

Definition at line 2037 of file cpu1 platform cfg.h.

39.4.1.80 CFE ES START_TASK_STACK_SIZE

#define CFE_ES_START_TASK_STACK_SIZE CFE_PLATFORM_ES_START_TASK_STACK_SIZE

Definition at line 2038 of file cpu1_platform_cfg.h.

39.4.1.81 CFE_ES_STARTUP_SCRIPT_TIMEOUT_MSEC

#define CFE_ES_STARTUP_SCRIPT_TIMEOUT_MSEC CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC

Definition at line 2112 of file cpu1_platform_cfg.h.

```
39.4.1.82 CFE_ES_STARTUP_SYNC_POLL_MSEC
```

#define CFE_ES_STARTUP_SYNC_POLL_MSEC CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC

Definition at line 2110 of file cpu1 platform cfg.h.

39.4.1.83 CFE_ES_SYSTEM_LOG_SIZE

#define CFE_ES_SYSTEM_LOG_SIZE CFE_PLATFORM_ES_SYSTEM_LOG_SIZE

Definition at line 1995 of file cpu1_platform_cfg.h.

39.4.1.84 CFE_ES_USER_RESERVED_SIZE

#define CFE_ES_USER_RESERVED_SIZE CFE_PLATFORM_ES_USER_RESERVED_SIZE

Definition at line 2005 of file cpu1_platform_cfg.h.

39.4.1.85 CFE_ES_VOLATILE_STARTUP_FILE

#define CFE_ES_VOLATILE_STARTUP_FILE CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE

Definition at line 2008 of file cpu1 platform cfg.h.

39.4.1.86 CFE EVS DEFAULT APP DATA FILE

#define CFE_EVS_DEFAULT_APP_DATA_FILE CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE

Definition at line 2087 of file cpu1_platform_cfg.h.

39.4.1.87 CFE_EVS_DEFAULT_LOG_FILE

#define CFE_EVS_DEFAULT_LOG_FILE CFE_PLATFORM_EVS_DEFAULT_LOG_FILE

Definition at line 2085 of file cpu1_platform_cfg.h.

```
39.4.1.88 CFE_EVS_DEFAULT_LOG_MODE
```

#define CFE_EVS_DEFAULT_LOG_MODE CFE_PLATFORM_EVS_DEFAULT_LOG_MODE

Definition at line 2090 of file cpu1_platform_cfg.h.

39.4.1.89 CFE_EVS_DEFAULT_MSG_FORMAT_MODE

#define CFE_EVS_DEFAULT_MSG_FORMAT_MODE CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE

Definition at line 2091 of file cpu1 platform cfg.h.

39.4.1.90 CFE_EVS_DEFAULT_TYPE_FLAG

#define CFE_EVS_DEFAULT_TYPE_FLAG CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG

Definition at line 2089 of file cpu1_platform_cfg.h.

39.4.1.91 CFE_EVS_LOG_MAX

#define CFE_EVS_LOG_MAX CFE_PLATFORM_EVS_LOG_MAX

Definition at line 2086 of file cpu1 platform cfg.h.

39.4.1.92 CFE_EVS_LOG_ON

#define CFE_EVS_LOG_ON CFE_PLATFORM_EVS_LOG_ON

Definition at line 2084 of file cpu1_platform_cfg.h.

39.4.1.93 CFE_EVS_MAX_EVENT_FILTERS

#define CFE_EVS_MAX_EVENT_FILTERS CFE_PLATFORM_EVS_MAX_EVENT_FILTERS

Definition at line 2083 of file cpu1_platform_cfg.h.

```
39.4.1.94 CFE_EVS_PORT_DEFAULT
```

#define CFE_EVS_PORT_DEFAULT CFE_PLATFORM_EVS_PORT_DEFAULT

Definition at line 2088 of file cpu1_platform_cfg.h.

39.4.1.95 CFE_EVS_START_TASK_PRIORITY

```
#define CFE_EVS_START_TASK_PRIORITY CFE_PLATFORM_EVS_START_TASK_PRIORITY
```

Definition at line 2033 of file cpu1_platform_cfg.h.

39.4.1.96 CFE_EVS_START_TASK_STACK_SIZE

```
#define CFE_EVS_START_TASK_STACK_SIZE CFE_PLATFORM_EVS_START_TASK_STACK_SIZE
```

Definition at line 2034 of file cpu1_platform_cfg.h.

39.4.1.97 CFE_MISSION_REV

#define CFE_MISSION_REV 0

Purpose Mission specific version number for cFE

Description:

The cFE version number consists of four parts: major version number, minor version number, revision number and mission specific revision number. The mission specific revision number is defined here and the other parts are defined in "cfe_version.h".

Limits:

Must be defined as a numeric value that is greater than or equal to zero.

Definition at line 1848 of file cpu1_platform_cfg.h.

39.4.1.98 CFE_PLATFORM_CORE_MAX_STARTUP_MSEC

```
#define CFE_PLATFORM_CORE_MAX_STARTUP_MSEC 30000
```

Purpose CFE core application startup timeout

Description:

The upper limit for the amount of time that the cFE core applications (ES, SB, EVS, TIME, TBL) are each alloted to reach their respective "ready" states.

The CFE "main" thread starts individual tasks for each of the core applications (except FS). Each of these must perform some initialization work before the next core application can be started, so the main thread waits to ensure that the application has reached the "ready" state before starting the next application.

If any core application fails to start, then it indicates a major problem with the system and startup is aborted.

Units are in milliseconds

Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 1894 of file cpu1_platform_cfg.h.

```
39.4.1.99 CFE_PLATFORM_CPU_ID
```

```
#define CFE_PLATFORM_CPU_ID 1
```

Definition at line 47 of file cpu1_platform_cfg.h.

39.4.1.100 CFE_PLATFORM_CPU_NAME

```
#define CFE_PLATFORM_CPU_NAME "CPU1"
```

Definition at line 52 of file cpu1_platform_cfg.h.

39.4.1.101 CFE_PLATFORM_ENDIAN

#define CFE_PLATFORM_ENDIAN CCSDS_LITTLE_ENDIAN

Purpose Platform Endian Indicator

Description:

The value of this constant indicates the endianess of the target system

Limits

This parameter has a lower limit of 0 and an upper limit of 1.

Definition at line 194 of file cpu1 platform cfg.h.

```
39.4.1.102 CFE PLATFORM ES APP KILL TIMEOUT
```

#define CFE_PLATFORM_ES_APP_KILL_TIMEOUT 5

Purpose Define ES Application Kill Timeout

Description:

ES Application Kill Timeout. This parameter controls the number of "scan periods" that ES will wait for an application to Exit after getting the signal Delete, Reload or Restart. The sequence works as follows:

- 1. ES will set the control request for an App to Delete/Restart/Reload and set this kill timer to the value in this parameter.
- 2. If the App is reponding and Calls it's RunLoop function, it will drop out of it's main loop and call CFE_ES_← ExitApp. Once it calls Exit App, then ES can delete, restart, or reload the app the next time it scans the app table.
- 3. If the App is not responding, the ES App will decrement this Kill Timeout value each time it runs. If the timeout value reaches zero, ES will kill the app.

The Kill timeout value depends on the CFE_PLATFORM_ES_APP_SCAN_RATE. If the Scan Rate is 1000, or 1 second, and this CFE_PLATFORM_ES_APP_KILL_TIMEOUT is set to 5, then it will take 5 seconds to kill a non-responding App. If the Scan Rate is 250, or 1/4 second, and the CFE_PLATFORM_ES_APP_KILL_TIMEOUT is set to 2, then it will take 1/2 second to time out.

Limits

There is a lower limit of 1 and an upper limit of 100 on this configuration paramater. Units are number of CFE_P ← LATFORM ES APP SCAN RATE cycles.

Definition at line 661 of file cpu1_platform_cfg.h.

39.4.1.103 CFE_PLATFORM_ES_APP_SCAN_RATE

#define CFE_PLATFORM_ES_APP_SCAN_RATE 1000

Purpose Define ES Application Control Scan Rate

Description:

ES Application Control Scan Rate. This parameter controls the speed that ES scans the Application Table looking for App Delete/Restart/Reload requests. All Applications are deleted, restarted, or reloaded by the ES Application. ES will periodically scan for control requests to process. The scan rate is controlled by this parameter, which is given in milliseconds. A value of 1000 means that ES will scan the Application Table once per second. Be careful not to set the value of this too low, because ES will use more CPU cycles scanning the table.

Limits

There is a lower limit of 100 and an upper limit of 20000 on this configuration paramater. millisecond units.

Definition at line 631 of file cpu1_platform_cfg.h.

39.4.1.104 CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE

#define CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE 80000

Definition at line 1486 of file cpu1 platform cfg.h.

39.4.1.105 CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES

#define CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES 512

Purpose Define Maximum Number of Registered CDS Blocks

Description:

Maximum number of registered CDS Blocks

Limits

There is a lower limit of 8. There are no restrictions on the upper limit however, the maximum number of CDS entries is system dependent and should be verified.

Definition at line 1405 of file cpu1_platform_cfg.h.

```
39.4.1.106 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01
```

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01 8

Purpose Define ES Critical Data Store Memory Pool Block Sizes

Description:

Intermediate ES Critical Data Store Memory Pool Block Sizes

Limits

These sizes MUST be increasing and MUST be an integral multiple of 4.

Definition at line 1470 of file cpu1_platform_cfg.h.

39.4.1.107 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02 16

Definition at line 1471 of file cpu1_platform_cfg.h.

39.4.1.108 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_03

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_03 32

Definition at line 1472 of file cpu1_platform_cfg.h.

39.4.1.109 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04 48

Definition at line 1473 of file cpu1_platform_cfg.h.

39.4.1.110 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05 64

Definition at line 1474 of file cpu1 platform cfg.h.

39.4.1.111 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06 96

Definition at line 1475 of file cpu1 platform cfg.h.

39.4.1.112 CFE PLATFORM ES CDS MEM BLOCK SIZE 07

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07 128

Definition at line 1476 of file cpu1_platform_cfg.h.

39.4.1.113 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08 160

Definition at line 1477 of file cpu1_platform_cfg.h.

39.4.1.114 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_09

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_09 256

Definition at line 1478 of file cpu1 platform cfg.h.

39.4.1.115 CFE PLATFORM ES CDS MEM BLOCK SIZE 10

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_10 512

Definition at line 1479 of file cpu1_platform_cfg.h.

39.4.1.116 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11 1024

Definition at line 1480 of file cpu1_platform_cfg.h.

39.4.1.117 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12 2048

Definition at line 1481 of file cpu1_platform_cfg.h.

39.4.1.118 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13 4096

Definition at line 1482 of file cpu1 platform cfg.h.

39.4.1.119 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_14

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_14 8192

Definition at line 1483 of file cpu1_platform_cfg.h.

39.4.1.120 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15 16384

Definition at line 1484 of file cpu1_platform_cfg.h.

39.4.1.121 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16

#define CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16 32768

Definition at line 1485 of file cpu1_platform_cfg.h.

39.4.1.122 CFE_PLATFORM_ES_CDS_SIZE

#define CFE_PLATFORM_ES_CDS_SIZE (128 * 1024)

Purpose Define Critical Data Store Size

Description:

Defines the Critical Data Store (CDS) area size in bytes size. The CDS is one of four memory areas that are preserved during a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 8192 and an upper limit of UINT_MAX (4 Gigabytes) on this configuration paramater.

Definition at line 758 of file cpu1_platform_cfg.h.

39.4.1.123 CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE

```
#define CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE "/ram/cfe_es_app_info.log"
```

Purpose Default Application Information Filename

Description:

The value of this constant defines the filename used to store information pertaining to all of the Applications that are registered with Executive Services. This filename is used only when no filename is specified in the the command to query all system apps.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 930 of file cpu1 platform cfg.h.

39.4.1.124 CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE

```
#define CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE "/ram/cfe_cds_reg.log"
```

Purpose Default Critical Data Store Registry Filename

Description:

The value of this constant defines the filename used to store the Critical Data Store Registry. This filename is used only when no filename is specified in the command to stop performance data collecting.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 1005 of file cpu1_platform_cfg.h.

39.4.1.125 CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE

```
#define CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE "/ram/cfe_erlog.log"
```

Purpose Default Exception and Reset (ER) Log Filename

Description:

The value of this constant defines the filename used to store the Exception and Reset (ER) Log. This filename is used only when no filename is specified in the command to dump the ER log. No file specified in the cmd means the first character in the cmd filename is a NULL terminator (zero).

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 976 of file cpu1_platform_cfg.h.

39.4.1.126 CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME

#define CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILENAME "/ram/cfe_es_perf.dat"

Purpose Default Performance Data Filename

Description:

The value of this constant defines the filename used to store the Performance Data. This filename is used only when no filename is specified in the command to stop performance data collecting.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 990 of file cpu1 platform cfg.h.

39.4.1.127 CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE

#define CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MODE 0

Purpose Define Default System Log Mode following Power On Reset

Description:

Defines the default mode for the operation of the ES System log following a power on reset. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest message in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. This constant may hold a value of either 0 or 1 depending on the desired default. Overwrite Mode = 0, Discard Mode = 1.

Limits

There is a lower limit of 0 and an upper limit of 1 on this configuration paramater.

Definition at line 1023 of file cpu1_platform_cfg.h.

39.4.1.128 CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE

#define CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE 1

Purpose Define Default System Log Mode following Processor Reset

Description:

Defines the default mode for the operation of the ES System log following a processor reset. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest message in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. This constant may hold a value of either 0 or 1 depending on the desired default. Overwrite Mode = 0, Discard Mode = 1.

Limits

There is a lower limit of 0 and an upper limit of 1 on this configuration paramater.

Definition at line 1041 of file cpu1 platform cfg.h.

39.4.1.129 CFE_PLATFORM_ES_DEFAULT_SHELL_FILENAME

#define CFE_PLATFORM_ES_DEFAULT_SHELL_FILENAME "/ram/ShellCmd.out"

Purpose Default Shell Filename

Description:

The value of this constant defines the filename used to store the shell output after a shell command is received by ES. This file contains the entire shell output. The fsw also sends the shell output in series of fixed size telemetry packets. This filename is used only when no filename is specified in the shell command.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 868 of file cpu1_platform_cfg.h.

39.4.1.130 CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

#define CFE_PLATFORM_ES_DEFAULT_STACK_SIZE 8192

Purpose Define Default Stack Size for an Application

Description:

This parameter defines a default stack size. This parameter is used by the cFE Core Applications.

Limits

There is a lower limit of 2048. There are no restrictions on the upper limit however, the maximum stack size size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1206 of file cpu1 platform cfg.h.

39.4.1.131 CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE

#define CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE "/ram/cfe_es_syslog.log"

Purpose Default System Log Filename

Description:

The value of this constant defines the filename used to store important information (as ASCII text strings) that might not be able to be sent in an Event Message. This filename is used only when no filename is specified in the command to dump the system log. No file specified in the cmd means the first character in the cmd filename is a NULL terminator (zero).

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 961 of file cpu1_platform_cfg.h.

39.4.1.132 CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE

```
#define CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE "/ram/cfe_es_task_info.log"
```

Purpose Default Application Information Filename

Description:

The value of this constant defines the filename used to store information pertaining to all of the Applications that are registered with Executive Services. This filename is used only when no filename is specified in the the command to query all system tasks.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 945 of file cpu1 platform cfg.h.

39.4.1.133 CFE_PLATFORM_ES_ER_LOG_ENTRIES

```
#define CFE_PLATFORM_ES_ER_LOG_ENTRIES 20
```

Purpose Define Max Number of ER (Exception and Reset) log entries

Description:

Defines the maximum number of ER (Exception and Reset) log entries

Limits

There is a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of log entries is system dependent and should be verified.

Definition at line 554 of file cpu1_platform_cfg.h.

39.4.1.134 CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE

```
#define CFE_PLATFORM_ES_ER_LOG_MAX_CONTEXT_SIZE 128
```

Purpose Maximum size of CPU Context in ES Error Log

Description:

This should be large enough to accommodate the CPU context information supplied by the PSP on the given platform.

Limits:

Must be greater than zero and a multiple of sizeof(uint32). Limited only by the available memory and the number of entries in the error log. Any context information beyond this size will be truncated.

Definition at line 568 of file cpu1_platform_cfg.h.

39.4.1.135 CFE_PLATFORM_ES_EXCEPTION_FUNCTION

#define CFE_PLATFORM_ES_EXCEPTION_FUNCTION CFE_ES_ProcessCoreException

Purpose Define cFE Core Exception Function

Description:

This parameter defines the function-to-call when a CPU or floating point exception occurs. The parameter is defaulted to call the ES API function CFE_ES_ProcessCoreException which handles the logging and reset from a system or cFE core exception.

Note: Exception interrupts are trapped at the Platform Support Package (PSP) layer. In order to initiate the cFE platform defined response to an exception, this platform defined callback function must be prototyped and called from the PSP exception hook API function CFE PSP ExceptionHook. For example:

```
- cfe_psp.h -
```

.... Prototype for exception ISR function implemented in CFE

typedef void (*System_ExceptionFunc_t)(uint32 HostTaskId, const char *ReasonString, const uint32 *ContextPointer, uint32 ContextSize);

```
– cfe_pspexception.c –
```

.... Setup function pointer to CFE exception ISR callback

static const System_ExceptionFunc_t CFE_ExceptionCallback = CFE_PLATFORM_ES_EXCEPTION_FUNCTION;

void CFE_PSP_ExceptionHook (int task_id, int vector, uint8 *pEsf) { platform-specific logic

.... Use function pointer to call cFE routine to finish processing the exception

 $\label{lem:cfe_exceptionCallback} CFE_ExceptionCallback((uint32)task_id, CFE_PSP_ExceptionReasonString, (uint32*)\&CFE_PSP_ExceptionContext, size of (CFE_PSP_ExceptionContext_t));$

}

Limits

Must be a valid function name.

Definition at line 1252 of file cpu1_platform_cfg.h.

39.4.1.136 CFE_PLATFORM_ES_MAX_APPLICATIONS

#define CFE_PLATFORM_ES_MAX_APPLICATIONS 32

Purpose Define Max Number of Applications

Description:

Defines the maximum number of applications that can be loaded into the system. This number does not include child tasks.

Limits

There is a lower limit of 6. The lower limit corresponds to the cFE internal applications. There are no restrictions on the upper limit however, the maximum number of applications is system dependent and should be verified. ApplDs that are checked against this configuration are defined by a 32 bit data word.

Definition at line 526 of file cpu1_platform_cfg.h.

39.4.1.137 CFE_PLATFORM_ES_MAX_BLOCK_SIZE

#define CFE_PLATFORM_ES_MAX_BLOCK_SIZE 80000

Definition at line 1458 of file cpu1 platform cfg.h.

39.4.1.138 CFE_PLATFORM_ES_MAX_GEN_COUNTERS

#define CFE_PLATFORM_ES_MAX_GEN_COUNTERS 8

Purpose Define Max Number of Generic Counters

Description:

Defines the maximum number of Generic Counters that can be registered.

Limits

This parameter has a lower limit of 1 and an upper limit of 65535.

Definition at line 611 of file cpu1_platform_cfg.h.

39.4.1.139 CFE_PLATFORM_ES_MAX_LIBRARIES

#define CFE_PLATFORM_ES_MAX_LIBRARIES 10

Purpose Define Max Number of Shared libraries

Description:

Defines the maximum number of cFE Shared libraries that can be loaded into the system.

Limits

There is a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of libraries is system dependent and should be verified.

Definition at line 541 of file cpu1 platform cfg.h.

39.4.1.140 CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS

#define CFE_PLATFORM_ES_MAX_PROCESSOR_RESETS 2

Purpose Define Number of Processor Resets Before a Power On Reset

Description:

Number of Processor Resets before a Power On Reset is called. If set to 2, then 2 processor resets will occur, and the 3rd processor reset will be a power on reset instead.

Limits

There is a lower limit of 0. There are no restrictions on the upper limit however, the maximum number of processor resets may be system dependent and should be verified.

Definition at line 1421 of file cpu1_platform_cfg.h.

39.4.1.141 CFE_PLATFORM_ES_MAX_SHELL_CMD

#define CFE_PLATFORM_ES_MAX_SHELL_CMD 64

Purpose Define Max Shell Command Size

Description:

Defines the maximum size in characters of the shell command.

Limits

There is a lower limit of 64 and an upper limit of OS_MAX_CMD_LEN. Units are characters.

Definition at line 881 of file cpu1_platform_cfg.h.

39.4.1.142 CFE_PLATFORM_ES_MAX_SHELL_PKT

#define CFE_PLATFORM_ES_MAX_SHELL_PKT 64

Purpose Define Shell Command Telemetry Pkt Segment Size

Description:

Defines the size of the shell command tlm packet segments. The shell command output size is dependant on the shell command itself. If the shell output size is greater than the size of the packet defined here, the fsw will generate a series of tlm packets (of the size defined here) that can be reconstructed by the ground system.

Limits

There is a lower limit of 32 and an upper limit of CFE_SB_MAX_SB_MSG_SIZE.

Definition at line 897 of file cpu1_platform_cfg.h.

39.4.1.143 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 8

Purpose Define Default ES Memory Pool Block Sizes

Description:

Default Intermediate ES Memory Pool Block Sizes. If an application is using the CFE_ES Memory Pool AP
Is (CFE_ES_PoolCreate, CFE_ES_PoolCreateNoSem, CFE_ES_GetPoolBuf and CFE_ES_PutPoolBuf) but finds
these sizes inappropriate for their use, they may wish to use the CFE_ES_PoolCreateEx API to specify their own
intermediate block sizes

Limits

These sizes MUST be increasing and MUST be an integral multiple of 4. Also, CFE_PLATFORM_ES_MAX. ← BLOCK_SIZE must be larger than CFE_MISSION_SB_MAX_SB_MSG_SIZE and both CFE_PLATFORM_TB ← L_MAX_SNGL_TABLE_SIZE and CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE. Note that if Table Services have been removed from the CFE, the table size limits are still enforced although the table size definitions may be reduced. Refer to the CFS Deployment Guide for information about removing CFE Table Services from the CFE.

Definition at line 1442 of file cpu1_platform_cfg.h.

39.4.1.144 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02 16

Definition at line 1443 of file cpu1_platform_cfg.h.

39.4.1.145 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03 32

Definition at line 1444 of file cpu1 platform cfg.h.

39.4.1.146 CFE PLATFORM ES MEM BLOCK SIZE 04

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04 48

Definition at line 1445 of file cpu1_platform_cfg.h.

39.4.1.147 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05 64

Definition at line 1446 of file cpu1_platform_cfg.h.

39.4.1.148 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06 96

Definition at line 1447 of file cpu1_platform_cfg.h.

39.4.1.149 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07 128

Definition at line 1448 of file cpu1_platform_cfg.h.

39.4.1.150 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08 160

Definition at line 1449 of file cpu1_platform_cfg.h.

39.4.1.151 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09 256

Definition at line 1450 of file cpu1_platform_cfg.h.

39.4.1.152 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10 512

Definition at line 1451 of file cpu1_platform_cfg.h.

39.4.1.153 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11 1024

Definition at line 1452 of file cpu1_platform_cfg.h.

39.4.1.154 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12 2048

Definition at line 1453 of file cpu1_platform_cfg.h.

39.4.1.155 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13 4096

Definition at line 1454 of file cpu1_platform_cfg.h.

39.4.1.156 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_14 8192

Definition at line 1455 of file cpu1_platform_cfg.h.

39.4.1.157 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15 16384

Definition at line 1456 of file cpu1_platform_cfg.h.

39.4.1.158 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16

#define CFE_PLATFORM_ES_MEM_BLOCK_SIZE_16 32768

Definition at line 1457 of file cpu1_platform_cfg.h.

39.4.1.159 CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN

#define CFE_PLATFORM_ES_MEMPOOL_ALIGN_SIZE_MIN 4

Purpose Define Memory Pool Alignment Size

Description:

Ensures that buffers obtained from a memory pool are aligned to a certain minimum block size. Note the allocator will always align to the minimum required by the CPU architecture. This may be set greater than the CPU requirement as desired for optimal performance.

For some architectures/applications it may be beneficial to set this to the cache line size of the target CPU, or to use special SIMD instructions that require a more stringent memory alignment.

Limits

This must always be a power of 2, as it is used as a binary address mask.

Definition at line 822 of file cpu1_platform_cfg.h.

39.4.1.160 CFE_PLATFORM_ES_NONVOL_STARTUP_FILE

#define CFE_PLATFORM_ES_NONVOL_STARTUP_FILE "/cf/cfe_es_startup.scr"

Purpose ES Nonvolatile Startup Filename

Description:

The value of this constant defines the path and name of the file that contains a list of modules that will be loaded and started by the cFE after the cFE finishes its startup sequence.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 837 of file cpu1_platform_cfg.h.

39.4.1.161 CFE_PLATFORM_ES_OBJECT_TABLE_SIZE

```
#define CFE_PLATFORM_ES_OBJECT_TABLE_SIZE 30
```

Purpose Define Number of entries in the ES Object table

Description:

Defines the number of entries in the ES Object table. This table controls the core cFE startup.

Limits

There is a lower limit of 15. There are no restrictions on the upper limit however, the maximum object table size is system dependent and should be verified.

Definition at line 599 of file cpu1 platform cfg.h.

39.4.1.162 CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY

```
#define CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY 20
```

Purpose Define Performance Analyzer Child Task Delay

Description:

This parameter defines the delay time (in milliseconds) between performance data file writes performed by the Executive Services Performace Analyzer Child Task.

Limits

It is recommended this parameter be greater than or equal to 20ms. This parameter is limited by the maximum value allowed by the data type. In this case, the data type is an unsigned 32-bit integer, so the valid range is 0 to 0xFFFFFFF.

Definition at line 1180 of file cpu1_platform_cfg.h.

39.4.1.163 CFE_PLATFORM_ES_PERF_CHILD_PRIORITY

```
#define CFE_PLATFORM_ES_PERF_CHILD_PRIORITY 200
```

Purpose Define Performance Analyzer Child Task Priority

Description:

This parameter defines the priority of the child task spawed by the Executive Services to write performance data to a file. Lower numbers are higher priority, with 1 being the highest priority in the case of a child task.

Limits

Valid range for a child task is 1 to 255 however, the priority cannot be higher (lower number) than the ES parent application priority.

Definition at line 1151 of file cpu1 platform cfg.h.

39.4.1.164 CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE

#define CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE 4096

Purpose Define Performance Analyzer Child Task Stack Size

Description:

This parameter defines the stack size of the child task spawed by the Executive Services to write performance data to a file.

Limits

It is recommended this parameter be greater than or equal to 4KB. This parameter is limited by the maximum value allowed by the data type. In this case, the data type is an unsigned 32-bit integer, so the valid range is 0 to 0xFFFFFFFF.

Definition at line 1165 of file cpu1_platform_cfg.h.

39.4.1.165 CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE

#define CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE 10000

Purpose Define Max Size of Performance Data Buffer

Description:

Defines the maximum size of the performance data buffer. Units are number of performance data entries. An entry is defined by a 32 bit data word followed by a 64 bit time stamp.

Limits

There is a lower limit of 1025. There are no restrictions on the upper limit however, the maximum buffer size size is system dependent and should be verified. The units are number of entries. An entry is defined by a 32 bit data word followed by a 64 bit time stamp.

Definition at line 1070 of file cpu1_platform_cfg.h.

39.4.1.166 CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS

#define CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS 50

Purpose Define Performance Analyzer Child Task Number of Entries Between Delay

Description:

This parameter defines the number of performace analyzer entries the Performace Analyzer Child Task will write to the file between delays.

Definition at line 1190 of file cpu1_platform_cfg.h.

39.4.1.167 CFE_PLATFORM_ES_PERF_FILTMASK_ALL

#define CFE_PLATFORM_ES_PERF_FILTMASK_ALL ~CFE_PLATFORM_ES_PERF_FILTMASK_NONE

Purpose Define Filter Mask Setting for Enabling All Performance Entries

Description:

Defines the filter mask for enabling all performance entries. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 1091 of file cpu1_platform_cfg.h.

39.4.1.168 CFE_PLATFORM_ES_PERF_FILTMASK_INIT

#define CFE_PLATFORM_ES_PERF_FILTMASK_INIT CFE_PLATFORM_ES_PERF_FILTMASK_ALL

Purpose Define Default Filter Mask Setting for Performance Data Buffer

Description:

Defines the default filter mask for the performance data buffer. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 1102 of file cpu1_platform_cfg.h.

39.4.1.169 CFE_PLATFORM_ES_PERF_FILTMASK_NONE

#define CFE_PLATFORM_ES_PERF_FILTMASK_NONE 0

Purpose Define Filter Mask Setting for Disabling All Performance Entries

Description:

Defines the filter mask for disabling all performance entries. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 1081 of file cpu1_platform_cfg.h.

39.4.1.170 CFE_PLATFORM_ES_PERF_MAX_IDS

#define CFE_PLATFORM_ES_PERF_MAX_IDS 128

Purpose Define Max Number of Performance IDs

Description:

Defines the maximum number of perf ids allowed.

Limits

This number must always be divisible by 32. There is a lower limit of 32 and an upper limit of 512 on this configuration paramater.

Definition at line 1054 of file cpu1_platform_cfg.h.

39.4.1.171 CFE PLATFORM ES PERF TRIGMASK ALL

#define CFE_PLATFORM_ES_PERF_TRIGMASK_ALL ~CFE_PLATFORM_ES_PERF_TRIGMASK_NONE

Purpose Define Filter Trigger Setting for Enabling All Performance Entries

Description:

Defines the trigger mask for enabling all performance data entries. The value is a bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 1125 of file cpu1_platform_cfg.h.

39.4.1.172 CFE_PLATFORM_ES_PERF_TRIGMASK_INIT

#define CFE_PLATFORM_ES_PERF_TRIGMASK_INIT CFE_PLATFORM_ES_PERF_TRIGMASK_NONE

Purpose Define Default Filter Trigger Setting for Performance Data Buffer

Description:

Defines the default trigger mask for the performance data buffer. The value is a 32-bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 1136 of file cpu1_platform_cfg.h.

39.4.1.173 CFE_PLATFORM_ES_PERF_TRIGMASK_NONE

```
#define CFE_PLATFORM_ES_PERF_TRIGMASK_NONE 0
```

Purpose Define Default Filter Trigger Setting for Disabling All Performance Entries

Description:

Defines the default trigger mask for disabling all performance data entries. The value is a bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 1114 of file cpu1 platform cfg.h.

39.4.1.174 CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING

```
#define CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING "/ram"
```

Purpose RAM Disk Mount string

Description:

The CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING parameter is used to set the cFE mount path for the CFE RAM disk. This is a parameter for missions that do not want to use the default value of "/ram", or for missions that need to have a different value for different CPUs or Spacecraft. Note that the vxWorks OSAL cannot currently handle names that have more than one path separator in it. The names "/ram", "/ramdisk", "/disk123" will all work, but "/disks/ram" will not. Multiple separators can be used with the posix or RTEMS ports.

Definition at line 740 of file cpu1_platform_cfg.h.

39.4.1.175 CFE PLATFORM ES RAM DISK NUM SECTORS

#define CFE_PLATFORM_ES_RAM_DISK_NUM_SECTORS 4096

Purpose ES Ram Disk Number of Sectors

Description:

Defines the ram disk number of sectors. The ram disk is one of four memory areas that are preserved on a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 128. There are no restrictions on the upper limit however, the maximum number of RAM sectors is system dependent and should be verified.

Definition at line 699 of file cpu1_platform_cfg.h.

39.4.1.176 CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED

#define CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED 30

Purpose Percentage of Ram Disk Reserved for Decompressing Apps

Description:

The CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESERVED parameter is used to make sure that the Volatile (RAM) Disk has a defined amount of free space during a processor reset. The cFE uses the Volatile disk to decompress cFE applications during system startup. If this Volatile disk happens to get filled with logs and misc files, then a processor reset may not work, because there will be no room to decompress cFE apps. To solve that problem, this parameter sets the "Low Water Mark" for disk space on a Processor reset. It should be set to allow the largest cFE Application to be decompressed. During a Processor reset, if there is not sufficient space left on the disk, it will be re-formatted in order to clear up some space.

This feature can be turned OFF by setting the parameter to 0.

Limits

There is a lower limit of 0 and an upper limit of 75 on this configuration paramater. Units are percentage. A setting of zero will turn this feature off.

Definition at line 723 of file cpu1_platform_cfg.h.

39.4.1.177 CFE PLATFORM ES RAM DISK SECTOR SIZE

#define CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE 512

Purpose ES Ram Disk Sector Size

Description:

Defines the ram disk sector size. The ram disk is 1 of 4 memory areas that are preserved on a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in C← FE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 128. There are no restrictions on the upper limit however, the maximum RAM disk sector size is system dependent and should be verified.

Definition at line 680 of file cpu1_platform_cfg.h.

39.4.1.178 CFE_PLATFORM_ES_RESET_AREA_SIZE

```
#define CFE_PLATFORM_ES_RESET_AREA_SIZE ( 170 * 1024 )
```

Purpose Define ES Reset Area Size

Description:

The ES Reset Area Size. This is the size in bytes of the cFE Reset variable and log area. This is a block of memory used by the cFE to store the system log ER Log and critical reset variables. This is 4 of 4 of the memory areas that are preserved during a processor reset. Note: This area must be sized large enough to hold all of the data structures. It should be automatically sized based on the CFE_ES_ResetData_t type, but circular dependancies in the headers prevent it from being defined this way. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 153600 (150KBytes) and an upper limit of UINT_MAX (4 Gigabytes) on this configuration paramater.

Definition at line 803 of file cpu1 platform cfg.h.

39.4.1.179 CFE_PLATFORM_ES_SHELL_OS_DELAY_MILLISEC

#define CFE_PLATFORM_ES_SHELL_OS_DELAY_MILLISEC 200

Purpose Define OS Task Delay Value for ES Shell Command

Description:

This parameter defines the length of time (in milliseconds) ES will delay when sending shell command packets over the software bus to not flood the pipe on large messages.

Note: The milliseconds passed into OS_TaskDelay are converted into the units the underlying OS uses to measure time passing. Many platforms limit the precision of this value however, a delay may not be needed at all in which the value may be set to zero.

Limits

Not Applicable

Definition at line 915 of file cpu1_platform_cfg.h.

39.4.1.180 CFE_PLATFORM_ES_START_TASK_PRIORITY

#define CFE_PLATFORM_ES_START_TASK_PRIORITY 68

Purpose Define ES Task Priority

Description:

Defines the cFE ES Task priority.

Limits

Not Applicable

Definition at line 1315 of file cpu1_platform_cfg.h.

39.4.1.181 CFE_PLATFORM_ES_START_TASK_STACK_SIZE

#define CFE_PLATFORM_ES_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define ES Task Stack Size

Description:

Defines the cFE_ES Task Stack Size

Limits

There is a lower limit of 2048 on this configuration paramater. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1330 of file cpu1_platform_cfg.h.

39.4.1.182 CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC

#define CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT_MSEC 1000

Purpose Startup script timeout

Description:

The upper limit for the total amount of time that all apps listed in the CFE ES startup script may take to all become ready.

Unlike the "core" app timeout, this is a soft limit; if the alloted time is exceeded, it probably indicates an issue with one of the apps, but does not cause CFE ES to take any additional action other than logging the event to the syslog.

Units are in milliseconds

Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 1912 of file cpu1_platform_cfg.h.

39.4.1.183 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC

#define CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC 50

Purpose Poll timer for startup sync delay

Description:

During startup, some tasks may need to synchronize their own initialization with the initialization of other applications in the system.

CFE ES implements an API to accomplish this, that performs a task delay (sleep) while polling the overall system state until other tasks are ready.

This value controls the amount of time that the CFE_ES_ApplicationSyncDelay will sleep between each check of the system state. This should be large enough to allow other tasks to run, but not so large as to noticeably delay the startup completion.

Units are in milliseconds

Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 1870 of file cpu1_platform_cfg.h.

39.4.1.184 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE

#define CFE_PLATFORM_ES_SYSTEM_LOG_SIZE 3072

Purpose Define Size of the cFE System Log.

Description:

Defines the size in bytes of the cFE system log. The system log holds variable length strings that are terminated by a linefeed and null character.

Limits

There is a lower limit of 512. There are no restrictions on the upper limit however, the maximum system log size is system dependent and should be verified.

Definition at line 584 of file cpu1_platform_cfg.h.

39.4.1.185 CFE_PLATFORM_ES_USER_RESERVED_SIZE

```
#define CFE_PLATFORM_ES_USER_RESERVED_SIZE ( 1024 * 1024 )
```

Purpose Define User Reserved Memory Size

Description:

User Reserved Memory Size. This is the size in bytes of the cFE User reserved Memory area. This is a block of memory that is available for cFE application use. The address is obtained by calling CFE_PSP_GetUser← ReservedArea. The User Reserved Memory is one of four memory areas that are preserved during a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE_PSP) such as USER_RESERVED_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

Limits

There is a lower limit of 1024 and an upper limit of UINT_MAX (4 Gigabytes) on this configuration paramater.

Definition at line 779 of file cpu1_platform_cfg.h.

39.4.1.186 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE

```
#define CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE "/ram/cfe_es_startup.scr"
```

Purpose ES Volatile Startup Filename

Description:

The value of this constant defines the path and name of the file that contains a list of modules that will be loaded and started by the cFE after the cFE finishes its startup sequence.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 852 of file cpu1_platform_cfg.h.

39.4.1.187 CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE

```
#define CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE "/ram/cfe_evs_app.dat"
```

Purpose Default EVS Application Data Filename

Description:

The value of this constant defines the filename used to store the EVS Application Data(event counts/filtering information). This filename is used only when no filename is specified in the command to dump the event log.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 1559 of file cpu1 platform cfg.h.

39.4.1.188 CFE_PLATFORM_EVS_DEFAULT_LOG_FILE

```
#define CFE_PLATFORM_EVS_DEFAULT_LOG_FILE "/ram/cfe_evs.log"
```

Purpose Default Event Log Filename

Description:

The value of this constant defines the filename used to store the Event Services local event log. This filename is used only when no filename is specified in the command to dump the event log.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 1530 of file cpu1_platform_cfg.h.

39.4.1.189 CFE_PLATFORM_EVS_DEFAULT_LOG_MODE

```
#define CFE_PLATFORM_EVS_DEFAULT_LOG_MODE 1
```

Purpose Default EVS Local Event Log Mode

Description:

Defines a state of overwrite(0) or discard(1) for the operation of the EVS local event log. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest event in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. Overwrite Mode = 0, Discard Mode = 1.

Limits

The valid settings are 0 or 1

Definition at line 1610 of file cpu1_platform_cfg.h.

39.4.1.190 CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE

#define CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_MODE CFE_EVS_MsgFormat_LONG

Purpose Default EVS Message Format Mode

Description:

Defines the default message format (long or short) for event messages being sent to the ground. Choose between CFE EVS MsgFormat LONG or CFE EVS MsgFormat SHORT.

Limits

The valid settings are CFE_EVS_MsgFormat_LONG or CFE_EVS_MsgFormat_SHORT

Definition at line 1624 of file cpu1 platform cfg.h.

39.4.1.191 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG

```
#define CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG 0xE
```

Purpose Default EVS Event Type Filter Mask

Description:

Defines a state of on or off for all four event types. The term event 'type' refers to the criticality level and may be Debug, Informational, Error or Critical. Each event type has a bit position. (bit 0 = Debug, bit 1 = Info, bit 2 = Error, bit 3 = Critical). This is a global setting, meaning it applies to all applications. To filter an event type, set its bit to zero. For example, 0xE means Debug = OFF, Info = ON, Error = ON, Critical = ON

Limits

The valid settings are 0x0 to 0xF.

Definition at line 1592 of file cpu1 platform cfg.h.

39.4.1.192 CFE_PLATFORM_EVS_LOG_MAX

```
#define CFE_PLATFORM_EVS_LOG_MAX 20
```

Purpose Maximum Number of Events in EVS Local Event Log

Description:

Dictates the EVS local event log capacity. Units are the number of events.

Limits

There are no restrictions on the lower and upper limits however, the maximum log size is system dependent and should be verified.

Definition at line 1543 of file cpu1_platform_cfg.h.

39.4.1.193 CFE_PLATFORM_EVS_LOG_ON

```
#define CFE_PLATFORM_EVS_LOG_ON
```

Purpose Enable or Disable EVS Local Event Log

Description:

The CFE_PLATFORM_EVS_LOG_ON configuration parameter must be defined to enable EVS event logging. In order to disable the local event log this definition needs to be commented out.

Limits

Not Applicable

Definition at line 1515 of file cpu1_platform_cfg.h.

39.4.1.194 CFE_PLATFORM_EVS_MAX_EVENT_FILTERS

```
#define CFE_PLATFORM_EVS_MAX_EVENT_FILTERS 8
```

Purpose Define Maximum Number of Event Filters per Application

Description:

Maximum number of events that may be filtered per application.

Limits

There are no restrictions on the lower and upper limits however, the maximum number of event filters is system dependent and should be verified.

Definition at line 1501 of file cpu1_platform_cfg.h.

39.4.1.195 CFE_PLATFORM_EVS_PORT_DEFAULT

```
#define CFE_PLATFORM_EVS_PORT_DEFAULT 0x0001
```

Purpose Default EVS Output Port State

Description:

Defines the default port state (enabled or deisabled) for the four output ports defined within the Event Service. Port 1 is usually the uart output terminal. To enable a port, set the proper bit to a 1. Bit 0 is port 1, bit 1 is port2 etc.

Limits

The valid settings are 0x0 to 0xF.

Definition at line 1574 of file cpu1_platform_cfg.h.

39.4.1.196 CFE_PLATFORM_EVS_START_TASK_PRIORITY

#define CFE_PLATFORM_EVS_START_TASK_PRIORITY 61

Purpose Define EVS Task Priority

Description:

Defines the cFE_EVS Task priority.

Limits

Not Applicable

Definition at line 1263 of file cpu1 platform cfg.h.

39.4.1.197 CFE_PLATFORM_EVS_START_TASK_STACK_SIZE

#define CFE_PLATFORM_EVS_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define EVS Task Stack Size

Description:

Defines the cFE EVS Task Stack Size

Limits

There is a lower limit of 2048 on this configuration paramater. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1278 of file cpu1 platform cfg.h.

39.4.1.198 CFE_PLATFORM_SB_BUF_MEMORY_BYTES

#define CFE_PLATFORM_SB_BUF_MEMORY_BYTES 524288

Purpose Size of the SB buffer memory pool

Description:

Dictates the size of the SB memory pool. For each message the SB sends, the SB dynamically allocates from this memory pool, the memory needed to process the message. The memory needed to process each message is msg size + msg descriptor(CFE_SB_BufferD_t). This memory pool is also used to allocate destination descriptors (CFE_SB_DestinationD_t) during the subscription process. To see the run-time, high-water mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'. Some memory statistics have been added to the SB housekeeping packet. NOTE: It is important to monitor these statistics to ensure the desired memory margin is met.

Limits

This parameter has a lower limit of 512 and an upper limit of UINT MAX (4 Gigabytes).

Definition at line 142 of file cpu1_platform_cfg.h.

39.4.1.199 CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME

#define CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME "/ram/cfe_sb_msgmap.dat"

Purpose Default Message Map Filename

Description:

The value of this constant defines the filename used to store the software bus message map information. This filename is used only when no filename is specified in the command. The message map is a lookup table (array of 16bit words) that has an element for each possible Msgld value and holds the routing table index for that Msgld. The Msg Map provides fast access to the destinations of a message.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 241 of file cpu1_platform_cfg.h.

39.4.1.200 CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT

#define CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT 4

Purpose Default Subscription Message Limit

Description:

Dictates the default Message Limit when using the CFE_SB_Subscribe API. This will limit the number of messages with a specific message ID that can be received through a subscription. This only changes the default; other message limits can be set on a per subscription basis using CFE_SB_SubscribeEx .

Limits

This parameter has a lower limit of 4 and an upper limit of 65535.

Definition at line 119 of file cpu1_platform_cfg.h.

39.4.1.201 CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME

```
#define CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME "/ram/cfe_sb_pipe.dat"
```

Purpose Default Pipe Information Filename

Description:

The value of this constant defines the filename used to store the software bus pipe information. This filename is used only when no filename is specified in the command.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 223 of file cpu1 platform cfg.h.

39.4.1.202 CFE_PLATFORM_SB_DEFAULT_REPORT_SENDER

```
#define CFE_PLATFORM_SB_DEFAULT_REPORT_SENDER 1
```

Purpose Define Default Sender Information Storage Mode

Description:

Defines the default mode for the storing of sender information when sending a software bus message. If set to 1, the sender information will be stored. If set to 0, the sender information will not be stored.

Limits

There is a lower limit of 0 and an upper limit of 1 on this configuration paramater.

Definition at line 325 of file cpu1_platform_cfg.h.

39.4.1.203 CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME

```
#define CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME "/ram/cfe_sb_route.dat"
```

Purpose Default Routing Information Filename

Description:

The value of this constant defines the filename used to store the software bus routing information. This filename is used only when no filename is specified in the command.

Limits

The length of each string, including the NULL terminator cannot exceed the OS_MAX_PATH_LEN value.

Definition at line 208 of file cpu1_platform_cfg.h.

39.4.1.204 CFE_PLATFORM_SB_FILTER_MASK1

#define CFE_PLATFORM_SB_FILTER_MASK1 CFE_EVS_FIRST_4_STOP

Definition at line 260 of file cpu1 platform cfg.h.

39.4.1.205 CFE PLATFORM SB FILTER MASK2

#define CFE_PLATFORM_SB_FILTER_MASK2 CFE_EVS_FIRST_4_STOP

Definition at line 263 of file cpu1_platform_cfg.h.

39.4.1.206 CFE_PLATFORM_SB_FILTER_MASK3

#define CFE_PLATFORM_SB_FILTER_MASK3 CFE_EVS_FIRST_16_STOP

Definition at line 266 of file cpu1_platform_cfg.h.

39.4.1.207 CFE_PLATFORM_SB_FILTER_MASK4

#define CFE_PLATFORM_SB_FILTER_MASK4 CFE_EVS_FIRST_16_STOP

Definition at line 269 of file cpu1 platform cfg.h.

39.4.1.208 CFE_PLATFORM_SB_FILTER_MASK5

#define CFE_PLATFORM_SB_FILTER_MASK5 CFE_EVS_NO_FILTER

Definition at line 272 of file cpu1_platform_cfg.h.

39.4.1.209 CFE_PLATFORM_SB_FILTER_MASK6

#define CFE_PLATFORM_SB_FILTER_MASK6 CFE_EVS_NO_FILTER

Definition at line 275 of file cpu1_platform_cfg.h.

39.4.1.210 CFE_PLATFORM_SB_FILTER_MASK7

#define CFE_PLATFORM_SB_FILTER_MASK7 CFE_EVS_NO_FILTER

Definition at line 278 of file cpu1_platform_cfg.h.

39.4.1.211 CFE_PLATFORM_SB_FILTER_MASK8

#define CFE_PLATFORM_SB_FILTER_MASK8 CFE_EVS_NO_FILTER

Definition at line 281 of file cpu1_platform_cfg.h.

39.4.1.212 CFE PLATFORM SB FILTERED EVENT1

#define CFE_PLATFORM_SB_FILTERED_EVENT1 CFE_SB_SEND_NO_SUBS_EID

Purpose SB Event Filtering

Description:

This group of configuration paramters dictates what SB events will be filtered through EVS. The filtering will begin after the SB task initializes and stay in effect until a cmd to EVS changes it. This allows the operator to set limits on the number of event messages that are sent during system initialization. NOTE: Set all unused event values and mask values to zero

Limits

This filtering applies only to SB events. These parameters have a lower limit of 0 and an upper limit of 65535.

Definition at line 259 of file cpu1 platform cfg.h.

39.4.1.213 CFE_PLATFORM_SB_FILTERED_EVENT2

#define CFE_PLATFORM_SB_FILTERED_EVENT2 CFE_SB_DUP_SUBSCRIP_EID

Definition at line 262 of file cpu1_platform_cfg.h.

39.4.1.214 CFE_PLATFORM_SB_FILTERED_EVENT3

#define CFE_PLATFORM_SB_FILTERED_EVENT3 CFE_SB_MSGID_LIM_ERR_EID

Definition at line 265 of file cpu1_platform_cfg.h.

39.4.1.215 CFE_PLATFORM_SB_FILTERED_EVENT4 #define CFE_PLATFORM_SB_FILTERED_EVENT4 CFE_SB_Q_FULL_ERR_EID Definition at line 268 of file cpu1_platform_cfg.h. 39.4.1.216 CFE_PLATFORM_SB_FILTERED_EVENT5 #define CFE_PLATFORM_SB_FILTERED_EVENT5 0 Definition at line 271 of file cpu1_platform_cfg.h. 39.4.1.217 CFE_PLATFORM_SB_FILTERED_EVENT6 #define CFE_PLATFORM_SB_FILTERED_EVENT6 0 Definition at line 274 of file cpu1_platform_cfg.h. 39.4.1.218 CFE_PLATFORM_SB_FILTERED_EVENT7 #define CFE_PLATFORM_SB_FILTERED_EVENT7 0 Definition at line 277 of file cpu1_platform_cfg.h. 39.4.1.219 CFE_PLATFORM_SB_FILTERED_EVENT8 #define CFE_PLATFORM_SB_FILTERED_EVENT8 0 Definition at line 280 of file cpu1_platform_cfg.h.

39.4.1.220 CFE_PLATFORM_SB_HIGHEST_VALID_MSGID

#define CFE_PLATFORM_SB_HIGHEST_VALID_MSGID 0x1FFF

Purpose Highest Valid Message Id

Description:

The value of this constant dictates the size of the SB message map. The SB message map is a lookup table that provides the routing table index for fast access into the routing table. The default setting of 0x1FFF was chosen to save memory. This reduces the message map from 128Kbytes to 16Kbytes. See CFE_FSW_DCR 504 for more details.

If this value is different in a distributed architecture some platforms may not be able to subscribe to messages generated on other platforms since the message id would exceed the mapping table's highest index. Care would have to be taken to ensure the constrained platform did not subscribe to message lds that exceed CFE_PLATFORM_SB_HIGHEST_ \leftarrow VALID_MSGID

The recommended case to to have this value the same across all mission platforms

Limits

This parameter has a lower limit of 1 and an upper limit of 0xFFFF.

Definition at line 183 of file cpu1_platform_cfg.h.

39.4.1.221 CFE_PLATFORM_SB_MAX_BLOCK_SIZE

```
#define CFE_PLATFORM_SB_MAX_BLOCK_SIZE (CFE_MISSION_SB_MAX_SB_MSG_SIZE + 40)
```

Definition at line 311 of file cpu1 platform cfg.h.

39.4.1.222 CFE_PLATFORM_SB_MAX_DEST_PER_PKT

#define CFE_PLATFORM_SB_MAX_DEST_PER_PKT 16

Purpose Maximum Number of unique local destinations a single Msgld can have

Description:

Dictates the maximum number of unique local destinations a single Msgld can have.

Limits

This parameter has a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of destinations per packet is system dependent and should be verified. Destination number values that are checked against this configuration are defined by a 16 bit data word.

Definition at line 103 of file cpu1_platform_cfg.h.

39.4.1.223 CFE_PLATFORM_SB_MAX_MSG_IDS

#define CFE_PLATFORM_SB_MAX_MSG_IDS 256

Purpose Maximum Number of Unique Message IDs SB Routing Table can hold

Description:

Dictates the maximum number of unique Msglds the SB routing table will hold. This constant has a direct affect on the size of SB's tables and arrays. Keeping this count as low as possible will save memory. To see the runtime, high-water mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'.

Limits

This parameter has a lower limit of 1 and an upper limit of 1024.

Definition at line 68 of file cpu1 platform cfg.h.

39.4.1.224 CFE PLATFORM SB MAX PIPE DEPTH

#define CFE_PLATFORM_SB_MAX_PIPE_DEPTH 256

Purpose Maximum depth allowed when creating an SB pipe

Description:

The value of this constant dictates the maximum pipe depth that an application may request. The pipe depth is given as a paramter in the CFE SB CreatePipe API.

Limits

This parameter has a lower limit of 1. There are no restrictions on the upper limit however, the maximum pipe depth is system dependent and should be verified. Pipe Depth values that are checked against this configuration are defined by a 16 bit data word.

Definition at line 159 of file cpu1_platform_cfg.h.

39.4.1.225 CFE_PLATFORM_SB_MAX_PIPES

```
#define CFE_PLATFORM_SB_MAX_PIPES 64
```

Purpose Maximum Number of Unique Pipes SB Routing Table can hold

Description:

Dictates the maximum number of unique Pipes the SB routing table will hold. This constant has a direct affect on the size of SB's tables and arrays. Keeping this count as low as possible will save memory. To see the run-time, highwater mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'.

Limits

This parameter has a lower limit of 1. This parameter must also be less than or equal to OS_MAX_QUEUES.

Definition at line 86 of file cpu1 platform cfg.h.

39.4.1.226 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01

```
#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01 8
```

Purpose Define SB Memory Pool Block Sizes

Description:

Software Bus Memory Pool Block Sizes

Limits

These sizes MUST be increasing and MUST be an integral multiple of 4. The number of block sizes defined cannot exceed CFE ES MAX MEMPOOL BLOCK SIZES

Definition at line 295 of file cpu1_platform_cfg.h.

```
39.4.1.227 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02
```

```
#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02 16
```

Definition at line 296 of file cpu1_platform_cfg.h.

39.4.1.228 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03 20

Definition at line 297 of file cpu1 platform cfg.h.

39.4.1.229 CFE PLATFORM SB MEM BLOCK SIZE 04

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04 36

Definition at line 298 of file cpu1_platform_cfg.h.

39.4.1.230 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05 64

Definition at line 299 of file cpu1_platform_cfg.h.

39.4.1.231 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06 96

Definition at line 300 of file cpu1 platform cfg.h.

39.4.1.232 CFE PLATFORM SB MEM BLOCK SIZE 07

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07 128

Definition at line 301 of file cpu1_platform_cfg.h.

39.4.1.233 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08 160

Definition at line 302 of file cpu1_platform_cfg.h.

39.4.1.234 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09 256

Definition at line 303 of file cpu1 platform cfg.h.

39.4.1.235 CFE PLATFORM SB MEM BLOCK SIZE 10

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10 512

Definition at line 304 of file cpu1_platform_cfg.h.

39.4.1.236 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11 1024

Definition at line 305 of file cpu1_platform_cfg.h.

39.4.1.237 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12 2048

Definition at line 306 of file cpu1_platform_cfg.h.

39.4.1.238 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13 4096

Definition at line 307 of file cpu1_platform_cfg.h.

39.4.1.239 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14 8192

Definition at line 308 of file cpu1_platform_cfg.h.

39.4.1.240 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15 16384

Definition at line 309 of file cpu1_platform_cfg.h.

39.4.1.241 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16

#define CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16 32768

Definition at line 310 of file cpu1_platform_cfg.h.

39.4.1.242 CFE_PLATFORM_SB_START_TASK_PRIORITY

#define CFE_PLATFORM_SB_START_TASK_PRIORITY 64

Purpose Define SB Task Priority

Description:

Defines the cFE_SB Task priority.

Limits

Not Applicable

Definition at line 1289 of file cpu1_platform_cfg.h.

39.4.1.243 CFE_PLATFORM_SB_START_TASK_STACK_SIZE

#define CFE_PLATFORM_SB_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define SB Task Stack Size

Description:

Defines the cFE SB Task Stack Size

Limits

There is a lower limit of 2048 on this configuration paramater. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1304 of file cpu1 platform cfg.h.

39.4.1.244 CFE_PLATFORM_TBL_BUF_MEMORY_BYTES

#define CFE_PLATFORM_TBL_BUF_MEMORY_BYTES 524288

Purpose Size of Table Services Table Memory Pool

Description:

Defines the TOTAL size of the memory pool that cFE Table Services allocates from the system. The size must be large enough to provide memory for each registered table, the inactive buffers for double buffered tables and for the shared inactive buffers for single buffered tables.

Limits

The cFE does not place a limit on the size of this parameter.

Definition at line 1642 of file cpu1 platform cfg.h.

39.4.1.245 CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE

```
#define CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE "/ram/cfe_tbl_reg.log"
```

Purpose Default Filename for a Table Registry Dump

Description:

Defines the file name used to store the table registry when no filename is specified in the dump registry command.

Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 1756 of file cpu1_platform_cfg.h.

39.4.1.246 CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES

```
#define CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES 32
```

Purpose Maximum Number of Critical Tables that can be Registered

Description:

Defines the maximum number of critical tables supported by this processor's Table Services.

Limits

This number must be less than 32767. It should be recognized that this parameter determines the size of the Critical Table Registry which is maintained in the Critical Data Store. An excessively high number will waste Critical Data Store memory. Therefore, this number must not exceed the value defined in CFE_ES_CDS_MAX_CRITICAL_T ← ABLES.

Definition at line 1697 of file cpu1_platform_cfg.h.

39.4.1.247 CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE

#define CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE 16384

Purpose Maximum Size Allowed for a Double Buffered Table

Description:

Defines the maximum allowed size (in bytes) of a double buffered table.

Limits

The cFE does not place a limit on the size of this parameter but it must be less than half of CFE_PLATFORM_T → BL BUF MEMORY BYTES.

Definition at line 1654 of file cpu1 platform cfg.h.

39.4.1.248 CFE_PLATFORM_TBL_MAX_NUM_HANDLES

#define CFE_PLATFORM_TBL_MAX_NUM_HANDLES 256

Purpose Maximum Number of Table Handles

Description:

Defines the maximum number of Table Handles.

Limits

This number must be less than 32767. This number must be at least as big as the number of tables (CFE_PLAT ← FORM TBL MAX NUM TABLES) and should be set higher if tables are shared between applications.

Definition at line 1710 of file cpu1_platform_cfg.h.

39.4.1.249 CFE_PLATFORM_TBL_MAX_NUM_TABLES

#define CFE_PLATFORM_TBL_MAX_NUM_TABLES 128

Purpose Maximum Number of Tables Allowed to be Registered

Description:

Defines the maximum number of tables supported by this processor's Table Services.

Limits

This number must be less than 32767. It should be recognized that this parameter determines the size of the Table Registry. An excessively high number will waste memory.

Definition at line 1683 of file cpu1_platform_cfg.h.

39.4.1.250 CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS

#define CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS 10

Purpose Maximum Number of Simultaneous Table Validations

Description:

Defines the maximum number of pending validations that the Table Services can handle at any one time. When a table has a validation function, a validation request is made of the application to perform that validation. This number determines how many of those requests can be outstanding at any one time.

Limits

This number must be less than 32767. An excessively high number will degrade system performance and waste memory. A number less than 20 is suggested but not required.

Definition at line 1743 of file cpu1 platform cfg.h.

39.4.1.251 CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS

#define CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS 4

Purpose Maximum Number of Simultaneous Loads to Support

Description:

Defines the maximum number of single buffered tables that can be loaded simultaneously. This number is used to determine the number of shared buffers to allocate.

Limits

This number must be less than 32767. An excessively high number will degrade system performance and waste memory. A number less than 5 is suggested but not required.

Definition at line 1725 of file cpu1_platform_cfg.h.

```
39.4.1.252 CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE
```

```
#define CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE 16384
```

Purpose Maximum Size Allowed for a Single Buffered Table

Description:

Defines the maximum allowed size (in bytes) of a single buffered table. **NOTE:** This size determines the size of all shared table buffers. Therefore, this size will be multiplied by CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_L OADS below when allocating memory for shared tables.

Limits

The cFE does not place a limit on the size of this parameter but it must be small enough to allow for CFE_PLATF ○ ORM_TBL_MAX_SIMULTANEOUS_LOADS number of tables to fit into CFE_PLATFORM_TBL_BUF_MEMOR ○ Y BYTES.

Definition at line 1670 of file cpu1_platform_cfg.h.

```
39.4.1.253 CFE_PLATFORM_TBL_START_TASK_PRIORITY
```

#define CFE_PLATFORM_TBL_START_TASK_PRIORITY 70

Purpose Define TBL Task Priority

Description:

Defines the cFE_TBL Task priority.

Limits

Not Applicable

Definition at line 1377 of file cpu1_platform_cfg.h.

```
39.4.1.254 CFE_PLATFORM_TBL_START_TASK_STACK_SIZE
```

```
#define CFE_PLATFORM_TBL_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
```

Purpose Define TBL Task Stack Size

Description:

Defines the cFE TBL Task Stack Size

Limits

There is a lower limit of 2048 on this configuration paramater. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1392 of file cpu1 platform cfg.h.

39.4.1.255 CFE_PLATFORM_TBL_U32FROM4CHARS

Value:

```
( (uint32) (_C1) << 24 | \
    (uint32) (_C2) << 16 | \
    (uint32) (_C3) << 8 | \
    (uint32) (_C4) )</pre>
```

Definition at line 1778 of file cpu1 platform cfg.h.

```
39.4.1.256 CFE_PLATFORM_TBL_VALID_PRID_1
#define CFE_PLATFORM_TBL_VALID_PRID_1 (CFE_PLATFORM_CPU_ID)
```

Purpose Processor ID values used for table load validation

Description:

Defines the processor ID values used for validating the processor ID field in the table file header. To be valid, the spacecraft ID specified in the table file header must match one of the values defined here.

Limits

This value can be any 32 bit unsigned integer.

Definition at line 1830 of file cpu1_platform_cfg.h.

```
39.4.1.257 CFE_PLATFORM_TBL_VALID_PRID_2
```

```
#define CFE_PLATFORM_TBL_VALID_PRID_2 (CFE_PLATFORM_TBL_U32FROM4CHARS('a', 'b', 'c', 'd'))
```

Definition at line 1831 of file cpu1_platform_cfg.h.

```
39.4.1.258 CFE_PLATFORM_TBL_VALID_PRID_3
```

```
#define CFE_PLATFORM_TBL_VALID_PRID_3 0
```

Definition at line 1832 of file cpu1_platform_cfg.h.

39.4.1.259 CFE_PLATFORM_TBL_VALID_PRID_4

```
#define CFE_PLATFORM_TBL_VALID_PRID_4 0
```

Definition at line 1833 of file cpu1_platform_cfg.h.

39.4.1.260 CFE_PLATFORM_TBL_VALID_PRID_COUNT

```
#define CFE_PLATFORM_TBL_VALID_PRID_COUNT 0
```

Purpose Number of Processor ID's specified for validation

Description:

Defines the number of specified processor ID values that are verified during table loads. If the number is zero then no validation of the processor ID field in the table file header is performed when tables are loaded. Non-zero values indicate how many values from the list of processor ID's defined below are compared to the processor ID field in the table file header. The ELF2CFETBL tool may be used to create table files with specified processor ID values.

Limits

This number must be greater than or equal to zero and less than or equal to 4.

Definition at line 1816 of file cpu1 platform cfg.h.

```
39.4.1.261 CFE_PLATFORM_TBL_VALID_SCID_1
```

```
#define CFE_PLATFORM_TBL_VALID_SCID_1 (CFE_MISSION_SPACECRAFT_ID)
```

Purpose Spacecraft ID values used for table load validation

Description:

Defines the spacecraft ID values used for validating the spacecraft ID field in the table file header. To be valid, the spacecraft ID specified in the table file header must match one of the values defined here.

Limits

This value can be any 32 bit unsigned integer.

Definition at line 1796 of file cpu1_platform_cfg.h.

39.4.1.262 CFE_PLATFORM_TBL_VALID_SCID_2

```
#define CFE_PLATFORM_TBL_VALID_SCID_2 (CFE_PLATFORM_TBL_U32FROM4CHARS('a', 'b', 'c', 'd'))
```

Definition at line 1797 of file cpu1_platform_cfg.h.

39.4.1.263 CFE_PLATFORM_TBL_VALID_SCID_COUNT

```
#define CFE_PLATFORM_TBL_VALID_SCID_COUNT 0
```

Purpose Number of Spacecraft ID's specified for validation

Description:

Defines the number of specified spacecraft ID values that are verified during table loads. If the number is zero then no validation of the spacecraft ID field in the table file header is performed when tables are loaded. Non-zero values indicate how many values from the list of spacecraft ID's defined below are compared to the spacecraft ID field in the table file header. The ELF2CFETBL tool may be used to create table files with specified spacecraft ID values.

Limits

This number must be greater than or equal to zero and less than or equal to 2.

Definition at line 1775 of file cpu1_platform_cfg.h.

39.4.1.264 CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY

```
#define CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY 25
```

Definition at line 1347 of file cpu1_platform_cfg.h.

39.4.1.265 CFE_PLATFORM_TIME_1HZ_TASK_STACK_SIZE

```
#define CFE_PLATFORM_TIME_1HZ_TASK_STACK_SIZE 8192
```

Definition at line 1366 of file cpu1_platform_cfg.h.

39.4.1.266 CFE_PLATFORM_TIME_CFG_CLIENT

```
#define CFE_PLATFORM_TIME_CFG_CLIENT false
```

Definition at line 341 of file cpu1_platform_cfg.h.

39.4.1.267 CFE_PLATFORM_TIME_CFG_LATCH_FLY

#define CFE_PLATFORM_TIME_CFG_LATCH_FLY 8

Purpose Define Periodic Time to Update Local Clock Tone Latch

Description:

Define Periodic Time to Update Local Clock Tone Latch. Applies only when in flywheel mode. This define dicates the period at which the simulated 'last tone' time is updated. Units are seconds.

Limits

Not Applicable

Definition at line 509 of file cpu1 platform cfg.h.

39.4.1.268 CFE_PLATFORM_TIME_CFG_SERVER

#define CFE_PLATFORM_TIME_CFG_SERVER true

Purpose Time Server or Time Client Selection

Description:

This configuration parameter selects whether the Time task functions as a time "server" or "client". A time server generates the "time at the tone" packet which is received by time clients.

Limits

Enable one, and only one by defining either CFE_PLATFORM_TIME_CFG_SERVER or CFE_PLATFORM_TIM← E_CFG_CLIENT AS true. The other must be defined as false.

Definition at line 340 of file cpu1_platform_cfg.h.

39.4.1.269 CFE_PLATFORM_TIME_CFG_SIGNAL

#define CFE_PLATFORM_TIME_CFG_SIGNAL false

Purpose Include or Exclude the Primary/Redundant Tone Selection Cmd

Description:

Depending on the specific hardware system configuration, it may be possible to switch between a primary and redundant tone signal. If supported by hardware, this definitions will enable command interfaces to select the active tone signal. Both Time Clients and Time Servers support this feature. Note: Set the CFE_PLATFORM_TIME_C FG SIGNAL define to true to enable tone signal commands.

Limits

Not Applicable

Definition at line 391 of file cpu1 platform cfg.h.

39.4.1.270 CFE_PLATFORM_TIME_CFG_SOURCE

#define CFE_PLATFORM_TIME_CFG_SOURCE false

Purpose Include or Exclude the Internal/External Time Source Selection Cmd

Description:

By default, Time Servers maintain time using an internal MET which may be a h/w register or software counter, depending on available hardware. The following definition enables command interfaces to switch between an internal MET, or external time data received from one of several supported external time sources. Only a Time Server may be configured to use external time data. Note: Set the CFE_PLATFORM_TIME_CFG_SOURCE define to true to include the Time Source Selection Command (command allows selection between the internal or external time source). Then choose the external source with the CFE_TIME_CFG_SRC_??? define.

Limits

Only applies if CFE_PLATFORM_TIME_CFG_SERVER is set to true.

Definition at line 412 of file cpu1 platform cfg.h.

39.4.1.271 CFE_PLATFORM_TIME_CFG_SRC_GPS

#define CFE_PLATFORM_TIME_CFG_SRC_GPS false

Definition at line 430 of file cpu1 platform cfg.h.

39.4.1.272 CFE_PLATFORM_TIME_CFG_SRC_MET

#define CFE_PLATFORM_TIME_CFG_SRC_MET false

Purpose Choose the External Time Source for Server only

Description:

If CFE_PLATFORM_TIME_CFG_SOURCE is set to true, then one of the following external time source types must also be set to true. Do not set any of the external time source types to true unless CFE_PLATFORM_TIME_CF← G_SOURCE is set to true.

Limits

- If CFE_PLATFORM_TIME_CFG_SOURCE is set to true then one and only one of the following three external time sources can and must be set true: CFE_PLATFORM_TIME_CFG_SRC_MET, CFE_PLATFORM_TI

 ME_CFG_SRC_GPS, CFE_PLATFORM_TIME_CFG_SRC_TIME
- Only applies if CFE_PLATFORM_TIME_CFG_SERVER is set to true.

Definition at line 429 of file cpu1_platform_cfg.h.

39.4.1.273 CFE_PLATFORM_TIME_CFG_SRC_TIME

#define CFE_PLATFORM_TIME_CFG_SRC_TIME false

Definition at line 431 of file cpu1_platform_cfg.h.

39.4.1.274 CFE_PLATFORM_TIME_CFG_START_FLY

#define CFE_PLATFORM_TIME_CFG_START_FLY 2

Purpose Define Time to Start Flywheel Since Last Tone

Description:

Define time to enter flywheel mode (in seconds since last tone data update) Units are microseconds as measured with the local clock.

Limits

Not Applicable

Definition at line 495 of file cpu1_platform_cfg.h.

39.4.1.275 CFE_PLATFORM_TIME_CFG_TONE_LIMIT

#define CFE_PLATFORM_TIME_CFG_TONE_LIMIT 20000

Purpose Define Timing Limits From One Tone To The Next

Description:

Defines limits to the timing of the 1Hz tone signal. A tone signal is valid only if it arrives within one second (plus or minus the tone limit) from the previous tone signal. Units are microseconds as measured with the local clock.

Limits

Not Applicable

Definition at line 481 of file cpu1_platform_cfg.h.

39.4.1.276 CFE_PLATFORM_TIME_CFG_VIRTUAL

#define CFE_PLATFORM_TIME_CFG_VIRTUAL true

Purpose Time Tone In Big-Endian Order

Description:

If this configuration parameter is defined, the CFE time server will publish time tones with payloads in big-endian order, and time clients will expect the tones to be in big-endian order. This is useful for mixed-endian environments. This will become obsolete once EDS is available and the CFE time tone message is defined.

Purpose Local MET or Virtual MET Selection for Time Servers

Description:

Depending on the specific hardware system configuration, it may be possible for Time Servers to read the "local" MET from a h/w register rather than having to track the MET as the count of tone signal interrupts (virtual MET)

Time Clients must be defined as using a virtual MET. Also, a Time Server cannot be defined as having both a h/w MET and an external time source (they both cannot synchronize to the same tone).

Note: "disable" this define (set to false) only for Time Servers with local hardware that supports a h/w MET that is synchronized to the tone signal !!!

Limits

Only applies if CFE_PLATFORM_TIME_CFG_SERVER is set to true.

Definition at line 375 of file cpu1_platform_cfg.h.

39.4.1.277 CFE_PLATFORM_TIME_MAX_DELTA_SECS

#define CFE_PLATFORM_TIME_MAX_DELTA_SECS 0

Purpose Define the Max Delta Limits for Time Servers using an Ext Time Source

Description:

If CFE_PLATFORM_TIME_CFG_SOURCE is set to true and one of the external time sources is also set to true, then the delta time limits for range checking is used.

When a new time value is received from an external source, the value is compared against the "expected" time value. If the delta exceeds the following defined amount, then the new time data will be ignored. This range checking is only performed after the clock state has been commanded to "valid". Until then, external time data is accepted unconditionally.

Limits

Applies only if both CFE_PLATFORM_TIME_CFG_SERVER and CFE_PLATFORM_TIME_CFG_SOURCE are set to true.

Definition at line 451 of file cpu1_platform_cfg.h.

39.4.1.278 CFE_PLATFORM_TIME_MAX_DELTA_SUBS

#define CFE_PLATFORM_TIME_MAX_DELTA_SUBS 500000

Definition at line 452 of file cpu1_platform_cfg.h.

39.4.1.279 CFE_PLATFORM_TIME_MAX_LOCAL_SECS

#define CFE_PLATFORM_TIME_MAX_LOCAL_SECS 27

Purpose Define the Local Clock Rollover Value in seconds and subseconds

Description:

Specifies the capability of the local clock. Indicates the time at which the local clock rolls over.

Limits

Not Applicable

Definition at line 465 of file cpu1_platform_cfg.h.

39.4.1.280 CFE_PLATFORM_TIME_MAX_LOCAL_SUBS

#define CFE_PLATFORM_TIME_MAX_LOCAL_SUBS 0

Definition at line 466 of file cpu1_platform_cfg.h.

39.4.1.281 CFE_PLATFORM_TIME_START_TASK_PRIORITY

#define CFE_PLATFORM_TIME_START_TASK_PRIORITY 60

Purpose Define TIME Task Priorities

Description:

Defines the cFE_TIME Task priority. Defines the cFE_TIME Tone Task priority. Defines the cFE_TIME 1HZ Task priority.

Limits

There is a lower limit of zero and an upper limit of 255 on these configuration paramaters. Remember that the meaning of each task priority is inverted – a "lower" number has a "higher" priority.

Definition at line 1345 of file cpu1 platform cfg.h.

39.4.1.282 CFE_PLATFORM_TIME_START_TASK_STACK_SIZE

#define CFE_PLATFORM_TIME_START_TASK_STACK_SIZE CFE_PLATFORM_ES_DEFAULT_STACK_SIZE

Purpose Define TIME Task Stack Sizes

Description:

Defines the cFE_TIME Main Task Stack Size Defines the cFE_TIME Tone Task Stack Size Defines the cFE_TIME 1HZ Task Stack Size

Limits

There is a lower limit of 2048 on these configuration paramaters. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1364 of file cpu1_platform_cfg.h.

39.4.1.283 CFE_PLATFORM_TIME_TONE_TASK_PRIORITY

#define CFE_PLATFORM_TIME_TONE_TASK_PRIORITY 25

Definition at line 1346 of file cpu1_platform_cfg.h.

39.4.1.284 CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE

#define CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE 4096

Definition at line 1365 of file cpu1_platform_cfg.h.

39.4.1.285 CFE_SB_BUF_MEMORY_BYTES

#define CFE_SB_BUF_MEMORY_BYTES CFE_PLATFORM_SB_BUF_MEMORY_BYTES

Definition at line 1936 of file cpu1 platform cfg.h.

39.4.1.286 CFE_SB_DEFAULT_MAP_FILENAME

#define CFE_SB_DEFAULT_MAP_FILENAME CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME

Definition at line 1941 of file cpu1 platform cfg.h.

39.4.1.287 CFE_SB_DEFAULT_MSG_LIMIT

#define CFE_SB_DEFAULT_MSG_LIMIT CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT

Definition at line 1935 of file cpu1 platform cfg.h.

39.4.1.288 CFE_SB_DEFAULT_PIPE_FILENAME

#define CFE_SB_DEFAULT_PIPE_FILENAME CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME

Definition at line 1940 of file cpu1_platform_cfg.h.

39.4.1.289 CFE_SB_DEFAULT_REPORT_SENDER

#define CFE_SB_DEFAULT_REPORT_SENDER CFE_PLATFORM_SB_DEFAULT_REPORT_SENDER

Definition at line 1975 of file cpu1 platform cfg.h.

39.4.1.290 CFE_SB_DEFAULT_ROUTING_FILENAME

#define CFE_SB_DEFAULT_ROUTING_FILENAME CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME

Definition at line 1939 of file cpu1_platform_cfg.h.

39.4.1.291 CFE_SB_FILTER_MASK1

#define CFE_SB_FILTER_MASK1 CFE_PLATFORM_SB_FILTER_MASK1

Definition at line 1943 of file cpu1_platform_cfg.h.

```
39.4.1.292 CFE_SB_FILTER_MASK2
```

#define CFE_SB_FILTER_MASK2 CFE_PLATFORM_SB_FILTER_MASK2

Definition at line 1945 of file cpu1 platform cfg.h.

39.4.1.293 CFE_SB_FILTER_MASK3

#define CFE_SB_FILTER_MASK3 CFE_PLATFORM_SB_FILTER_MASK3

Definition at line 1947 of file cpu1_platform_cfg.h.

39.4.1.294 CFE_SB_FILTER_MASK4

#define CFE_SB_FILTER_MASK4 CFE_PLATFORM_SB_FILTER_MASK4

Definition at line 1949 of file cpu1_platform_cfg.h.

39.4.1.295 CFE_SB_FILTER_MASK5

#define CFE_SB_FILTER_MASK5 CFE_PLATFORM_SB_FILTER_MASK5

Definition at line 1951 of file cpu1_platform_cfg.h.

39.4.1.296 CFE_SB_FILTER_MASK6

#define CFE_SB_FILTER_MASK6 CFE_PLATFORM_SB_FILTER_MASK6

Definition at line 1953 of file cpu1_platform_cfg.h.

39.4.1.297 CFE_SB_FILTER_MASK7

#define CFE_SB_FILTER_MASK7 CFE_PLATFORM_SB_FILTER_MASK7

Definition at line 1955 of file cpu1_platform_cfg.h.

39.4.1.298 CFE_SB_FILTER_MASK8

#define CFE_SB_FILTER_MASK8 CFE_PLATFORM_SB_FILTER_MASK8

Definition at line 1957 of file cpu1 platform cfg.h.

39.4.1.299 CFE_SB_FILTERED_EVENT1

#define CFE_SB_FILTERED_EVENT1 CFE_PLATFORM_SB_FILTERED_EVENT1

Definition at line 1942 of file cpu1_platform_cfg.h.

39.4.1.300 CFE_SB_FILTERED_EVENT2

#define CFE_SB_FILTERED_EVENT2 CFE_PLATFORM_SB_FILTERED_EVENT2

Definition at line 1944 of file cpu1_platform_cfg.h.

39.4.1.301 CFE_SB_FILTERED_EVENT3

#define CFE_SB_FILTERED_EVENT3 CFE_PLATFORM_SB_FILTERED_EVENT3

Definition at line 1946 of file cpu1_platform_cfg.h.

39.4.1.302 CFE SB FILTERED EVENT4

#define CFE_SB_FILTERED_EVENT4 CFE_PLATFORM_SB_FILTERED_EVENT4

Definition at line 1948 of file cpu1_platform_cfg.h.

39.4.1.303 CFE_SB_FILTERED_EVENT5

#define CFE_SB_FILTERED_EVENT5 CFE_PLATFORM_SB_FILTERED_EVENT5

Definition at line 1950 of file cpu1_platform_cfg.h.

```
39.4.1.304 CFE_SB_FILTERED_EVENT6
```

#define CFE_SB_FILTERED_EVENT6 CFE_PLATFORM_SB_FILTERED_EVENT6

Definition at line 1952 of file cpu1 platform cfg.h.

39.4.1.305 CFE_SB_FILTERED_EVENT7

#define CFE_SB_FILTERED_EVENT7 CFE_PLATFORM_SB_FILTERED_EVENT7

Definition at line 1954 of file cpu1_platform_cfg.h.

39.4.1.306 CFE_SB_FILTERED_EVENT8

#define CFE_SB_FILTERED_EVENT8 CFE_PLATFORM_SB_FILTERED_EVENT8

Definition at line 1956 of file cpu1_platform_cfg.h.

39.4.1.307 CFE_SB_HIGHEST_VALID_MSGID

#define CFE_SB_HIGHEST_VALID_MSGID CFE_PLATFORM_SB_HIGHEST_VALID_MSGID

Definition at line 1938 of file cpu1_platform_cfg.h.

39.4.1.308 CFE SB MAX BLOCK SIZE

#define CFE_SB_MAX_BLOCK_SIZE CFE_PLATFORM_SB_MAX_BLOCK_SIZE

Definition at line 1974 of file cpu1_platform_cfg.h.

39.4.1.309 CFE_SB_MAX_DEST_PER_PKT

#define CFE_SB_MAX_DEST_PER_PKT CFE_PLATFORM_SB_MAX_DEST_PER_PKT

Definition at line 1934 of file cpu1_platform_cfg.h.

```
39.4.1.310 CFE_SB_MAX_MSG_IDS
```

#define CFE_SB_MAX_MSG_IDS CFE_PLATFORM_SB_MAX_MSG_IDS

Definition at line 1932 of file cpu1 platform cfg.h.

39.4.1.311 CFE SB MAX PIPE DEPTH

#define CFE_SB_MAX_PIPE_DEPTH CFE_PLATFORM_SB_MAX_PIPE_DEPTH

Definition at line 1937 of file cpu1_platform_cfg.h.

39.4.1.312 CFE_SB_MAX_PIPES

#define CFE_SB_MAX_PIPES CFE_PLATFORM_SB_MAX_PIPES

Definition at line 1933 of file cpu1_platform_cfg.h.

39.4.1.313 CFE_SB_MEM_BLOCK_SIZE_01

#define CFE_SB_MEM_BLOCK_SIZE_01 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01

Definition at line 1958 of file cpu1 platform cfg.h.

39.4.1.314 CFE_SB_MEM_BLOCK_SIZE_02

#define CFE_SB_MEM_BLOCK_SIZE_02 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02

Definition at line 1959 of file cpu1_platform_cfg.h.

39.4.1.315 CFE_SB_MEM_BLOCK_SIZE_03

#define CFE_SB_MEM_BLOCK_SIZE_03 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03

Definition at line 1960 of file cpu1_platform_cfg.h.

```
39.4.1.316 CFE_SB_MEM_BLOCK_SIZE_04
```

#define CFE_SB_MEM_BLOCK_SIZE_04 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04

Definition at line 1961 of file cpu1 platform cfg.h.

39.4.1.317 CFE SB MEM BLOCK SIZE 05

#define CFE_SB_MEM_BLOCK_SIZE_05 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05

Definition at line 1962 of file cpu1_platform_cfg.h.

39.4.1.318 CFE_SB_MEM_BLOCK_SIZE_06

#define CFE_SB_MEM_BLOCK_SIZE_06 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06

Definition at line 1963 of file cpu1_platform_cfg.h.

39.4.1.319 CFE_SB_MEM_BLOCK_SIZE_07

#define CFE_SB_MEM_BLOCK_SIZE_07 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07

Definition at line 1964 of file cpu1_platform_cfg.h.

39.4.1.320 CFE_SB_MEM_BLOCK_SIZE_08

#define CFE_SB_MEM_BLOCK_SIZE_08 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08

Definition at line 1965 of file cpu1_platform_cfg.h.

39.4.1.321 CFE_SB_MEM_BLOCK_SIZE_09

#define CFE_SB_MEM_BLOCK_SIZE_09 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09

Definition at line 1966 of file cpu1_platform_cfg.h.

```
39.4.1.322 CFE_SB_MEM_BLOCK_SIZE_10
#define CFE_SB_MEM_BLOCK_SIZE_10 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10
Definition at line 1967 of file cpu1 platform cfg.h.
39.4.1.323 CFE SB MEM BLOCK SIZE 11
#define CFE_SB_MEM_BLOCK_SIZE_11 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11
Definition at line 1968 of file cpu1_platform_cfg.h.
39.4.1.324 CFE_SB_MEM_BLOCK_SIZE_12
#define CFE_SB_MEM_BLOCK_SIZE_12 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12
Definition at line 1969 of file cpu1_platform_cfg.h.
39.4.1.325 CFE_SB_MEM_BLOCK_SIZE_13
#define CFE_SB_MEM_BLOCK_SIZE_13 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13
Definition at line 1970 of file cpu1 platform cfg.h.
39.4.1.326 CFE SB MEM BLOCK SIZE 14
#define CFE_SB_MEM_BLOCK_SIZE_14 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14
Definition at line 1971 of file cpu1 platform cfg.h.
39.4.1.327 CFE_SB_MEM_BLOCK_SIZE_15
#define CFE_SB_MEM_BLOCK_SIZE_15 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15
```

Definition at line 1972 of file cpu1_platform_cfg.h.

```
39.4.1.328 CFE_SB_MEM_BLOCK_SIZE_16
```

#define CFE_SB_MEM_BLOCK_SIZE_16 CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16

Definition at line 1973 of file cpu1 platform cfg.h.

39.4.1.329 CFE_SB_START_TASK_PRIORITY

#define CFE_SB_START_TASK_PRIORITY CFE_PLATFORM_SB_START_TASK_PRIORITY

Definition at line 2035 of file cpu1_platform_cfg.h.

39.4.1.330 CFE_SB_START_TASK_STACK_SIZE

#define CFE_SB_START_TASK_STACK_SIZE CFE_PLATFORM_SB_START_TASK_STACK_SIZE

Definition at line 2036 of file cpu1_platform_cfg.h.

39.4.1.331 CFE_TBL_BUF_MEMORY_BYTES

#define CFE_TBL_BUF_MEMORY_BYTES CFE_PLATFORM_TBL_BUF_MEMORY_BYTES

Definition at line 2092 of file cpu1_platform_cfg.h.

39.4.1.332 CFE_TBL_DEFAULT_REG_DUMP_FILE

#define CFE_TBL_DEFAULT_REG_DUMP_FILE CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE

Definition at line 2100 of file cpu1_platform_cfg.h.

39.4.1.333 CFE_TBL_MAX_CRITICAL_TABLES

#define CFE_TBL_MAX_CRITICAL_TABLES CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES

Definition at line 2096 of file cpu1_platform_cfg.h.

```
39.4.1.334 CFE_TBL_MAX_DBL_TABLE_SIZE
```

#define CFE_TBL_MAX_DBL_TABLE_SIZE CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE

Definition at line 2093 of file cpu1 platform cfg.h.

39.4.1.335 CFE_TBL_MAX_NUM_HANDLES

#define CFE_TBL_MAX_NUM_HANDLES CFE_PLATFORM_TBL_MAX_NUM_HANDLES

Definition at line 2097 of file cpu1 platform cfg.h.

39.4.1.336 CFE_TBL_MAX_NUM_TABLES

#define CFE_TBL_MAX_NUM_TABLES CFE_PLATFORM_TBL_MAX_NUM_TABLES

Definition at line 2095 of file cpu1_platform_cfg.h.

39.4.1.337 CFE_TBL_MAX_NUM_VALIDATIONS

#define CFE_TBL_MAX_NUM_VALIDATIONS CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS

Definition at line 2099 of file cpu1_platform_cfg.h.

39.4.1.338 CFE_TBL_MAX_SIMULTANEOUS_LOADS

 $\texttt{\#define CFE_TBL_MAX_SIMULTANEOUS_LOADS CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS}$

Definition at line 2098 of file cpu1_platform_cfg.h.

39.4.1.339 CFE_TBL_MAX_SNGL_TABLE_SIZE

#define CFE_TBL_MAX_SNGL_TABLE_SIZE CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE

Definition at line 2094 of file cpu1_platform_cfg.h.

```
39.4.1.340 CFE_TBL_START_TASK_PRIORITY
#define CFE_TBL_START_TASK_PRIORITY CFE_PLATFORM_TBL_START_TASK_PRIORITY
Definition at line 2045 of file cpu1 platform cfg.h.
39.4.1.341 CFE_TBL_START_TASK_STACK_SIZE
#define CFE_TBL_START_TASK_STACK_SIZE CFE_PLATFORM_TBL_START_TASK_STACK_SIZE
Definition at line 2046 of file cpu1_platform_cfg.h.
39.4.1.342 CFE_TBL_U32FROM4CHARS
#define CFE_TBL_U32FROM4CHARS CFE_PLATFORM_TBL_U32FROM4CHARS
Definition at line 2102 of file cpu1_platform_cfg.h.
39.4.1.343 CFE_TBL_VALID_PRID_1
#define CFE_TBL_VALID_PRID_1 CFE_PLATFORM_TBL_VALID_PRID_1
Definition at line 2106 of file cpu1 platform cfg.h.
39.4.1.344 CFE_TBL_VALID_PRID_2
#define CFE_TBL_VALID_PRID_2 CFE_PLATFORM_TBL_VALID_PRID_2
Definition at line 2107 of file cpu1_platform_cfg.h.
39.4.1.345 CFE_TBL_VALID_PRID_3
```

Generated by Doxygen

#define CFE_TBL_VALID_PRID_3 CFE_PLATFORM_TBL_VALID_PRID_3

Definition at line 2108 of file cpu1_platform_cfg.h.

```
39.4.1.346 CFE_TBL_VALID_PRID_4
#define CFE_TBL_VALID_PRID_4 CFE_PLATFORM_TBL_VALID_PRID_4
Definition at line 2109 of file cpu1 platform cfg.h.
39.4.1.347 CFE_TBL_VALID_PRID_COUNT
#define CFE_TBL_VALID_PRID_COUNT CFE_PLATFORM_TBL_VALID_PRID_COUNT
Definition at line 2105 of file cpu1_platform_cfg.h.
39.4.1.348 CFE_TBL_VALID_SCID_1
#define CFE_TBL_VALID_SCID_1 CFE_PLATFORM_TBL_VALID_SCID_1
Definition at line 2103 of file cpu1_platform_cfg.h.
39.4.1.349 CFE_TBL_VALID_SCID_2
#define CFE_TBL_VALID_SCID_2 CFE_PLATFORM_TBL_VALID_SCID_2
Definition at line 2104 of file cpu1 platform cfg.h.
39.4.1.350 CFE_TBL_VALID_SCID_COUNT
#define CFE_TBL_VALID_SCID_COUNT CFE_PLATFORM_TBL_VALID_SCID_COUNT
Definition at line 2101 of file cpu1 platform cfg.h.
39.4.1.351 CFE_TIME_1HZ_TASK_PRIORITY
#define CFE_TIME_1HZ_TASK_PRIORITY CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY
```

Definition at line 2041 of file cpu1_platform_cfg.h.

```
39.4.1.352 CFE_TIME_1HZ_TASK_STACK_SIZE
```

#define CFE_TIME_1HZ_TASK_STACK_SIZE CFE_PLATFORM_TIME_1HZ_TASK_STACK_SIZE

Definition at line 2044 of file cpu1 platform cfg.h.

39.4.1.353 CFE_TIME_CFG_CLIENT

#define CFE_TIME_CFG_CLIENT CFE_PLATFORM_TIME_CFG_CLIENT

Definition at line 1977 of file cpu1_platform_cfg.h.

39.4.1.354 CFE_TIME_CFG_LATCH_FLY

#define CFE_TIME_CFG_LATCH_FLY CFE_PLATFORM_TIME_CFG_LATCH_FLY

Definition at line 1990 of file cpu1_platform_cfg.h.

39.4.1.355 CFE_TIME_CFG_SERVER

#define CFE_TIME_CFG_SERVER CFE_PLATFORM_TIME_CFG_SERVER

Definition at line 1976 of file cpu1_platform_cfg.h.

39.4.1.356 CFE_TIME_CFG_SIGNAL

#define CFE_TIME_CFG_SIGNAL CFE_PLATFORM_TIME_CFG_SIGNAL

Definition at line 1979 of file cpu1_platform_cfg.h.

39.4.1.357 CFE_TIME_CFG_SOURCE

#define CFE_TIME_CFG_SOURCE CFE_PLATFORM_TIME_CFG_SOURCE

Definition at line 1980 of file cpu1_platform_cfg.h.

```
39.4.1.358 CFE_TIME_CFG_SRC_GPS
#define CFE_TIME_CFG_SRC_GPS CFE_PLATFORM_TIME_CFG_SRC_GPS
Definition at line 1982 of file cpu1 platform cfg.h.
39.4.1.359 CFE_TIME_CFG_SRC_MET
#define CFE_TIME_CFG_SRC_MET CFE_PLATFORM_TIME_CFG_SRC_MET
Definition at line 1981 of file cpu1_platform_cfg.h.
39.4.1.360 CFE_TIME_CFG_SRC_TIME
#define CFE_TIME_CFG_SRC_TIME CFE_PLATFORM_TIME_CFG_SRC_TIME
Definition at line 1983 of file cpu1_platform_cfg.h.
39.4.1.361 CFE_TIME_CFG_START_FLY
#define CFE_TIME_CFG_START_FLY CFE_PLATFORM_TIME_CFG_START_FLY
Definition at line 1989 of file cpu1 platform cfg.h.
39.4.1.362 CFE_TIME_CFG_TONE_LIMIT
#define CFE_TIME_CFG_TONE_LIMIT CFE_PLATFORM_TIME_CFG_TONE_LIMIT
Definition at line 1988 of file cpu1 platform cfg.h.
39.4.1.363 CFE_TIME_CFG_VIRTUAL
```

#define CFE_TIME_CFG_VIRTUAL CFE_PLATFORM_TIME_CFG_VIRTUAL

Definition at line 1978 of file cpu1_platform_cfg.h.

Generated by Doxygen

39.4.1.364 CFE_TIME_ENA_1HZ_CMD_PKT

#define CFE_TIME_ENA_1HZ_CMD_PKT true

Definition at line 2119 of file cpu1_platform_cfg.h.

39.4.1.365 CFE_TIME_MAX_DELTA_SECS

#define CFE_TIME_MAX_DELTA_SECS CFE_PLATFORM_TIME_MAX_DELTA_SECS

Definition at line 1984 of file cpu1_platform_cfg.h.

39.4.1.366 CFE_TIME_MAX_DELTA_SUBS

#define CFE_TIME_MAX_DELTA_SUBS CFE_PLATFORM_TIME_MAX_DELTA_SUBS

Definition at line 1985 of file cpu1_platform_cfg.h.

39.4.1.367 CFE_TIME_MAX_LOCAL_SECS

#define CFE_TIME_MAX_LOCAL_SECS CFE_PLATFORM_TIME_MAX_LOCAL_SECS

Definition at line 1986 of file cpu1_platform_cfg.h.

39.4.1.368 CFE_TIME_MAX_LOCAL_SUBS

#define CFE_TIME_MAX_LOCAL_SUBS CFE_PLATFORM_TIME_MAX_LOCAL_SUBS

Definition at line 1987 of file cpu1_platform_cfg.h.

39.4.1.369 CFE_TIME_START_TASK_PRIORITY

#define CFE_TIME_START_TASK_PRIORITY CFE_PLATFORM_TIME_START_TASK_PRIORITY

Definition at line 2039 of file cpu1_platform_cfg.h.

39.4.1.370 CFE_TIME_START_TASK_STACK_SIZE

#define CFE_TIME_START_TASK_STACK_SIZE CFE_PLATFORM_TIME_START_TASK_STACK_SIZE

Definition at line 2042 of file cpu1 platform cfg.h.

39.4.1.371 CFE_TIME_TONE_TASK_PRIORITY

#define CFE_TIME_TONE_TASK_PRIORITY CFE_PLATFORM_TIME_TONE_TASK_PRIORITY

Definition at line 2040 of file cpu1 platform cfg.h.

39.4.1.372 CFE TIME TONE TASK STACK SIZE

#define CFE_TIME_TONE_TASK_STACK_SIZE CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE

Definition at line 2043 of file cpu1_platform_cfg.h.

39.5 sample mission cfg.h File Reference

Macros

- #define CFE MISSION SPACECRAFT ID 0x42
- #define CFE MISSION SB PACKET TIME FORMAT CFE MISSION SB TIME 32 16 SUBS
- #define CFE_MISSION_SB_MAX_SB_MSG_SIZE 32768
- #define CFE_MISSION_TIME_CFG_DEFAULT_TAI true
- #define CFE MISSION TIME CFG DEFAULT UTC false
- #define CFE_MISSION_TIME_CFG_FAKE_TONE true
- #define CFE_MISSION_TIME_AT_TONE_WAS true
- #define CFE_MISSION_TIME_AT_TONE_WILL_BE false
- #define CFE_MISSION_TIME_MIN_ELAPSED 0
- #define CFE MISSION TIME MAX ELAPSED 200000
- #define CFE_MISSION_TIME_DEF_MET_SECS 1000
- #define CFE_MISSION_TIME_DEF_MET_SUBS 0
- #define CFE MISSION TIME DEF STCF SECS 1000000
- #define CFE_MISSION_TIME_DEF_STCF_SUBS 0
- #define CFE_MISSION_TIME_DEF_LEAPS 32
- #define CFE MISSION TIME DEF DELAY SECS 0
- #define CFE MISSION TIME DEF DELAY SUBS 1000
- #define CFE_MISSION_TIME_EPOCH_YEAR 1980
- #define CFE MISSION TIME EPOCH DAY 1
- #define CFE_MISSION_TIME_EPOCH_HOUR 0
- #define CFE_MISSION_TIME_EPOCH_MINUTE 0
- #define CFE MISSION TIME EPOCH SECOND 0
- #define CFE_MISSION_TIME_FS_FACTOR 789004800

- #define CFE_MISSION_ES_CDS_MAX_NAME_LENGTH 16
- #define CFE MISSION EVS MAX MESSAGE LENGTH 122
- #define CFE_MISSION_ES_DEFAULT_CRC CFE_MISSION_ES_CRC_16
- #define CFE_MISSION_TBL_MAX_NAME_LENGTH 16
- #define CFE MISSION CMD MID BASE1 0x1800
- #define CFE MISSION TLM MID BASE1 0x0800
- #define CFE MISSION CMD APPID BASE1 1
- #define CFE MISSION TLM APPID BASE1 0
- #define CFE_MISSION_CMD_MID_BASE_GLOB 0x1860
- #define CFE_MISSION_TLM_MID_BASE_GLOB 0x0860
- #define CFE MISSION EVS CMD MSG 1
- #define CFE MISSION SB CMD MSG 3
- #define CFE_MISSION_TBL_CMD_MSG 4
- #define CFE MISSION TIME CMD MSG 5
- #define CFE MISSION ES CMD MSG 6
- #define CFE MISSION ES SEND HK MSG 8
- #define CFE_MISSION_EVS_SEND_HK_MSG 9
- #define CFE_MISSION_SB_SEND_HK_MSG 11
- #define CFE_MISSION_TBL_SEND_HK_MSG 12
- #define CFE_MISSION_TIME_SEND_HK_MSG 13
- #define CFE_MISSION_TIME_TONE_CMD_MSG 16
- #define CFE_MISSION_TIME_1HZ_CMD_MSG 17
- #define CFE MISSION TIME DATA CMD MSG 0
- #define CFE_MISSION_TIME_SEND_CMD_MSG 2
- #define CFE MISSION ES HK TLM MSG 0
- #define CFE MISSION EVS HK TLM MSG 1
- #define CFE MISSION SB HK TLM MSG 3
- #define CFE_MISSION_TBL_HK_TLM_MSG 4
- #define CFE_MISSION_TIME_HK_TLM_MSG 5
- #define CFE_MISSION_TIME_DIAG_TLM_MSG 6
- #define CFE MISSION EVS LONG EVENT MSG MSG 8
- #define CFE_MISSION_EVS_SHORT_EVENT_MSG_MSG 9
- #define CFE_MISSION_SB_STATS_TLM_MSG 10
- #define CFE MISSION_ES_APP_TLM_MSG 11
- #define CFE_MISSION_TBL_REG_TLM_MSG 12
- #define CFE_MISSION_SB_ALLSUBS_TLM_MSG 13
- #define CFE_MISSION_SB_ONESUB_TLM_MSG 14
- #define CFE_MISSION_ES_SHELL_TLM_MSG 15
- #define CFE_MISSION_ES_MEMSTATS_TLM_MSG 16
- #define CFE MISSION ES MAX APPLICATIONS 16
- #define CFE MISSION ES MAX SHELL CMD 64
- #define CFE_MISSION_ES_MAX_SHELL_PKT 64
- #define CFE MISSION ES PERF MAX IDS 128
- #define CFE_MISSION_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX_NAME_LENGTH + CFE_
 — MISSION_MAX_API_LEN + 4)
- #define CFE MISSION SB MAX PIPES 64
- #define CFE_MISSION_MAX_PATH_LEN 64
- #define CFE MISSION MAX FILE LEN 20
- #define CFE MISSION MAX API LEN 20

- #define CFE_SPACECRAFT_ID CFE_MISSION_SPACECRAFT_ID
- #define CFE SB TIME 32 16 SUBS CFE MISSION SB TIME 32 16 SUBS
- #define CFE_SB_TIME_32_32_SUBS CFE_MISSION_SB_TIME_32_32_SUBS
- #define CFE SB TIME 32 32 M 20 CFE MISSION SB TIME 32 32 M 20
- #define CFE SB PACKET TIME FORMAT CFE MISSION SB PACKET TIME FORMAT
- #define CFE_SB_MAX_SB_MSG_SIZE CFE_MISSION_SB_MAX_SB_MSG_SIZE
- #define CFE_TIME_CFG_DEFAULT_TAI CFE_MISSION_TIME_CFG_DEFAULT_TAI
- #define CFE TIME CFG DEFAULT UTC CFE MISSION TIME CFG DEFAULT UTC
- #define CFE TIME CFG FAKE TONE CFE MISSION TIME CFG FAKE TONE
- #define CFE TIME AT TONE WAS CFE MISSION TIME AT TONE WAS
- #define CFE_TIME_AT_TONE_WILL_BE CFE_MISSION_TIME_AT_TONE_WILL_BE
- #define CFE TIME MIN ELAPSED CFE MISSION TIME MIN ELAPSED
- #define CFE_TIME_MAX_ELAPSED CFE_MISSION_TIME_MAX_ELAPSED
- · #define CFE TIME DEF MET SECS CFE MISSION TIME DEF MET SECS
- #define CFE_TIME_DEF_MET_SUBS CFE_MISSION_TIME_DEF_MET_SUBS
- #define CFE_TIME_DEF_STCF_SECS CFE_MISSION_TIME_DEF_STCF_SECS
- · #define CFE TIME DEF STCF SUBS CFE MISSION TIME DEF STCF SUBS
- #define CFE TIME DEF LEAPS CFE MISSION TIME DEF LEAPS
- #define CFE_TIME_DEF_DELAY_SECS CFE_MISSION_TIME_DEF_DELAY_SECS
- #define CFE TIME DEF DELAY SUBS CFE MISSION TIME DEF DELAY SUBS
- #define CFE TIME EPOCH YEAR CFE MISSION TIME EPOCH YEAR
- #define CFE_TIME_EPOCH_DAY CFE_MISSION_TIME_EPOCH_DAY
- #define CFE TIME EPOCH HOUR CFE MISSION TIME EPOCH HOUR
- #define CFE TIME EPOCH MINUTE CFE MISSION TIME EPOCH MINUTE
- · #define CFE TIME EPOCH SECOND CFE MISSION TIME EPOCH SECOND
- #define CFE_TIME_FS_FACTOR CFE_MISSION_TIME_FS_FACTOR
- #define CFE_ES_CDS_MAX_NAME_LENGTH CFE_MISSION_ES_CDS_MAX_NAME_LENGTH
- #define CFE_EVS_MAX_MESSAGE_LENGTH CFE_MISSION_EVS_MAX_MESSAGE_LENGTH
- #define CFE ES CRC 8 CFE MISSION ES CRC 8
- #define CFE ES CRC 16 CFE MISSION ES CRC 16
- #define CFE ES CRC 32 CFE MISSION ES CRC 32
- #define CFE ES DEFAULT CRC CFE MISSION ES DEFAULT CRC
- #define CFE TBL MAX NAME LENGTH CFE MISSION TBL MAX NAME LENGTH
- #define CFE_CMD_MID_BASE_CPU1 CFE_MISSION_CMD_MID_BASE_CPU1
- #define CFE TLM MID BASE CPU1 CFE MISSION TLM MID BASE CPU1
- #define CFE_CMD_APPID_BASE_CPU1 CFE_MISSION_CMD_APPID_BASE_CPU1
- #define CFE TLM APPID BASE CPU1 CFE MISSION TLM APPID BASE CPU1
- #define CFE CMD MID BASE CPU2 CFE MISSION CMD MID BASE CPU2
- #define CFE TLM MID BASE CPU2 CFE MISSION TLM MID BASE CPU2
- #define CFE CMD APPID BASE CPU2 CFE MISSION CMD APPID BASE CPU2
- #define CFE TLM APPID BASE CPU2 CFE MISSION TLM APPID BASE CPU2
- #define CFE_CMD_MID_BASE_CPU3 CFE_MISSION_CMD_MID_BASE_CPU3
- #define CFE_TLM_MID_BASE_CPU3 CFE_MISSION_TLM_MID_BASE_CPU3
- #define CFE CMD APPID BASE CPU3 CFE MISSION CMD APPID BASE CPU3
- #define CFE TLM APPID BASE CPU3 CFE MISSION TLM APPID BASE CPU3
- #define CFE_CMD_MID_BASE_GLOB CFE_MISSION_CMD_MID_BASE_GLOB
- #define CFE TLM MID BASE GLOB CFE MISSION TLM MID BASE GLOB
- #define CFE EVS CMD MSG CFE MISSION EVS CMD MSG
- #define CFE_SB_CMD_MSG CFE_MISSION_SB_CMD_MSG
- #define CFE TBL CMD MSG CFE MISSION TBL CMD MSG
- #define CFE TIME CMD MSG CFE MISSION TIME CMD MSG

- #define CFE_ES_CMD_MSG CFE_MISSION_ES_CMD_MSG
- #define CFE_ES_SEND_HK_MSG CFE_MISSION_ES_SEND_HK_MSG
- #define CFE_EVS_SEND_HK_MSG CFE_MISSION_EVS_SEND_HK_MSG
- #define CFE SB SEND HK MSG CFE MISSION SB SEND HK MSG
- #define CFE TBL SEND HK MSG CFE MISSION TBL SEND HK MSG
- #define CFE_TIME_SEND_HK_MSG CFE_MISSION_TIME_SEND_HK_MSG
- #define CFE_TIME_TONE_CMD_MSG CFE_MISSION_TIME_TONE_CMD_MSG
- #define CFE_TIME_1HZ_CMD_MSG CFE_MISSION_TIME_1HZ_CMD_MSG
- #define CFE_TIME_DATA_CMD_MSG CFE_MISSION_TIME_DATA_CMD_MSG
- #define CFE TIME SEND CMD MSG CFE MISSION TIME SEND CMD MSG
- · #define CFE ES HK TLM MSG CFE MISSION ES HK TLM MSG
- #define CFE_EVS_HK_TLM_MSG CFE_MISSION_EVS_HK_TLM_MSG
- #define CFE_SB_HK_TLM_MSG CFE_MISSION_SB_HK_TLM_MSG
- #define CFE TBL HK TLM MSG CFE MISSION TBL HK TLM MSG
- #define CFE TIME HK TLM MSG CFE MISSION TIME HK TLM MSG
- #define CFE TIME DIAG TLM MSG CFE MISSION TIME DIAG TLM MSG
- #define CFE EVS EVENT MSG MSG CFE MISSION EVS LONG EVENT MSG MSG
- #define CFE_SB_STATS_TLM_MSG CFE_MISSION_SB_STATS_TLM_MSG
- #define CFE_ES_APP_TLM_MSG CFE_MISSION_ES_APP_TLM_MSG
- #define CFE TBL REG TLM MSG CFE MISSION TBL REG TLM MSG
- #define CFE SB ALLSUBS TLM MSG CFE MISSION SB ALLSUBS TLM MSG
- #define CFE SB ONESUB TLM MSG CFE MISSION SB ONESUB TLM MSG
- #define CFE_ES_SHELL_TLM_MSG CFE_MISSION_ES_SHELL_TLM_MSG
- #define CFE_ES_MEMSTATS_TLM_MSG CFE_MISSION_ES_MEMSTATS_TLM_MSG

Packet timestamp format identifiers

Purpose cFE SB message format

Description:

Dictates the message format used by the cFE.

Limits

All versions of the cFE currently support only CCSDS as the message format Defining MESSAGE_FORMAT_← IS_CCSDS_VER_2 implements the APID extended header format MESSAGE_FORMAT_IS_CCSDS_VER_2 is optional

- #define CFE_MISSION_SB_TIME_32_16_SUBS 1
 - 32 bits seconds + 16 bits subseconds (units = $2^{\wedge \wedge}$ -16)
- #define CFE_MISSION_SB_TIME_32_32_SUBS 2
 - 32 bits seconds + 32 bits subseconds (units = $2^{\land \land}$ -32)
- #define CFE_MISSION_SB_TIME_32_32_M_20 3

32 bits seconds + 20 bits microsecs + 12 bits reserved

Checksum/CRC algorithm identifiers

- #define CFE_MISSION_ES_CRC_8 1
 - CRC (8 bit additive returns 32 bit total) (Currently not implemented)
- #define CFE_MISSION_ES_CRC_16 2
 - CRC (16 bit additive returns 32 bit total)
- #define CFE MISSION ES CRC 32 3

CRC (32 bit additive - returns 32 bit total) (Currently not implemented)

39.5.1 Macro Definition Documentation

39.5.1.1 CFE_CMD_APPID_BASE_CPU1

#define CFE_CMD_APPID_BASE_CPU1 CFE_MISSION_CMD_APPID_BASE_CPU1

Definition at line 734 of file sample_mission_cfg.h.

39.5.1.2 CFE_CMD_APPID_BASE_CPU2

#define CFE_CMD_APPID_BASE_CPU2 CFE_MISSION_CMD_APPID_BASE_CPU2

Definition at line 738 of file sample_mission_cfg.h.

39.5.1.3 CFE_CMD_APPID_BASE_CPU3

#define CFE_CMD_APPID_BASE_CPU3 CFE_MISSION_CMD_APPID_BASE_CPU3

Definition at line 742 of file sample_mission_cfg.h.

39.5.1.4 CFE_CMD_MID_BASE_CPU1

#define CFE_CMD_MID_BASE_CPU1 CFE_MISSION_CMD_MID_BASE_CPU1

Definition at line 732 of file sample_mission_cfg.h.

39.5.1.5 CFE_CMD_MID_BASE_CPU2

#define CFE_CMD_MID_BASE_CPU2 CFE_MISSION_CMD_MID_BASE_CPU2

Definition at line 736 of file sample_mission_cfg.h.

39.5.1.6 CFE_CMD_MID_BASE_CPU3

#define CFE_CMD_MID_BASE_CPU3 CFE_MISSION_CMD_MID_BASE_CPU3

Definition at line 740 of file sample_mission_cfg.h.

```
39.5.1.7 CFE_CMD_MID_BASE_GLOB
```

```
#define CFE_CMD_MID_BASE_GLOB CFE_MISSION_CMD_MID_BASE_GLOB
```

Definition at line 744 of file sample mission cfg.h.

```
39.5.1.8 CFE_ES_APP_TLM_MSG
```

```
#define CFE_ES_APP_TLM_MSG CFE_MISSION_ES_APP_TLM_MSG
```

Definition at line 768 of file sample_mission_cfg.h.

39.5.1.9 CFE_ES_CDS_MAX_NAME_LENGTH

```
#define CFE_ES_CDS_MAX_NAME_LENGTH CFE_MISSION_ES_CDS_MAX_NAME_LENGTH
```

Definition at line 725 of file sample_mission_cfg.h.

```
39.5.1.10 CFE_ES_CMD_MSG
```

```
#define CFE_ES_CMD_MSG CFE_MISSION_ES_CMD_MSG
```

Definition at line 750 of file sample mission cfg.h.

```
39.5.1.11 CFE_ES_CRC_16
```

```
#define CFE_ES_CRC_16 CFE_MISSION_ES_CRC_16
```

Definition at line 728 of file sample_mission_cfg.h.

39.5.1.12 CFE_ES_CRC_32

```
#define CFE_ES_CRC_32 CFE_MISSION_ES_CRC_32
```

Definition at line 729 of file sample_mission_cfg.h.

```
39.5.1.13 CFE_ES_CRC_8
```

```
#define CFE_ES_CRC_8 CFE_MISSION_ES_CRC_8
```

Definition at line 727 of file sample mission cfg.h.

```
39.5.1.14 CFE ES DEFAULT CRC
```

```
#define CFE_ES_DEFAULT_CRC CFE_MISSION_ES_DEFAULT_CRC
```

Definition at line 730 of file sample_mission_cfg.h.

```
39.5.1.15 CFE_ES_HK_TLM_MSG
```

```
#define CFE_ES_HK_TLM_MSG CFE_MISSION_ES_HK_TLM_MSG
```

Definition at line 760 of file sample_mission_cfg.h.

39.5.1.16 CFE_ES_MEMSTATS_TLM_MSG

```
#define CFE_ES_MEMSTATS_TLM_MSG CFE_MISSION_ES_MEMSTATS_TLM_MSG
```

Definition at line 773 of file sample mission cfg.h.

39.5.1.17 CFE_ES_SEND_HK_MSG

```
#define CFE_ES_SEND_HK_MSG CFE_MISSION_ES_SEND_HK_MSG
```

Definition at line 751 of file sample_mission_cfg.h.

39.5.1.18 CFE_ES_SHELL_TLM_MSG

#define CFE_ES_SHELL_TLM_MSG CFE_MISSION_ES_SHELL_TLM_MSG

Definition at line 772 of file sample_mission_cfg.h.

```
39.5.1.19 CFE_EVS_CMD_MSG
```

```
#define CFE_EVS_CMD_MSG CFE_MISSION_EVS_CMD_MSG
```

Definition at line 746 of file sample mission cfg.h.

```
39.5.1.20 CFE_EVS_EVENT_MSG_MSG
```

```
#define CFE_EVS_EVENT_MSG_MSG CFE_MISSION_EVS_LONG_EVENT_MSG_MSG
```

Definition at line 766 of file sample_mission_cfg.h.

```
39.5.1.21 CFE_EVS_HK_TLM_MSG
```

```
#define CFE_EVS_HK_TLM_MSG CFE_MISSION_EVS_HK_TLM_MSG
```

Definition at line 761 of file sample_mission_cfg.h.

39.5.1.22 CFE_EVS_MAX_MESSAGE_LENGTH

```
#define CFE_EVS_MAX_MESSAGE_LENGTH CFE_MISSION_EVS_MAX_MESSAGE_LENGTH
```

Definition at line 726 of file sample_mission_cfg.h.

39.5.1.23 CFE EVS SEND HK MSG

```
#define CFE_EVS_SEND_HK_MSG CFE_MISSION_EVS_SEND_HK_MSG
```

Definition at line 752 of file sample_mission_cfg.h.

39.5.1.24 CFE_MISSION_CMD_APPID_BASE1

```
#define CFE_MISSION_CMD_APPID_BASE1 1
```

Definition at line 387 of file sample_mission_cfg.h.

39.5.1.25 CFE_MISSION_CMD_MID_BASE1

#define CFE_MISSION_CMD_MID_BASE1 0x1800

Purpose cFE Message ID Base Numbers

Description:

Message Id base numbers for the cFE messages These will now differ in format when using CCSDS version 2 as they will no longer include the Secondary Header Flag and CCSDS version bits.

NOTES: cFE Msglds are the sum of the base numbers and the portable msg numbers.

For MESSAGE_FORMAT_IS_CCSDS_VER_2 These base Msglds values are dependent on the values returned by the following SB Macros to form a 16 bit message ID (default macro definitions are in cfe_sb_msg_id_utils.h, default values below are representative of default macro definitions): CFE_SB_CMD_MESSAGE_TYPE, CFE_SB_RD_APID_FR OM MSGID CFE_SB_RD_SUBSYS_ID_FROM_MSGID and CFE_SB_RD_TYPE_FROM_MSGID

Limits

Must be less than CFE_PLATFORM_SB_HIGHEST_VALID_MSGID

Definition at line 380 of file sample mission cfg.h.

39.5.1.26 CFE_MISSION_CMD_MID_BASE_GLOB

#define CFE_MISSION_CMD_MID_BASE_GLOB 0x1860

Definition at line 391 of file sample mission cfg.h.

39.5.1.27 CFE_MISSION_ES_APP_TLM_MSG

#define CFE_MISSION_ES_APP_TLM_MSG 11

Definition at line 466 of file sample mission cfg.h.

39.5.1.28 CFE_MISSION_ES_CDS_MAX_NAME_LEN

#define CFE_MISSION_ES_CDS_MAX_NAME_LEN (CFE_MISSION_ES_CDS_MAX_NAME_LENGTH + CFE_MISSION_MAX_AP ← I_LEN + 4)

Purpose Maximum Length of Full CDS Name in messages

Description:

Indicates the maximum length (in characters) of the entire CDS name of the following form: "ApplicationName.C← DSName"

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 681 of file sample_mission_cfg.h.

39.5.1.29 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH

#define CFE_MISSION_ES_CDS_MAX_NAME_LENGTH 16

Purpose Maximum Length of CDS Name

Description:

Indicates the maximum length (in characters) of the CDS name ('CDSName') portion of a Full CDS Name of the following form: "ApplicationName.CDSName"

Limits

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 305 of file sample mission cfg.h.

```
39.5.1.30 CFE_MISSION_ES_CMD_MSG
 #define CFE_MISSION_ES_CMD_MSG 6
 Definition at line 416 of file sample mission cfg.h.
 39.5.1.31 CFE_MISSION_ES_CRC_16
 #define CFE_MISSION_ES_CRC_16 2
 CRC (16 bit additive - returns 32 bit total)
 Definition at line 325 of file sample mission cfg.h.
 39.5.1.32 CFE_MISSION_ES_CRC_32
 #define CFE_MISSION_ES_CRC_32 3
 CRC (32 bit additive - returns 32 bit total) (Currently not implemented)
 Definition at line 326 of file sample_mission_cfg.h.
 39.5.1.33 CFE_MISSION_ES_CRC_8
 #define CFE_MISSION_ES_CRC_8 1
 CRC (8 bit additive - returns 32 bit total) (Currently not implemented)
 Definition at line 324 of file sample_mission_cfg.h.
 39.5.1.34 CFE_MISSION_ES_DEFAULT_CRC
 #define CFE_MISSION_ES_DEFAULT_CRC CFE_MISSION_ES_CRC_16
 Purpose Mission Default CRC algorithm
Description:
     Indicates the which CRC algorithm should be used as the default for verifying the contents of Critical Data Stores
     and when calculating Table Image data integrity values.
Limits
     Currently only CFE_MISSION_ES_CRC_16 is supported (see CFE_MISSION_ES_CRC_16)
```

Definition at line 340 of file sample mission cfg.h.

39.5.1.35 CFE_MISSION_ES_HK_TLM_MSG

#define CFE_MISSION_ES_HK_TLM_MSG 0

Purpose cFE Portable Message Numbers for Telemetry

Description:

Portable message numbers for the cFE telemetry messages NOTE: cFE Msglds are the sum of the base numbers and the portable msg numbers.

Limits

Not Applicable

Definition at line 455 of file sample_mission_cfg.h.

39.5.1.36 CFE_MISSION_ES_MAX_APPLICATIONS

#define CFE_MISSION_ES_MAX_APPLICATIONS 16

Purpose Mission Max Apps in a message

Description:

Indicates the maximum number of apps in a telemetry housekeeping message

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 487 of file sample_mission_cfg.h.

39.5.1.37 CFE_MISSION_ES_MAX_SHELL_CMD

```
#define CFE_MISSION_ES_MAX_SHELL_CMD 64
```

Purpose Define Max Shell Command Size for messages

Description:

Defines the maximum size in characters of the shell command.

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 507 of file sample mission cfg.h.

39.5.1.38 CFE_MISSION_ES_MAX_SHELL_PKT

```
#define CFE_MISSION_ES_MAX_SHELL_PKT 64
```

Purpose Define Shell Command Telemetry Pkt Segment Size for messages

Description:

Defines the size of the shell command tlm packet segments. The shell command output size is dependant on the shell command itself. If the shell output size is greater than the size of the packet defined here, the fsw will generate a series of tlm packets (of the size defined here) that can be reconstructed by the ground system.

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 532 of file sample_mission_cfg.h.

39.5.1.39 CFE_MISSION_ES_MEMSTATS_TLM_MSG

#define CFE_MISSION_ES_MEMSTATS_TLM_MSG 16

Definition at line 471 of file sample_mission_cfg.h.

39.5.1.40 CFE_MISSION_ES_PERF_MAX_IDS

#define CFE_MISSION_ES_PERF_MAX_IDS 128

Purpose Define Max Number of Performance IDs for messages

Description:

Defines the maximum number of perf ids allowed in command/telemetry messages

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 549 of file sample_mission_cfg.h.

39.5.1.41 CFE_MISSION_ES_SEND_HK_MSG

#define CFE_MISSION_ES_SEND_HK_MSG 8

Definition at line 418 of file sample_mission_cfg.h.

39.5.1.42 CFE_MISSION_ES_SHELL_TLM_MSG

#define CFE_MISSION_ES_SHELL_TLM_MSG 15

Definition at line 470 of file sample_mission_cfg.h.

39.5.1.43 CFE_MISSION_EVS_CMD_MSG

```
#define CFE_MISSION_EVS_CMD_MSG 1
```

Purpose cFE Portable Message Numbers for Commands

Description:

Portable message numbers for the cFE command messages NOTE: cFE Msglds are the sum of the base numbers and the portable msg numbers.

Limits

Not Applicable

Definition at line 411 of file sample mission cfg.h.

39.5.1.44 CFE_MISSION_EVS_HK_TLM_MSG

```
#define CFE_MISSION_EVS_HK_TLM_MSG 1
```

Definition at line 456 of file sample_mission_cfg.h.

39.5.1.45 CFE_MISSION_EVS_LONG_EVENT_MSG_MSG

```
#define CFE_MISSION_EVS_LONG_EVENT_MSG_MSG 8
```

Definition at line 463 of file sample_mission_cfg.h.

39.5.1.46 CFE_MISSION_EVS_MAX_MESSAGE_LENGTH

```
#define CFE_MISSION_EVS_MAX_MESSAGE_LENGTH 122
```

Purpose Maximum Event Message Length

Description:

Indicates the maximum length (in characters) of the formatted text string portion of an event message

Limits

Not Applicable

Definition at line 319 of file sample_mission_cfg.h.

39.5.1.47 CFE_MISSION_EVS_SEND_HK_MSG

```
#define CFE_MISSION_EVS_SEND_HK_MSG 9
```

Definition at line 419 of file sample_mission_cfg.h.

39.5.1.48 CFE_MISSION_EVS_SHORT_EVENT_MSG_MSG

```
#define CFE_MISSION_EVS_SHORT_EVENT_MSG_MSG 9
```

Definition at line 464 of file sample_mission_cfg.h.

39.5.1.49 CFE_MISSION_MAX_API_LEN

#define CFE_MISSION_MAX_API_LEN 20

Purpose cFE Maximum length for API names within data exchange structures

Description:

The value of this constant dictates the size of filenames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_API_LEN but that is OSAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_API_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS_MAX_API_LEN value.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 661 of file sample mission cfg.h.

39.5.1.50 CFE_MISSION_MAX_FILE_LEN

```
#define CFE_MISSION_MAX_FILE_LEN 20
```

Purpose cFE Maximum length for filenames within data exchange structures

Description:

The value of this constant dictates the size of filenames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_FILE_LEN but that is O← SAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_FILE_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS_MAX_FILE_LEN value.

Limits

All CPUs within the same SB domain (mission) and ground tools must share the same definition. Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 637 of file sample mission cfg.h.

39.5.1.51 CFE MISSION MAX PATH LEN

```
#define CFE_MISSION_MAX_PATH_LEN 64
```

Purpose cFE Maximum length for pathnames within data exchange structures

Description:

The value of this constant dictates the size of pathnames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS_MAX_PATH_LEN but that is OSAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS_MAX_PATH_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS MAX PATH LEN value.

Limits

All CPUs within the same SB domain (mission) and ground tools must share the same definition. Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 612 of file sample_mission_cfg.h.

39.5.1.52 CFE_MISSION_SB_ALLSUBS_TLM_MSG

#define CFE_MISSION_SB_ALLSUBS_TLM_MSG 13

Definition at line 468 of file sample_mission_cfg.h.

39.5.1.53 CFE_MISSION_SB_CMD_MSG

#define CFE_MISSION_SB_CMD_MSG 3

Definition at line 413 of file sample_mission_cfg.h.

39.5.1.54 CFE_MISSION_SB_HK_TLM_MSG

#define CFE_MISSION_SB_HK_TLM_MSG 3

Definition at line 458 of file sample_mission_cfg.h.

39.5.1.55 CFE MISSION SB MAX PIPES

#define CFE_MISSION_SB_MAX_PIPES 64

Purpose Maximum Number of pipes that SB command/telemetry messages may hold

Description:

Dictates the maximum number of unique Pipes the SB message defintions will hold.

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 586 of file sample_mission_cfg.h.

39.5.1.56 CFE_MISSION_SB_MAX_SB_MSG_SIZE

```
#define CFE_MISSION_SB_MAX_SB_MSG_SIZE 32768
```

Purpose Maximum SB Message Size

Description:

The following definition dictates the maximum message size allowed on the software bus. SB checks the pkt length field in the header of all messages sent. If the pkt length field indicates the message is larger than this define, SB sends an event and rejects the send.

Limits

This parameter has a lower limit of 6 (CCSDS primary header size). There are no restrictions on the upper limit however, the maximum message size is system dependent and should be verified. Total message size values that are checked against this configuration are defined by a 16 bit data word.

Definition at line 106 of file sample_mission_cfg.h.

39.5.1.57 CFE_MISSION_SB_ONESUB_TLM_MSG

```
#define CFE_MISSION_SB_ONESUB_TLM_MSG 14
```

Definition at line 469 of file sample mission cfg.h.

39.5.1.58 CFE_MISSION_SB_PACKET_TIME_FORMAT

```
#define CFE_MISSION_SB_PACKET_TIME_FORMAT CFE_MISSION_SB_TIME_32_16_SUBS
```

Purpose Packet Timestamp Format Selection

Description:

Defines the size, format and contents of the telemetry packet timestamp.

Limits

Must be defined as one of the supported formats listed above

Definition at line 87 of file sample_mission_cfg.h.

```
39.5.1.59 CFE_MISSION_SB_SEND_HK_MSG
```

```
#define CFE_MISSION_SB_SEND_HK_MSG 11
```

Definition at line 421 of file sample mission cfg.h.

39.5.1.60 CFE_MISSION_SB_STATS_TLM_MSG

```
#define CFE_MISSION_SB_STATS_TLM_MSG 10
```

Definition at line 465 of file sample_mission_cfg.h.

39.5.1.61 CFE_MISSION_SB_TIME_32_16_SUBS

```
#define CFE_MISSION_SB_TIME_32_16_SUBS 1
```

32 bits seconds + 16 bits subseconds (units = $2^{\land \land}$ -16)

Definition at line 73 of file sample_mission_cfg.h.

39.5.1.62 CFE_MISSION_SB_TIME_32_32_M_20

```
#define CFE_MISSION_SB_TIME_32_32_M_20 3
```

32 bits seconds + 20 bits microsecs + 12 bits reserved

Definition at line 75 of file sample mission cfg.h.

39.5.1.63 CFE_MISSION_SB_TIME_32_32_SUBS

```
#define CFE_MISSION_SB_TIME_32_32_SUBS 2
```

32 bits seconds + 32 bits subseconds (units = $2^{\land \land}$ -32)

Definition at line 74 of file sample mission cfg.h.

```
39.5.1.64 CFE_MISSION_SPACECRAFT_ID
```

```
#define CFE_MISSION_SPACECRAFT_ID 0x42
```

Purpose Spacecraft ID

Description:

This defines the value that is returned by the call to CFE_PSP_GetSpacecraftId.

Limits

The cFE does not place a limit on this configuration paramter. CCSDS allocates 8 bits for this field in the standard VCDU.

Definition at line 52 of file sample mission cfg.h.

```
39.5.1.65 CFE_MISSION_TBL_CMD_MSG
```

```
#define CFE_MISSION_TBL_CMD_MSG 4
```

Definition at line 414 of file sample mission cfg.h.

```
39.5.1.66 CFE MISSION TBL HK TLM MSG
```

```
#define CFE_MISSION_TBL_HK_TLM_MSG 4
```

Definition at line 459 of file sample mission cfg.h.

39.5.1.67 CFE_MISSION_TBL_MAX_FULL_NAME_LEN

```
#define CFE_MISSION_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX_NAME_LENGTH + CFE_MISSION_MAX_API ← LEN + 4)
```

Purpose Maximum Length of Full Table Name in messages

Description:

Indicates the maximum length (in characters) of the entire table name within software bus messages, in "App

Name. Table Name" notation.

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 569 of file sample mission cfg.h.

39.5.1.68 CFE_MISSION_TBL_MAX_NAME_LENGTH

#define CFE_MISSION_TBL_MAX_NAME_LENGTH 16

Purpose Maximum Table Name Length

Description:

Indicates the maximum length (in characers) of the table name ('TblName') portion of a Full Table Name of the following form: "ApplicationName.TblName"

Limits

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 355 of file sample_mission_cfg.h.

39.5.1.69 CFE_MISSION_TBL_REG_TLM_MSG

#define CFE_MISSION_TBL_REG_TLM_MSG 12

Definition at line 467 of file sample_mission_cfg.h.

39.5.1.70 CFE_MISSION_TBL_SEND_HK_MSG

#define CFE_MISSION_TBL_SEND_HK_MSG 12

Definition at line 422 of file sample_mission_cfg.h.

39.5.1.71 CFE_MISSION_TIME_1HZ_CMD_MSG

#define CFE_MISSION_TIME_1HZ_CMD_MSG 17

Definition at line 426 of file sample_mission_cfg.h.

39.5.1.72 CFE_MISSION_TIME_AT_TONE_WAS

```
#define CFE_MISSION_TIME_AT_TONE_WAS true
```

Purpose Default Time and Tone Order

Description:

Time Services may be configured to expect the time at the tone data packet to either precede or follow the tone signal. If the time at the tone data packet follows the tone signal, then the data within the packet describes what the time "was" at the tone. If the time at the tone data packet precedes the tone signal, then the data within the packet describes what the time "will be" at the tone. One, and only one, of the following symbols must be set to true:

- CFE_MISSION_TIME_AT_TONE_WAS
- CFE_MISSION_TIME_AT_TONE_WILL_BE Note: If Time Services is defined as using a simulated tone signal (see CFE_MISSION_TIME_CFG_FAKE_TONE above), then the tone data packet must follow the tone signal.

Limits

Either CFE_MISSION_TIME_AT_TONE_WAS or CFE_MISSION_TIME_AT_TONE_WILL_BE must be set to true. They may not both be true and they may not both be false.

Definition at line 166 of file sample_mission_cfg.h.

```
39.5.1.73 CFE_MISSION_TIME_AT_TONE_WILL_BE
```

#define CFE_MISSION_TIME_AT_TONE_WILL_BE false

Definition at line 167 of file sample mission cfg.h.

39.5.1.74 CFE_MISSION_TIME_CFG_DEFAULT_TAI

#define CFE_MISSION_TIME_CFG_DEFAULT_TAI true

Purpose Default Time Format

Description:

The following definitions select either UTC or TAI as the default (mission specific) time format. Although it is possible for an application to request time in a specific format, most callers should use CFE_TIME_GetTime(), which returns time in the default format. This avoids having to modify each individual caller when the default choice is changed.

Limits

if CFE_MISSION_TIME_CFG_DEFAULT_TAI is defined as true then CFE_MISSION_TIME_CFG_DEFAULT_UTC must be defined as false. if CFE_MISSION_TIME_CFG_DEFAULT_TAI is defined as false then CFE_MISSION
__TIME_CFG_DEFAULT_UTC must be defined as true.

Definition at line 127 of file sample_mission_cfg.h.

39.5.1.75 CFE_MISSION_TIME_CFG_DEFAULT_UTC

#define CFE_MISSION_TIME_CFG_DEFAULT_UTC false

Definition at line 128 of file sample_mission_cfg.h.

39.5.1.76 CFE_MISSION_TIME_CFG_FAKE_TONE

#define CFE_MISSION_TIME_CFG_FAKE_TONE true

Purpose Default Time Format

Description:

The following definition enables the use of a simulated time at the tone signal using a software bus message.

Limits

Not Applicable

Definition at line 142 of file sample_mission_cfg.h.

39.5.1.77 CFE_MISSION_TIME_CMD_MSG

```
#define CFE_MISSION_TIME_CMD_MSG 5
```

Definition at line 415 of file sample_mission_cfg.h.

39.5.1.78 CFE_MISSION_TIME_DATA_CMD_MSG

#define CFE_MISSION_TIME_DATA_CMD_MSG 0

Purpose cFE Portable Message Numbers for Global Messages

Description:

Portable message numbers for the cFE global messages NOTE: cFE Msglds are the sum of the base numbers and the portable msg numbers.

Limits

Not Applicable

Definition at line 440 of file sample_mission_cfg.h.

39.5.1.79 CFE_MISSION_TIME_DEF_DELAY_SECS

```
#define CFE_MISSION_TIME_DEF_DELAY_SECS 0
```

Definition at line 227 of file sample mission cfg.h.

39.5.1.80 CFE_MISSION_TIME_DEF_DELAY_SUBS

```
#define CFE_MISSION_TIME_DEF_DELAY_SUBS 1000
```

Definition at line 228 of file sample_mission_cfg.h.

39.5.1.81 CFE_MISSION_TIME_DEF_LEAPS

```
#define CFE_MISSION_TIME_DEF_LEAPS 32
```

Definition at line 225 of file sample_mission_cfg.h.

39.5.1.82 CFE_MISSION_TIME_DEF_MET_SECS

#define CFE_MISSION_TIME_DEF_MET_SECS 1000

Purpose Default Time Values

Description:

Default time values are provided to avoid problems due to time calculations performed after startup but before commands can be processed. For example, if the default time format is UTC then it is important that the sum of MET and STCF always exceed the value of Leap Seconds to prevent the UTC time calculation (time = MET + STCF - Leap Seconds) from resulting in a negative (very large) number.

Some past missions have also created known (albeit wrong) default timestamps. For example, assume the epoch is defined as Jan 1, 1970 and further assume the default time values are set to create a timestamp of Jan 1, 2000. Even though the year 2000 timestamps are wrong, it may be of value to keep the time within some sort of bounds acceptable to the software.

Note: Sub-second units are in micro-seconds (0 to 999,999) and all values must be defined

Limits

Not Applicable

Definition at line 219 of file sample mission cfg.h.

39.5.1.83 CFE_MISSION_TIME_DEF_MET_SUBS

#define CFE_MISSION_TIME_DEF_MET_SUBS 0

Definition at line 220 of file sample mission cfg.h.

39.5.1.84 CFE MISSION TIME DEF_STCF_SECS

#define CFE_MISSION_TIME_DEF_STCF_SECS 1000000

Definition at line 222 of file sample_mission_cfg.h.

39.5.1.85 CFE_MISSION_TIME_DEF_STCF_SUBS

#define CFE_MISSION_TIME_DEF_STCF_SUBS 0

Definition at line 223 of file sample_mission_cfg.h.

39.5.1.86 CFE_MISSION_TIME_DIAG_TLM_MSG

#define CFE_MISSION_TIME_DIAG_TLM_MSG 6

Definition at line 461 of file sample_mission_cfg.h.

39.5.1.87 CFE_MISSION_TIME_EPOCH_DAY

#define CFE_MISSION_TIME_EPOCH_DAY 1

Definition at line 246 of file sample_mission_cfg.h.

39.5.1.88 CFE_MISSION_TIME_EPOCH_HOUR

#define CFE_MISSION_TIME_EPOCH_HOUR 0

Definition at line 247 of file sample_mission_cfg.h.

```
39.5.1.89 CFE_MISSION_TIME_EPOCH_MINUTE
```

```
#define CFE_MISSION_TIME_EPOCH_MINUTE 0
```

Definition at line 248 of file sample_mission_cfg.h.

39.5.1.90 CFE_MISSION_TIME_EPOCH_SECOND

```
#define CFE_MISSION_TIME_EPOCH_SECOND 0
```

Definition at line 249 of file sample_mission_cfg.h.

39.5.1.91 CFE_MISSION_TIME_EPOCH_YEAR

```
#define CFE_MISSION_TIME_EPOCH_YEAR 1980
```

Purpose Default EPOCH Values

Description:

Default ground time epoch values Note: these values are used only by the CFE_TIME_Print() API function

Limits

Year - must be within 136 years Day - Jan 1 = 1, Feb 1 = 32, etc. Hour - 0 to 23 Minute - 0 to 59 Second - 0 to 59

Definition at line 245 of file sample_mission_cfg.h.

39.5.1.92 CFE_MISSION_TIME_FS_FACTOR

#define CFE_MISSION_TIME_FS_FACTOR 789004800

Purpose Time File System Factor

Description:

Define the s/c vs file system time conversion constant...

Note: this value is intended for use only by CFE TIME API functions to convert time values based on the ground system epoch (s/c time) to and from time values based on the file system epoch (fs time).

FS time = S/C time + factor S/C time = FS time - factor

Worksheet:

S/C epoch = Jan 1, 2005 (LRO ground system epoch) FS epoch = Jan 1, 1980 (vxWorks DOS file system epoch)

Delta = 25 years, 0 days, 0 hours, 0 minutes, 0 seconds

Leap years = 1980, 1984, 1988, 1992, 1996, 2000, 2004 (divisible by 4 - except if by 100 - unless also by 400)

1 year = 31,536,000 seconds 1 day = 86,400 seconds 1 hour = 3,600 seconds 1 minute = 60 seconds

25 years = 788,400,000 seconds 7 extra leap days = 604,800 seconds

total delta = 789,004,800 seconds

Limits

Not Applicable

Definition at line 288 of file sample_mission_cfg.h.

39.5.1.93 CFE_MISSION_TIME_HK_TLM_MSG

#define CFE_MISSION_TIME_HK_TLM_MSG 5

Definition at line 460 of file sample_mission_cfg.h.

39.5.1.94 CFE MISSION TIME MAX ELAPSED

#define CFE_MISSION_TIME_MAX_ELAPSED 200000

Definition at line 193 of file sample_mission_cfg.h.

39.5.1.95 CFE_MISSION_TIME_MIN_ELAPSED

```
#define CFE_MISSION_TIME_MIN_ELAPSED 0
```

Purpose Min and Max Time Elapsed

Description:

Based on the definition of Time and Tone Order (CFE_MISSION_TIME_AT_TONE_WAS/WILL_BE) either the "time at the tone" signal or data packet will follow the other. This definition sets the valid window of time for the second of the pair to lag behind the first. Time Services will invalidate both the tone and packet if the second does not arrive within this window following the first.

For example, if the data packet follows the tone, it might be valid for the data packet to arrive between zero and 100,000 micro-seconds after the tone. But, if the tone follows the packet, it might be valid only if the packet arrived between 200,000 and 700,000 micro-seconds before the tone.

Note: units are in micro-seconds

Limits

0 to 999,999 decimal

Definition at line 192 of file sample_mission_cfg.h.

39.5.1.96 CFE_MISSION_TIME_SEND_CMD_MSG

#define CFE_MISSION_TIME_SEND_CMD_MSG 2

Definition at line 441 of file sample_mission_cfg.h.

39.5.1.97 CFE_MISSION_TIME_SEND_HK_MSG

#define CFE_MISSION_TIME_SEND_HK_MSG 13

Definition at line 423 of file sample mission cfg.h.

39.5.1.98 CFE_MISSION_TIME_TONE_CMD_MSG

#define CFE_MISSION_TIME_TONE_CMD_MSG 16

Definition at line 425 of file sample_mission_cfg.h.

39.5.1.99 CFE_MISSION_TLM_APPID_BASE1

#define CFE_MISSION_TLM_APPID_BASE1 0

Definition at line 388 of file sample mission cfg.h.

39.5.1.100 CFE_MISSION_TLM_MID_BASE1

#define CFE_MISSION_TLM_MID_BASE1 0x0800

Definition at line 381 of file sample_mission_cfg.h.

39.5.1.101 CFE_MISSION_TLM_MID_BASE_GLOB

#define CFE_MISSION_TLM_MID_BASE_GLOB 0x0860

Definition at line 392 of file sample_mission_cfg.h.

39.5.1.102 CFE_SB_ALLSUBS_TLM_MSG

#define CFE_SB_ALLSUBS_TLM_MSG CFE_MISSION_SB_ALLSUBS_TLM_MSG

Definition at line 770 of file sample_mission_cfg.h.

39.5.1.103 CFE_SB_CMD_MSG

#define CFE_SB_CMD_MSG CFE_MISSION_SB_CMD_MSG

Definition at line 747 of file sample_mission_cfg.h.

39.5.1.104 CFE_SB_HK_TLM_MSG

#define CFE_SB_HK_TLM_MSG CFE_MISSION_SB_HK_TLM_MSG

Definition at line 762 of file sample_mission_cfg.h.

```
39.5.1.105 CFE_SB_MAX_SB_MSG_SIZE
```

```
#define CFE_SB_MAX_SB_MSG_SIZE CFE_MISSION_SB_MAX_SB_MSG_SIZE
```

Definition at line 704 of file sample mission cfg.h.

```
39.5.1.106 CFE_SB_ONESUB_TLM_MSG
```

```
#define CFE_SB_ONESUB_TLM_MSG CFE_MISSION_SB_ONESUB_TLM_MSG
```

Definition at line 771 of file sample_mission_cfg.h.

39.5.1.107 CFE_SB_PACKET_TIME_FORMAT

```
#define CFE_SB_PACKET_TIME_FORMAT CFE_MISSION_SB_PACKET_TIME_FORMAT
```

Definition at line 703 of file sample_mission_cfg.h.

39.5.1.108 CFE_SB_SEND_HK_MSG

```
#define CFE_SB_SEND_HK_MSG CFE_MISSION_SB_SEND_HK_MSG
```

Definition at line 753 of file sample_mission_cfg.h.

39.5.1.109 CFE_SB_STATS_TLM_MSG

```
#define CFE_SB_STATS_TLM_MSG CFE_MISSION_SB_STATS_TLM_MSG
```

Definition at line 767 of file sample_mission_cfg.h.

39.5.1.110 CFE_SB_TIME_32_16_SUBS

```
#define CFE_SB_TIME_32_16_SUBS CFE_MISSION_SB_TIME_32_16_SUBS
```

Definition at line 700 of file sample_mission_cfg.h.

```
39.5.1.111 CFE_SB_TIME_32_32_M_20
```

```
#define CFE_SB_TIME_32_32_M_20 CFE_MISSION_SB_TIME_32_32_M_20
```

Definition at line 702 of file sample mission cfg.h.

39.5.1.112 CFE SB TIME 32 32 SUBS

```
#define CFE_SB_TIME_32_32_SUBS CFE_MISSION_SB_TIME_32_32_SUBS
```

Definition at line 701 of file sample_mission_cfg.h.

39.5.1.113 CFE_SPACECRAFT_ID

```
#define CFE_SPACECRAFT_ID CFE_MISSION_SPACECRAFT_ID
```

Definition at line 699 of file sample_mission_cfg.h.

39.5.1.114 CFE_TBL_CMD_MSG

```
#define CFE_TBL_CMD_MSG CFE_MISSION_TBL_CMD_MSG
```

Definition at line 748 of file sample_mission_cfg.h.

39.5.1.115 CFE_TBL_HK_TLM_MSG

```
#define CFE_TBL_HK_TLM_MSG CFE_MISSION_TBL_HK_TLM_MSG
```

Definition at line 763 of file sample_mission_cfg.h.

39.5.1.116 CFE_TBL_MAX_NAME_LENGTH

#define CFE_TBL_MAX_NAME_LENGTH CFE_MISSION_TBL_MAX_NAME_LENGTH

Definition at line 731 of file sample_mission_cfg.h.

```
39.5.1.117 CFE_TBL_REG_TLM_MSG
```

```
#define CFE_TBL_REG_TLM_MSG CFE_MISSION_TBL_REG_TLM_MSG
```

Definition at line 769 of file sample mission cfg.h.

```
39.5.1.118 CFE_TBL_SEND_HK_MSG
```

```
#define CFE_TBL_SEND_HK_MSG CFE_MISSION_TBL_SEND_HK_MSG
```

Definition at line 754 of file sample_mission_cfg.h.

```
39.5.1.119 CFE_TIME_1HZ_CMD_MSG
```

```
#define CFE_TIME_1HZ_CMD_MSG CFE_MISSION_TIME_1HZ_CMD_MSG
```

Definition at line 757 of file sample_mission_cfg.h.

39.5.1.120 CFE_TIME_AT_TONE_WAS

```
#define CFE_TIME_AT_TONE_WAS CFE_MISSION_TIME_AT_TONE_WAS
```

Definition at line 708 of file sample_mission_cfg.h.

39.5.1.121 CFE_TIME_AT_TONE_WILL_BE

```
#define CFE_TIME_AT_TONE_WILL_BE CFE_MISSION_TIME_AT_TONE_WILL_BE
```

Definition at line 709 of file sample_mission_cfg.h.

39.5.1.122 CFE_TIME_CFG_DEFAULT_TAI

#define CFE_TIME_CFG_DEFAULT_TAI CFE_MISSION_TIME_CFG_DEFAULT_TAI

Definition at line 705 of file sample_mission_cfg.h.

```
39.5.1.123 CFE_TIME_CFG_DEFAULT_UTC
```

#define CFE_TIME_CFG_DEFAULT_UTC CFE_MISSION_TIME_CFG_DEFAULT_UTC

Definition at line 706 of file sample mission cfg.h.

39.5.1.124 CFE_TIME_CFG_FAKE_TONE

#define CFE_TIME_CFG_FAKE_TONE CFE_MISSION_TIME_CFG_FAKE_TONE

Definition at line 707 of file sample_mission_cfg.h.

39.5.1.125 CFE_TIME_CMD_MSG

#define CFE_TIME_CMD_MSG CFE_MISSION_TIME_CMD_MSG

Definition at line 749 of file sample_mission_cfg.h.

39.5.1.126 CFE_TIME_DATA_CMD_MSG

#define CFE_TIME_DATA_CMD_MSG CFE_MISSION_TIME_DATA_CMD_MSG

Definition at line 758 of file sample mission cfg.h.

39.5.1.127 CFE TIME DEF DELAY SECS

#define CFE_TIME_DEF_DELAY_SECS CFE_MISSION_TIME_DEF_DELAY_SECS

Definition at line 717 of file sample_mission_cfg.h.

39.5.1.128 CFE_TIME_DEF_DELAY_SUBS

#define CFE_TIME_DEF_DELAY_SUBS CFE_MISSION_TIME_DEF_DELAY_SUBS

Definition at line 718 of file sample_mission_cfg.h.

```
39.5.1.129 CFE_TIME_DEF_LEAPS
```

```
#define CFE_TIME_DEF_LEAPS CFE_MISSION_TIME_DEF_LEAPS
```

Definition at line 716 of file sample mission cfg.h.

```
39.5.1.130 CFE_TIME_DEF_MET_SECS
```

```
#define CFE_TIME_DEF_MET_SECS CFE_MISSION_TIME_DEF_MET_SECS
```

Definition at line 712 of file sample_mission_cfg.h.

```
39.5.1.131 CFE_TIME_DEF_MET_SUBS
```

```
#define CFE_TIME_DEF_MET_SUBS CFE_MISSION_TIME_DEF_MET_SUBS
```

Definition at line 713 of file sample_mission_cfg.h.

39.5.1.132 CFE_TIME_DEF_STCF_SECS

```
#define CFE_TIME_DEF_STCF_SECS CFE_MISSION_TIME_DEF_STCF_SECS
```

Definition at line 714 of file sample_mission_cfg.h.

39.5.1.133 CFE_TIME_DEF_STCF_SUBS

```
#define CFE_TIME_DEF_STCF_SUBS CFE_MISSION_TIME_DEF_STCF_SUBS
```

Definition at line 715 of file sample_mission_cfg.h.

39.5.1.134 CFE_TIME_DIAG_TLM_MSG

#define CFE_TIME_DIAG_TLM_MSG CFE_MISSION_TIME_DIAG_TLM_MSG

Definition at line 765 of file sample_mission_cfg.h.

```
39.5.1.135 CFE_TIME_EPOCH_DAY
```

```
#define CFE_TIME_EPOCH_DAY CFE_MISSION_TIME_EPOCH_DAY
```

Definition at line 720 of file sample mission cfg.h.

```
39.5.1.136 CFE_TIME_EPOCH_HOUR
```

```
#define CFE_TIME_EPOCH_HOUR CFE_MISSION_TIME_EPOCH_HOUR
```

Definition at line 721 of file sample_mission_cfg.h.

39.5.1.137 CFE_TIME_EPOCH_MINUTE

```
#define CFE_TIME_EPOCH_MINUTE CFE_MISSION_TIME_EPOCH_MINUTE
```

Definition at line 722 of file sample_mission_cfg.h.

39.5.1.138 CFE_TIME_EPOCH_SECOND

```
#define CFE_TIME_EPOCH_SECOND CFE_MISSION_TIME_EPOCH_SECOND
```

Definition at line 723 of file sample mission cfg.h.

39.5.1.139 CFE_TIME_EPOCH_YEAR

```
#define CFE_TIME_EPOCH_YEAR CFE_MISSION_TIME_EPOCH_YEAR
```

Definition at line 719 of file sample_mission_cfg.h.

39.5.1.140 CFE_TIME_FS_FACTOR

```
#define CFE_TIME_FS_FACTOR CFE_MISSION_TIME_FS_FACTOR
```

Definition at line 724 of file sample_mission_cfg.h.

```
39.5.1.141 CFE_TIME_HK_TLM_MSG
```

```
#define CFE_TIME_HK_TLM_MSG CFE_MISSION_TIME_HK_TLM_MSG
```

Definition at line 764 of file sample mission cfg.h.

39.5.1.142 CFE_TIME_MAX_ELAPSED

#define CFE_TIME_MAX_ELAPSED CFE_MISSION_TIME_MAX_ELAPSED

Definition at line 711 of file sample_mission_cfg.h.

39.5.1.143 CFE_TIME_MIN_ELAPSED

#define CFE_TIME_MIN_ELAPSED CFE_MISSION_TIME_MIN_ELAPSED

Definition at line 710 of file sample_mission_cfg.h.

39.5.1.144 CFE_TIME_SEND_CMD_MSG

#define CFE_TIME_SEND_CMD_MSG CFE_MISSION_TIME_SEND_CMD_MSG

Definition at line 759 of file sample mission cfg.h.

39.5.1.145 CFE_TIME_SEND_HK_MSG

#define CFE_TIME_SEND_HK_MSG CFE_MISSION_TIME_SEND_HK_MSG

Definition at line 755 of file sample_mission_cfg.h.

39.5.1.146 CFE_TIME_TONE_CMD_MSG

#define CFE_TIME_TONE_CMD_MSG CFE_MISSION_TIME_TONE_CMD_MSG

Definition at line 756 of file sample_mission_cfg.h.

39.5.1.147 CFE_TLM_APPID_BASE_CPU1

#define CFE_TLM_APPID_BASE_CPU1 CFE_MISSION_TLM_APPID_BASE_CPU1

Definition at line 735 of file sample mission cfg.h.

39.5.1.148 CFE_TLM_APPID_BASE_CPU2

#define CFE_TLM_APPID_BASE_CPU2 CFE_MISSION_TLM_APPID_BASE_CPU2

Definition at line 739 of file sample_mission_cfg.h.

39.5.1.149 CFE_TLM_APPID_BASE_CPU3

#define CFE_TLM_APPID_BASE_CPU3 CFE_MISSION_TLM_APPID_BASE_CPU3

Definition at line 743 of file sample_mission_cfg.h.

39.5.1.150 CFE_TLM_MID_BASE_CPU1

#define CFE_TLM_MID_BASE_CPU1 CFE_MISSION_TLM_MID_BASE_CPU1

Definition at line 733 of file sample_mission_cfg.h.

39.5.1.151 CFE_TLM_MID_BASE_CPU2

#define CFE_TLM_MID_BASE_CPU2 CFE_MISSION_TLM_MID_BASE_CPU2

Definition at line 737 of file sample_mission_cfg.h.

39.5.1.152 CFE_TLM_MID_BASE_CPU3

#define CFE_TLM_MID_BASE_CPU3 CFE_MISSION_TLM_MID_BASE_CPU3

Definition at line 741 of file sample_mission_cfg.h.

39.5.1.153 CFE_TLM_MID_BASE_GLOB

#define CFE_TLM_MID_BASE_GLOB CFE_MISSION_TLM_MID_BASE_GLOB

Definition at line 745 of file sample_mission_cfg.h.

39.6 sample perfids.h File Reference

Macros

#define CFE_MISSION_ES_PERF_EXIT_BIT 31
 bit (31) is reserved by the perf utilities

cFE Performance Monitor IDs (Reserved IDs 0-31)

- #define CFE_MISSION_ES_MAIN_PERF_ID 1
 - Performance ID for Executive Services Task.
- #define CFE_MISSION_EVS_MAIN_PERF_ID 2

Performance ID for Events Services Task.

• #define CFE_MISSION_TBL_MAIN_PERF_ID 3

Performance ID for Table Services Task.

#define CFE_MISSION_SB_MAIN_PERF_ID 4

Performance ID for Software Bus Services Task.

#define CFE_MISSION_SB_MSG_LIM_PERF_ID 5

Performance ID for Software Bus Msg Limit Errors.

#define CFE_MISSION_SB_PIPE_OFLOW_PERF_ID 27

Performance ID for Software Bus Pipe Overflow Errors.

• #define CFE_MISSION_TIME_MAIN_PERF_ID 6

Performance ID for Time Services Task.

#define CFE_MISSION_TIME_TONE1HZISR_PERF_ID 7

Performance ID for 1 Hz Tone ISR.

#define CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID 8

Performance ID for 1 Hz Local ISR.

• #define CFE_MISSION_TIME_SENDMET_PERF_ID 9

Performance ID for Time ToneSendMET.

#define CFE_MISSION_TIME_LOCAL1HZTASK_PERF_ID 10

Performance ID for 1 Hz Local Task.

#define CFE_MISSION_TIME_TONE1HZTASK_PERF_ID 11

Performance ID for 1 Hz Tone Task.

39.6.1 Macro Definition Documentation

39.6.1.1 CFE_MISSION_ES_MAIN_PERF_ID

#define CFE_MISSION_ES_MAIN_PERF_ID 1

Performance ID for Executive Services Task.

Definition at line 45 of file sample perfids.h.

39.6.1.2 CFE_MISSION_ES_PERF_EXIT_BIT

#define CFE_MISSION_ES_PERF_EXIT_BIT 31

bit (31) is reserved by the perf utilities

Definition at line 41 of file sample_perfids.h.

39.6.1.3 CFE_MISSION_EVS_MAIN_PERF_ID

#define CFE_MISSION_EVS_MAIN_PERF_ID 2

Performance ID for Events Services Task.

Definition at line 46 of file sample_perfids.h.

39.6.1.4 CFE_MISSION_SB_MAIN_PERF_ID

#define CFE_MISSION_SB_MAIN_PERF_ID 4

Performance ID for Software Bus Services Task.

Definition at line 48 of file sample_perfids.h.

39.6.1.5 CFE_MISSION_SB_MSG_LIM_PERF_ID

#define CFE_MISSION_SB_MSG_LIM_PERF_ID 5

Performance ID for Software Bus Msg Limit Errors.

Definition at line 49 of file sample_perfids.h.

39.6.1.6 CFE_MISSION_SB_PIPE_OFLOW_PERF_ID

#define CFE_MISSION_SB_PIPE_OFLOW_PERF_ID 27

Performance ID for Software Bus Pipe Overflow Errors.

Definition at line 50 of file sample_perfids.h.

39.6.1.7 CFE_MISSION_TBL_MAIN_PERF_ID

#define CFE_MISSION_TBL_MAIN_PERF_ID 3

Performance ID for Table Services Task.

Definition at line 47 of file sample_perfids.h.

39.6.1.8 CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID

#define CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID 8

Performance ID for 1 Hz Local ISR.

Definition at line 55 of file sample_perfids.h.

39.6.1.9 CFE_MISSION_TIME_LOCAL1HZTASK_PERF_ID

#define CFE_MISSION_TIME_LOCAL1HZTASK_PERF_ID 10

Performance ID for 1 Hz Local Task.

Definition at line 58 of file sample_perfids.h.

39.6.1.10 CFE_MISSION_TIME_MAIN_PERF_ID

#define CFE_MISSION_TIME_MAIN_PERF_ID 6

Performance ID for Time Services Task.

Definition at line 53 of file sample_perfids.h.

39.6.1.11 CFE_MISSION_TIME_SENDMET_PERF_ID

#define CFE_MISSION_TIME_SENDMET_PERF_ID 9

Performance ID for Time ToneSendMET.

Definition at line 57 of file sample_perfids.h.

```
39.6.1.12 CFE_MISSION_TIME_TONE1HZISR_PERF_ID
#define CFE_MISSION_TIME_TONE1HZISR_PERF_ID 7
Performance ID for 1 Hz Tone ISR.
Definition at line 54 of file sample perfids.h.
39.6.1.13 CFE_MISSION_TIME_TONE1HZTASK_PERF_ID
#define CFE_MISSION_TIME_TONE1HZTASK_PERF_ID 11
Performance ID for 1 Hz Tone Task.
Definition at line 59 of file sample_perfids.h.
39.7
      cfe/docs/src/cfe_es.dox File Reference
39.8
      cfe/docs/src/cfe evs.dox File Reference
39.9
      cfe/docs/src/cfe_sb.dox File Reference
39.10
       cfe/docs/src/cfe_tbl.dox File Reference
       cfe/docs/src/cfe_time.dox File Reference
39.12 cfe/docs/src/cfe_xref.dox File Reference
39.13
       cfe/docs/src/main.dox File Reference
       cfe/fsw/cfe-core/src/inc/ccsds.h File Reference
```

Data Structures

- struct CCSDS_PriHdr_t
- struct CCSDS_CmdSecHdr_t

#include "common_types.h"
#include "cfe_mission_cfg.h"

- struct CCSDS TImSecHdr t
- struct CCSDS_APIDqualifiers_t
- struct CCSDS_APIDQHdr_t

CCSDS Primary with APID Qualifier Header Type Definition.

- struct CCSDS_SpacePacket_t
- struct CCSDS_CommandPacket_t
- struct CCSDS_TelemetryPacket_t

Macros

- #define CFE MAKE BIG16(n) ((((n) << 8) & 0xFF00) | (((n) >> 8) & 0x00FF))
- #define CFE_MAKE_BIG32(n) ((((n) << 24) & 0xFF000000) | (((n) << 8) & 0x00FF0000) | (((n) >> 8) & 0x0000FF000) |
- #define CCSDS TIME SIZE 6
- #define CCSDS BIG ENDIAN 0
- #define CCSDS LITTLE ENDIAN 1
- #define CCSDS ENDIAN MASK 0x0400
- #define CCSDS NON PLAYBACK PKT 0
- #define CCSDS PLAYBACK PKT 1
- #define CCSDS PLAYBACK PKT MASK 0x0200
- #define CCSDS_EDS_MASK 0xF800
- #define CCSDS_TLM 0
- #define CCSDS CMD 1
- #define CCSDS_NO_SEC_HDR 0
- #define CCSDS_HAS_SEC_HDR 1
- #define NUM CCSDS APIDS 2048
- #define NUM_CCSDS_PKT_TYPES 2
- #define CCSDS INIT SEQ 0
- #define CCSDS INIT SEQFLG 3
- #define CCSDS INIT FC 0
- #define CCSDS INIT CHECKSUM 0
- #define CCSDS_RD_BITS(word, mask, shift) (((word) & mask) >> shift)
- #define CCSDS_WR_BITS(word, mask, shift, value) ((word) = (uint16)(((word) & ~mask) | (((value) & (mask >> shift)) << shift)))
- #define CCSDS RD SID(phdr) (((phdr).StreamId[0] << 8) + ((phdr).StreamId[1]))
- #define CCSDS_WR_SID(phdr, value)
- #define CCSDS_RD_APID(phdr) (CCSDS_RD_SID(phdr) & 0x07FF)
- #define CCSDS_WR_APID(phdr, value)
- #define CCSDS_RD_SHDR(phdr) (((phdr).StreamId[0] & 0x08) >> 3)
- #define CCSDS_WR_SHDR(phdr, value) ((phdr).StreamId[0] = ((phdr).StreamId[0] & 0xf7) | ((value << 3) & 0x08))
- #define CCSDS_RD_TYPE(phdr) (((phdr).StreamId[0] & 0x10) >> 4)
- #define CCSDS_WR_TYPE(phdr, value) ((phdr).StreamId[0] = ((phdr).StreamId[0] & 0xEF) | ((value << 4) & 0x10))
- #define CCSDS_RD_VERS(phdr) (((phdr).StreamId[0] & 0xE0) >> 5)
- #define CCSDS_WR_VERS(phdr, value) ((phdr).StreamId[0] = ((phdr).StreamId[0] & 0x1F) | ((value << 5) & 0xE0))
- #define CCSDS_RD_SEQ(phdr) ((((phdr).Sequence[0] & 0x3F) << 8) + ((phdr).Sequence[1]))
- #define CCSDS_WR_SEQ(phdr, value)
- #define CCSDS_RD_SEQFLG(phdr) (((phdr).Sequence[0] & 0xC0) >> 6)
- #define CCSDS_WR_SEQFLG(phdr, value) ((phdr).Sequence[0] = ((phdr).Sequence[0] & 0x3F) | ((value << 6) & 0xC0))
- #define CCSDS_RD_LEN(phdr) (((phdr).Length[0] << 8) + (phdr).Length[1] + 7)
- #define CCSDS_WR_LEN(phdr, value)
- #define CCSDS RD FC(shdr) CCSDS RD BITS((shdr).FunctionCode, 0x7F, 0)
- #define CCSDS WR FC(shdr, value) CCSDS WR BITS((shdr).FunctionCode, 0x7F, 0, value)
- #define CCSDS_RD_CHECKSUM(shdr) ((shdr).Checksum)
- #define CCSDS_WR_CHECKSUM(shdr, val) ((shdr).Checksum = (val))
- #define CCSDS RD EDS VER(shdr) (((shdr).APIDQSubsystem[0] & 0xF8) >> 3)

- #define CCSDS_RD_ENDIAN(shdr) (((shdr).APIDQSubsystem[0] & 0x04) >> 2)
- #define CCSDS_RD_PLAYBACK(shdr) (((shdr).APIDQSubsystem[0] & 0x02) >> 1)
- #define CCSDS_RD_SUBSYSTEM_ID(shdr) ((((shdr).APIDQSubsystem[0] & 0x01) << 8) + ((shdr).APIDQ← Subsystem[1]))
- #define CCSDS_RD_SYSTEM_ID(shdr) (((shdr).APIDQSystemId[0] << 8) + ((shdr).APIDQSystemId[1]))
- #define CCSDS_WR_EDS_VER(shdr, val) ((shdr).APIDQSubsystem[0] = ((shdr).APIDQSubsystem[0] & 0x07) |
 (((val) & 0x1f) << 3))
- #define CCSDS_WR_ENDIAN(shdr, val) ((shdr).APIDQSubsystem[0] = ((shdr).APIDQSubsystem[0] & 0xFB) | (((val) & 0x01) << 2))
- #define CCSDS_WR_PLAYBACK(shdr, val) ((shdr).APIDQSubsystem[0] = ((shdr).APIDQSubsystem[0] & 0xFD)
 | (((val) & 0x01) << 1))
- #define CCSDS_WR_SUBSYSTEM_ID(shdr, val)
- #define CCSDS_WR_SYSTEM_ID(shdr, val)
- #define CCSDS_CLR_PRI_HDR(phdr)
- #define CCSDS_CLR_SEC_APIDQ(shdr)
- #define CCSDS_CLR_CMDSEC_HDR(shdr)
- #define CCSDS WR SEC HDR SEC(shdr, value)
- #define CCSDS_RD_SEC_HDR_SEC(shdr)
- #define CCSDS_CLR_TLMSEC_HDR(shdr)
- #define CCSDS WR SEC HDR SUBSEC(shdr, value)
- #define CCSDS RD SEC HDR SUBSEC(shdr)
- #define CCSDS_SID_APID(sid) CCSDS_RD_BITS(sid, 0x07FF, 0)
- #define CCSDS_SID_SHDR(sid) CCSDS_RD_BITS(sid, 0x0800, 11)
- #define CCSDS_SID_TYPE(sid) CCSDS_RD_BITS(sid, 0x1000, 12)
- #define CCSDS_SID_VERS(sid) CCSDS_RD_BITS(sid, 0xE000, 13)
- #define CCSDS INC SEQ(phdr) CCSDS WR SEQ(phdr, (CCSDS RD SEQ(phdr)+1))

Typedefs

- typedef CCSDS CommandPacket t CCSDS CmdPkt t
- typedef CCSDS_TelemetryPacket_t CCSDS_TImPkt_t

Functions

- void CCSDS_LoadCheckSum (CCSDS_CommandPacket_t *PktPtr)
- bool CCSDS ValidCheckSum (CCSDS CommandPacket t *PktPtr)
- uint8 CCSDS ComputeCheckSum (CCSDS CommandPacket t *PktPtr)

39.14.1 Macro Definition Documentation

39.14.1.1 CCSDS_BIG_ENDIAN

#define CCSDS_BIG_ENDIAN 0

Definition at line 128 of file ccsds.h.

```
39.14.1.2 CCSDS_CLR_CMDSEC_HDR
```

```
\begin{tabular}{ll} \# define \ CCSDS\_CLR\_CMDSEC\_HDR ( \\ shdr \ ) \end{tabular}
```

Value:

Definition at line 381 of file ccsds.h.

39.14.1.3 CCSDS_CLR_PRI_HDR

Value:

```
( (phdr).StreamId[0] = 0,\
    (phdr).StreamId[1] = 0,\
    (phdr).Sequence[0] = (CCSDS_INIT_SEQFLG << 6),\
    (phdr).Sequence[1] = 0,\
    (phdr).Length[0] = 0,\
    (phdr).Length[1] = 0 )</pre>
```

Definition at line 366 of file ccsds.h.

39.14.1.4 CCSDS_CLR_SEC_APIDQ

```
\begin{tabular}{ll} \# define & CCSDS\_CLR\_SEC\_APIDQ ( \\ & shdr \end{tabular} ) \end{tabular}
```

Value:

```
( (shdr).APIDQSubsystem[0] = 0,\
    (shdr).APIDQSubsystem[1] = 0,\
    (shdr).APIDQSystemId[0] = 0,\
    (shdr).APIDQSystemId[1] = 0 )
```

Definition at line 374 of file ccsds.h.

39.14.1.5 CCSDS_CLR_TLMSEC_HDR

```
\begin{tabular}{ll} \# define \ CCSDS\_CLR\_TLMSEC\_HDR ( \\ shdr \ ) \end{tabular}
```

Value:

```
( (shdr).Time[0] = 0,\
    (shdr).Time[1] = 0,\
    (shdr).Time[2] = 0,\
    (shdr).Time[3] = 0,\
    (shdr).Time[4] = 0,\
    (shdr).Time[5] = 0 )
```

Definition at line 399 of file ccsds.h.

39.14.1.6 CCSDS_CMD

```
#define CCSDS_CMD 1
```

Definition at line 227 of file ccsds.h.

39.14.1.7 CCSDS_EDS_MASK

```
#define CCSDS_EDS_MASK 0xF800
```

Definition at line 141 of file ccsds.h.

39.14.1.8 CCSDS_ENDIAN_MASK

```
#define CCSDS_ENDIAN_MASK 0x0400
```

Definition at line 130 of file ccsds.h.

39.14.1.9 CCSDS_HAS_SEC_HDR

```
#define CCSDS_HAS_SEC_HDR 1
```

Definition at line 232 of file ccsds.h.

```
39.14.1.10 CCSDS_INC_SEQ
```

Definition at line 466 of file ccsds.h.

39.14.1.11 CCSDS_INIT_CHECKSUM

#define CCSDS_INIT_CHECKSUM 0

Definition at line 249 of file ccsds.h.

39.14.1.12 CCSDS_INIT_FC

#define CCSDS_INIT_FC 0

Definition at line 247 of file ccsds.h.

39.14.1.13 CCSDS_INIT_SEQ

#define CCSDS_INIT_SEQ 0

Definition at line 243 of file ccsds.h.

39.14.1.14 CCSDS_INIT_SEQFLG

#define CCSDS_INIT_SEQFLG 3

Definition at line 245 of file ccsds.h.

39.14.1.15 CCSDS_LITTLE_ENDIAN

#define CCSDS_LITTLE_ENDIAN 1

Definition at line 129 of file ccsds.h.

```
39.14.1.16 CCSDS_NO_SEC_HDR
```

```
#define CCSDS_NO_SEC_HDR 0
```

Definition at line 230 of file ccsds.h.

39.14.1.17 CCSDS_NON_PLAYBACK_PKT

```
#define CCSDS_NON_PLAYBACK_PKT 0
```

Definition at line 134 of file ccsds.h.

39.14.1.18 CCSDS_PLAYBACK_PKT

```
#define CCSDS_PLAYBACK_PKT 1
```

Definition at line 135 of file ccsds.h.

39.14.1.19 CCSDS_PLAYBACK_PKT_MASK

```
#define CCSDS_PLAYBACK_PKT_MASK 0x0200
```

Definition at line 136 of file ccsds.h.

39.14.1.20 CCSDS_RD_APID

```
#define CCSDS_RD_APID( phdr \ ) \ \ (\text{CCSDS\_RD\_SID} \ (\text{phdr}) \ \& \ 0 \times 07 \text{FF})
```

Definition at line 292 of file ccsds.h.

39.14.1.21 CCSDS RD BITS

Definition at line 261 of file ccsds.h.

```
39.14.1.22 CCSDS_RD_CHECKSUM
```

```
\begin{tabular}{lll} \# define & CCSDS_RD_CHECKSUM( & shdr) & ((shdr).Checksum) \end{tabular}
```

Definition at line 335 of file ccsds.h.

```
39.14.1.23 CCSDS_RD_EDS_VER
```

```
#define CCSDS_RD_EDS_VER( shdr \ ) \ ( \ ((shdr). APIDQSubsystem[0] \& 0xF8) \ >> \ 3)
```

Definition at line 343 of file ccsds.h.

39.14.1.24 CCSDS_RD_ENDIAN

```
#define CCSDS_RD_ENDIAN( shdr \ ) \ ( \ ((shdr). APIDQSubsystem[0] \& 0x04) >> 2)
```

Definition at line 344 of file ccsds.h.

39.14.1.25 CCSDS_RD_FC

Definition at line 330 of file ccsds.h.

39.14.1.26 CCSDS_RD_LEN

Definition at line 324 of file ccsds.h.

39.14.1.27 CCSDS_RD_PLAYBACK

```
#define CCSDS_RD_PLAYBACK( shdr \ ) \ ( \ ((shdr).APIDQSubsystem[0] \& 0x02) >> 1)
```

Definition at line 345 of file ccsds.h.

39.14.1.28 CCSDS_RD_SEC_HDR_SEC

```
\label{eq:ccsds_rd_sec_hdr_sec} \begin{tabular}{ll} \#define CCSDS_RD_SEC_HDR_SEC (\\ shdr \end{tabular}
```

Value:

Definition at line 391 of file ccsds.h.

39.14.1.29 CCSDS_RD_SEC_HDR_SUBSEC

Value:

Definition at line 411 of file ccsds.h.

39.14.1.30 CCSDS_RD_SEQ

```
#define CCSDS_RD_SEQ( phdr ) \ ((((phdr).Sequence[0] \& 0x3F) << 8) + ((phdr).Sequence[1]))
```

Definition at line 313 of file ccsds.h.

39.14.1.31 CCSDS_RD_SEQFLG

```
#define CCSDS_RD_SEQFLG( phdr \ ) \ (((phdr).Sequence[0] \& 0xC0) >> 6)
```

Definition at line 319 of file ccsds.h.

```
39.14.1.32 CCSDS_RD_SHDR
```

```
#define CCSDS_RD_SHDR( phdr \ ) \ (((phdr).StreamId[0] \& 0x08) >> 3)
```

Definition at line 298 of file ccsds.h.

```
39.14.1.33 CCSDS_RD_SID
```

```
#define CCSDS_RD_SID( phdr \ ) \ (((phdr).StreamId[0] << 8) \ + \ ((phdr).StreamId[1]))
```

Definition at line 286 of file ccsds.h.

39.14.1.34 CCSDS_RD_SUBSYSTEM_ID

Definition at line 346 of file ccsds.h.

39.14.1.35 CCSDS_RD_SYSTEM_ID

Definition at line 347 of file ccsds.h.

39.14.1.36 CCSDS_RD_TYPE

```
#define CCSDS_RD_TYPE( phdr \ ) \ (((phdr).StreamId[0] \& 0x10) >> 4)
```

Definition at line 303 of file ccsds.h.

39.14.1.37 CCSDS_RD_VERS

```
#define CCSDS_RD_VERS( phdr \ ) \ (((phdr).StreamId[0] \& 0xE0) >> 5)
```

Definition at line 308 of file ccsds.h.

39.14.1.38 CCSDS_SID_APID

Definition at line 447 of file ccsds.h.

39.14.1.39 CCSDS_SID_SHDR

Definition at line 450 of file ccsds.h.

39.14.1.40 CCSDS_SID_TYPE

Definition at line 453 of file ccsds.h.

39.14.1.41 CCSDS_SID_VERS

Definition at line 456 of file ccsds.h.

39.14.1.42 CCSDS_TIME_SIZE

```
#define CCSDS_TIME_SIZE 6
```

Definition at line 53 of file ccsds.h.

39.14.1.43 CCSDS_TLM

```
#define CCSDS_TLM 0
```

Definition at line 225 of file ccsds.h.

39.14.1.44 CCSDS_WR_APID

Value:

Definition at line 294 of file ccsds.h.

39.14.1.45 CCSDS_WR_BITS

Definition at line 266 of file ccsds.h.

39.14.1.46 CCSDS_WR_CHECKSUM

Definition at line 337 of file ccsds.h.

39.14.1.47 CCSDS_WR_EDS_VER

Definition at line 349 of file ccsds.h.

39.14.1.48 CCSDS_WR_ENDIAN

Definition at line 350 of file ccsds.h.

39.14.1.49 CCSDS_WR_FC

Definition at line 332 of file ccsds.h.

39.14.1.50 CCSDS_WR_LEN

Value:

Definition at line 326 of file ccsds.h.

39.14.1.51 CCSDS_WR_PLAYBACK

Definition at line 351 of file ccsds.h.

```
39.14.1.52 CCSDS_WR_SEC_HDR_SEC
```

Value:

Definition at line 386 of file ccsds.h.

39.14.1.53 CCSDS_WR_SEC_HDR_SUBSEC

Value:

Definition at line 408 of file ccsds.h.

39.14.1.54 CCSDS_WR_SEQ

Value:

Definition at line 315 of file ccsds.h.

39.14.1.55 CCSDS_WR_SEQFLG

Definition at line 321 of file ccsds.h.

39.14.1.56 CCSDS_WR_SHDR

Definition at line 300 of file ccsds.h.

39.14.1.57 CCSDS_WR_SID

Value:

Definition at line 288 of file ccsds.h.

39.14.1.58 CCSDS_WR_SUBSYSTEM_ID

Value:

Definition at line 353 of file ccsds.h.

```
39.14.1.59 CCSDS_WR_SYSTEM_ID
```

Value:

Definition at line 356 of file ccsds.h.

39.14.1.60 CCSDS_WR_TYPE

```
#define CCSDS_WR_TYPE( phdr, value \ ) \ ((phdr).StreamId[0] = ((phdr).StreamId[0] & 0xEF) \ | \ ((value << 4) & 0x10))
```

Definition at line 305 of file ccsds.h.

39.14.1.61 CCSDS_WR_VERS

```
#define CCSDS_WR_VERS( phdr, \\ value \ ) \ ((phdr).StreamId[0] = ((phdr).StreamId[0] & 0x1F) \ | \ ((value << 5) & 0xE0))
```

Definition at line 310 of file ccsds.h.

39.14.1.62 CFE_MAKE_BIG16

```
#define CFE_MAKE_BIG16(

n ) ( (((n) << 8) & 0xFF00) | (((n) >> 8) & 0x00FF) )
```

Definition at line 45 of file ccsds.h.

39.14.1.63 CFE_MAKE_BIG32

Definition at line 46 of file ccsds.h.

```
39.14.1.64 NUM_CCSDS_APIDS
#define NUM_CCSDS_APIDS 2048
Definition at line 234 of file ccsds.h.
39.14.1.65 NUM_CCSDS_PKT_TYPES
#define NUM_CCSDS_PKT_TYPES 2
Definition at line 235 of file ccsds.h.
39.14.2 Typedef Documentation
39.14.2.1 CCSDS_CmdPkt_t
typedef CCSDS_CommandPacket_t CCSDS_CmdPkt_t
Definition at line 211 of file ccsds.h.
39.14.2.2 CCSDS_TImPkt_t
typedef CCSDS_TelemetryPacket_t CCSDS_TlmPkt_t
Definition at line 212 of file ccsds.h.
39.14.3 Function Documentation
39.14.3.1 CCSDS_ComputeCheckSum()
uint8 CCSDS_ComputeCheckSum (
              CCSDS_CommandPacket_t * PktPtr )
```

39.14.3.2 CCSDS_LoadCheckSum()

39.15 cfe/fsw/cfe-core/src/inc/cfe.h File Reference

```
#include "common_types.h"
#include "osapi.h"
#include "cfe_mission_cfg.h"
#include "cfe_error.h"
#include "cfe_es.h"
#include "cfe_evs.h"
#include "cfe_fs.h"
#include "cfe_fs.h"
#include "cfe_time.h"
#include "cfe_tbl.h"
#include "cfe_psp.h"
```

39.16 cfe/fsw/cfe-core/src/inc/cfe_error.h File Reference

```
#include "osapi.h"
```

Macros

- #define CFE_SEVERITY_BITMASK ((int32)0xc0000000)
 - Error Severity Bitmask.
- #define CFE_SEVERITY_SUCCESS ((int32)0x00000000)
 - Severity Success.
- #define CFE_SEVERITY_INFO ((int32)0x40000000)
 - Severity Info.
- #define CFE_SEVERITY_ERROR ((int32)0xc0000000)
 - Severity Error.
- #define CFE_SERVICE_BITMASK ((int32)0x0e000000)
 - Error Service Bitmask.
- #define CFE_EVENTS_SERVICE ((int32)0x02000000)
 - Event Service.

 #define CFE_EXECUTIVE_SERVICE ((int32)0x04000000) Executive Service. #define CFE FILE SERVICE ((int32)0x06000000) File Service. #define CFE GENERIC SERVICE ((int32)0x08000000) Generic Service. #define CFE SOFTWARE BUS SERVICE ((int32)0x0a000000) Software Bus Service. • #define CFE_TABLE_SERVICE ((int32)0x0c000000) Table Service. #define CFE_TIME_SERVICE ((int32)0x0e000000) Time Service. #define CFE SUCCESS (0) Sucessful execution. #define CFE_STATUS_NO_COUNTER_INCREMENT ((int32)0x48000001) No Counter Increment. #define CFE STATUS WRONG MSG LENGTH ((int32)0xc8000002) Wrong Message Length. #define CFE_STATUS_UNKNOWN_MSG_ID ((int32)0xc8000003) Unknown Message ID. #define CFE_STATUS_BAD_COMMAND_CODE ((int32)0xc8000004) Bad Command Code. #define CFE_STATUS_NOT_IMPLEMENTED ((int32)0xc800ffff) Not Implemented. #define CFE_EVS_UNKNOWN_FILTER ((int32)0xc2000001) Unknown Filter. #define CFE_EVS_APP_NOT_REGISTERED ((int32)0xc2000002) Application Not Registered. #define CFE_EVS_APP_ILLEGAL_APP_ID ((int32)0xc2000003) Illegal Application ID. #define CFE_EVS_APP_FILTER_OVERLOAD ((int32)0xc2000004) Application Filter Overload. #define CFE_EVS_RESET_AREA_POINTER ((int32)0xc2000005) Reset Area Pointer Failure. #define CFE EVS EVT NOT REGISTERED ((int32)0xc2000006) Event Not Registered. #define CFE_EVS_FILE_WRITE_ERROR ((int32)0xc2000007) File Write Error. #define CFE EVS INVALID PARAMETER ((int32)0xc2000008) Invalid Pointer. #define CFE_EVS_FUNCTION_DISABLED ((int32)0xc2000009) Function Disabled. #define CFE EVS NOT IMPLEMENTED ((int32)0xc200ffff) Not Implemented.

#define CFE ES ERR APPID ((int32)0xc4000001)

#define CFE ES ERR APPNAME ((int32)0xc4000002)

Application ID Error.

Application Name Error.

• #define CFE_ES_ERR_BUFFER ((int32)0xc4000003)

Invalid Pointer.

#define CFE ES ERR APP CREATE ((int32)0xc4000004)

Application Create Error.

#define CFE_ES_ERR_CHILD_TASK_CREATE ((int32)0xc4000005)

Child Task Create Error.

#define CFE_ES_ERR_SYS_LOG_FULL ((int32)0xc4000006)

System Log Full.

• #define CFE ES ERR MEM HANDLE ((int32)0xc4000007)

Memory Handle Error.

#define CFE ES ERR MEM BLOCK SIZE ((int32)0xc4000008)

Memory Block Size Error.

• #define CFE_ES_ERR_LOAD_LIB ((int32)0xc4000009)

Load Library Error.

#define CFE_ES_BAD_ARGUMENT ((int32)0xc400000a)

Bad Argument.

#define CFE_ES_ERR_CHILD_TASK_REGISTER ((int32)0xc400000b)

Child Task Register Error.

#define CFE_ES_ERR_SHELL_CMD ((int32)0xc400000c)

Shell Command Error.

#define CFE_ES_CDS_ALREADY_EXISTS ((int32)0x4400000d)

CDS Already Exists.

#define CFE_ES_CDS_INSUFFICIENT_MEMORY ((int32)0xc400000e)

CDS Insufficient Memory.

#define CFE ES CDS INVALID NAME ((int32)0xc400000f)

CDS Invalid Name.

#define CFE ES CDS INVALID SIZE ((int32)0xc4000010)

CDS Invalid Size.

#define CFE ES CDS REGISTRY FULL ((int32)0xc4000011)

CDS Registry Full.

#define CFE ES CDS INVALID ((int32)0xc4000012)

CDS Invalid.

• #define CFE ES CDS ACCESS ERROR ((int32)0xc4000013)

CDS Access Error.

#define CFE_ES_FILE_IO_ERR ((int32)0xc4000014)

File IO Error.

#define CFE_ES_RST_ACCESS_ERR ((int32)0xc4000015)

Reset Area Access Error.

• #define CFE_ES_ERR_TASKID ((int32)0xc4000016)

Task ID Error.

#define CFE_ES_ERR_APP_REGISTER ((int32)0xc4000017)

Application Register Error.

#define CFE ES ERR CHILD TASK DELETE ((int32)0xc4000018)

Child Task Delete Error.

#define CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK ((int32)0xc4000019)

Child Task Delete Passed Main Task.

```
    #define CFE_ES_CDS_BLOCK_CRC_ERR ((int32)0xc400001A)
    CDS Block CRC Error.
```

#define CFE ES MUT SEM DELETE ERR ((int32)0xc400001B)

Mutex Semaphore Delete Error.

• #define CFE_ES_BIN_SEM_DELETE_ERR ((int32)0xc400001C)

Binary Semaphore Delete Error.

#define CFE_ES_COUNT_SEM_DELETE_ERR ((int32)0xc400001D)

Counte Semaphore Delete Error.

#define CFE_ES_QUEUE_DELETE_ERR ((int32)0xc400001E)

Queue Delete Error.

#define CFE_ES_FILE_CLOSE_ERR ((int32)0xc400001F)

File Close Error.

#define CFE_ES_CDS_WRONG_TYPE_ERR ((int32)0xc4000020)

CDS Wrong Type Error.

#define CFE_ES_CDS_NOT_FOUND_ERR ((int32)0xc4000021)

CDS Not Found Error.

#define CFE ES CDS OWNER ACTIVE ERR ((int32)0xc4000022)

CDS Owner Active Error.

#define CFE_ES_APP_CLEANUP_ERR ((int32)0xc4000023)

Application Cleanup Error.

#define CFE_ES_TIMER_DELETE_ERR ((int32)0xc4000024)

Timer Delete Error.

#define CFE_ES_BUFFER_NOT_IN_POOL ((int32)0xc4000025)

Buffer Not In Pool.

#define CFE_ES_TASK_DELETE_ERR ((int32)0xc4000026)

Task Delete Error.

#define CFE_ES_OPERATION_TIMED_OUT ((int32)0xc4000027)

Operation Timed Out.

#define CFE_ES_LIB_ALREADY_LOADED ((int32)0x44000028)

Library Already Loaded.

#define CFE_ES_ERR_SYS_LOG_TRUNCATED ((int32)0x44000028)

System Log Message Truncated.

#define CFE_ES_NOT_IMPLEMENTED ((int32)0xc400ffff)

Not Implemented.

#define CFE FS BAD ARGUMENT ((int32)0xc6000001)

Bad Argument.

#define CFE_FS_INVALID_PATH ((int32)0xc6000002)

Invalid Path.

#define CFE FS FNAME TOO LONG ((int32)0xc6000003)

Filename Too Long.

#define CFE_FS_GZIP_BAD_DATA ((int32)0xc6000004)

GZIP File Bad Data.

#define CFE FS GZIP BAD CODE BLOCK ((int32)0xc6000005)

GZIP File Bad Code Block.

#define CFE FS GZIP NO MEMORY ((int32)0xc6000006)

GZIP Memory Buffer Exhausted.

#define CFE_FS_GZIP_CRC_ERROR ((int32)0xc6000007)

GZIP CRC Error.

```
    #define CFE_FS_GZIP_LENGTH_ERROR ((int32)0xc6000008)

     GZIP Length Error.

    #define CFE FS GZIP WRITE ERROR ((int32)0xc6000009)

     GZIP Write Error.

    #define CFE_FS_GZIP_READ_ERROR ((int32)0xc600000A)

     GZIP Read Error.

    #define CFE FS GZIP OPEN OUTPUT ((int32)0xc600000B)

     GZIP Open Output Error.
• #define CFE_FS_GZIP_OPEN_INPUT ((int32)0xc600000C)
     GZIP Open Input Error.

    #define CFE_FS_GZIP_READ_ERROR_HEADER ((int32)0xc600000D)

     GZIP Read Header Error.

    #define CFE_FS_GZIP_INDEX_ERROR ((int32)0xc600000E)

     GZIP Index Error.

    #define CFE_FS_GZIP_NON_ZIP_FILE ((int32)0xc600000F)

     GZIP Not Zip File.

    #define CFE_FS_NOT_IMPLEMENTED ((int32)0xc600ffff)

     Not Implemented.

    #define CFE_OS_ERROR (OS_ERROR)

     DEPRECATED.

    #define CFE_OS_INVALID_POINTER (OS_INVALID_POINTER)

     DEPRECATED.

    #define CFE_OS_ERROR_ADDRESS_MISALIGNED (OS_ERROR_ADDRESS_MISALIGNED)

     DEPRECATED.

    #define CFE OS ERROR TIMEOUT (OS ERROR TIMEOUT)

     DEPRECATED.

    #define CFE OS INVALID INT NUM (OS INVALID INT NUM)

     DEPRECATED.

    #define CFE OS SEM FAILURE (OS SEM FAILURE)

     DEPRECATED.

    #define CFE OS SEM TIMEOUT (OS SEM TIMEOUT)

     DEPRECATED.

    #define CFE_OS_QUEUE_EMPTY (OS_QUEUE_EMPTY)

     DEPRECATED.

    #define CFE_OS_QUEUE_FULL (OS_QUEUE_FULL)

     DEPRECATED.

    #define CFE_OS_QUEUE_TIMEOUT (OS_QUEUE_TIMEOUT)

     DEPRECATED.

    #define CFE_OS_QUEUE_INVALID_SIZE (OS_QUEUE_INVALID_SIZE)

     DEPRECATED.

    #define CFE_OS_QUEUE_ID_ERROR (OS_QUEUE_ID_ERROR)

     DEPRECATED.

    #define CFE OS ERR NAME TOO LONG (OS ERR NAME TOO LONG)

     DEPRECATED.

    #define CFE_OS_ERR_NO_FREE_IDS (OS_ERR_NO_FREE_IDS)

     DEPRECATED.
```

```
    #define CFE_OS_ERR_NAME_TAKEN (OS_ERR_NAME_TAKEN)

     DEPRECATED.

    #define CFE OS ERR INVALID ID (OS ERR INVALID ID)

     DEPRECATED.

    #define CFE OS ERR NAME NOT FOUND (OS ERR NAME NOT FOUND)

     DEPRECATED.

    #define CFE OS ERR SEM NOT FULL (OS ERR SEM NOT FULL)

     DEPRECATED.

    #define CFE_OS_ERR_INVALID_PRIORITY (OS_ERR_INVALID_PRIORITY)

     DEPRECATED.

    #define CFE OS FS ERROR (OS ERROR)

     DEPRECATED.

    #define CFE OS FS ERR INVALID POINTER (OS INVALID POINTER)

     DEPRECATED.

    #define CFE_OS_FS_ERR_PATH_TOO_LONG (OS_FS_ERR_PATH_TOO_LONG)

     DEPRECATED.

    #define CFE OS FS ERR NAME TOO LONG (OS FS ERR NAME TOO LONG)

     DEPRECATED.

    #define CFE_OS_FS_ERR_DRIVE_NOT_CREATED (OS_FS_ERR_DRIVE_NOT_CREATED)

     DEPRECATED.

    #define CFE_OSAPI_NOT_IMPLEMENTED (OS_ERR_NOT_IMPLEMENTED)

     DEPRECATED.

    #define CFE_SB_TIME_OUT ((int32)0xca000001)

     Time Out.

    #define CFE_SB_NO_MESSAGE ((int32)0xca000002)

     No Message.

    #define CFE_SB_BAD_ARGUMENT ((int32)0xca000003)

     Bad Argument.

    #define CFE_SB_MAX_PIPES_MET ((int32)0xca000004)

     Max Pipes Met.

    #define CFE_SB_PIPE_CR_ERR ((int32)0xca000005)

     Pipe Create Error.
#define CFE_SB_PIPE_RD_ERR ((int32)0xca000006)
     Pipe Read Error.

    #define CFE SB MSG TOO BIG ((int32)0xca000007)

     Message Too Big.

    #define CFE_SB_BUF_ALOC_ERR ((int32)0xca000008)

     Buffer Allocation Error.

    #define CFE SB MAX MSGS MET ((int32)0xca000009)

     Max Messages Met.

    #define CFE_SB_MAX_DESTS_MET ((int32)0xca00000a)

     Max Destinations Met.

    #define CFE SB NO SUBSCRIBERS ((int32)0xca00000b)

     No Subscribers.
• #define CFE_SB_INTERNAL_ERR ((int32)0xca00000c)
     Internal Error.
```

#define CFE SB WRONG MSG TYPE ((int32)0xca00000d)

```
    #define CFE_SB_BUFFER_INVALID ((int32)0xca00000e)

     Buffer Invalid.

    #define CFE_SB_NO_MSG_RECV ((int32)0xca00000f)

     No Message Recieved.

    #define CFE_SB_NOT_IMPLEMENTED ((int32)0xca00ffff)

     Not Implemented.

    #define CFE TBL ERR INVALID HANDLE ((int32)0xcc000001)

     Invalid Handle.

    #define CFE_TBL_ERR_INVALID_NAME ((int32)0xcc000002)

     Invalid Name.
#define CFE_TBL_ERR_INVALID_SIZE ((int32)0xcc000003)
     Invalid Size.

    #define CFE_TBL_INFO_UPDATE_PENDING ((int32)0x4c000004)

     Update Pendina.

    #define CFE_TBL_ERR_NEVER_LOADED ((int32)0xcc000005)

     Never Loaded.

    #define CFE_TBL_ERR_REGISTRY_FULL ((int32)0xcc000006)

     Registry Full.

    #define CFE_TBL_WARN_DUPLICATE ((int32)0x4c000007)

     Duplicate Warning.
• #define CFE_TBL_ERR_NO_ACCESS ((int32)0xcc000008)
     No Access.

    #define CFE_TBL_ERR_UNREGISTERED ((int32)0xcc000009)

     Unregistered.

    #define CFE_TBL_ERR_BAD_APP_ID ((int32)0xcc00000A)

     Bad Application ID.

    #define CFE_TBL_ERR_HANDLES_FULL ((int32)0xcc00000B)

     Handles Full.

    #define CFE_TBL_ERR_DUPLICATE_DIFF_SIZE ((int32)0xcc00000C)

     Duplicate Table With Different Size.

    #define CFE_TBL_ERR_DUPLICATE_NOT_OWNED ((int32)0xcc00000D)

     Dupicate Table And Not Owned.

    #define CFE TBL INFO UPDATED ((int32)0x4c00000E)

     Updated.

    #define CFE TBL ERR NO BUFFER AVAIL ((int32)0xcc00000F)

     No Buffer Available.

    #define CFE_TBL_ERR_DUMP_ONLY ((int32)0xcc000010)

     Dump Only Error.

    #define CFE_TBL_ERR_ILLEGAL_SRC_TYPE ((int32)0xcc000011)

     Illegal Source Type.

    #define CFE TBL ERR LOAD IN PROGRESS ((int32)0xcc000012)

     Load In Progress.

    #define CFE_TBL_ERR_FILE_NOT_FOUND ((int32)0xcc000013)

     File Not Found.

    #define CFE TBL ERR FILE TOO LARGE ((int32)0xcc000014)

     File Too Large.
```

Wrong Message Type.

```
• #define CFE_TBL_WARN_SHORT_FILE ((int32)0x4c000015)
     Short File Warning.

    #define CFE TBL ERR BAD CONTENT ID ((int32)0xcc000016)

     Bad Content ID.

    #define CFE TBL INFO NO UPDATE PENDING ((int32)0x4c000017)

     No Update Pending.

    #define CFE_TBL_INFO_TABLE_LOCKED ((int32)0x4c000018)

     Table Locked.

    #define CFE TBL INFO VALIDATION PENDING ((int32)0x4c000019)

    #define CFE TBL INFO NO VALIDATION PENDING ((int32)0x4c00001A)

    #define CFE TBL ERR BAD SUBTYPE ID ((int32)0xcc00001B)

     Bad Subtype ID.

    #define CFE_TBL_ERR_FILE_SIZE_INCONSISTENT ((int32)0xcc00001C)

     File Size Inconsistent.

    #define CFE TBL ERR NO STD HEADER ((int32)0xcc00001D)

     No Standard Header.
• #define CFE_TBL_ERR_NO_TBL_HEADER ((int32)0xcc00001E)
     No Table Header.

    #define CFE_TBL_ERR_FILENAME_TOO_LONG ((int32)0xcc00001F)

     Filename Too Long.

    #define CFE TBL ERR FILE FOR WRONG TABLE ((int32)0xcc000020)

     File For Wrong Table.

    #define CFE_TBL_ERR_LOAD_INCOMPLETE ((int32)0xcc000021)

     Load Incomplete.

    #define CFE_TBL_WARN_PARTIAL_LOAD ((int32)0x4c000022)

     Partial Load Warning.

    #define CFE_TBL_ERR_PARTIAL_LOAD ((int32)0xcc000023)

     Partial Load Error.

    #define CFE_TBL_INFO_DUMP_PENDING ((int32)0x4c000024)

     Dump Pending.

    #define CFE TBL ERR INVALID OPTIONS ((int32)0xcc000025)

     Invalid Options.

    #define CFE TBL WARN NOT CRITICAL ((int32)0x4c000026)

     Not Critical Warning.

    #define CFE TBL INFO RECOVERED TBL ((int32)0x4c000027)

     Recovered Table.

    #define CFE TBL ERR BAD SPACECRAFT ID ((int32)0xcc000028)

     Bad Spacecraft ID.

    #define CFE_TBL_ERR_BAD_PROCESSOR_ID ((int32)0xcc000029)

     Bad Processor ID.

    #define CFE TBL MESSAGE ERROR ((int32)0xcc00002a)

     Message Error.
• #define CFE_TBL_ERR_SHORT_FILE ((int32)0xcc00002b)

    #define CFE_TBL_ERR_ACCESS ((int32)0xcc00002c)

    #define CFE_TBL_NOT_IMPLEMENTED ((int32)0xcc00ffff)
```

Not Implemented.

#define CFE TIME NOT IMPLEMENTED ((int32)0xce00ffff)

```
Not Implemented.
```

• #define CFE_TIME_INTERNAL_ONLY ((int32)0xce000001)

Internal Only.

• #define CFE_TIME_OUT_OF_RANGE ((int32)0xce000002)

Out Of Range.

#define CFE_TIME_TOO_MANY_SYNCH_CALLBACKS ((int32)0xce000003)

Too Many Sync Callbacks.

• #define CFE_TIME_CALLBACK_NOT_REGISTERED ((int32)0xce000004)

Callback Not Registered.

39.16.1 Macro Definition Documentation

```
39.16.1.1 CFE_EVENTS_SERVICE
```

```
#define CFE_EVENTS_SERVICE ((int32)0x02000000)
```

Event Service.

Definition at line 99 of file cfe_error.h.

39.16.1.2 CFE_EXECUTIVE_SERVICE

```
#define CFE_EXECUTIVE_SERVICE ((int32)0x04000000)
```

Executive Service.

Definition at line 100 of file cfe_error.h.

39.16.1.3 CFE_FILE_SERVICE

```
#define CFE_FILE_SERVICE ((int32)0x06000000)
```

File Service.

Definition at line 101 of file cfe_error.h.

39.16.1.4 CFE_GENERIC_SERVICE

```
#define CFE_GENERIC_SERVICE ((int32)0x08000000)
```

Generic Service.

Definition at line 102 of file cfe_error.h.

39.16.1.5 CFE_SERVICE_BITMASK

```
#define CFE_SERVICE_BITMASK ((int32)0x0e000000)
```

Error Service Bitmask.

Definition at line 97 of file cfe_error.h.

39.16.1.6 CFE_SEVERITY_BITMASK

```
#define CFE_SEVERITY_BITMASK ((int32)0xc0000000)
```

Error Severity Bitmask.

Definition at line 88 of file cfe_error.h.

39.16.1.7 CFE_SEVERITY_ERROR

```
#define CFE_SEVERITY_ERROR ((int32)0xc0000000)
```

Severity Error.

Definition at line 92 of file cfe_error.h.

39.16.1.8 CFE_SEVERITY_INFO

```
#define CFE_SEVERITY_INFO ((int32)0x40000000)
```

Severity Info.

Definition at line 91 of file cfe_error.h.

```
39.16.1.9 CFE_SEVERITY_SUCCESS
```

```
#define CFE_SEVERITY_SUCCESS ((int32)0x00000000)
```

Severity Success.

Definition at line 90 of file cfe_error.h.

```
39.16.1.10 CFE_SOFTWARE_BUS_SERVICE
```

```
#define CFE_SOFTWARE_BUS_SERVICE ((int32)0x0a000000)
```

Software Bus Service.

Definition at line 103 of file cfe_error.h.

39.16.1.11 CFE_TABLE_SERVICE

```
#define CFE_TABLE_SERVICE ((int32)0x0c000000)
```

Table Service.

Definition at line 104 of file cfe_error.h.

39.16.1.12 CFE_TIME_SERVICE

```
#define CFE_TIME_SERVICE ((int32)0x0e000000)
```

Time Service.

Definition at line 105 of file cfe_error.h.

39.17 cfe/fsw/cfe-core/src/inc/cfe_es.h File Reference

```
#include "cfe_es_extern_typedefs.h"
#include "cfe_mission_cfg.h"
#include "cfe_perfids.h"
```

Data Structures

```
    struct CFE ES Applnfo t
```

Application Information.

struct CFE ES TaskInfo t

Task Info.

struct CFE_ES_BlockStats_t

Block statistics.

· struct CFE ES MemPoolStats t

Memory Pool Statistics.

struct CFE_ES_CDSRegDumpRec_t

CDS Register Dump Record.

union CFE ES PoolAlign t

Pool Alignement.

Macros

- #define OS PRINTF(m, n)
- #define CFE_ES_DBIT(x) (1L << (x)) /* Places a one at bit positions 0 thru 31 */
- #define CFE ES DTEST(i, x) (((i) & CFE ES DBIT(x)) != 0) /* true iff bit x of i is set */
- #define CFE_ES_TEST_LONG_MASK(m, s) (CFE_ES_DTEST(m[(s)/32],(s)%32)) /* Test a bit within an array of 32-bit integers. */
- #define CFE ES MAX MEMPOOL BLOCK SIZES 17
- #define CFE ES NO MUTEX 0

Indicates that the memory pool selection will not use a semaphore.

#define CFE ES USE MUTEX 1

Indicates that the memory pool selection will use a semaphore.

- #define CFE ES PROCESSOR RESET CFE PSP RST TYPE PROCESSOR
- #define CFE ES POWERON RESET CFE PSP RST TYPE POWERON
- #define CFE ES POWER CYCLE CFE PSP RST SUBTYPE POWER CYCLE
- #define CFE ES PUSH BUTTON CFE PSP RST SUBTYPE PUSH BUTTON
- #define CFE_ES_HW_SPECIAL_COMMAND CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COMMAND
- #define CFE_ES_HW_WATCHDOG CFE_PSP_RST_SUBTYPE_HW_WATCHDOG
- #define CFE ES RESET COMMAND CFE PSP RST SUBTYPE RESET COMMAND
- #define CFE ES EXCEPTION CFE PSP RST SUBTYPE EXCEPTION
- #define CFE ES UNDEFINED RESET CFE PSP RST SUBTYPE UNDEFINED RESET
- #define CFE ES HWDEBUG RESET CFE PSP RST SUBTYPE HWDEBUG RESET
- #define CFE ES BANKSWITCH RESET CFE PSP RST SUBTYPE BANKSWITCH RESET
- #define CFE ES SYSTEM STATE UNDEFINED CFE ES SystemState UNDEFINED
- #define CFE ES SYSTEM STATE EARLY INIT CFE ES SystemState EARLY INIT
- #define CFE_ES_SYSTEM_STATE_CORE_STARTUP CFE_ES_SystemState_CORE_STARTUP
- #define CFE ES SYSTEM STATE CORE READY CFE ES SystemState CORE READY
- #define CFE ES SYSTEM STATE APPS INIT CFE ES SystemState APPS INIT
- #define CFE_ES_SYSTEM_STATE_OPERATIONAL CFE_ES_SystemState_OPERATIONAL
- #define CFE ES SYSTEM STATE SHUTDOWN CFE ES SystemState SHUTDOWN
- #define CFE_ES_APP_RUN CFE_ES_RunStatus_APP_RUN
- #define CFE_ES_APP_EXIT CFE_ES_RunStatus_APP_EXIT
- #define CFE ES APP ERROR CFE ES RunStatus APP ERROR
- #define CFE ES SYS EXCEPTION CFE ES RunStatus SYS EXCEPTION

- #define CFE_ES_SYS_RESTART CFE_ES_RunStatus_SYS_RESTART
- #define CFE ES SYS RELOAD CFE ES RunStatus SYS RELOAD
- #define CFE ES SYS DELETE CFE ES RunStatus SYS DELETE
- #define CFE ES CORE APP INIT ERROR CFE ES RunStatus CORE APP INIT ERROR
- #define CFE ES CORE APP RUNTIME ERROR CFE ES RunStatus CORE APP RUNTIME ERROR
- #define CFE ES APP STATE UNDEFINED CFE ES AppState UNDEFINED
- #define CFE ES APP STATE EARLY INIT CFE ES AppState EARLY INIT
- #define CFE ES APP STATE LATE INIT CFE ES AppState LATE INIT
- #define CFE ES APP STATE RUNNING CFE ES AppState RUNNING
- #define CFE ES APP STATE WAITING CFE ES AppState WAITING
- #define CFE ES APP STATE STOPPED CFE ES AppState STOPPED
- #define CFE ES APP TYPE CORE CFE ES AppType CORE
- #define CFE_ES_APP_TYPE_EXTERNAL CFE_ES_AppType_EXTERNAL
- #define CFE_ES_LOG_DISCARD CFE_ES_LogMode_DISCARD
- #define CFE_ES_LOG_OVERWRITE CFE_ES_LogMode_OVERWRITE
- #define CFE_ES_APP_EXCEPTION_RESTART_APP CFE_ES_ExceptionAction_RESTART_APP
- #define CFE_ES_APP_EXCEPTION_PROC_RESTART CFE_ES_ExceptionAction_PROC_RESTART
- #define CFE_ES_CORE_LOG_ENTRY CFE_ES_LogEntryType_CORE
- #define CFE_ES_APPLICATION_LOG_ENTRY CFE_ES_LogEntryType_APPLICATION
- #define CFE_ES_STATIC_POOL_TYPE(size) union { CFE_ES_PoolAlign_t Align; uint8 Data[size]; }
 Static Pool Type.
- #define CFE_ES_PerfLogEntry(id) (CFE_ES_PerfLogAdd(id, 0))

Entry marker for use with Software Performance Analysis Tool.

#define CFE_ES_PerfLogExit(id) (CFE_ES_PerfLogAdd(id, 1))

Exit marker for use with Software Performance Analysis Tool.

Reset Type extensions

#define CFE ES APP RESTART CFE PSP RST TYPE MAX

Critical Data Store Macros

- #define CFE_ES_CDS_BAD_HANDLE (CFE_ES_CDSHandle_t) 0xFFFF

Typedefs

• typedef cpuaddr CFE ES MemHandle t

Memory Handle type.

typedef cpuaddr CFE_ES_CDSHandle_t

CDS Handle type.

typedef void(* CFE_ES_ChildTaskMainFuncPtr_t) (void)

Required Prototype of Child Task Main Functions.

typedef int32(* CFE_ES_LibraryEntryFuncPtr_t) (uint32 LibId)

Required Prototype of Library Initialization Functions.

Functions

void CFE ES Main (uint32 StartType, uint32 StartSubtype, uint32 Modeld, const char *StartFilePath)

cFE Main Entry Point used by Board Support Package to start cFE

int32 CFE_ES_ResetCFE (uint32 ResetType)

Reset the cFE Core and all cFE Applications.

int32 CFE ES RestartApp (uint32 AppID)

Restart a single cFE Application.

int32 CFE_ES_ReloadApp (uint32 AppID, const char *AppFileName)

Reload a single cFE Application.

int32 CFE_ES_DeleteApp (uint32 AppID)

Delete a cFE Application.

void CFE_ES_ExitApp (uint32 ExitStatus)

Exit a cFE Application.

• bool CFE ES RunLoop (uint32 *ExitStatus)

Check for Exit, Restart, or Reload commands.

int32 CFE ES WaitForSystemState (uint32 MinSystemState, uint32 TimeOutMilliseconds)

Allow an Application to Wait for a minimum global system state.

void CFE ES WaitForStartupSync (uint32 TimeOutMilliseconds)

Allow an Application to Wait for the "OPERATIONAL" global system state.

int32 CFE_ES_RegisterApp (void)

Registers a cFE Application with the Executive Services.

void CFE ES IncrementTaskCounter (void)

Increments the execution counter for the calling task.

int32 CFE_ES_GetResetType (uint32 *ResetSubtypePtr)

Return the most recent Reset Type.

int32 CFE_ES_GetAppID (uint32 *AppIdPtr)

Get an Application ID for the calling Application.

int32 CFE_ES_GetAppIDByName (uint32 *AppIdPtr, const char *AppName)

Get an Application ID associated with a specified Application name.

• int32 CFE ES GetAppName (char *AppName, uint32 Appld, uint32 BufferLength)

Get an Application name for a specified Application ID.

• int32 CFE_ES_GetAppInfo (CFE_ES_AppInfo_t *AppInfo, uint32 AppId)

Get Application Information given a specified App ID.

int32 CFE_ES_GetTaskInfo (CFE_ES_TaskInfo_t *TaskInfo, uint32 TaskId)

Get Task Information given a specified Task ID.

int32 CFE_ES_RegisterChildTask (void)

Registers a cFE Child task associated with a cFE Application.

 int32 CFE_ES_CreateChildTask (uint32 *TaskIdPtr, const char *TaskName, CFE_ES_ChildTaskMainFuncPtr_t FunctionPtr, uint32 *StackPtr, uint32 StackSize, uint32 Priority, uint32 Flags)

Creates a new task under an existing Application.

int32 CFE_ES_DeleteChildTask (uint32 TaskId)

Deletes a task under an existing Application.

void CFE_ES_ExitChildTask (void)

Exits a child task.

int32 CFE_ES_WriteToSysLog (const char *SpecStringPtr,...) OS_PRINTF(1

Write a string to the cFE System Log.

• int32 uint32 CFE_ES_CalculateCRC (const void *DataPtr, uint32 DataLength, uint32 InputCRC, uint32 TypeCRC)

Calculate a CRC on a block of memory.

void CFE_ES_ProcessCoreException (uint32 HostTaskId, const char *ReasonString, const uint32 *Context↔
 Pointer, uint32 ContextSize)

Process an exception detected by the underlying OS/PSP.

int32 CFE ES RegisterCDS (CFE ES CDSHandle t *HandlePtr, int32 BlockSize, const char *Name)

Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)

int32 CFE_ES_CopyToCDS (CFE_ES_CDSHandle_t Handle, void *DataToCopy)

Save a block of data in the Critical Data Store (CDS)

int32 CFE ES RestoreFromCDS (void *RestoreToMemory, CFE ES CDSHandle t Handle)

Recover a block of data from the Critical Data Store (CDS)

int32 CFE_ES_PoolCreateNoSem (CFE_ES_MemHandle_t *HandlePtr, uint8 *MemPtr, uint32 Size)

Initializes a memory pool created by an application without using a semaphore during processing.

int32 CFE_ES_PoolCreate (CFE_ES_MemHandle_t *HandlePtr, uint8 *MemPtr, uint32 Size)

Initializes a memory pool created by an application while using a semaphore during processing.

 int32 CFE_ES_PoolCreateEx (CFE_ES_MemHandle_t *HandlePtr, uint8 *MemPtr, uint32 Size, uint32 Num← BlockSizes, uint32 *BlockSizes, uint16 UseMutex)

Initializes a memory pool created by an application with application specified block sizes.

int32 CFE ES GetPoolBuf (uint32 **BufPtr, CFE ES MemHandle t HandlePtr, uint32 Size)

Gets a buffer from the memory pool created by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.

int32 CFE_ES_GetPoolBufInfo (CFE_ES_MemHandle_t HandlePtr, uint32 *BufPtr)

Gets info on a buffer previously allocated via CFE_ES_GetPoolBuf.

int32 CFE ES PutPoolBuf (CFE ES MemHandle t HandlePtr, uint32 *BufPtr)

Releases a buffer from the memory pool that was previously allocated via CFE_ES_GetPoolBuf.

int32 CFE ES GetMemPoolStats (CFE ES MemPoolStats t *BufPtr, CFE ES MemHandle t Handle)

Extracts the statistics maintained by the memory pool software.

void CFE_ES_PerfLogAdd (uint32 Marker, uint32 EntryExit)

Function called by CFE_ES_PerfLogEntry and CFE_ES_PerfLogExit macros.

int32 CFE_ES_RegisterGenCounter (uint32 *CounterIdPtr, const char *CounterName)

Register a generic counter.

int32 CFE ES DeleteGenCounter (uint32 CounterId)

Delete a generic counter.

• int32 CFE_ES_IncrementGenCounter (uint32 CounterId)

Increments the specified generic counter.

int32 CFE_ES_SetGenCount (uint32 CounterId, uint32 Count)

Set the specified generic counter.

• int32 CFE ES GetGenCount (uint32 CounterId, uint32 *Count)

Get the specified generic counter count.

int32 CFE_ES_GetGenCounterIDByName (uint32 *CounterIdPtr, const char *CounterName)

Get the Id associated with a generic counter name.

39.17.1 Macro Definition Documentation

```
39.17.1.1 CFE_ES_APP_ERROR
```

#define CFE_ES_APP_ERROR CFE_ES_RunStatus_APP_ERROR

Definition at line 143 of file cfe_es.h.

39.17.1.2 CFE_ES_APP_EXCEPTION_PROC_RESTART

#define CFE_ES_APP_EXCEPTION_PROC_RESTART CFE_ES_ExceptionAction_PROC_RESTART

Definition at line 177 of file cfe_es.h.

39.17.1.3 CFE_ES_APP_EXCEPTION_RESTART_APP

#define CFE_ES_APP_EXCEPTION_RESTART_APP CFE_ES_ExceptionAction_RESTART_APP

Definition at line 176 of file cfe_es.h.

39.17.1.4 CFE_ES_APP_EXIT

#define CFE_ES_APP_EXIT CFE_ES_RunStatus_APP_EXIT

Definition at line 142 of file cfe_es.h.

39.17.1.5 CFE_ES_APP_RESTART

#define CFE_ES_APP_RESTART CFE_PSP_RST_TYPE_MAX

Application only was reset (extend the PSP enumeration here)

Definition at line 80 of file cfe_es.h.

39.17.1.6 CFE_ES_APP_RUN

#define CFE_ES_APP_RUN CFE_ES_RunStatus_APP_RUN

Definition at line 141 of file cfe_es.h.

39.17.1.7 CFE_ES_APP_STATE_EARLY_INIT

#define CFE_ES_APP_STATE_EARLY_INIT CFE_ES_AppState_EARLY_INIT

Definition at line 155 of file cfe es.h.

39.17.1.8 CFE_ES_APP_STATE_LATE_INIT

#define CFE_ES_APP_STATE_LATE_INIT CFE_ES_AppState_LATE_INIT

Definition at line 156 of file cfe_es.h.

39.17.1.9 CFE_ES_APP_STATE_RUNNING

#define CFE_ES_APP_STATE_RUNNING CFE_ES_AppState_RUNNING

Definition at line 157 of file cfe_es.h.

39.17.1.10 CFE_ES_APP_STATE_STOPPED

#define CFE_ES_APP_STATE_STOPPED CFE_ES_AppState_STOPPED

Definition at line 159 of file cfe es.h.

39.17.1.11 CFE_ES_APP_STATE_UNDEFINED

#define CFE_ES_APP_STATE_UNDEFINED CFE_ES_AppState_UNDEFINED

Definition at line 154 of file cfe_es.h.

39.17.1.12 CFE_ES_APP_STATE_WAITING

#define CFE_ES_APP_STATE_WAITING CFE_ES_AppState_WAITING

Definition at line 158 of file cfe_es.h.

```
39.17.1.13 CFE_ES_APP_TYPE_CORE
```

```
#define CFE_ES_APP_TYPE_CORE CFE_ES_AppType_CORE
```

Definition at line 164 of file cfe_es.h.

39.17.1.14 CFE_ES_APP_TYPE_EXTERNAL

```
#define CFE_ES_APP_TYPE_EXTERNAL CFE_ES_AppType_EXTERNAL
```

Definition at line 165 of file cfe_es.h.

39.17.1.15 CFE_ES_APPLICATION_LOG_ENTRY

```
#define CFE_ES_APPLICATION_LOG_ENTRY CFE_ES_LogEntryType_APPLICATION
```

Definition at line 183 of file cfe_es.h.

39.17.1.16 CFE_ES_BANKSWITCH_RESET

```
#define CFE_ES_BANKSWITCH_RESET CFE_PSP_RST_SUBTYPE_BANKSWITCH_RESET
```

Definition at line 125 of file cfe_es.h.

39.17.1.17 CFE_ES_CDS_BAD_HANDLE

```
#define CFE_ES_CDS_BAD_HANDLE (CFE_ES_CDSHandle_t) 0xFFFF
```

Definition at line 90 of file cfe_es.h.

39.17.1.18 CFE_ES_CDS_MAX_FULL_NAME_LEN

```
#define CFE_ES_CDS_MAX_FULL_NAME_LEN (CFE_MISSION_ES_CDS_MAX_NAME_LENGTH + OS_MAX_API_NAME + 2)
```

Maximum length allowed for CDS name.

NOTE: "+2" is for NULL Character and "." (i.e. - "AppName.CDSName")

Definition at line 88 of file cfe es.h.

```
39.17.1.19 CFE_ES_CORE_APP_INIT_ERROR
```

```
#define CFE_ES_CORE_APP_INIT_ERROR CFE_ES_RunStatus_CORE_APP_INIT_ERROR
```

Definition at line 148 of file cfe_es.h.

39.17.1.20 CFE_ES_CORE_APP_RUNTIME_ERROR

```
#define CFE_ES_CORE_APP_RUNTIME_ERROR CFE_ES_RunStatus_CORE_APP_RUNTIME_ERROR
```

Definition at line 149 of file cfe_es.h.

```
39.17.1.21 CFE_ES_CORE_LOG_ENTRY
```

```
#define CFE_ES_CORE_LOG_ENTRY CFE_ES_LogEntryType_CORE
```

Definition at line 182 of file cfe_es.h.

39.17.1.22 CFE_ES_DBIT

```
#define CFE_ES_DBIT( $x ) (1L << (x)) /* Places a one at bit positions 0 thru 31 */
```

Definition at line 60 of file cfe es.h.

39.17.1.23 CFE_ES_DTEST

Definition at line 61 of file cfe_es.h.

39.17.1.24 CFE_ES_EXCEPTION

```
#define CFE_ES_EXCEPTION CFE_PSP_RST_SUBTYPE_EXCEPTION
```

Definition at line 122 of file cfe es.h.

39.17.1.25 CFE_ES_HW_SPECIAL_COMMAND

#define CFE_ES_HW_SPECIAL_COMMAND CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COMMAND

Definition at line 119 of file cfe_es.h.

39.17.1.26 CFE_ES_HW_WATCHDOG

#define CFE_ES_HW_WATCHDOG CFE_PSP_RST_SUBTYPE_HW_WATCHDOG

Definition at line 120 of file cfe_es.h.

39.17.1.27 CFE_ES_HWDEBUG_RESET

#define CFE_ES_HWDEBUG_RESET CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET

Definition at line 124 of file cfe_es.h.

39.17.1.28 CFE_ES_LOG_DISCARD

#define CFE_ES_LOG_DISCARD CFE_ES_LogMode_DISCARD

Definition at line 170 of file cfe_es.h.

39.17.1.29 CFE_ES_LOG_OVERWRITE

#define CFE_ES_LOG_OVERWRITE CFE_ES_LogMode_OVERWRITE

Definition at line 171 of file cfe_es.h.

39.17.1.30 CFE_ES_MAX_MEMPOOL_BLOCK_SIZES

#define CFE_ES_MAX_MEMPOOL_BLOCK_SIZES 17

Max number of size divisions allowed in a memory pool

Definition at line 63 of file cfe_es.h.

39.17.1.31 CFE_ES_NO_MUTEX

```
#define CFE_ES_NO_MUTEX 0
```

Indicates that the memory pool selection will not use a semaphore.

Definition at line 93 of file cfe_es.h.

39.17.1.32 CFE_ES_POWER_CYCLE

```
#define CFE_ES_POWER_CYCLE CFE_PSP_RST_SUBTYPE_POWER_CYCLE
```

Definition at line 117 of file cfe es.h.

39.17.1.33 CFE_ES_POWERON_RESET

```
#define CFE_ES_POWERON_RESET CFE_PSP_RST_TYPE_POWERON
```

Definition at line 115 of file cfe_es.h.

39.17.1.34 CFE_ES_PROCESSOR_RESET

#define CFE_ES_PROCESSOR_RESET CFE_PSP_RST_TYPE_PROCESSOR

Definition at line 114 of file cfe_es.h.

39.17.1.35 CFE_ES_PUSH_BUTTON

#define CFE_ES_PUSH_BUTTON CFE_PSP_RST_SUBTYPE_PUSH_BUTTON

Definition at line 118 of file cfe_es.h.

39.17.1.36 CFE_ES_RESET_COMMAND

#define CFE_ES_RESET_COMMAND CFE_PSP_RST_SUBTYPE_RESET_COMMAND

Definition at line 121 of file cfe_es.h.

39.17.1.37 CFE_ES_STATIC_POOL_TYPE

Static Pool Type.

A macro to help instantiate static memory pools that are correctly aligned. This resolves to a union type that contains a member called "Data" that will be correctly aligned to be a memory pool and sized according to the argument.

Definition at line 344 of file cfe_es.h.

39.17.1.38 CFE_ES_SYS_DELETE

```
#define CFE_ES_SYS_DELETE CFE_ES_RunStatus_SYS_DELETE
```

Definition at line 147 of file cfe_es.h.

39.17.1.39 CFE_ES_SYS_EXCEPTION

```
#define CFE_ES_SYS_EXCEPTION CFE_ES_RunStatus_SYS_EXCEPTION
```

Definition at line 144 of file cfe_es.h.

39.17.1.40 CFE_ES_SYS_RELOAD

```
#define CFE_ES_SYS_RELOAD CFE_ES_RunStatus_SYS_RELOAD
```

Definition at line 146 of file cfe es.h.

39.17.1.41 CFE ES SYS RESTART

```
#define CFE_ES_SYS_RESTART CFE_ES_RunStatus_SYS_RESTART
```

Definition at line 145 of file cfe_es.h.

39.17.1.42 CFE_ES_SYSTEM_STATE_APPS_INIT

```
#define CFE_ES_SYSTEM_STATE_APPS_INIT CFE_ES_SystemState_APPS_INIT
```

Definition at line 134 of file cfe_es.h.

39.17.1.43 CFE_ES_SYSTEM_STATE_CORE_READY

#define CFE_ES_SYSTEM_STATE_CORE_READY CFE_ES_SystemState_CORE_READY

Definition at line 133 of file cfe es.h.

39.17.1.44 CFE ES SYSTEM STATE CORE STARTUP

#define CFE_ES_SYSTEM_STATE_CORE_STARTUP CFE_ES_SystemState_CORE_STARTUP

Definition at line 132 of file cfe_es.h.

39.17.1.45 CFE_ES_SYSTEM_STATE_EARLY_INIT

#define CFE_ES_SYSTEM_STATE_EARLY_INIT CFE_ES_SystemState_EARLY_INIT

Definition at line 131 of file cfe_es.h.

39.17.1.46 CFE_ES_SYSTEM_STATE_OPERATIONAL

#define CFE_ES_SYSTEM_STATE_OPERATIONAL CFE_ES_SystemState_OPERATIONAL

Definition at line 135 of file cfe_es.h.

39.17.1.47 CFE ES SYSTEM STATE SHUTDOWN

#define CFE_ES_SYSTEM_STATE_SHUTDOWN CFE_ES_SystemState_SHUTDOWN

Definition at line 136 of file cfe_es.h.

39.17.1.48 CFE_ES_SYSTEM_STATE_UNDEFINED

#define CFE_ES_SYSTEM_STATE_UNDEFINED CFE_ES_SystemState_UNDEFINED

Definition at line 130 of file cfe_es.h.

39.17.1.49 CFE_ES_TEST_LONG_MASK

Definition at line 62 of file cfe es.h.

39.17.1.50 CFE_ES_UNDEFINED_RESET

```
#define CFE_ES_UNDEFINED_RESET CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET
```

Definition at line 123 of file cfe_es.h.

39.17.1.51 CFE_ES_USE_MUTEX

```
#define CFE_ES_USE_MUTEX 1
```

Indicates that the memory pool selection will use a semaphore.

Definition at line 94 of file cfe_es.h.

39.17.1.52 OS_PRINTF

```
#define OS_PRINTF(
          m,
          n )
```

Definition at line 57 of file cfe_es.h.

39.17.2 Typedef Documentation

39.17.2.1 CFE_ES_CDSHandle_t

```
typedef cpuaddr CFE_ES_CDSHandle_t
```

CDS Handle type.

Data type used to hold Handles of Critical Data Stores. See CFE_ES_RegisterCDS

Definition at line 302 of file cfe_es.h.

```
39.17.2.2 CFE_ES_ChildTaskMainFuncPtr_t
typedef void(* CFE_ES_ChildTaskMainFuncPtr_t) (void)
Required Prototype of Child Task Main Functions.
Definition at line 319 of file cfe es.h.
39.17.2.3 CFE_ES_LibraryEntryFuncPtr_t
typedef int32(* CFE_ES_LibraryEntryFuncPtr_t) (uint32 LibId)
Required Prototype of Library Initialization Functions.
Definition at line 320 of file cfe es.h.
39.17.2.4 CFE_ES_MemHandle_t
typedef cpuaddr CFE_ES_MemHandle_t
Memory Handle type.
Data type used to hold Handles of Memory Pools created via CFE_ES_PoolCreate and CFE_ES_PoolCreateNoSem
Definition at line 199 of file cfe_es.h.
39.18 cfe/fsw/cfe-core/src/inc/cfe es events.h File Reference
Macros
   • #define CFE ES MAX EID 92

    #define CFE_ES_INIT_INF_EID 1 /* start up message "informational" */

         'cFE ES Initialized'
   • #define CFE_ES_INITSTATS_INF_EID 2
         'cFE Version %d.%d.%d chksm %d, OSAL Version %d.%d'

    #define CFE_ES_NOOP_INF_EID 3 /* processed command "informational" */

         'No-op command'
   • #define CFE ES RESET INF EID 4
         'Reset Counters command'

    #define CFE ES SHELL INF EID 5

         'Invoked shell command %s'
   • #define CFE_ES_START_INF_EID 6
         'Started %s from %s, AppID = %d'

    #define CFE ES STOP DBG EID 7

         'Stop Application %s Initiated.'
```

```
• #define CFE_ES_STOP_INF_EID 8
     'Stop Application %s Completed.'

    #define CFE ES RESTART APP DBG EID 9

     'Restart Application %s Initiated.'

    #define CFE ES RESTART APP INF EID 10

     'Restart Application %s Completed.'

    #define CFE ES RELOAD APP DBG EID 11

     'Reload Application %s Initiated.'

    #define CFE ES RELOAD APP INF EID 12

     'Reload Application %s Completed.'

    #define CFE ES EXIT APP INF EID 13

     'Exit Application %s Completed.'

    #define CFE ES ERREXIT APP INF EID 14

     'Exit Application %s Completed.'

    #define CFE_ES_ONE_APP_EID 15

     'Sent %s application data'

    #define CFE ES ALL APPS EID 16

     'App Info file written to %s, Entries=%d, FileSize=%d'

    #define CFE_ES_SYSLOG1_INF_EID 17

     'Cleared Executive Services log data'

    #define CFE ES SYSLOG2 EID 18

     '%s written:Size=%d,Entries=%d'

    #define CFE_ES_ERLOG1_INF_EID 19

     'Cleared mode log data'
• #define CFE ES ERLOG2 EID 20
     '%s written:Size=%d'

    #define CFE_ES_MID_ERR_EID 21 /* invalid command packet "error" */

     'Invalid command pipe message ID: 0x%X'

    #define CFE_ES_CC1_ERR_EID 22

     'Invalid ground command code: ID = 0x%X, CC = %d'

    #define CFE ES LEN ERR EID 23

     'Invalid cmd length: ID = 0x%X, CC = %d, Exp Len = %d, Len = %d'

    #define CFE_ES_BOOT_ERR_EID 24 /* command specific "error" */

     'Invalid cFE restart type %d'

    #define CFE ES SHELL ERR EID 25

     'Failed to invoke shell command %s, rc = %08X'
• #define CFE ES START ERR EID 26
     'Failed to start %s from %s, RC = %08X'

    #define CFE ES START INVALID FILENAME ERR EID 27

     'CFE_ES_StartAppCmd: invalid filename: %s'

    #define CFE_ES_START_INVALID_ENTRY_POINT_ERR_EID 28

     'CFE_ES_StartAppCmd: App Entry Point is NULL.'

    #define CFE ES START NULL APP NAME ERR EID 29

     'CFE_ES_StartAppCmd: App Name is NULL.'

    #define CFE_ES_START_STACK_ERR_EID 30

     'CFE_ES_StartAppCmd: Stack size is less than system Minimum: %d.'

    #define CFE_ES_START_PRIORITY_ERR_EID 31
```

```
'CFE_ES_StartAppCmd: Priority is too large: %d.'

    #define CFE_ES_START_EXC_ACTION_ERR_EID 32

     'CFE_ES_StartAppCmd: Invalid Exception Action: %d.'

    #define CFE ES ERREXIT APP ERR EID 33

     'Exit Application %s on Error Failed: CleanUpApp Error 0x%08X.'
• #define CFE_ES_STOP_ERR1_EID 35
     'Stop Application %s Failed, RC = 0x%08X'

    #define CFE ES STOP ERR2 EID 36

     'Stop Application %s, GetAppIDByName failed. RC = 0x%08X.'

    #define CFE_ES_STOP_ERR3_EID 37

     'Stop Application %s Failed: CleanUpApp Error 0x%08X.'

    #define CFE_ES_RESTART_APP_ERR1_EID 38

     'Restart Application %s Failed, RC = 0x%08X'

    #define CFE_ES_RESTART_APP_ERR2_EID 39

     'Restart Application %s, GetAppIDByName failed. RC = 0x%08X.'
• #define CFE ES RESTART APP ERR3 EID 40
     'Restart Application %s Failed: AppCreate Error 0x%08X.'
• #define CFE_ES_RESTART_APP_ERR4_EID 41
     'Restart Application %s Failed: CleanUpApp Error 0x%08X.'

    #define CFE_ES_RELOAD_APP_ERR1_EID 42

     'Failed to reload Application %s, rc = %08X'
• #define CFE_ES_RELOAD_APP_ERR2_EID 43
     'Reload Application %s, GetAppIDByName failed. RC = 0x%08X.'

    #define CFE_ES_RELOAD_APP_ERR3_EID 44

     'Reload Application %s Failed: AppCreate Error 0x%08X.'

    #define CFE_ES_RELOAD_APP_ERR4_EID 45

     'Reload Application %s Failed: CleanUpApp Error 0x%08X.'
• #define CFE ES EXIT APP ERR EID 46
     'Exit Application %s Failed: CleanUpApp Error 0x%08X.'

    #define CFE ES PCR ERR1 EID 47

     'ES_ProcControlReq: Invalid State (EXCEPTION) Application %s.'

    #define CFE ES PCR ERR2 EID 48

     'ES_ProcControlReq: Unknown State ( %d ) Application %s.'
• #define CFE ES ONE ERR EID 49
     'Failed to send %s application data, RC = %08X'

    #define CFE ES ONE APPID ERR EID 50

     'Failed to send %s application data: GetAppIDByName Failed, RC = 0x%08X'

    #define CFE ES OSCREATE ERR EID 51

     'Failed to write App Info file, OS_creat returned %d'

    #define CFE ES WRHDR ERR EID 52

     'Failed to write App Info file, WriteHdr rtnd %08X, exp %d'

    #define CFE ES TASKWR ERR EID 53

     'Failed to write App Info file, Task write RC = 0x%08X, exp %d'

    #define CFE_ES_SYSLOG2_ERR_EID 55

     'Error creating file %s, stat=0x%x'

    #define CFE ES ERLOG2 ERR EID 56

     'Error creating file %s, stat=0x%x'
```

```
• #define CFE_ES_PERF_STARTCMD_EID 57
     'Start collecting performance data command, trigger mode = d'

    #define CFE ES PERF STARTCMD ERR EID 58

     'Cannot start collecting performance data, perf data write in progress'

    #define CFE ES PERF STARTCMD TRIG ERR EID 59

     'Cannot start collecting performance data, trigger mode (d) out of range (d to
    d) '

    #define CFE ES PERF STOPCMD EID 60

     'Perf Stop Cmd Rcvd,%s will write %d entries.%dmS dly every %d entries'
• #define CFE ES PERF STOPCMD ERR2 EID 62
     'Stop performance data cmd ignored, perf data write in progress'

    #define CFE ES PERF FILTMSKCMD EID 63

     'Set Performance Filter Mask command'

    #define CFE ES PERF FILTMSKERR EID 64

    'Error:Performance Filter Mask Index value greater than CFE_ES_PERF_32BIT_WOR↔
    DS_IN_MASK (which is a whole number derived from CFE_PLATFORM_ES_PERF_MAX_IDS /
    32)'

    #define CFE ES PERF TRIGMSKCMD EID 65

     'Set Performance Trigger Mask command'

    #define CFE_ES_PERF_TRIGMSKERR_EID 66

     'Error: Performance Trigger Mask Index value greater than CFE_ES_PERF_32BIT_W↔
    ORDS_IN_MASK (which is a whole number derived from CFE_PLATFORM_ES_PERF_MAX_IDS
    / 32)'
• #define CFE_ES_PERF_LOG_ERR_EID 67
     'Error creating file %s, stat=%d'

    #define CFE ES PERF DATAWRITTEN EID 68

     '%s written:Size=%d, EntryCount=%d'

    #define CFE_ES_CDS_REGISTER_ERR_EID 69

     '%s Failed to Register CDS '%s', Status=0x%08X'
• #define CFE ES SYSLOGMODE EID 70
     'Set OverWriteSysLog Command Received with Mode setting = %d'

    #define CFE_ES_ERR_SYSLOGMODE_EID 71

     'Set OverWriteSysLog Command: Invalid Mode setting = %d'
• #define CFE ES RESET PR COUNT EID 72
     'Reset Processor Reset Count to Zero'

    #define CFE ES SET MAX PR COUNT EID 73

     'Maximum Processor Reset Count set to: %d'

    #define CFE ES FILEWRITE ERR EID 74

     'File write, byte cnt err, file %s, request=%d, actual=%d'

    #define CFE ES RST ACCESS EID 75

     'Error accessing ER Log, %s not written.Stat=0x%08x'

    #define CFE_ES_CDS_DELETE_ERR_EID 76

     'Error while deleting '%s' from CDS, See SysLog.(Err=0x%08X)'

    #define CFE ES CDS NAME ERR EID 77

     'Unable to locate '%s' in CDS Registry'

    #define CFE ES CDS DELETED INFO EID 78

     'Successfully removed '%s' from CDS'

    #define CFE ES CDS DELETE TBL ERR EID 79
```

```
'CDS '%s' is a Critical Table CDS. Must be deleted via TBL Command'

    #define CFE_ES_CDS_OWNER_ACTIVE_EID 80

         'CDS '%s' not deleted because owning app is active'

    #define CFE ES TLM POOL STATS INFO EID 81

         'Successfully telemetered memory pool stats for 0x%08X'

    #define CFE_ES_INVALID_POOL_HANDLE_ERR_EID 82

         'Cannot telemeter memory pool stats. Illegal Handle (0x%08X)'

    #define CFE ES CDS REG DUMP INF EID 83

         'Successfully dumped CDS Registry to '%s':Size=%d, Entries=%d'

    #define CFE_ES_CDS_DUMP_ERR_EID 84

         'Error writing CDS Registry to '%s', Status=0x%08X'

    #define CFE_ES_WRITE_CFE_HDR_ERR_EID 85

         'Error writing cFE File Header to '%s', Status=0x%08X'

    #define CFE ES CREATING CDS DUMP ERR EID 86

         'Error creating CDS dump file '%s', Status=0x%08X'
    • #define CFE ES TASKINFO EID 87
         'Task Info file written to %s, Entries=%d, FileSize=%d'

    #define CFE ES TASKINFO OSCREATE ERR EID 88

         'Failed to write Task Info file, OS_creat returned %d'

    #define CFE_ES_TASKINFO_WRHDR_ERR_EID 89

         'Failed to write Task Info file, WriteHdr rtnd %08X, exp %d'

    #define CFE_ES_TASKINFO_WR_ERR_EID 90

         'Failed to write Task Info file, Task write RC = 0x%08X, exp %d'
    • #define CFE ES VERSION INF EID 91
         'Mission s.s, s, s'
    • #define CFE ES BUILD INF EID 92
         'Build s s'
39.18.1 Macro Definition Documentation
39.18.1.1 CFE ES ALL APPS EID
 #define CFE_ES_ALL_APPS_EID 16
 'App Info file written to %s, Entries=%d, FileSize=%d'
Event Message 'App Info file written to %s, Entries=%d, FileSize=%d'
Type: DEBUG
```

Cause:

Generated by Doxygen

This event message is issued upon successful completion of the cFE Executive Services Query All Applications command

The 's' field identifies the name of the file to which all Executive Services Application data has been written. The Entries field identifies, in decimal, the number of Applications whose data was written and the FileSize field gives the total number of bytes written to the file.

Definition at line 301 of file cfe es events.h.

```
39.18.1.2 CFE_ES_BOOT_ERR_EID
#define CFE_ES_BOOT_ERR_EID 24 /* command specific "error" */
'Invalid cFE restart type %d'

Event Message 'Invalid cFE restart type %d'
Type: ERROR
```

Cause:

This event message is issued when the cFE Executive Services receives a cFE Restart Command whose parameter identifying the restart type is not equal to either CFE_PSP_RST_TYPE_PROCESSOR or CFE_PSP_RST_TYPE_P← OWERON.

The 'd' field identifies the numeric, in decimal, of the restart type found in the received cFE Restart Command Packet. Definition at line 433 of file cfe es events.h.

```
39.18.1.3 CFE_ES_BUILD_INF_EID
#define CFE_ES_BUILD_INF_EID 92
'Build s s'
Event Message 'Build s s'
```

Type: INFORMATION

Cause:

This event message is always automatically issued when the Executive Services Task completes its Initialization, and as part of the Noop command.

The Build field identifies the build date, time, hostname and user identifier of the build host machine for the current running binary. The first string is the build date/time, and the second string is formatted as "user@hostname"

By default, if not specified/overridden, the default values of these variables will be: BUILDDATE ==> the output of "date +%Y%m%d%H%M" HOSTNAME ==> the output of "hostname" USER ==> the output of "whoami"

The values can be overridden by setting an environment variable with the names above to the value desired for the field when running "make".

Definition at line 1518 of file cfe_es_events.h.

39.18.1.4 CFE_ES_CC1_ERR_EID #define CFE_ES_CC1_ERR_EID 22 'Invalid ground command code: ID = 0x%X, CC = %d' Event Message 'Invalid ground command code: ID = 0x%X, CC = %d' Type: ERROR

Cause:

This event message is generated when a message with the CFE_ES_CMD_MID message ID has arrived but whose Command Code is not one of the command codes specified in cfe es.h. This problem is most likely to occur when:

- 1. A Message ID meant for another Application became corrupted and was set equal to CFE_ES_CMD_MID.
- 2. The Command Code field in the Message became corrupted.
- 3. The command database at the ground station has been corrupted.

The ID field in the event message specifies the Message ID (in hex) and the CC field specifies the Command Code (in decimal) found in the message.

Definition at line 398 of file cfe_es_events.h.

```
39.18.1.5 CFE_ES_CDS_DELETE_ERR_EID
#define CFE_ES_CDS_DELETE_ERR_EID 76
'Error while deleting '%s' from CDS, See SysLog.(Err=0x%08X)'

Event Message 'Error while deleting '%s' from CDS, See SysLog.(Err=0x%08X)'

Type: ERROR
```

Cause:

This event message is generated when an Executive Services Delete CDS Command fails to cleanly remove the specified CDS.

The 's' field identifies the name of the CDS that was attempted to be deleted the Err field specifies, in hex, the error code.

Definition at line 1246 of file cfe_es_events.h.

39.18.1.6 CFE_ES_CDS_DELETE_TBL_ERR_EID

```
#define CFE_ES_CDS_DELETE_TBL_ERR_EID 79

'CDS '%s' is a Critical Table CDS. Must be deleted via TBL Command'
```

Event Message 'CDS '%s' is a Critical Table CDS. Must be deleted via TBL Command'

Type: ERROR

Cause:

This event message is generated when an Executive Services Delete CDS Command specifies a name for a CDS that is a Critical Table image. Critical Table images can only be deleted via a Table Services command (CFE_TBL_DELE ← TE_CDS_CC).

The 's' field identifies the name of the CDS that was attempted to be deleted.

Definition at line 1293 of file cfe_es_events.h.

39.18.1.7 CFE_ES_CDS_DELETED_INFO_EID

```
#define CFE_ES_CDS_DELETED_INFO_EID 78

'Successfully removed '%s' from CDS'
```

Event Message 'Successfully removed '%s' from CDS'

Type: INFORMATION

Cause:

This event message is generated when an Executive Services Delete CDS Command is successfully completed.

The 's' field identifies the name of the CDS that was deleted.

Definition at line 1276 of file cfe_es_events.h.

39.18.1.8 CFE_ES_CDS_DUMP_ERR_EID #define CFE_ES_CDS_DUMP_ERR_EID 84 'Error writing CDS Registry to '%s', Status=0x%08X' Event Message 'Error writing CDS Registry to '%s', Status=0x%08X' Type: ERROR

Cause:

This event message is generated when an Executive Services Dump Critical Data Store Registry Command was being performed and it encountered a filesystem write error while writing a CDS Registry record.

The 's' field identifies the CDS Registry Dump Filename. The '08X' field identifies the error code returned from OS_write that caused the command to abort.

Definition at line 1379 of file cfe_es_events.h.

```
39.18.1.9 CFE_ES_CDS_NAME_ERR_EID
```

```
#define CFE_ES_CDS_NAME_ERR_EID 77
'Unable to locate '%s' in CDS Registry'

Event Message 'Unable to locate '%s' in CDS Registry'
```

Type: ERROR

Cause:

This event message is generated when an Executive Services Delete CDS Command specifies a name for a CDS that cannot be found in the CDS Registry.

The 's' field identifies the name of the CDS that was attempted to be deleted.

Definition at line 1261 of file cfe es events.h.

39.18.1.10 CFE_ES_CDS_OWNER_ACTIVE_EID #define CFE_ES_CDS_OWNER_ACTIVE_EID 80 'CDS '%s' not deleted because owning app is active' Event Message 'CDS '%s' not deleted because owning app is active' Type: ERROR

Cause:

This event message is generated when an Executive Services Delete CDS Command specifies a name for a CDS whose prefix name identifies an application that is still registered in the system. CDSs can only be deleted when their owning applications have been removed from the system.

The 's' field identifies the name of the CDS that was attempted to be deleted.

Definition at line 1311 of file cfe_es_events.h.

```
39.18.1.11 CFE_ES_CDS_REG_DUMP_INF_EID
```

```
#define CFE_ES_CDS_REG_DUMP_INF_EID 83

'Successfully dumped CDS Registry to '%s':Size=%d,Entries=%d'

Event Message 'Successfully dumped CDS Registry to '%s':Size=%d,Entries=%d'
```

Type: DEBUG

Cause:

This event message is generated when an Executive Services Dump Critical Data Store Registry Command is successfully executed. The specified file should have been created and contains the CDS Registry Entries.

The 's' field identifies the CDS Registry Dump Filename. The first 'd' field specifies the size of the file (in bytes) The second 'd' field specifies the number of CDS Registry Records that were written

Definition at line 1362 of file cfe_es_events.h.

39.18.1.12 CFE_ES_CDS_REGISTER_ERR_EID

```
#define CFE_ES_CDS_REGISTER_ERR_EID 69
'%s Failed to Register CDS '%s', Status=0x%08X'

Event Message '%s Failed to Register CDS '%s', Status=0x%08X'
```

Type: ERROR

Cause:

This event message is generated whenever an Application calls the CFE_ES_RegisterCDS API and fails to successfully create the desired CDS.

The first 's' field identifies the name of the Application which made the API call, the second 's' field specifies the name of the CDS as requested by the Application and the Status field provides the error code which identifies in more detail the nature of the failure (See return codes for the CFE_ES_RegisterCDS API).

Definition at line 1142 of file cfe_es_events.h.

```
39.18.1.13 CFE_ES_CREATING_CDS_DUMP_ERR_EID
```

```
#define CFE_ES_CREATING_CDS_DUMP_ERR_EID 86
'Error creating CDS dump file '%s', Status=0x%08X'
```

Event Message 'Error creating CDS dump file '%s', Status=0x%08X'

Type: ERROR

Cause:

This event message is generated when an Executive Services Dump Critical Data Store Registry Command is unable to create the specified file on the onboard filesystem.

The 's' field identifies the CDS Registry Dump Filename. The '08X' field identifies error code returned by the API OS creat.

Definition at line 1412 of file cfe_es_events.h.

39.18.1.14 CFE_ES_ERLOG1_INF_EID #define CFE_ES_ERLOG1_INF_EID 19 'Cleared mode log data' Event Message 'Cleared mode log data' Type: INFORMATION Cause:

This event message is generated upon successful completion of the cFE Executive Services Clear Exception Reset Log command

Definition at line 342 of file cfe_es_events.h.

```
39.18.1.15 CFE_ES_ERLOG2_EID

#define CFE_ES_ERLOG2_EID 20
'%s written:Size=%d'

Event Message '%s written:Size=%d'

Type: DEBUG
```

Cause:

This event message is generated when the Exception Reset Log has been successfully written to a file after receiving the cFE Executive Services Write Executive Services Exception Reset Log command

The 's' field identifies the name of the file written to and the Size field specifies, in decimal, the number of bytes written to the file.

Definition at line 358 of file cfe_es_events.h.

39.18.1.16 CFE_ES_ERLOG2_ERR_EID

```
#define CFE_ES_ERLOG2_ERR_EID 56

'Error creating file %s, stat=0x%x'

Event Message 'Error creating file %s, stat=0x%x'
```

Type: ERROR

Cause:

This event message is generated when an Executive Services Dump Exception Reset Log Command fails while attempting to create the specified file.

The 's' field identifies the name of the file that was attempted to be created and the stat field specifies, in hex, the error code returned by the OS creat API.

Definition at line 950 of file cfe_es_events.h.

39.18.1.17 CFE_ES_ERR_SYSLOGMODE_EID

```
#define CFE_ES_ERR_SYSLOGMODE_EID 71

'Set OverWriteSysLog Command: Invalid Mode setting = %d'

Event Message 'Set OverWriteSysLog Command: Invalid Mode setting = %d'
```

Type: ERROR

Cause:

This event message is generated upon unsuccessful completion of an Executive Services Set System Log Overwrite Mode Command .

The setting field identifies the illegal Overwrite Mode found in the command message. The mode must be either CFE_ES_LogMode_OVERWRITE (0) or CFE_ES_LogMode_DISCARD (1).

Definition at line 1172 of file cfe es events.h.

39.18.1.18 CFE_ES_ERREXIT_APP_ERR_EID #define CFE_ES_ERREXIT_APP_ERR_EID 33 'Exit Application %s on Error Failed: CleanUpApp Error 0x%08X.' Event Message 'Exit Application %s on Error Failed: CleanUpApp Error 0x%08X.' Type: ERROR

Cause:

This event message is generated when ES is completing the processing of the CFE_ES_ExitApp API call with the CF← E_ES_RunStatus_APP_ERROR parameter and the call to CFE_ES_CleanUpApp fails. At this point the Application will likely be stopped or deleted, but it may be in an unknown state.

The 's' field identifies the name of the Application which was attempted to be reloaded and the RC field identifies the error code, in hex, that will identify the precise reason for the failure.

Definition at line 587 of file cfe_es_events.h.

Cause:

Type: INFORMATION

This event message is issued when the cFE finishes exiting/cleaning up an application that called the CFE_ES_ExitApp API with an ERROR condition. When an App calls this API, with the CFE_ES_RunStatus_APP_ERROR parameter, it indicates that the Application exited due to an error condition. The details of the error that occurred should be given by the Application through an event message, System Log entry, or both. The request is recorded and the Executive Services App will actually delete cFE Application before issuing this event message.

The 's' field identifies the name of the Application that was exited.

Definition at line 268 of file cfe es events.h.

39.18.1.20 CFE_ES_EXIT_APP_ERR_EID

```
#define CFE_ES_EXIT_APP_ERR_EID 46

'Exit Application %s Failed: CleanUpApp Error 0x%08X.'

Event Message 'Exit Application %s Failed: CleanUpApp Error 0x%08X.'
```

Type: ERROR

Cause:

This event message is generated when ES is completing the processing of the CFE_ES_ExitApp API call and the call to CFE_ES_CleanUpApp fails. At this point the Application will likely be stopped or deleted, but it may be in an unknown state.

The 's' field identifies the name of the Application which was attempted to be reloaded and the RC field identifies the error code, in hex, that will identify the precise reason for the failure.

Definition at line 810 of file cfe_es_events.h.

```
39.18.1.21 CFE_ES_EXIT_APP_INF_EID
```

```
#define CFE_ES_EXIT_APP_INF_EID 13

'Exit Application %s Completed.'

Event Message 'Exit Application %s Completed.'
```

Type: INFORMATION

Cause:

This event message is issued when the cFE finishes exiting/cleaning up an application that called the CFE_ES_ExitApp API with the CFE_ES_RunStatus_APP_EXIT parameter. When an App calls this API, the request is recorded and the Executive Services App will actually delete cFE Application before issuing this event message.

The 's' field identifies the name of the Application that was exited.

Definition at line 248 of file cfe_es_events.h.

39.18.1.22 CFE_ES_FILEWRITE_ERR_EID

```
#define CFE_ES_FILEWRITE_ERR_EID 74

'File write,byte cnt err,file %s,request=%d,actual=%d'
```

Event Message 'File write, byte cnt err, file %s, request=%d, actual=%d'

Type: ERROR

Cause:

This event message is generated in response to any command requesting information to be written to a file and whose data is not completely written to the specified file.

The file field identifies the filename of the file to which the data failed to write completely, the request field specifies, in decimal, the number of bytes that were attempted to be written and the actual field indicates, in decimal, the actual number of bytes written to the file.

Definition at line 1215 of file cfe_es_events.h.

39.18.1.23 CFE_ES_INIT_INF_EID

```
#define CFE_ES_INIT_INF_EID 1 /* start up message "informational" */
'cFE ES Initialized'
```

Event Message 'cFE ES Initialized'

Type: INFORMATION

Cause:

This event message is always automatically issued when the Executive Services Task completes its Initialization.

Definition at line 62 of file cfe_es_events.h.

39.18.1.24 CFE_ES_INITSTATS_INF_EID

```
#define CFE_ES_INITSTATS_INF_EID 2
'cFE Version %d.%d.%d chksm %d, OSAL Version %d.%d'

Event Message 'cFE Version %d.%d.%d chksm %d, OSAL Version %d.%d'

Type: INFORMATION
```

Cause:

This event message is always automatically issued when the Executive Services Task completes its Initialization.

The Version field identifies the tagged version for the cFE Build, the chksm field provides the 16-bit checksum of the cFE Build and the OSAL Version field identifies the version of the OS Abstraction Layer on which this particular version of the cFE was built.

Definition at line 78 of file cfe_es_events.h.

39.18.1.25 CFE_ES_INVALID_POOL_HANDLE_ERR_EID

```
#define CFE_ES_INVALID_POOL_HANDLE_ERR_EID 82
'Cannot telemeter memory pool stats. Illegal Handle (0x%08X)'

Event Message 'Cannot telemeter memory pool stats. Illegal Handle (0x%08X)'
```

Type: ERROR

Cause:

This event message is generated when an Executive Services Telemeter Memory Statistics Command specifies a memory pool handle that is invalid. A handle is determined to be invalid when any of the following are true:

- 1. The handle does not contain a value that is an integral multiple of 4
- 2. The handle does not specify a valid area of memory
- 3. The handle does not point to an area of memory that contains the handle itself
- 4. The handle does not point to an area of memory whose Size field is an integral multiple of 4
- 5. The handle does not point to an area of memory whose End field is equal to the Start plus the Size

The '08X' field identifies the handle that was found in the command.

Definition at line 1344 of file cfe_es_events.h.

39.18.1.26 CFE_ES_LEN_ERR_EID #define CFE_ES_LEN_ERR_EID 23 'Invalid cmd length: ID = 0x%X, CC = %d, Exp Len = %d, Len = %d' Event Message 'Invalid cmd length: ID = 0x%X, CC = %d, Exp Len = %d, Len = %d' Type: ERROR

Cause:

This event message is generated when a message with the CFE_ES_CMD_MID message ID has arrived but whose packet length does not match the expected length for the specified command code.

The ID field in the event message specifies the Message ID (in hex), the CC field specifies the Command Code (in decimal), the Exp Len field specified the Expected Length (in decimal), and Len specifies the message Length (in decimal) found in the message.

Definition at line 416 of file cfe_es_events.h.

```
39.18.1.27 CFE_ES_MAX_EID

#define CFE_ES_MAX_EID 92

Definition at line 46 of file cfe_es_events.h.

39.18.1.28 CFE_ES_MID_ERR_EID

#define CFE_ES_MID_ERR_EID 21 /* invalid command packet "error" */
  'Invalid command pipe message ID: 0x%X'

Event Message 'Invalid command pipe message ID: 0x%X'

Type: ERROR
```

This event message is generated when a message has arrived on the cFE Executive Services Application's Message Pipe that has a Message ID that is neither CFE_ES_SEND_HK_MID or CFE_ES_CMD_MID. Most likely, the cFE Software Bus routing table has become corrupt and is sending messages targeted for other Applications to the cFE Executive Services Application.

The ID field in the event message identifies the message ID (in hex) that was found in the message.

Definition at line 377 of file cfe es events.h.

Cause:

```
39.18.1.29 CFE_ES_NOOP_INF_EID
 #define CFE_ES_NOOP_INF_EID 3 /* processed command "informational" */
 'No-op command'
Event Message 'No-op command'
Type: INFORMATION
Cause:
This event message is always automatically issued in response to a cFE Executive Services NO-OP command
Definition at line 90 of file cfe es events.h.
39.18.1.30 CFE_ES_ONE_APP_EID
 #define CFE_ES_ONE_APP_EID 15
 'Sent %s application data'
Event Message 'Sent %s application data'
Type: DEBUG
Cause:
```

This event message is issued upon successful completion of the cFE Executive Services Query One Application command

The 's' field identifies the name of the Application whose Executive Services Application information has been telemetered.

Definition at line 284 of file cfe_es_events.h.

39.18.1.31 CFE_ES_ONE_APPID_ERR_EID

```
#define CFE_ES_ONE_APPID_ERR_EID 50
```

'Failed to send %s application data: GetAppIDByName Failed, RC = 0x%08X'

Event Message 'Failed to send %s application data: GetAppIDByName Failed, RC = 0x%08X'

Type: ERROR

Cause:

This event message is generated when an Executive Services Request Application Data Command failed.

The 's' field identifies the name of the Application whose data was attempted to be telemetered and the rc field identifies the error code, in hex, that may identify the precise reason for the failure.

Definition at line 873 of file cfe_es_events.h.

39.18.1.32 CFE_ES_ONE_ERR_EID

```
#define CFE_ES_ONE_ERR_EID 49
```

'Failed to send %s application data, RC = %08X'

Event Message 'Failed to send %s application data, RC = %08X'

Type: ERROR

Cause:

This event message is generated when an Executive Services Request Application Data Command failed.

The 's' field identifies the name of the Application whose data was attempted to be telemetered and the rc field identifies the error code, in hex, that may identify the precise reason for the failure.

Definition at line 857 of file cfe es events.h.

39.18.1.33 CFE_ES_OSCREATE_ERR_EID

```
#define CFE_ES_OSCREATE_ERR_EID 51

'Failed to write App Info file, OS_creat returned %d'

Event Message 'Failed to write App Info file, OS_creat returned %d'
```

Type: ERROR

Cause:

This event message is generated when an Executive Services Dump Application Data Command fails to create the dump file.

The 'd' parameter identifies, in decimal, the error code returned by OS_creat when the attempt was made to create the file.

Definition at line 889 of file cfe_es_events.h.

39.18.1.34 CFE_ES_PCR_ERR1_EID

```
#define CFE_ES_PCR_ERR1_EID 47

'ES_ProcControlReq: Invalid State (EXCEPTION) Application %s.'

Event Message 'ES_ProcControlReq: Invalid State (EXCEPTION) Application %s.'
```

Type: ERROR

Cause:

This event message is generated when ES is processing it's internal Application table and encounters an App with the EXCEPTION state. Because exceptions are supposed to be processed immediately, this is an invalid state and should not happen. It may indicate some sort of memory corruption or other problem.

Definition at line 824 of file cfe_es_events.h.

39.18.1.35 CFE_ES_PCR_ERR2_EID #define CFE_ES_PCR_ERR2_EID 48 'ES_ProcControlReq: Unknown State (%d) Application %s.' Event Message 'ES_ProcControlReq: Unknown State (%d) Application %s.' Type: ERROR Cause:

This event message is generated when ES is processing it's internal Application table and encounters an App with an unknown state. If this message occurs, it might be an indication of a memory corruption or other problem.

Definition at line 841 of file cfe_es_events.h.

```
39.18.1.36    CFE_ES_PERF_DATAWRITTEN_EID

#define CFE_ES_PERF_DATAWRITTEN_EID 68

'%s written:Size=%d,EntryCount=%d'

Event Message '%s written:Size=%d,EntryCount=%d'

Type: DEBUG
```

This event message is generated when the Performance Log has been successfully written to a file after receiving the cFE Executive Services Stop Performance Analyzer Data Collection Command

The 's' field identifies the name of the file written to, the Size field specifies, in decimal, the number of bytes written to the file and the EntryCount field identifies the number of data entries that were written.

Definition at line 1125 of file cfe_es_events.h.

Cause:

39.18.1.37 CFE_ES_PERF_FILTMSKCMD_EID

#define CFE_ES_PERF_FILTMSKCMD_EID 63

'Set Performance Filter Mask command'

Event Message 'Set Performance Filter Mask command'

Type: DEBUG

Cause:

This event message is generated in response to receiving an Executive Services Set Performance Analyzer Filter Mask Command .

Definition at line 1042 of file cfe_es_events.h.

39.18.1.38 CFE_ES_PERF_FILTMSKERR_EID

#define CFE_ES_PERF_FILTMSKERR_EID 64

'Error:Performance Filter Mask Index value greater than CFE_ES_PERF_32BIT_WO \leftrightarrow RDS_IN_MASK (which is a whole number derived from CFE_PLATFORM_ES_PERF_MAX_IDS / 32)'

Event Message 'Error:Performance Filter Mask Index value greater than CFE_ES_PE \leftarrow RF_32BIT_WORDS_IN_MASK (which is a whole number derived from CFE_ \leftarrow PLATFORM_ES_PERF_MAX_IDS / 32)'

Type: ERROR

Cause:

This event message is generated in response to receiving an Executive Services Set Performance Analyzer Filter Mask Command .

Definition at line 1059 of file cfe_es_events.h.

39.18.1.39 CFE_ES_PERF_LOG_ERR_EID #define CFE_ES_PERF_LOG_ERR_EID 67 'Error creating file %s, stat=%d' Event Message 'Error creating file %s, stat=%d' Type: ERROR

This event message is generated when an Executive Services Stop Performance Analyzer Data Collection Command fails to create the associated logic analyzer dump file.

The 's' field identifies the name of the file that was attempted to be created and the stat field specifies, in decimal, the error code returned by the OS_creat API.

Definition at line 1107 of file cfe_es_events.h.

```
39.18.1.40 CFE_ES_PERF_STARTCMD_EID
```

```
#define CFE_ES_PERF_STARTCMD_EID 57
'Start collecting performance data command, trigger mode = d'
```

Event Message 'Start collecting performance data command, trigger mode = d'

Type: DEBUG

Cause:

Cause:

This event message is generated in response to receiving an Executive Services Start Performance Analyzer Data Collection Command

The 'd' field identifies the requested trigger mode as defined by CFE_ES_PerfMode_t.

Definition at line 964 of file cfe es events.h.

39.18.1.41 CFE_ES_PERF_STARTCMD_ERR_EID

#define CFE_ES_PERF_STARTCMD_ERR_EID 58

'Cannot start collecting performance data, perf data write in progress'

Event Message 'Cannot start collecting performance data, perf data write in progress'

Type: ERROR

Cause:

This event message is generated in response to receiving an Executive Services Start Performance Analyzer Data Collection Command

Definition at line 976 of file cfe_es_events.h.

39.18.1.42 CFE_ES_PERF_STARTCMD_TRIG_ERR_EID

#define CFE_ES_PERF_STARTCMD_TRIG_ERR_EID 59

'Cannot start collecting performance data, trigger mode (d) out of range (d to d)'

Type: ERROR

Cause:

This event message is generated when an Executive Services Start Performance Analyzer Data Collection Command command is received with a bad value for the requested trigger mode.

The first 'd' field identifies the received trigger mode value as defined by CFE_ES_PerfMode_t. The second and third 'd' fields specify the valid range of values for the trigger mode.

Definition at line 993 of file cfe es events.h.

39.18.1.43 CFE_ES_PERF_STOPCMD_EID

#define CFE_ES_PERF_STOPCMD_EID 60

'Perf Stop Cmd Rcvd, %s will write %d entries. %dmS dly every %d entries'

Event Message 'Perf Stop Cmd Rcvd, %s will write %d entries. %dmS dly every %d entries'

Type: DEBUG

Cause:

This event message is generated upon receipt of a successful Performance Data Stop Command after receiving the cFE Executive Services Stop Performance Analyzer Data Collection Command

The 's' field identifies the name of the file write task that has begun execution. The first 'd' identifies the total number of performance entries(in decimal) that will be written to the file. A performance data entry is defined by an unsigned 32 bit data point and an unsigned 64 bit time stamp. The second 'd' identifies the millisecond delay between writes and the third 'd' identifies the number of entries written (in decimal) between delays.

Definition at line 1013 of file cfe_es_events.h.

39.18.1.44 CFE_ES_PERF_STOPCMD_ERR2_EID

#define CFE_ES_PERF_STOPCMD_ERR2_EID 62

'Stop performance data cmd ignored, perf data write in progress'

Event Message 'Stop performance data cmd ignored, perf data write in progress'

Type: ERROR

Cause:

This event message is generated upon receipt of an unsuccessful Performance Data Stop Command after receiving the cFE Executive Services Stop Performance Analyzer Data Collection Command

Definition at line 1028 of file cfe es events.h.

39.18.1.45 CFE_ES_PERF_TRIGMSKCMD_EID

#define CFE_ES_PERF_TRIGMSKCMD_EID 65
'Set Performance Trigger Mask command'

Event Message 'Set Performance Trigger Mask command'

Type: DEBUG

Cause:

This event message is generated in response to receiving an Executive Services Set Performance Analyzer Trigger Mask Command .

Definition at line 1073 of file cfe_es_events.h.

39.18.1.46 CFE_ES_PERF_TRIGMSKERR_EID

#define CFE_ES_PERF_TRIGMSKERR_EID 66

'Error: Performance Trigger Mask Index value greater than CFE_ES_PERF_32BIT_ \leftrightarrow WORDS_IN_MASK (which is a whole number derived from CFE_PLATFORM_ES_PERF_MAX_ \leftrightarrow IDS / 32)'

Event Message 'Error: Performance Trigger Mask Index value greater than CFE_ES← _PERF_32BIT_WORDS_IN_MASK (which is a whole number derived from C← FE_PLATFORM_ES_PERF_MAX_IDS / 32)'

Type: ERROR

Cause:

This event message is generated in response to receiving an Executive Services Set Performance Analyzer Trigger Mask Command .

Definition at line 1090 of file cfe_es_events.h.

39.18.1.47 CFE_ES_RELOAD_APP_DBG_EID #define CFE_ES_RELOAD_APP_DBG_EID 11 'Reload Application %s Initiated.' Event Message 'Reload Application %s Initiated.' Type: DEBUG Cause:

This event message is issued upon successful processing of the cFE Executive Services Reload Application command. Note that when this event is displayed, the Application is not reloaded. ES has accepted the request to reload the application, and it will be reloaded after the app exits it's main loop, or times out.

The 's' field identifies the name of the Application that will be reloaded.

Definition at line 216 of file cfe_es_events.h.

```
39.18.1.48 CFE_ES_RELOAD_APP_ERR1_EID

#define CFE_ES_RELOAD_APP_ERR1_EID 42

'Failed to reload Application %s, rc = %08X'

Event Message 'Failed to reload Application %s, rc = %08X'

Type: ERROR
```

Cause:

This event message is generated when an Executive Services Reload Application Command fails.

The 's' field identifies the name of the Application which was attempted to be reloaded and the rc field identifies the error code, in hex, that may identify the precise reason for the failure.

Definition at line 736 of file cfe es events.h.

39.18.1.49 CFE_ES_RELOAD_APP_ERR2_EID

```
#define CFE_ES_RELOAD_APP_ERR2_EID 43
'Reload Application %s, GetAppIDByName failed. RC = 0x%08X.'

Event Message 'Reload Application %s, GetAppIDByName failed. RC = 0x%08X.'
```

Type: ERROR

Cause:

This event message is generated upon receipt of an Executive Services Reload Application Command which fails. This message is for a specific failure when the call to CFE_ES_GetAppIDByName fails. The application will not be reloaded at this point.

The 's' field identifies the name of the Application which was attempted to be reloaded and the RC field identifies the error code, in hex, that will identify the precise reason for the failure.

Definition at line 754 of file cfe_es_events.h.

39.18.1.50 CFE_ES_RELOAD_APP_ERR3_EID

```
#define CFE_ES_RELOAD_APP_ERR3_EID 44

'Reload Application %s Failed: AppCreate Error 0x%08X.'

Event Message 'Reload Application %s Failed: AppCreate Error 0x%08X.'
```

Type: ERROR

Cause:

This event message is generated upon receipt of an Executive Services Reload Application Command which fails. This message is for a specific failure when the call to CFE_ES_AppCreate fails. The application will not be reloaded at this point.

The 's' field identifies the name of the Application which was attempted to be reloaded and the RC field identifies the error code, in hex, that will identify the precise reason for the failure.

Definition at line 773 of file cfe_es_events.h.

39.18.1.51 CFE_ES_RELOAD_APP_ERR4_EID #define CFE_ES_RELOAD_APP_ERR4_EID 45 'Reload Application %s Failed: CleanUpApp Error 0x%08X.'

Event Message 'Reload Application %s Failed: CleanUpApp Error 0x%08X.'

Type: ERROR

Cause:

This event message is generated upon receipt of an Executive Services Reload Application Command which fails. This message is for a specific failure when the call to CFE_ES_CleanUpApp fails. The application will not be reloaded at this point, and will likely be deleted or in an unknown state.

The 's' field identifies the name of the Application which was attempted to be reloaded and the RC field identifies the error code, in hex, that will identify the precise reason for the failure.

Definition at line 792 of file cfe_es_events.h.

39.18.1.52 CFE_ES_RELOAD_APP_INF_EID

```
#define CFE_ES_RELOAD_APP_INF_EID 12
'Reload Application %s Completed.'
```

Event Message 'Reload Application %s Completed.'

Type: INFORMATION

Cause:

This event message is issued when the cFE finishes Reloading the cFE Application That was started when the Restart Application command was issued.

The 's' field identifies the name of the Application that was reloaded.

Definition at line 232 of file cfe_es_events.h.

39.18.1.53 CFE_ES_RESET_INF_EID #define CFE_ES_RESET_INF_EID 4 'Reset Counters command' Event Message 'Reset Counters command' Type: INFORMATION Cause: This event message is always automatically issued in response to a cFE Executive Services Reset Counters command Definition at line 102 of file cfe_es_events.h. 39.18.1.54 CFE_ES_RESET_PR_COUNT_EID #define CFE_ES_RESET_PR_COUNT_EID 72 'Reset Processor Reset Count to Zero' Event Message 'Reset Processor Reset Count to Zero' Type: INFORMATION Cause: This event message is always generated in response to the Executive Services Set Processor Reset Counter to Zero Command.

Definition at line 1184 of file cfe_es_events.h.

Generated by Doxygen

39.18.1.55 CFE_ES_RESTART_APP_DBG_EID #define CFE_ES_RESTART_APP_DBG_EID 9 'Restart Application %s Initiated.' Event Message 'Restart Application %s Initiated.' Type: DEBUG

This event message is issued upon successful processing of the cFE Executive Services Restart Application command. Note that when this event is displayed, the Application is not restarted. ES has accepted the request to restart the application, and it will be restarted after the app exits it's main loop, or times out.

The 's' field identifies the name of the Application that will be restarted.

Definition at line 182 of file cfe_es_events.h.

```
39.18.1.56 CFE_ES_RESTART_APP_ERR1_EID
```

```
#define CFE_ES_RESTART_APP_ERR1_EID 38

'Restart Application %s Failed, RC = 0x%08X'

Event Message 'Restart Application %s Failed, RC = 0x%08X'
```

Cause:

Type: ERROR

Cause:

This event message is generated when an Executive Services Restart Application Command fails.

The 's' field identifies the name of the Application which was attempted to be reset and the rc field identifies the error code, in hex, that may identify the precise reason for the failure.

Definition at line 660 of file cfe es events.h.

39.18.1.57 CFE_ES_RESTART_APP_ERR2_EID

#define CFE_ES_RESTART_APP_ERR2_EID 39
'Restart Application %s, GetAppIDByName failed. RC = 0x%08X.'

Event Message 'Restart Application %s, GetAppIDByName failed. RC = 0x%08X.'

Type: ERROR

Cause:

This event message is generated upon receipt of an Executive Services Restart Application Command which fails. This message is for a specific failure when the call to CFE_ES_GetAppIDByName fails. The application will not be restarted at this point.

The 's' field identifies the name of the Application which was attempted to be restarted and the RC field identifies the error code, in hex, that will identify the precise reason for the failure.

Definition at line 678 of file cfe_es_events.h.

39.18.1.58 CFE_ES_RESTART_APP_ERR3_EID

#define CFE_ES_RESTART_APP_ERR3_EID 40

'Restart Application %s Failed: AppCreate Error 0x%08X.'

Event Message 'Restart Application %s Failed: AppCreate Error 0x%08X.'

Type: ERROR

Cause:

This event message is generated upon receipt of an Executive Services Restart Application Command which fails. This message is for a specific failure when the call to CFE_ES_AppCreate fails. The application will not be restarted at this point.

The 's' field identifies the name of the Application which was attempted to be restarted and the RC field identifies the error code, in hex, that will identify the precise reason for the failure.

Definition at line 700 of file cfe_es_events.h.

39.18.1.59 CFE_ES_RESTART_APP_ERR4_EID

```
#define CFE_ES_RESTART_APP_ERR4_EID 41

'Restart Application %s Failed: CleanUpApp Error 0x%08X.'

Event Message 'Restart Application %s Failed: CleanUpApp Error 0x%08X.'
```

Type: ERROR

Cause:

This event message is generated upon receipt of an Executive Services Restart Application Command which fails. This message is for a specific failure when the call to CFE_ES_CleanUpApp fails. The application will not be restarted at this point, but will likely be deleted or in an unknown state.

The 's' field identifies the name of the Application which was attempted to be restarted and the RC field identifies the error code, in hex, that will identify the precise reason for the failure.

Definition at line 719 of file cfe_es_events.h.

39.18.1.60 CFE_ES_RESTART_APP_INF_EID

```
#define CFE_ES_RESTART_APP_INF_EID 10

'Restart Application %s Completed.'

Event Message 'Restart Application %s Completed.'
```

Type: INFORMATION

Cause:

This event message is issued when the cFE finishes Restarting the cFE Application That was started when the Restart Application command was issued.

The 's' field identifies the name of the Application that was reloaded.

Definition at line 197 of file cfe_es_events.h.

39.18.1.61 CFE_ES_RST_ACCESS_EID

#define CFE_ES_RST_ACCESS_EID 75

'Error accessing ER Log,%s not written.Stat=0x%08x'

Event Message 'Error accessing ER Log,%s not written.Stat=0x%08x'

Type: ERROR

Cause:

This event message is generated in response to an Exception Reset Log Dump command and there is an error obtaining the contents of the ER Log.

The 's' field identifies the filename of the file to which the data failed to write, the Stat field specifies, in hex, the error status returned from CFE PSP GetResetArea.

Definition at line 1230 of file cfe_es_events.h.

39.18.1.62 CFE_ES_SET_MAX_PR_COUNT_EID

#define CFE_ES_SET_MAX_PR_COUNT_EID 73

'Maximum Processor Reset Count set to: %d'

Event Message 'Maximum Processor Reset Count set to: %d

Type: INFORMATION

Cause:

This event message is always generated in response to the Executive Services Set Maximum Processor Reset Limit Command .

The 'd' field identifies, in decimal, the number of Processor Resets that will need to occur before a Power-On Reset is automatically performed.

Definition at line 1199 of file cfe_es_events.h.

39.18.1.63 CFE_ES_SHELL_ERR_EID #define CFE_ES_SHELL_ERR_EID 25 'Failed to invoke shell command %s, rc = %08X' Event Message 'Failed to invoke shell command %s, rc = %08X' Type: ERROR

This event message is generated whenever the cFE Executive Services receives an OS Shell command, via the Executive Services Shell Command, and the underlying OS returns an error code.

The 's' field in the message identifies the shell command string that was issued and the rc field displays the shell's return code, in hex.

Definition at line 449 of file cfe_es_events.h.

```
39.18.1.64 CFE_ES_SHELL_INF_EID

#define CFE_ES_SHELL_INF_EID 5

'Invoked shell command %s'

Event Message 'Invoked shell command %s'

Type: INFORMATION
```

Cause:

Cause:

This event message is always automatically issued in response to a cFE Executive Services Shell Command

The 's' string contains the actual shell command string issued.

Definition at line 116 of file cfe_es_events.h.

39.18.1.65 CFE_ES_START_ERR_EID

```
#define CFE_ES_START_ERR_EID 26
'Failed to start %s from %s, RC = %08X'

Event Message 'Failed to start %s from %s, RC = %08X'
```

Type: ERROR

Cause:

This event message is generated for an error encountered in response to an Executive Services Start Application Command.

This message is a general failure when the command passes the parameter validation, but fails when a call to CFE_← ES AppCreate is called.

The 's' term identifies the name of the Application that was attempted to start. The second 's' field specifies the file from which the Application was loaded. The 'X' field is the return code returned by the CFE_ES_AppCreate.

Definition at line 468 of file cfe es events.h.

39.18.1.66 CFE ES START EXC ACTION ERR EID

```
#define CFE_ES_START_EXC_ACTION_ERR_EID 32
'CFE_ES_StartAppCmd: Invalid Exception Action: %d.'

Event Message 'CFE_ES_StartAppCmd: Invalid Exception Action: %d.'
```

Type: ERROR

Cause:

This event message is generated for an error encountered in response to an Executive Services Start Application Command .

This message reports a command failure when the Application Exception Action parameter is invalid. The valid options for this parameter are: 0 = Application will restart on an exception 1 = Application cause a processor restart on exception.

The 'd' term identifies the Exception Action parameter that was given in the command.

Definition at line 570 of file cfe es events.h.

39.18.1.67 CFE_ES_START_INF_EID #define CFE_ES_START_INF_EID 6 'Started %s from %s, AppID = %d' Event Message 'Started %s from %s, AppID = %d'

Type: INFORMATION

Cause:

This event message is automatically issued upon successful completion of a cFE Executive Services Start Application command

The first 's' string identifies the name of the started Application, the second 's' string identifies the filename from which the Application was loaded and the AppId field specifies the Application ID assigned to the newly started Application by the cFE Executive Services.

Definition at line 133 of file cfe_es_events.h.

39.18.1.68 CFE_ES_START_INVALID_ENTRY_POINT_ERR_EID

```
#define CFE_ES_START_INVALID_ENTRY_POINT_ERR_EID 28

'CFE_ES_StartAppCmd: App Entry Point is NULL.'

Event Message 'CFE_ES_StartAppCmd: App Entry Point is NULL.'
```

Type: ERROR

Cause:

This event message is generated for an error encountered in response to an Executive Services Start Application Command.

This message reports a command failure when the Start Appplication Command is given a NULL Application Entry Point parameter. The command must contain an application entry point string. (Example: "SC AppMain").

Definition at line 502 of file cfe_es_events.h.

39.18.1.69 CFE_ES_START_INVALID_FILENAME_ERR_EID

```
#define CFE_ES_START_INVALID_FILENAME_ERR_EID 27

'CFE_ES_StartAppCmd: invalid filename: %s'

Event Message 'CFE_ES_StartAppCmd: invalid filename: %s'
```

Type: ERROR

Cause:

This event message is generated for an error encountered in response to an Executive Services Start Application Command.

This message reports a command failure when the Start Appplication Command is given an invalid filename. (Either NULL or too short to be a valid cFE file name).

The 's' term identifies the invalid filename that was sent with the command.

Definition at line 485 of file cfe_es_events.h.

39.18.1.70 CFE_ES_START_NULL_APP_NAME_ERR_EID

```
#define CFE_ES_START_NULL_APP_NAME_ERR_EID 29
'CFE_ES_StartAppCmd: App Name is NULL.'

Event Message 'CFE_ES_StartAppCmd: App Name is NULL.'
```

Type: ERROR

Cause:

This event message is generated for an error encountered in response to an Executive Services Start Application Command.

This message reports a command failure when the Start Appplication Command is given a NULL Application Name parameter. The command must contain an application name string.

Definition at line 517 of file cfe_es_events.h.

39.18.1.71 CFE_ES_START_PRIORITY_ERR_EID

```
#define CFE_ES_START_PRIORITY_ERR_EID 31

'CFE_ES_StartAppCmd: Priority is too large: %d.'

Event Message 'CFE ES StartAppCmd: Priority is too large: %d.'
```

Type: ERROR

Cause:

This event message is generated for an error encountered in response to an Executive Services Start Application Command .

This message reports a command failure when the Application priority greater than the maximum priority for a Task defined by the OS Abstraction Layer (256).

The 'd' term identifies the priority that was given in the command.

Definition at line 551 of file cfe_es_events.h.

39.18.1.72 CFE_ES_START_STACK_ERR_EID

```
#define CFE_ES_START_STACK_ERR_EID 30
'CFE_ES_StartAppCmd: Stack size is less than system Minimum: %d.'

Event Message 'CFE_ES_StartAppCmd: Stack size is less than system Minimum: %d.'
```

Type: ERROR

Cause:

This event message is generated for an error encountered in response to an Executive Services Start Application Command.

This message reports a command failure when the Application Stack Size parameter is less than the default stack size defined in the cfe_platform_cfg.h file: CFE_PLATFORM_ES_DEFAULT_STACK_SIZE.

The 'd' term identifies the size of the stack that was given in the command.

Definition at line 534 of file cfe es events.h.

39.18.1.73 CFE_ES_STOP_DBG_EID #define CFE_ES_STOP_DBG_EID 7 'Stop Application %s Initiated.' Event Message 'Stop Application %s Initiated.' Type: DEBUG Cause:

This event message is issued upon successful processing of the cFE Executive Services Stop Application command. Note that when this event is displayed, the Application is not deleted. ES has accepted the request to delete the application, and it will be deleted after the app exits it's main loop, or times out.

The 's' field identifies the name of the Application that will be stopped.

Definition at line 150 of file cfe_es_events.h.

```
39.18.1.74 CFE_ES_STOP_ERR1_EID

#define CFE_ES_STOP_ERR1_EID 35

'Stop Application %s Failed, RC = 0x%08X'

Event Message 'Stop Application %s Failed, RC = 0x%08X'

Type: ERROR
```

Cause:

This event message is generated upon receipt of an Executive Services Stop Application Command which fails.

The 's' field identifies the name of the Application which was attempted to be stopped and the rc field identifies the error code, in hex, that may identify the precise reason for the failure.

Definition at line 603 of file cfe es events.h.

39.18.1.75 CFE_ES_STOP_ERR2_EID

```
#define CFE_ES_STOP_ERR2_EID 36
'Stop Application %s, GetAppIDByName failed. RC = 0x%08X.'

Event Message 'Stop Application %s, GetAppIDByName failed. RC = 0x%08X.'
```

Type: ERROR

Cause:

This event message is generated upon receipt of an Executive Services Stop Application Command which fails. This message is for a specific failure when the call to CFE_ES_GetAppIDByName fails. The application will not be deleted at this point.

The 's' field identifies the name of the Application which was attempted to be stopped and the RC field identifies the error code, in hex, that will identify the precise reason for the failure.

Definition at line 621 of file cfe_es_events.h.

39.18.1.76 CFE_ES_STOP_ERR3_EID

```
#define CFE_ES_STOP_ERR3_EID 37

'Stop Application %s Failed: CleanUpApp Error 0x%08X.'

Event Message 'Stop Application %s Failed: CleanUpApp Error 0x%08X.'
```

Type: ERROR

Cause:

This event message is generated upon receipt of an Executive Services Stop Application Command which fails. This message is for a specific failure when the call to CFE_ES_GetAppIDByName fails. The application will not be deleted at this point.

The 's' field identifies the name of the Application which was attempted to be stopped and the RC field identifies the error code, in hex, that will identify the precise reason for the failure.

Definition at line 643 of file cfe_es_events.h.

39.18.1.77 CFE_ES_STOP_INF_EID #define CFE_ES_STOP_INF_EID 8 'Stop Application %s Completed.' Event Message 'Stop Application %s Completed.' Type: INFORMATION Cause: This event message is issued when the cFE finishes deleting the cFE Application That was started when the Stop Application command was issued. The 's' field identifies the name of the Application that was stopped. Definition at line 165 of file cfe_es_events.h. 39.18.1.78 CFE_ES_SYSLOG1_INF_EID #define CFE_ES_SYSLOG1_INF_EID 17 'Cleared Executive Services log data' Event Message 'Cleared Executive Services log data' Type: INFORMATION Cause:

This event message is generated upon successful completion of the cFE Executive Services Clear System Log command

Definition at line 313 of file cfe_es_events.h.

39.18.1.79 CFE_ES_SYSLOG2_EID

```
#define CFE_ES_SYSLOG2_EID 18
'%s written:Size=%d,Entries=%d'
```

Event Message '%s written:Size=%d,Entries=%d'

Type: DEBUG

Cause:

This event message is generated when the System Log has been successfully written to a file after receiving the cFE Executive Services System Log command

The 's' field identifies the name of the file written to, the Size field specifies, in decimal, the number of bytes written to the file and the Entries field identifies the number of System Log messages that were written.

Definition at line 330 of file cfe_es_events.h.

39.18.1.80 CFE_ES_SYSLOG2_ERR_EID

```
#define CFE_ES_SYSLOG2_ERR_EID 55

'Error creating file %s, stat=0x%x'

Event Message 'Error creating file %s, stat=0x%x'
```

Type: ERROR

Cause:

This event message is generated when an Executive Services Dump System Log Command fails while attempting to create the specified file.

The 's' field identifies the name of the file that was attempted to be created and the stat field specifies, in hex, the error code returned by the OS_creat API.

Definition at line 935 of file cfe_es_events.h.

39.18.1.81 CFE_ES_SYSLOGMODE_EID

#define CFE_ES_SYSLOGMODE_EID 70

'Set OverWriteSysLog Command Received with Mode setting = %d'

Event Message 'Set OverWriteSysLog Command Received with Mode setting = %d'

Type: DEBUG

Cause:

This event message is generated upon successful completion of an Executive Services Set System Log Overwrite Mode Command .

The setting field identifies the newly chosen Overwrite Mode and should be equal to either CFE_ES_LogMode_ COVERWRITE or CFE_ES_LogMode_ DISCARD.

Definition at line 1157 of file cfe_es_events.h.

39.18.1.82 CFE_ES_TASKINFO_EID

#define CFE_ES_TASKINFO_EID 87

'Task Info file written to %s, Entries=%d, FileSize=%d'

Event Message 'Task Info file written to %s, Entries=%d, FileSize=%d'

Type: DEBUG

Cause:

This event message is issued upon successful completion of the cFE Executive Services Query All Tasks command

The 's' field identifies the name of the file to which all Executive Services Task data has been written. The Entries field identifies, in decimal, the number of Tasks whose data was written and the FileSize field gives the total number of bytes written to the file.

Definition at line 1430 of file cfe_es_events.h.

39.18.1.83 CFE_ES_TASKINFO_OSCREATE_ERR_EID

#define CFE_ES_TASKINFO_OSCREATE_ERR_EID 88

'Failed to write Task Info file, OS_creat returned %d'

Event Message 'Failed to write Task Info file, OS creat returned %d'

Type: ERROR

Cause:

This event message is generated when an Executive Services Dump Task Data Command fails to create the dump file.

The 'd' parameter identifies, in decimal, the error code returned by OS_creat when the attempt was made to create the file.

Definition at line 1446 of file cfe es events.h.

39.18.1.84 CFE_ES_TASKINFO_WR_ERR_EID

#define CFE_ES_TASKINFO_WR_ERR_EID 90

'Failed to write Task Info file, Task write RC = 0x%08X, exp %d'

Event Message 'Failed to write Task Info file, Task write RC = 0x%08X, exp %d'

Type: ERROR

Cause:

This event message is generated whenever an Executive Services Dump Tasks Data Command fails while writing Tasks data to the specified file.

The rtnd field contains, in hex, the error code returned from the OS_write API. The expected return value is identified, in decimal, in the exp field.

Definition at line 1477 of file cfe es events.h.

39.18.1.85 CFE_ES_TASKINFO_WRHDR_ERR_EID

#define CFE_ES_TASKINFO_WRHDR_ERR_EID 89
'Failed to write Task Info file, WriteHdr rtnd %08X, exp %d'

Event Message 'Failed to write Task Info file, WriteHdr rtnd %08X, exp %d'

Type: ERROR

Cause:

This event message is generated when an Executive Services Dump Task Data Command fails while writing the cFE Standard File Header.

The rtnd field contains the error code returned by the CFE_FS_WriteHeader API. Nominally, the returned result should have been equal to the exp field (i.e. - sizeof(CFE_FS_Header_t)).

Definition at line 1461 of file cfe_es_events.h.

39.18.1.86 CFE_ES_TASKWR_ERR_EID

#define CFE_ES_TASKWR_ERR_EID 53

'Failed to write App Info file, Task write RC = 0x%08X, exp %d'

Event Message 'Failed to write App Info file, Task write RC = 0x%08X, exp %d'

Type: ERROR

Cause:

This event message is generated whenever an Executive Services Dump Application Data Command fails while writing Application data to the specified file.

The rtnd field contains, in hex, the error code returned from the OS_write API. The expected return value is identified, in decimal, in the exp field.

Definition at line 920 of file cfe_es_events.h.

39.18.1.87 CFE_ES_TLM_POOL_STATS_INFO_EID #define CFE_ES_TLM_POOL_STATS_INFO_EID 81 'Successfully telemetered memory pool stats for 0x%08X' Event Message 'Successfully telemetered memory pool stats for 0x%08X' Type: DEBUG Cause:

This event message is generated following successful execution of the Telemeter Memory Statistics Command .

Definition at line 1323 of file cfe es events.h.

```
#define CFE_ES_VERSION_INF_EID

#define CFE_ES_VERSION_INF_EID 91

'Mission s.s, s, s'

Event Message 'Mission s.s, s, s'
Type: INFORMATION
```

Cause:

This event message is always automatically issued when the Executive Services Task completes its Initialization

The Mission field identifies the tagged build identifiers and configuration name. If available, this will also indicate the revision control identifiers for CFE and OSAL that this binary was built with.

Definition at line 1494 of file cfe_es_events.h.

39.18.1.89 CFE_ES_WRHDR_ERR_EID #define CFE_ES_WRHDR_ERR_EID 52 'Failed to write App Info file, WriteHdr rtnd %08X, exp %d' Event Message 'Failed to write App Info file, WriteHdr rtnd %08X, exp %d' Type: ERROR Cause:

This event message is generated when an Executive Services Dump Application Data Command fails while writing the cFE Standard File Header.

The rtnd field contains the error code returned by the CFE_FS_WriteHeader API. Nominally, the returned result should have been equal to the exp field (i.e. - sizeof(CFE_FS_Header_t)).

Definition at line 904 of file cfe_es_events.h.

```
#define CFE_ES_WRITE_CFE_HDR_ERR_EID 85

'Error writing cFE File Header to '%s', Status=0x%08X'

Event Message 'Error writing cFE File Header to '%s', Status=0x%08X'

Type: ERROR
```

Cause:

This event message is generated when an Executive Services Dump Critical Data Store Registry Command command successfully created the CDS Dump File onboard but encountered an error while writing the standard cFE File Header to the file.

The 's' field identifies the CDS Registry Dump Filename. The '08X' field identifies error code returned by the API CFE FS WriteHeader.

Definition at line 1396 of file cfe es events.h.

39.19 cfe/fsw/cfe-core/src/inc/cfe_es_extern_typedefs.h File Reference

```
#include "common_types.h"
```

Typedefs

typedef uint8 CFE ES LogMode Enum t

Identifies handling of log messages after storage is filled.

• typedef uint8 CFE_ES_ExceptionAction_Enum_t

Identifies action to take if exception occurs.

typedef uint8 CFE_ES_AppType_Enum_t

Identifies type of CFE application.

typedef uint32 CFE_ES_RunStatus_Enum_t

Run Status and Exit Status identifiers.

typedef uint32 CFE_ES_SystemState_Enum_t

The overall cFE System State.

typedef uint8 CFE ES LogEntryType Enum t

Type of entry in the Error and Reset (ER) Log.

typedef uint32 CFE_ES_AppState_Enum_t

Application Run State.

Enumerations

```
• enum CFE_ES_LogMode { CFE_ES_LogMode_OVERWRITE = 0, CFE_ES_LogMode_DISCARD = 1 }
```

Label definitions associated with CFE_ES_LogMode_Enum_t.

enum CFE_ES_ExceptionAction { CFE_ES_ExceptionAction_RESTART_APP = 0, CFE_ES_ExceptionAction←
 PROC RESTART = 1 }

 ${\it Label definitions associated with CFE_ES_ExceptionAction_Enum_t.}$

enum CFE ES AppType { CFE ES AppType CORE = 1, CFE ES AppType EXTERNAL = 2 }

Label definitions associated with CFE_ES_AppType_Enum_t.

enum CFE ES RunStatus {

CFE_ES_RunStatus_UNDEFINED = 0, CFE_ES_RunStatus_APP_RUN = 1, CFE_ES_RunStatus_APP_EXIT = 2, CFE_ES_RunStatus_APP_ERROR = 3,

CFE_ES_RunStatus_SYS_EXCEPTION = 4, CFE_ES_RunStatus_SYS_RESTART = 5, CFE_ES_RunStatus ↔ SYS_RELOAD = 6, CFE_ES_RunStatus_SYS_DELETE = 7,

CFE_ES_RunStatus_CORE_APP_INIT_ERROR = 8, CFE_ES_RunStatus_CORE_APP_RUNTIME_ERROR = 9, CFE_ES_RunStatus_MAX }

Label definitions associated with CFE_ES_RunStatus_Enum_t.

• enum CFE ES SystemState {

 $\label{eq:cfe_es_system} CFE_ES_SystemState_EARLY_INIT = 1, CFE_ES_SystemState_C \leftrightarrow ORE_STARTUP = 2, CFE_ES_SystemState_CORE_READY = 3,$

CFE_ES_SystemState_APPS_INIT = 4, CFE_ES_SystemState_OPERATIONAL = 5, CFE_ES_SystemState_← SHUTDOWN = 6, CFE_ES_SystemState_MAX }

Label definitions associated with CFE_ES_SystemState_Enum_t.

enum CFE_ES_LogEntryType { CFE_ES_LogEntryType_CORE = 1, CFE_ES_LogEntryType_APPLICATION = 2 }

```
Label definitions associated with CFE_ES_LogEntryType_Enum_t.
   enum CFE_ES_AppState {
      CFE_ES_AppState_UNDEFINED = 0, CFE_ES_AppState_EARLY_INIT = 1, CFE_ES_AppState_LATE_INIT =
      2, CFE_ES_AppState_RUNNING = 3,
     CFE_ES_AppState_WAITING = 4, CFE_ES_AppState_STOPPED = 5, CFE_ES_AppState MAX }
         Label definitions associated with CFE_ES_AppState_Enum_t.
39.19.1 Typedef Documentation
39.19.1.1 CFE_ES_AppState_Enum_t
typedef uint32 CFE_ES_AppState_Enum_t
Application Run State.
The normal progression of APP states: UNDEFINED -> EARLY_INIT -> LATE_INIT -> RUNNING -> WAITING ->
STOPPED
Note
     These are defined in order so that relational comparisons e.g. if (STATEA < STATEB) are possible
See also
     enum CFE_ES_AppState
Definition at line 325 of file cfe es extern typedefs.h.
39.19.1.2 CFE_ES_AppType_Enum_t
typedef uint8 CFE_ES_AppType_Enum_t
Identifies type of CFE application.
See also
     enum CFE_ES_AppType
Definition at line 111 of file cfe_es_extern_typedefs.h.
```

```
39.19.1.3 CFE_ES_ExceptionAction_Enum_t
typedef uint8 CFE_ES_ExceptionAction_Enum_t
Identifies action to take if exception occurs.
See also
     enum CFE_ES_ExceptionAction
Definition at line 85 of file cfe_es_extern_typedefs.h.
39.19.1.4 CFE_ES_LogEntryType_Enum_t
typedef uint8 CFE_ES_LogEntryType_Enum_t
Type of entry in the Error and Reset (ER) Log.
See also
     enum CFE_ES_LogEntryType
Definition at line 269 of file cfe_es_extern_typedefs.h.
39.19.1.5 CFE_ES_LogMode_Enum_t
typedef uint8 CFE_ES_LogMode_Enum_t
Identifies handling of log messages after storage is filled.
See also
     enum CFE_ES_LogMode
Definition at line 59 of file cfe_es_extern_typedefs.h.
39.19.1.6 CFE_ES_RunStatus_Enum_t
typedef uint32 CFE_ES_RunStatus_Enum_t
Run Status and Exit Status identifiers.
See also
     enum CFE_ES_RunStatus
```

Definition at line 182 of file cfe_es_extern_typedefs.h.

Generated by Doxygen

39.19.1.7 CFE_ES_SystemState_Enum_t

typedef uint32 CFE_ES_SystemState_Enum_t

The overall cFE System State.

These values are used with the CFE_ES_WaitForSystemState API call to synchronize application startup.

Note

These are defined in order so that relational comparisons e.g. if (STATEA < STATEB) are possible

See also

enum CFE_ES_SystemState

Definition at line 242 of file cfe_es_extern_typedefs.h.

39.19.2 Enumeration Type Documentation

39.19.2.1 CFE_ES_AppState

enum CFE_ES_AppState

Label definitions associated with CFE_ES_AppState_Enum_t.

Enumerator

CFE_ES_AppState_UNDEFINED	Initial state before app thread is started.	
CFE_ES_AppState_EARLY_INIT	App thread has started, app performing early initialization of its own data.	
CFE_ES_AppState_LATE_INIT	Early/Local initialization is complete. First sync point.	
CFE_ES_AppState_RUNNING	All initialization is complete. Second sync point.	
CFE_ES_AppState_WAITING	Application is waiting on a Restart/Reload/Delete request.	
CFE_ES_AppState_STOPPED	Application is stopped.	
CFE_ES_AppState_MAX	Reserved entry, marker for the maximum state.	

Definition at line 275 of file cfe_es_extern_typedefs.h.

39.19.2.2 CFE_ES_AppType

enum CFE_ES_AppType

Label definitions associated with CFE_ES_AppType_Enum_t.

Enumerator

CFE_ES_AppType_CORE	CFE core application.
CFE_ES_AppType_EXTERNAL	CFE external application.

Definition at line 91 of file cfe_es_extern_typedefs.h.

39.19.2.3 CFE_ES_ExceptionAction

enum CFE_ES_ExceptionAction

Label definitions associated with CFE_ES_ExceptionAction_Enum_t.

Enumerator

CFE_ES_ExceptionAction_RESTART_APP	Restart application if exception occurs.
CFE_ES_ExceptionAction_PROC_RESTART	Restart processor if exception occurs.

Definition at line 65 of file cfe_es_extern_typedefs.h.

39.19.2.4 CFE_ES_LogEntryType

enum CFE_ES_LogEntryType

Label definitions associated with CFE_ES_LogEntryType_Enum_t.

Enumerator

CFE_ES_LogEntryType_CORE	Log entry from a core subsystem.
CFE_ES_LogEntryType_APPLICATION	Log entry from an application.

Definition at line 249 of file cfe_es_extern_typedefs.h.

39.19.2.5 CFE_ES_LogMode

enum CFE_ES_LogMode

Label definitions associated with CFE_ES_LogMode_Enum_t.

Enumerator

CFE_ES_LogMode_OVERWRITE	Overwrite Log Mode.
CFE_ES_LogMode_DISCARD	Discard Log Mode.

Definition at line 39 of file cfe_es_extern_typedefs.h.

39.19.2.6 CFE_ES_RunStatus

enum CFE_ES_RunStatus

 $Label\ definitions\ associated\ with\ CFE_ES_RunStatus_Enum_t.$

Enumerator

CFE_ES_RunStatus_UNDEFINED	Reserved value, should not be used.
CFE_ES_RunStatus_APP_RUN	Indicates that the Application should continue to run.
CFE_ES_RunStatus_APP_EXIT	Indicates that the Application wants to exit normally.
CFE_ES_RunStatus_APP_ERROR	Indicates that the Application is quitting with an error.
CFE_ES_RunStatus_SYS_EXCEPTION	The cFE App caused an exception.
CFE_ES_RunStatus_SYS_RESTART	The system is requesting a restart of the cFE App.
CFE_ES_RunStatus_SYS_RELOAD	The system is requesting a reload of the cFE App.
CFE_ES_RunStatus_SYS_DELETE	The system is requesting that the cFE App is stopped.
CFE_ES_RunStatus_CORE_APP_INIT_ERROR	Indicates that the Core Application could not Init.
CFE_ES_RunStatus_CORE_APP_RUNTIME_ERROR	Indicates that the Core Application had a runtime failure.
CFE_ES_RunStatus_MAX	Reserved value, marker for the maximum state.

Definition at line 117 of file cfe_es_extern_typedefs.h.

39.19.2.7 CFE_ES_SystemState

enum CFE_ES_SystemState

Label definitions associated with CFE_ES_SystemState_Enum_t.

Enumerator

CFE_ES_SystemState_UNDEFINED	reserved
CFE_ES_SystemState_EARLY_INIT	single threaded mode while setting up CFE itself
CFE_ES_SystemState_CORE_STARTUP	core apps (CFE_ES_ObjectTable) are starting (multi-threaded)
CFE_ES_SystemState_CORE_READY	core is ready, starting other external apps/libraries (if any)
CFE_ES_SystemState_APPS_INIT	startup apps have all completed their early init, but not necessarily operational yet
CFE_ES_SystemState_OPERATIONAL	normal operation mode; all apps are RUNNING
CFE_ES_SystemState_SHUTDOWN	reserved for future use, all apps would be STOPPED Generated by Doxygen
CFE_ES_SystemState_MAX	Reserved value, marker for the maximum state.

Definition at line 188 of file cfe_es_extern_typedefs.h.

39.20 cfe/fsw/cfe-core/src/inc/cfe_es_msg.h File Reference

```
#include "cfe.h"
#include "cfe_es.h"
```

Data Structures

```
    struct CFE_ES_NoArgsCmd_t
```

Generic "no arguments" command.

struct CFE_ES_RestartCmd_Payload_t

Restart cFE Command.

- · struct CFE ES Restart t
- struct CFE ES ShellCmd Payload t

Shell Command.

- · struct CFE ES Shell t
- struct CFE_ES_FileNameCmd_Payload_t

Payload format for commands which accept a single file name.

- struct CFE ES FileNameCmd t
- struct CFE_ES_OverWriteSysLogCmd_Payload_t

Overwrite/Discard System Log Configuration Command.

- struct CFE ES OverWriteSyslog t
- struct CFE_ES_StartAppCmd_Payload_t

Start Application Command.

- struct CFE_ES_StartApp_t
- struct CFE_ES_AppNameCmd_Payload_t

Command Structure for Commands requiring just an Application Name.

- struct CFE_ES_AppNameCmd_t
- struct CFE_ES_AppReloadCmd_Payload_t

Reload Application Command.

- struct CFE ES ReloadApp t
- struct CFE ES SetMaxPRCountCmd Payload t

Set Maximum Processor Reset Count Command.

- struct CFE ES SetMaxPRCount t
- struct CFE_ES_DeleteCDSCmd_Payload_t

Delete Critical Data Store Command.

- struct CFE ES DeleteCDS t
- struct CFE_ES_StartPerfCmd_Payload_t

Start Performance Analyzer Command.

- struct CFE ES StartPerfData t
- struct CFE_ES_StopPerfCmd_Payload_t

Stop Performance Analyzer Command.

- struct CFE_ES_StopPerfData_t
- struct CFE ES SetPerfFilterMaskCmd Payload t

Set Performance Analyzer Filter Mask Command.

- struct CFE ES SetPerfFilterMask t
- struct CFE ES SetPerfTrigMaskCmd Payload t

Set Performance Analyzer Trigger Mask Command.

- struct CFE_ES_SetPerfTriggerMask_t
- struct CFE ES SendMemPoolStatsCmd Payload t

Telemeter Memory Pool Statistics Command.

- struct CFE_ES_SendMemPoolStats_t
- struct CFE_ES_DumpCDSRegistryCmd_Payload_t

Dump CDS Registry Command.

- struct CFE_ES_DumpCDSRegistry_t
- struct CFE ES OneAppTlm Payload t
- struct CFE ES OneAppTIm t
- struct CFE_ES_PoolStatsTlm_Payload_t
- struct CFE ES MemStatsTlm t
- struct CFE ES HousekeepingTlm Payload t
- struct CFE_ES_HousekeepingTlm_t
- struct CFE_ES_ShellPacket_Payload_t
- struct CFE_ES_ShellTIm_t

Macros

Executive Services Command Codes

- #define CFE ES NOOP CC 0
- #define CFE ES RESET COUNTERS CC 1
- #define CFE ES RESTART CC 2
- #define CFE_ES_SHELL_CC 3
- #define CFE ES START APP CC 4
- #define CFE ES STOP APP CC 5
- #define CFE ES RESTART APP CC 6
- #define CFE_ES_RELOAD_APP_CC 7
- #define CFE ES QUERY ONE CC 8
- #define CFE_ES_QUERY_ALL_CC 9
- #define CFE_ES_CLEAR_SYSLOG_CC 10
- #define CFE_ES_WRITE_SYSLOG_CC 11
- #define CFE ES CLEAR ER LOG CC 12
- #define CFE ES WRITE ER LOG CC 13
- #define CFE_ES_START_PERF_DATA_CC 14
- #define CFE ES STOP PERF DATA CC 15
- #define CFE ES SET PERF FILTER MASK CC 16
- #define CFE_ES_SET_PERF_TRIGGER_MASK_CC 17
- #define CFE_ES_OVER_WRITE_SYSLOG_CC 18
- #define CFE_ES_RESET_PR_COUNT_CC 19
- #define CFE_ES_SET_MAX_PR_COUNT_CC 20
- #define CFE ES DELETE CDS CC 21
- #define CFE ES SEND MEM POOL STATS CC 22
- #define CFE_ES_DUMP_CDS_REGISTRY_CC 23
- #define CFE ES QUERY ALL TASKS CC 24

Typedefs

- typedef CFE_ES_NoArgsCmd_t CFE_ES_Noop_t
- typedef CFE_ES_NoArgsCmd_t CFE_ES_ResetCounters_t
- typedef CFE_ES_NoArgsCmd_t CFE_ES_ClearSyslog_t
- typedef CFE_ES_NoArgsCmd_t CFE_ES_ClearERLog_t
- typedef CFE_ES_NoArgsCmd_t CFE_ES_ResetPRCount_t
- typedef CFE_ES_FileNameCmd_t CFE_ES_QueryAll_t
- typedef CFE_ES_FileNameCmd_t CFE_ES_QueryAllTasks_t
- typedef CFE_ES_FileNameCmd_t CFE_ES_WriteSyslog_t
- typedef CFE ES FileNameCmd t CFE ES WriteERLog t
- typedef CFE_ES_AppNameCmd_t CFE_ES_StopApp_t
- typedef CFE_ES_AppNameCmd_t CFE_ES_RestartApp_t
- typedef CFE_ES_AppNameCmd_t CFE_ES_QueryOne_t
- typedef CFE ES HousekeepingTlm t CFE ES HkPacket t
- typedef CFE_ES_ShellTlm_t CFE_ES_ShellPacket_t
- typedef CFE_ES_MemStatsTlm_t CFE_ES_PoolStatsTlm_t

39.20.1 Macro Definition Documentation

```
39.20.1.1 CFE_ES_CLEAR_ER_LOG_CC
```

```
#define CFE_ES_CLEAR_ER_LOG_CC 12
```

Name Clears the contents of the Exeception and Reset Log

Description

This command causes the contents of the Executive Services Exception and Reset Log to be cleared.

Command Mnemonic(s) \$sc \$cpu ES ClearERLog

Command Structure

```
CFE ES NoArgsCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_ERLOG1_INF_EID informational event message will be generated.
- \$sc_\$cpu_ES_ERLOGINDEX Index into Exception Reset Log goes to zero

Error Conditions

This command may fail for the following reason(s):

· The command packet length is incorrect

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not dangerous. However, any previously logged data will be lost.

See also

```
CFE_ES_CLEAR_SYSLOG_CC, CFE_ES_WRITE_SYSLOG_CC, CFE_ES_WRITE_ER_LOG_CC
```

Definition at line 602 of file cfe es msg.h.

```
39.20.1.2 CFE_ES_CLEAR_SYSLOG_CC
```

```
#define CFE_ES_CLEAR_SYSLOG_CC 10
```

Name Clear Executive Services System Log

Description

This command clears the contents of the Executive Services System Log.

Command Mnemonic(s) \$sc_\$cpu_ES_ClearSysLog

Command Structure

CFE ES NoArgsCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_SYSLOG1_INF_EID informational event message will be generated.
- \$sc_\$cpu_ES_SYSLOGBYTEUSED System Log Bytes Used will go to zero
- \$sc_\$cpu_ES_SYSLOGENTRIES Number of System Log Entries will go to zero

Error Conditions

This command may fail for the following reason(s):

· The command packet length is incorrect

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not dangerous. However, any previously logged data will be lost.

See also

CFE_ES_WRITE_SYSLOG_CC, CFE_ES_CLEAR_ER_LOG_CC, CFE_ES_WRITE_ER_LOG_CC, CFE_ES
_OVER_WRITE_SYSLOG_CC

Definition at line 522 of file cfe es msg.h.

39.20.1.3 CFE_ES_DELETE_CDS_CC

#define CFE_ES_DELETE_CDS_CC 21

Name Delete Critical Data Store

Description

This command allows the user to delete a Critical Data Store that was created by an Application that is now no longer executing.

Command Mnemonic(s) \$sc_\$cpu_ES_DeleteCDS

Command Structure

CFE ES DeleteCDS t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_CDS_DELETED_INFO_EID informational event message will be generated.
- The specified CDS should no longer appear in a CDS Registry dump generated upon receipt of the CFE_←
 ES_DUMP_CDS_REGISTRY_CC command

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- The specified CDS is the CDS portion of a Critical Table. See CFE_TBL_DELETE_CDS_CC.
- · The specified CDS is not found in the CDS Registry
- · The specified CDS is associated with an Application that is still active
- An error occurred while accessing the CDS memory (see the System Log for more details)

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not critical because it is not possible to delete a CDS that is associated with an active application. However, deleting a CDS does eliminate any "history" that an application may be wishing to keep.

See also

CFE ES DUMP CDS REGISTRY CC, CFE TBL DELETE CDS CC

Definition at line 974 of file cfe_es_msg.h.

```
39.20.1.4 CFE_ES_DUMP_CDS_REGISTRY_CC
```

```
#define CFE_ES_DUMP_CDS_REGISTRY_CC 23
```

Name Dump Critical Data Store Registry to a File

Description

This command allows the user to dump the Critical Data Store Registry to an onboard file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteCDS2File

Command Structure

```
CFE_ES_DumpCDSRegistry_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_CDS_REG_DUMP_INF_EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_CDS_← REG_DUMP_FILE configuration parameter) will be updated with the lastest information.

Error Conditions

This command may fail for the following reason(s):

· Error occurred while trying to create the dump file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

```
CFE ES DELETE CDS CC, CFE TBL DELETE CDS CC
```

Definition at line 1057 of file cfe_es_msg.h.

39.20.1.5 CFE_ES_NOOP_CC

#define CFE_ES_NOOP_CC 0

Name Executive Services No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Executive Services task.

Command Mnemonic(s) \$sc_\$cpu_ES_NOOP

Command Structure

CFE_ES_NoArgsCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_NOOP_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

· The command packet length is incorrect

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- the CFE_ES_LEN_ERR_EID error event message will be generated

Criticality

None

See also

Definition at line 82 of file cfe_es_msg.h.

39.20.1.6 CFE_ES_OVER_WRITE_SYSLOG_CC

```
#define CFE_ES_OVER_WRITE_SYSLOG_CC 18
```

Name Set Executive Services System Log Mode to Discard/Overwrite

Description

This command allows the user to configure the Executive Services to either discard new System Log messages when it is full or to overwrite the oldest messages.

Command Mnemonic(s) \$sc_\$cpu_ES_OverwriteSysLogMode

Command Structure

CFE_ES_OverWriteSyslog_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_SYSLOGMODE Current System Log Mode should reflect the commanded value
- The CFE_ES_SYSLOGMODE_EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- The desired mode is neither CFE ES LogMode OVERWRITE or CFE ES LogMode DISCARD

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases

Criticality

None. (It should be noted that "Overwrite" mode would allow a message identifying the cause of a problem to be lost by a subsequent flood of additional messages).

See also

CFE_ES_CLEAR_SYSLOG_CC, CFE_ES_WRITE_SYSLOG_CC

Definition at line 850 of file cfe_es_msg.h.

39.20.1.7 CFE_ES_QUERY_ALL_CC

#define CFE_ES_QUERY_ALL_CC 9

Name Writes all Executive Services Information on All Applications to a File

Description

This command takes the information kept by Executive Services on all of the registered applications and writes it to the specified file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteAppInfo2File

Command Structure

CFE ES FileNameCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE ES ALL APPS EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_APP_

 LOG_FILE configuration parameter) will be updated with the lastest information.

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

CFE_ES_QUERY_ONE_CC, CFE_ES_QUERY_ALL_TASKS_CC

Definition at line 484 of file cfe_es_msg.h.

```
39.20.1.8 CFE_ES_QUERY_ALL_TASKS_CC
```

```
#define CFE_ES_QUERY_ALL_TASKS_CC 24
```

Name Writes a list of All Executive Services Tasks to a File

Description

This command takes the information kept by Executive Services on all of the registered tasks and writes it to the specified file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteTaskInfo2File

Command Structure

```
CFE ES FileNameCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_TASKINFO_EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_TASK

 LOG_FILE configuration parameter) will be updated with the lastest information.

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

```
CFE ES QUERY ALL CC, CFE ES QUERY ONE CC
```

Definition at line 1099 of file cfe_es_msg.h.

39.20.1.9 CFE_ES_QUERY_ONE_CC

#define CFE_ES_QUERY_ONE_CC 8

Name Request Executive Services Information on a Specified Application

Description

This command takes the information kept by Executive Services on the specified application and telemeters it to the ground.

Command Mnemonic(s) \$sc_\$cpu_ES_QueryApp

Command Structure

CFE_ES_AppNameCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_ONE_APP_EID debug event message will be generated. NOTE: This event message only
 identifies that the act of stopping the application has begun, not that is has completed.
- Receipt of the CFE_ES_OneAppTIm_t telemetry packet

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- · The specified application name is not recognized as an active application

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

None

See also

CFE_ES_QUERY_ALL_CC, CFE_ES_QUERY_ALL_TASKS_CC

Definition at line 442 of file cfe_es_msg.h.

```
39.20.1.10 CFE_ES_RELOAD_APP_CC
```

```
#define CFE_ES_RELOAD_APP_CC 7
```

Name Stops, Unloads, Loads from a File and Restarts an Application

Description

This command halts and removes the specified Application from the system. Then it immediately loads the Application from the command specified file and restarts it. This command is especially useful for restarting a Command Ingest Application since once it has been stopped, no further commands can come in to restart it.

Command Mnemonic(s) \$sc \$cpu ES ReloadApp

Command Structure

```
CFE_ES_ReloadApp_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_RELOAD_APP_DBG_EID debug event message will be generated. NOTE: This event message only identifies that the act of stopping the application has begun, not that is has completed.

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- The specified application name is not recognized as an active application
- The specified application is one of the cFE's Core applications (ES, EVS, SB, TBL, TIME)

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases
- Additional information on the reason for command failure may be found in the System Log

Criticality

This command is not inherently dangerous, however the restarting of certain applications (e.g. - Spacecraft Attitude and Control) may have a detrimental effect on the spacecraft.

See also

```
CFE_ES_START_APP_CC, CFE_ES_STOP_APP_CC, CFE_ES_RESTART_APP_CC
```

Definition at line 404 of file cfe es msg.h.

39.20.1.11 CFE_ES_RESET_COUNTERS_CC

```
#define CFE_ES_RESET_COUNTERS_CC 1
```

Name Executive Services Reset Counters

Description

This command resets the following counters within the Executive Services housekeeping telemetry:

- · Command Execution Counter
- · Command Error Counter

Command Mnemonic(s) \$sc_\$cpu_ES_ResetCtrs

Command Structure

```
CFE_ES_NoArgsCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- The CFE_ES_RESET_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

· The command packet length is incorrect

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- the CFE_ES_LEN_ERR_EID error event message will be generated

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

```
CFE_ES_RESET_PR_COUNT_CC
```

Definition at line 121 of file cfe_es_msg.h.

```
39.20.1.12 CFE_ES_RESET_PR_COUNT_CC
```

```
#define CFE_ES_RESET_PR_COUNT_CC 19
```

Name Resets the Processor Reset Counter to Zero

Description

This command allows the user to reset the Processor Reset Counter to zero. The Processor Reset Counter counts the number of Processor Resets that have occurred so as to identify when a Processor Reset should automatically be upgraded to a full Power-On Reset.

Command Mnemonic(s) \$sc_\$cpu_ES_ResetPRCnt

Command Structure

CFE_ES_NoArgsCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- \$sc_\$cpu_ES_ProcResetCnt Current number of processor resets will go to zero
- The CFE_ES_RESET_PR_COUNT_EID informational event message will be generated.

Error Conditions

This command may fail for the following reason(s):

· The command packet length is incorrect

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu ES CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not critical. The only impact would be that the system would have to have more processor resets before an automatic power-on reset occurred.

See also

CFE_ES_SET_MAX_PR_COUNT_CC, CFE_ES_RESET_COUNTERS_CC

Definition at line 890 of file cfe es msg.h.

39.20.1.13 CFE_ES_RESTART_APP_CC

#define CFE_ES_RESTART_APP_CC 6

Name Stops and Restarts an Application

Description

This command halts and restarts the specified Application. This command does **NOT** reload the application from the onboard filesystem.

Command Mnemonic(s) \$sc_\$cpu_ES_ResetApp

Command Structure

CFE ES AppNameCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_RESTART_APP_DBG_EID debug event message will be generated. NOTE: This event message only identifies that the act of stopping the application has begun, not that is has completed.

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- · The specified application name is not recognized as an active application
- The specified application is one of the cFE's Core applications (ES, EVS, SB, TBL, TIME)

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases
- Additional information on the reason for command failure may be found in the System Log

Criticality

This command is not inherently dangerous, however the restarting of certain applications (e.g. - Spacecraft Attitude and Control) may have a detrimental effect on the spacecraft.

See also

CFE_ES_START_APP_CC, CFE_ES_STOP_APP_CC, CFE_ES_RELOAD_APP_CC

Definition at line 358 of file cfe_es_msg.h.

```
39.20.1.14 CFE_ES_RESTART_CC
```

```
#define CFE_ES_RESTART_CC 2
```

Name Executive Services Processor / Power-On Reset

Description

This command restarts the cFE in one of two modes. The Power-On Reset will cause the cFE to restart as though the power were first applied to the processor. The Processor Reset will attempt to retain the contents of the volatile disk and the contents of the Critical Data Store. NOTE: If a requested Processor Reset should cause the Processor Reset Counter (\$sc_\$cpu_ES_ProcResetCnt) to exceed OR EQUAL the limit CFE_PLATFORM_ES_MAX — PROCESSOR_RESETS (which is reported in housekeeping telemetry as \$sc_\$cpu_ES_MaxProcResets), the command is AUTOMATICALLY upgraded to a Power-On Reset.

Command Mnemonic(s) \$sc_\$cpu_ES_ProcessorReset, \$sc_\$cpu_ES_PowerOnReset

Command Structure

CFE_ES_RestartCmd_Payload_t

Command Verification

Successful execution of this command (as a Processor Reset) may be verified with the following telemetry:

- \$sc_\$cpu_ES_ProcResetCnt processor reset counter will increment
- New entries in the Exception Reset Log and System Log can be found

NOTE: Verification of a Power-On Reset is shown through the loss of data nominally retained through a Processor Reset

NOTE: Since the reset of the processor resets the command execution counter (\$sc_\$cpu_ES_CMDPC), this counter CANNOT be used to verify command execution.

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- The Restart Type was not a recognized value.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- the CFE ES BOOT ERR EID error event message will be generated

Criticality

This command is, by definition, dangerous. Significant loss of data will occur. All processes and the cFE itself will be stopped and restarted. With the Power-On reset option, all data on the volatile disk and the contents of the Critical Data Store will be lost.

See also

CFE_ES_RESET_PR_COUNT_CC, CFE_ES_SET_MAX_PR_COUNT_CC

Definition at line 171 of file cfe_es_msg.h.

39.20.1.15 CFE_ES_SEND_MEM_POOL_STATS_CC

#define CFE_ES_SEND_MEM_POOL_STATS_CC 22

Name Telemeter Memory Pool Statistics

Description

This command allows the user to obtain a snapshot of the statistics maintained for a specified memory pool.

Command Mnemonic(s) \$sc_\$cpu_ES_PoolStats

Command Structure

CFE_ES_SendMemPoolStats_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE ES TLM POOL STATS INFO EID debug event message will be generated.
- The Memory Pool Statistics Telemetry Packet is produced

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- · The specified handle is not associated with a known memory pool
- The specified handle caused a processor exception because it improperly identified a segment of memory

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases

Criticality

An incorrect Memory Pool Handle value can cause a system crash. Extreme care should be taken to ensure the memory handle value used in the command is correct.

See also

Definition at line 1016 of file cfe es msg.h.

```
39.20.1.16 CFE_ES_SET_MAX_PR_COUNT_CC
```

```
#define CFE_ES_SET_MAX_PR_COUNT_CC 20
```

Name Configure the Maximum Number of Processor Resets before a Power-On Reset

Description

This command allows the user to specify the number of Processor Resets that are allowed before the next Processor Reset is upgraded to a Power-On Reset.

Command Mnemonic(s) \$sc_\$cpu_ES_SetMaxPRCnt

Command Structure

CFE_ES_SetMaxPRCount_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- \$sc_\$cpu_ES_MaxProcResets Current maximum number of processor resets before an automatic power-on reset will go to the command specified value.
- The CFE_ES_SET_MAX_PR_COUNT_EID informational event message will be generated.

Error Conditions

This command may fail for the following reason(s):

· The command packet length is incorrect

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

If the operator were to set the Maximum Processor Reset Count to too high a value, the processor would require an inordinate number of consecutive processor resets before an automatic power-on reset would occur. This could potentially leave the spacecraft without any control for a significant amount of time if a processor reset fails to clear a problem.

See also

CFE_ES_RESET_PR_COUNT_CC

Definition at line 931 of file cfe_es_msg.h.

39.20.1.17 CFE_ES_SET_PERF_FILTER_MASK_CC

#define CFE_ES_SET_PERF_FILTER_MASK_CC 16

Name Set Performance Analyzer's Filter Masks

Description

This command sets the Performance Analyzer's Filter Masks.

Command Mnemonic(s) \$sc_\$cpu_ES_LAFilterMask

Command Structure

CFE ES SetPerfFilterMask t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_PerfF1trMask[MaskCnt] the current performance filter mask value(s) should reflect
 the commanded value
- The CFE ES PERF FILTMSKCMD EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- · The Filter Mask ID number is out of range

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

Changing the filter masks may cause a small change in the Performance Analyzer's CPU utilization.

See also

 ${\tt CFE_ES_START_PERF_DATA_CC, CFE_ES_STOP_PERF_DATA_CC, CFE_ES_SET_PERF_TRIGGER_M {\it CC}} \\ {\tt ASK_CC} \\ {\tt CFE_ES_START_PERF_DATA_CC, CFE_ES_STOP_PERF_DATA_CC, CFE_ES_SET_PERF_TRIGGER_M {\it CC}} \\ {\tt CFE_ES_START_PERF_DATA_CC, CFE_ES_STOP_PERF_DATA_CC, CFE_ES_SET_PERF_TRIGGER_M {\it CC}} \\ {\tt CFE_ES_START_PERF_DATA_CC, CFE_ES_SET_PERF_TRIGGER_M {\it CC}} \\ {\tt CFE_ES_START_PERF_TRIGGER_M {\it CC}} \\ {\tt CFE_E$

Definition at line 771 of file cfe_es_msg.h.

39.20.1.18 CFE_ES_SET_PERF_TRIGGER_MASK_CC

```
#define CFE_ES_SET_PERF_TRIGGER_MASK_CC 17
```

Name Set Performance Analyzer's Trigger Masks

Description

This command sets the Performance Analyzer's Trigger Masks.

Command Mnemonic(s) \$sc_\$cpu_ES_LATriggerMask

Command Structure

```
CFE_ES_SetPerfTriggerMask_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_PerfTrigMask[MaskCnt] the current performance trigger mask value(s) should reflect the commanded value
- The CFE_ES_PERF_TRIGMSKCMD_EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- · The Trigger Mask ID number is out of range

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases

Criticality

Changing the trigger masks may cause a small change in the Performance Analyzer's CPU utilization.

See also

CFE_ES_START_PERF_DATA_CC, CFE_ES_STOP_PERF_DATA_CC, CFE_ES_SET_PERF_FILTER_MA⇔ SK CC

Definition at line 809 of file cfe es msg.h.

```
39.20.1.19 CFE_ES_SHELL_CC
```

```
#define CFE_ES_SHELL_CC 3
```

Name Executive Services O/S Shell Command

Description

This command passes an ASCII string as a command line to the underlying realtime operating system shell. Any response to the command is both written to the shell command output file and sent as a series of shell command output telemetry packets.

If the shell command output filename argument is empty, then CFE_PLATFORM_ES_DEFAULT_SHELL_FILENAME will be used as the filename.

Command Mnemonic(s) \$sc \$cpu\$ ES Shell

Command Structure

```
CFE_ES_Shell_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- The CFE_ES_SHELL_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- · Failure to create the shell command output file
- The shell command started with ES but was not one of the recognized cFE shell commands
- There was an error while performing a OS_lseek on the shell command output file
- · There was an error while redirecting the shell command response to the shell command output file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- the CFE ES SHELL ERR EID error event message will be generated
- Additional information on the error should be found in the System Log

Criticality

This command should be used with caution. Interfering with the operation of the underlying realtime operating system can cause significant problems.

See also

Definition at line 219 of file cfe_es_msg.h.

```
39.20.1.20 CFE_ES_START_APP_CC
```

```
#define CFE_ES_START_APP_CC 4
```

Name Load and Start an Application

Description

This command starts the specified application with the specified start address, stack size, etc options.

```
Command Mnemonic(s) $sc_$cpu_ES_StartApp
```

Command Structure

```
CFE ES StartApp t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_START_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- · The specified application filename string is either a NULL string or less than four characters in length
- · The specified application entry point is a NULL string
- · The specified application name is a NULL string
- The specified stack size is less than CFE_PLATFORM_ES_DEFAULT_STACK_SIZE
- The specified priority is greater than MAX_PRIORITY (as defined in osapi.c)
- The Operating System was unable to load the specified application file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous although system resources could be taxed beyond their limits with the starting of erroneous or invalid applications.

See also

```
CFE_ES_STOP_APP_CC, CFE_ES_RESTART_APP_CC, CFE_ES_RELOAD_APP_CC
```

Definition at line 265 of file cfe es msg.h.

39.20.1.21 CFE_ES_START_PERF_DATA_CC

#define CFE_ES_START_PERF_DATA_CC 14

Name Start Performance Analyzer

Description

This command causes the Performance Analyzer to begin collecting data using the specified trigger mode.

Command Mnemonic(s) \$sc_\$cpu_ES_StartLAData

Command Structure

CFE ES StartPerfData t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_PerfState Current performance analyzer state will change to either WAITING FOR TRIGGER or, if conditions are appropriate fast enough, TRIGGERED.
- \$sc_\$cpu_ES_PerfMode Performance Analyzer Mode will change to the commanded trigger mode (TRIGGER START, TRIGGER CENTER, or TRIGGER END).
- \$sc_\$cpu_ES_PerfTrigCnt Performance Trigger Count will go to zero
- \$sc_\$cpu_ES_PerfDataStart Data Start Index will go to zero
- \$sc_\$cpu_ES_PerfDataEnd Data End Index will go to zero
- \$sc_\$cpu_ES_PerfDataCnt Performance Data Counter will go to zero
- The CFE_ES_PERF_STARTCMD_EID debug event message will be generated.

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- A previous CFE_ES_STOP_PERF_DATA_CC command has not completely finished.
- · An invalid trigger mode is requested.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous but may cause a small increase in CPU utilization as the performance analyzer data is collected.

See also

 $\label{eq:cfe_es_stop_perf_data_cc} CFE_ES_SET_PERF_FILTER_MASK_CC, CFE_ES_SET_PERF_TRIGG \\ \leftarrow ER_MASK_CC$

Definition at line 690 of file cfe es msg.h.

```
39.20.1.22 CFE_ES_STOP_APP_CC
```

```
#define CFE_ES_STOP_APP_CC 5
```

Name Stop and Unload Application

Description

This command halts and removes the specified Application from the system. **NOTE:** This command should never be used on the Command Ingest application. This would prevent further commands from entering the system. If Command Ingest needs to be stopped and restarted, use CFE_ES_RESTART_APP_CC or CFE_ES_RELOAD ← _APP_CC.

Command Mnemonic(s) \$sc \$cpu ES StopApp

Command Structure

CFE ES AppNameCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_STOP_DBG_EID debug event message will be generated. NOTE: This event message only identifies that the stop has been started, not that is has completed.
- Once the stop has successfully completed, the list of Applications and Tasks created in response to the \$sc_\$cpu_ES_WriteAppInfo2File, \$sc_\$cpu_ES_WriteTaskInfo2File should no longer contain the specified application.

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- The specified application name is not recognized as an active application
- The specified application is one of the cFE's Core applications (ES, EVS, SB, TBL, TIME)

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases
- Additional information on the reason for command failure may be found in the System Log

Criticality

This command is not inherently dangerous, however the removal of certain applications (e.g. - Spacecraft Attitude and Control) may have a detrimental effect on the spacecraft.

See also

```
CFE_ES_START_APP_CC, CFE_ES_RESTART_APP_CC, CFE_ES_RELOAD_APP_CC
```

Definition at line 315 of file cfe_es_msg.h.

39.20.1.23 CFE_ES_STOP_PERF_DATA_CC

#define CFE_ES_STOP_PERF_DATA_CC 15

Name Stop Performance Analyzer

Description

This command stops the Performance Analyzer from collecting any more data.

Command Mnemonic(s) \$sc_\$cpu_ES_StopLAData

Command Structure

CFE_ES_StopPerfData_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- \$sc_\$cpu_ES_PerfState Current performance analyzer state will change to IDLE.
- The CFE_ES_PERF_STOPCMD_EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_PERF
 — DUMP_FILENAME configuration parameter) will be updated with the lastest information.

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- · A previous Stop Performance Analyzer command is still in process
- An error occurred while spawning the child task responsible for dumping the Performance Analyzer data to a file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. An additional low priority child task will be spawned, however, to dump the performance analyzer data to a file.

See also

CFE_ES_START_PERF_DATA_CC, CFE_ES_SET_PERF_FILTER_MASK_CC, CFE_ES_SET_PERF_TRIG← GER MASK CC

Definition at line 733 of file cfe es msg.h.

```
39.20.1.24 CFE_ES_WRITE_ER_LOG_CC
```

```
#define CFE_ES_WRITE_ER_LOG_CC 13
```

Name Writes Exeception and Reset Log to a File

Description

This command causes the contents of the Executive Services Exception and Reset Log to be written to the specified file

Command Mnemonic(s) \$sc_\$cpu_ES_WriteERLog2File

Command Structure

```
CFE ES FileNameCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE ES ERLOG2 EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_ER_L
 OG_FILE configuration parameter) will be updated with the lastest information.

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_ES_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

CFE_ES_CLEAR_SYSLOG_CC, CFE_ES_WRITE_SYSLOG_CC, CFE_ES_CLEAR_ER_LOG_CC

Definition at line 644 of file cfe_es_msg.h.

39.20.1.25 CFE_ES_WRITE_SYSLOG_CC

#define CFE_ES_WRITE_SYSLOG_CC 11

Name Writes contents of Executive Services System Log to a File

Description

This command causes the contents of the Executive Services System Log to be written to a log file.

Command Mnemonic(s) \$sc_\$cpu_ES_WriteSysLog2File

Command Structure

CFE_ES_FileNameCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_ES_CMDPC command execution counter will increment
- The CFE_ES_SYSLOG2_EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE_PLATFORM_ES_DEFAULT_SYSL
 — OG_FILE configuration parameter) will be updated with the lastest information.

Error Conditions

This command may fail for the following reason(s):

- · The command packet length is incorrect
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu ES CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

CFE_ES_CLEAR_SYSLOG_CC, CFE_ES_CLEAR_ER_LOG_CC, CFE_ES_WRITE_ER_LOG_CC, CFE_ES
_OVER_WRITE_SYSLOG_CC

Definition at line 565 of file cfe es msg.h.

```
39.20.2 Typedef Documentation
39.20.2.1 CFE_ES_ClearERLog_t
typedef CFE_ES_NoArgsCmd_t CFE_ES_ClearERLog_t
Definition at line 1134 of file cfe_es_msg.h.
39.20.2.2 CFE_ES_ClearSyslog_t
typedef CFE_ES_NoArgsCmd_t CFE_ES_ClearSyslog_t
Definition at line 1133 of file cfe_es_msg.h.
39.20.2.3 CFE_ES_HkPacket_t
typedef CFE_ES_HousekeepingTlm_t CFE_ES_HkPacket_t
Definition at line 1604 of file cfe_es_msg.h.
39.20.2.4 CFE_ES_Noop_t
typedef CFE_ES_NoArgsCmd_t CFE_ES_Noop_t
Definition at line 1131 of file cfe_es_msg.h.
39.20.2.5 CFE_ES_PoolStatsTIm_t
typedef CFE_ES_MemStatsTlm_t CFE_ES_PoolStatsTlm_t
Definition at line 1606 of file cfe_es_msg.h.
39.20.2.6 CFE_ES_QueryAll_t
typedef CFE_ES_FileNameCmd_t CFE_ES_QueryAll_t
Definition at line 1199 of file cfe_es_msg.h.
```

```
39.20.2.7 CFE_ES_QueryAllTasks_t
typedef CFE_ES_FileNameCmd_t CFE_ES_QueryAllTasks_t
Definition at line 1200 of file cfe es msg.h.
39.20.2.8 CFE_ES_QueryOne_t
typedef CFE_ES_AppNameCmd_t CFE_ES_QueryOne_t
Definition at line 1276 of file cfe_es_msg.h.
39.20.2.9 CFE_ES_ResetCounters_t
typedef CFE_ES_NoArgsCmd_t CFE_ES_ResetCounters_t
Definition at line 1132 of file cfe_es_msg.h.
39.20.2.10 CFE_ES_ResetPRCount_t
typedef CFE_ES_NoArgsCmd_t CFE_ES_ResetPRCount_t
Definition at line 1135 of file cfe es msg.h.
39.20.2.11 CFE_ES_RestartApp_t
{\tt typedef\ CFE\_ES\_AppNameCmd\_t\ CFE\_ES\_RestartApp\_t}
Definition at line 1275 of file cfe_es_msg.h.
39.20.2.12 CFE_ES_ShellPacket_t
typedef CFE_ES_ShellTlm_t CFE_ES_ShellPacket_t
Definition at line 1605 of file cfe_es_msg.h.
```

```
39.20.2.13 CFE_ES_StopApp_t
```

```
typedef CFE_ES_AppNameCmd_t CFE_ES_StopApp_t
```

Definition at line 1274 of file cfe_es_msg.h.

```
39.20.2.14 CFE_ES_WriteERLog_t
```

```
typedef CFE_ES_FileNameCmd_t CFE_ES_WriteERLog_t
```

Definition at line 1202 of file cfe_es_msg.h.

39.20.2.15 CFE_ES_WriteSyslog_t

```
typedef CFE_ES_FileNameCmd_t CFE_ES_WriteSyslog_t
```

Definition at line 1201 of file cfe_es_msg.h.

39.21 cfe/fsw/cfe-core/src/inc/cfe_evs.h File Reference

```
#include "cfe_evs_extern_typedefs.h"
#include "common_types.h"
#include "cfe_time.h"
#include "cfe_evs_msg.h"
#include "osapi.h"
#include "cfe sb.h"
```

Data Structures

• struct CFE_EVS_BinFilter_t

Event message filter defintion structure.

Macros

- #define CFE EVS BINARY FILTER CFE EVS EventFilter BINARY
- #define CFE EVS PORT1 CFE EVS EventOutput PORT1
- #define CFE_EVS_PORT2 CFE_EVS_EventOutput_PORT2
- #define CFE_EVS_EventOutput_PORT3
- #define CFE_EVS_PORT4 CFE_EVS_EventOutput_PORT4
- #define CFE EVS DEBUG CFE EVS EventType DEBUG
- #define CFE EVS INFORMATION CFE EVS EventType INFORMATION
- #define CFE_EVS_ERROR CFE_EVS_EventType_ERROR
- #define CFE EVS CRITICAL CFE EVS EventType CRITICAL

Common Event Filter Mask Values

- #define CFE EVS NO FILTER 0x0000
 - Stops any filtering. All messages are sent.
- #define CFE EVS FIRST ONE STOP 0xFFFF

Sends the first event. All remaining messages are filtered.

#define CFE_EVS_FIRST_TWO_STOP 0xFFFE

Sends the first 2 events. All remaining messages are filtered.

#define CFE EVS FIRST 4 STOP 0xFFFC

Sends the first 4 events. All remaining messages are filtered.

#define CFE EVS FIRST 8 STOP 0xFFF8

Sends the first 8 events. All remaining messages are filtered.

#define CFE EVS FIRST 16 STOP 0xFFF0

Sends the first 16 events. All remaining messages are filtered.

#define CFE_EVS_FIRST_32_STOP 0xFFE0

Sends the first 32 events. All remaining messages are filtered.

#define CFE_EVS_FIRST_64_STOP 0xFFC0

Sends the first 64 events. All remaining messages are filtered.

#define CFE EVS EVERY OTHER ONE 0x0001

Sends every other event.

• #define CFE EVS EVERY OTHER TWO 0x0002

Sends two, filters one, sends two, filters one, etc.

• #define CFE_EVS_EVERY_FOURTH_ONE 0x0003

Sends every fourth event message. All others are filtered.

Functions

int32 CFE_EVS_Register (void *Filters, uint16 NumFilteredEvents, uint16 FilterScheme)

Register an application for receiving event services.

int32 CFE_EVS_Unregister (void)

Cleanup internal structures used by the event manager for the calling Application.

• int32 CFE_EVS_SendEvent (uint16 EventID, uint16 EventType, const char *Spec,...) OS_PRINTF(3

Generate a software event.

 int32 int32 CFE_EVS_SendEventWithAppID (uint16 EventID, uint16 EventType, uint32 AppID, const char *Spec,...) OS PRINTF(4

Generate a software event given the specified Application ID.

 int32 int32 int32 CFE_EVS_SendTimedEvent (CFE_TIME_SysTime_t Time, uint16 EventID, uint16 EventType, const char *Spec,...) OS PRINTF(4

Generate a software event with a specific time tag.

int32 CFE EVS ResetFilter (int16 EventID)

Resets the calling application's event filter for a single event ID.

int32 CFE_EVS_ResetAllFilters (void)

Resets all of the calling application's event filters.

39.21.1 Macro Definition Documentation

39.21.1.1 CFE_EVS_BINARY_FILTER

#define CFE_EVS_BINARY_FILTER CFE_EVS_EventFilter_BINARY

Definition at line 88 of file cfe_evs.h.

39.21.1.2 CFE_EVS_CRITICAL

#define CFE_EVS_CRITICAL CFE_EVS_EventType_CRITICAL

Definition at line 104 of file cfe_evs.h.

39.21.1.3 CFE_EVS_DEBUG

#define CFE_EVS_DEBUG CFE_EVS_EventType_DEBUG

Definition at line 101 of file cfe_evs.h.

39.21.1.4 CFE_EVS_ERROR

#define CFE_EVS_ERROR CFE_EVS_EventType_ERROR

Definition at line 103 of file cfe_evs.h.

39.21.1.5 CFE EVS EVERY FOURTH ONE

#define CFE_EVS_EVERY_FOURTH_ONE 0x0003

Sends every fourth event message. All others are filtered.

Definition at line 74 of file cfe_evs.h.

39.21.1.6 CFE_EVS_EVERY_OTHER_ONE

#define CFE_EVS_EVERY_OTHER_ONE 0x0001

Sends every other event.

Definition at line 72 of file cfe_evs.h.

39.21.1.7 CFE_EVS_EVERY_OTHER_TWO

#define CFE_EVS_EVERY_OTHER_TWO 0x0002

Sends two, filters one, sends two, filters one, etc.

Definition at line 73 of file cfe_evs.h.

39.21.1.8 CFE_EVS_FIRST_16_STOP

#define CFE_EVS_FIRST_16_STOP 0xFFF0

Sends the first 16 events. All remaining messages are filtered.

Definition at line 69 of file cfe evs.h.

39.21.1.9 CFE_EVS_FIRST_32_STOP

#define CFE_EVS_FIRST_32_STOP 0xFFE0

Sends the first 32 events. All remaining messages are filtered.

Definition at line 70 of file cfe_evs.h.

39.21.1.10 CFE_EVS_FIRST_4_STOP

#define CFE_EVS_FIRST_4_STOP 0xFFFC

Sends the first 4 events. All remaining messages are filtered.

Definition at line 67 of file cfe_evs.h.

39.21.1.11 CFE_EVS_FIRST_64_STOP

#define CFE_EVS_FIRST_64_STOP 0xFFC0

Sends the first 64 events. All remaining messages are filtered.

Definition at line 71 of file cfe_evs.h.

39.21.1.12 CFE_EVS_FIRST_8_STOP

#define CFE_EVS_FIRST_8_STOP 0xFFF8

Sends the first 8 events. All remaining messages are filtered.

Definition at line 68 of file cfe_evs.h.

39.21.1.13 CFE_EVS_FIRST_ONE_STOP

#define CFE_EVS_FIRST_ONE_STOP 0xFFFF

Sends the first event. All remaining messages are filtered.

Definition at line 65 of file cfe_evs.h.

39.21.1.14 CFE_EVS_FIRST_TWO_STOP

#define CFE_EVS_FIRST_TWO_STOP 0xFFFE

Sends the first 2 events. All remaining messages are filtered.

Definition at line 66 of file cfe_evs.h.

39.21.1.15 CFE_EVS_INFORMATION

#define CFE_EVS_INFORMATION CFE_EVS_EventType_INFORMATION

Definition at line 102 of file cfe_evs.h.

39.21.1.16 CFE_EVS_NO_FILTER

#define CFE_EVS_NO_FILTER 0x0000

Stops any filtering. All messages are sent.

Definition at line 64 of file cfe_evs.h.

39.21.1.17 CFE_EVS_PORT1

#define CFE_EVS_PORT1 CFE_EVS_EventOutput_PORT1

Definition at line 93 of file cfe_evs.h.

39.21.1.18 CFE_EVS_PORT2

#define CFE_EVS_PORT2 CFE_EVS_EventOutput_PORT2

Definition at line 94 of file cfe_evs.h.

39.21.1.19 CFE_EVS_PORT3

#define CFE_EVS_PORT3 CFE_EVS_EventOutput_PORT3

Definition at line 95 of file cfe_evs.h.

39.21.1.20 CFE_EVS_PORT4

#define CFE_EVS_PORT4 CFE_EVS_EventOutput_PORT4

Definition at line 96 of file cfe_evs.h.

Generated by Doxygen

39.22 cfe/fsw/cfe-core/src/inc/cfe_evs_events.h File Reference

```
Macros
```

```
    #define CFE EVS MAX EID 43

    #define CFE EVS NOOP EID 0 /* Noop event identifier */

     'No-op command'

    #define CFE EVS STARTUP EID 1

     'cFE EVS Initialized'
• #define CFE EVS ERR WRLOGFILE EID 2
     'Write Log File Command Error: OS_write = 0x%08X, filename = %s'
• #define CFE_EVS_ERR_CRLOGFILE_EID 3
     'Write Log File Command Error: OS_creat = 0x%08X, filename = %s'

    #define CFE_EVS_ERR_MSGID_EID 5

     'Invalid command packet, Message ID = 0x%08X'

    #define CFE_EVS_ERR_EVTIDNOREGS_EID 6

     '%s Event ID %d not registered for filtering: CC = %lu'

    #define CFE_EVS_ERR_APPNOREGS_EID 7

     '%s not registered with EVS: CC = %lu'

    #define CFE_EVS_ERR_ILLAPPIDRANGE_EID 8

     'Illegal application ID %d retrieved for %s: CC = %lu'

    #define CFE EVS ERR NOAPPIDFOUND EID 9

     'Unable to retrieve application ID for %s: CC = %lu'

    #define CFE EVS ERR ILLEGALFMTMOD EID 10

     'Set Event Format Mode Command: Invalid Event Format Mode = 0x%02x'

    #define CFE EVS ERR MAXREGSFILTER EID 11

     'Add Filter Command: number of registered filters has reached max = %d'

    #define CFE EVS ERR WRDATFILE EID 12

     'Write App Data Command Error: OS_write = 0x%08X, filename = %s'

    #define CFE EVS ERR CRDATFILE EID 13

     'Write App Data Command Error: OS_creat = 0x%08X, filename = %s'

    #define CFE EVS ERR CC EID 15

     'Invalid command code - ID = 0x%08x, CC = %d'

    #define CFE EVS RSTCNT EID 16

     'Reset Counters Command Received'

    #define CFE EVS SETFILTERMSK EID 17

     'Set Filter Mask Command Received with AppName=%s, EventID=0x%08x, Mask=0x%04x'

    #define CFE_EVS_ENAPORT_EID 18

     'Enable Ports Command Received with Port Bit Mask = 0x \%02x'

    #define CFE EVS DISPORT EID 19

     'Disable Ports Command Received with Port Bit Mask = 0x\%02x'

    #define CFE EVS ENAEVTTYPE EID 20

     'Enable Event Type Command Received with Event Type Bit Mask = 0x%02x'

    #define CFE EVS DISEVTTYPE EID 21

     'Disable Event Type Command Received with Event Type Bit Mask = 0x%02x'

    #define CFE EVS SETEVTFMTMOD EID 22

     'Set Event Format Mode Command Received with Mode = 0x\%02x'
```

```
    #define CFE_EVS_ENAAPPEVTTYPE_EID 23

     'Enable App Event Type Command Received with AppName = %s, EventType Bit Mask =
    0x802x1

    #define CFE EVS DISAPPENTTYPE EID 24

     'Disable App Event Type Command Received with AppName = %s, EventType Bit Mask =

    #define CFE EVS ENAAPPEVT EID 25

     'Enable App Events Command Received with AppName = %s'

    #define CFE_EVS_DISAPPEVT_EID 26

     'Disable App Events Command Received with AppName = %s'

    #define CFE EVS RSTEVTCNT EID 27

     'Reset Event Counter Command Received with AppName = %s'

    #define CFE EVS RSTFILTER EID 28

     'Reset Filter Command Received with AppName = %s, EventID = 0x%08x'

    #define CFE EVS RSTALLFILTER EID 29

     'Reset All Filters Command Received with AppName = %s'

    #define CFE_EVS_ADDFILTER_EID 30

     'Add Filter Command Received with AppName = %s, EventID = 0x%08x, Mask = 0x%04x'

    #define CFE EVS DELFILTER EID 31

     'Delete Filter Command Received with AppName = %s, EventID = 0x%08x'

    #define CFE EVS WRDAT EID 32

     'Write App Data Command:
                               %d application data entries written to %s'

    #define CFE EVS WRLOG EID 33

     'Write Log File Command: %d event log entries written to %s'

    #define CFE EVS NO LOGSET EID 34

     'Set Log Mode Command: Event Log is Disabled'

    #define CFE EVS NO LOGCLR EID 35

     'Clear Log Command: Event Log is Disabled'

    #define CFE EVS NO LOGWR EID 36

     'Write Log Command: Event Log is Disabled'

    #define CFE_EVS_EVT_FILTERED_EID 37

     'Add Filter Command: AppName = %s, EventID = 0x%08x is already registered for
    filtering'

    #define CFE EVS LOGMODE EID 38

     'Set Log Mode Command Error: Log Mode = %d'

    #define CFE EVS ERR LOGMODE EID 39

     'Set Log Mode Command Error: Log Mode = %d'

    #define CFE_EVS_ERR_INVALID_BITMASK_EID 40

     'Bit Mask = 0x%X out of range: CC = %lu'

    #define CFE EVS ERR UNREGISTERED EVS APP 41

     'App %s not registered with Event Services. Unable to send event'

    #define CFE EVS FILTER MAX EID 42

     'Max filter count reached, AppName = %s, EventID = 0x%08x: Filter locked until
    reset'
• #define CFE_EVS_LEN_ERR_EID 43
     'Invalid cmd length: ID = 0x%X, CC = %d, Exp Len = %d, Len = %d'
```

39.22.1 Macro Definition Documentation

39.22.1.1 CFE_EVS_ADDFILTER_EID

```
#define CFE_EVS_ADDFILTER_EID 30
```

'Add Filter Command Received with AppName = %s, EventID = 0x%08x, Mask = 0x%04x'

Event Message 'Add Filter Command Received with AppName = %s, EventID = 0x%08x, Mask = 0x%04x'

Type: DEBUG

Cause:

This event message is generated upon successful completion of the "Add Filter" command.

The AppName field identifies the Application who is getting the new filter, the EventID field identifies the Event Identifier, in hex, that is getting the filter, and the Mask field specifies, in hex, what the binary filter mask has been set to.

Definition at line 490 of file cfe_evs_events.h.

39.22.1.2 CFE EVS DELFILTER EID

```
#define CFE_EVS_DELFILTER_EID 31
```

'Delete Filter Command Received with AppName = %s, EventID = 0x%08x'

Event Message 'Delete Filter Command Received with AppName = %s, EventID = 0x%08x'

Type: DEBUG

Cause:

This event message is generated upon successful completion of the "Delete Filter" command.

The AppName field identifies the Application who is getting the filter removed, the EventID field identifies the Event Identifier, in hex, whose filter is being deleted.

Definition at line 504 of file cfe_evs_events.h.

39.22.1.3 CFE_EVS_DISAPPENTTYPE_EID

#define CFE_EVS_DISAPPENTTYPE_EID 24

'Disable App Event Type Command Received with AppName = %s, EventType Bit Mask
= 0x%02x'

Event Message 'Disable App Event Type Command Received with AppName = \$s, Event \leftrightarrow Type Bit Mask = 0x\$02x'

Type: DEBUG

Cause:

This event message is generated upon successful completion of the "Disable Application Event Types" command.

The AppName field identifies the Application whose Event Type Disable status has changed and the Mask field specifies (in hex) the Event Types that have been disabled. Mask bits are defined by CFE_EVS_DEBUG_BIT, CFE_EVS_CITICAL_BIT.

Definition at line 409 of file cfe_evs_events.h.

39.22.1.4 CFE_EVS_DISAPPEVT_EID

#define CFE_EVS_DISAPPEVT_EID 26

'Disable App Events Command Received with AppName = %s'

Event Message 'Disable App Events Command Received with AppName = %s'

Type: DEBUG

Cause:

This event message is generated upon successful completion of the "Disable Application Events" command.

The AppName field identifies the Application whose Events have been Disabled.

Definition at line 435 of file cfe_evs_events.h.

39.22.1.5 CFE_EVS_DISEVTTYPE_EID

#define CFE_EVS_DISEVTTYPE_EID 21

'Disable Event Type Command Received with Event Type Bit Mask = 0x%02x'

Event Message 'Disable Event Type Command Received with Event Type Bit Mask = 0x%02x'

Type: DEBUG

Cause:

This event message is issued upon successful processing of the "Disable Event Type" command.

The Mask field identifies the Event Types that are disabled. Mask bits are defined by CFE_EVS_DEBUG_BIT, CFE_← EVS_INFORMATION_BIT, CFE_EVS_ERROR_BIT and CFE_EVS_CRITICAL_BIT.

Definition at line 363 of file cfe evs events.h.

39.22.1.6 CFE_EVS_DISPORT_EID

#define CFE_EVS_DISPORT_EID 19

'Disable Ports Command Received with Port Bit Mask = 0x%02x'

Event Message 'Disable Ports Command Received with Port Bit Mask = 0x%02x'

Type: DEBUG

Cause:

This event message is issued upon successful processing of the "Disable Ports" command.

The Mask field identifies (in hex) the ports are to be disabled. Mask bits are defined by CFE_EVS_PORT1_BIT, CFE_EVS_PORT2_BIT, CFE_EVS_PORT3_BIT and CFE_EVS_PORT4_BIT.

Definition at line 333 of file cfe evs events.h.

39.22.1.7 CFE_EVS_ENAAPPEVT_EID

#define CFE_EVS_ENAAPPEVT_EID 25
'Enable App Events Command Received with AppName = %s'

Event Message 'Enable App Events Command Received with AppName = %s'

Type: DEBUG

Cause:

This event message is generated upon successful completion of the "Enable Application Events" command.

The AppName field identifies the Application whose Events have been Enabled.

Definition at line 422 of file cfe_evs_events.h.

39.22.1.8 CFE EVS ENAAPPEVTTYPE EID

#define CFE_EVS_ENAAPPEVTTYPE_EID 23

'Enable App Event Type Command Received with AppName = %s, EventType Bit Mask = 0x%02x'

Event Message 'Enable App Event Type Command Received with AppName = \$s, Event \leftrightarrow Type Bit Mask = 0x\$02x'

Type: DEBUG

Cause:

This event message is generated upon successful completion of the "Enable Application Event Types" command.

The AppName field identifies the Application whose Event Type Enable status has changed and the Mask field specifies (in hex) the Event Types that have been enabled. Mask bits are defined by CFE_EVS_DEBUG_BIT, CFE_EVS_INF ORMATION_BIT, CFE_EVS_ERROR_BIT and CFE_EVS_CRITICAL_BIT.

Definition at line 393 of file cfe evs events.h.

39.22.1.9 CFE_EVS_ENAEVTTYPE_EID

#define CFE_EVS_ENAEVTTYPE_EID 20

'Enable Event Type Command Received with Event Type Bit Mask = 0x%02x'

Event Message 'Enable Event Type Command Received with Event Type Bit Mask = 0x%02x'

Type: DEBUG

Cause:

This event message is issued upon successful processing of the "Enable Event Type" command.

The Mask field identifies the Event Types that are enabled. Mask bits are defined by CFE_EVS_DEBUG_BIT, CFE_← EVS_INFORMATION_BIT, CFE_EVS_ERROR_BIT and CFE_EVS_CRITICAL_BIT.

Definition at line 348 of file cfe evs events.h.

39.22.1.10 CFE_EVS_ENAPORT_EID

#define CFE_EVS_ENAPORT_EID 18

'Enable Ports Command Received with Port Bit Mask = 0x%02x'

Event Message 'Enable Ports Command Received with Port Bit Mask = 0x%02x'

Type: DEBUG

Cause:

This event message is issued upon successful processing of the "Enable Ports" command.

The Mask field identifies the ports that are enabled. Mask bits are defined by CFE_EVS_PORT1_BIT, CFE_EVS_P \leftarrow ORT2_BIT, CFE_EVS_PORT3_BIT and CFE_EVS_PORT4_BIT.

Definition at line 319 of file cfe_evs_events.h.

39.22.1.11 CFE_EVS_ERR_APPNOREGS_EID #define CFE_EVS_ERR_APPNOREGS_EID 7 '%s not registered with EVS: CC = %lu' Event Message '%s not registered with EVS: CC = %lu' Type: ERROR

Cause:

This event message is generated when the specified command identifies an Application that has not been registered with the cFE Event Services.

The CC field contains the Command Code whose processing resulted in the generation of the event message. Possible values are CFE_EVS_SET_FILTER_CC, CFE_EVS_ENABLE_APP_EVENT_TYPE_CC, CFE_EVS_DISABLE_APP← __EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC, CFE_EV← S_RESET_APP_COUNTER_CC, CFE_EVS_RESET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE_E← VS_ADD_EVENT_FILTER_CC, or CFE_EVS_DELETE_EVENT_FILTER_CC.

Definition at line 157 of file cfe_evs_events.h.

```
39.22.1.12 CFE_EVS_ERR_CC_EID
#define CFE_EVS_ERR_CC_EID 15
'Invalid command code - ID = 0x%08x, CC = %d'

Event Message 'Invalid command code - ID = 0x%08x, CC = %d'
Type: ERROR
```

Cause:

This event message is generated when a message with the CFE_EVS_CMD_MID message ID has arrived but whose Command Code is not one of the specified accepted command codes specified. This problem is most likely to occur when:

- 1. A Message ID meant for another Application became corrupted and was set equal to CFE_EVS_CMD_MID.
- 2. The Command Code field in the Message became corrupted.
- 3. The command database at the ground station has been corrupted.

The ID field in the event message specifies the Message ID (in hex) and the CC field specifies the Command Code (in decimal) found in the message.

Definition at line 278 of file cfe evs events.h.

39.22.1.13 CFE_EVS_ERR_CRDATFILE_EID

```
#define CFE_EVS_ERR_CRDATFILE_EID 13
'Write App Data Command Error: OS_creat = 0x%08X, filename = %s'
Event Message 'Write App Data Command Error: OS_creat = 0x%08X, filename = %s'
```

Type: ERROR

Cause:

This event message is generated when a filesystem error occurred when attempting to create the file that is to hold the event registry data.

The message text identifies the registry filename and specifies the return value, in hex, from the system function call. The expected return value is a file handle, which in this case should be a relatively small positive number. Error codes are negative.

Definition at line 258 of file cfe_evs_events.h.

39.22.1.14 CFE_EVS_ERR_CRLOGFILE_EID

```
#define CFE_EVS_ERR_CRLOGFILE_EID 3
'Write Log File Command Error: OS_creat = 0x%08X, filename = %s'

Event Message 'Write Log File Command Error: OS_creat = 0x%08X, filename = %s'
```

Type: ERROR

Cause:

This event message is generated when a filesystem error occurred when attempting to create the file that is to hold the event message log.

The message text identifies the event log filename and specifies the return value, in hex, from the system function call. The expected return value is a file handle, which in this case should be a relatively small positive number. Error codes are negative.

Definition at line 104 of file cfe_evs_events.h.

```
39.22.1.15 CFE_EVS_ERR_EVTIDNOREGS_EID
#define CFE_EVS_ERR_EVTIDNOREGS_EID 6
'%s Event ID %d not registered for filtering: CC = %lu'

Event Message '%s Event ID %d not registered for filtering: CC = %lu'

Type: ERROR
Cause:
```

This event message is generated when the specified command identifies an Application and Event ID combination that is not found in the Events Registry.

The %s string contains the command specified Application Name the Event ID field identifies the command specified EventID (in decimal) that was not found in the Events Registry. The CC field specifies the Command Code whose processing generated the event message. It can be equal to either CFE_EVS_SET_FILTER_CC, CFE_EVS_RESE T_FILTER_CC, or CFE_EVS_DELETE_EVENT_FILTER_CC.

Definition at line 140 of file cfe evs events.h.

```
39.22.1.16 CFE_EVS_ERR_ILLAPPIDRANGE_EID
#define CFE_EVS_ERR_ILLAPPIDRANGE_EID 8
'Illegal application ID %d retrieved for %s: CC = %lu'

Event Message 'Illegal application ID %d retrieved for %s: CC = %lu'

Type: ERROR
```

This event message is generated when the specified command identifies an Application whose name is found in the Events Registry but does not appear to be properly registered with the cFE Executive Services.

The CC field contains the Command Code whose processing resulted in the generation of the event message. Possible values are CFE_EVS_SET_FILTER_CC, CFE_EVS_ENABLE_APP_EVENT_TYPE_CC, CFE_EVS_DISABLE_APP← _EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC, CFE_EV← S_RESET_APP_COUNTER_CC, CFE_EVS_RESET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE_E← VS_ADD_EVENT_FILTER_CC, or CFE_EVS_DELETE_EVENT_FILTER_CC.

Definition at line 174 of file cfe_evs_events.h.

Cause:

39.22.1.17 CFE_EVS_ERR_ILLEGALFMTMOD_EID

```
#define CFE_EVS_ERR_ILLEGALFMTMOD_EID 10

'Set Event Format Mode Command: Invalid Event Format Mode = 0x%02x'

Event Message 'Set Event Format Mode Command: Invalid Event Format Mode = 0x%02x'
```

Type: ERROR

Cause:

This event message is generated when a "Set Event Format Mode" command message has arrived and the CFE_← EVS_SetLogMode_Payload_t::LogMode field is equal to neither CFE_EVS_MsgFormat_SHORT or CFE_EVS_Msg← Format_LONG. These are the only allowed values for the mode field.

The Mode field in the event message identifies the Mode value (in hex) that was found in the message.

Definition at line 208 of file cfe evs events.h.

39.22.1.18 CFE_EVS_ERR_INVALID_BITMASK_EID

```
#define CFE_EVS_ERR_INVALID_BITMASK_EID 40

'Bit Mask = 0x%X out of range: CC = %lu'

Event Message 'Bit Mask = 0x%X out of range: CC = %lu'
```

Type: ERROR

Cause:

This event message is generated when the bit mask passed in is equal to zero or greater than 0x0F, because a bit mask of zero does nothing, and a bitmask of greater than 0x0F is invalid.

Definition at line 641 of file cfe_evs_events.h.

39.22.1.19 CFE_EVS_ERR_LOGMODE_EID

```
#define CFE_EVS_ERR_LOGMODE_EID 39
'Set Log Mode Command Error: Log Mode = %d'

Event Message 'Set Log Mode Command Error: Log Mode = %d
```

Type: ERROR

Cause:

This event message is generated when a "Set Log Mode" command is received that specifies an invalid Log Mode command argument.

The event text identifies the invalid Log Mode command argument. Valid Log Mode command arguments are: CFE_← EVS_LOG_OVERWRITE or CFE_EVS_LOG_DISCARD.

Definition at line 629 of file cfe_evs_events.h.

39.22.1.20 CFE_EVS_ERR_MAXREGSFILTER_EID

```
#define CFE_EVS_ERR_MAXREGSFILTER_EID 11

'Add Filter Command: number of registered filters has reached max = %d'

Event Message 'Add Filter Command: number of registered filters has reached max = %d'
```

Type: ERROR

Cause:

This event message is generated upon receipt of an "Add Filter" command and the specified Application has already reached the maximum number of filters allowed (CFE_PLATFORM_EVS_MAX_EVENT_FILTERS).

The \max field in the event message identifies the maximum number of event filters allowed per Application. This value should be equal to the configuration parameter CFE_PLATFORM_EVS_MAX_EVENT_FILTERS.

Definition at line 225 of file cfe_evs_events.h.

39.22.1.21 CFE_EVS_ERR_MSGID_EID #define CFE_EVS_ERR_MSGID_EID 5 'Invalid command packet, Message ID = 0x%08X' Event Message 'Invalid command packet, Message ID = 0x%08X' Type: ERROR Cause:

This event message is generated when a message has arrived on the cFE Event Services Application's Message Pipe that has a Message ID that is neither CFE_EVS_CMD_MID or CFE_EVS_SEND_HK_MID. Most likely, the cFE Software Bus routing table has become corrupt and is sending messages targeted for other Applications to the cFE Event Services Application.

The ID field in the event message identifies the message ID (in hex) that was found in the message.

Definition at line 123 of file cfe_evs_events.h.

```
39.22.1.22 CFE_EVS_ERR_NOAPPIDFOUND_EID
#define CFE_EVS_ERR_NOAPPIDFOUND_EID 9
'Unable to retrieve application ID for %s: CC = %lu'

Event Message 'Unable to retrieve application ID for %s: CC = %lu'

Type: ERROR
Cause:
```

This event message is generated when the specified command contains an Application name that is apparently found in the Events Registry but does not appear to be registered with the cFE Executive Services.

The CC field contains the Command Code whose processing resulted in the generation of the event message. Possible values are CFE_EVS_SET_FILTER_CC, CFE_EVS_ENABLE_APP_EVENT_TYPE_CC, CFE_EVS_DISABLE_APP← _EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC, CFE_EV← S_RESET_APP_COUNTER_CC, CFE_EVS_RESET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE_E← VS_ADD_EVENT_FILTER_CC, or CFE_EVS_DELETE_EVENT_FILTER_CC.

Definition at line 191 of file cfe evs events.h.

39.22.1.23 CFE_EVS_ERR_UNREGISTERED_EVS_APP

#define CFE_EVS_ERR_UNREGISTERED_EVS_APP 41
'App %s not registered with Event Services. Unable to send event'

Event Message 'App %s not registered with Event Services. Unable to send event'

Type: ERROR

Cause:

This event message is generated when an event message has been requested to be sent by an Application that has not registered itself with cFE Event Services.

Definition at line 653 of file cfe_evs_events.h.

39.22.1.24 CFE_EVS_ERR_WRDATFILE_EID

#define CFE_EVS_ERR_WRDATFILE_EID 12

'Write App Data Command Error: OS_write = 0x%08X, filename = %s'

Event Message 'Write App Data Command Error: OS_write = 0x%08X, filename = %s'

Type: ERROR

Cause:

This event message is generated when a filesystem error occurred while writing the contents of the event registry to a file.

The message text identifies the registry filename and specifies the return value, in hex, from the system function call. The expected return value is the number of bytes written, which in this case should be equal to the size of a CFE_EV ← S_AppDataFile_t structure. Error codes are negative.

Definition at line 242 of file cfe_evs_events.h.

39.22.1.25 CFE_EVS_ERR_WRLOGFILE_EID

```
#define CFE_EVS_ERR_WRLOGFILE_EID 2

'Write Log File Command Error: OS_write = 0x%08X, filename = %s'

Event Message 'Write Log File Command Error: OS_write = 0x%08X, filename = %s'

Type: ERROR
```

Cause:

This event message is generated when a filesystem error occurred while writing the contents of the event message log to a file.

The message text identifies the event log filename and specifies the return value, in hex, from the system function call. The expected return value is the number of bytes written, which in this case should be equal to the size of a CFE_EVS_LongEventTlm_t structure. Error codes are negative.

Definition at line 88 of file cfe_evs_events.h.

39.22.1.26 CFE_EVS_EVT_FILTERED_EID

```
#define CFE_EVS_EVT_FILTERED_EID 37

'Add Filter Command:AppName = %s, EventID = 0x%08x is already registered for
filtering'

Event Message 'Add Filter Command:AppName = %s, EventID = 0x%08x is already registered
for filtering'
```

Type: ERROR

Cause:

This event message is generated when an "Add Filter" command was received specifying an Event ID that has already had a filter added.

The AppName field identifies the Application whose filter was to be added and the EventID field identifies, in hex, the Event ID that the command was trying to add a filter for.

Definition at line 600 of file cfe evs events.h.

39.22.1.27 CFE_EVS_FILTER_MAX_EID

```
#define CFE_EVS_FILTER_MAX_EID 42
'Max filter count reached, AppName = %s, EventID = 0x%08x: Filter locked until
reset'
```

Type: INFORMATIONAL

Cause:

This event message is generated when the filtering count for a specific App and Event ID reaches CFE_EVS_MAX_

FILTER_COUNT The filtered event will no longer be received until the reset counter is reset via a "Reset an Event Filter for an Application" or a "Reset All Event Filters for an Application"

The AppName field identifies the Application and the EventID field identifies, in hex, the Event ID for the filter whose maxium was reached.

Definition at line 670 of file cfe evs events.h.

39.22.1.28 CFE_EVS_LEN_ERR_EID

```
#define CFE_EVS_LEN_ERR_EID 43
'Invalid cmd length: ID = 0x%X, CC = %d, Exp Len = %d, Len = %d'

Event Message 'Invalid cmd length: ID = 0x%X, CC = %d, Exp Len = %d, Len = %d'
```

Type: ERROR

Cause:

This event message is generated when a message with the CFE_EVS_CMD_MID message ID has arrived but whose packet length does not match the expected length for the specified command code.

The ID field in the event message specifies the Message ID (in hex), the CC field specifies the Command Code (in decimal), the Exp Len field specified the Expected Length (in decimal), and Len specifies the message Length (in decimal) found in the message.

Definition at line 688 of file cfe evs events.h.

This event message is generated when a "Set Log Mode" command is completed successfully.

The event text identifies the Log Mode command argument. Valid Log Mode command arguments are: CFE_EVS_L COG_OVERWRITE or CFE_EVS_LOG_DISCARD.

Definition at line 614 of file cfe_evs_events.h.

Cause:

Cause:

```
#define CFE_EVS_MAX_EID 43

Definition at line 45 of file cfe_evs_events.h.

39.22.1.31 CFE_EVS_NO_LOGCLR_EID

#define CFE_EVS_NO_LOGCLR_EID 35

'Clear Log Command: Event Log is Disabled'

Event Message 'Clear Log Command: Event Log is Disabled'

Type: ERROR
```

This event message is generated upon receipt of a "Clear Log" command when the use of the Event Log has been disabled. To enable the Event Log, the cFE code must be compiled for the target with the CFE_PLATFORM_EVS_ LOG_ON macro defined. The EVS task must also succeed during task initialization in acquiring a pointer to the cFE reset area and in the creation of a serializing semaphore to control access to the Event Log.

Definition at line 568 of file cfe_evs_events.h.

```
39.22.1.32 CFE_EVS_NO_LOGSET_EID
#define CFE_EVS_NO_LOGSET_EID 34

'Set Log Mode Command: Event Log is Disabled'

Event Message 'Set Log Mode Command: Event Log is Disabled'

Type: ERROR
Cause:
```

This event message is generated upon receipt of a "Set Log Mode" command when the use of the Event Log has been disabled. To enable the Event Log, the cFE code must be compiled for the target with the CFE_PLATFORM_EVS_ LOG_ON macro defined. The EVS task must also succeed during task initialization in acquiring a pointer to the cFE reset area and in the creation of a serializing semaphore to control access to the Event Log.

Definition at line 551 of file cfe evs events.h.

```
39.22.1.33 CFE_EVS_NO_LOGWR_EID
#define CFE_EVS_NO_LOGWR_EID 36
'Write Log Command: Event Log is Disabled'

Event Message 'Write Log Command: Event Log is Disabled'

Type: ERROR
```

This event message is generated upon receipt of a "Write Log" command when the use of the Event Log has been disabled. To enable the Event Log, the cFE code must be compiled for the target with the CFE_PLATFORM_EVS_ LOG_ON macro defined. The EVS task must also succeed during task initialization in acquiring a pointer to the cFE reset area and in the creation of a serializing semaphore to control access to the Event Log.

Definition at line 585 of file cfe_evs_events.h.

Cause:

39.22.1.34 CFE_EVS_NOOP_EID #define CFE_EVS_NOOP_EID 0 /* Noop event identifier */ 'No-op command' Event Message 'No-op command' Type: INFORMATION Cause: This event message is always automatically issued in response to a cFE Event Services NO-OP command Definition at line 59 of file cfe evs events.h. 39.22.1.35 CFE_EVS_RSTALLFILTER_EID #define CFE_EVS_RSTALLFILTER_EID 29 'Reset All Filters Command Received with AppName = %s' Event Message 'Reset All Filters Command Received with AppName = %s' Type: DEBUG Cause:

This event message is generated upon successful completion of the "Reset Application Event Message Filters" command.

The ${\tt AppName}$ field identifies the Application whose entire set of Event Filters has been reset.

Definition at line 475 of file cfe_evs_events.h.

39.22.1.36 CFE_EVS_RSTCNT_EID

```
#define CFE_EVS_RSTCNT_EID 16

'Reset Counters Command Received'
```

Event Message 'Reset Counters Command Received'

Type: DEBUG

Cause:

This event message is always automatically issued in response to a cFE Event Services Reset Counters command

Definition at line 290 of file cfe evs events.h.

39.22.1.37 CFE_EVS_RSTEVTCNT_EID

```
#define CFE_EVS_RSTEVTCNT_EID 27
```

'Reset Event Counter Command Received with AppName = %s'

Event Message 'Reset Event Counter Command Received with AppName = %s'

Type: DEBUG

Cause:

This event message is generated upon successful completion of the "Reset Application Event Counter" command.

The AppName field identifies the Application whose Event Counter has been reset.

Definition at line 448 of file cfe_evs_events.h.

39.22.1.38 CFE_EVS_RSTFILTER_EID

#define CFE_EVS_RSTFILTER_EID 28
'Reset Filter Command Received with AppName = %s, EventID = 0x%08x'

Event Message 'Reset Filter Command Received with AppName = %s, EventID = 0x%08x'

Type: DEBUG

Cause:

This event message is generated upon successful completion of the "Reset Application Event Message Filter" command.

The AppName field identifies the Application whose Event Message Filter has been reset and the EventID field identifies the specific event message whose filter has been reset.

Definition at line 462 of file cfe evs events.h.

39.22.1.39 CFE_EVS_SETEVTFMTMOD_EID

#define CFE_EVS_SETEVTFMTMOD_EID 22

'Set Event Format Mode Command Received with Mode = 0x%02x'

Event Message 'Set Event Format Mode Command Received with Mode = 0x%02x'

Type: DEBUG

Cause:

This event message is generated upon successful completion of the "Set Event Format Mode" command.

The Mode field contains the newly chosen Event Format Mode (specified in hex). Acceptable values for this parameter are: CFE_EVS_MsgFormat_SHORT or CFE_EVS_MsgFormat_LONG

Definition at line 377 of file cfe_evs_events.h.

39.22.1.40 CFE_EVS_SETFILTERMSK_EID

#define CFE_EVS_SETFILTERMSK_EID 17

'Set Filter Mask Command Received with AppName=%s, EventID=0x%08x, Mask=0x%04x'

Event Message 'Set Filter Mask Command Received with AppName=%s, EventID=0x%08x, Mask=0x%04x'

Type: DEBUG

Cause:

This event message is issued upon successful processing of a Set Filter Mask command.

The AppName field identifies the Application whose Filter Mask has been changed. The EventID field identifies the Event whose Filter Mask has been changed. The Mask field identifies the new Mask value associated with the specified event

Definition at line 305 of file cfe_evs_events.h.

39.22.1.41 CFE_EVS_STARTUP_EID

#define CFE_EVS_STARTUP_EID 1

'cFE EVS Initialized'

Event Message 'cFE EVS Initialized'

Type: INFORMATION

Cause:

This event message is always automatically issued when the Event Services Task completes its Initialization.

Definition at line 71 of file cfe_evs_events.h.

39.22.1.42 CFE_EVS_WRDAT_EID

```
#define CFE_EVS_WRDAT_EID 32
'Write App Data Command: %d application data entries written to %s'
```

Event Message 'Write App Data Command: %d application data entries written to %s'

Type: DEBUG

Cause:

This event message is generated upon successful completion of the "Write Event Services Application Information to File" command.

The message text identifies the event log filename and specifies the number, in decimal, of events written to the file.

Definition at line 519 of file cfe_evs_events.h.

39.22.1.43 CFE_EVS_WRLOG_EID

#define CFE_EVS_WRLOG_EID 33

```
'Write Log File Command: %d event log entries written to %s'
```

Event Message 'Write Log File Command: %d event log entries written to %s'

Type: DEBUG

Cause:

This event message is generated upon successful completion of the "Write Event Log to File" command.

The message text identifies the event log filename and specifies the number, in decimal, of events written to the file.

Definition at line 534 of file cfe evs events.h.

39.23 cfe/fsw/cfe-core/src/inc/cfe_evs_extern_typedefs.h File Reference

```
#include "common_types.h"
```

Typedefs

- typedef uint8 CFE_EVS_MsgFormat_Enum_t
 - Identifies format of log messages.
- typedef uint8 CFE EVS LogMode Enum t

Identifies handling of log messages after storage is filled.

- typedef uint16 CFE_EVS_EventType_Enum_t
 - Identifies type of event message.
- typedef uint8 CFE_EVS_EventFilter_Enum_t
 - Identifies event filter schemes.
- typedef uint8 CFE_EVS_EventOutput_Enum_t

Identifies event output port.

Enumerations

- enum CFE_EVS_MsgFormat { CFE_EVS_MsgFormat_SHORT = 0, CFE_EVS_MsgFormat_LONG = 1 }
 Label definitions associated with CFE_EVS_MsgFormat_Enum_t.
- enum CFE_EVS_LogMode { CFE_EVS_LogMode_OVERWRITE = 0, CFE_EVS_LogMode_DISCARD = 1 } Label definitions associated with CFE_EVS_LogMode_Enum_t.
- enum CFE_EVS_EventType { CFE_EVS_EventType_DEBUG = 1, CFE_EVS_EventType_INFORMATION = 2, CFE_EVS_EventType_ERROR = 3, CFE_EVS_EventType_CRITICAL = 4 }

Label definitions associated with CFE_EVS_EventType_Enum_t.

enum CFE_EVS_EventFilter { CFE_EVS_EventFilter_BINARY = 0 }

Label definitions associated with CFE EVS EventFilter Enum t.

• enum CFE_EVS_EventOutput { CFE_EVS_EventOutput_PORT1 = 1, CFE_EVS_EventOutput_PORT2 = 2, C ← FE_EVS_EventOutput_PORT3 = 3, CFE_EVS_EventOutput_PORT4 = 4 }

Label definitions associated with CFE_EVS_EventOutput_Enum_t.

39.23.1 Typedef Documentation

39.23.1.1 CFE_EVS_EventFilter_Enum_t

typedef uint8 CFE_EVS_EventFilter_Enum_t

Identifies event filter schemes.

See also

enum CFE_EVS_EventFilter

Definition at line 142 of file cfe_evs_extern_typedefs.h.

```
39.23.1.2 CFE_EVS_EventOutput_Enum_t
typedef uint8 CFE_EVS_EventOutput_Enum_t
Identifies event output port.
See also
     enum CFE EVS EventOutput
Definition at line 178 of file cfe_evs_extern_typedefs.h.
39.23.1.3 CFE_EVS_EventType_Enum_t
typedef uint16 CFE_EVS_EventType_Enum_t
Identifies type of event message.
See also
     enum CFE_EVS_EventType
Definition at line 121 of file cfe_evs_extern_typedefs.h.
39.23.1.4 CFE_EVS_LogMode_Enum_t
typedef uint8 CFE_EVS_LogMode_Enum_t
Identifies handling of log messages after storage is filled.
See also
     enum CFE_EVS_LogMode
Definition at line 85 of file cfe_evs_extern_typedefs.h.
39.23.1.5 CFE_EVS_MsgFormat_Enum_t
typedef uint8 CFE_EVS_MsgFormat_Enum_t
Identifies format of log messages.
See also
     enum CFE_EVS_MsgFormat
Definition at line 59 of file cfe_evs_extern_typedefs.h.
39.23.2 Enumeration Type Documentation
39.23.2.1 CFE_EVS_EventFilter
enum CFE_EVS_EventFilter
Label definitions associated with CFE_EVS_EventFilter_Enum_t.
```

Enumerator

Definition at line 127 of file cfe_evs_extern_typedefs.h.

39.23.2.2 CFE_EVS_EventOutput

enum CFE_EVS_EventOutput

Label definitions associated with CFE_EVS_EventOutput_Enum_t.

Enumerator

CFE_EVS_EventOutput_PORT1	Output Port 1.
CFE_EVS_EventOutput_PORT2	Output Port 2.
CFE_EVS_EventOutput_PORT3	Output Port 3.
CFE_EVS_EventOutput_PORT4	Output Port 4.

Definition at line 148 of file cfe_evs_extern_typedefs.h.

39.23.2.3 CFE_EVS_EventType

enum CFE_EVS_EventType

Label definitions associated with CFE_EVS_EventType_Enum_t.

Enumerator

CFE_EVS_EventType_DEBUG	Events that are intended only for debugging, not nominal operations.	
CFE_EVS_EventType_INFORMATION	Events that identify a state change or action that is not an error.	
CFE_EVS_EventType_ERROR	Events that identify an error but are not catastrophic (e.g bad command.	
CFE_EVS_EventType_CRITICAL	Events that identify errors that are unrecoverable autonomously.	

Definition at line 91 of file cfe_evs_extern_typedefs.h.

39.23.2.4 CFE_EVS_LogMode

enum CFE_EVS_LogMode

Label definitions associated with CFE_EVS_LogMode_Enum_t.

Enumerator

CFE_EVS_LogMode_OVERWRITE	Overwrite Log Mode.
CFE_EVS_LogMode_DISCARD	Discard Log Mode.

Definition at line 65 of file cfe_evs_extern_typedefs.h.

```
39.23.2.5 CFE_EVS_MsgFormat
```

```
enum CFE_EVS_MsgFormat
```

Label definitions associated with CFE EVS MsgFormat Enum t.

Enumerator

CFE_EVS_MsgFormat_SHORT	Short Format Messages.
CFE_EVS_MsgFormat_LONG	Long Format Messages.

Definition at line 39 of file cfe_evs_extern_typedefs.h.

39.24 cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h File Reference

```
#include "common_types.h"
#include "cfe_time.h"
#include "cfe_sb.h"
#include "cfe_es.h"
```

Data Structures

• struct CFE_EVS_NoArgsCmd_t

Command with no additional arguments.

• struct CFE_EVS_LogFileCmd_Payload_t

Write Event Log to File Command.

- struct CFE_EVS_WriteLogDataFile_t
- struct CFE_EVS_AppDataCmd_Payload_t

Write Event Services Application Information to File Command.

- struct CFE_EVS_WriteAppDataFile_t
- struct CFE_EVS_SetLogMode_Payload_t

Set Event Format Mode or Set Log Mode Commands.

- struct CFE_EVS_SetLogMode_t
- struct CFE_EVS_SetEventFormatMode_Payload_t

Set Event Format Mode or Set Log Mode Commands.

```
    struct CFE_EVS_SetEventFormatMode_t

    struct CFE EVS BitMaskCmd Payload t

     Enable/Disable Events or Ports Commands.

    struct CFE EVS BitMaskCmd t

    struct CFE_EVS_AppNameCmd_Payload_t

     Enable/Disable Application Events or Reset One or All Filter Counters.

    struct CFE EVS AppNameCmd t

    struct CFE EVS AppNameEventIDCmd Payload t

     Reset an Event Filter for an Application.

    struct CFE EVS AppNameEventIDCmd t

    struct CFE EVS AppNameBitMaskCmd Payload t

     Enable/Disable an Event Type for an Application.

    struct CFE EVS AppNameBitMaskCmd t

    struct CFE EVS AppNameEventIDMaskCmd Payload t

     Set, Add or Delete an Event Filter for an Application.

    struct CFE_EVS_AppNameEventIDMaskCmd_t

    struct CFE EVS AppTImData t

    struct CFE EVS HousekeepingTlm Payload t

    struct CFE EVS HousekeepingTlm t

    struct CFE EVS PacketID t

    struct CFE_EVS_LongEventTlm_Payload_t

    struct CFE_EVS_ShortEventTlm_Payload_t

    struct CFE EVS LongEventTlm t

    struct CFE_EVS_ShortEventTlm_t
```

Macros

#define CFE_EVS_DEBUG_BIT 0x0001
#define CFE_EVS_INFORMATION_BIT 0x0002
#define CFE_EVS_ERROR_BIT 0x0004
#define CFE_EVS_CRITICAL_BIT 0x0008
#define CFE_EVS_PORT1_BIT 0x0001
#define CFE_EVS_PORT2_BIT 0x0002
#define CFE_EVS_PORT3_BIT 0x0004
#define CFE_EVS_PORT4_BIT 0x0008
#define CFE_EVS_LOG_OVERWRITE 0
#define CFE_EVS_LOG_DISCARD 1
#define CFE_EVS_HK_TLM_LNGTH sizeof(CFE_EVS_TImPkt_t)

Event Services Command Codes

```
#define CFE_EVS_NOOP_CC 0
#define CFE_EVS_RESET_COUNTERS_CC 1
#define CFE_EVS_ENABLE_EVENT_TYPE_CC 2
#define CFE_EVS_DISABLE_EVENT_TYPE_CC 3
#define CFE_EVS_SET_EVENT_FORMAT_MODE_CC 4
#define CFE_EVS_ENABLE_APP_EVENT_TYPE_CC 5
#define CFE_EVS_DISABLE_APP_EVENT_TYPE_CC 6
#define CFE_EVS_ENABLE_APP_EVENTS_CC 7
#define CFE_EVS_DISABLE_APP_EVENTS_CC 8
```

```
#define CFE_EVS_RESET_APP_COUNTER_CC 9
#define CFE_EVS_SET_FILTER_CC 10
```

• #define CFE_EVS_ENABLE_PORTS_CC 11

#define CFE_EVS_DISABLE_PORTS_CC 12

#define CFE_EVS_RESET_FILTER_CC 13
 ### FILTER_CC 13

#define CFE_EVS_RESET_ALL_FILTERS_CC 14

#define CFE_EVS_ADD_EVENT_FILTER_CC 15

• #define CFE_EVS_DELETE_EVENT_FILTER_CC 16

• #define CFE_EVS_WRITE_APP_DATA_FILE_CC 17

• #define CFE_EVS_WRITE_LOG_DATA_FILE_CC 18

#define CFE_EVS_SET_LOG_MODE_CC 19

#define CFE EVS CLEAR LOG CC 20

Typedefs

- typedef CFE_EVS_NoArgsCmd_t CFE_EVS_Noop_t
- typedef CFE_EVS_NoArgsCmd_t CFE_EVS_ResetCounters_t
- typedef CFE EVS NoArgsCmd t CFE EVS ClearLog t
- typedef CFE_EVS_BitMaskCmd_t CFE_EVS_EnablePorts_t
- typedef CFE_EVS_BitMaskCmd_t CFE_EVS_DisablePorts_t
- typedef CFE_EVS_BitMaskCmd_t CFE_EVS_EnableEventType_t
- typedef CFE_EVS_BitMaskCmd_t CFE_EVS_DisableEventType_t
- typedef CFE_EVS_AppNameCmd_t CFE_EVS_EnableAppEvents_t
- typedef CFE_EVS_AppNameCmd_t CFE_EVS_DisableAppEvents_t
- typedef CFE_EVS_AppNameCmd_t CFE_EVS_ResetAppCounter_t
- typedef CFE_EVS_AppNameCmd_t CFE_EVS_ResetAllFilters_t
- typedef CFE_EVS_AppNameEventIDCmd_t CFE_EVS_ResetFilter_t
- typedef CFE_EVS_AppNameEventIDCmd_t CFE_EVS_DeleteEventFilter_t
- typedef CFE_EVS_AppNameBitMaskCmd_t CFE_EVS_EnableAppEventType_t
- typedef CFE_EVS_AppNameBitMaskCmd_t CFE_EVS_DisableAppEventType_t
- typedef CFE_EVS_AppNameEventIDMaskCmd_t CFE_EVS_AddEventFilter_t

typedef CFE EVS AppNameEventIDMaskCmd t CFE EVS SetFilter t

- typedef CFE EVS LongEventTlm t CFE EVS Packet t
- typeder of E_Evo_congEventrim_t or E_Evo_r detec_t
- typedef CFE_EVS_HousekeepingTlm_t CFE_EVS_TlmPkt_t

39.24.1 Macro Definition Documentation

39.24.1.1 CFE_EVS_ADD_EVENT_FILTER_CC

#define CFE_EVS_ADD_EVENT_FILTER_CC 15

Name Add Application Event Filter

Description

This command adds the given filter for the given application identifier and event identifier. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_AddEvtFltr

Command Structure

CFE_EVS_AppNameEventIDMaskCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS ADDFILTER EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Invalid SB message (command) length
- · Application selected is not registered to receive Event Service
- · Application ID is out of range

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- An Error specific event message

Criticality

None.

See also

CFE_EVS_SET_FILTER_CC, CFE_EVS_RESET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE
_EVS_DELETE_EVENT_FILTER_CC

Definition at line 719 of file cfe_evs_msg.h.

39.24.1.2 CFE_EVS_CLEAR_LOG_CC

#define CFE_EVS_CLEAR_LOG_CC 20

Name Clear Event Log

Description

This command clears the contents of the local event log.

Command Mnemonic(s) \$sc_\$cpu_EVS_ClrLog

Command Structure

```
CFE_TBL_NoArgsCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

• \$sc_\$cpu_EVS_CMDPC - command execution counter will increment

Error Conditions

This command may fail for the following reason(s):

- Invalid SB message (command) length
 Evidence of failure may be found in the following telemetry:
 - \$sc_\$cpu_EVS_CMDEC command error counter will increment
 - An Error specific event message

Criticality

Clearing the local event log is not particularly hazardous, as the result may be making available space to record valuable event data. However, inappropriately clearing the local event log could result in a loss of critical information. Note: the event log is a back-up log to the on-board recorder.

See also

```
CFE_EVS_WRITE_LOG_DATA_FILE_CC, CFE_EVS_SET_LOG_MODE_CC
```

Definition at line 896 of file cfe_evs_msg.h.

39.24.1.3 CFE_EVS_CRITICAL_BIT

#define CFE_EVS_CRITICAL_BIT 0x0008

Definition at line 903 of file cfe evs msg.h.

39.24.1.4 CFE_EVS_DEBUG_BIT

#define CFE_EVS_DEBUG_BIT 0x0001

Definition at line 900 of file cfe evs msg.h.

39.24.1.5 CFE_EVS_DELETE_EVENT_FILTER_CC

```
#define CFE_EVS_DELETE_EVENT_FILTER_CC 16
```

Name Delete Application Event Filter

Description

This command removes the given filter for the given application identifier and event identifier. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_DelEvtFltr

Command Structure

CFE_EVS_AppNameEventIDCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_DELFILTER_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Invalid SB message (command) length
- · Application selected is not registered to receive Event Service
- · Application ID is out of range

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- An Error specific event message

Criticality

None.

See also

 $\label{lem:cfe_evs_set_filter_cc} CFE_EVS_RESET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE_EVS_ADD_EVENT_FILTER_CC$

Definition at line 755 of file cfe_evs_msg.h.

39.24.1.6 CFE_EVS_DISABLE_APP_EVENT_TYPE_CC

```
#define CFE_EVS_DISABLE_APP_EVENT_TYPE_CC 6
```

Name Disable Application Event Type

Description

This command disables the command specified event type for the command specified application, preventing the application from sending event messages of the command specified event type through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, critical, and error. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_DisAppEvtType, \$sc_\$cpu_EVS_DisAppEvtTypeMask

Command Structure

CFE_EVS_AppNameBitMaskCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be disabled (or filtered) for the specified application. A zero in a bit position means the filtering state is unchanged for the specified application.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_DISAPPENTTYPE_EID debug event message
- The clearing of the Event Type Active Flag in The Event Type Active Flag in EVS App Data File

Error Conditions

This command may fail for the following reason(s):

- Invalid Event Type Selection
 Evidence of failure may be found in the following telemetry:
 - \$sc \$cpu EVS CMDEC command error counter will increment
 - An Error specific event message

Criticality

Disabling an application's event type is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately disabling an application's event type could result in a loss of critical information and missed behavior for the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_AP←
P_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC

Definition at line 369 of file cfe_evs_msg.h.

39.24.1.7 CFE_EVS_DISABLE_APP_EVENTS_CC

#define CFE_EVS_DISABLE_APP_EVENTS_CC 8

Name Disable Event Services for an Application

Description

This command disables the command specified application from sending events through Event Service. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_DisAppEvGen

Command Structure

CFE EVS AppNameCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu EVS CMDPC command execution counter will increment
- The generation of CFE_EVS_DISAPPEVT_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Invalid SB message (command) length
- · Application selected is not registered to receive Event Service
- · Application ID is out of range

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- An Error specific event message

Criticality

Disabling an application's events is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately disabling an application's events could result in a loss of critical information and missed behavior for the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_AP←
P_EVENT_TYPE_CC, CFE_EVS_DISABLE_APP_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENTS_CC

Definition at line 451 of file cfe_evs_msg.h.

39.24.1.8 CFE_EVS_DISABLE_EVENT_TYPE_CC

#define CFE_EVS_DISABLE_EVENT_TYPE_CC 3

Name Disable Event Type

Description

This command disables the command specified Event Type preventing event messages of this type to be sent through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, error and critical. This command is a global disable of a particular event type, it applies to all applications.

Command Mnemonic(s) \$sc_\$cpu_EVS_DisEventType, \$sc_\$cpu_EVS_DisEventTypeMask

Command Structure

CFE_EVS_BitMaskCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be disabled (or filtered). A zero in a bit position means the filtering state is unchanged.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_DISEVTTYPE_EID debug message

Error Conditions

This command may fail for the following reason(s):

· Invalid Event Type selection

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- An Error specific event message

Criticality

Disabling an event type is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately disabling an event type could result in a loss of critical information and missed behavior for the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENT_TYPE_CC, CFE_EVS_DISABL ← E_APP_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENTS_CC

Definition at line 215 of file cfe_evs_msg.h.

39.24.1.9 CFE_EVS_DISABLE_PORTS_CC

#define CFE_EVS_DISABLE_PORTS_CC 12

Name Disable Event Services Output Ports

Description

This command disables the specified port from outputting event messages.

Command Mnemonic(s) \$sc_\$cpu_EVS_DisPort, \$sc_\$cpu_EVS_DisPortMask

Command Structure

CFE_EVS_BitMaskCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Port 1 Bit 1 - Port 2 Bit 2 - Port 3 Bit 3 - Port 4 A one in a bit position means the port will be disabled. A zero in a bit position means the port state is unchanged.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_DISPORT_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Invalid SB message (command) length
- · Invalid PORT selection

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- An Error specific event message

Criticality

None.

See also

CFE_EVS_ENABLE_PORTS_CC

Definition at line 611 of file cfe evs msg.h.

39.24.1.10 CFE_EVS_ENABLE_APP_EVENT_TYPE_CC

#define CFE_EVS_ENABLE_APP_EVENT_TYPE_CC 5

Name Enable Application Event Type

Description

This command enables the command specified event type for the command specified application, allowing the application to send event messages of the command specified event type through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, critical, and error. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc \$cpu EVS EnaAppEvtType, \$sc \$cpu EVS EnaAppEvtTypeMask

Command Structure

CFE_EVS_AppNameBitMaskCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be enabled (or unfiltered) for the specified application. A zero in a bit position means the filtering state is unchanged for the specified application.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS ENAAPPEVTTYPE EID debug event message

Error Conditions

This command may fail for the following reason(s):

- Invalid Event Type Selection
 Evidence of failure may be found in the following telemetry:
 - \$sc_\$cpu_EVS_CMDEC command error counter will increment
 - An Error specific event message

Criticality

Enabling an application event type is not particularly hazardous, as the result may be turning on necessary event messages and communication to the ground system. However, inappropriately enabling an application's event type could result in flooding of the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_AP←
P_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC

Definition at line 317 of file cfe_evs_msg.h.

39.24.1.11 CFE_EVS_ENABLE_APP_EVENTS_CC

#define CFE_EVS_ENABLE_APP_EVENTS_CC 7

Name Enable Event Services for an Application

Description

This command enables the command specified application to send events through the Event Service. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_EnaAppEvGen

Command Structure

CFE_EVS_AppNameCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE EVS ENAAPPEVT EID debug event message
- The setting of the Active Flag in The Active Flag in EVS App Data File

Error Conditions

This command may fail for the following reason(s):

- · Invalid SB message (command) length
- Application selected is not registered to receive Event Service
- · Application ID is out of range

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- An Error specific event message

Criticality

Enabling an application events is not particularly hazardous, as the result may be turning on necessary event messages and communication to the ground system. However, inappropriately enabling an application's events could result in flooding of the ground system.

See also

CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_AP←
P_EVENT_TYPE_CC, CFE_EVS_DISABLE_APP_EVENT_TYPE_CC, CFE_EVS_DISABLE_APP_EVENTS_←
CC

Definition at line 410 of file cfe_evs_msg.h.

39.24.1.12 CFE_EVS_ENABLE_EVENT_TYPE_CC

```
#define CFE_EVS_ENABLE_EVENT_TYPE_CC 2
```

Name Enable Event Type

Description

This command enables the command specified Event Type allowing event messages of this type to be sent through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, error and critical. This command is a global enable of a particular event type, it applies to all applications.

Command Mnemonic(s) \$sc_\$cpu_EVS_EnaEventType, \$sc_\$cpu_EVS_EnaEventTypeMask

Command Structure

CFE_EVS_BitMaskCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be enabled (or unfiltered). A zero in a bit position means the filtering state is unchanged.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_ENAEVTTYPE_EID debug message

Error Conditions

This command may fail for the following reason(s):

Invalid Event Type selection

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu EVS CMDEC command error counter will increment
- · An Error specific event message

Criticality

Enabling an event type is not particularly hazardous, as the result may be turning on necessary event messages and communication to the ground system. However, inappropriately enabling an event type could result in flooding of the system.

See also

CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENT_TYPE_CC, CFE_EVS_DISABL ← E_APP_EVENT_TYPE_CC, CFE_EVS_ENABLE_APP_EVENTS_CC, CFE_EVS_DISABLE_APP_EVENTS_CC

Definition at line 165 of file cfe evs msg.h.

39.24.1.13 CFE_EVS_ENABLE_PORTS_CC

#define CFE_EVS_ENABLE_PORTS_CC 11

Name Enable Event Services Output Ports

Description

This command enables the command specified port to output event messages

Command Mnemonic(s) \$sc_\$cpu_EVS_EnaPort, \$sc_\$cpu_EVS_EnaPortMask

Command Structure

CFE_EVS_BitMaskCmd_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Port 1 Bit 1 - Port 2 Bit 2 - Port 3 Bit 3 - Port 4 A one in a bit position means the port will be enabled. A zero in a bit position means the port state is unchanged.

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_ENAPORT_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Invalid SB message (command) length
- · Invalid PORT selection

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- An Error specific event message

Criticality

None.

See also

CFE_EVS_DISABLE_PORTS_CC

Definition at line 571 of file cfe evs msg.h.

39.24.1.14 CFE_EVS_ERROR_BIT

#define CFE_EVS_ERROR_BIT 0x0004

Definition at line 902 of file cfe_evs_msg.h.

39.24.1.15 CFE_EVS_HK_TLM_LNGTH

#define CFE_EVS_HK_TLM_LNGTH sizeof(CFE_EVS_TlmPkt_t)

Definition at line 1250 of file cfe_evs_msg.h.

39.24.1.16 CFE_EVS_INFORMATION_BIT

#define CFE_EVS_INFORMATION_BIT 0x0002

Definition at line 901 of file cfe_evs_msg.h.

39.24.1.17 CFE_EVS_LOG_DISCARD

#define CFE_EVS_LOG_DISCARD 1

Definition at line 913 of file cfe_evs_msg.h.

39.24.1.18 CFE_EVS_LOG_OVERWRITE

#define CFE_EVS_LOG_OVERWRITE 0

Definition at line 912 of file cfe_evs_msg.h.

39.24.1.19 CFE_EVS_NOOP_CC

#define CFE_EVS_NOOP_CC 0

Name Event Services No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Event Services task.

Command Mnemonic(s) \$sc_\$cpu_EVS_NOOP

Command Structure

CFE_TBL_NoArgsCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The CFE_EVS_NOOP_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Event Services receives the command, the event is sent (although it may be filtered by EVS itself) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 79 of file cfe_evs_msg.h.

39.24.1.20 CFE_EVS_PORT1_BIT

#define CFE_EVS_PORT1_BIT 0x0001

Definition at line 906 of file cfe_evs_msg.h.

```
39.24.1.21 CFE_EVS_PORT2_BIT
```

```
#define CFE_EVS_PORT2_BIT 0x0002
```

Definition at line 907 of file cfe evs msg.h.

39.24.1.22 CFE_EVS_PORT3_BIT

```
#define CFE_EVS_PORT3_BIT 0x0004
```

Definition at line 908 of file cfe evs msg.h.

39.24.1.23 CFE_EVS_PORT4_BIT

#define CFE_EVS_PORT4_BIT 0x0008

Definition at line 909 of file cfe_evs_msg.h.

39.24.1.24 CFE_EVS_RESET_ALL_FILTERS_CC

#define CFE_EVS_RESET_ALL_FILTERS_CC 14

Name Reset All Event Filters for an Application

Description

This command resets all of the command specified applications event filters. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_RstAllFltrs

Command Structure

CFE_EVS_AppNameCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_RSTALLFILTER_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Invalid SB message (command) length
- · Application selected is not registered to receive Event Service
- · Application ID is out of range

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- An Error specific event message

Criticality

None.

See also

 $\label{lem:cfe_evs_set_filter_cc} CFE_EVS_RESET_FILTER_CC, CFE_EVS_ADD_EVENT_FILTER_CC, CFE_EVS_DELETE_EVENT_FILTER_CC$

Definition at line 683 of file cfe_evs_msg.h.

39.24.1.25 CFE_EVS_RESET_APP_COUNTER_CC

#define CFE_EVS_RESET_APP_COUNTER_CC 9

Name Reset Application Event Counters

Description

This command sets the command specified application's event counter to zero. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_RstAppCtrs

Command Structure

CFE_EVS_AppNameCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_RSTEVTCNT_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Invalid SB message (command) length
- Application selected is not registered to receive Event Service

· Application ID is out of range

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- An Error specific event message

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter value that is reset by this command.

See also

```
CFE EVS RESET COUNTERS CC
```

Definition at line 489 of file cfe evs msg.h.

```
39.24.1.26 CFE_EVS_RESET_COUNTERS_CC
```

```
#define CFE_EVS_RESET_COUNTERS_CC 1
```

Name Event Services Reset Counters

Description

This command resets the following counters within the Event Services housekeeping telemetry:

- Command Execution Counter (\$sc \$cpu EVS CMDPC)
- Command Error Counter (\$sc_\$cpu_EVS_CMDEC)

Command Mnemonic(s) \$sc \$cpu EVS ResetCtrs

Command Structure

```
CFE TBL NoArgsCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The CFE_EVS_RSTCNT_EID debug event message will be generated

Error Conditions

There are no error conditions for this command. If the Event Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

```
CFE_EVS_RESET_APP_COUNTER_CC
```

Definition at line 116 of file cfe evs msg.h.

39.24.1.27 CFE_EVS_RESET_FILTER_CC

#define CFE_EVS_RESET_FILTER_CC 13

Name Reset an Event Filter for an Application

Description

This command resets the command specified application's event filter for the command specified event ID. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_RstBinFltrCtr

Command Structure

CFE_EVS_AppNameEventIDCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_RSTFILTER_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Invalid SB message (command) length
- · Application selected is not registered to receive Event Service
- · Application ID is out of range

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- An Error specific event message

Criticality

None.

See also

CFE_EVS_SET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE_EVS_ADD_EVENT_FILTER_CC, CFE_EVS_DELETE_EVENT_FILTER_CC

Definition at line 647 of file cfe_evs_msg.h.

39.24.1.28 CFE_EVS_SET_EVENT_FORMAT_MODE_CC

```
#define CFE_EVS_SET_EVENT_FORMAT_MODE_CC 4
```

Name Set Event Format Mode

Description

This command sets the event format mode to the command specified value. The event format mode may be either short or long. A short event format detaches the Event Data from the event message and only includes the following information in the event packet: Processor ID, Application ID, Event ID, and Event Type. Refer to section 5.3.3.4 for a description of the Event Service event packet contents. Event Data is defined to be data describing an Event that is supplied to the cFE Event Service. ASCII text strings are used as the primary format for Event Data because heritage ground systems use string compares as the basis for their automated alert systems. Two systems, ANSR and SERS were looked at for interface definitions. The short event format is used to accommodate experiences with limited telemetry bandwidth. The long event format includes all event information included within the short format along with the Event Data.

Command Mnemonic(s) \$sc_\$cpu_EVS_SetEvtFmt

Command Structure

```
CFE_EVS_SetLogMode_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_SETEVTFMTMOD_EID debug message

Error Conditions

This command may fail for the following reason(s): Invalid SB message (command) length Invalid MODE selection

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu EVS CMDEC command error counter will increment
- · An Error specific event message

Criticality

Setting the event format mode is not particularly hazardous, as the result may be saving necessary bandwidth. However, inappropriately setting the event format mode could result in a loss of information and missed behavior for the ground system

See also

Definition at line 264 of file cfe evs msg.h.

39.24.1.29 CFE_EVS_SET_FILTER_CC

#define CFE_EVS_SET_FILTER_CC 10

Name Set Application Event Filter

Description

This command sets the command specified application's event filter mask to the command specified value for the command specified event. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc_\$cpu_EVS_SetBinFltrMask

Command Structure

CFE_EVS_AppNameEventIDMaskCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_SETFILTERMSK_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Invalid SB message (command) length
- · Application selected is not registered to receive Event Service
- Application ID is out of range

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- An Error specific event message

Criticality

Setting an application event filter mask is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately setting an application's event filter mask could result in a loss of critical information and missed behavior for the ground system or flooding of the ground system.

See also

CFE_EVS_RESET_FILTER_CC, CFE_EVS_RESET_ALL_FILTERS_CC, CFE_EVS_ADD_EVENT_FILTER_← CC, CFE_EVS_DELETE_EVENT_FILTER_CC

Definition at line 531 of file cfe evs msg.h.

```
39.24.1.30 CFE_EVS_SET_LOG_MODE_CC
```

```
#define CFE_EVS_SET_LOG_MODE_CC 19
```

Name Set Logging Mode

Description

This command sets the logging mode to the command specified value.

Command Mnemonic(s) \$sc_\$cpu_EVS_SetLogMode

Command Structure

```
CFE_EVS_SetLogMode_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_LOGMODE_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- · Invalid SB message (command) length
- · Invalid MODE selected

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_EVS_CMDEC command error counter will increment
- An Error specific event message

Criticality

Setting the event logging mode is not particularly hazardous, as the result may be saving valuable event data. However, inappropriately setting the log mode could result in a loss of critical information. Note: the event log is a back-up log to the on-board recorder.

See also

```
CFE_EVS_WRITE_LOG_DATA_FILE_CC, CFE_EVS_CLEAR_LOG_CC
```

Definition at line 861 of file cfe evs msg.h.

39.24.1.31 CFE_EVS_WRITE_APP_DATA_FILE_CC

#define CFE_EVS_WRITE_APP_DATA_FILE_CC 17

Name Write Event Services Application Information to File

Description

This command writes all application data to a file for all applications that have registered with the EVS. The application data includes the Application ID, Active Flag, Event Count, Event Types Active Flag, and Filter Data.

Command Mnemonic(s) \$sc_\$cpu_EVS_WriteAppData2File

Command Structure

CFE_EVS_WriteAppDataFile_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_WRDAT_EID debug event message
- · The generation of the file written to

Error Conditions

This command may fail for the following reason(s):

- Invalid SB message (command) length
 Evidence of failure may be found in the following telemetry:
 - \$sc_\$cpu_EVS_CMDEC command error counter will increment
 - An Error specific event message

Criticality

Writing a file is not particularly hazardous, but if proper file management is not taken, then the file system can fill up if this command is used repeatedly.

See also

CFE_EVS_WRITE_LOG_DATA_FILE_CC, CFE_EVS_SET_LOG_MODE_CC

Definition at line 791 of file cfe evs msg.h.

39.24.1.32 CFE_EVS_WRITE_LOG_DATA_FILE_CC

```
#define CFE_EVS_WRITE_LOG_DATA_FILE_CC 18
```

Name Write Event Log to File

Description

This command requests the Event Service to generate a file containing the contents of the local event log.

Command Mnemonic(s) \$sc_\$cpu_EVS_WriteLog2File

Command Structure

CFE_EVS_WriteLogDataFile_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_EVS_CMDPC command execution counter will increment
- The generation of CFE_EVS_WRLOG_EID debug event message

Error Conditions

This command may fail for the following reason(s):

- Invalid SB message (command) length
 Evidence of failure may be found in the following telemetry:
 - \$sc_\$cpu_EVS_CMDEC command error counter will increment
 - An Error specific event message

Criticality

Writing a file is not particularly hazardous, but if proper file management is not taken, then the file system can fill up if this command is used repeatedly.

See also

CFE_EVS_WRITE_APP_DATA_FILE_CC, CFE_EVS_SET_LOG_MODE_CC, CFE_EVS_CLEAR_LOG_CC

Definition at line 825 of file cfe_evs_msg.h.

39.24.2 Typedef Documentation

```
39.24.2.1 CFE_EVS_AddEventFilter_t
typedef CFE_EVS_AppNameEventIDMaskCmd_t CFE_EVS_AddEventFilter_t
Definition at line 1121 of file cfe evs msg.h.
39.24.2.2 CFE_EVS_ClearLog_t
typedef CFE_EVS_NoArgsCmd_t CFE_EVS_ClearLog_t
Definition at line 931 of file cfe_evs_msg.h.
39.24.2.3 CFE_EVS_DeleteEventFilter_t
typedef CFE_EVS_AppNameEventIDCmd_t CFE_EVS_DeleteEventFilter_t
Definition at line 1071 of file cfe_evs_msg.h.
39.24.2.4 CFE_EVS_DisableAppEvents_t
typedef CFE_EVS_AppNameCmd_t CFE_EVS_DisableAppEvents_t
Definition at line 1045 of file cfe evs msg.h.
39.24.2.5 CFE_EVS_DisableAppEventType_t
typedef CFE_EVS_AppNameBitMaskCmd_t CFE_EVS_DisableAppEventType_t
Definition at line 1096 of file cfe_evs_msg.h.
39.24.2.6 CFE_EVS_DisableEventType_t
typedef CFE_EVS_BitMaskCmd_t CFE_EVS_DisableEventType_t
Definition at line 1021 of file cfe_evs_msg.h.
```

```
39.24.2.7 CFE_EVS_DisablePorts_t
typedef CFE_EVS_BitMaskCmd_t CFE_EVS_DisablePorts_t
Definition at line 1019 of file cfe evs msg.h.
39.24.2.8 CFE_EVS_EnableAppEvents_t
typedef CFE_EVS_AppNameCmd_t CFE_EVS_EnableAppEvents_t
Definition at line 1044 of file cfe_evs_msg.h.
39.24.2.9 CFE_EVS_EnableAppEventType_t
typedef CFE_EVS_AppNameBitMaskCmd_t CFE_EVS_EnableAppEventType_t
Definition at line 1095 of file cfe_evs_msg.h.
39.24.2.10 CFE_EVS_EnableEventType_t
typedef CFE_EVS_BitMaskCmd_t CFE_EVS_EnableEventType_t
Definition at line 1020 of file cfe evs msg.h.
39.24.2.11 CFE EVS EnablePorts t
typedef CFE_EVS_BitMaskCmd_t CFE_EVS_EnablePorts_t
Definition at line 1018 of file cfe_evs_msg.h.
39.24.2.12 CFE_EVS_Noop_t
typedef CFE_EVS_NoArgsCmd_t CFE_EVS_Noop_t
Definition at line 929 of file cfe_evs_msg.h.
```

```
39.24.2.13 CFE_EVS_Packet_t
typedef CFE_EVS_LongEventTlm_t CFE_EVS_Packet_t
Definition at line 1246 of file cfe evs msg.h.
39.24.2.14 CFE_EVS_ResetAllFilters_t
typedef CFE_EVS_AppNameCmd_t CFE_EVS_ResetAllFilters_t
Definition at line 1047 of file cfe_evs_msg.h.
39.24.2.15 CFE_EVS_ResetAppCounter_t
typedef CFE_EVS_AppNameCmd_t CFE_EVS_ResetAppCounter_t
Definition at line 1046 of file cfe_evs_msg.h.
39.24.2.16 CFE_EVS_ResetCounters_t
typedef CFE_EVS_NoArgsCmd_t CFE_EVS_ResetCounters_t
Definition at line 930 of file cfe evs msg.h.
39.24.2.17 CFE_EVS_ResetFilter_t
typedef CFE_EVS_AppNameEventIDCmd_t CFE_EVS_ResetFilter_t
Definition at line 1070 of file cfe_evs_msg.h.
39.24.2.18 CFE_EVS_SetFilter_t
typedef CFE_EVS_AppNameEventIDMaskCmd_t CFE_EVS_SetFilter_t
Definition at line 1122 of file cfe_evs_msg.h.
```

```
typedef CFE_EVS_HousekeepingTlm_t CFE_EVS_TlmPkt_t
```

Definition at line 1247 of file cfe evs msg.h.

39.25 cfe/fsw/cfe-core/src/inc/cfe fs.h File Reference

```
#include "cfe_fs_extern_typedefs.h"
#include "common_types.h"
#include "cfe_time.h"
```

Macros

- #define CFE FS ES ERLOG SUBTYPE CFE FS SubType ES ERLOG
- #define CFE FS ES SYSLOG SUBTYPE CFE FS SubType ES SYSLOG
- #define CFE_FS_ES_QUERYALL_SUBTYPE CFE_FS_SubType_ES_QUERYALL
- #define CFE FS ES PERFDATA SUBTYPE CFE FS SubType ES PERFDATA
- #define CFE FS ES SHELL SUBTYPE CFE FS SubType ES SHELL
- #define CFE FS ES CDS REG SUBTYPE CFE FS SubType ES CDS REG
- #define CFE_FS_TBL_REG_SUBTYPE CFE_FS_SubType_TBL_REG
- #define CFE FS TBL IMG SUBTYPE CFE FS SubType TBL IMG
- #define CFE_FS_EVS_APPDATA_SUBTYPE CFE_FS_SubType_EVS_APPDATA
- #define CFE FS EVS EVENTLOG SUBTYPE CFE FS SubType EVS EVENTLOG
- #define CFE FS SB PIPEDATA SUBTYPE CFE FS SubType SB PIPEDATA
- #define CFE_FS_SB_ROUTEDATA_SUBTYPE CFE_FS_SubType_SB_ROUTEDATA
- #define CFE FS SB MAPDATA SUBTYPE CFE FS SubType SB MAPDATA
- #define CFE FS ES QUERYALLTASKS SUBTYPE CFE FS SubType ES QUERYALLTASKS

Functions

• int32 CFE FS ReadHeader (CFE FS Header t *Hdr, int32 FileDes)

Read the contents of the Standard cFE File Header.

void CFE FS InitHeader (CFE FS Header t *Hdr, const char *Description, uint32 SubType)

Initializes the contents of the Standard cFE File Header.

int32 CFE_FS_WriteHeader (int32 FileDes, CFE_FS_Header_t *Hdr)

Write the specified Standard cFE File Header to the specified file.

int32 CFE_FS_SetTimestamp (int32 FileDes, CFE_TIME_SysTime_t NewTimestamp)

Modifies the Time Stamp field in the Standard cFE File Header for the specified file.

• bool CFE_FS_IsGzFile (const char *FileName)

Determines if a file is a Gzip/compressed file.

int32 CFE_FS_Decompress (const char *SourceFile, const char *DestinationFile)

Decompresses the source file to the destination file.

 int32 CFE_FS_GetUncompressedFile (char *OutputNameBuffer, uint32 OutputNameBufferSize, const char *GzipFileName, const char *TempDir)

Decompresses the source file to a temporary file created in the temp dir.

int32 CFE_FS_ExtractFilenameFromPath (const char *OriginalPath, char *FileNameOnly)

Extracts the filename from a unix style path and filename string.

39.25.1 Macro Definition Documentation

39.25.1.1 CFE_FS_ES_CDS_REG_SUBTYPE

#define CFE_FS_ES_CDS_REG_SUBTYPE CFE_FS_SubType_ES_CDS_REG

Definition at line 61 of file cfe_fs.h.

39.25.1.2 CFE_FS_ES_ERLOG_SUBTYPE

#define CFE_FS_ES_ERLOG_SUBTYPE CFE_FS_SubType_ES_ERLOG

Definition at line 56 of file cfe_fs.h.

39.25.1.3 CFE_FS_ES_PERFDATA_SUBTYPE

#define CFE_FS_ES_PERFDATA_SUBTYPE CFE_FS_SubType_ES_PERFDATA

Definition at line 59 of file cfe_fs.h.

39.25.1.4 CFE_FS_ES_QUERYALL_SUBTYPE

#define CFE_FS_ES_QUERYALL_SUBTYPE CFE_FS_SubType_ES_QUERYALL

Definition at line 58 of file cfe_fs.h.

39.25.1.5 CFE_FS_ES_QUERYALLTASKS_SUBTYPE

#define CFE_FS_ES_QUERYALLTASKS_SUBTYPE CFE_FS_SubType_ES_QUERYALLTASKS

Definition at line 69 of file cfe_fs.h.

39.25.1.6 CFE_FS_ES_SHELL_SUBTYPE

#define CFE_FS_ES_SHELL_SUBTYPE CFE_FS_SubType_ES_SHELL

Definition at line 60 of file cfe_fs.h.

39.25.1.7 CFE_FS_ES_SYSLOG_SUBTYPE

#define CFE_FS_ES_SYSLOG_SUBTYPE CFE_FS_SubType_ES_SYSLOG

Definition at line 57 of file cfe_fs.h.

39.25.1.8 CFE_FS_EVS_APPDATA_SUBTYPE

#define CFE_FS_EVS_APPDATA_SUBTYPE CFE_FS_SubType_EVS_APPDATA

Definition at line 64 of file cfe_fs.h.

39.25.1.9 CFE_FS_EVS_EVENTLOG_SUBTYPE

#define CFE_FS_EVS_EVENTLOG_SUBTYPE CFE_FS_SubType_EVS_EVENTLOG

Definition at line 65 of file cfe_fs.h.

39.25.1.10 CFE_FS_SB_MAPDATA_SUBTYPE

#define CFE_FS_SB_MAPDATA_SUBTYPE CFE_FS_SubType_SB_MAPDATA

Definition at line 68 of file cfe fs.h.

39.25.1.11 CFE FS SB PIPEDATA SUBTYPE

#define CFE_FS_SB_PIPEDATA_SUBTYPE CFE_FS_SubType_SB_PIPEDATA

Definition at line 66 of file cfe_fs.h.

39.25.1.12 CFE_FS_SB_ROUTEDATA_SUBTYPE

#define CFE_FS_SB_ROUTEDATA_SUBTYPE CFE_FS_SubType_SB_ROUTEDATA

Definition at line 67 of file cfe_fs.h.

```
39.25.1.13 CFE_FS_TBL_IMG_SUBTYPE
#define CFE_FS_TBL_IMG_SUBTYPE CFE_FS_SubType_TBL_IMG
Definition at line 63 of file cfe_fs.h.

39.25.1.14 CFE_FS_TBL_REG_SUBTYPE
#define CFE_FS_TBL_REG_SUBTYPE CFE_FS_SubType_TBL_REG
Definition at line 62 of file cfe_fs.h.
```

39.26 cfe/fsw/cfe-core/src/inc/cfe fs extern typedefs.h File Reference

```
#include "common_types.h"
```

Data Structures

struct CFE_FS_Header_t
 Standard cFE File header structure definition.

Macros

- #define CFE FS HDR DESC MAX LEN 32
 - Max length of description field in a standard cFE File Header.
- #define CFE FS FILE CONTENT ID 0x63464531

Magic Number for cFE compliant files (= 'cFE1')

Typedefs

typedef uint32 CFE_FS_SubType_Enum_t
 Content descriptor for File Headers.

Enumerations

```
    enum CFE_FS_SubType {
    CFE_FS_SubType_ES_ERLOG = 1, CFE_FS_SubType_ES_SYSLOG = 2, CFE_FS_SubType_ES_QUERYALL = 3, CFE_FS_SubType_ES_PERFDATA = 4,
    CFE_FS_SubType_ES_SHELL = 5, CFE_FS_SubType_ES_CDS_REG = 6, CFE_FS_SubType_TBL_REG = 9,
    CFE_FS_SubType_TBL_IMG = 8,
    CFE_FS_SubType_EVS_APPDATA = 15, CFE_FS_SubType_EVS_EVENTLOG = 16, CFE_FS_SubType_SB_PIPEDATA = 20, CFE_FS_SubType_SB_ROUTEDATA = 21,
    CFE_FS_SubType_SB_MAPDATA = 22, CFE_FS_SubType_ES_QUERYALLTASKS = 23 }
```

Label definitions associated with CFE_FS_SubType_Enum_t.

39.26.1 Macro Definition Documentation

```
39.26.1.1 CFE_FS_FILE_CONTENT_ID
```

#define CFE_FS_FILE_CONTENT_ID 0x63464531

Magic Number for cFE compliant files (= 'cFE1')

Definition at line 47 of file cfe_fs_extern_typedefs.h.

```
39.26.1.2 CFE_FS_HDR_DESC_MAX_LEN
```

#define CFE_FS_HDR_DESC_MAX_LEN 32

Max length of description field in a standard cFE File Header.

Definition at line 45 of file cfe_fs_extern_typedefs.h.

39.26.2 Typedef Documentation

39.26.2.1 CFE_FS_SubType_Enum_t

typedef uint32 CFE_FS_SubType_Enum_t

Content descriptor for File Headers.

See also

enum CFE_FS_SubType

Definition at line 217 of file cfe_fs_extern_typedefs.h.

39.26.3 Enumeration Type Documentation

39.26.3.1 CFE_FS_SubType

enum CFE_FS_SubType

Label definitions associated with CFE_FS_SubType_Enum_t.

Enumerator

CFE_FS_SubType_ES_ERLOG	Executive Services Exception/Reset Log Type. Executive Services Exception/Reset Log File which is generated in response to a \$sc_\$cpu_ES_WriteERLog2File command.
CFE_FS_SubType_ES_SYSLOG	Executive Services System Log Type. Executive Services System Log File which is generated in response to a \$sc_\$cpu_ES_WriteSysLog2File command.
CFE_FS_SubType_ES_QUERYALL	Executive Services Information on All Applications File. Executive Services Information on All Applications File which is generated in response to a \$sc_\$cpu_ES_WriteAppInfo2File command.
CFE_FS_SubType_ES_PERFDATA	Executive Services Performance Data File. Executive Services Performance Analyzer Data File which is generated in response to a \$sc_\$cpu_ES_StopLAData command.
CFE_FS_SubType_ES_SHELL	Executive Services Shell Response File. Executive Services Shell Response Data File which is generated in response to a \$sc_\$cpu\$_ES_Shell command.
CFE_FS_SubType_ES_CDS_REG	Executive Services Critical Data Store Registry Dump File. Executive Services Critical Data Store Registry Dump File which is generated in response to a \$sc_\$cpu_ES_WriteCDS2File command.
CFE_FS_SubType_TBL_REG	Table Services Registry Dump File. Table Services Registry Dump File which is generated in response to a \$sc_\$cpu_TBL_WriteReg2File command.
CFE_FS_SubType_TBL_IMG	Table Services Table Image File. Table Services Table Image File which is generated either on the ground or in response to a \$sc_\$cpu_TBL_DUMP command.
CFE_FS_SubType_EVS_APPDATA	Event Services Application Data Dump File. Event Services Application Data Dump File which is generated in response to a \$sc_\$cpu_EVS_WriteAppData2File command.
CFE_FS_SubType_EVS_EVENTLOG	Event Services Local Event Log Dump File. Event Services Local Event Log Dump File which is generated in response to a \$sc_\$cpu_EVS_WriteLog2File command.
CFE_FS_SubType_SB_PIPEDATA	Software Bus Pipe Data Dump File. Software Bus Pipe Data Dump File which is generated in response to a \$sc_\$cpu_SB_WritePipe2File command.
CFE_FS_SubType_SB_ROUTEDATA	Software Bus Message Routing Data Dump File. Software Bus Message Routing Data Dump File which is generated in response to a \$sc_\$cpu_SB_WriteRouting2File command.
CFE_FS_SubType_SB_MAPDATA	Software Bus Message Mapping Data Dump File. Software Bus Message Mapping Data Dump File which is generated in response to a \$sc_\$cpu_SB_WriteMap2File command.
CFE_FS_SubType_ES_QUERYALLTASKS	Executive Services Query All Tasks Data File. Executive Services Query All Tasks Data File which is generated in response to a \$sc_\$cpu_ES_WriteTaskInfo2File command.

Definition at line 54 of file cfe_fs_extern_typedefs.h.

39.27 cfe/fsw/cfe-core/src/inc/cfe_sb.h File Reference

```
#include "cfe_sb_extern_typedefs.h"
#include "osconfig.h"
#include "cfe_psp.h"
#include "common_types.h"
#include "cfe_mission_cfg.h"
#include "csds.h"
#include "cfe_time.h"
```

Data Structures

```
• union CFE SB Msg t
```

Generic Software Bus Message Type Definition.

struct CFE SB Qos t

Quality Of Service Type Definition.

struct CFE_SB_SenderId_t

Message Sender Identification Type Definition.

Macros

• #define CFE SB POLL 0

Option used with CFE_SB_RcvMsg to request immediate pipe status.

#define CFE SB PEND FOREVER -1

Option used with CFE_SB_RcvMsg to force a wait for next message.

• #define CFE_SB_SUB_ENTRIES_PER_PKT 20

Configuration parameter used by SBN App.

• #define CFE SB SUBSCRIPTION 0

Subtype specifier used in CFE_SB_SingleSubscriptionTIm_t by SBN App.

#define CFE_SB_UNSUBSCRIPTION 1

Subtype specified used in CFE_SB_SingleSubscriptionTlm_t by SBN App.

#define CFE_SB_MSGID_WRAP_VALUE(val) ((CFE_SB_Msgld_t)(val))

Translation macro to convert from Msgld integer values to opaque/abstract API values.

#define CFE_SB_MSGID_UNWRAP_VALUE(mid) ((CFE_SB_MsgId_Atom_t)(mid))

Translation macro to convert to Msgld integer values from opaque/abstract API values.

#define CFE_SB_MSGID_RESERVED CFE_SB_MSGID_WRAP_VALUE(-1)

Reserved value for CFE_SB_Msgld_t that will not match any valid Msgld.

#define CFE_SB_INVALID_MSG_ID CFE_SB_MSGID_RESERVED

A literal of the CFE_SB_Msgld_t type representing an invalid ID.

• #define CFE SB PKTTYPE INVALID 0

CFE_SB_GetPktType response if message type can not be determined

#define CFE SB PKTTYPE CMD 1

CFE_SB_GetPktType response for command packets

#define CFE SB PKTTYPE TLM 2

CFE_SB_GetPktType response for telemetry packets

#define CFE BIT(x) (1 << (x))

```
Places a one at bit positions 0 - 31.

    #define CFE_SET(i, x) ((i) |= CFE_BIT(x))

          Sets bit x of i.

    #define CFE CLR(i, x) ((i) &= ~CFE BIT(x))

          Clears bit x of i.

    #define CFE_TST(i, x) (((i) & CFE_BIT(x)) != 0)

          true(non zero) if bit x of i is set

    #define CFE SB SET MEMADDR(msgdst, src) msgdst = (cpuaddr)src

          Set memory address within SB Message.

    #define CFE_SB_GET_MEMADDR(msgsrc) (cpuaddr)msgsrc

          Get memory address from SB Message.

    #define CFE SB PIPEOPTS IGNOREMINE 0x00000001

          Messages sent by the app that owns this pipe will not be sent to this pipe.

    #define CFE_SB_CMD_HDR_SIZE (sizeof(CFE_SB_CmdHdr_t))

          Size of CFE SB CmdHdr t in bytes.

    #define CFE SB TLM HDR SIZE (sizeof(CFE SB TlmHdr t))

          Size of CFE_SB_TImHdr_t in bytes.
Typedefs

    typedef CCSDS_CommandPacket_t CFE_SB_CmdHdr_t

          Generic Software Bus Command Header Type Definition.

    typedef CCSDS TelemetryPacket t CFE SB TlmHdr t

          Generic Software Bus Telemetry Header Type Definition.

    typedef uint32 CFE_SB_TimeOut_t

          CFE_SB_TimeOut_t to primitive type definition.

    typedef uint8 CFE SB Pipeld t

          CFE_SB_PipeId_t to primitive type definition.

    typedef CFE SB Msg t * CFE SB MsgPtr t

          CFE_SB_MsgPtr_t defined as a pointer to an SB Message.

    typedef uint8 * CFE SB MsgPayloadPtr t

          CFE_SB_MsgPayloadPtr_t defined as an opaque pointer to a message Payload portion.

    typedef cpuaddr CFE SB ZeroCopyHandle t

          CFE_SB_ZeroCopyHandle_t to primitive type definition.
Functions

    int32 CFE SB CreatePipe (CFE SB Pipeld t *PipeldPtr, uint16 Depth, const char *PipeName)

          Creates a new software bus pipe.

    int32 CFE SB DeletePipe (CFE SB Pipeld t Pipeld)

          Delete a software bus pipe.

    int32 CFE SB SetPipeOpts (CFE SB PipeId t PipeId, uint8 Opts)

          Set options on a pipe.

    int32 CFE SB GetPipeOpts (CFE SB PipeId t PipeId, uint8 *OptPtr)

          Get options on a pipe.

    int32 CFE SB GetPipeName (char *PipeNameBuf, size t PipeNameSize, CFE SB PipeId t PipeId)
```

Get the pipe name for a given id.

• int32 CFE SB GetPipeIdByName (CFE SB PipeId t *PipeIdPtr, const char *PipeName)

Get pipe id by pipe name.

 int32 CFE_SB_SubscribeEx (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld, CFE_SB_Qos_t Quality, uint16 MsgLim)

Subscribe to a message on the software bus.

• int32 CFE_SB_Subscribe (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Subscribe to a message on the software bus with default parameters.

int32 CFE_SB_SubscribeLocal (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld, uint16 MsgLim)

Subscribe to a message while keeping the request local to a cpu.

int32 CFE SB Unsubscribe (CFE SB Msgld t Msgld, CFE SB Pipeld t Pipeld)

Remove a subscription to a message on the software bus.

int32 CFE_SB_UnsubscribeLocal (CFE_SB_Msgld_t Msgld, CFE_SB_Pipeld_t Pipeld)

Remove a subscription to a message on the software bus on the current CPU.

int32 CFE_SB_SendMsg (CFE_SB_Msg_t *MsgPtr)

Send a software bus message.

int32 CFE SB PassMsg (CFE SB Msg t *MsgPtr)

Passes a software bus message.

int32 CFE_SB_RcvMsg (CFE_SB_MsgPtr_t *BufPtr, CFE_SB_Pipeld_t Pipeld, int32 TimeOut)

Receive a message from a software bus pipe.

• CFE_SB_Msg_t * CFE_SB_ZeroCopyGetPtr (uint16 MsgSize, CFE_SB_ZeroCopyHandle_t *BufferHandle)

Get a buffer pointer to use for "zero copy" SB sends.

int32 CFE_SB_ZeroCopyReleasePtr (CFE_SB_Msg_t *Ptr2Release, CFE_SB_ZeroCopyHandle_t Buffer
 Handle)

Release an unused "zero copy" buffer pointer.

int32 CFE_SB_ZeroCopySend (CFE_SB_Msg_t *MsgPtr, CFE_SB_ZeroCopyHandle_t BufferHandle)

Send an SB message in "zero copy" mode.

• int32 CFE SB ZeroCopyPass (CFE SB Msg t *MsgPtr, CFE SB ZeroCopyHandle t BufferHandle)

Pass an SB message in "zero copy" mode.

void CFE SB InitMsg (void *MsgPtr, CFE SB Msgld t Msgld, uint16 Length, bool Clear)

Initialize a buffer for a software bus message.

• void CFE SB SetMsgld (CFE SB MsgPtr t MsgPtr, CFE SB Msgld t Msgld)

Sets the message ID of a software bus message.

• void CFE SB SetUserDataLength (CFE SB MsgPtr t MsgPtr, uint16 DataLength)

Sets the length of user data in a software bus message.

void CFE_SB_SetTotalMsgLength (CFE_SB_MsgPtr_t MsgPtr, uint16 TotalLength)

Sets the total length of a software bus message.

int32 CFE_SB_SetMsgTime (CFE_SB_MsgPtr_t MsgPtr, CFE_TIME_SysTime_t Time)

Sets the time field in a software bus message.

void CFE_SB_TimeStampMsg (CFE_SB_MsgPtr_t MsgPtr)

Sets the time field in a software bus message with the current spacecraft time.

int32 CFE SB SetCmdCode (CFE SB MsgPtr t MsgPtr, uint16 CmdCode)

Sets the command code field in a software bus message.

int32 CFE_SB_MessageStringSet (char *DestStringPtr, const char *SourceStringPtr, uint32 DestMaxSize, uint32 SourceMaxSize)

Copies a string into a software bus message.

void * CFE SB GetUserData (CFE SB MsgPtr t MsgPtr)

Get a pointer to the user data portion of a software bus message.

CFE SB Msgld t CFE SB GetMsgld (const CFE SB Msg t *MsgPtr)

Get the message ID of a software bus message.

uint16 CFE_SB_GetUserDataLength (const CFE_SB_Msg_t *MsgPtr)

Gets the length of user data in a software bus message.

uint16 CFE_SB_GetTotalMsgLength (const CFE_SB_Msg_t *MsgPtr)

Gets the total length of a software bus message.

uint16 CFE_SB_GetCmdCode (CFE_SB_MsgPtr_t MsgPtr)

Gets the command code field from a software bus message.

CFE_TIME_SysTime_t CFE_SB_GetMsgTime (CFE_SB_MsgPtr_t MsgPtr)

Gets the time field from a software bus message.

uint32 CFE_SB_GetLastSenderId (CFE_SB_SenderId_t **Ptr, CFE_SB_PipeId_t PipeId)

Retrieve the application Info of the sender for the last message.

 int32 CFE_SB_MessageStringGet (char *DestStringPtr, const char *SourceStringPtr, const char *DefaultString, uint32 DestMaxSize, uint32 SourceMaxSize)

Copies a string out of a software bus message.

uint16 CFE_SB_GetChecksum (CFE_SB_MsgPtr_t MsgPtr)

Gets the checksum field from a software bus message.

void CFE_SB_GenerateChecksum (CFE_SB_MsgPtr_t MsgPtr)

Calculates and sets the checksum of a software bus message.

bool CFE SB ValidateChecksum (CFE SB MsgPtr t MsgPtr)

Validates the checksum of a software bus message.

bool CFE_SB_lsValidMsgld (CFE_SB_Msgld_t Msgld)

Identifies whether a given CFE_SB_Msgld_t is valid.

• static bool CFE_SB_Msgld_Equal (CFE_SB_Msgld_t Msgld1, CFE_SB_Msgld_t Msgld2)

Identifies whether two CFE_SB_Msgld_t values are equal.

static CFE SB Msgld Atom t CFE SB MsgldToValue (CFE SB Msgld t Msgld)

Converts a CFE_SB_Msgld_t to a normal integer.

• static CFE_SB_Msgld_t CFE_SB_ValueToMsgld (CFE_SB_Msgld_Atom_t MsgldValue)

Converts a normal integer into a CFE_SB_Msgld_t.

uint32 CFE_SB_GetPktType (CFE_SB_Msgld_t Msgld)

Identifies packet type given message ID.

Variables

CFE_SB_Qos_t CFE_SB_Default_Qos

Defines a default priority and reliabilty for off-board routing.

39.27.1 Macro Definition Documentation

39.27.1.1 CFE_BIT

```
#define CFE_BIT( x ) (1 << (x))
```

Places a one at bit positions 0 - 31.

Definition at line 117 of file cfe_sb.h.

39.27.1.2 CFE_CLR

Clears bit x of i.

Definition at line 119 of file cfe_sb.h.

39.27.1.3 CFE_SB_CMD_HDR_SIZE

```
#define CFE_SB_CMD_HDR_SIZE (sizeof(CFE_SB_CmdHdr_t))
```

Size of CFE_SB_CmdHdr_t in bytes.

Definition at line 163 of file cfe_sb.h.

39.27.1.4 CFE_SB_GET_MEMADDR

Get memory address from SB Message.

Macro that should be used to get memory addresses from software bus messages. This is the inverse operation of CFE_SB_SET_MEMADDR.

Definition at line 138 of file cfe_sb.h.

39.27.1.5 CFE_SB_INVALID_MSG_ID

```
#define CFE_SB_INVALID_MSG_ID CFE_SB_MSGID_RESERVED
```

A literal of the CFE_SB_Msgld_t type representing an invalid ID.

This value should be used for runtime initialization of CFE SB Msgld t values.

Note

This may be a compound literal in a future revision. Per C99, compound literals are Ivalues, not rvalues, so this value should not be used in static/compile-time data initialization. For static data initialization purposes (rvalue), CFE_SB_MSGID_RESERVED should be used instead. However, in the current implementation, they are equivalent.

Definition at line 103 of file cfe sb.h.

39.27.1.6 CFE SB MSGID RESERVED

```
#define CFE_SB_MSGID_RESERVED CFE_SB_MSGID_WRAP_VALUE(-1)
```

Reserved value for CFE_SB_Msgld_t that will not match any valid Msgld.

This rvalue macro can be used for static/compile-time data initialization to ensure that the initialized value does not alias to a valid Msgld object.

Definition at line 90 of file cfe_sb.h.

39.27.1.7 CFE_SB_MSGID_UNWRAP_VALUE

Translation macro to convert to Msqld integer values from opaque/abstract API values.

This conversion exists in macro form to allow compile-time evaluation for constants, and should not be used directly in application code.

For applications, use the CFE_SB_MsgldToValue() inline function instead.

See also

```
CFE SB MsgldToValue()
```

Definition at line 82 of file cfe sb.h.

Referenced by CFE_SB_MsgId_Equal(), and CFE_SB_MsgIdToValue().

```
39.27.1.8 CFE_SB_MSGID_WRAP_VALUE
```

Translation macro to convert from Msgld integer values to opaque/abstract API values.

This conversion exists in macro form to allow compile-time evaluation for constants, and should not be used directly in application code.

For applications, use the CFE_SB_ValueToMsgld() inline function instead.

See also

```
CFE_SB_ValueToMsgld()
```

Definition at line 70 of file cfe_sb.h.

Referenced by CFE_SB_ValueToMsgld().

```
39.27.1.9 CFE_SB_PEND_FOREVER
```

```
#define CFE_SB_PEND_FOREVER -1
```

Option used with CFE_SB_RcvMsg to force a wait for next message.

Definition at line 51 of file cfe_sb.h.

39.27.1.10 CFE_SB_PIPEOPTS_IGNOREMINE

```
#define CFE_SB_PIPEOPTS_IGNOREMINE 0x00000001
```

Messages sent by the app that owns this pipe will not be sent to this pipe.

Definition at line 143 of file cfe_sb.h.

```
39.27.1.11 CFE_SB_POLL
```

```
#define CFE_SB_POLL 0
```

Option used with CFE_SB_RcvMsg to request immediate pipe status.

Definition at line 50 of file cfe sb.h.

39.27.1.12 CFE_SB_SET_MEMADDR

Set memory address within SB Message.

Macro that should be used to set memory addresses within software bus messages. For now this does a straight copy, but in a future revision this may translate the raw memory address into a "safe" integer value. This is particularly important if the message is to be sent off this CPU.

Definition at line 130 of file cfe_sb.h.

39.27.1.13 CFE SB SUB ENTRIES PER PKT

```
#define CFE_SB_SUB_ENTRIES_PER_PKT 20
```

Configuration parameter used by SBN App.

Definition at line 52 of file cfe sb.h.

39.27.1.14 CFE_SB_SUBSCRIPTION

```
#define CFE_SB_SUBSCRIPTION 0
```

Subtype specifier used in CFE_SB_SingleSubscriptionTlm_t by SBN App.

Definition at line 53 of file cfe_sb.h.

39.27.1.15 CFE_SB_TLM_HDR_SIZE

```
#define CFE_SB_TLM_HDR_SIZE (sizeof(CFE_SB_TlmHdr_t))
```

Size of CFE_SB_TImHdr_t in bytes.

Definition at line 164 of file cfe_sb.h.

39.27.1.16 CFE_SB_UNSUBSCRIPTION

```
#define CFE_SB_UNSUBSCRIPTION 1
```

Subtype specified used in CFE_SB_SingleSubscriptionTlm_t by SBN App.

Definition at line 54 of file cfe_sb.h.

```
39.27.1.17 CFE_SET
```

Sets bit x of i.

Definition at line 118 of file cfe_sb.h.

```
39.27.1.18 CFE_TST
```

true(non zero) if bit x of i is set

Definition at line 120 of file cfe_sb.h.

39.27.2 Typedef Documentation

```
39.27.2.1 CFE_SB_CmdHdr_t
```

```
typedef CCSDS_CommandPacket_t CFE_SB_CmdHdr_t
```

Generic Software Bus Command Header Type Definition.

Definition at line 158 of file cfe_sb.h.

```
39.27.2.2 CFE_SB_MsgPayloadPtr_t
```

```
typedef uint8* CFE_SB_MsgPayloadPtr_t
```

CFE_SB_MsgPayloadPtr_t defined as an opaque pointer to a message Payload portion.

Definition at line 184 of file cfe_sb.h.

```
39.27.2.3 CFE_SB_MsgPtr_t
typedef CFE_SB_Msg_t* CFE_SB_MsgPtr_t
CFE_SB_MsgPtr_t defined as a pointer to an SB Message.
Definition at line 181 of file cfe sb.h.
39.27.2.4 CFE_SB_Pipeld_t
typedef uint8 CFE_SB_PipeId_t
CFE_SB_PipeId_t to primitive type definition.
Software Bus pipe identifier used in many SB APIs
Definition at line 178 of file cfe_sb.h.
39.27.2.5 CFE_SB_TimeOut_t
typedef uint32 CFE_SB_TimeOut_t
CFE_SB_TimeOut_t to primitive type definition.
Internally used by SB in the CFE_SB_RcvMsg API. Translated from the input parmater named TimeOut which specifies
the maximum time in milliseconds that the caller wants to wait for a message.
Definition at line 172 of file cfe_sb.h.
39.27.2.6 CFE_SB_TImHdr_t
typedef CCSDS_TelemetryPacket_t CFE_SB_TlmHdr_t
Generic Software Bus Telemetry Header Type Definition.
Definition at line 161 of file cfe_sb.h.
39.27.2.7 CFE_SB_ZeroCopyHandle_t
typedef cpuaddr CFE_SB_ZeroCopyHandle_t
CFE SB ZeroCopyHandle t to primitive type definition.
```

Software Zero Copy handle used in many SB APIs

Definition at line 190 of file cfe sb.h.

39,27.3 Variable Documentation

```
39.27.3.1 CFE_SB_Default_Qos
CFE_SB_Qos_t CFE_SB_Default_Qos
Defines a default priority and reliabilty for off-board routing.
      cfe/fsw/cfe-core/src/inc/cfe sb events.h File Reference
Macros
   • #define CFE SB MAX EID 67
   • #define CFE SB INIT EID 1
        'cFE SB Initialized'
   • #define CFE SB CR PIPE BAD ARG EID 2
        'CreatePipeErr:Bad Input Arg:app=%s,ptr=0x%x,depth=%d,maxdepth=%d'

    #define CFE_SB_MAX_PIPES_MET_EID 3

        'CreatePipeErr:Max Pipes (%d) In Use.app %s'
   • #define CFE_SB_CR_PIPE_ERR_EID 4
        'CreatePipeErr:OS_QueueCreate returned %d,app %s'

    #define CFE_SB_PIPE_ADDED_EID 5

        'Pipe Created: name %s, id %d, app %s'

    #define CFE_SB_SETPIPEOPTS_ID_ERR_EID 55

        'SetPipeOptsErr:Invalid pipe id (%d).app %s'

    #define CFE_SB_SETPIPEOPTS_OWNER_ERR_EID 56

        'SetPipeOptsErr:Caller not owner (%d).app %s'

    #define CFE_SB_SETPIPEOPTS_EID 57

        'SetPipeOpts: Options set (%d). app %s'
   • #define CFE SB GETPIPEOPTS ID ERR EID 58
        'GetPipeOptsErr:Invalid pipe id (%d).app %s'

    #define CFE SB GETPIPEOPTS PTR ERR EID 59

        'GetPipeOptsErr:Invalid opts ptr.app %s'
   • #define CFE SB GETPIPEOPTS EID 60
        'GetPipeOpts: Options retrieved. app %s'

    #define CFE SB GETPIPENAME EID 62

        'GetPipeName: Name retrieved. NameOut %s, Id %d, app %s'

    #define CFE SB GETPIPENAME NULL PTR EID 63

        'GetPipeName: Null ptr error. Id %d, app %s'

    #define CFE SB GETPIPENAME ID ERR EID 64

        'GetPipeName: Id error. NameOut %s, Id %d, app %s'

    #define CFE SB GETPIPEIDBYNAME EID 65
```

'GetPipeIdByName: ID retrieved. Name %s, IdOut 0x%x, app %s'

#define CFE SB GETPIPEIDBYNAME NULL ERR EID 66

```
'GetPipeIdByName Err:Bad input argument, Name 0x%x, IdOut 0xx, App %s'

    #define CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID 67

     'GetPipeIdByName Err: Name not found, Name %s, IdOut 0xx, App %s'

    #define CFE SB SUB ARG ERR EID 6

     'Subscribe Err: Bad Arg, MsqId 0x%x, PipeId %d, app %s, scope %d'

    #define CFE_SB_DUP_SUBSCRIP_EID 7

     'Duplicate Subscription, MsgId 0x%x on %s pipe, app %s'

    #define CFE SB MAX MSGS MET EID 8

     'Subscribe Err: Max Msqs (%d) In Use, MsqId 0x%x, pipe %s, app %s'

    #define CFE SB MAX DESTS MET EID 9

     'Subscribe Err: Max Dests (%d) In Use For Msg 0x%x, pipe %s, app %s'

    #define CFE_SB_SUBSCRIPTION_RCVD_EID 10

     'Subscription Rcvd:MsgId 0x%x on %s(%d), app %s'

    #define CFE_SB_UNSUB_ARG_ERR_EID 11

     'UnSubscribe Err:Bad Arg, MsgId 0x%x, PipeId %d, app %s, scope %d'

    #define CFE_SB_UNSUB_NO_SUBS_EID 12

     'Unsubscribe Err: No subs for Msg 0x%x on %s, app %s'

    #define CFE_SB_SEND_BAD_ARG_EID 13

     'Send Err: Bad input argument, Arg 0x%x, App %s'
• #define CFE_SB_SEND_NO_SUBS_EID 14
     'No subscribers for MsgId 0x%x, sender %s'

    #define CFE_SB_MSG_TOO_BIG_EID 15

     'Send Err: Msg Too Big MsgId=0x%x,app=%s,size=%d,MaxSz=%d'

    #define CFE_SB_GET_BUF_ERR_EID 16

     'Send Err: Request for Buffer Failed. MsgId 0x%x, app %s, size %d'

    #define CFE SB MSGID LIM ERR EID 17

     'Send Err: Msg Limit Err MsgId 0x%x, pipe %s, sender %s'

    #define CFE SB RCV BAD ARG EID 18

     'Rcv Err:Bad Input Arg:BufPtr 0x%x,pipe %d,t/o %d,app %s'

    #define CFE SB BAD PIPEID EID 19

     'Rcv Err:PipeId %d does not exist,app %s'

    #define CFE SB DEST BLK ERR EID 20

     'Subscribe Err:Request for Destination Blk failed for Msg 0x%x,Pipe %s'

    #define CFE_SB_SEND_INV_MSGID_EID 21

     'Send Err: Invalid msgid in msg, MsgId 0x%x, App %s'

    #define CFE SB SUBSCRIPTION RPT EID 22

     'Sending Subscription Report Msg=0x%x, Pipe=%d, Stat=0x%x'

    #define CFE_SB_Q_FULL_ERR_EID 25

     'Pipe Overflow, MsqId Ox%x, pipe %s, stat Ox%x, app %s'

    #define CFE SB Q WR ERR EID 26

     'Pipe Write Err, MsgId 0x%x, pipe %s, stat 0x%x, app %s'

    #define CFE_SB_Q_RD_ERR_EID 27

     'Pipe Read Err, pipe %s, app %s, stat 0x%x'

    #define CFE SB CMD0 RCVD EID 28

     'No-op Cmd Rcvd'

    #define CFE_SB_CMD1_RCVD_EID 29

     'Reset Counters Cmd Rcvd'
```

```
    #define CFE_SB_LSTSNDER_ERR1_EID 30

     'SB GetLastSender Err:Rcvd Null Ptr, Pipe=d, App=s'

    #define CFE SB LSTSNDER ERR2 EID 31

     'SB GetLastSender Err:Rcvd Invalid Pipe=d,App=s'

    #define CFE SB SND STATS EID 32

     'Software Bus Statistics packet sent'

    #define CFE SB ENBL RTE1 EID 33

     'Enbl Route Cmd: Route does not exist. Msg 0x%x, Pipe %d'

    #define CFE SB ENBL RTE2 EID 34

     'Enabling Route, Msg 0x%x, Pipe %d'

    #define CFE SB ENBL RTE3 EID 35

     'Enbl Route Cmd: Invalid Param. Msg 0x%x, Pipe %d'

    #define CFE SB DSBL RTE1 EID 36

     'Disable Route Cmd: Route does not exist, Msq 0x%x, Pipe %d'

    #define CFE_SB_DSBL_RTE2_EID 37

     'Route Disabled, Msg Ox%x, Pipe %d'

    #define CFE SB DSBL RTE3 EID 38

     'Disable Route Cmd: Invalid Param. Msg 0x%x, Pipe %d'
• #define CFE_SB_SND_RTG_EID 39
     '%s written:Size=%d,Entries=%d'

    #define CFE_SB_SND_RTG_ERR1_EID 40

     'Error creating file %s, stat=0x%x'

    #define CFE_SB_GLS_INV_CALLER_EID 41

     'SB GetLastSender Err: Caller(%s) is not the owner of pipe %d'

    #define CFE_SB_BAD_CMD_CODE_EID 42

     'Invalid Cmd, Unexpected Command Code %d'

    #define CFE_SB_BAD_MSGID_EID 43

     'Invalid Cmd, Unexpected Msg Id: 0x%04x'

    #define CFE_SB_FULL_SUB_PKT_EID 44

     'Full Sub Pkt %d Sent, Entries=%d, Stat=0x%x

    #define CFE_SB_PART_SUB_PKT_EID 45

     'Partial Sub Pkt %d Sent, Entries=%d, Stat=0x%x'

    #define CFE SB DEL PIPE ERR1 EID 46

     'Pipe Delete Error:Bad Argument,PipedId %d,Requestor %s,Idx %d,Stat %d'

    #define CFE SB PIPE DELETED EID 47

     'Pipe Deleted:id %d,owner %s'

    #define CFE SB SUBSCRIPTION REMOVED EID 48

     'Subscription Removed: Msg Ox%x on pipe %d, app %s'

    #define CFE SB FILEWRITE ERR EID 49

     'File write, byte cnt err, file %s, request=%d, actual=%d'

    #define CFE SB SUB INV PIPE EID 50

     'Subscribe Err: Invalid Pipe Id, Msg=0x%x, PipeId=%d, App %s'

    #define CFE_SB_SUB_INV_CALLER_EID 51

     'Subscribe Err: Caller(%s) is not the owner of pipe %d, Msq=0x%x'

    #define CFE SB UNSUB INV PIPE EID 52

     'Unsubscribe Err: Invalid Pipe Id Msg=0x%x, Pipe=%d, app=%s'
```

```
• #define CFE_SB_UNSUB_INV_CALLER_EID 53
    'Unsubscribe Err:Caller(%s) is not the owner of pipe %d,Msg=0x%x'
• #define CFE_SB_DEL_PIPE_ERR2_EID 54
    'Pipe Delete Error: Caller (%s) is not the owner of pipe %d'

    #define CFE_SB_LEN_ERR_EID 61

    'Invalid cmd length: ID = 0x\%X, CC = %d, Exp Len = %d, Len = %d'
• #define CFE SB CR PIPE NAME TAKEN EID 62
    'CreatePipeErr:Name Taken:app=%s,ptr=0x%x,depth=%d,maxdepth=%d'
• #define CFE_SB_CR_PIPE_NO_FREE_EID 63
    'CreatePipeErr:No Free:app=%s,ptr=0x%x,depth=%d,maxdepth=%d'
```

39.28.1 Macro Definition Documentation

```
39.28.1.1 CFE_SB_BAD_CMD_CODE_EID
 #define CFE_SB_BAD_CMD_CODE_EID 42
 'Invalid Cmd, Unexpected Command Code %d'
Event Message 'Invalid Cmd, Unexpected Command Code %d'
Type: ERROR
```

Cause:

This error event message is issued when the SB receives a cmd that has an unexpected cmd code. Definition at line 738 of file cfe sb events.h.

```
39.28.1.2 CFE_SB_BAD_MSGID_EID
 #define CFE_SB_BAD_MSGID_EID 43
 'Invalid Cmd, Unexpected Msg Id: 0x%04x'
Event Message 'Invalid Cmd, Unexpected Msg Id: 0x%04x'
Type: ERROR
```

Cause:

This error event message is issued when the SB receives a msg that has an unexpected msg id. Definition at line 750 of file cfe sb events.h.

39.28.1.3 CFE_SB_BAD_PIPEID_EID #define CFE_SB_BAD_PIPEID_EID 19 'Rcv Err:PipeId %d does not exist,app %s' Event Message 'Rcv Err:PipeId %d does not exist,app %s' Type: ERROR Cause: This error event message is issued when an invalid Pipeld is passed into the CFE_SB_RcvMsg API. The SB Pipe Table shows all valid Pipelds and may be viewed for verification. Definition at line 458 of file cfe_sb_events.h. 39.28.1.4 CFE_SB_CMD0_RCVD_EID #define CFE_SB_CMD0_RCVD_EID 28 'No-op Cmd Rcvd' Event Message 'No-op Cmd Rcvd' Type: INFORMATION Cause: This info event message is issued in response an SB NO-OP command

Definition at line 557 of file cfe_sb_events.h.

39.28.1.5 CFE_SB_CMD1_RCVD_EID #define CFE_SB_CMD1_RCVD_EID 29 'Reset Counters Cmd Rcvd' Event Message 'Reset Counters Cmd Rcvd' Type: DEBUG Cause: This debug event message is issued in response an SB Reset Counters command Definition at line 568 of file cfe_sb_events.h. 39.28.1.6 CFE_SB_CR_PIPE_BAD_ARG_EID #define CFE_SB_CR_PIPE_BAD_ARG_EID 2 'CreatePipeErr:Bad Input Arg:app=%s,ptr=0x%x,depth=%d,maxdepth=%d' Event Message 'CreatePipeErr:Bad Input Arg:app=%s,ptr=0x%x,depth=%d,maxdepth=%d' Type: ERROR Cause: This error event message is issued when the CFE_SB_CreatePipe API receives a bad argument. In this case, a bad

argument is defined by the following: A NULL PipeIdPtr, PipeDepth = 0 and PipeDepth > cfg param CFE_PLATFOR← M_SB_MAX_PIPE_DEPTH

Definition at line 75 of file cfe_sb_events.h.

39.28.1.7 CFE_SB_CR_PIPE_ERR_EID #define CFE_SB_CR_PIPE_ERR_EID 4 'CreatePipeErr:OS_QueueCreate returned %d,app %s' Event Message 'CreatePipeErr:OS_QueueCreate returned %d,app %s' Type: ERROR Cause: This error event message is issued when the CFE SB CreatePipe API is called and the OS returns an error when the OS returns an error from the OS_QueueCreate API. The error status returned by the OS is displayed in the event. Most commonly, this event is displayed as a result of trying to create pipes with the same name. Definition at line 102 of file cfe_sb_events.h. 39.28.1.8 CFE_SB_CR_PIPE_NAME_TAKEN_EID #define CFE_SB_CR_PIPE_NAME_TAKEN_EID 62 'CreatePipeErr:Name Taken:app=%s,ptr=0x%x,depth=%d,maxdepth=%d' Event Message 'CreatePipeErr:Name Taken:app=%s,ptr=0x%x,depth=%d,maxdepth=%d' Type: ERROR Cause: This error event message is issued when the CFE_SB_CreatePipe API tries to create a pipe with a name that is in use.

Definition at line 922 of file cfe_sb_events.h.

39.28.1.9 CFE_SB_CR_PIPE_NO_FREE_EID #define CFE_SB_CR_PIPE_NO_FREE_EID 63 'CreatePipeErr:No Free:app=%s,ptr=0x%x,depth=%d,maxdepth=%d' Event Message 'CreatePipeErr:No Free:app=%s,ptr=0x%x,depth=%d,maxdepth=%d' Type: ERROR Cause: This error event message is issued when the CFE_SB_CreatePipe API is unable to create a queue because there are no queues free. Definition at line 934 of file cfe_sb_events.h. 39.28.1.10 CFE_SB_DEL_PIPE_ERR1_EID #define CFE_SB_DEL_PIPE_ERR1_EID 46 'Pipe Delete Error:Bad Argument,PipedId %d,Requestor %s,Idx %d,Stat %d' Event Message 'Pipe Delete Error: Bad Argument, PipedId %d, Requestor %s, Idx %d, Stat 용d' Type: ERROR Cause: This error event message is issued from CFE_SB_DeletePipeFull when an invalid pipe ID is passed in

Generated by Doxygen

Definition at line 788 of file cfe_sb_events.h.

39.28.1.11 CFE_SB_DEL_PIPE_ERR2_EID

#define CFE_SB_DEL_PIPE_ERR2_EID 54

'Pipe Delete Error: Caller(%s) is not the owner of pipe %d'

Event Message 'Pipe Delete Error: Caller (%s) is not the owner of pipe %d'

Type: ERROR

Cause:

This error event message is issued when the CFE_SB_DeletePipe API is called by a task that is not the owner of the pipe. Pipes may be deleted only by the task that created the pipe or ES(for cleanup purposes).

Definition at line 892 of file cfe_sb_events.h.

39.28.1.12 CFE_SB_DEST_BLK_ERR_EID

#define CFE_SB_DEST_BLK_ERR_EID 20

'Subscribe Err:Request for Destination Blk failed for Msg 0x%x,Pipe %s'

Event Message 'Subscribe Err:Request for Destination Blk failed for Msg 0x%x,Pipe
%s'

Type: ERROR

Cause:

This error event message is issued when the SB receives an error from the memory pool in the attempt to obtain a new destination block. Then memory pool statistics may be viewed by sending the related ES command.

Definition at line 472 of file cfe_sb_events.h.

39.28.1.13 CFE_SB_DSBL_RTE1_EID #define CFE_SB_DSBL_RTE1_EID 36 'Disable Route Cmd:Route does not exist,Msg 0x%x,Pipe %d' Event Message 'Disable Route Cmd: Route does not exist, Msg 0x%x, Pipe %d' Type: ERROR Cause: This error event message is issued when SB receives a cmd to disable a route that does not exist in the routing table. A route is defined by a Msgld, Pipeld pair. Definition at line 657 of file cfe_sb_events.h. 39.28.1.14 CFE SB DSBL RTE2 EID #define CFE_SB_DSBL_RTE2_EID 37 'Route Disabled, Msg 0x%x, Pipe %d' Event Message 'Route Disabled, Msg 0x%x, Pipe %d' Type: DEBUG Cause:

This debug event message is issued when SB receives a cmd to disable a route and the request is successfully executed.

Generated by Doxygen

Definition at line 669 of file cfe_sb_events.h.

39.28.1.15 CFE_SB_DSBL_RTE3_EID

#define CFE_SB_DSBL_RTE3_EID 38

'Disable Route Cmd: Invalid Param. Msg 0x%x, Pipe %d'

Event Message 'Disable Route Cmd: Invalid Param. Msg 0x%x, Pipe %d'

Type: ERROR

Cause:

This error event message is issued when SB receives a cmd to disable a route and the Msgld or Pipeld does not pass the validation checks. The Msgld must be less than cfg param CFE_PLATFORM_SB_HIGHEST_VALID_MSGID. The Pipeld must exist and be less than cfg param CFE_PLATFORM_SB_MAX_PIPES. The SB pipe table may be viewed to verify the Pipeld existence.

Definition at line 684 of file cfe sb events.h.

39.28.1.16 CFE_SB_DUP_SUBSCRIP_EID

#define CFE_SB_DUP_SUBSCRIP_EID 7

'Duplicate Subscription, MsqId 0x%x on %s pipe, app %s'

Event Message 'Duplicate Subscription, MsgId 0x%x on %s pipe, app %s'

Type: INFORMATION

Cause:

This info event message is issued when a subscription request is received that already exists in the routing table. A duplicate subscription is defined by a matching Msgld and Pipeld. No other parameters are used in detecting a duplicate subscription. NOTE: By default, SB filters this event. The EVS filter algorithm allows the first event to pass through the filter, but all subsequent events with this event id will be filtered. A command must be sent to unfilter this event if the user desires to see it.

Definition at line 284 of file cfe sb events.h.

39.28.1.17 CFE_SB_ENBL_RTE1_EID #define CFE_SB_ENBL_RTE1_EID 33 'Enbl Route Cmd:Route does not exist.Msg 0x%x,Pipe %d' **Event Message** 'Enbl Route Cmd:Route does not exist.Msg 0x%x,Pipe %d' Type: ERROR Cause: This error event message is issued when SB receives a cmd to enable a route that does not exist in the routing table. A route is defined by a Msgld, Pipeld pair. Definition at line 618 of file cfe_sb_events.h. #define CFE_SB_ENBL_RTE2_EID 34 'Enabling Route, Msg 0x%x, Pipe %d' Event Message 'Enabling Route, Msg 0x%x, Pipe %d' Type: DEBUG Cause:

This debug event message is issued when SB receives a cmd to enable a route and the request is successfully executed.

Definition at line 630 of file cfe_sb_events.h.

39.28.1.19 CFE_SB_ENBL_RTE3_EID #define CFE_SB_ENBL_RTE3_EID 35 'Enbl Route Cmd:Invalid Param.Msg 0x%x,Pipe %d' Event Message 'Enbl Route Cmd:Invalid Param.Msg 0x%x,Pipe %d' Type: ERROR

This error event message is issued when SB receives a cmd to enable a route and the Msgld or Pipeld does not pass the validation checks. The Msgld must be less than cfg param CFE_PLATFORM_SB_HIGHEST_VALID_MSGID. The Pipeld must exist and be less than cfg param CFE_PLATFORM_SB_MAX_PIPES. The SB pipe table may be viewed to verify the Pipeld existence.

Definition at line 645 of file cfe sb events.h.

```
39.28.1.20 CFE_SB_FILEWRITE_ERR_EID
```

```
#define CFE_SB_FILEWRITE_ERR_EID 49

'File write,byte cnt err,file %s,request=%d,actual=%d'

Event Message 'File write,byte cnt err,file %s,request=%d,actual=%d'
```

Type: ERROR

Cause:

Cause:

This error event message is issued when one of many SB's file write operations is unsuccessful. This event is a result of CFE_FS_WriteHeader or OS_write returning something other than the number of bytes requested to be written. The requested value and the return value are displayed in the event.

Definition at line 826 of file cfe_sb_events.h.

```
39.28.1.21 CFE_SB_FULL_SUB_PKT_EID
 #define CFE_SB_FULL_SUB_PKT_EID 44
 'Full Sub Pkt %d Sent, Entries=%d, Stat=0x%x
Event Message 'Full Sub Pkt %d Sent, Entries=%d, Stat=0x%x
Type: DEBUG
Cause:
This debug event message is issued in response to the 'Send Previous Subscriptions' command and a full pkt segment
```

is sent.

Definition at line 763 of file cfe_sb_events.h.

```
39.28.1.22 CFE_SB_GET_BUF_ERR_EID
#define CFE_SB_GET_BUF_ERR_EID 16
 'Send Err: Request for Buffer Failed. MsgId 0x%x,app %s,size %d'
Event Message 'Send Err: Request for Buffer Failed. MsgId 0x%x, app %s, size %d'
Type: ERROR
```

This error event message is issued when the CFE_SB_SendMsg API fails to receive the necessary buffer memory from the ES memory pool. This could be an indication that the cfg param CFE_PLATFORM_SB_BUF_MEMORY_BYTES is set too low. To check this, send SB cmd to dump the SB statistics pkt and view the buffer memory parameters.

Definition at line 413 of file cfe_sb_events.h.

Cause:

39.28.1.23 CFE_SB_GETPIPEIDBYNAME_EID

Definition at line 252 of file cfe_sb_events.h.

```
#define CFE_SB_GETPIPEIDBYNAME_EID 65
 'GetPipeIdByName: ID retrieved. Name %s, IdOut 0x%x, app %s'
Event Message 'GetPipeIdByName: ID retrieved. Name %s, IdOut 0x%x, app %s'
Type: DEBUG
Cause:
This debug event is generated when id is retrieved by name.
Definition at line 228 of file cfe sb events.h.
39.28.1.24 CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID
 #define CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID 67
 'GetPipeIdByName Err:Name not found, Name %s, IdOut 0xx, App %s'
Event Message 'GetPipeIdByName Err: Name not found, Name %s, IdOut 0xx, App %s'
Type: ERROR
Cause:
This error event message is issued when the CFE_SB_GetPipeIdByName API receives an invalid name.
```

$39.28.1.25 \quad \mathsf{CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID}$

```
#define CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID 66
'GetPipeIdByName Err:Bad input argument,Name 0x%x,IdOut 0xx,App %s'
```

Event Message 'GetPipeIdByName Err:Bad input argument, Name 0x%x, IdOut 0xx, App %s'

Type: ERROR

Cause:

This error event message is issued when the CFE_SB_GetPipeIdByName API receives a NULL ptr as an argument.

Definition at line 240 of file cfe sb events.h.

39.28.1.26 CFE_SB_GETPIPENAME_EID

```
#define CFE_SB_GETPIPENAME_EID 62

'GetPipeName: Name retrieved. NameOut %s,Id %d, app %s'
```

Event Message 'GetPipeName: Name retrieved. NameOut %s,Id %d, app %s'

Type: DEBUG

Cause:

This debug event is generated when name is retrieved by id.

Definition at line 195 of file cfe_sb_events.h.

39.28.1.27 CFE_SB_GETPIPENAME_ID_ERR_EID

This debug event is generated when the name buffer ptr is null.

Definition at line 206 of file cfe_sb_events.h.

```
#define CFE_SB_GETPIPENAME_ID_ERR_EID 64
 'GetPipeName: Id error. NameOut %s, Id %d, app %s'
 Event Message 'GetPipeName: Id error. NameOut %s,Id %d, app %s'
Type: ERROR
Cause:
This debug event is generated when name is retrieved by id.
 Definition at line 217 of file cfe sb events.h.
 39.28.1.28 CFE_SB_GETPIPENAME_NULL_PTR_EID
 #define CFE_SB_GETPIPENAME_NULL_PTR_EID 63
 'GetPipeName: Null ptr error. Id %d, app %s'
 Event Message 'GetPipeName: Null ptr error. Id %d, app %s'
Type: ERROR
Cause:
```

Generated by Doxygen

39.28.1.29 CFE_SB_GETPIPEOPTS_EID #define CFE_SB_GETPIPEOPTS_EID 60 'GetPipeOpts: Options retrieved. app %s' Event Message 'GetPipeOpts: Options retrieved. app %s' Type: DEBUG Cause: This debug event is generated when options are retrieved. Definition at line 184 of file cfe sb events.h. 39.28.1.30 CFE_SB_GETPIPEOPTS_ID_ERR_EID #define CFE_SB_GETPIPEOPTS_ID_ERR_EID 58 'GetPipeOptsErr:Invalid pipe id (%d).app %s' Event Message 'GetPipeOptsErr: Invalid pipe id (%d).app %s' Type: ERROR Cause: This error event message is issued when the CFE_SB_GetPipeOpts API is called and the PipeID is invalid.

Definition at line 161 of file cfe_sb_events.h.

39.28.1.31 CFE_SB_GETPIPEOPTS_PTR_ERR_EID #define CFE_SB_GETPIPEOPTS_PTR_ERR_EID 59 'GetPipeOptsErr:Invalid opts ptr.app %s' Event Message 'GetPipeOptsErr:Invalid opts ptr.app %s' Type: ERROR Cause: This error event message is issued when the CFE_SB_GetPipeOpts API is called and the pointer is invalid. Definition at line 173 of file cfe sb events.h. 39.28.1.32 CFE_SB_GLS_INV_CALLER_EID #define CFE_SB_GLS_INV_CALLER_EID 41 'SB GetLastSender Err:Caller(%s) is not the owner of pipe %d' Event Message 'SB GetLastSender Err: Caller(%s) is not the owner of pipe %d' Type: ERROR Cause: This error event message is issued when the caller of CFE_SB_GetLastSenderId is not the owner of the given pipe Id.

Definition at line 725 of file cfe_sb_events.h.

```
#define CFE_SB_INIT_EID

#define CFE_SB_INIT_EID 1

'cFE SB Initialized'

Event Message 'cFE SB Initialized'

Type: INFORMATION
```

Cause:

This event message is issued when the Software Bus Task completes its initialization.

Definition at line 62 of file cfe_sb_events.h.

```
39.28.1.34 CFE_SB_LEN_ERR_EID
#define CFE_SB_LEN_ERR_EID 61
'Invalid cmd length: ID = 0x%X, CC = %d, Exp Len = %d, Len = %d'

Event Message 'Invalid cmd length: ID = 0x%X, CC = %d, Exp Len = %d, Len = %d'
```

Type: ERROR

Cause:

This event message is generated when a message with the CFE_SB_CMD_MID message ID has arrived but whose packet length does not match the expected length for the specified command code.

The ID field in the event message specifies the Message ID (in hex), the CC field specifies the Command Code (in decimal), the Exp Len field specified the Expected Length (in decimal), and Len specifies the message Length (in decimal) found in the message.

Definition at line 910 of file cfe_sb_events.h.

39.28.1.35 CFE_SB_LSTSNDER_ERR1_EID #define CFE_SB_LSTSNDER_ERR1_EID 30 'SB GetLastSender Err:Rcvd Null Ptr,Pipe=d,App=s' Event Message 'SB GetLastSender Err:Rcvd Null Ptr,Pipe=d,App=s' Type: ERROR Cause: This error event message is issued when SB receives a Null pointer from the caller of CFE_SB_GetLastSenderld. Definition at line 581 of file cfe sb events.h. 39.28.1.36 CFE_SB_LSTSNDER_ERR2_EID #define CFE_SB_LSTSNDER_ERR2_EID 31 'SB GetLastSender Err:Rcvd Invalid Pipe=d, App=s' Event Message 'SB GetLastSender Err: Rcvd Invalid Pipe=d, App=s' Type: ERROR Cause: This error event message is issued when SB receives an invalid pipe from the caller of CFE_SB_GetLastSenderId.

Definition at line 593 of file cfe_sb_events.h.

```
39.28.1.37 CFE_SB_MAX_DESTS_MET_EID
#define CFE_SB_MAX_DESTS_MET_EID 9
'Subscribe Err:Max Dests(%d)In Use For Msg 0x%x,pipe %s,app %s'

Event Message 'Subscribe Err:Max Dests(%d)In Use For Msg 0x%x,pipe %s,app %s'
Type: ERROR
```

Cause:

This error event message is issued when a subscription request is received and all destinations for that Msgld are in use. The number of destinations per msgid is a configuration parameter named CFE_PLATFORM_SB_MAX_DEST← PER_PKT. A destination is defined as a pipe.

Definition at line 315 of file cfe_sb_events.h.

```
39.28.1.38 CFE_SB_MAX_EID

#define CFE_SB_MAX_EID 67

Definition at line 43 of file cfe_sb_events.h.

39.28.1.39 CFE_SB_MAX_MSGS_MET_EID

#define CFE_SB_MAX_MSGS_MET_EID 8

'Subscribe Err:Max Msgs(%d)In Use,MsgId 0x%x,pipe %s,app %s'

Event Message 'Subscribe Err:Max Msgs(%d)In Use,MsgId 0x%x,pipe %s,app %s'

Type: ERROR
```

This error event message is issued when one of the SB subscribe APIs are called with a new Msgld, and SB cannot accommodate the new Msgld because the maximum number of Msglds are in use. The maximum number of Msglds is defined by cfg param CFE_PLATFORM_SB_MAX_MSG_IDS. This cfg param dictates the number of elements in the SB routing table. There is one element per Msgld. The user may monitor the routing table utilization figures (msgids currently in use, high water mark and max allowed) by sending the SB cmd to dump the SB statistics data.

Definition at line 301 of file cfe_sb_events.h.

Cause:

39.28.1.40 CFE_SB_MAX_PIPES_MET_EID #define CFE_SB_MAX_PIPES_MET_EID 3 'CreatePipeErr:Max Pipes(%d)In Use.app %s' Event Message 'CreatePipeErr: Max Pipes (%d) In Use.app %s' Type: ERROR Cause: This error event message is issued when the CFE_SB_CreatePipe API is called and the maximum number of pipes (defined by cfg param CFE_PLATFORM_SB_MAX_PIPES) are in use. Definition at line 87 of file cfe_sb_events.h. 39.28.1.41 CFE_SB_MSG_TOO_BIG_EID #define CFE_SB_MSG_TOO_BIG_EID 15 'Send Err: Msg Too Big MsgId=0x%x,app=%s,size=%d,MaxSz=%d' Event Message 'Send Err: Msg Too Big MsgId=0x%x,app=%s,size=%d,MaxSz=%d' Type: ERROR Cause:

This error event message is issued when the CFE_SB_SendMsg API is called and the packet length field in the message header implies that the message size exceeds the max size defined by mission cfg param CFE_MISSION_SB_MAX — _SB_MSG_SIZE. The request to send the message is denied, there is no partial packet sent.

Definition at line 399 of file cfe_sb_events.h.

```
39.28.1.42 CFE_SB_MSGID_LIM_ERR_EID

#define CFE_SB_MSGID_LIM_ERR_EID 17

'Send Err:Msg Limit Err MsgId 0x%x,pipe %s,sender %s'

Event Message 'Send Err:Msg Limit Err MsgId 0x%x,pipe %s,sender %s'

Type: ERROR
Cause:
```

This error event message is issued when the CFE_SB_SendMsg API cannot route the Msgld (displayed in event) to the pipe (displayed in the event) because the pipe currently contains the maximum number of messages of this type (Msg—Id). This is typically an indication that the receiver is not reading its pipe fast enough, or at all. A less typical scenerio is that the sender is sending a burst of pkts of this type (or Msgld) and the receiver (owner of 'pipe') cannot keep up. The subscriber of the message dictates this limit count in the 'MsgLim' parameter of the CFE_SB_SubscribeEx API or uses the default value of 4 if using the CFE_SB_Subscribe API.

Definition at line 432 of file cfe sb events.h.

```
39.28.1.43 CFE_SB_PART_SUB_PKT_EID

#define CFE_SB_PART_SUB_PKT_EID 45

'Partial Sub Pkt %d Sent,Entries=%d,Stat=0x%x'

Event Message 'Partial Sub Pkt %d Sent,Entries=%d,Stat=0x%x'

Type: DEBUG
Cause:
```

This debug event message is issued in response to the 'Send Previous Subscriptions' command and a partial pkt segment is sent.

Definition at line 775 of file cfe_sb_events.h.

39.28.1.44 CFE_SB_PIPE_ADDED_EID #define CFE_SB_PIPE_ADDED_EID 5 'Pipe Created:name %s,id %d,app %s' Event Message 'Pipe Created:name %s,id %d,app %s' Type: DEBUG Cause: This debug event message is issued when a pipe was successfully created in the CFE_SB_CreatePipe API. Definition at line 114 of file cfe_sb_events.h. 39.28.1.45 CFE_SB_PIPE_DELETED_EID #define CFE_SB_PIPE_DELETED_EID 47 'Pipe Deleted:id %d,owner %s' Event Message 'Pipe Deleted:id %d,owner %s' Type: DEBUG Cause: This debug event message is issued when the CFE SB DeletePipe API is called and the request is successfully completed.

Definition at line 800 of file cfe_sb_events.h.

```
39.28.1.46 CFE_SB_Q_FULL_ERR_EID
#define CFE_SB_Q_FULL_ERR_EID 25

'Pipe Overflow, MsgId 0x%x, pipe %s, stat 0x%x, app %s'

Event Message 'Pipe Overflow, MsgId 0x%x, pipe %s, stat 0x%x, app %s'

Type: ERROR
Cause:
```

This error event message is issued when the CFE_SB_SendMsg API is called and encounters an error when attempting to write the msg to the destination pipe (which is an underlying queue). This could indicate that the owner of the pipe is not readings its messages fast enough or at all. It may also mean that the pipe depth is not deep enough. The pipe depth is an input parameter to the CFE_SB_CreatePipe API.

Definition at line 514 of file cfe sb events.h.

```
39.28.1.47 CFE_SB_Q_RD_ERR_EID

#define CFE_SB_Q_RD_ERR_EID 27

'Pipe Read Err,pipe %s,app %s,stat 0x%x'

Event Message 'Pipe Read Err,pipe %s,app %s,stat 0x%x'

Type: ERROR
```

This error event message is issued when the CFE_SB_SendMsg API is called and encounters an error when attempting to read the msg from the destination pipe (which is an underlying queue). More precisely, the OS API OS_QueueGet has returned an unexpected error. The return code is displayed in the event. For more information, the user may look up the return code in the OSAL documention or source code.

Definition at line 546 of file cfe_sb_events.h.

Cause:

39.28.1.48 CFE_SB_Q_WR_ERR_EID

#define CFE_SB_Q_WR_ERR_EID 26

'Pipe Write Err, MsgId 0x%x, pipe %s, stat 0x%x, app %s'

Event Message 'Pipe Write Err, MsgId 0x%x, pipe %s, stat 0x%x, app %s'

Type: ERROR

Cause:

This error event message is issued when the CFE_SB_SendMsg API is called and encounters an error when attempting to write the msg to the destination pipe (which is an underlying queue). More precisely, the OS API OS_QueuePut has returned an unexpected error. The return code is displayed in the event. For more information, the user may look up the return code in the OSAL documention or source code.

Definition at line 530 of file cfe_sb_events.h.

39.28.1.49 CFE SB RCV BAD ARG EID

#define CFE_SB_RCV_BAD_ARG_EID 18

'Rcv Err:Bad Input Arg:BufPtr 0x%x,pipe %d,t/o %d,app %s'

Event Message 'Rcv Err:Bad Input Arg:BufPtr 0x%x,pipe %d,t/o %d,app %s'

Type: ERROR

Cause:

This error event message is issued when an invalid paramter is passed into the CFE_SB_RcvMsg API. Two possibile problems would be the first parameter (*BufPtr) being NULL or the third parameter (TimeOut) being less than -1.

Definition at line 445 of file cfe_sb_events.h.

39.28.1.50 CFE_SB_SEND_BAD_ARG_EID #define CFE_SB_SEND_BAD_ARG_EID 13 'Send Err: Bad input argument, Arg 0x%x, App %s' Event Message 'Send Err: Bad input argument, Arg 0x%x, App %s' Type: ERROR Cause: This error event message is issued when the CFE_SB_SendMsg API receives an invalid (possibly NULL) ptr as an argument. Definition at line 367 of file cfe_sb_events.h. 39.28.1.51 CFE_SB_SEND_INV_MSGID_EID #define CFE_SB_SEND_INV_MSGID_EID 21 'Send Err:Invalid msgid in msg,MsgId 0x%x,App %s' Event Message 'Send Err:Invalid msgid in msg, MsgId 0x%x, App %s' Type: ERROR Cause:

This error event message is issued when the CFE_SB_SendMsg API is called and the SB discovers that the message to send has a msg id that is invalid. It may be due to a msg id that is greater than cfg parameter CFE_PLATFORM_S← B_HIGHEST_VALID_MSGID

Definition at line 486 of file cfe_sb_events.h.

39.28.1.52 CFE_SB_SEND_NO_SUBS_EID

```
#define CFE_SB_SEND_NO_SUBS_EID 14
'No subscribers for MsgId 0x%x, sender %s'

Event Message 'No subscribers for MsgId 0x%x, sender %s'
```

Type: INFORMATION

Cause:

This info event message is issued when the CFE_SB_SendMsg API is called and there are no subscribers (therefore no destinations) for the message to be sent. Each time the SB detects this situation, the corresponding SB telemetry point is incremented.. NOTE: By default, SB filters this event. The EVS filter algorithm allows the first event to pass through the filter, but all subsequent events with this event id will be filtered. A command must be sent to unfilter this event if the user desires to see it.

Definition at line 385 of file cfe_sb_events.h.

39.28.1.53 CFE_SB_SETPIPEOPTS_EID

```
#define CFE_SB_SETPIPEOPTS_EID 57
'SetPipeOpts: Options set (%d). app %s'

Event Message 'SetPipeOpts: Options set (%d). app %s'
```

Type: DEBUG

Cause:

This debug event is generated when options are set.

Definition at line 149 of file cfe_sb_events.h.

39.28.1.54 CFE_SB_SETPIPEOPTS_ID_ERR_EID #define CFE_SB_SETPIPEOPTS_ID_ERR_EID 55 'SetPipeOptsErr:Invalid pipe id (%d).app %s' Event Message 'SetPipeOptsErr:Invalid pipe id (%d).app %s' Type: ERROR Cause: This error event message is issued when the CFE SB SetPipeOpts API is called and the PipeID is invalid. Definition at line 126 of file cfe_sb_events.h. 39.28.1.55 CFE_SB_SETPIPEOPTS_OWNER_ERR_EID #define CFE_SB_SETPIPEOPTS_OWNER_ERR_EID 56 'SetPipeOptsErr:Caller not owner (%d).app %s' Event Message 'SetPipeOptsErr:Caller not owner (%d).app %s' Type: ERROR Cause:

This error event message is issued when the CFE SB SetPipeOpts API is called and the pipe is owned by another app

Generated by Doxygen

Definition at line 138 of file cfe_sb_events.h.

39.28.1.56 CFE_SB_SND_RTG_EID

#define CFE_SB_SND_RTG_EID 39

'%s written:Size=%d,Entries=%d'

Event Message '%s written:Size=%d,Entries=%d'

Type: DEBUG

Cause:

This debug event message is issued after the SB routing info file, pipe info file or the map info file is written and closed. This is done is response to the SB 'Send Routing Info' cmd, the SB 'Send pipe Info' cmd or the SB 'Send Map Info' cmd, respectively.

Definition at line 698 of file cfe_sb_events.h.

39.28.1.57 CFE SB SND RTG ERR1 EID

#define CFE_SB_SND_RTG_ERR1_EID 40

'Error creating file %s, stat=0x%x'

Event Message 'Error creating file %s, stat=0x%x'

Type: ERROR

Cause:

This error event message is issued when the SB 'Send Routing Info' cmd is received and the file create fails. The event displays the status received from the OS.

Definition at line 712 of file cfe_sb_events.h.

39.28.1.58 CFE_SB_SND_STATS_EID #define CFE_SB_SND_STATS_EID 32 'Software Bus Statistics packet sent' Event Message 'Software Bus Statistics packet sent' Type: DEBUG Cause: This debug event message is issued when SB receives a cmd to send the SB statistics pkt. Definition at line 606 of file cfe_sb_events.h. 39.28.1.59 CFE_SB_SUB_ARG_ERR_EID #define CFE_SB_SUB_ARG_ERR_EID 6 'Subscribe Err:Bad Arg, MsgId 0x%x, PipeId %d, app %s, scope %d' Event Message 'Subscribe Err:Bad Arg, MsgId 0x%x, PipeId %d, app %s, scope %d' Type: ERROR

This error event message is issued when one of the Subscribe API's are called with an invalid Msgld. An invalid Msgld is defined as being greater than the cfg param CFE_PLATFORM_SB_HIGHEST_VALID_MSGID.

Definition at line 266 of file cfe_sb_events.h.

Cause:

39.28.1.60 CFE_SB_SUB_INV_CALLER_EID

#define CFE_SB_SUB_INV_CALLER_EID 51

'Subscribe Err:Caller(%s) is not the owner of pipe %d, Msg=0x%x'

Event Message 'Subscribe Err:Caller(%s) is not the owner of pipe %d, Msg=0x%x'

Type: ERROR

Cause:

This error event message is issued when one of the SB subscribe API's are called and the requestor is not the owner of the pipe. Only the owner of the pipe may subscribe to messages on the pipe.

Definition at line 852 of file cfe_sb_events.h.

39.28.1.61 CFE_SB_SUB_INV_PIPE_EID

#define CFE_SB_SUB_INV_PIPE_EID 50

'Subscribe Err:Invalid Pipe Id, Msg=0x%x, PipeId=%d, App %s'

Event Message 'Subscribe Err:Invalid Pipe Id, Msg=0x%x, PipeId=%d, App %s'

Type: ERROR

Cause:

This error event message is issued when the input Pipeld has a value that is not listed in the pipe table. This typically means that the pipe does not exist. The pipe table may be viewed for verification.

Definition at line 839 of file cfe_sb_events.h.

39.28.1.62 CFE_SB_SUBSCRIPTION_RCVD_EID #define CFE_SB_SUBSCRIPTION_RCVD_EID 10 'Subscription Rcvd:MsgId 0x%x on %s(%d),app %s' **Event Message** 'Subscription Rcvd:MsgId 0x%x on %s(%d),app %s' Type: DEBUG Cause: This debug event message is issued when a subscription is successfully made through one of the SB Subscribe API's Definition at line 327 of file cfe_sb_events.h. 39.28.1.63 CFE_SB_SUBSCRIPTION_REMOVED_EID #define CFE_SB_SUBSCRIPTION_REMOVED_EID 48 'Subscription Removed: Msg 0x%x on pipe %d, app %s' Event Message 'Subscription Removed: Msg 0x%x on pipe %d, app %s' Type: DEBUG Cause:

This debug event message is issued when CFE_SB_Unsubscribe API is called and the request is successfully completed.

Definition at line 812 of file cfe_sb_events.h.

39.28.1.64 CFE_SB_SUBSCRIPTION_RPT_EID

#define CFE_SB_SUBSCRIPTION_RPT_EID 22

'Sending Subscription Report Msg=0x%x, Pipe=%d, Stat=0x%x'

Event Message 'Sending Subscription Report Msg=0x%x, Pipe=%d, Stat=0x%x'

Type: DEBUG

Cause:

This debug event message is issued when SB subscription reporting is enabled, (which is disabled by default) and a subscription is successfully received.

Definition at line 498 of file cfe_sb_events.h.

39.28.1.65 CFE_SB_UNSUB_ARG_ERR_EID

#define CFE_SB_UNSUB_ARG_ERR_EID 11

'UnSubscribe Err:Bad Arg, MsgId 0x%x, PipeId %d, app %s, scope %d'

Event Message 'UnSubscribe Err:Bad Arg, MsgId 0x%x, PipeId %d, app %s, scope %d'

Type: ERROR

Cause:

This error event message is issued when a request to unsubscribe fails due to an invalid msgid or an invalid pipeid in one of SB's unsubscribe API's. The msgid must be less than cfg param CFE_PLATFORM_SB_HIGHEST_VALID_MSGID and the pipeid must have been created and have a value less than cfg param CFE_PLATFORM_SB_MAX_PIPES. The SB pipe table may be viewed to verify its value or existence.

Definition at line 342 of file cfe_sb_events.h.

39.28.1.66 CFE_SB_UNSUB_INV_CALLER_EID

#define CFE_SB_UNSUB_INV_CALLER_EID 53

'Unsubscribe Err:Caller(%s) is not the owner of pipe %d,Msg=0x%x'

Event Message 'Unsubscribe Err:Caller(%s) is not the owner of pipe %d, Msg=0x%x'

Type: ERROR

Cause:

This error event message is issued when one of the SB unsubscribe API's are called and the requestor is not the owner of the pipe (or ES). Only the owner of the pipe (or ES for cleanup purposes) may unsubscribe messages from a pipe.

Definition at line 879 of file cfe_sb_events.h.

39.28.1.67 CFE_SB_UNSUB_INV_PIPE_EID

#define CFE_SB_UNSUB_INV_PIPE_EID 52

'Unsubscribe Err:Invalid Pipe Id Msg=0x%x,Pipe=%d,app=%s'

Event Message 'Unsubscribe Err: Invalid Pipe Id Msg=0x%x, Pipe=%d, app=%s'

Type: ERROR

Cause:

This error event message is issued when one of the SB unsubscribe API's are called and the input parameter Pipeld is not listed in the pipe table. This typically means that the pipe does not exist. The pipe table may be viewed for verification.

Definition at line 866 of file cfe_sb_events.h.

39.28.1.68 CFE_SB_UNSUB_NO_SUBS_EID

```
#define CFE_SB_UNSUB_NO_SUBS_EID 12
'Unsubscribe Err:No subs for Msg 0x%x on %s,app %s'

Event Message 'Unsubscribe Err:No subs for Msg 0x%x on %s,app %s'
```

Type: INFORMATION

Cause:

This info event message is issued when a request to unsubscribe fails due to a non existent msgid/pipeid combination in the SB routing table. The SB routing table may be viewed to see a list of valid msgid/pipeid combinations.

Definition at line 355 of file cfe_sb_events.h.

39.29 cfe/fsw/cfe-core/src/inc/cfe sb extern typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_mission_cfg.h"
```

Typedefs

- typedef uint8 CFE_SB_QosPriority_Enum_t
 - Selects the priorty level for message routing.
- typedef uint8 CFE_SB_QosReliability_Enum_t
 - Selects the reliability level for message routing.
- typedef uint16 CFE_SB_MsgRouteIdx_Atom_t
 - An integer type that should be used for indexing into the Routing Table.
- typedef uint16 CFE_SB_Msgld_Atom_t
 - CFE_SB_Msgld_Atom_t primitive type definition.
- typedef CFE_SB_Msgld_Atom_t CFE_SB_Msgld_t
 - CFE_SB_Msgld_t type definition.

Enumerations

- enum CFE_SB_QosPriority { CFE_SB_QosPriority_LOW = 0, CFE_SB_QosPriority_HIGH = 1 }
 Label definitions associated with CFE_SB_QosPriority_Enum_t.
- enum CFE_SB_QosReliability { CFE_SB_QosReliability_LOW = 0, CFE_SB_QosReliability_HIGH = 1 }

Label definitions associated with CFE_SB_QosReliability_Enum_t.

39.29.1 Typedef Documentation

39.29.1.1 CFE_SB_Msgld_Atom_t

typedef uint16 CFE_SB_MsgId_Atom_t

CFE_SB_Msgld_Atom_t primitive type definition.

This is an integer type capable of holding any Message ID value

Definition at line 101 of file cfe_sb_extern_typedefs.h.

39.29.1.2 CFE_SB_Msgld_t

typedef CFE_SB_MsgId_Atom_t CFE_SB_MsgId_t

CFE_SB_Msgld_t type definition.

Software Bus message identifier used in many SB APIs

Currently this is directly mapped to the underlying holding type (not wrapped) for compatibility with existing usage semantics in apps (mainly switch/case statements)

Note

In a future version it could become a type-safe wrapper similar to the route index, to avoid message IDs getting mixed between other integer values.

Definition at line 115 of file cfe sb extern typedefs.h.

39.29.1.3 CFE_SB_MsgRouteldx_Atom_t

typedef uint16 CFE_SB_MsgRouteIdx_Atom_t

An integer type that should be used for indexing into the Routing Table.

Definition at line 91 of file cfe_sb_extern_typedefs.h.

```
39.29.1.4 CFE_SB_QosPriority_Enum_t
```

```
typedef uint8 CFE_SB_QosPriority_Enum_t
```

Selects the priorty level for message routing.

See also

```
enum CFE_SB_QosPriority
```

Definition at line 60 of file cfe_sb_extern_typedefs.h.

```
39.29.1.5 CFE_SB_QosReliability_Enum_t
```

```
typedef uint8 CFE_SB_QosReliability_Enum_t
```

Selects the reliability level for message routing.

See also

enum CFE_SB_QosReliability

Definition at line 86 of file cfe_sb_extern_typedefs.h.

39.29.2 Enumeration Type Documentation

39.29.2.1 CFE_SB_QosPriority

enum CFE_SB_QosPriority

Label definitions associated with CFE_SB_QosPriority_Enum_t.

Enumerator

CFE_SB_QosPriority_LOW	Normal priority level.
CFE_SB_QosPriority_HIGH	High priority.

Definition at line 40 of file cfe_sb_extern_typedefs.h.

39.29.2.2 CFE_SB_QosReliability

```
enum CFE_SB_QosReliability
```

Label definitions associated with CFE_SB_QosReliability_Enum_t.

Enumerator

CFE_SB_QosReliability_LOW	Normal (best-effort) reliability.
CFE_SB_QosReliability_HIGH	High reliability.

Definition at line 66 of file cfe_sb_extern_typedefs.h.

39.30 cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h File Reference

```
#include "common_types.h"
#include "cfe_sb.h"
#include "cfe_es.h"
```

Data Structures

```
    struct CFE SB WriteFileInfoCmd Payload t
```

Write File Info Commands.

- struct CFE_SB_WriteFileInfoCmd_t
- struct CFE_SB_RouteCmd_Payload_t

Enable/Disable Route Commands.

- struct CFE_SB_RouteCmd_t
- struct CFE SB HousekeepingTlm Payload t
- struct CFE_SB_HousekeepingTlm_t
- struct CFE_SB_PipeDepthStats_t

SB Pipe Depth Statistics.

- struct CFE_SB_StatsTIm_Payload_t
- struct CFE_SB_StatsTIm_t
- struct CFE_SB_RoutingFileEntry_t

SB Routing File Entry.

struct CFE_SB_MsgMapFileEntry_t

SB Map File Entry.

- struct CFE_SB_SingleSubscriptionTlm_Payload_t
- struct CFE SB SingleSubscriptionTlm t
- struct CFE_SB_SubEntries_t

SB Previous Subscriptions Entry.

- struct CFE_SB_AllSubscriptionsTlm_Payload_t
- struct CFE_SB_AllSubscriptionsTlm_t

Macros

- #define CFE SB NOOP CC 0
- #define CFE SB RESET COUNTERS CC 1
- #define CFE SB SEND SB STATS CC 2
- #define CFE SB SEND ROUTING INFO CC 3
- #define CFE SB ENABLE ROUTE CC 4
- #define CFE SB DISABLE ROUTE CC 5
- #define CFE SB SEND PIPE INFO CC 7
- #define CFE SB SEND MAP INFO CC 8
- #define CFE SB ENABLE SUB REPORTING CC 9
- #define CFE SB DISABLE SUB REPORTING CC 10
- #define CFE SB SEND PREV SUBS CC 11

Typedefs

- typedef CFE_SB_CmdHdr_t CFE_SB_Noop_t
- typedef CFE_SB_CmdHdr_t CFE_SB_ResetCounters_t
- typedef CFE SB CmdHdr t CFE SB EnableSubReporting t
- typedef CFE SB CmdHdr t CFE SB DisableSubReporting t
- typedef CFE SB CmdHdr t CFE SB SendSbStats t
- typedef CFE SB CmdHdr t CFE SB SendPrevSubs t
- typedef CFE SB WriteFileInfoCmd t CFE SB SendRoutingInfo t
- typedef CFE SB WriteFileInfoCmd t CFE SB SendPipeInfo t
- typedef CFE SB WriteFileInfoCmd t CFE SB SendMapInfo t
- typedef CFE SB RouteCmd t CFE SB EnableRoute t
- typedef CFE_SB_RouteCmd_t CFE_SB_DisableRoute_t
- typedef CFE_SB_HousekeepingTlm_t CFE_SB_HKMsg_t
- typedef CFE SB StatsTlm t CFE SB StatMsg t
- typedef CFE_SB_AllSubscriptionsTlm_t CFE_SB_PrevSubMsg_t
- typedef CFE_SB_SingleSubscriptionTlm_t CFE_SB_SubRprtMsg_t

39.30.1 Macro Definition Documentation

39.30.1.1 CFE_SB_DISABLE_ROUTE_CC

#define CFE_SB_DISABLE_ROUTE_CC 5

Name Disable Software Bus Route

Description

This command will disable a particular destination. The destination is specified in terms of MsgID and PipeID. The MsgId and PipeID are parmaters in the command. All destinations are enabled by default.

Command Mnemonic(s) \$sc_\$cpu_SB_DisRoute

Command Structure

CFE SB RouteCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment
- View routing information CFE_SB_SEND_ROUTING_INFO_CC to verify enable/disable state change
- The CFE_SB_DSBL_RTE2_EID debug event message will be generated. All debug events are filtered by default.
- · Destination will stop receiving messages.

Error Conditions

An Error may occur if the Msgld or Pipeld parmaters do not pass validation or the destination does not exist.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_DSBL_RTE1_EID or CF
 E SB_DSBL_RTE3_EID

Criticality

This command is not intended to be used in nominal conditions. It is possible to get into a state where a destination cannot be re-enabled without reseting the processor. For instance, sending this command with CFE_SB_CMD — _MID and the SB_Cmd_Pipe would inhibit any ground commanding to the software bus until the processor was reset. There are similar problems that may occur when using this command.

See also

CFE_SB_SEND_ROUTING_INFO_CC, CFE_SB_ENABLE_ROUTE_CC, CFE_SB_RouteCmd_t

Definition at line 277 of file cfe_sb_msg.h.

39.30.1.2 CFE_SB_DISABLE_SUB_REPORTING_CC

#define CFE_SB_DISABLE_SUB_REPORTING_CC 10

Name Disable Subscription Reporting Command

This command will disable subscription reporting and is intended to

be used only by the CFS SBN (Software Bus Networking) Application. It is not intended to be sent from the ground or used by operations. When subscription reporting is enabled, SB will generate and send a software bus packet for each subscription received. The software bus packet that is sent contains the information received in the subscription API. This subscription report is neeeded by SBN if offboard routing is required.

Command Mnemonic(s) \$sc \$cpu SB DisSubRptg

Command Structure

CFE SB CmdHdr t

Command Verification

Successful execution of this command will result in the suppression of packets (with the CFE_SB_ONESUB_TL M MID Msgld) for each subscription received by SB through the subscription APIs.

Error Conditions

None

Criticality

None

See also

CFE_SB_SingleSubscriptionTlm_t, CFE_SB_ENABLE_SUB_REPORTING_CC, CFE_SB_SEND_PREV_SUB⇔ S CC

Definition at line 430 of file cfe_sb_msg.h.

39.30.1.3 CFE_SB_ENABLE_ROUTE_CC

```
#define CFE_SB_ENABLE_ROUTE_CC 4
```

Name Enable Software Bus Route

Description

This command will enable a particular destination. The destination is specified in terms of MsgID and PipeID. The MsgId and PipeID are parmaters in the command. All destinations are enabled by default. This command is needed only after a CFE_SB_DISABLE_ROUTE_CC command is used.

Command Mnemonic(s) \$sc_\$cpu_SB_EnaRoute

Command Structure

CFE SB RouteCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu SB CMDPC command execution counter will increment
- View routing information CFE_SB_SEND_ROUTING_INFO_CC to verify enable/disable state change
- The CFE_SB_ENBL_RTE2_EID debug event message will be generated. All debug events are filtered by default.
- · Destination will begin receiving messages.

Error Conditions

An Error may occur if the Msgld or Pipeld parmaters do not pass validation or the destination does not exist.

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu SB CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_ENBL_RTE1_EID or CF

 E_SB_ENBL_RTE3_EID

Criticality

This command is not inherently dangerous.

See also

CFE SB SEND ROUTING INFO CC, CFE SB DISABLE ROUTE CC, CFE SB RouteCmd t

Definition at line 234 of file cfe_sb_msg.h.

39.30.1.4 CFE_SB_ENABLE_SUB_REPORTING_CC

#define CFE_SB_ENABLE_SUB_REPORTING_CC 9

Name Enable Subscription Reporting Command

This command will enable subscription reporting and is intended to

be used only by the CFS SBN (Software Bus Networking) Application. It is not intended to be sent from the ground or used by operations. When subscription reporting is enabled, SB will generate and send a software bus packet for each subscription received. The software bus packet that is sent contains the information received in the subscription API. This subscription report is neeeded by SBN if offboard routing is required.

Command Mnemonic(s) \$sc \$cpu SB EnaSubRptg

Command Structure

CFE SB CmdHdr t

Command Verification

Successful execution of this command will result in the sending of a packet (with the CFE_SB_ONESUB_TLM_MID Msgld) for each subscription received by SB through the subscription APIs.

Error Conditions

None

Criticality

None

See also

CFE_SB_SingleSubscriptionTlm_t, CFE_SB_DISABLE_SUB_REPORTING_CC, CFE_SB_SEND_PREV_SU⇔ BS_CC

Definition at line 398 of file cfe_sb_msg.h.

39.30.1.5 CFE_SB_NOOP_CC #define CFE_SB_NOOP_CC 0 Name Software Bus No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Software Bus task.

Command Mnemonic(s) \$sc_\$cpu_SB_NOOP

Command Structure

CFE_SB_CmdHdr_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment
- The CFE_SB_CMD0_RCVD_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Software Bus receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 78 of file cfe sb msg.h.

```
39.30.1.6 CFE_SB_RESET_COUNTERS_CC
```

```
#define CFE_SB_RESET_COUNTERS_CC 1
```

Name Software Bus Reset Counters

Description

This command resets the following counters within the Software Bus housekeeping telemetry:

- Command Execution Counter (\$sc \$cpu SB CMDPC)
- Command Error Counter (\$sc_\$cpu_SB_CMDEC)

Command Mnemonic(s) \$sc_\$cpu_SB_ResetCtrs

Command Structure

```
CFE SB CmdHdr t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment
- The CFE SB CMD1 RCVD EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Software Bus receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

Definition at line 115 of file cfe_sb_msg.h.

39.30.1.7 CFE_SB_SEND_MAP_INFO_CC

#define CFE_SB_SEND_MAP_INFO_CC 8

Name Write Map Info to a File

This command will create a file containing the software bus message

map information. The message map is a lookup table (an array of uint16s)that allows fast access to the correct routing table element during a softeware bus send operation. This is diasgnostic information that may be needed due to the dynamic nature of the cFE software bus. An abosulte path and filename may be specified in the command. If this command field contains an empty string (NULL terminator as the first character) the default file path and name is used. The default file path and name is defined in the platform configuration file as CFE_PLATFOR M SB DEFAULT MAP FILENAME.

Command Mnemonic(s) \$sc_\$cpu_SB_WriteMap2File

Command Structure

CFE_SB_WriteFileInfoCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment.
- · Specified filename created at specified location. See description.
- The CFE_SB_SND_RTG_EID debug event message will be generated. All debug events are filtered by default.

Error Conditions

• Errors may occur during write operations to the file. Possible causes might be insufficient space in the file system or the filename or file path is improperly specified.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_SND_RTG_ERR1_EID and CFE_SB_FILEWRITE_ERR_EID

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

CFE_SB_SEND_ROUTING_INFO_CC, CFE_SB_SEND_PIPE_INFO_CC

Definition at line 366 of file cfe sb msg.h.

```
39.30.1.8 CFE_SB_SEND_PIPE_INFO_CC
```

```
#define CFE_SB_SEND_PIPE_INFO_CC 7
```

Name Write Pipe Info to a File

Description

This command will create a file containing the software bus pipe information. The pipe information contains information about every pipe that has been created through the CFE_SB_CreatePipe API. An abosulte path and filename may be specified in the command. If this command field contains an empty string (NULL terminator as the first character) the default file path and name is used. The default file path and name is defined in the platform configuration file as CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME.

Command Mnemonic(s) \$sc \$cpu SB WritePipe2File

Command Structure

CFE SB WriteFileInfoCmd t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment.
- Specified filename created at specified location. See description.
- The CFE_SB_SND_RTG_EID debug event message will be generated. All debug events are filtered by default.

Error Conditions

• Errors may occur during write operations to the file. Possible causes might be insufficient space in the file system or the filename or file path is improperly specified.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_SND_RTG_ERR1_EID and CFE_SB_FILEWRITE_ERR_EID

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

```
CFE_SB_SEND_ROUTING_INFO_CC, CFE_SB_SEND_MAP_INFO_CC
```

Definition at line 321 of file cfe sb msg.h.

39.30.1.9 CFE_SB_SEND_PREV_SUBS_CC

#define CFE_SB_SEND_PREV_SUBS_CC 11

Name Send Previous Subscriptions Command

This command generates a series of packets that contain information

regarding all subscriptions previously received by SB. This command is intended to be used only by the CFS S← BN(Software Bus Networking) Application. It is not intended to be sent from the ground or used by operations. When this command is received the software bus will generate and send a series of packets containing information about all subscription previously received.

Command Mnemonic(s) \$sc \$cpu SB SendPrevSubs

Command Structure

CFE SB CmdHdr t

Command Verification

Successful execution of this command will result in a series of packets (with the CFE_SB_ALLSUBS_TLM_MID Msgld) being sent on the software bus.

Error Conditions

None

Criticality

None

See also

 ${\sf CFE_SB_AllSubscriptionsTlm_t,\ CFE_SB_ENABLE_SUB_REPORTING_CC,\ CFE_SB_DISABLE_SUB_REP} \\ {\sf ORTING\ CC}$

Definition at line 462 of file cfe_sb_msg.h.

```
39.30.1.10 CFE_SB_SEND_ROUTING_INFO_CC
```

```
#define CFE_SB_SEND_ROUTING_INFO_CC 3
```

Name Write Software Bus Routing Info to a File

Description

This command will create a file containing the software bus routing information. The routing information contains information about every subscription that has been received through the SB subscription APIs. An abosulte path and filename may be specified in the command. If this command field contains an empty string (NULL terminator as the first character) the default file path and name is used. The default file path and name is defined in the platform configuration file as CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME.

Command Mnemonic(s) \$sc \$cpu SB WriteRouting2File

Command Structure

CFE_SB_WriteFileInfoCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu SB CMDPC command execution counter will increment.
- Specified filename created at specified location. See description.
- The CFE_SB_SND_RTG_EID debug event message will be generated. All debug events are filtered by default.

Error Conditions

• Errors may occur during write operations to the file. Possible causes might be insufficient space in the file system or the filename or file path is improperly specified.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_SB_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE_SB_SND_RTG_ERR1_EID and CFE_SB_FILEWRITE_ERR_EID

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

```
{\sf CFE\_SB\_SEND\_PIPE\_INFO\_CC,\,CFE\_SB\_SEND\_MAP\_INFO\_CC,\,CFE\_SB\_WriteFileInfoCmd\_t}
```

Definition at line 194 of file cfe sb msg.h.

39.30.1.11 CFE_SB_SEND_SB_STATS_CC

#define CFE_SB_SEND_SB_STATS_CC 2

Name Send Software Bus Statistics

Description

This command will cause the SB task to send a statistics packet containing current utilization figures and high water marks which may be useful for checking the margin of the SB platform configuration settings.

Command Mnemonic(s) \$sc_\$cpu_SB_DumpStats

Command Structure

CFE_SB_CmdHdr_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_SB_CMDPC command execution counter will increment
- Receipt of statistics packet with Msgld CFE_SB_STATS_TLM_MID
- The CFE_SB_SND_STATS_EID debug event message will be generated. All debug events are filtered by default.

Error Conditions

There are no error conditions for this command. If the Software Bus receives the command, the debug event is sent and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. It will create and send a message on the software bus. If performed repeatedly, it is possible that receiver pipes may overflow.

See also

Definition at line 150 of file cfe_sb_msg.h.

39.30.2 Typedef Documentation

```
39.30.2.1 CFE_SB_DisableRoute_t
typedef CFE_SB_RouteCmd_t CFE_SB_DisableRoute_t
Definition at line 532 of file cfe sb msg.h.
39.30.2.2 CFE_SB_DisableSubReporting_t
typedef CFE_SB_CmdHdr_t CFE_SB_DisableSubReporting_t
Definition at line 479 of file cfe_sb_msg.h.
39.30.2.3 CFE_SB_EnableRoute_t
typedef CFE_SB_RouteCmd_t CFE_SB_EnableRoute_t
Definition at line 531 of file cfe_sb_msg.h.
39.30.2.4 CFE_SB_EnableSubReporting_t
typedef CFE_SB_CmdHdr_t CFE_SB_EnableSubReporting_t
Definition at line 478 of file cfe sb msg.h.
39.30.2.5 CFE_SB_HKMsg_t
typedef CFE_SB_HousekeepingTlm_t CFE_SB_HKMsg_t
Definition at line 762 of file cfe_sb_msg.h.
39.30.2.6 CFE_SB_Noop_t
typedef CFE_SB_CmdHdr_t CFE_SB_Noop_t
Definition at line 476 of file cfe_sb_msg.h.
```

```
39.30.2.7 CFE_SB_PrevSubMsg_t
typedef CFE_SB_AllSubscriptionsTlm_t CFE_SB_PrevSubMsg_t
Definition at line 764 of file cfe sb msg.h.
39.30.2.8 CFE_SB_ResetCounters_t
typedef CFE_SB_CmdHdr_t CFE_SB_ResetCounters_t
Definition at line 477 of file cfe_sb_msg.h.
39.30.2.9 CFE_SB_SendMapInfo_t
typedef CFE_SB_WriteFileInfoCmd_t CFE_SB_SendMapInfo_t
Definition at line 506 of file cfe_sb_msg.h.
39.30.2.10 CFE_SB_SendPipeInfo_t
typedef CFE_SB_WriteFileInfoCmd_t CFE_SB_SendPipeInfo_t
Definition at line 505 of file cfe sb msg.h.
39.30.2.11 CFE_SB_SendPrevSubs_t
typedef CFE_SB_CmdHdr_t CFE_SB_SendPrevSubs_t
Definition at line 481 of file cfe_sb_msg.h.
39.30.2.12 CFE_SB_SendRoutingInfo_t
typedef CFE_SB_WriteFileInfoCmd_t CFE_SB_SendRoutingInfo_t
Definition at line 504 of file cfe_sb_msg.h.
```

```
39.30.2.13 CFE_SB_SendSbStats_t
typedef CFE_SB_CmdHdr_t CFE_SB_SendSbStats_t
Definition at line 480 of file cfe_sb_msg.h.
39.30.2.14 CFE_SB_StatMsg_t
typedef CFE_SB_StatsTlm_t CFE_SB_StatMsg_t
Definition at line 763 of file cfe_sb_msg.h.
39.30.2.15 CFE_SB_SubRprtMsg_t
typedef CFE_SB_SingleSubscriptionTlm_t CFE_SB_SubRprtMsg_t
Definition at line 765 of file cfe_sb_msg.h.
39.31 cfe/fsw/cfe-core/src/inc/cfe_tbl.h File Reference
```

```
#include "cfe_tbl_extern_typedefs.h"
#include "cfe_sb_extern_typedefs.h"
#include "common_types.h"
#include "cfe_time.h"
#include "osconfig.h"
```

Data Structures

struct CFE_TBL_Info_t
 Table Info.

Macros

```
    #define CFE TBL OPT BUFFER MSK (0x0001)
```

Table buffer mask.

• #define CFE_TBL_OPT_SNGL_BUFFER (0x0000)

Single buffer table.

#define CFE TBL OPT DBL BUFFER (0x0001)

Double buffer table.

#define CFE_TBL_OPT_LD_DMP_MSK (0x0002)

Table load/dump mask.

#define CFE TBL OPT LOAD DUMP (0x0000)

Load/Dump table.

#define CFE_TBL_OPT_DUMP_ONLY (0x0002)

Dump only table.

#define CFE_TBL_OPT_USR_DEF_MSK (0x0004)

Table user defined mask.

#define CFE_TBL_OPT_NOT_USR_DEF (0x0000)

Not user defined table.

#define CFE_TBL_OPT_USR_DEF_ADDR (0x0006)

User Defined table,.

• #define CFE_TBL_OPT_CRITICAL_MSK (0x0008)

Table critical mask.

#define CFE_TBL_OPT_NOT_CRITICAL (0x0000)

Not critical table.

#define CFE_TBL_OPT_CRITICAL (0x0008)

Critical table.

#define CFE_TBL_OPT_DEFAULT (CFE_TBL_OPT_SNGL_BUFFER | CFE_TBL_OPT_LOAD_DUMP)
 Default table options.

#define CFE TBL MAX FULL NAME LEN (CFE MISSION TBL MAX FULL NAME LEN)

Table maximum full name length.

#define CFE_TBL_BAD_TABLE_HANDLE (CFE_TBL_Handle_t) 0xFFFF

Bad table handle.

- #define CFE_TBL_INACTIVE_BUFFER CFE_TBL_BufferSelect_INACTIVE
- #define CFE_TBL_ACTIVE_BUFFER CFE_TBL_BufferSelect_ACTIVE

Typedefs

typedef int32(* CFE_TBL_CallbackFuncPtr_t) (void *TblPtr)

Table Callback Function.

typedef int16 CFE_TBL_Handle_t

Table Handle primitive.

Enumerations

enum CFE_TBL_SrcEnum_t { CFE_TBL_SRC_FILE = 0, CFE_TBL_SRC_ADDRESS }
 Table Source.

Functions

int32 CFE_TBL_Register (CFE_TBL_Handle_t *TblHandlePtr, const char *Name, uint32 Size, uint16 TblOption ←
Flags, CFE_TBL_CallbackFuncPtr t TblValidationFuncPtr)

Register a table with cFE to obtain Table Management Services.

int32 CFE TBL Share (CFE TBL Handle t *TblHandlePtr, const char *TblName)

Obtain handle of table registered by another application.

• int32 CFE_TBL_Unregister (CFE_TBL_Handle_t TblHandle)

Unregister a previously registered table and free associated resources.

• int32 CFE_TBL_Load (CFE_TBL_Handle_t TblHandle, CFE_TBL_SrcEnum_t SrcType, const void *SrcDataPtr)

Load a specified table with data from specified source.

int32 CFE_TBL_Update (CFE_TBL_Handle_t TblHandle)

Update contents of a specified table, if an update is pending.

int32 CFE_TBL_Validate (CFE_TBL_Handle_t TblHandle)

Perform steps to validate the contents of a table image.

int32 CFE TBL Manage (CFE TBL Handle t TblHandle)

Perform standard operations to maintain a table.

int32 CFE_TBL_DumpToBuffer (CFE_TBL_Handle_t TblHandle)

Copies the contents of a Dump Only Table to a shared buffer.

• int32 CFE_TBL_Modified (CFE_TBL_Handle_t TblHandle)

Notify cFE Table Services that table contents have been modified by the Application.

int32 CFE TBL GetAddress (void **TblPtr, CFE TBL Handle t TblHandle)

Obtain the current address of the contents of the specified table.

int32 CFE TBL ReleaseAddress (CFE TBL Handle t TblHandle)

Release previously obtained pointer to the contents of the specified table.

int32 CFE_TBL_GetAddresses (void **TblPtrs[], uint16 NumTables, const CFE_TBL_Handle_t TblHandles[])

Obtain the current addresses of an array of specified tables.

• int32 CFE TBL ReleaseAddresses (uint16 NumTables, const CFE TBL Handle t TblHandles[])

Release the addresses of an array of specified tables.

int32 CFE_TBL_GetStatus (CFE_TBL_Handle_t TblHandle)

Obtain current status of pending actions for a table.

int32 CFE_TBL_GetInfo (CFE_TBL_Info_t *TblInfoPtr, const char *TblName)

Obtain characteristics/information of/about a specified table.

 int32 CFE_TBL_NotifyByMessage (CFE_TBL_Handle_t TblHandle, CFE_SB_Msgld_t Msgld, uint16 CommandCode, uint32 Parameter)

Instruct cFE Table Services to notify Application via message when table requires management.

39.31.1 Macro Definition Documentation

39.31.1.1 CFE TBL ACTIVE BUFFER

#define CFE_TBL_ACTIVE_BUFFER CFE_TBL_BufferSelect_ACTIVE

Definition at line 97 of file cfe tbl.h.

```
39.31.1.2 CFE_TBL_BAD_TABLE_HANDLE
```

```
#define CFE_TBL_BAD_TABLE_HANDLE (CFE_TBL_Handle_t) 0xFFFF
```

Bad table handle.

Definition at line 83 of file cfe tbl.h.

39.31.1.3 CFE_TBL_INACTIVE_BUFFER

```
#define CFE_TBL_INACTIVE_BUFFER CFE_TBL_BufferSelect_INACTIVE
```

Definition at line 96 of file cfe_tbl.h.

39.31.1.4 CFE_TBL_MAX_FULL_NAME_LEN

```
#define CFE_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX_FULL_NAME_LEN)
```

Table maximum full name length.

The full length of table names is defined at the mission scope. This is defined here to support applications that depend on cfe_tbl.h providing this value.

Definition at line 80 of file cfe tbl.h.

39.31.2 Typedef Documentation

```
39.31.2.1 CFE_TBL_CallbackFuncPtr_t
```

```
typedef int32(* CFE_TBL_CallbackFuncPtr_t) (void *TblPtr)
```

Table Callback Function.

Definition at line 107 of file cfe_tbl.h.

```
39.31.2.2 CFE_TBL_Handle_t
```

```
typedef int16 CFE_TBL_Handle_t
```

Table Handle primitive.

Definition at line 110 of file cfe_tbl.h.

39.31.3 Enumeration Type Documentation

```
39.31.3.1 CFE_TBL_SrcEnum_t
```

```
enum CFE_TBL_SrcEnum_t
```

Table Source.

Enumerator

CFE_TBL_SRC_FILE	File source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a null terminated character string. The string should specify the full path and filename of the file containing the initial data contents of the table.
CFE_TBL_SRC_ADDRESS	Address source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a memory location that is the beginning of the initialization data for loading the table OR, in the case of a "user defined" dump only table, the address of the active table itself. The block of memory is assumed to be of the same size specified in the CFE_TBL_Register function Size parameter.

Definition at line 113 of file cfe_tbl.h.

39.32 cfe/fsw/cfe-core/src/inc/cfe_tbl_events.h File Reference

Macros

#define CFE_TBL_MAX_EID 105

Informational Event Message IDs

```
#define CFE_TBL_INIT_INF_EID 1'Task Initialized'
```

Command Response Informational Event Message IDs

```
• #define CFE_TBL_NOOP_INF_EID 10
     'No-op command'
• #define CFE_TBL_RESET_INF_EID 11
     'Reset Counters command'

    #define CFE TBL FILE LOADED INF EID 12

    'Successful load of '%s' into '%s' working buffer'

    #define CFE_TBL_OVERWRITE_DUMP_INF_EID 13

     'Successfully overwrote '%s' with Table '%s''

    #define CFE_TBL_WRITE_DUMP_INF_EID 14

     'Successfully dumped Table '%s' to '%s''

    #define CFE_TBL_OVERWRITE_REG_DUMP_INF_EID 15

     'Successfully overwrote '%s' with Table Registry'

    #define CFE_TBL_VAL_REQ_MADE_INF_EID 16

    'Tbl Services issued validation request for '%s''

    #define CFE_TBL_LOAD_PEND_REQ_INF_EID 17

     'Tbl Services notifying App that '%s' has a load pending'

    #define CFE_TBL_TLM_REG_CMD_INF_EID 18

    'Table Registry entry for '%s' will be telemetered'

    #define CFE_TBL_LOAD_ABORT_INF_EID 21

     'Table Load Aborted for '%s''

    #define CFE_TBL_WRITE_REG_DUMP_INF_EID 22

     'Successfully dumped Table Registry to '%s':Size=%d, Entries=%d'

    #define CFE_TBL_ASSUMED_VALID_INF_EID 23

    'Tbl Services assumes '%s' is valid. No Validation Function has been registered'
```

Command Error Event Message IDs

```
    #define CFE_TBL_MID_ERR_EID 50

     'Invalid message ID - ID = 0x%X'

    #define CFE TBL CC1 ERR EID 51

     'Invalid command code - ID = 0x%X, CC = %d'

    #define CFE_TBL_LEN_ERR_EID 52

     'Invalid cmd pkt - ID = 0x%X, CC = %d, Len = %d'

    #define CFE_TBL_FILE_ACCESS_ERR_EID 53

     'Unable to open file '%s' for table load, Status = 0x%08X'

    #define CFE TBL FILE STD HDR ERR EID 54

     'Unable to read std header for '%s', Status = 0x%08X'

    #define CFE TBL FILE TBL HDR ERR EID 55

     'Unable to read tbl header for '%s', Status = 0x%08X'

    #define CFE_TBL_FAIL_HK_SEND_ERR_EID 56

     'Unable to send Hk Packet (Status=0x%08X)'

    #define CFE TBL NO SUCH TABLE ERR EID 57

     'Unable to locate '%s' in Table Registry'

    #define CFE TBL FILE TYPE ERR EID 58

     'File '%s' is not a cFE file type, ContentType = 0x%08X'

    #define CFE_TBL_FILE_SUBTYPE_ERR_EID 59

     'File subtype for '%s' is wrong. Subtype = 0x%08X'

    #define CFE TBL NO WORK BUFFERS ERR EID 60

     'No working buffers available for table '%s''

    #define CFE TBL INTERNAL ERROR ERR EID 61

     'Internal Error (Status=0x%08X)'

    #define CFE TBL CREATING DUMP FILE ERR EID 62

     'Error creating dump file '%s', Status=0x%08X'

    #define CFE TBL WRITE CFE HDR ERR EID 63

     'Error writing cFE File Header to '%s', Status=0x%08X'

    #define CFE TBL WRITE TBL HDR ERR EID 64

     'Error writing Tbl image File Header to '%s', Status=0x%08X'

    #define CFE_TBL_WRITE_TBL_IMG_ERR_EID 65

     'Error writing Tbl image to '%s', Status=0x%08X'

    #define CFE TBL NO INACTIVE BUFFER ERR EID 66

     'No Inactive Buffer for Table '%s' present'

    #define CFE TBL TOO MANY VALIDATIONS ERR EID 67

     'Too many Table Validations have been requested'

    #define CFE_TBL_WRITE_TBL_REG_ERR_EID 68

     'Error writing Registry to '%s', Status=0x%08X'
• #define CFE_TBL_LOAD_ABORT ERR EID 69
     'Cannot abort load of '%s'. No load started.'

    #define CFE TBL ACTIVATE ERR EID 70

     'Cannot activate table '%s'. No Inactive image available'

    #define CFE_TBL_FILE_INCOMPLETE_ERR_EID 71

     'Incomplete load of '%s' into '%s' working buffer'

    #define CFE TBL LOAD EXCEEDS SIZE ERR EID 72

     'Cannot load '%s' (%d) at offset %d in '%s' (%d)'

    #define CFE TBL ZERO LENGTH LOAD ERR EID 73

     'Table Hdr in '%s' indicates no data in file'

    #define CFE_TBL_PARTIAL_LOAD_ERR_EID 74

     ''%s' has partial load for uninitialized table '%s''

    #define CFE TBL FILE TOO BIG ERR EID 75

     'File '%s' has more data than Tbl Hdr indicates (%d)'

    #define CFE TBL TOO MANY DUMPS ERR EID 76
```

```
'Too many Dump Only Table Dumps have been requested'

    #define CFE_TBL_DUMP_PENDING_ERR_EID 77

     'A dump for '%s' is already pending'

    #define CFE TBL ACTIVATE DUMP ONLY ERR EID 78

    'Illegal attempt to activate dump-only table '%s''

    #define CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID 79

     'Attempted to load DUMP-ONLY table '%s' from '%s''
• #define CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID 80
    'Cmd for Table '%s' had illegal buffer parameter (0x\%08X)'

    #define CFE_TBL_UNVALIDATED_ERR_EID 81

     'Cannot activate table '%s'. Inactive image not Validated'

    #define CFE_TBL_IN_REGISTRY_ERR_EID 82

     ''%s' found in Table Registry. CDS cannot be deleted until table is unregistered'
• #define CFE_TBL_NOT_CRITICAL_TBL_ERR_EID 83
     'Table '%s' is in Critical Table Registry but CDS is not tagged as a table'

    #define CFE_TBL_NOT_IN_CRIT_REG_ERR_EID 84

     'Table '%s' is not found in Critical Table Registry'

    #define CFE TBL CDS NOT FOUND ERR EID 85

     'Unable to locate '%s' in CDS Registry'

    #define CFE_TBL_CDS_DELETE_ERR_EID 86

     'Error while deleting '%s' from CDS, See SysLog.(Err=0x%08X)'

    #define CFE TBL CDS OWNER ACTIVE ERR EID 87

     'CDS '%s' owning app is still active'

    #define CFE TBL LOADING PENDING ERR EID 88

     'Attempted to load table '%s' while previous load is still pending'

    #define CFE TBL FAIL NOTIFY SEND ERR EID 89

     'Manage Notification Pkt Error(MsgId=0x%08X, CC=0x%04X, Param=0x%08X, Status=0x%08X)'
```

API Informational Event Message IDs

```
    #define CFE_TBL_LOAD_SUCCESS_INF_EID 35
        'Successfully loaded '%s' from '%s''
    #define CFE_TBL_VALIDATION_INF_EID 36
        '%s validation successful for Inactive '%s''
    #define CFE_TBL_UPDATE_SUCCESS_INF_EID 37
        '%s Successfully Updated '%s''
    #define CFE_TBL_CDS_DELETED_INFO_EID 38
        'Successfully removed '%s' from CDS'
```

API Error Event Message IDs

```
#define CFE_TBL_REGISTER_ERR_EID 90

'%s Failed to Register '%s', Status=0x%08X'
#define CFE_TBL_SHARE_ERR_EID 91

'%s Failed to Share '%s', Status=0x%08X'
#define CFE_TBL_UNREGISTER_ERR_EID 92

'%s Failed to Unregister '%s', Status=0x%08X'
#define CFE_TBL_LOAD_VAL_ERR_EID 93
#define CFE_TBL_LOAD_TYPE_ERR_EID 94

'%s Failed to Load '%s' (Invalid Source Type)"
#define CFE_TBL_UPDATE_ERR_EID 95

'%s Failed to Update '%s', Status=0x%08X"
#define CFE_TBL_VALIDATION_ERR_EID 96

'%s validation failed for Inactive '%s', Status=0x%08X'
```

39.32.1 Macro Definition Documentation

39.32.1.1 CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID #define CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID 78 'Illegal attempt to activate dump-only table '%s'' Event Message 'Illegal attempt to activate dump-only table '%s''

Cause:

Type: ERROR

This event message is generated when a Table Activate command for a Dump-Only Table was received. By definition, Dump-Only tables are not allowed to be loaded with any new data.

Definition at line 692 of file cfe_tbl_events.h.

```
39.32.1.2 CFE_TBL_ACTIVATE_ERR_EID
```

```
#define CFE_TBL_ACTIVATE_ERR_EID 70
'Cannot activate table '%s'. No Inactive image available'

Event Message 'Cannot activate table '%s'. No Inactive image available'
Type: ERROR
```

Cause:

This event message is generated when an Activate Table command is received and the command specified table does not currently have an inactive buffer associated with it.

Definition at line 585 of file cfe tbl events.h.

39.32.1.3 CFE_TBL_ASSUMED_VALID_INF_EID

```
#define CFE_TBL_ASSUMED_VALID_INF_EID 23
'Tbl Services assumes '%s' is valid. No Validation Function has been registered'

Event Message 'Tbl Services assumes '%s' is valid. No Validation Function has been registered'
```

Type: INFORMATION

Cause:

This event message is generated when Table Services has received a Validation Command for a table that never specified a Validation Function when it was registered via the CFE_TBL_Register API.

Definition at line 239 of file cfe_tbl_events.h.

```
39.32.1.4 CFE_TBL_CC1_ERR_EID
```

```
#define CFE_TBL_CC1_ERR_EID 51
'Invalid command code - ID = 0x%X, CC = %d'

Event Message 'Invalid command code - ID = 0x%X, CC = %d'
```

Type: ERROR

Cause:

This event message is generated when a message with the CFE_TBL_CMD_MID message ID has arrived but whose Command Code is not one of the command codes specified in cfe_tbl_msg.h . This problem is most likely to occur when:

- 1. A Message ID meant for another Application became corrupted and was set equal to CFE TBL CMD MID.
- 2. The Command Code field in the Message became corrupted.
- 3. The command database at the ground station has been corrupted.

The ID field in the event message specifies the Message ID (in hex) and the CC field specifies the Command Code (in decimal) found in the message.

Definition at line 283 of file cfe_tbl_events.h.

39.32.1.5 CFE_TBL_CDS_DELETE_ERR_EID #define CFE_TBL_CDS_DELETE_ERR_EID 86 'Error while deleting '%s' from CDS, See SysLog.(Err=0x%08X)' Event Message 'Error while deleting '%s' from CDS, See SysLog.(Err=0x%08X)' Type: ERROR Cause:

This event message is generated when an unexpected error was encountered during the deletion of the CDS. The System Log should have more precise information on the nature of the error.

Definition at line 798 of file cfe_tbl_events.h.

```
39.32.1.6 CFE_TBL_CDS_DELETED_INFO_EID
#define CFE_TBL_CDS_DELETED_INFO_EID 38
'Successfully removed '%s' from CDS'

Event Message 'Successfully removed '%s' from CDS'
```

Cause:

Type: INFORMATION

This event message is generated when a Critical Table's CDS has been successfully deleted.

Definition at line 894 of file cfe_tbl_events.h.

39.32.1.7 CFE_TBL_CDS_NOT_FOUND_ERR_EID

```
#define CFE_TBL_CDS_NOT_FOUND_ERR_EID 85
'Unable to locate '%s' in CDS Registry'

Event Message 'Unable to locate '%s' in CDS Registry'
```

Type: ERROR

Cause:

This event message is generated when a Table Delete Critical Data Store command is received specifying a table name that WAS found in the Critical Table Registry but its associated entry in the Critical Data Store Registry was not found. Somehow the two entities have become out of synch.

Definition at line 786 of file cfe_tbl_events.h.

```
39.32.1.8 CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID
```

```
#define CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID 87
'CDS '%s' owning app is still active'

Event Message 'CDS '%s' owning app is still active'
```

Type: ERROR

Cause:

This event message is generated when an attempt is made to delete a CDS while an application with the same name as the CDS Prefix is still registered in the system. Owning applications must not be active before an associated CDS can be deleted.

Definition at line 811 of file cfe_tbl_events.h.

39.32.1.9 CFE_TBL_CREATING_DUMP_FILE_ERR_EID #define CFE_TBL_CREATING_DUMP_FILE_ERR_EID 62 'Error creating dump file '%s', Status=0x%08X' Event Message 'Error creating dump file '%s', Status=0x%08X'

Type: ERROR

Cause:

This event message is generated when a Table Dump or Table Registry Dump command was received and the cFE Table Services is unable to create the specified file.

The ${\tt Status}$ field provides the return status from the ${\tt OS_creat}$ function call.

Definition at line 471 of file cfe_tbl_events.h.

```
39.32.1.10 CFE_TBL_DUMP_PENDING_ERR_EID
#define CFE_TBL_DUMP_PENDING_ERR_EID 77
'A dump for '%s' is already pending'
Event Message 'A dump for '%s' is already pending'
```

Type: ERROR

Cause:

This event message is generated when a Table Dump command for a Dump-Only Table was received and Table Services hasn't finished processing the previous Table Dump command for the same Table.

Definition at line 680 of file cfe_tbl_events.h.

39.32.1.11 CFE_TBL_FAIL_HK_SEND_ERR_EID

#define CFE_TBL_FAIL_HK_SEND_ERR_EID 56
'Unable to send Hk Packet (Status=0x%08X)'

Event Message 'Unable to send Hk Packet (Status=0x%08X)'

Type: ERROR

Cause:

This event message is generated when failure occurs while attempting to send the Housekeeping Message over the Software Bus.

The Status field of the event message contains the error code returned by CFE_SB_SendMsg.

Definition at line 368 of file cfe tbl events.h.

39.32.1.12 CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID

#define CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID 89

'Manage Notification Pkt Error(MsgId=0x%08X, CC=0x%04X, Param=0x%08X, Status=0x%08X)'

Type: ERROR

Cause:

This event message is generated when a table management notification message fails to be sent via the software bus.

The MsgId is the message ID of the table management notification message that was attempted to be sent, the CC is the command code, the Param is the application specified command parameter and the Status is the error code returned by the CFE SB SendMsg API call.

Definition at line 841 of file cfe_tbl_events.h.

```
39.32.1.13 CFE_TBL_FILE_ACCESS_ERR_EID

#define CFE_TBL_FILE_ACCESS_ERR_EID 53

'Unable to open file '%s' for table load, Status = 0x%08X'

Event Message 'Unable to open file '%s' for table load, Status = 0x%08X'

Type: ERROR
Cause:
```

This event message is generated upon receipt of a Load Table command when the specified file containing the table image to be loaded cannot be opened. Possible causes for this are:

- 1. The filename was misspelled
- 2. The path to the file was incorrect
- 3. The length (including terminator) of the filename and/or path exceeds the allowable length (see OS_MAX_PAT← H_LEN and OS_MAX_FILE_NAME, respectively)

The Status field in the event message indicates the error code returned by the OS_open API.

Definition at line 322 of file cfe_tbl_events.h.

```
39.32.1.14 CFE_TBL_FILE_INCOMPLETE_ERR_EID

#define CFE_TBL_FILE_INCOMPLETE_ERR_EID 71

'Incomplete load of '%s' into '%s' working buffer'

Event Message 'Incomplete load of '%s' into '%s' working buffer'

Type: ERROR
```

Cause:

This event message is generated when a Load Table command is received and the Table Services is unable to load the number of bytes specified in the Table Image Header of the command specified file from the file into the Inactive Buffer.

Definition at line 598 of file cfe tbl events.h.

39.32.1.15 CFE_TBL_FILE_LOADED_INF_EID

```
#define CFE_TBL_FILE_LOADED_INF_EID 12
'Successful load of '%s' into '%s' working buffer'
```

Event Message 'Successful load of '%s' into '%s' working buffer'

Type: INFORMATION

Cause:

This event message is always generated after a successful execution of a cFE Table Services Load Table command

Definition at line 107 of file cfe_tbl_events.h.

39.32.1.16 CFE_TBL_FILE_STD_HDR_ERR_EID

```
#define CFE_TBL_FILE_STD_HDR_ERR_EID 54
```

'Unable to read std header for '%s', Status = 0x%08X'

Event Message 'Unable to read std header for '%s', Status = 0x%08X'

Type: ERROR

Cause:

This event message is generated when a read failure occurs during the reading of the cFE Standard File Header of a table image file specified either by an Application calling the CFE_TBL_Load API or in response to a command to Table Services requesting a table image file be loaded into an inactive buffer.

The Status field of the event message contains the error code returned by CFE_FS_ReadHeader.

Definition at line 338 of file cfe_tbl_events.h.

```
39.32.1.17 CFE_TBL_FILE_SUBTYPE_ERR_EID
#define CFE_TBL_FILE_SUBTYPE_ERR_EID 59
'File subtype for '%s' is wrong. Subtype = 0x%08X'

Event Message 'File subtype for '%s' is wrong. Subtype = 0x%08X'

Type: ERROR
```

Cause:

This event message is generated when either an Application calls the CFE_TBL_Load API or a Table Load command has been received and the specified file has a cFE Standard File Header whose Sub Type is not equal to the expected CFE_FS_SubType_TBL_IMG. Most likely causes for this are:

- The specified file is not a cFE table image file.
- 2. The specified file has been created with bad "endianess" (headers should always conform to a big endian format).
- 3. The specified file has become corrupted.

The SubType field specified in the event message contains the sub type that was found in the specified file.

Definition at line 427 of file cfe_tbl_events.h.

```
39.32.1.18 CFE_TBL_FILE_TBL_HDR_ERR_EID

#define CFE_TBL_FILE_TBL_HDR_ERR_EID 55

'Unable to read tbl header for '%s', Status = 0x%08X'

Event Message 'Unable to read tbl header for '%s', Status = 0x%08X'

Type: ERROR
```

Cause:

This event message is generated when a read failure occurs during the reading of the cFE Table File Secondary Header of a table image file specified either by an Application calling the CFE_TBL_Load API or in response to a command to Table Services requesting a table image file be loaded into an inactive buffer.

The Status field of the event message contains the error code returned by OS_read.

Definition at line 354 of file cfe_tbl_events.h.

```
39.32.1.19 CFE_TBL_FILE_TOO_BIG_ERR_EID
#define CFE_TBL_FILE_TOO_BIG_ERR_EID 75
'File '%s' has more data than Tbl Hdr indicates (%d)'

Event Message 'File '%s' has more data than Tbl Hdr indicates (%d)'

Type: ERROR
```

Cause:

This event message is generated when a Load Table command is received and Table Services is able to locate more data in the specified Table Image file than the Table Header claims is present.

Definition at line 654 of file cfe tbl events.h.

```
39.32.1.20 CFE_TBL_FILE_TYPE_ERR_EID
#define CFE_TBL_FILE_TYPE_ERR_EID 58
'File '%s' is not a cFE file type, ContentType = 0x%08X'

Event Message 'File '%s' is not a cFE file type, ContentType = 0x%08X'

Type: ERROR
```

Cause:

This event message is generated when either an Application calls the CFE_TBL_Load API or a Table Load command has been received and the specified file has a cFE Standard File Header whose Content Type is not equal to the expected CFE_FS_FILE_CONTENT_ID. Most likely causes for this are:

- 1. The specified file is not a cFE compatible file.
- 2. The specified file has been created with bad "endianess" (headers should always conform to a big endian format).
- The specified file has become corrupted.

The ContentType field specified in the event message contains the content type that was found in the specified file.

Definition at line 406 of file cfe tbl events.h.

39.32.1.21 CFE_TBL_HANDLE_ACCESS_ERR_EID

```
#define CFE_TBL_HANDLE_ACCESS_ERR_EID 105
```

Definition at line 1080 of file cfe_tbl_events.h.

39.32.1.22 CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID

```
#define CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID 80
'Cmd for Table '%s' had illegal buffer parameter (0x%08X)'

Event Message 'Cmd for Table '%s' had illegal buffer parameter (0x%08X)'
```

Type: ERROR

Cause:

This event message is generated when either a Table Validate command or a Table Dump Command contains a buffer identifier that does not equal either of the valid values (see CFE_TBL_DumpCmd_Payload_t::ActiveTableFlag or CF← E_TBL_ValidateCmd_Payload_t::ActiveTableFlag)

The parameter in the Event Message indicates (in hex) the value found for the ActiveTableFlag in the command.

Definition at line 719 of file cfe_tbl_events.h.

39.32.1.23 CFE_TBL_IN_REGISTRY_ERR_EID

```
#define CFE_TBL_IN_REGISTRY_ERR_EID 82
''%s' found in Table Registry. CDS cannot be deleted until table is unregistered'
```

Event Message ''%s' found in Table Registry. CDS cannot be deleted until table
 is unregistered'

Type: ERROR

Cause:

This event message is generated when a Table Delete Critical Data Store command is received specifying a Table Image that is still registered. Critical Table Images cannot be removed from the CDS until the table is first removed from the Registry. Unload the owning application and try again.

Definition at line 746 of file cfe_tbl_events.h.

39.32.1.24 CFE_TBL_INIT_INF_EID #define CFE_TBL_INIT_INF_EID 1 'Task Initialized' Event Message 'Task Initialized' Type: INFORMATION

Cause:

This event message is always automatically issued when the Table Services Task completes its Initialization.

Definition at line 68 of file cfe tbl events.h.

```
#define CFE_TBL_INTERNAL_ERROR_ERR_EID
#define CFE_TBL_INTERNAL_ERROR_ERR_EID 61
'Internal Error (Status=0x%08X)'

Event Message 'Internal Error (Status=0x%08X)'
Type: ERROR
```

Cause:

This event message is generated when a Table Load command was issued and the cFE Table Services is unable to allocate a working table buffer for an unexpected reason.

The Status field provides the return status from the function that was to provide a working buffer.

Definition at line 457 of file cfe_tbl_events.h.

39.32.1.26 CFE_TBL_LEN_ERR_EID

```
#define CFE_TBL_LEN_ERR_EID 52
'Invalid cmd pkt - ID = 0x%X, CC = %d, Len = %d'

Event Message 'Invalid cmd pkt - ID = 0x%X, CC = %d, Len = %d'
```

Type: ERROR

Cause:

This event message is generated when a message with the CFE_TBL_CMD_MID message ID has arrived but whose packet length does not match the expected length for the specified command code.

The ID field in the event message specifies the Message ID (in hex), the CC field specifies the Command Code (in decimal) and Len specifies the message Length (in decimal) found in the message.

Definition at line 300 of file cfe tbl events.h.

39.32.1.27 CFE_TBL_LOAD_ABORT_ERR_EID

```
#define CFE_TBL_LOAD_ABORT_ERR_EID 69
'Cannot abort load of '%s'. No load started.'

Event Message 'Cannot abort load of '%s'. No load started.'
```

Type: ERROR

Cause:

This event message is generated when an Abort Load command is received and the command specified table is not currently in the process of being loaded.

Definition at line 573 of file cfe_tbl_events.h.

39.32.1.28 CFE_TBL_LOAD_ABORT_INF_EID #define CFE_TBL_LOAD_ABORT_INF_EID 21 'Table Load Aborted for '%s'' Event Message 'Table Load Aborted for '%s'' Type: INFORMATION Cause: This event message is generated upon successful execution of a cFE Table Services Abort Table Load command . Definition at line 211 of file cfe tbl events.h. 39.32.1.29 CFE_TBL_LOAD_DUMPONLY_ERR_EID #define CFE_TBL_LOAD_DUMPONLY_ERR_EID 99 Attempted to load Dump Only Tbl 's' Event Message Attempted to load Dump Only Tbl 's' Type: ERROR Cause: This event message is generated when an application attempts to load a dump-only table.

Definition at line 1053 of file cfe_tbl_events.h.

39.32.1.30 CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID #define CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID 72 'Cannot load '%s' (%d) at offset %d in '%s' (%d)' Event Message 'Cannot load '%s' (%d) at offset %d in '%s' (%d)'

Type: ERROR

Cause:

This event message is generated when a Load Table command is received and the Table Header in the specified Table Image file identifies a number of bytes with a specified starting offset that would exceed the size of the specified table. For example, if a table had 10 bytes and the Table Header indicated that the Table Image in the file contains 7 bytes that starts at offset 5, then the data content would have exceeded the 10 byte limit of the table.

The numbers in parenthesis in the event message text indicate the data size (in bytes) for the specified load file and the registered size for the specified table.

Definition at line 616 of file cfe tbl events.h.

```
39.32.1.31 CFE_TBL_LOAD_FILENAME_LONG_ERR_EID
```

#define CFE_TBL_LOAD_FILENAME_LONG_ERR_EID 102

Definition at line 1071 of file cfe_tbl_events.h.

39.32.1.32 CFE_TBL_LOAD_IN_PROGRESS_ERR_EID

```
#define CFE_TBL_LOAD_IN_PROGRESS_ERR_EID 100
Load already in progress for 's'
```

Event Message Load already in progress for 's'

Type: ERROR

Cause:

This event message is generated when an application attempts to load a table already in progress. Likely due to a race condition.

Definition at line 1065 of file cfe_tbl_events.h.

39.32.1.33 CFE_TBL_LOAD_PEND_REQ_INF_EID #define CFE_TBL_LOAD_PEND_REQ_INF_EID 17 'Tbl Services notifying App that '%s' has a load pending' Event Message 'Tbl Services notifying App that '%s' has a load pending' Type: DEBUG Cause: This event message is generated upon successful execution of a cFE Table Services Activate Table command . It should be noted, however, that this Event Message does NOT indicate completion of the Table Activation. It is ONLY indicating that the appropriate flag has been set to NOTIFY the table's owning Application that an Update has been requested. Completion of the Update is indicated by either the CFE_TBL_UPDATE_SUCCESS_INF_EID or CFE_TBL_UPDAT↔ E ERR EID event messages. Definition at line 186 of file cfe_tbl_events.h. 39.32.1.34 CFE_TBL_LOAD_SHORT_FILE_ERR_EID #define CFE_TBL_LOAD_SHORT_FILE_ERR_EID 103 Definition at line 1074 of file cfe_tbl_events.h. 39.32.1.35 CFE_TBL_LOAD_SRC_TYPE_ERR_EID

#define CFE_TBL_LOAD_SRC_TYPE_ERR_EID 101

Definition at line 1068 of file cfe_tbl_events.h.

Generated by Doxygen

```
39.32.1.36 CFE_TBL_LOAD_SUCCESS_INF_EID

#define CFE_TBL_LOAD_SUCCESS_INF_EID 35

'Successfully loaded '%s' from '%s''

Event Message 'Successfully loaded '%s' from '%s''
```

Type: DEBUG (the first time) and INFORMATION (normally)

Cause:

This event message is generated when a Table is successfully updated by its owning Application with the contents of the Application specified file or memory area. This Event Message only appears when an Application successfully calls the CFE_TBL_Load API.

Definition at line 858 of file cfe_tbl_events.h.

```
39.32.1.37 CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID

#define CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID 104
```

Definition at line 1077 of file cfe tbl events.h.

```
39.32.1.38 CFE_TBL_LOAD_TYPE_ERR_EID
#define CFE_TBL_LOAD_TYPE_ERR_EID 94
'%s Failed to Load '%s' (Invalid Source Type)"

Event Message '%s Failed to Load '%s' (Invalid Source Type)"
```

Cause:

Type: ERROR

This event message is generated when an Application calls CFE_TBL_Load with a bad value for the SrcType parameter. The SrcType must be one of the values specified by CFE_TBL_SrcEnum_t.

Definition at line 956 of file cfe tbl events.h.

39.32.1.39 CFE_TBL_LOAD_VAL_ERR_EID

```
#define CFE_TBL_LOAD_VAL_ERR_EID 93
```

Definition at line 944 of file cfe_tbl_events.h.

39.32.1.40 CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID

```
#define CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID 79
'Attempted to load DUMP-ONLY table '%s' from '%s''
Event Message 'Attempted to load DUMP-ONLY table '%s' from '%s''
```

Type: ERROR

Cause:

This event message is generated when a Table Load command for a Dump-Only Table was received. By definition, Dump-Only tables are not allowed to be loaded with any new data.

Definition at line 704 of file cfe_tbl_events.h.

39.32.1.41 CFE TBL LOADING PENDING ERR EID

```
#define CFE_TBL_LOADING_PENDING_ERR_EID 88
'Attempted to load table '%s' while previous load is still pending'
```

Event Message 'Attempted to load table '%s' while previous load is still pending'

Type: ERROR

Cause:

This event message is generated when an attempt is made to load a table while a previous load is still pending. The most likely cause of this is the owning application is waiting for an appropriate time to load the table with the specified contents. In order to override this load, the user would be required to issue the Abort Load Command.

Definition at line 825 of file cfe tbl events.h.

Event Message 'Invalid message ID - ID = 0x%X'

```
39.32.1.42 CFE_TBL_MAX_EID

#define CFE_TBL_MAX_EID 105

Definition at line 49 of file cfe_tbl_events.h.

39.32.1.43 CFE_TBL_MID_ERR_EID

#define CFE_TBL_MID_ERR_EID 50

'Invalid message ID - ID = 0x%X'
```

Type: ERROR

Cause:

This event message is generated when a message has arrived on the cFE Table Services Application's Message Pipe that has a Message ID that is neither CFE_TBL_SEND_HK_MID or CFE_TBL_CMD_MID. Most likely, the cFE Software Bus routing table has become corrupt and is sending messages targeted for other Applications to the cFE Table Services Application.

The ID field in the event message identifies the message ID (in hex) that was found in the message.

Definition at line 262 of file cfe_tbl_events.h.

```
39.32.1.44 CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID

#define CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID 66

'No Inactive Buffer for Table '%s' present'

Event Message 'No Inactive Buffer for Table '%s' present'

Type: ERROR
```

Cause:

This event message is generated when a Table Dump or a Table Validate command for an Inactive Table Buffer was received and there isn't an Inactive Table Buffer associated with the specified Table.

Definition at line 528 of file cfe_tbl_events.h.

```
39.32.1.45 CFE_TBL_NO_SUCH_TABLE_ERR_EID

#define CFE_TBL_NO_SUCH_TABLE_ERR_EID 57

'Unable to locate '%s' in Table Registry'

Event Message 'Unable to locate '%s' in Table Registry'

Type: ERROR
Cause:
```

This event message is generated when a command that specifies a table name has a table name that is not found in the Table Registry. Most likely causes for this are:

- 1. Table name was misspelled in the command.
- 2. The Application that Registered the Table has either failed to run or has been terminated thus removing the Table from the Registry.
- 3. The Table Registry has become corrupted.

Definition at line 385 of file cfe tbl events.h.

```
39.32.1.46 CFE_TBL_NO_WORK_BUFFERS_ERR_EID

#define CFE_TBL_NO_WORK_BUFFERS_ERR_EID 60
'No working buffers available for table '%s''

Event Message 'No working buffers available for table '%s''

Type: ERROR
```

This event message is generated when either a Table Load Command for a Single Buffered Table or a Table Dump Command for a Dump Only Table has been sent AND there are no Shared Buffers available to hold either the load image or the dump image. To free a Shared Buffer, either a previously loaded table image must be activated or aborted OR the operator has to wait for previously dumped Dump Only tables have had a chance to be written to a file (which occurs whenever the cFE Table Services receives a Housekeeping Request).

Definition at line 443 of file cfe tbl events.h.

Cause:

```
39.32.1.47 CFE_TBL_NOOP_INF_EID
 #define CFE_TBL_NOOP_INF_EID 10
 'No-op command'
Event Message 'No-op command'
Type: INFORMATION
Cause:
This event message is always automatically issued in response to a cFE Table Services NO-OP command
Definition at line 83 of file cfe_tbl_events.h.
39.32.1.48 CFE_TBL_NOT_CRITICAL_TBL_ERR_EID
 #define CFE_TBL_NOT_CRITICAL_TBL_ERR_EID 83
 'Table '%s' is in Critical Table Registry but CDS is not tagged as a table'
Event Message 'Table '%s' is in Critical Table Registry but CDS is not tagged as
               a table'
Type: ERROR
```

This event message is generated when a Table Delete Critical Data Store command is received specifying a CDS name for a Critical Data Store that is NOT a critical table image. To delete CDSs that are not Critical Table Images, the Executive Services command CFE_ES_DELETE_CDS_CC must be used.

Definition at line 759 of file cfe_tbl_events.h.

Cause:

39.32.1.49 CFE_TBL_NOT_IN_CRIT_REG_ERR_EID #define CFE_TBL_NOT_IN_CRIT_REG_ERR_EID 84 'Table '%s' is not found in Critical Table Registry' Event Message 'Table '%s' is not found in Critical Table Registry' Type: ERROR Cause:

This event message is generated when a Table Delete Critical Data Store command is received specifying a table name that cannot be found in the Critical Table Registry. If a Critical Data Store exists with the specified name, then the Critical Table Registry has somehow gotten out of sync with the CDS. Otherwise, the likely cause of this error is a misspelled table name in the command.

Definition at line 773 of file cfe tbl events.h.

```
#define CFE_TBL_OVERWRITE_DUMP_INF_EID

#define CFE_TBL_OVERWRITE_DUMP_INF_EID 13

'Successfully overwrote '%s' with Table '%s''

Event Message 'Successfully overwrote '%s' with Table '%s''

Type: INFORMATION
```

Cause:

This event message is always generated after a successful execution of a cFE Table Services Dump Table command where the command specified target filename was the same as a file already present in the onboard filesystem. If the specified file did not exist, the event message would have been CFE_TBL_WRITE_DUMP_INF_EID.

Definition at line 122 of file cfe_tbl_events.h.

```
39.32.1.51 CFE_TBL_OVERWRITE_REG_DUMP_INF_EID

#define CFE_TBL_OVERWRITE_REG_DUMP_INF_EID 15

'Successfully overwrote '%s' with Table Registry'

Event Message 'Successfully overwrote '%s' with Table Registry'

Type: DEBUG
Cause:
```

This event message is always generated after a successful execution of a cFE Table Services Dump Table Registry command where the command specified target filename was the same as a file already present in the onboard filesystem. If the specified file did not exist, the event message would have been CFE_TBL_WRITE_REG_DUMP_INF_EID.

Definition at line 152 of file cfe_tbl_events.h.

```
39.32.1.52 CFE_TBL_PARTIAL_LOAD_ERR_EID
#define CFE_TBL_PARTIAL_LOAD_ERR_EID 74
''%s' has partial load for uninitialized table '%s''

Event Message ''%s' has partial load for uninitialized table '%s''

Type: ERROR
```

This event message is generated when a Load Table command is received and the Table Header in the specified Table Image file indicates the starting offset for the table is non-zero and the table has never been previously, completely loaded. Partial Table loads are only allowed after the table has had a successful load.

Definition at line 642 of file cfe_tbl_events.h.

Cause:

39.32.1.53 CFE_TBL_PROCESSOR_ID_ERR_EID #define CFE_TBL_PROCESSOR_ID_ERR_EID 98

'Unable to verify Processor ID for '%s', ID = 0x%08X'

Event Message 'Unable to verify Processor ID for '%s', ID = 0x%08X'

Type: ERROR

Cause:

This event message is generated when either an Application calls the CFE_TBL_Load API or a Table Load command has been received and the specified table file has failed Processor ID validation. Verification of Processor ID in table files is enabled/disabled via CFE_PLATFORM_TBL_VALID_PRID_COUNT, defined in the platform configuration header file. This event message can only be generated if CFE_PLATFORM_TBL_VALID_PRID_COUNT has a non-zero value and the table file has a cFE Standard File Header whose Processor ID does not match one of the values defined for Processor ID verification in the platform config file. The most likely causes for this error are:

- 1. The specified table file is not intended for this processor.
- 2. The specified table file has been created with bad "endianess" (headers should always conform to a big endian format).
- 3. The specified table file has become corrupted.
- 4. The definition for CFE_PLATFORM_TBL_VALID_PRID_COUNT is not large enough to include all of the valid Processor ID entries in the platform config file.
- 5. There is no entry for this Processor ID in the platform config file list of valid Processor ID's.

The ID field specified in the event message contains the Processor ID that was found in the specified table file. Definition at line 1042 of file cfe tbl events.h.

```
39.32.1.54 CFE_TBL_REGISTER_ERR_EID
```

```
#define CFE_TBL_REGISTER_ERR_EID 90
'%s Failed to Register '%s', Status=0x%08X'

Event Message '%s Failed to Register '%s', Status=0x%08X'
```

Type: ERROR

Cause:

This event message is generated when an Application calls CFE_TBL_Register unsuccessfully.

The Status field of the Event Message can be used to identify the reason for the failure by looking it up in the cfe_—
error.h file

Definition at line 913 of file cfe tbl events.h.

```
39.32.1.55 CFE_TBL_RESET_INF_EID
 #define CFE_TBL_RESET_INF_EID 11
 'Reset Counters command'
Event Message 'Reset Counters command'
Type: INFORMATION
Cause:
This event message is always automatically issued in response to a cFE Table Services Reset Counters command
Definition at line 95 of file cfe tbl events.h.
39.32.1.56 CFE_TBL_SHARE_ERR_EID
 #define CFE_TBL_SHARE_ERR_EID 91
 '%s Failed to Share '%s', Status=0x%08X'
Event Message '%s Failed to Share '%s', Status=0x%08X'
Type: ERROR
```

Cause:

This event message is generated when an Application calls CFE TBL Share unsuccessfully.

The Status field of the Event Message can be used to identify the reason for the failure by looking it up in the cfe_\circ
error.h file

Definition at line 927 of file cfe_tbl_events.h.

39.32.1.57 CFE_TBL_SPACECRAFT_ID_ERR_EID

```
#define CFE_TBL_SPACECRAFT_ID_ERR_EID 97
'Unable to verify Spacecraft ID for '%s', ID = 0x%08X'

Event Message 'Unable to verify Spacecraft ID for '%s', ID = 0x%08X'

Type: ERROR
```

Cause:

This event message is generated when either an Application calls the CFE_TBL_Load API or a Table Load command has been received and the specified table file has failed Spacecraft ID validation. Verification of Spacecraft ID in table files is enabled/disabled via CFE_PLATFORM_TBL_VALID_SCID_COUNT, defined in the platform configuration header file. This event message can only be generated if CFE_PLATFORM_TBL_VALID_SCID_COUNT has a non-zero value and the table file has a cFE Standard File Header whose Spacecraft ID does not match one of the values defined for Spacecraft ID verification in the platform config file. The most likely causes for this error are:

- 1. The specified table file is not intended for this spacecraft.
- 2. The specified table file has been created with bad "endianess" (headers should always conform to a big endian format).
- 3. The specified table file has become corrupted.
- 4. The definition for CFE_PLATFORM_TBL_VALID_SCID_COUNT is not large enough to include all of the valid Spacecraft ID entries in the platform config file.
- 5. There is no entry for this Spacecraft ID in the platform config file list of valid Spacecraft ID's.

The ID field specified in the event message contains the Spacecraft ID that was found in the specified table file. Definition at line 1014 of file cfe tbl events.h.

```
39.32.1.58 CFE_TBL_TLM_REG_CMD_INF_EID
#define CFE_TBL_TLM_REG_CMD_INF_EID 18
'Table Registry entry for '%s' will be telemetered'

Event Message 'Table Registry entry for '%s' will be telemetered'

Type: DEBUG
```

Cause:

This event message is generated upon successful execution of a cFE Table Services Telemeter Table Registry Entry command . Subsequent Table Services Housekeeping Telemetry should contain the desired Table Registry Entry data.

Definition at line 199 of file cfe tbl events.h.

39.32.1.59 CFE_TBL_TOO_MANY_DUMPS_ERR_EID

#define CFE_TBL_TOO_MANY_DUMPS_ERR_EID 76

'Too many Dump Only Table Dumps have been requested'

Event Message 'Too many Dump Only Table Dumps have been requested'

Type: ERROR

Cause:

This event message is generated when a Table Dump command for a Dump-Only Table was received and there are no more free Dump Only Control Blocks available. The number of simultaneous Dump Only Tables that can be pending is specified by the configuration parameter CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS which is found in the cfe platform cfg.h file.

Definition at line 668 of file cfe_tbl_events.h.

39.32.1.60 CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID

#define CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID 67

'Too many Table Validations have been requested'

Event Message 'Too many Table Validations have been requested'

Type: ERROR

Cause:

This event message is generated when a Table Validate command was received and there are no more free Validation Result Blocks available. The number of simultaneous validations that can be pending is specified by the configuration parameter CFE PLATFORM TBL MAX NUM VALIDATIONS which is found in the cfe platform cfg.h file.

Validation Commands lock one of the Validation Result Blocks upon receipt of the validation command until the result of the Validation, performed by the table's owning Application, has been reported in a Table Services Housekeeping Request Message.

Definition at line 546 of file cfe_tbl_events.h.

39.32.1.61 CFE_TBL_UNREGISTER_ERR_EID

```
#define CFE_TBL_UNREGISTER_ERR_EID 92
'%s Failed to Unregister '%s', Status=0x%08X'
```

Event Message '%s Failed to Unregister '%s', Status=0x%08X'

Type: ERROR

Cause:

This event message is generated when an Application calls CFE_TBL_Unregister unsuccessfully.

The Status field of the Event Message can be used to identify the reason for the failure by looking it up in the cfe_
error.h file

Definition at line 941 of file cfe tbl events.h.

39.32.1.62 CFE_TBL_UNVALIDATED_ERR_EID

```
#define CFE_TBL_UNVALIDATED_ERR_EID 81

'Cannot activate table '%s'. Inactive image not Validated'
```

Event Message 'Cannot activate table '%s'. Inactive image not Validated'

Type: ERROR

Cause:

This event message is generated when a Table Activate command is received specifying a Table Image that has not been Validated. If a table has a validation function associated with it (as defined by the owning Application when the Table is first Registered), then the Inactive Image MUST be successfully Validated prior to Activation.

Definition at line 733 of file cfe_tbl_events.h.

39.32.1.63 CFE_TBL_UPDATE_ERR_EID #define CFE_TBL_UPDATE_ERR_EID 95 '%s Failed to Update '%s', Status=0x%08X" Event Message '%s Failed to Update '%s', Status=0x%08X" Type: ERROR Cause:

This event message is generated when an Application calls CFE_TBL_Update (or, via an internal call, the CFE_TBL← _Manage) API and the Table fails to properly update.

The Status parameter in the Event Message can be used to identify the reason for the failure by looking it up in the cfe_error.h file.

Definition at line 971 of file cfe tbl events.h.

```
39.32.1.64 CFE_TBL_UPDATE_SUCCESS_INF_EID
#define CFE_TBL_UPDATE_SUCCESS_INF_EID 37
'%s Successfully Updated '%s''
Event Message '%s Successfully Updated '%s''
```

Type: INFORMATION

Cause:

This event message is generated when a Table's Active Buffer is successfully updated with the contents of its Inactive Buffer.

Definition at line 883 of file cfe_tbl_events.h.

39.32.1.65 CFE_TBL_VAL_REQ_MADE_INF_EID #define CFE_TBL_VAL_REQ_MADE_INF_EID 16 'Tbl Services issued validation request for '%s'' Event Message 'Tbl Services issued validation request for '%s'' Type: DEBUG Cause:

This event message is generated upon successful execution of a cFE Table Services Validate Table command. It should be noted, however, that this Event Message does NOT indicate completion of the Table Validation. It is ONLY indicating that the appropriate flag has been set to NOTIFY the table's owning Application that a Validation has been requested. Completion of the Validation is indicated by either the CFE_TBL_VALIDATION_INF_EID or CFE_TBL_VALIDATION ← _ERR_EID event messages.

Definition at line 169 of file cfe tbl events.h.

```
39.32.1.66 CFE_TBL_VALIDATION_ERR_EID
#define CFE_TBL_VALIDATION_ERR_EID 96

'%s validation failed for Inactive '%s', Status=0x%08X'

Event Message '%s validation failed for Inactive '%s', Status=0x%08X'

Type: ERROR
```

This event message is generated when an Application calls CFE_TBL_Validate (or, via an internal call, the CFE_TBL← _Manage) API and the Table fails its Validation.

The Status parameter in the Event Message contains the status code returned by the Table's Validation function as defined by the owning Application when the Table was Registered.

Definition at line 986 of file cfe tbl events.h.

Cause:

39.32.1.67 CFE_TBL_VALIDATION_INF_EID

```
#define CFE_TBL_VALIDATION_INF_EID 36
'%s validation successful for Inactive '%s''
```

Event Message '%s validation successful for Inactive '%s''

Type: INFORMATION

Cause:

This event message is generated when a Table Image is successfully validated by its owning Application via the Validation function specified by the owning Application when the table was first registered.

Definition at line 871 of file cfe_tbl_events.h.

39.32.1.68 CFE_TBL_WRITE_CFE_HDR_ERR_EID

```
#define CFE_TBL_WRITE_CFE_HDR_ERR_EID 63
'Error writing cFE File Header to '%s', Status=0x%08X'
```

Event Message 'Error writing cFE File Header to '%s', Status=0x%08X'

Type: ERROR

Cause:

This event message is generated when a Table Dump or Table Registry Dump command was received and the cFE Table Services is unable to write the standard cFE File Header to the specified file.

The Status field provides the return status from the CFE_FS_WriteHeader function call.

Definition at line 486 of file cfe_tbl_events.h.

39.32.1.69 CFE_TBL_WRITE_DUMP_INF_EID #define CFE_TBL_WRITE_DUMP_INF_EID 14 'Successfully dumped Table '%s' to '%s'' Event Message 'Successfully dumped Table '%s' to '%s'' Type: INFORMATION Cause:

This event message is always generated after a successful execution of a cFE Table Services Dump Table command where the command specified target filename was a currently non-existent file. If the file did already exist, the event message would have been CFE_TBL_OVERWRITE_DUMP_INF_EID.

Definition at line 137 of file cfe_tbl_events.h.

```
39.32.1.70 CFE_TBL_WRITE_REG_DUMP_INF_EID
#define CFE_TBL_WRITE_REG_DUMP_INF_EID 22

'Successfully dumped Table Registry to '%s':Size=%d,Entries=%d'

Event Message 'Successfully dumped Table Registry to '%s':Size=%d,Entries=%d'

Type: DEBUG
```

Cause:

This event message is always generated after a successful execution of a cFE Table Services Dump Table Registry command where the command specified target filename was a currently non-existent file. If the file did already exist, the event message would have been CFE_TBL_OVERWRITE_REG_DUMP_INF_EID.

Definition at line 226 of file cfe_tbl_events.h.

39.32.1.71 CFE_TBL_WRITE_TBL_HDR_ERR_EID

```
#define CFE_TBL_WRITE_TBL_HDR_ERR_EID 64
'Error writing Tbl image File Header to '%s', Status=0x%08X'
```

Event Message 'Error writing Tbl image File Header to '%s', Status=0x%08X'

Type: ERROR

Cause:

This event message is generated when a Table Dump command was received and the cFE Table Services is unable to write the standard cFE Table Image Header to the specified file.

The Status field provides the return status from the OS_write function call.

Definition at line 500 of file cfe tbl events.h.

39.32.1.72 CFE_TBL_WRITE_TBL_IMG_ERR_EID

```
#define CFE_TBL_WRITE_TBL_IMG_ERR_EID 65
'Error writing Tbl image to '%s', Status=0x%08X'
```

Event Message 'Error writing Tbl image to '%s', Status=0x%08X'

Type: ERROR

Cause:

This event message is generated when a Table Dump command was received and the cFE Table Services is unable to write the contents of the specified Table image to the specified file.

The Status field provides the return status from the OS_write function call.

Definition at line 515 of file cfe_tbl_events.h.

39.32.1.73 CFE_TBL_WRITE_TBL_REG_ERR_EID

```
#define CFE_TBL_WRITE_TBL_REG_ERR_EID 68

'Error writing Registry to '%s', Status=0x%08X'

Event Message 'Error writing Registry to '%s', Status=0x%08X'
```

Type: ERROR

Cause:

This event message is generated when a Table Registry Dump command was received and the cFE Table Services is unable to write the entire contents of the Table Registry to the specified file.

The Status field provides the return status from the OS_write function call.

Definition at line 561 of file cfe tbl events.h.

39.32.1.74 CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID

```
#define CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID 73

'Table Hdr in '%s' indicates no data in file'

Event Message 'Table Hdr in '%s' indicates no data in file'
```

Type: ERROR

Cause:

This event message is generated when a Load Table command is received and the Table Header in the specified Table Image file claims the file contains no data.

Definition at line 628 of file cfe tbl events.h.

39.33 cfe/fsw/cfe-core/src/inc/cfe_tbl_extern_typedefs.h File Reference

```
#include "common_types.h"
#include <cfe_mission_cfg.h>
```

Data Structures

• struct CFE_TBL_File_Hdr_t

The definition of the header fields that are included in CFE Table Data files.

Typedefs

typedef uint16 CFE_TBL_BufferSelect_Enum_t
 Selects the buffer to operate on for validate or dump commands.

Enumerations

• enum CFE_TBL_BufferSelect { CFE_TBL_BufferSelect_INACTIVE = 0, CFE_TBL_BufferSelect_ACTIVE = 1 } Label definitions associated with CFE_TBL_BufferSelect_Enum_t.

39.33.1 Typedef Documentation

```
39.33.1.1 CFE_TBL_BufferSelect_Enum_t
```

```
typedef uint16 CFE_TBL_BufferSelect_Enum_t
```

Selects the buffer to operate on for validate or dump commands.

See also

```
enum CFE TBL BufferSelect
```

Definition at line 60 of file cfe_tbl_extern_typedefs.h.

39.33.2 Enumeration Type Documentation

39.33.2.1 CFE_TBL_BufferSelect

```
enum CFE_TBL_BufferSelect
```

Label definitions associated with CFE_TBL_BufferSelect_Enum_t.

Enumerator

CFE_TBL_BufferSelect_INACTIVE	Select the Inactive buffer for validate or dump.
CFE_TBL_BufferSelect_ACTIVE	Select the Active buffer for validate or dump.

Definition at line 40 of file cfe_tbl_extern_typedefs.h.

39.34 cfe/fsw/cfe-core/src/inc/cfe tbl filedef.h File Reference

```
#include <cfe_mission_cfg.h>
#include <common_types.h>
#include "cfe_tbl_extern_typedefs.h"
#include "cfe_fs_extern_typedefs.h"
```

Data Structures

struct CFE_TBL_FileDef_t

Macros

#define CFE_TBL_FILEDEF(ObjName, TblName, Desc, Filename) static OS_USED CFE_TBL_FileDef_t CFE
 —TBL_FileDef={#ObjName, #TblName, #Desc, #Filename, sizeof(ObjName)};

39.34.1 Macro Definition Documentation

39.34.1.1 CFE_TBL_FILEDEF

The CFE_TBL_FILEDEF macro can be used to simplify the declaration of a table image when using the elf2cfetbl utility. An example of the source code and how this macro would be used is as follows:

```
#include "cfe_tbl_filedef.h"

typedef struct
{
    int     Int1;
    int     Int2;
    int     Int3;
    char     Char1;
} MyTblStruct_t;

MyTblStruct_t MyTblStruct = { 0x01020304, 0x05060708, 0x090A0B0C, 0x0D };

CFE_TBL_FILEDEF(MyTblStruct, MyApp.TableName, Table Utility Test Table, MyTblDefault.bin )
```

Definition at line 90 of file cfe tbl filedef.h.

39.35 cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h File Reference

```
#include "cfe.h"
```

Data Structures

```
    struct CFE_TBL_NoArgsCmd_t
```

Generic "no arguments" command.

struct CFE_TBL_LoadCmd_Payload_t

Load Table Command.

- struct CFE TBL Load t
- struct CFE TBL DumpCmd Payload t

Dump Table Command.

- struct CFE TBL Dump t
- struct CFE_TBL_ValidateCmd_Payload_t

Validate Table Command.

- struct CFE TBL Validate t
- struct CFE TBL ActivateCmd Payload t

Activate Table Command.

- · struct CFE TBL Activate t
- struct CFE TBL DumpRegistryCmd Payload t

Dump Registry Command.

- struct CFE_TBL_DumpRegistry_t
- struct CFE TBL SendRegistryCmd Payload t

Telemeter Table Registry Entry Command.

- struct CFE TBL SendRegistry t
- struct CFE_TBL_DelCDSCmd_Payload_t

Delete Critical Table CDS Command.

- struct CFE_TBL_DeleteCDS_t
- struct CFE TBL AbortLoadCmd Payload t

Abort Load Command.

- struct CFE TBL AbortLoad t
- struct CFE_TBL_NotifyCmd_Payload_t

Table Management Notification Message.

- struct CFE TBL NotifyCmd t
- struct CFE_TBL_HousekeepingTlm_Payload_t
- struct CFE_TBL_HousekeepingTIm_t
- struct CFE_TBL_TblRegPacket_Payload_t
- struct CFE TBL TableRegistryTlm t

Macros

Table Services Command Codes

- #define CFE_TBL_NOOP_CC 0#define CFE_TBL_RESET_COUNTERS_CC 1
- #define CFE_TBL_LOAD_CC 2
- #define CFE_TBL_DUMP_CC 3
- #define CFE TBL VALIDATE CC 4
- #define CFE TBL ACTIVATE CC 5
- #define CFE_TBL_DUMP_REGISTRY_CC 6
- #define CFE_TBL_SEND_REGISTRY_CC 7
- #define CFE_TBL_DELETE_CDS_CC 8
- #define CFE TBL ABORT LOAD CC 9

Typedefs

- typedef CFE_TBL_NoArgsCmd_t CFE_TBL_Noop_t
- typedef CFE TBL NoArgsCmd t CFE TBL ResetCounters t
- typedef CFE TBL HousekeepingTlm t CFE TBL HkPacket t
- typedef CFE_TBL_TableRegistryTlm_t CFE_TBL_TblRegPacket_t

39.35.1 Macro Definition Documentation

39.35.1.1 CFE_TBL_ABORT_LOAD_CC

```
#define CFE_TBL_ABORT_LOAD_CC 9
```

Name Abort Table Load

Description

This command will cause Table Services to discard the contents of a table buffer that was previously loaded with the data in a file as specified by a Table Load command. For single buffered tables, the allocated shared working buffer is freed and becomes available for other Table Load commands.

Command Mnemonic(s) \$sc \$cpu TBL LOADABORT

Command Structure

```
CFE TBL_AbortLoad_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TBL CMDPC command execution counter will increment
- The CFE TBL LOAD ABORT INF EID informational event message is generated
- If the load was aborted for a single buffered table, the \$sc_\$cpu_TBL_NumFreeShrBuf telemetry point should increment

Error Conditions

This command may fail for the following reason(s):

- · The specified table name was not found in the table registry.
- · The specified table did not have a load in progress to be aborted.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- Error specific event message

Criticality

This command will cause the loss of data put into an inactive table buffer.

See also

```
CFE TBL LOAD CC, CFE TBL DUMP CC, CFE TBL VALIDATE CC, CFE TBL ACTIVATE CC
```

Definition at line 476 of file cfe_tbl_msg.h.

39.35.1.2 CFE_TBL_ACTIVATE_CC

#define CFE_TBL_ACTIVATE_CC 5

Name Activate Table

Description

This command will cause Table Services to notify a table's owner that an update is pending. The owning application will then update the contents of the active table buffer with the contents of the associated inactive table buffer at a time of their convenience.

Command Mnemonic(s) \$sc_\$cpu_TBL_ACTIVATE

Command Structure

CFE TBL Activate t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE_TBL_UPDATE_SUCCESS_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · A single buffered table's inactive buffer was requested to be dumped and no such buffer is currently allocated.
- · The specified table name was not found in the table registry.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Command specific error event message are issued for all error cases

Criticality

This command will cause the contents of the specified table to be updated with the contents in the inactive table buffer.

See also

CFE_TBL_LOAD_CC, CFE_TBL_DUMP_CC, CFE_TBL_VALIDATE_CC, CFE_TBL_ABORT_LOAD_CC

Definition at line 316 of file cfe_tbl_msg.h.

```
39.35.1.3 CFE_TBL_DELETE_CDS_CC
```

```
#define CFE_TBL_DELETE_CDS_CC 8
```

Name Delete Critical Table from Critical Data Store

Description

This command will delete the Critical Data Store (CDS) associated with the specified Critical Table. Note that any table still present in the Table Registry is unable to be deleted from the Critical Data Store. All Applications that are accessing the critical table must release and unregister their access before the CDS can be deleted.

Command Mnemonic(s) \$sc_\$cpu_TBL_DeleteCDS

Command Structure

```
CFE TBL DeleteCDS t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE_TBL_CDS_DELETED_INFO_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- The specified table name was not found in the critical data store registry
- The specified table name WAS found in the table registry (all registrations/sharing of the table must be unregistered before the table's CDS can be deleted)
- · The table's owning application is still active

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Error specific event message

Criticality

This command will cause the loss of the specified table's contents before the owning Application was terminated.

See also

```
CFE ES DUMP CDS REGISTRY CC, CFE ES DELETE CDS CC
```

Definition at line 437 of file cfe_tbl_msg.h.

```
39.35.1.4 CFE_TBL_DUMP_CC
```

```
#define CFE_TBL_DUMP_CC 3
```

Name Dump Table

Description

This command will cause the Table Services to put the contents of the specified table buffer into the command specified file.

Command Mnemonic(s) \$sc_\$cpu_TBL_DUMP

Command Structure

```
CFE TBL Dump t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- Either the CFE_TBL_OVERWRITE_DUMP_INF_EID OR the CFE_TBL_WRITE_DUMP_INF_EID informational event message will be generated

Error Conditions

This command may fail for the following reason(s):

- · A single buffered table's inactive buffer was requested to be dumped and no such buffer is currently allocated.
- Error occurred during write operation to file. Possible causes might be insufficient space in the file system or the filename or file path is improperly specified.
- The specified table name was not found in the table registry.

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu TBL CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

```
CFE_TBL_LOAD_CC, CFE_TBL_VALIDATE_CC, CFE_TBL_ACTIVATE_CC, CFE_TBL_ABORT_LOAD_CC
```

Definition at line 219 of file cfe_tbl_msg.h.

```
39.35.1.5 CFE_TBL_DUMP_REGISTRY_CC
```

```
#define CFE_TBL_DUMP_REGISTRY_CC 6
```

Name Dump Table Registry

Description

This command will cause Table Services to write some of the contents of the Table Registry to the command specified file. This allows the operator to see the current state and configuration of all tables that have been registered with the cFE.

Command Mnemonic(s) \$sc_\$cpu_TBL_WriteReg2File

Command Structure

```
CFE TBL DumpRegistry t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The generation of either CFE_TBL_OVERWRITE_REG_DUMP_INF_EID or CFE_TBL_WRITE_REG_DU

 MP INF EID debug event messages
- · The specified file should appear (or be updated) at the specified location in the file system

Error Conditions

This command may fail for the following reason(s):

• Error occurred during write operation to file. Possible causes might be insufficient space in the file system or the filename or file path is improperly specified.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · An Error specific event message

Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

See also

```
CFE_TBL_SEND_REGISTRY_CC
```

Definition at line 358 of file cfe_tbl_msg.h.

```
39.35.1.6 CFE_TBL_LOAD_CC
```

#define CFE_TBL_LOAD_CC 2

Name Load Table

Description

This command loads the contents of the specified file into an inactive buffer for the table specified within the file.

Command Mnemonic(s) \$sc \$cpu TBL Load

Command Structure

```
CFE TBL Load t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE_TBL_FILE_LOADED_INF_EID informational event message will be generated

Error Conditions

This command can fail for the following reasons:

- Table name found in table image file's table header is not found in table registry (ie The table associated with the table image in the file has not been registered by an application).
- The table image file's header indicates the file contains 'x' number of bytes of data but the file contains less.
- No working buffers are available for the load. This would indicate that too many single-buffered table loads are in progress at the same time.
- The table image file's header indicates the data to be loaded is beyond the size of the table. Either the number
 of bytes in the file are too many or the starting offset into the table is too high.
- The table image file's header indicates there is no data in the file (ie Number of bytes to load is zero).
- · An attempt is being made to load an uninitialized table with a file containing only a partial table image.
- The table image file was unable to be opened. Either the file does not exist at the specified location, the filename is in error, or the file system has been corrupted.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- Command specific error event messages are issued for all error cases

Criticality

This command is not inherently dangerous. It is performing the first step of loading a table and can be aborted (using the Abort Table Load command described below) without affecting the contents of the active table image.

See also

```
CFE TBL DUMP CC, CFE TBL VALIDATE CC, CFE TBL ACTIVATE CC, CFE TBL ABORT LOAD CC
```

Definition at line 176 of file cfe_tbl_msg.h.

```
39.35.1.7 CFE_TBL_NOOP_CC
```

```
#define CFE_TBL_NOOP_CC 0
```

Name Table No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Table Services task.

Command Mnemonic(s) \$sc_\$cpu_TBL_NOOP

Command Structure

```
CFE_TBL_NoArgsCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE_TBL_NOOP_INF_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Table Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 82 of file cfe_tbl_msg.h.

```
39.35.1.8 CFE_TBL_RESET_COUNTERS_CC
```

```
#define CFE_TBL_RESET_COUNTERS_CC 1
```

Name Table Reset Counters

Description

This command resets the following counters within the Table Services housekeeping telemetry:

- Command Execution Counter (\$sc \$cpu TBL CMDPC)
- Command Error Counter (\$sc \$cpu TBL CMDEC)
- Successful Table Validations Counter (\$sc_\$cpu_TBL_ValSuccessCtr)
- Failed Table Validations Counter (\$sc_\$cpu_TBL_ValFailedCtr)
- Number of Table Validations Requested (\$sc \$cpu TBL ValRegCtr)

Command Mnemonic(s) \$sc_\$cpu_TBL_ResetCtrs

Command Structure

```
CFE_TBL_NoArgsCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- The CFE_TBL_RESET_INF_EID debug event message will be generated

Error Conditions

There are no error conditions for this command. If the Table Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

Definition at line 122 of file cfe_tbl_msg.h.

39.35.1.9 CFE_TBL_SEND_REGISTRY_CC

```
#define CFE_TBL_SEND_REGISTRY_CC 7
```

Name Telemeter One Table Registry Entry

Description

This command will cause Table Services to telemeter the contents of the Table Registry for the command specified table.

Command Mnemonic(s) \$sc_\$cpu_TBL_TLMReg

Command Structure

```
CFE_TBL_DumpRegistry_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TBL_CMDPC command execution counter will increment
- Receipt of a Table Registry Info Packet (see CFE_TBL_TableRegistryTIm_t)
- The CFE_TBL_TLM_REG_CMD_INF_EID debug event message will be generated

Error Conditions

This command may fail for the following reason(s):

· The specified table name was not found in the table registry.

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TBL_CMDEC command error counter will increment
- · Error specific event message

Criticality

This command is not inherently dangerous. It will generate additional telemetry.

See also

```
CFE_TBL_DUMP_REGISTRY_CC
```

Definition at line 393 of file cfe_tbl_msg.h.

```
39.35.1.10 CFE_TBL_VALIDATE_CC
```

```
#define CFE_TBL_VALIDATE_CC 4
```

Name Validate Table

Description

This command will cause Table Services to calculate the Data Integrity Value for the specified table and to notify the owning application that the table's validation function should be executed. The results of both the Data Integrity Value computation and the validation function are reported in Table Services Housekeeping Telemetry.

Command Mnemonic(s) \$sc_\$cpu_TBL_VALIDATE

Command Structure

```
CFE TBL Validate t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TBL CMDPC command execution counter will increment
- \$sc_\$cpu_TBL_ValReqCtr table validation request counter will increment
- \$sc_\$cpu_TBL_LastValCRC calculated data integrity value will be updated
- The CFE_TBL_VAL_REQ_MADE_INF_EID debug event message (indicating the application is being notified
 of a validation request)

If the specified table has an associated validation function, then the following telemetry will also change:

- Either \$sc_\$cpu_TBL_ValSuccessCtr OR \$sc_\$cpu_TBL_ValFailedCtr will increment
- \$sc_\$cpu_TBL_ValCompltdCtr table validations performed counter will increment
- \$sc_\$cpu_TB1_LastValS table validation function return status will update
- The CFE_TBL_VALIDATION_INF_EID informational event message (indicating the validation function return status) will be generated

Error Conditions

This command may fail for the following reason(s):

- · A single buffered table's inactive buffer was requested to be dumped and no such buffer is currently allocated.
- Too many validations have been requested simultaneously. The operator must wait for one or more applications to perform their table validation functions before trying again.
- The specified table name was not found in the table registry.

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu TBL CMDEC command error counter will increment
- Command specific error event message are issued for all error cases

Criticality

The success or failure of a table validation does not have any immediate impact on table contents. The results are sent to the operator in telemetry and the operator must determine whether the results are acceptable and send a command to activate the validated table image.

```
See also
```

```
CFE_TBL_LOAD_CC, CFE_TBL_DUMP_CC, CFE_TBL_ACTIVATE_CC, CFE_TBL_ABORT_LOAD_CC
```

Definition at line 276 of file cfe tbl msg.h.

39.35.2 Typedef Documentation

```
39.35.2.1 CFE_TBL_HkPacket_t
```

typedef CFE_TBL_HousekeepingTlm_t CFE_TBL_HkPacket_t

Definition at line 828 of file cfe_tbl_msg.h.

```
39.35.2.2 CFE_TBL_Noop_t
```

typedef CFE_TBL_NoArgsCmd_t CFE_TBL_Noop_t

Definition at line 504 of file cfe_tbl_msg.h.

39.35.2.3 CFE_TBL_ResetCounters_t

typedef CFE_TBL_NoArgsCmd_t CFE_TBL_ResetCounters_t

Definition at line 505 of file cfe_tbl_msg.h.

39.35.2.4 CFE_TBL_TblRegPacket_t

typedef CFE_TBL_TableRegistryTlm_t CFE_TBL_TblRegPacket_t

Definition at line 829 of file cfe_tbl_msg.h.

39.36 cfe/fsw/cfe-core/src/inc/cfe_time.h File Reference

```
#include "cfe_time_extern_typedefs.h"
#include "common_types.h"
```

Data Structures

struct CFE_TIME_SysTime_t

Data structure used to hold system time values.

struct CFE_TIME_ResetVars_t

Time related variables that are maintained through a Processor Reset.

Macros

• #define CFE_TIME_PRINTED_STRING_SIZE 24

Required size of buffer to be passed into CFE TIME Print (includes null terminator)

- #define CFE_TIME_USE_INTERN CFE_TIME_SourceSelect_INTERNAL
- #define CFE TIME USE EXTERN CFE TIME SourceSelect EXTERNAL
- #define CFE TIME TONE PRI CFE TIME ToneSignalSelect PRIMARY
- #define CFE TIME TONE RED CFE TIME ToneSignalSelect REDUNDANT
- #define CFE_TIME_ADD_ADJUST CFE_TIME_AdjustDirection_ADD
- #define CFE_TIME_SUB_ADJUST CFE_TIME_AdjustDirection_SUBTRACT
- #define CFE TIME NO FLY CFE TIME FlywheelState NO FLY
- #define CFE TIME IS FLY CFE TIME FlywheelState IS FLY
- #define CFE TIME NOT SET CFE TIME SetState NOT SET
- #define CFE_TIME_WAS_SET CFE_TIME_SetState_WAS_SET
- #define CFE_TIME_INVALID CFE_TIME_ClockState_INVALID
- #define CFE TIME VALID CFE TIME ClockState VALID
- #define CFE_TIME_FLYWHEEL CFE_TIME_ClockState_FLYWHEEL
- #define CFE_TIME_Copy(m, t) { (m)->Seconds = (t)->Subseconds = (t)->Subseconds; }
 Time Copy.

Typedefs

typedef int32(* CFE_TIME_SynchCallbackPtr_t) (void)

Time Synchronization Callback Function Ptr Type.

Enumerations

• enum CFE_TIME_Compare_t { CFE_TIME_A_LT_B = -1, CFE_TIME_EQUAL = 0, CFE_TIME_A_GT_B = 1 }

Enumerated types identifying the relative relationships of two times.

Functions

CFE TIME SysTime t CFE TIME GetTime (void)

Get the current spacecraft time.

CFE_TIME_SysTime_t CFE_TIME_GetTAI (void)

Get the current TAI (MET + SCTF) time.

CFE TIME SysTime t CFE TIME GetUTC (void)

Get the current UTC (MET + SCTF - Leap Seconds) time.

CFE_TIME_SysTime_t CFE_TIME_GetMET (void)

Get the current value of the Mission Elapsed Time (MET).

uint32 CFE_TIME_GetMETseconds (void)

Get the current seconds count of the mission-elapsed time.

uint32 CFE TIME GetMETsubsecs (void)

Get the current sub-seconds count of the mission-elapsed time.

CFE TIME SysTime t CFE TIME GetSTCF (void)

Get the current value of the spacecraft time correction factor (STCF).

int16 CFE TIME GetLeapSeconds (void)

Get the current value of the leap seconds counter.

CFE TIME ClockState Enum t CFE TIME GetClockState (void)

Get the current state of the spacecraft clock.

uint16 CFE TIME GetClockInfo (void)

Provides information about the spacecraft clock.

- CFE_TIME_SysTime_t CFE_TIME_Add (CFE_TIME_SysTime_t Time1, CFE_TIME_SysTime_t Time2)
 Adds two time values.
 - T TIME CHATTERS A CO
- CFE_TIME_SysTime_t CFE_TIME_Subtract (CFE_TIME_SysTime_t Time1, CFE_TIME_SysTime_t Time2)
 Subtracts two time values.
- CFE_TIME_Compare_t CFE_TIME_Compare (CFE_TIME_SysTime_t TimeA, CFE_TIME_SysTime_t TimeB)

 Compares two time values.
- CFE_TIME_SysTime_t CFE_TIME_MET2SCTime (CFE_TIME_SysTime_t METTime)

Convert specified MET into Spacecraft Time.

uint32 CFE_TIME_Sub2MicroSecs (uint32 SubSeconds)

Converts a sub-seconds count to an equivalent number of microseconds.

uint32 CFE_TIME_Micro2SubSecs (uint32 MicroSeconds)

Converts a number of microseconds to an equivalent sub-seconds count.

uint32 CFE_TIME_CFE2FSSeconds (uint32 SecondsCFE)

Converts cFE seconds into the File System's seconds.

uint32 CFE_TIME_FS2CFESeconds (uint32 SecondsFS)

Converts a file system's seconds into cFE seconds.

void CFE TIME ExternalTone (void)

Provides the 1 Hz signal from an external source.

void CFE TIME ExternalMET (CFE TIME SysTime t NewMET)

Provides the Mission Elapsed Time from an external source.

void CFE_TIME_ExternalGPS (CFE_TIME_SysTime_t NewTime, int16 NewLeaps)

Provide the time from an external source that has data common to GPS receivers.

void CFE_TIME_ExternalTime (CFE_TIME_SysTime_t NewTime)

Provide the time from an external source that measures time relative to a known epoch.

int32 CFE TIME RegisterSynchCallback (CFE TIME SynchCallbackPtr t CallbackFuncPtr)

Registers a callback function that is called whenever time synchronization occurs.

int32 CFE_TIME_UnregisterSynchCallback (CFE_TIME_SynchCallbackPtr_t CallbackFuncPtr)

Unregisters a callback function that is called whenever time synchronization occurs.

- void CFE_TIME_Print (char *PrintBuffer, CFE_TIME_SysTime_t TimeToPrint)
 Print a time value as a string.
- void CFE_TIME_Local1HzISR (void)

This function should be called from the system PSP layer once per second.

39.36.1 Macro Definition Documentation

```
39.36.1.1 CFE_TIME_ADD_ADJUST
```

```
#define CFE_TIME_ADD_ADJUST CFE_TIME_AdjustDirection_ADD
```

Definition at line 74 of file cfe_time.h.

39.36.1.2 CFE_TIME_Copy

```
#define CFE_TIME_Copy(  m, \\ t ) \  \{ \  \, (m) \, -> \, Seconds \, = \, (t) \, -> \, Subseconds \, = \, (t) \, -> \, Subseconds; \, \, \}
```

Time Copy.

Macro to copy systime into another systime. Preferred to use this macro as it does not require the two arguments to be exactly the same type, it will work with any two structures that define "Seconds" and "Subseconds" members.

Definition at line 128 of file cfe_time.h.

```
39.36.1.3 CFE_TIME_FLYWHEEL
```

```
#define CFE_TIME_FLYWHEEL CFE_TIME_ClockState_FLYWHEEL
```

Definition at line 94 of file cfe_time.h.

39.36.1.4 CFE_TIME_INVALID

```
#define CFE_TIME_INVALID CFE_TIME_ClockState_INVALID
```

Definition at line 92 of file cfe_time.h.

```
39.36.1.5 CFE_TIME_IS_FLY
#define CFE_TIME_IS_FLY CFE_TIME_FlywheelState_IS_FLY
Definition at line 81 of file cfe_time.h.
39.36.1.6 CFE_TIME_NO_FLY
#define CFE_TIME_NO_FLY CFE_TIME_FlywheelState_NO_FLY
Definition at line 80 of file cfe_time.h.
39.36.1.7 CFE_TIME_NOT_SET
#define CFE_TIME_NOT_SET CFE_TIME_SetState_NOT_SET
Definition at line 86 of file cfe_time.h.
39.36.1.8 CFE_TIME_PRINTED_STRING_SIZE
#define CFE_TIME_PRINTED_STRING_SIZE 24
Required size of buffer to be passed into CFE_TIME_Print (includes null terminator)
Definition at line 50 of file cfe_time.h.
39.36.1.9 CFE_TIME_SUB_ADJUST
#define CFE_TIME_SUB_ADJUST CFE_TIME_AdjustDirection_SUBTRACT
Definition at line 75 of file cfe_time.h.
39.36.1.10 CFE_TIME_TONE_PRI
#define CFE_TIME_TONE_PRI CFE_TIME_ToneSignalSelect_PRIMARY
```

Definition at line 68 of file cfe_time.h.

```
39.36.1.11 CFE_TIME_TONE_RED
#define CFE_TIME_TONE_RED CFE_TIME_ToneSignalSelect_REDUNDANT
Definition at line 69 of file cfe_time.h.
39.36.1.12 CFE_TIME_USE_EXTERN
#define CFE_TIME_USE_EXTERN CFE_TIME_SourceSelect_EXTERNAL
Definition at line 63 of file cfe_time.h.
39.36.1.13 CFE_TIME_USE_INTERN
#define CFE_TIME_USE_INTERN CFE_TIME_SourceSelect_INTERNAL
Definition at line 62 of file cfe_time.h.
39.36.1.14 CFE_TIME_VALID
#define CFE_TIME_VALID CFE_TIME_ClockState_VALID
Definition at line 93 of file cfe_time.h.
39.36.1.15 CFE_TIME_WAS_SET
#define CFE_TIME_WAS_SET CFE_TIME_SetState_WAS_SET
```

Generated by Doxygen

Definition at line 87 of file cfe_time.h.

39.36.2 Typedef Documentation

39.36.2.1 CFE_TIME_SynchCallbackPtr_t

```
typedef int32(* CFE_TIME_SynchCallbackPtr_t) (void)
```

Time Synchronization Callback Function Ptr Type.

Description

Applications that wish to get direct notification of the receipt of the cFE Time Synchronization signal (typically a 1 Hz signal), must register a callback function with the following prototype via the CFE_TIME_RegisterSynchCallback API.

Definition at line 172 of file cfe time.h.

39.36.3 Enumeration Type Documentation

```
39.36.3.1 CFE_TIME_Compare_t
```

```
enum CFE_TIME_Compare_t
```

Enumerated types identifying the relative relationships of two times.

Description

Since time fields contain numbers that are relative to an epoch time, then it is possible for a time value to be "negative". This can lead to some confusion about what relationship exists between two time values. To resolve this confusion, the cFE provides the API CFE TIME Compare which returns these enumerated values.

Enumerator

	The first specified time is considered to be before the second specified time.
CFE_TIME_A_LT_B	
CFE_TIME_EQUAL	The two specified times are considered to be equal.
CFE_TIME_A_GT↔	The first specified time is considered to be after the second specified time.
_B	

Definition at line 138 of file cfe time.h.

39.37 cfe/fsw/cfe-core/src/inc/cfe_time_events.h File Reference

Macros

#define CFE TIME MAX EID 49

```
    #define CFE_TIME_INIT_EID 1 /* start up message "informational" */

     'cFE TIME Initialized'

    #define CFE TIME NOOP EID 4 /* processed command "informational" */

     'No-op command'

    #define CFE TIME RESET EID 5

     'Reset Counters command'
• #define CFE_TIME_DIAG_EID 6
     'Request diagnostics command'

    #define CFE TIME STATE EID 7

     'Set Clock State = %s'

    #define CFE TIME SOURCE EID 8

     'Set Time Source = %s'

    #define CFE TIME SIGNAL EID 9

     'Set Tone Source = %s'

    #define CFE_TIME_DELAY_EID 11

     'Set Tone Delay - secs = %d, usecs = %d, ssecs = 0x%X, dir = %d'
• #define CFE_TIME_TIME_EID 12
     'Set Time - secs = %d, usecs = %d, ssecs = 0x%X'
• #define CFE_TIME_MET_EID 13
     'Set MET - secs = %d, usecs = %d, ssecs = 0x%X'

    #define CFE_TIME_STCF_EID 14

     'Set STCF - secs = %d, usecs = %d, ssecs = 0x%X'

    #define CFE TIME DELTA EID 15

     'STCF Adjust - secs = %d, usecs = %d, ssecs = 0x%X, dir[1=Positive, 2=Negative]
     = %d'

    #define CFE TIME 1HZ EID 16

     'STCF 1Hz Adjust - secs = %d, ssecs = 0x%X, dir = %d'
• #define CFE TIME LEAPS EID 17
     'Set Leap Seconds = %d'

    #define CFE_TIME_FLY_ON_EID 20 /* flywheel state "informational" */

     'Start FLYWHEEL'

    #define CFE TIME FLY OFF EID 21

     'Stop FLYWHEEL'

    #define CFE_TIME_EXIT_ERR_EID 25 /* task termination "error" */

    #define CFE_TIME_ID_ERR_EID 26 /* invalid command packet "error" */

     'Invalid message ID - ID = 0x%X'

    #define CFE TIME CC ERR EID 27

     'Invalid command code - ID = 0x%X, CC = %d'

    #define CFE_TIME_STATE_ERR_EID 30 /* processed command "error" */

     'Invalid Clock State = 0x%X'

    #define CFE TIME SOURCE ERR EID 31

     'Invalid Time Source = 0x%X'

    #define CFE TIME SIGNAL ERR EID 32

     'Invalid Tone Source = 0x%X'

    #define CFE_TIME_DELAY_ERR_EID 33

     'Invalid Tone Delay - secs = %d, usecs = %d'

    #define CFE TIME TIME ERR EID 34
```

```
'Invalid Time - secs = %d, usecs = %d'

    #define CFE_TIME_MET_ERR_EID 35

        'Invalid MET - secs = %d, usecs = %d'

    #define CFE TIME STCF ERR EID 36

        'Invalid STCF - secs = %d, usecs = %d'

    #define CFE TIME DELTA ERR EID 37

        'Invalid STCF Adjust - secs = %d, usecs = %d, dir[1=Positive, 2=Negative] = %d'

    #define CFE TIME 1HZ ERR EID 38

    #define CFE_TIME_SOURCE_CFG_EID 40 /* cmd disabled per cfg "error" */

        'Set Source commands invalid without CFE_PLATFORM_TIME_CFG_SOURCE set to true'

    #define CFE_TIME_SIGNAL_CFG_EID 41

        'Set Signal commands invalid without CFE_PLATFORM_TIME_CFG_SIGNAL set to true'

    #define CFE TIME DELAY CFG EID 42

        'Set Delay commands invalid without CFE_PLATFORM_TIME_CFG_CLIENT set to true'

    #define CFE TIME TIME CFG EID 43

        'Set Time commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'

    #define CFE TIME MET CFG EID 44

        'Set MET commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'

    #define CFE TIME STCF CFG EID 45

        'Set STCF commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'
   • #define CFE_TIME_LEAPS_CFG_EID 46
        'Set Leaps commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'

    #define CFE TIME DELTA CFG EID 47

        'STCF Adjust commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'

    #define CFE TIME 1HZ CFG EID 48

        '1Hz Adjust commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'

    #define CFE TIME LEN ERR EID 49

        'Invalid cmd length: ID = 0x\%X, CC = %d, Exp Len = %d, Len = %d'
39.37.1 Macro Definition Documentation
```

```
39.37.1.1 CFE_TIME_1HZ_CFG_EID
```

#define CFE_TIME_1HZ_CFG_EID 48

'1Hz Adjust commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'

Event Message '1Hz Adjust commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'

Type: ERROR

Cause:

This event message is generated whenever Time Services receives either a Add STCF Adjustment each second Command OR a Subtract STCF Adjustment each second command and the Time Services configuration parameter CF← E PLATFORM TIME CFG SERVER has not been set to true in the cfe platform cfg.h file.

Definition at line 603 of file cfe_time_events.h.

```
39.37.1.2 CFE_TIME_1HZ_EID
#define CFE_TIME_1HZ_EID 16

'STCF 1Hz Adjust - secs = %d, ssecs = 0x%X, dir = %d'

Event Message 'STCF 1Hz Adjust - secs = %d, ssecs = 0x%X, dir = %d'
```

Type: INFORMATION

Cause:

This event message is generated upon successful completion of any of the following cFE Time Services STCF Adjustment Commands:

- · Add STCF Adjustment each second command
- · Subtract STCF Adjustment each second command

The secs field specifies the number of seconds the STCF is to be adjusted by, the ssecs field specifies the number of sub-seconds (1/2^32 seconds) the STCF is to be adjusted by and the dir field identifies whether the adjustment was added or subtracted. The direction value can be either CFE_TIME_AdjustDirection_ADD or CFE_TIME_AdjustCDirection_SUBTRACT.

Definition at line 251 of file cfe time events.h.

```
39.37.1.3 CFE_TIME_1HZ_ERR_EID

#define CFE_TIME_1HZ_ERR_EID 38

(obsolete - unused)

Definition at line 474 of file cfe_time_events.h.
```

39.37.1.4 CFE_TIME_CC_ERR_EID

```
#define CFE_TIME_CC_ERR_EID 27
'Invalid command code - ID = 0x%X, CC = %d'

Event Message 'Invalid command code - ID = 0x%X, CC = %d'
```

Type: ERROR

Cause:

This event message is generated whenever Time Services receives a message from the software bus that contains a unrecognized command code in its header..

The ID field specifies, in hex, the message ID of the message containing the unrecognized command code, identified, in decimal, by the CC field.

Definition at line 322 of file cfe_time_events.h.

39.37.1.5 CFE_TIME_DELAY_CFG_EID

```
#define CFE_TIME_DELAY_CFG_EID 42
```

'Set Delay commands invalid without CFE_PLATFORM_TIME_CFG_CLIENT set to true'

Event Message 'Set Delay commands invalid without CFE_PLATFORM_TIME_CFG_CLIENT set to true'

Type: ERROR

Cause:

This event message is generated whenever Time Services receives either a Add Tone Delay Command OR a Subtract Tone Delay Command and the Time Services configuration parameter CFE_PLATFORM_TIME_CFG_CLIENT has not been set to true in the cfe_platform_cfg.h file.

Definition at line 517 of file cfe time events.h.

39.37.1.6 CFE_TIME_DELAY_EID

```
#define CFE_TIME_DELAY_EID 11

'Set Tone Delay - secs = %d, usecs = %d, ssecs = 0x%X, dir = %d'

Event Message 'Set Tone Delay - secs = %d, usecs = %d, ssecs = 0x%X, dir = %d'
```

Type: INFORMATION

Cause:

This event message is generated upon successful completion of either a cFE Time Services Add Time Delay OR a Subtract Time Delay command

The secs field specifies the new delay (in seconds), the usecs field specifies the delay in micro-seconds, the ssecs field is the micro-seconds field converted to Spacecraft Time sub-seconds and the dir field identifies the direction of the delay. The direction can be either CFE_TIME_AdjustDirection_ADD or CFE_TIME_AdjustDirection_SUBTRACT.

Definition at line 162 of file cfe_time_events.h.

```
39.37.1.7 CFE_TIME_DELAY_ERR_EID
```

```
#define CFE_TIME_DELAY_ERR_EID 33
'Invalid Tone Delay - secs = %d, usecs = %d'

Event Message 'Invalid Tone Delay - secs = %d, usecs = %d'
```

Type: ERROR

Cause:

This event message is generated whenever Time Services receives either a Add Tone Delay Command OR a Subtract Tone Delay Command that contains a microsecond field that is greater than or equal to 1000000.

The secs field specifies, in decimal, the tone signal delay in seconds and the usecs field specifies, in decimal, the micro-second delay that was in error.

Definition at line 396 of file cfe_time_events.h.

39.37.1.8 CFE_TIME_DELTA_CFG_EID

```
#define CFE_TIME_DELTA_CFG_EID 47
'STCF Adjust commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'
```

Event Message 'STCF Adjust commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'

Type: ERROR

Cause:

This event message is generated whenever Time Services receives either a Add Single STCF Adjustment Command OR a Subtract Single STCF Adjustment command and the Time Services configuration parameter CFE_PLATFOR — M_TIME_CFG_SERVER has not been set to true in the cfe_platform_cfg.h file.

Definition at line 588 of file cfe time events.h.

39.37.1.9 CFE_TIME_DELTA_EID

```
#define CFE_TIME_DELTA_EID 15
'STCF Adjust - secs = %d, usecs = %d, ssecs = 0x%X, dir[1=Positive, 2=Negative]
= %d'

Event Message 'STCF Adjust - secs = %d, usecs = %d, ssecs = 0x%X, dir[1=Positive, 2=Negative] = %d'
```

Type: INFORMATION

Cause:

This event message is generated upon successful completion of any of the following cFE Time Services STCF Adjustment Commands:

- · Add Single STCF Adjustment command
- Subtract Single STCF Adjustment command

The secs field specifies the number of seconds the STCF is to be adjusted by, the usecs field specifies the number of micro-seconds, the ssecs field is the micro-seconds field converted to Spacecraft Time sub-seconds and the dir field identifies whether the adjustment was added or subtracted. The direction can be either CFE_TIME_AdjustDirection_ \leftarrow ADD or CFE_TIME_AdjustDirection_SUBTRACT.

Definition at line 231 of file cfe_time_events.h.

39.37.1.10 CFE_TIME_DELTA_ERR_EID

Type: ERROR

Cause:

This event message is generated whenever Time Services receives either a Add Single STCF Adjustment Command OR a Subtract Single STCF Adjustment command that contains a microsecond field that is greater than or equal to 1,000,000.

The secs field specifies the number of seconds the STCF is to be adjusted by, the usecs field specifies the number of micro-seconds that was in error, the dir field identifies whether the adjustment was to be added or subtracted. The direction can be either CFE_TIME_AdjustDirection_ADD or CFE_TIME_AdjustDirection_SUBTRACT.

Definition at line 470 of file cfe_time_events.h.

```
39.37.1.11 CFE_TIME_DIAG_EID
```

```
#define CFE_TIME_DIAG_EID 6
'Request diagnostics command'
```

Event Message 'Request diagnostics command'

Type: DEBUG

Cause:

This event message is always automatically issued in response to a cFE Time Services Request Diagnostics command

Definition at line 96 of file cfe_time_events.h.

```
39.37.1.12 CFE_TIME_EXIT_ERR_EID
 #define CFE_TIME_EXIT_ERR_EID 25 /* task termination "error" */
Definition at line 290 of file cfe time events.h.
39.37.1.13 CFE_TIME_FLY_OFF_EID
 #define CFE_TIME_FLY_OFF_EID 21
 'Stop FLYWHEEL'
Event Message 'Stop FLYWHEEL'
Type: INFORMATION
Cause:
This event message is generated whenever the Time Services exits FLYWHEEL mode.
Definition at line 288 of file cfe_time_events.h.
39.37.1.14 CFE_TIME_FLY_ON_EID
 #define CFE_TIME_FLY_ON_EID 20 /* flywheel state "informational" */
 'Start FLYWHEEL'
Event Message 'Start FLYWHEEL'
Type: INFORMATION
Cause:
```

This event message is generated whenever the Time Services enters FLYWHEEL mode.

Definition at line 277 of file cfe_time_events.h.

39.37.1.15 CFE_TIME_ID_ERR_EID #define CFE_TIME_ID_ERR_EID 26 /* invalid command packet "error" */ 'Invalid message ID - ID = 0x%X' Event Message 'Invalid message ID - ID = 0x%X'

Type: ERROR

Cause:

This event message is generated whenever Time Services receives a message from the software bus that is not one of Time Services recognized messages.

The ID field specifies, in hex, the message ID of the inappropriately received message.

Definition at line 306 of file cfe_time_events.h.

```
39.37.1.16 CFE_TIME_INIT_EID
#define CFE_TIME_INIT_EID 1 /* start up message "informational" */
'CFE TIME Initialized'

Event Message 'CFE TIME Initialized'
```

Type: INFORMATION

Cause:

This event message is always automatically issued when the Time Services Task completes its Initialization.

Definition at line 60 of file cfe_time_events.h.

39.37.1.17 CFE_TIME_LEAPS_CFG_EID

```
#define CFE_TIME_LEAPS_CFG_EID 46

'Set Leaps commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'

Event Message 'Set Leaps commands invalid without CFE_PLATFORM_TIME_CFG_SERVER
```

Type: ERROR

Cause:

This event message is generated whenever Time Services receives a Set Leap Seconds Command and the Time Services configuration parameter CFE_PLATFORM_TIME_CFG_SERVER has not been set to true in the cfe_platform_
cfg.h file.

Definition at line 573 of file cfe_time_events.h.

set to true'

39.37.1.18 CFE_TIME_LEAPS_EID

```
#define CFE_TIME_LEAPS_EID 17

'Set Leap Seconds = %d'

Event Message 'Set Leap Seconds = %d'
```

Type: INFORMATION

Cause:

This event message is generated upon successful completion of the Set Leap Seconds command

The %d field contains the number of seconds the Spacecraft's Leap Seconds has been set to.

Definition at line 266 of file cfe_time_events.h.

39.37.1.19 CFE_TIME_LEN_ERR_EID

```
#define CFE_TIME_LEN_ERR_EID 49
'Invalid cmd length: ID = 0x%X, CC = %d, Exp Len = %d, Len = %d'

Event Message 'Invalid cmd length: ID = 0x%X, CC = %d, Exp Len = %d, Len = %d'
```

Type: ERROR

Cause:

This event message is generated when a message with the CFE_TIME_CMD_MID message ID has arrived but whose packet length does not match the expected length for the specified command code.

The ID field in the event message specifies the Message ID (in hex), the CC field specifies the Command Code (in decimal), the Exp Len field specified the Expected Length (in decimal), and Len specifies the message Length (in decimal) found in the message.

Definition at line 621 of file cfe_time_events.h.

39.37.1.20 CFE_TIME_MAX_EID

```
#define CFE_TIME_MAX_EID 49
```

Definition at line 45 of file cfe_time_events.h.

39.37.1.21 CFE_TIME_MET_CFG_EID

```
#define CFE_TIME_MET_CFG_EID 44
```

'Set MET commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'

Event Message 'Set MET commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'

Type: ERROR

Cause:

This event message is generated whenever Time Services receives a Set Mission Elapsed Time Command and the Time Services configuration parameter CFE_PLATFORM_TIME_CFG_SERVER has not been set to true in the cfe_← platform_cfg.h file.

Definition at line 545 of file cfe_time_events.h.

39.37.1.22 CFE_TIME_MET_EID

```
#define CFE_TIME_MET_EID 13

'Set MET - secs = %d, usecs = %d, ssecs = 0x%X'

Event Message 'Set MET - secs = %d, usecs = %d, ssecs = 0x%X'
```

Type: INFORMATION

Cause:

This event message is generated upon successful completion of a cFE Time Services Set Mission Elapsed Time command

The secs field specifies the new MET (in seconds), the usecs field specifies the MET micro-seconds, the ssecs field is the micro-seconds field converted to Spacecraft Time sub-seconds

Definition at line 194 of file cfe_time_events.h.

39.37.1.23 CFE_TIME_MET_ERR_EID

```
#define CFE_TIME_MET_ERR_EID 35
'Invalid MET - secs = %d, usecs = %d'

Event Message 'Invalid MET - secs = %d, usecs = %d'
```

Type: ERROR

Cause:

This event message is generated whenever Time Services receives a Set Mission Elapsed Time Command that contains a microsecond field that is greater than or equal to 1,000,000.

The secs field specifies, in decimal, the MET in seconds and the usecs field specifies, in decimal, the micro-second field of the MET that was in error.

Definition at line 432 of file cfe_time_events.h.

```
39.37.1.24 CFE_TIME_NOOP_EID
 #define CFE_TIME_NOOP_EID 4 /* processed command "informational" */
 'No-op command'
Event Message 'No-op command'
Type: INFORMATION
Cause:
This event message is always automatically issued in response to a cFE Time Services NO-OP command
 Definition at line 72 of file cfe time events.h.
39.37.1.25 CFE_TIME_RESET_EID
 #define CFE_TIME_RESET_EID 5
 'Reset Counters command'
Event Message 'Reset Counters command'
Type: DEBUG
Cause:
This event message is always automatically issued in response to a cFE Time Services Reset Counters command
```

Definition at line 84 of file cfe_time_events.h.

39.37.1.26 CFE_TIME_SIGNAL_CFG_EID

```
#define CFE_TIME_SIGNAL_CFG_EID 41
```

'Set Signal commands invalid without CFE_PLATFORM_TIME_CFG_SIGNAL set to true'

Event Message 'Set Signal commands invalid without CFE_PLATFORM_TIME_CFG_SIGNAL set to true'

Type: ERROR

Cause:

This event message is generated whenever Time Services receives a Set Clock Signal Command and the Time Services configuration parameter CFE_PLATFORM_TIME_CFG_SIGNAL has not been set to true in the cfe_platform_cfg.h file.

Definition at line 502 of file cfe time events.h.

39.37.1.27 CFE_TIME_SIGNAL_EID

```
#define CFE_TIME_SIGNAL_EID 9
```

'Set Tone Source = %s'

Event Message 'Set Tone Source = %s'

Type: INFORMATION

Cause:

This event message is generated upon successful completion of a cFE Time Services Set Clock Signal command

The '%s' field will identify whether the command specified PRIMARY, or REDUNDANT.

Definition at line 141 of file cfe_time_events.h.

39.37.1.28 CFE_TIME_SIGNAL_ERR_EID #define CFE_TIME_SIGNAL_ERR_EID 32 'Invalid Tone Source = 0x%X' Event Message 'Invalid Tone Source = 0x%X' Type: ERROR

Cause:

This event message is generated whenever Time Services receives a Set Clock Signal Command that contains a desired clock source that is none of the following:

- CFE_TIME_ToneSignalSelect_PRIMARY
- CFE_TIME_ToneSignalSelect_REDUNDANT

The Source field specifies, in hex, the signal source value received in the command message.

Definition at line 377 of file cfe_time_events.h.

```
39.37.1.29 CFE_TIME_SOURCE_CFG_EID
#define CFE_TIME_SOURCE_CFG_EID 40 /* cmd disabled per cfg "error" */

'Set Source commands invalid without CFE_PLATFORM_TIME_CFG_SOURCE set to true'

Event Message 'Set Source commands invalid without CFE_PLATFORM_TIME_CFG_SOURCE set to true'
```

Type: ERROR

Cause:

This event message is generated whenever Time Services receives a Set Clock Source Command and the Time Services configuration parameter CFE_PLATFORM_TIME_CFG_SOURCE has not been set to true in the cfe_platform_cfg.h file.

Definition at line 488 of file cfe_time_events.h.

39.37.1.30 CFE_TIME_SOURCE_EID

```
#define CFE_TIME_SOURCE_EID 8
'Set Time Source = %s'

Event Message 'Set Time Source = %s'
```

Type: INFORMATION

Cause:

This event message is generated upon successful completion of a cFE Time Services Set Time Source command

The '%s' field will identify whether the command specified INTERNAL, or EXTERNAL.

Definition at line 126 of file cfe_time_events.h.

39.37.1.31 CFE_TIME_SOURCE_ERR_EID

```
#define CFE_TIME_SOURCE_ERR_EID 31
'Invalid Time Source = 0x%X'

Event Message 'Invalid Time Source = 0x%X'
```

Type: ERROR

Cause:

This event message is generated whenever Time Services receives a Set Clock Source Command that contains a desired clock source that is none of the following:

- CFE_TIME_SourceSelect_INTERNAL
- CFE_TIME_SourceSelect_EXTERNAL

The Source field specifies, in hex, the source value received in the command message.

Definition at line 359 of file cfe_time_events.h.

```
39.37.1.32 CFE_TIME_STATE_EID

#define CFE_TIME_STATE_EID 7

'Set Clock State = %s'

Event Message 'Set Clock State = %s'
```

Cause:

Type: INFORMATION

This event message is generated upon successful completion of a cFE Time Services Set Time State command

The '%s' field will identify whether the command specified VALID, INVALID, or FLYWHEEL.

Definition at line 111 of file cfe_time_events.h.

```
39.37.1.33 CFE_TIME_STATE_ERR_EID

#define CFE_TIME_STATE_ERR_EID 30 /* processed command "error" */
'Invalid Clock State = 0x%X'

Event Message 'Invalid Clock State = 0x%X'
```

Type: ERROR

Cause:

This event message is generated whenever Time Services receives a Set Clock State Command that contains a desired clock state that is none of the following:

- CFE_TIME_ClockState_INVALID
- CFE_TIME_ClockState_VALID
- CFE_TIME_ClockState_FLYWHEEL

The State field specifies, in hex, the state value received in the command message.

Definition at line 341 of file cfe time events.h.

39.37.1.34 CFE_TIME_STCF_CFG_EID

```
#define CFE_TIME_STCF_CFG_EID 45
'Set STCF commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'
```

Event Message 'Set STCF commands invalid without CFE_PLATFORM_TIME_CFG_SERVER set to true'

Type: ERROR

Cause:

This event message is generated whenever Time Services receives a Set Spacecraft Time Correlation Factor Command and the Time Services configuration parameter CFE_PLATFORM_TIME_CFG_SERVER has not been set to true in the cfe_platform_cfg.h file.

Definition at line 559 of file cfe time events.h.

39.37.1.35 CFE_TIME_STCF_EID

```
#define CFE_TIME_STCF_EID 14

'Set STCF - secs = %d, usecs = %d, ssecs = 0x%X'

Event Message 'Set STCF - secs = %d, usecs = %d, ssecs = 0x%X'
```

Type: INFORMATION

Cause:

This event message is generated upon successful completion of a cFE Time Services Set Spacecraft Time Correlation Factor command

The secs field specifies the new STCF (in seconds), the usecs field specifies the STCF micro-seconds, the ssecs field is the micro-seconds field converted to Spacecraft Time sub-seconds.

Definition at line 211 of file cfe time events.h.

39.37.1.36 CFE_TIME_STCF_ERR_EID #define CFE_TIME_STCF_ERR_EID 36 'Invalid STCF - secs = %d, usecs = %d' Event Message 'Invalid STCF - secs = %d, usecs = %d' Type: ERROR

Cause:

This event message is generated whenever Time Services receives a Set Spacecraft Time Correlation Factor Command that contains a microsecond field that is greater than or equal to 1,000,000.

The secs field specifies, in decimal, the STCF in seconds and the usecs field specifies, in decimal, the micro-second field of the STCF that was in error.

Definition at line 450 of file cfe time events.h.

```
39.37.1.37    CFE_TIME_TIME_CFG_EID
#define    CFE_TIME_TIME_CFG_EID     43
'Set    Time    commands invalid without    CFE_PLATFORM_TIME_CFG_SERVER     set     to    true'

Event Message 'Set    Time    commands invalid without    CFE_PLATFORM_TIME_CFG_SERVER     set     to    true'
```

Type: ERROR

Cause:

This event message is generated whenever Time Services receives a Set Spacecraft Time Command and the Time Services configuration parameter CFE_PLATFORM_TIME_CFG_SERVER has not been set to true in the cfe_platform_cfg.h file.

Definition at line 531 of file cfe time events.h.

39.37.1.38 CFE_TIME_TIME_EID

```
#define CFE_TIME_TIME_EID 12

'Set Time - secs = %d, usecs = %d, ssecs = 0x%X'

Event Message 'Set Time - secs = %d, usecs = %d, ssecs = 0x%X'
```

Type: INFORMATION

Cause:

This event message is generated upon successful completion of a cFE Time Services Set Time command

The secs field specifies the new spacecraft time (in seconds), the usecs field specifies the spacecraft time microseconds, the ssecs field is the micro-seconds field converted to Spacecraft Time sub-seconds

Definition at line 178 of file cfe time events.h.

```
39.37.1.39 CFE_TIME_TIME_ERR_EID
```

```
#define CFE_TIME_TIME_ERR_EID 34
'Invalid Time - secs = %d, usecs = %d'

Event Message 'Invalid Time - secs = %d, usecs = %d'
```

Type: ERROR

Cause:

This event message is generated whenever Time Services receives a Set Spacecraft Time Command that contains a microsecond field that is greater than or equal to 1,000,000.

The secs field specifies, in decimal, the spacecraft time in seconds and the usecs field specifies, in decimal, the micro-second field of the spacecraft time that was in error.

Definition at line 414 of file cfe time events.h.

39.38 cfe/fsw/cfe-core/src/inc/cfe_time_extern_typedefs.h File Reference

```
#include "common_types.h"
```

Typedefs

typedef uint8 CFE_TIME_FlagBit_Enum_t

Bit positions of the various clock state flags.

typedef int16 CFE_TIME_ClockState_Enum_t

Enumerated types identifying the quality of the current time.

typedef uint8 CFE_TIME_SourceSelect_Enum_t

Clock Source Selection Parameters.

typedef uint8 CFE_TIME_ToneSignalSelect_Enum_t

Tone Signal Selection Parameters.

typedef uint8 CFE TIME AdjustDirection Enum t

STCF adjustment direction (for both one-time and 1Hz adjustments)

typedef uint8 CFE TIME FlywheelState Enum t

Fly-wheel status values.

typedef uint8 CFE_TIME_SetState_Enum_t

Clock status values (has the clock been set to correct time)

Enumerations

 enum CFE_TIME_SourceSelect { CFE_TIME_SourceSelect_INTERNAL = 1, CFE_TIME_SourceSelect_EXT← ERNAL = 2 }

Label definitions associated with CFE_TIME_SourceSelect_Enum_t.

Label definitions associated with CFE_TIME_ToneSignalSelect_Enum_t.

enum CFE_TIME_AdjustDirection { CFE_TIME_AdjustDirection_ADD = 1, CFE_TIME_AdjustDirection_SUBT
 — RACT = 2 }

Label definitions associated with CFE_TIME_AdjustDirection_Enum_t.

enum CFE_TIME_FlywheelState { CFE_TIME_FlywheelState_NO_FLY = 0, CFE_TIME_FlywheelState_IS_FLY = 1 }

Label definitions associated with CFE TIME FlywheelState Enum t.

• enum CFE_TIME_SetState { CFE_TIME_SetState_NOT_SET = 0, CFE_TIME_SetState_WAS_SET = 1 }

Label definitions associated with CFE_TIME_SetState_Enum_t.

39.38.1 Typedef Documentation

```
39.38.1.1 CFE_TIME_AdjustDirection_Enum_t
```

```
typedef uint8 CFE_TIME_AdjustDirection_Enum_t
```

STCF adjustment direction (for both one-time and 1Hz adjustments)

See also

```
enum CFE_TIME_AdjustDirection
```

Definition at line 237 of file cfe time extern typedefs.h.

```
39.38.1.2 CFE_TIME_ClockState_Enum_t
```

```
typedef int16 CFE_TIME_ClockState_Enum_t
```

Enumerated types identifying the quality of the current time.

Description

The CFE_TIME_ClockState_Enum_t enumerations identify the three recognized states of the current time. If the clock has never been successfully synchronized with the primary onboard clock source, the time is conisdered to be CFE_TIME_ClockState_INVALID. If the time is currently synchronized (i.e. - the primary synchronization mechanism has not been dropped for any significant amount of time), then the current time is considered to be C← FE_TIME_ClockState_VALID. If the time had, at some point in the past, been synchronized, but the synchronization with the primary onboard clock has since been lost, then the time is considered to be CFE_TIME_ClockState ← _FLYWHEEL. Since different clocks drift at different rates from one another, the accuracy of the time while in CFE_TIME_ClockState FLYWHEEL is dependent upon the time spent in that state.

See also

```
enum CFE_TIME_ClockState
```

Definition at line 159 of file cfe time extern typedefs.h.

```
39.38.1.3 CFE_TIME_FlagBit_Enum_t
typedef uint8 CFE_TIME_FlagBit_Enum_t
Bit positions of the various clock state flags.
See also
     enum CFE_TIME_FlagBit
Definition at line 104 of file cfe_time_extern_typedefs.h.
39.38.1.4 CFE_TIME_FlywheelState_Enum_t
typedef uint8 CFE_TIME_FlywheelState_Enum_t
Fly-wheel status values.
See also
     enum CFE_TIME_FlywheelState
Definition at line 263 of file cfe_time_extern_typedefs.h.
39.38.1.5 CFE_TIME_SetState_Enum_t
typedef uint8 CFE_TIME_SetState_Enum_t
Clock status values (has the clock been set to correct time)
See also
     enum CFE_TIME_SetState
Definition at line 289 of file cfe_time_extern_typedefs.h.
39.38.1.6 CFE_TIME_SourceSelect_Enum_t
typedef uint8 CFE_TIME_SourceSelect_Enum_t
Clock Source Selection Parameters.
See also
     enum CFE_TIME_SourceSelect
```

Definition at line 185 of file cfe_time_extern_typedefs.h.

39.38.1.7 CFE_TIME_ToneSignalSelect_Enum_t

typedef uint8 CFE_TIME_ToneSignalSelect_Enum_t

Tone Signal Selection Parameters.

See also

enum CFE_TIME_ToneSignalSelect

Definition at line 211 of file cfe_time_extern_typedefs.h.

39.38.2 Enumeration Type Documentation

39.38.2.1 CFE_TIME_AdjustDirection

enum CFE_TIME_AdjustDirection

Label definitions associated with CFE_TIME_AdjustDirection_Enum_t.

Enumerator

CFE_TIME_AdjustDirection_ADD	Add time adjustment.
CFE_TIME_AdjustDirection_SUBTRACT	Subtract time adjustment.

Definition at line 217 of file cfe_time_extern_typedefs.h.

39.38.2.2 CFE_TIME_ClockState

enum CFE_TIME_ClockState

Label definitions associated with CFE_TIME_ClockState_Enum_t.

Enumerator

CFE_TIME_ClockState_INVALID	The spacecraft time has not been set since the last clock reset. Times returned by clock routines have no relationship to any ground-based time reference.
CFE_TIME_ClockState_VALID	The spacecraft time has been set at least once since the last clock reset, and it is synchronized with the primary on-board time base. Times returned by clock routines can be trusted.
CFE_TIME_ClockState_FLYWHEEL	The spacecraft time has been set at least once since the last clock reset, but it is not currently synchronized with the primary on-board time base. Times returned by clock routines are a "best guess" based on a non-optimal oscillator.

Definition at line 110 of file cfe_time_extern_typedefs.h.

39.38.2.3 CFE_TIME_FlagBit

enum CFE_TIME_FlagBit

Label definitions associated with CFE_TIME_FlagBit_Enum_t.

Enumerator

CFE_TIME_FlagBit_CLKSET	The spacecraft time has been set.
CFE_TIME_FlagBit_FLYING	This instance of Time Services is flywheeling.
CFE_TIME_FlagBit_SRCINT	The clock source is set to internal.
CFE_TIME_FlagBit_SIGPRI	The clock signal is set to primary.
CFE_TIME_FlagBit_SRVFLY	The Time Server is in flywheel mode.
CFE_TIME_FlagBit_CMDFLY	This instance of Time Services was commanded into flywheel mode.
CFE_TIME_FlagBit_ADDADJ	One time STCF Adjustment is to be done in positive direction.
CFE_TIME_FlagBit_ADD1HZ	1 Hz STCF Adjustment is to be done in a positive direction
CFE_TIME_FlagBit_ADDTCL	Time Client Latency is applied in a positive direction.
CFE_TIME_FlagBit_SERVER	This instance of Time Services is a Time Server.
CFE_TIME_FlagBit_GDTONE	The tone received is good compared to the last tone received.

Definition at line 39 of file cfe_time_extern_typedefs.h.

39.38.2.4 CFE_TIME_FlywheelState

enum CFE_TIME_FlywheelState

Label definitions associated with CFE_TIME_FlywheelState_Enum_t.

Enumerator

CFE_TIME_FlywheelState_NO_FLY	Not in flywheel state.
CFE_TIME_FlywheelState_IS_FLY	In flywheel state.

Definition at line 243 of file cfe_time_extern_typedefs.h.

39.38.2.5 CFE_TIME_SetState

enum CFE_TIME_SetState

Label definitions associated with CFE_TIME_SetState_Enum_t.

Enumerator

CFE_TIME_SetState_NOT_SET	Spacecraft time has not been set.
CFE_TIME_SetState_WAS_SET	Spacecraft time has been set.

Definition at line 269 of file cfe_time_extern_typedefs.h.

39.38.2.6 CFE_TIME_SourceSelect

enum CFE_TIME_SourceSelect

Label definitions associated with CFE_TIME_SourceSelect_Enum_t.

Enumerator

CFE_TIME_SourceSelect_INTERNAL	Use Internal Source.
CFE_TIME_SourceSelect_EXTERNAL	Use External Source.

Definition at line 165 of file cfe_time_extern_typedefs.h.

39.38.2.7 CFE_TIME_ToneSignalSelect

enum CFE_TIME_ToneSignalSelect

Label definitions associated with CFE_TIME_ToneSignalSelect_Enum_t.

Enumerator

CFE_TIME_ToneSignalSelect_PRIMARY	Primary Source.
CFE_TIME_ToneSignalSelect_REDUNDANT	Redundant Source.

Definition at line 191 of file cfe_time_extern_typedefs.h.

39.39 cfe/fsw/cfe-core/src/inc/cfe_time_msg.h File Reference

#include "cfe.h"

Data Structures

struct CFE_TIME_NoArgsCmd_t

 struct CFE_TIME_LeapsCmd_Payload_t struct CFE_TIME_SetLeapSeconds_t struct CFE_TIME_StateCmd_Payload_t struct CFE_TIME_SetState_t struct CFE TIME SourceCmd Payload t struct CFE TIME SetSource t struct CFE TIME SignalCmd Payload t struct CFE TIME SetSignal t struct CFE_TIME_TimeCmd_Payload_t struct CFE_TIME_TimeCmd_t struct CFE TIME OneHzAdjustmentCmd Payload t struct CFE TIME OneHzAdjustmentCmd t struct CFE TIME 1HzCmd t struct CFE TIME ToneSignalCmd t struct CFE_TIME_FakeToneCmd_t struct CFE TIME ToneDataCmd Payload t struct CFE_TIME_ToneDataCmd_t struct CFE_TIME_HousekeepingTlm_Payload_t struct CFE TIME HousekeepingTlm t struct CFE TIME DiagnosticTlm Payload t

Macros

• #define CFE TIME FLAG CLKSET 0x8000

The spacecraft time has been set.

struct CFE_TIME_DiagnosticTIm_t

#define CFE_TIME_FLAG_FLYING 0x4000

This instance of Time Services is flywheeling.

#define CFE_TIME_FLAG_SRCINT 0x2000

The clock source is set to "internal".

#define CFE_TIME_FLAG_SIGPRI 0x1000

The clock signal is set to "primary".

#define CFE_TIME_FLAG_SRVFLY 0x0800

The Time Server is in flywheel mode.

• #define CFE_TIME_FLAG_CMDFLY 0x0400

This instance of Time Services was commanded into flywheel mode.

#define CFE_TIME_FLAG_ADDADJ 0x0200

One time STCF Adjustment is to be done in positive direction.

#define CFE_TIME_FLAG_ADD1HZ 0x0100

1 Hz STCF Adjustment is to be done in a positive direction

#define CFE_TIME_FLAG_ADDTCL 0x0080

Time Client Latency is applied in a positive direction.

#define CFE_TIME_FLAG_SERVER 0x0040

This instance of Time Services is a Time Server.

#define CFE TIME FLAG GDTONE 0x0020

The tone received is good compared to the last tone received.

#define CFE_TIME_FLAG_UNUSED 0x001F

Reserved flags - should be zero.

Time Services Command Codes

```
    #define CFE TIME NOOP CC 0 /* no-op command */

    #define CFE TIME RESET COUNTERS CC 1 /* reset counters */

    #define CFE_TIME_SEND_DIAGNOSTIC_TLM_CC 2 /* request diagnostic hk telemetry */

• #define CFE TIME SET SOURCE CC 3 /* set clock source (int vs ext) */

    #define CFE TIME SET STATE CC 4 /* set clock state */

    #define CFE_TIME_ADD_DELAY_CC 5 /* add tone delay value */

    #define CFE TIME SUB DELAY CC 6 /* sub tone delay value */

    #define CFE TIME SET TIME CC 7 /* set time */

    #define CFE TIME SET MET CC 8 /* set MET */

• #define CFE TIME SET STCF CC 9 /* set STCF */

    #define CFE_TIME_SET_LEAP_SECONDS_CC_10 /* set Leap Seconds */

    #define CFE TIME ADD ADJUST CC 11 /* add one time STCF adjustment */

    #define CFE TIME SUB ADJUST CC 12 /* subtract one time STCF adjustment */

    #define CFE_TIME_ADD_1HZ_ADJUSTMENT_CC 13 /* add 1Hz STCF adjustment */

    #define CFE_TIME_SUB_1HZ_ADJUSTMENT_CC 14 /* subtract 1Hz STCF adjustment */

    #define CFE TIME SET SIGNAL CC 15 /* set clock signal (pri vs red) */
```

Typedefs

```
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_Noop_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_ResetCounters_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_SendDiagnosticTlm_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_AddDelay_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SubDelay_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SetMET_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SetSTCF_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_AddAdjust_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SubAdjust_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SetTime_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SetTime_t
typedef CFE_TIME_OneHzAdjustmentCmd_t CFE_TIME_Add1HzAdjustment_t
typedef CFE_TIME_OneHzAdjustmentCmd_t CFE_TIME_Sub1HzAdjustment_t
typedef CFE_TIME_HousekeepingTlm_t CFE_TIME_HkPacket_t
typedef CFE_TIME_DiagnosticTlm_t CFE_TIME_DiagPacket_t
```

39.39.1 Macro Definition Documentation

```
39.39.1.1 CFE_TIME_ADD_1HZ_ADJUSTMENT_CC #define CFE_TIME_ADD_1HZ_ADJUSTMENT_CC 13 /* add 1Hz STCF adjustment */
```

Name Add Delta to Spacecraft Time Correlation Factor each 1Hz

Description

This command has been updated to take actual sub-seconds ($1/2^32$ seconds) rather than micro-seconds as an input argument. This change occurred after the determination was made that one micro-second is too large an increment for a constant 1Hz adjustment.

This command continuously adjusts the Spacecraft Time Correlation Factor (STCF) every second, by adding the specified value. The adjustment to the STCF is applied in the Time Service local 1Hz interrupt handler. As the local 1Hz interrupt is not synchronized to the tone signal, one cannot say when the adjustment will occur, other than once a second, at about the same time relative to the tone.

There was some debate about whether the maximum 1Hz clock drift correction factor would ever need to exceed some small fraction of a second. But, the decision was made to provide the capability to make 1Hz adjustments greater than one second and leave it to the ground system to provide mission specific limits.

Command Mnemonic(s) \$sc_\$cpu_TIME_Add1HzSTCF

Command Structure

CFE TIME Add1HZAdjustment t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE TIME 1HZ EID informational event message will be generated

Error Conditions

· Platorm receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event message will be issued (CFE TIME 1HZ CFG EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_SUB_1HZ_ADJUSTMENT_CC

Definition at line 612 of file cfe time msg.h.

```
39.39.1.2 CFE_TIME_ADD_ADJUST_CC
```

```
#define CFE_TIME_ADD_ADJUST_CC 11 /* add one time STCF adjustment */
```

Name Add Delta to Spacecraft Time Correlation Factor

Description

This command adjusts the Spacecraft Time Correlation Factor (STCF) by adding the specified value. The new STCF takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc \$cpu TIME AddSTCFAdj

Command Structure

```
CFE TIME TimeCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TIME CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE_TIME_DELTA_EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platorm receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_DELTA_ERR_EID or CFE_TIME_DELTA_CFG_←
 EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_ADD_ADJUST_CC, CFE_TIME_SUB_ADJUST_CC, CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, CFE_TIME_SUB_1HZ_ADJUSTMENT_CC
```

Definition at line 532 of file cfe_time_msg.h.

```
39.39.1.3 CFE_TIME_ADD_DELAY_CC
```

#define CFE_TIME_ADD_DELAY_CC 5 /* add tone delay value */

Name Add Time to Tone Time Delay

Description

This command is used to factor out a known, predictable latency between the Time Server and a particular Time Client. The correction is applied (added) to the current time calculation for Time Clients, so this command has no meaning for Time Servers. Each Time Client can have a unique latency setting. The latency value is a positive number of seconds and microseconds that represent the deviation from the time maintained by the Time Server.

Command Mnemonic(s) \$sc_\$cpu_TIME_AddClockLat

Command Structure

```
CFE_TIME_TimeCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_DLatentS, \$sc_\$cpu_TIME_DLatentSs Housekeeping Telemetry point indicating command specified values
- \$sc \$cpu TIME DLatentDir Diagnostic Telemetry point indicating commanded latency direction
- The CFE TIME DELAY EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platorm receiving the command is not a Time Client

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_DELAY_CFG_EID or CFE_TIME_DELAY_ERR
 — EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_SUB_DELAY_CC
```

Definition at line 302 of file cfe_time_msg.h.

39.39.1.4 CFE_TIME_NOOP_CC

```
#define CFE_TIME_NOOP_CC 0 /* no-op command */
```

Name Time No-Op

Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Time Services task.

Command Mnemonic(s) \$sc_\$cpu_TIME_NOOP

Command Structure

CFE_TIME_NoArgsCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- The CFE_TIME_NOOP_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Time Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 80 of file cfe_time_msg.h.

```
39.39.1.5 CFE_TIME_RESET_COUNTERS_CC
```

```
#define CFE_TIME_RESET_COUNTERS_CC 1 /* reset counters */
```

Name Time Reset Counters

Description

This command resets the following counters within the Time Services Housekeeping Telemetry:

- Command Execution Counter (\$sc \$cpu TIME CMDPC)
- Command Error Counter (\$sc_\$cpu_TIME_CMDEC) This command also resets the following counters within the Time Services Diagnostic Telemetry :
- Tone Signal Detected Software Bus Message Counter (\$sc \$cpu TIME DTSDetCNT)
- Time at the Tone Data Software Bus Message Counter (\$sc \$cpu TIME DTatTCNT)
- Tone Signal/Data Verify Counter (\$sc \$cpu TIME DVerifyCNT)
- Tone Signal/Data Error Counter (\$sc \$cpu TIME DVerifyER)
- Tone Signal Interrupt Counter (\$sc_\$cpu_TIME_DTsISRCNT)
- Tone Signal Interrupt Error Counter (\$sc_\$cpu_TIME_DTsISRERR)
- Tone Signal Task Counter (\$sc_\$cpu_TIME_DTsTaskCNT)
- Local 1 Hz Interrupt Counter (\$sc_\$cpu_TIME_D1HzISRCNT)
- Local 1 Hz Task Counter (\$sc \$cpu TIME D1HzTaskCNT)
- Reference Time Version Counter (\$sc_\$cpu_TIME_DVersionCNT)

Command Mnemonic(s) \$sc_\$cpu_TIME_ResetCtrs

Command Structure

```
CFE_TIME_NoArgsCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- The CFE_TIME_RESET_EID informational event message will be generated

Error Conditions

There are no error conditions for this command. If the Time Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 124 of file cfe time msg.h.

```
39.39.1.6 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC
```

```
#define CFE_TIME_SEND_DIAGNOSTIC_TLM_CC 2 /* request diagnostic hk telemetry */
```

Name Request TIME Diagnostic Telemetry

Description

This command requests that the Time Service generate a message containing various data values not included in the normal Time Service housekeeping message. The command requests only a single copy of the diagnostic message. Refer to CFE_TIME_DiagnosticTIm_t for a description of the Time Service diagnostic message contents.

Command Mnemonic(s) \$sc_\$cpu_TIME_RequestDiag

Command Structure

CFE_TIME_NoArgsCmd_t

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- Sequence Counter for CFE_TIME_DiagnosticTIm_t will increment
- The CFE_TIME_DIAG_EID debug event message will be generated

Error Conditions

There are no error conditions for this command. If the Time Services receives the command, the event and telemetry is sent (although one or both may be filtered by EVS and TO) and the counter is incremented unconditionally.

Criticality

None

See also

Definition at line 158 of file cfe_time_msg.h.

```
39.39.1.7 CFE_TIME_SET_LEAP_SECONDS_CC
```

```
#define CFE_TIME_SET_LEAP_SECONDS_CC 10 /* set Leap Seconds */
```

Name Set Leap Seconds

Description

This command sets the spacecraft Leap Seconds to the specified value. Leap Seconds may be positive or negative, and there is no limit to the value except, of course, the limit imposed by the 16 bit signed integer data type. The new Leap Seconds value takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetClockLeap

Command Structure

```
CFE_TIME_TimeCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TIME CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_LeapSecs Housekeeping Telemetry point indicating new Leap seconds value
- The CFE TIME LEAPS EID informational event message will be generated

Error Conditions

· Platorm receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_LEAPS_CFG_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_SET_TIME_CC, CFE_TIME_SET_MET_CC, CFE_TIME_SET_STCF_CC
```

Definition at line 497 of file cfe time msg.h.

```
39.39.1.8 CFE_TIME_SET_MET_CC
```

```
#define CFE_TIME_SET_MET_CC 8 /* set MET */
```

Name Set Mission Elapsed Time

Description

This command sets the Mission Elapsed Timer (MET) to the specified value.

Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to.

Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt.

The new MET takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetClockMET

Command Structure

```
CFE TIME TimeCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TIME CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_METSecs Housekeeping Telemetry point indicating new MET seconds value
- \$sc_\$cpu_TIME_METSubsecs Housekeeping Telemetry point indicating new MET subseconds value
- The CFE TIME MET EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platorm receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_MET_CFG_EID or CFE_TIME_MET_ERR_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_SET_TIME_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_SET_LEAP_SECONDS_CC
```

Definition at line 425 of file cfe_time_msg.h.

```
39.39.1.9 CFE_TIME_SET_SIGNAL_CC
```

```
#define CFE_TIME_SET_SIGNAL_CC 15 /* set clock signal (pri vs red) */
```

Name Set Tone Signal Source

Description

This command selects the Time Service tone signal source. Although the list of potential tone signal sources is mission specific, a common choice is the selection of primary or redundant tone signal. The selection may be available to both the Time Server and Time Clients, depending on hardware configuration.

Notes:

 This command is only valid when the CFE_PLATFORM_TIME_CFG_SIGNAL configuration parameter in the cfe_platform_cfg.h file has been set to true.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetSignal

Command Structure

```
CFE TIME SetSignal t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_DSignal Diagnostic Telemetry point will indicate the command specified value
- The CFE_TIME_SIGNAL_EID informational event message will be generated

Error Conditions

- Invalid Signal selection (a value other than CFE_TIME_ToneSignalSelect_PRIMARY or CFE_TIME_Tone
 SignalSelect_REDUNDANT was specified)
- Multiple Tone Signal Sources not available on this platform

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC Command Error counter will increment
- Error specific event message (either CFE_TIME_SIGNAL_CFG_EID or CFE_TIME_SIGNAL_ERR_EID)

Criticality

Although tone signal source selection is important, this command is not critical

See also

```
CFE_TIME_SET_STATE_CC, CFE_TIME_SET_SOURCE_CC
```

Definition at line 703 of file cfe_time_msg.h.

```
39.39.1.10 CFE_TIME_SET_SOURCE_CC
```

```
#define CFE_TIME_SET_SOURCE_CC 3 /* set clock source (int vs ext) */
```

Name Set Time Source

Description

This command selects the Time Service clock source. Although the list of potential clock sources is mission specific and defined via configuration parameters, this command provides a common method for switching between the local processor clock and an external source for time data.

When commanded to accept external time data (GPS, MET, spacecraft time, etc.), the Time Server will enable input via an API function specific to the configuration definitions for the particular source. When commanded to use internal time data, the Time Server will ignore the external data. However, the Time Server will continue to use the API function as the trigger to generate a "time at the tone" command packet regardless of the internal/external command selection.

Notes:

- Operating in FLYWHEEL mode is not considered a choice related to clock source, but rather an element of the clock state. See below for a description of the CFE_TIME_SET_STATE_CC command.
- This command is only valid when the CFE_PLATFORM_TIME_CFG_SOURCE configuration parameter in the cfe_platform_cfg.h file has been set to true.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetSource

Command Structure

```
CFE TIME SetSource t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_DSource Diagnostic Telemetry point will indicate the command specified value
- The CFE TIME SOURCE EID informational event message will be generated

Error Conditions

- Invalid Source selection (a value other than CFE_TIME_SourceSelect_INTERNAL or CFE_TIME_Source
 Select EXTERNAL was specified)
- · Time source selection not allowed on this platform

Evidence of failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC Command Error counter will increment
- Error specific event message (either CFE_TIME_SOURCE_CFG_EID or CFE_TIME_SOURCE_ERR_EID)

Criticality

Although clock source selection is important, this command is not critical.

See also

```
CFE TIME SET STATE CC, CFE TIME SET SIGNAL CC
```

Definition at line 208 of file cfe time msg.h.

```
39.39.1.11 CFE_TIME_SET_STATE_CC
```

```
\#define CFE_TIME_SET_STATE_CC 4 /* set clock state */
```

Name Set Time State

Description

This command indirectly affects the Time Service on-board determination of clock state. Clock state is a combination of factors, most significantly whether the spacecraft time has been accurately set, and whether Time Service is operating in FLYWHEEL mode.

This command may be used to notify the Time Server that spacecraft time is now correct, or that time is no longer correct. This information will be distributed to Time Clients, and in turn, to any interested sub-systems.

Also, this command may be used to force a Time Server or Time Client into FLYWHEEL mode. Use of FL← YWHEEL mode is mainly for debug purposes although in extreme circumstances, it may be of value to force Time Service not to rely on normal time updates. Note that when commanded into FLYWHEEL mode, the Time Service will remain so until receipt of another "set state" command setting the state into a mode other than FLYWHEEL.

Note also that setting the clock state to VALID or INVALID on a Time Client that is currently getting time updates from the Time Server will have very limited effect. As soon as the Time Client receives the next time update, the VALID/INVALID selection will be set to that of the Time Server. However, setting a Time Client to FLYWHEEL cannot be overridden by the Time Server since the Time Client will ignore time updates from the Time Server while in FLYWHEEL mode.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetState

Command Structure

```
CFE TIME SetState t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TIME CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_StateFlg, \$sc_\$cpu_TIME_FlagSet, \$sc_\$cpu_TIME_FlagFly, \$sc_\$cpu_TIME_← FlagSrc, \$sc_\$cpu_TIME_FlagPri, \$sc_\$cpu_TIME_FlagSfly, \$sc_\$cpu_TIME_FlagCfly, \$sc_\$cpu_TIME← FlagAdjd, \$sc_\$cpu_TIME_Flag1Hzd, \$sc_\$cpu_TIME_FlagClat, \$sc_\$cpu_TIME_FlagSorC, \$sc_\$cpu_← TIME_FlagNIU Housekeeping Telemetry point "may"l indicate the command specified value (see above)
- The CFE TIME STATE EID informational event message will be generated

Error Conditions

- Invalid State selection (a value other than CFE_TIME_ClockState_INVALID, CFE_TIME_ClockState_VALID or CFE_TIME_ClockState_FLYWHEEL was specified)
- Time source selection not allowed on this platform

Evidence of failure may be found in the following telemetry:

• \$sc \$cpu TIME CMDEC - Command Error counter will increment

• Error specific event message (CFE_TIME_STATE_ERR_EID)

Criticality

Setting Time Service into FLYWHEEL mode is not particularly hazardous, as the result may be that the calculation of spacecraft time is done using a less than optimal timer. However, inappropriately setting the clock state to $V \leftarrow$ ALID (indicating that spacecraft time is accurate) may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_SET_SOURCE_CC, CFE_TIME_SET_SIGNAL_CC
```

Definition at line 264 of file cfe_time_msg.h.

```
39.39.1.12 CFE_TIME_SET_STCF_CC
#define CFE_TIME_SET_STCF_CC 9 /* set STCF */
```

Name Set Spacecraft Time Correlation Factor

Description

This command sets the Spacecraft Time Correlation Factor (STCF) to the specified value. This command differs from the previously described SET CLOCK in the nature of the command argument. This command sets the STCF value directly, rather than extracting the STCF from a value representing the total of MET, STCF and optionally, Leap Seconds. The new STCF takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_SetClockSTCF

Command Structure

```
CFE_TIME_TimeCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE TIME STCF EID informational event message will be generated

Error Conditions

An invalid number of microseconds was specified (must be less than 1 million)

· Platorm receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_STCF_CFG_EID or CFE_TIME_STCF_ERR_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE TIME SET TIME CC, CFE TIME SET MET CC, CFE TIME SET LEAP SECONDS CC
```

Definition at line 462 of file cfe time msg.h.

```
39.39.1.13 CFE_TIME_SET_TIME_CC
```

```
#define CFE_TIME_SET_TIME_CC 7 /* set time */
```

Name Set Spacecraft Time

Description

This command sets the spacecraft clock to a new value, regardless of the current setting (time jam). The new time value represents the desired offset from the mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI

- STCF = (new time) (current MET)
- (current time) = (current MET) + STCF

If Time Service is configured to compute current time as UTC

- STCF = ((new time) (current MET)) + (Leap Seconds)
- (current time) = ((curent MET) + STCF) (Leap Seconds)

Command Mnemonic(s) \$sc_\$cpu_TIME_SetClock

Command Structure

```
CFE TIME TimeCmd t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating newly calculated STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating newly calculated STCF subseconds value
- The CFE TIME TIME EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platorm receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc \$cpu TIME CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_TIME_CFG_EID or CFE_TIME_TIME_ERR_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_SET_MET_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_SET_LEAP_SECONDS_CC
```

Definition at line 385 of file cfe_time_msg.h.

```
39.39.1.14 CFE_TIME_SUB_1HZ_ADJUSTMENT_CC
```

```
#define CFE_TIME_SUB_1HZ_ADJUSTMENT_CC 14 /* subtract 1Hz STCF adjustment */
```

Name Subtract Delta from Spacecraft Time Correlation Factor each 1Hz

Description

This command has been updated to take actual sub-seconds ($1/2^3$ 2 seconds) rather than micro-seconds as an input argument. This change occurred after the determination was made that one micro-second is too large an increment for a constant 1Hz adjustment.

This command continuously adjusts the Spacecraft Time Correlation Factor (STCF) every second, by subtracting the specified value. The adjustment to the STCF is applied in the Time Service local 1Hz interrupt handler. As the local 1Hz interrupt is not synchronized to the tone signal, one cannot say when the adjustment will occur, other than once a second, at about the same time relative to the tone.

There was some debate about whether the maximum 1Hz clock drift correction factor would ever need to exceed some small fraction of a second. But, the decision was made to provide the capability to make 1Hz adjustments greater than one second and leave it to the ground system to provide mission specific limits.

Command Mnemonic(s) \$sc_\$cpu_TIME_Sub1HzSTCF

Command Structure

CFE TIME Sub1HZAdjustment t

Command Verification

Successful execution of this command may be verified with the following telemetry: Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE_TIME_1HZ_EID informational event message will be generated

Error Conditions

· Platorm receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event message will be issued (CFE_TIME_1HZ_CFG_EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE TIME ADD ADJUST CC, CFE TIME SUB ADJUST CC, CFE TIME ADD 1HZ ADJUSTMENT CC

Definition at line 660 of file cfe_time_msg.h.

39.39.1.15 CFE_TIME_SUB_ADJUST_CC

#define CFE_TIME_SUB_ADJUST_CC 12 /* subtract one time STCF adjustment */

Name Subtract Delta from Spacecraft Time Correlation Factor

Description

This command adjusts the Spacecraft Time Correlation Factor (STCF) by subtracting the specified value. The new STCF takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc_\$cpu_TIME_SubSTCFAdj

Command Structure

```
CFE_TIME_TimeCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc_\$cpu_TIME_CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc_\$cpu_TIME_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE TIME DELTA EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platorm receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc_\$cpu_TIME_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE_TIME_DELTA_ERR_EID or CFE_TIME_DELTA_CFG_← EID)

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
\label{eq:cfe_time_add_adjust_cc} \textbf{CFe\_TIME\_ADD\_1HZ\_ADJUSTMENT\_CC}, \textbf{CFe\_TIME\_SUB\_1HZ\_ADJUST} \\ \leftarrow \textbf{MENT\_CC}
```

Definition at line 566 of file cfe_time_msg.h.

```
39.39.1.16 CFE TIME SUB DELAY CC
```

```
#define CFE_TIME_SUB_DELAY_CC 6 /* sub tone delay value */
```

Name Subtract Time from Tone Time Delay

Description

This command is used to factor out a known, predictable latency between the Time Server and a particular Time Client. The correction is applied (subtracted) to the current time calculation for Time Clients, so this command has no meaning for Time Servers. Each Time Client can have a unique latency setting. The latency value is a positive number of seconds and microseconds that represent the deviation from the time maintained by the Time Server.

Note that it is unimaginable that the seconds value will ever be anything but zero.

Command Mnemonic(s) \$sc_\$cpu_TIME_SubClockLat

Command Structure

```
CFE_TIME_TimeCmd_t
```

Command Verification

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TIME CMDPC command execution counter will increment
- \$sc_\$cpu_TIME_DLatentS, \$sc_\$cpu_TIME_DLatentSs Housekeeping Telemetry point indicating command specified values
- \$sc_\$cpu_TIME_DLatentDir Diagnostic Telemetry point indicating commanded latency direction
- The CFE_TIME_DELAY_EID informational event message will be generated

Error Conditions

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platorm receiving the command is not a Time Client

Evidence of Failure may be found in the following telemetry:

- \$sc \$cpu TIME CMDEC command error counter will increment

Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

```
CFE_TIME_ADD_DELAY_CC
```

Definition at line 340 of file cfe time msg.h.

39.39.2 Typedef Documentation

```
39.39.2.1 CFE_TIME_Add1HZAdjustment_t
typedef CFE_TIME_OneHzAdjustmentCmd_t CFE_TIME_Add1HZAdjustment_t
Definition at line 863 of file cfe time msg.h.
39.39.2.2 CFE_TIME_AddAdjust_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_AddAdjust_t
Definition at line 836 of file cfe_time_msg.h.
39.39.2.3 CFE_TIME_AddDelay_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_AddDelay_t
Definition at line 832 of file cfe_time_msg.h.
39.39.2.4 CFE_TIME_DiagPacket_t
typedef CFE_TIME_DiagnosticTlm_t CFE_TIME_DiagPacket_t
Definition at line 1155 of file cfe time msg.h.
39.39.2.5 CFE_TIME_HkPacket_t
typedef CFE_TIME_HousekeepingTlm_t CFE_TIME_HkPacket_t
Definition at line 1154 of file cfe_time_msg.h.
39.39.2.6 CFE_TIME_Noop_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_Noop_t
Definition at line 740 of file cfe_time_msg.h.
```

```
39.39.2.7 CFE_TIME_ResetCounters_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_ResetCounters_t
Definition at line 741 of file cfe time msg.h.
39.39.2.8 CFE_TIME_SendDiagnosticTIm_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_SendDiagnosticTlm_t
Definition at line 742 of file cfe_time_msg.h.
39.39.2.9 CFE_TIME_SetMET_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SetMET_t
Definition at line 834 of file cfe_time_msg.h.
39.39.2.10 CFE_TIME_SetSTCF_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SetSTCF_t
Definition at line 835 of file cfe time msg.h.
39.39.2.11 CFE_TIME_SetTime_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SetTime_t
Definition at line 838 of file cfe_time_msg.h.
39.39.2.12 CFE_TIME_Sub1HZAdjustment_t
typedef CFE_TIME_OneHzAdjustmentCmd_t CFE_TIME_Sub1HZAdjustment_t
Definition at line 864 of file cfe_time_msg.h.
```

```
39.39.2.13 CFE_TIME_SubAdjust_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SubAdjust_t
Definition at line 837 of file cfe_time_msg.h.
39.39.2.14 CFE_TIME_SubDelay_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SubDelay_t
Definition at line 833 of file cfe_time_msg.h.
       cfe/fsw/cfe-core/src/inc/cfe_version.h File Reference
39.40
#include <target_config.h>
Macros
   • #define CFE_MAJOR_VERSION 6
   • #define CFE_MINOR_VERSION 7
   • #define CFE_REVISION 15
39.40.1 Macro Definition Documentation
39.40.1.1 CFE_MAJOR_VERSION
#define CFE_MAJOR_VERSION 6
Definition at line 96 of file cfe_version.h.
39.40.1.2 CFE_MINOR_VERSION
```

#define CFE_MINOR_VERSION 7

Definition at line 97 of file cfe_version.h.

39.40.1.3 CFE_REVISION

```
#define CFE_REVISION 15
```

Definition at line 98 of file cfe_version.h.

- 39.41 cfe/fsw/cfe-core/src/inc/network_includes.h File Reference
- 39.42 osal/src/os/inc/common_types.h File Reference

```
#include <stdint.h>
#include <stddef.h>
#include <stdbool.h>
```

Macros

- #define CompileTimeAssert(Condition, Message) typedef char Message[(Condition) ? 1 : -1]
- #define EXTENSION
- #define OS_PACK
- #define OS_ALIGN(n)
- #define OS_USED
- #define OS_PRINTF(n, m)
- #define TRUE true
- #define FALSE false
- #define NULL ((void *) 0)

Typedefs

- typedef int8_t int8
- typedef int16_t int16
- typedef int32_t int32
- typedef int64_t int64
- typedef uint8_t uint8
- typedef uint16_t uint16
- typedef uint32_t uint32
- typedef uint64_t uint64
- typedef intptr_t intptr
- typedef uintptr_t cpuaddr
- typedef size t cpusize
- typedef ptrdiff_t cpudiff
- typedef bool osalbool
- · typedef osalbool boolean

Functions

- CompileTimeAssert (sizeof(uint8)==1, TypeUint8WrongSize)
- CompileTimeAssert (sizeof(uint16)==2, TypeUint16WrongSize)
- CompileTimeAssert (sizeof(uint32)==4, TypeUint32WrongSize)
- CompileTimeAssert (sizeof(uint64)==8, TypeUint64WrongSize)
- CompileTimeAssert (sizeof(int8)==1, Typeint8WrongSize)
- CompileTimeAssert (sizeof(int16)==2, Typeint16WrongSize)
- CompileTimeAssert (sizeof(int32)==4, Typeint32WrongSize)
- CompileTimeAssert (sizeof(int64)==8, Typeint64WrongSize)
- CompileTimeAssert (sizeof(cpuaddr) >=sizeof(void *), TypePtrWrongSize)

39.42.1 Macro Definition Documentation

```
39.42.1.1 _EXTENSION_
```

```
#define _EXTENSION_
```

Definition at line 65 of file common types.h.

39.42.1.2 CompileTimeAssert

Definition at line 44 of file common_types.h.

39.42.1.3 FALSE

#define FALSE false

Deprecated Use false

Definition at line 127 of file common_types.h.

39.42.1.4 NULL

```
#define NULL ((void *) 0)
```

Definition at line 135 of file common_types.h.

Referenced by CFE_PSP_GetCDSSize(), CFE_PSP_GetCFETextSegmentInfo(), CFE_PSP_GetKernelTextSegment \leftarrow Info(), CFE_PSP_GetResetArea(), CFE_PSP_GetUserReservedArea(), CFE_PSP_GetVolatileDiskMem(), CFE_PS \leftarrow P_ReadFromCDS(), CFE_PSP_SetupLocal1Hz(), CFE_PSP_WriteToCDS(), and OS_Application_Startup().

39.42.1.5 OS_ALIGN

Definition at line 67 of file common_types.h.

39.42.1.6 OS_PACK

#define OS_PACK

Definition at line 66 of file common_types.h.

39.42.1.7 OS_PRINTF

```
#define OS_PRINTF( n, m )
```

Definition at line 69 of file common_types.h.

39.42.1.8 OS_USED

#define OS_USED

Definition at line 68 of file common_types.h.

39.42.1.9 TRUE

#define TRUE true

Deprecated Use true

Definition at line 123 of file common_types.h.

39.42.2 Typedef Documentation

39.42.2.1 boolean

typedef osalbool boolean

Deprecated Use bool

Definition at line 119 of file common_types.h.

39.42.2.2 cpuaddr

typedef uintptr_t cpuaddr

Definition at line 90 of file common_types.h.

39.42.2.3 cpudiff

typedef ptrdiff_t cpudiff

Definition at line 92 of file common_types.h.

39.42.2.4 cpusize

typedef size_t cpusize

Definition at line 91 of file common_types.h.

```
39.42.2.5 int16
typedef int16_t int16
Definition at line 82 of file common_types.h.
39.42.2.6 int32
typedef int32_t int32
Definition at line 83 of file common_types.h.
39.42.2.7 int64
typedef int64_t int64
Definition at line 84 of file common_types.h.
39.42.2.8 int8
typedef int8_t int8
Definition at line 81 of file common_types.h.
39.42.2.9 intptr
typedef intptr_t intptr
Definition at line 89 of file common_types.h.
39.42.2.10 osalbool
typedef bool osalbool
```

Generated by Doxygen

Deprecated Use bool

Definition at line 100 of file common_types.h.

```
39.42.2.11 uint16
typedef uint16_t uint16
Definition at line 86 of file common_types.h.
39.42.2.12 uint32
typedef uint32_t uint32
Definition at line 87 of file common_types.h.
39.42.2.13 uint64
typedef uint64_t uint64
Definition at line 88 of file common_types.h.
39.42.2.14 uint8
typedef uint8_t uint8
Definition at line 85 of file common_types.h.
39.42.3 Function Documentation
39.42.3.1 CompileTimeAssert() [1/9]
CompileTimeAssert (
              sizeof(uint8) = =1,
              TypeUint8WrongSize )
39.42.3.2 CompileTimeAssert() [2/9]
CompileTimeAssert (
```

sizeof(uint16) = =2,
TypeUint16WrongSize)

```
39.42.3.3 CompileTimeAssert() [3/9]
CompileTimeAssert (
             sizeof(uint32) = =4,
             TypeUint32WrongSize )
39.42.3.4 CompileTimeAssert() [4/9]
CompileTimeAssert (
             sizeof(uint64) = =8,
             TypeUint64WrongSize )
39.42.3.5 CompileTimeAssert() [5/9]
CompileTimeAssert (
             sizeof(int8) = =1,
             Typeint8WrongSize )
39.42.3.6 CompileTimeAssert() [6/9]
CompileTimeAssert (
             sizeof(int16) = =2,
             Typeint16WrongSize )
39.42.3.7 CompileTimeAssert() [7/9]
CompileTimeAssert (
             sizeof(int32) = =4,
             Typeint32WrongSize )
39.42.3.8 CompileTimeAssert() [8/9]
CompileTimeAssert (
             sizeof(int64) = =8,
             Typeint64WrongSize )
```

```
sizeof(cpuaddr) >=sizeof(void *) ,
              TypePtrWrongSize )
       osal/src/os/inc/osapi-os-core.h File Reference
#include <stdarg.h>
Data Structures

    struct OS_task_prop_t

         OSAL task properties.

    struct OS_queue_prop_t

         OSAL queue properties.
   • struct OS_bin_sem_prop_t
         OSAL binary semaphore properties.

    struct OS_count_sem_prop_t

         OSAL counting semaphore properties.
   struct OS_mut_sem_prop_t
         OSAL mutexe properties.

    struct OS_time_t

         OSAL time.

    struct OS_heap_prop_t

         OSAL heap properties.

    struct OS_FdSet

         An abstract structure capable of holding several OSAL IDs.
Macros

    #define OS OBJECT INDEX MASK 0xFFFF

         Object index mask.
   • #define OS_OBJECT_TYPE_SHIFT 16
         Object type shift.

    #define OS OBJECT TYPE UNDEFINED 0x00

         Object type undefined.

    #define OS_OBJECT_TYPE_OS_TASK 0x01

         Object task type.

    #define OS_OBJECT_TYPE_OS_QUEUE 0x02

         Object queue type.

    #define OS_OBJECT_TYPE_OS_COUNTSEM 0x03

         Object counting semaphore type.

    #define OS_OBJECT_TYPE_OS_BINSEM 0x04
```

39.42.3.9 CompileTimeAssert() [9/9]

CompileTimeAssert (

Object binary semaphore type.

• #define OS OBJECT TYPE OS MUTEX 0x05

Object mutex type.

#define OS_OBJECT_TYPE_OS_STREAM 0x06

Object stream type.

#define OS_OBJECT_TYPE_OS_DIR 0x07

Object directory type.

#define OS_OBJECT_TYPE_OS_TIMEBASE 0x08

Object timebase type.

• #define OS OBJECT TYPE OS TIMECB 0x09

Object timer callback type.

#define OS OBJECT TYPE OS MODULE 0x0A

Object module type.

#define OS OBJECT TYPE OS FILESYS 0x0B

Object file system type.

#define OS OBJECT TYPE OS CONSOLE 0x0C

Object console type.

#define OS_OBJECT_TYPE_USER 0x10

Object user type.

#define OS MAX TASK PRIORITY 255

Upper limit for OSAL task priorities.

• #define OS_SEM_FULL 1

Semaphore full state.

• #define OS SEM EMPTY 0

Semaphore empty state.

#define OS FP ENABLED 1

Floating point enabled state for a task.

• #define OS ERROR NAME LENGTH 35

Error string name length.

Typedefs

typedef char os_err_name_t[OS_ERROR_NAME_LENGTH]

For the OS_GetErrorName() function, to ensure everyone is making an array of the same length.

· typedef void osal task

For task entry point.

typedef void(* OS_ArgCallback_t) (uint32 object_id, void *arg)

General purpose OSAL callback function.

Enumerations

enum OS_StreamState_t { OS_STREAM_STATE_BOUND = 0x01, OS_STREAM_STATE_CONNECTED = 0x02, OS_STREAM_STATE_READABLE = 0x04, OS_STREAM_STATE_WRITABLE = 0x08 }

For the OS_SelectSingle() function's in/out StateFlags parameter, the state(s) of the stream and the result of the select is a combination of one or more of these states.

Functions

typedef osal_task ((*osal_task_entry)(void))

For task entry point.

void OS_Application_Startup (void)

Application startup.

• void OS_Application_Run (void)

Application run.

int32 OS_API_Init (void)

Initialization of API.

void OS IdleLoop (void)

Background thread implementation - waits forever for events to occur.

void OS_DeleteAllObjects (void)

delete all resources created in OSAL.

void OS_ApplicationShutdown (uint8 flag)

Initiate orderly shutdown.

void OS ApplicationExit (int32 Status)

Exit/Abort the application.

uint32 OS_IdentifyObject (uint32 object_id)

Obtain the type of an object given an arbitrary object ID.

int32 OS_ConvertToArrayIndex (uint32 object_id, uint32 *ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

void OS_ForEachObject (uint32 creator_id, OS_ArgCallback_t callback_ptr, void *callback_arg)

call the supplied callback function for all valid object IDs

int32 OS_TaskCreate (uint32 *task_id, const char *task_name, osal_task_entry function_pointer, uint32 *stack pointer, uint32 stack size, uint32 priority, uint32 flags)

Creates a task and starts running it.

• int32 OS_TaskDelete (uint32 task_id)

Deletes the specified Task.

void OS_TaskExit (void)

Exits the calling task.

int32 OS_TaskInstallDeleteHandler (osal_task_entry function_pointer)

Installs a handler for when the task is deleted.

• int32 OS TaskDelay (uint32 millisecond)

Delay a task for specified amount of milliseconds.

int32 OS_TaskSetPriority (uint32 task_id, uint32 new_priority)

Sets the given task to a new priority.

int32 OS_TaskRegister (void)

Obsolete.

• uint32 OS_TaskGetId (void)

Obtain the task id of the calling task.

int32 OS TaskGetIdByName (uint32 *task id, const char *task name)

Find an existing task ID by name.

int32 OS TaskGetInfo (uint32 task id, OS task prop t *task prop)

Fill a property object buffer with details regarding the resource.

 int32 OS_QueueCreate (uint32 *queue_id, const char *queue_name, uint32 queue_depth, uint32 data_size, uint32 flags) Create a message queue.

int32 OS_QueueDelete (uint32 queue_id)

Deletes the specified message queue.

int32 OS QueueGet (uint32 gueue id, void *data, uint32 size, uint32 *size copied, int32 timeout)

Receive a message on a message queue.

int32 OS_QueuePut (uint32 queue_id, const void *data, uint32 size, uint32 flags)

Put a message on a message queue.

• int32 OS QueueGetIdByName (uint32 *queue id, const char *queue name)

Find an existing queue ID by name.

int32 OS_QueueGetInfo (uint32 queue_id, OS_queue_prop_t *queue_prop)

Fill a property object buffer with details regarding the resource.

int32 OS_BinSemCreate (uint32 *sem_id, const char *sem_name, uint32 sem_initial_value, uint32 options)

Creates a binary semaphore.

int32 OS_BinSemFlush (uint32 sem_id)

Unblock all tasks pending on the specified semaphore.

• int32 OS BinSemGive (uint32 sem id)

Increment the semaphore value.

int32 OS_BinSemTake (uint32 sem_id)

Decrement the semaphore value.

int32 OS_BinSemTimedWait (uint32 sem_id, uint32 msecs)

Decrement the semaphore value with a timeout.

• int32 OS_BinSemDelete (uint32 sem_id)

Deletes the specified Binary Semaphore.

int32 OS_BinSemGetIdByName (uint32 *sem_id, const char *sem_name)

Find an existing semaphore ID by name.

int32 OS_BinSemGetInfo (uint32 sem_id, OS_bin_sem_prop_t *bin_prop)

Fill a property object buffer with details regarding the resource.

• int32 OS_CountSemCreate (uint32 *sem_id, const char *sem_name, uint32 sem_initial_value, uint32 options)

Creates a counting semaphore.

int32 OS_CountSemGive (uint32 sem_id)

Increment the semaphore value.

int32 OS CountSemTake (uint32 sem id)

Decrement the semaphore value.

int32 OS CountSemTimedWait (uint32 sem id, uint32 msecs)

Decrement the semaphore value with timeout.

int32 OS CountSemDelete (uint32 sem id)

Deletes the specified counting Semaphore.

int32 OS_CountSemGetIdByName (uint32 *sem_id, const char *sem_name)

Find an existing semaphore ID by name.

int32 OS_CountSemGetInfo (uint32 sem_id, OS_count_sem_prop_t *count_prop)

Fill a property object buffer with details regarding the resource.

int32 OS_MutSemCreate (uint32 *sem_id, const char *sem_name, uint32 options)

Creates a mutex semaphore.

int32 OS_MutSemGive (uint32 sem_id)

Releases the mutex object referenced by sem_id.

int32 OS_MutSemTake (uint32 sem_id)

Acquire the mutex object referenced by sem id.

int32 OS_MutSemDelete (uint32 sem_id)

Deletes the specified Mutex Semaphore.

• int32 OS MutSemGetIdByName (uint32 *sem id, const char *sem name)

Find an existing mutex ID by name.

int32 OS_MutSemGetInfo (uint32 sem_id, OS_mut_sem_prop_t *mut_prop)

Fill a property object buffer with details regarding the resource.

int32 OS Milli2Ticks (uint32 milli seconds)

Convert time units from milliseconds to system ticks.

• int32 OS Tick2Micros (void)

Get the system tick size, in microseconds.

int32 OS GetLocalTime (OS time t *time struct)

Get the local time.

int32 OS SetLocalTime (OS time t *time struct)

Set the local time.

 int32 OS_ExcAttachHandler (uint32 ExceptionNumber, void(*ExceptionHandler)(uint32, const void *, uint32), int32 parameter)

placeholder; not currently implemented

• int32 OS_ExcEnable (int32 ExceptionNumber)

placeholder; not currently implemented

int32 OS ExcDisable (int32 ExceptionNumber)

placeholder; not currently implemented

• int32 OS_FPUExcAttachHandler (uint32 ExceptionNumber, osal_task_entry ExceptionHandler, int32 parameter)

Set an FPU exception handler function.

int32 OS_FPUExcEnable (int32 ExceptionNumber)

Enable FPU exceptions.

int32 OS_FPUExcDisable (int32 ExceptionNumber)

Disable FPU exceptions.

int32 OS_FPUExcSetMask (uint32 mask)

Sets the FPU exception mask.

int32 OS_FPUExcGetMask (uint32 *mask)

Gets the FPU exception mask.

int32 OS_IntAttachHandler (uint32 InterruptNumber, osal_task_entry InterruptHandler, int32 parameter)

DEPRECATED; Associate an interrupt number to a specified handler routine.

int32 OS_IntUnlock (int32 IntLevel)

DEPRECATED; Enable interrupts.

int32 OS_IntLock (void)

DEPRECATED; Disable interrupts.

int32 OS_IntEnable (int32 Level)

DEPRECATED; Enables interrupts through Level.

int32 OS_IntDisable (int32 Level)

DEPRECATED; Disable interrupts through Level.

int32 OS_IntSetMask (uint32 mask)

DEPRECATED; Set the CPU interrupt mask register.

int32 OS_IntGetMask (uint32 *mask)

DEPRECATED; Get the CPU interrupt mask register.

int32 OS_IntAck (int32 InterruptNumber)

DEPRECATED; Acknowledge the corresponding interrupt number.

int32 OS_ShMemInit (void)

DEPRECATED - platform dependent, never implemented in framework OSALs.

int32 OS_ShMemCreate (uint32 *Id, uint32 NBytes, const char *SegName)

DEPRECATED - platform dependent, never implemented in framework OSALs.

int32 OS ShMemSemTake (uint32 ld)

DEPRECATED - platform dependent, never implemented in framework OSALs.

int32 OS_ShMemSemGive (uint32 ld)

DEPRECATED - platform dependent, never implemented in framework OSALs.

int32 OS ShMemAttach (cpuaddr *Address, uint32 ld)

DEPRECATED - platform dependent, never implemented in framework OSALs.

• int32 OS_ShMemGetIdByName (uint32 *ShMemId, const char *SegName)

DEPRECATED - platform dependent, never implemented in framework OSALs.

int32 OS_HeapGetInfo (OS_heap_prop_t *heap_prop)

Return current info on the heap.

• int32 OS_GetErrorName (int32 error_num, os_err_name_t *err_name)

Convert an error number to a string.

int32 OS_SelectMultiple (OS_FdSet *ReadSet, OS_FdSet *WriteSet, int32 msecs)

Wait for events across multiple file handles.

int32 OS_SelectSingle (uint32 objid, uint32 *StateFlags, int32 msecs)

Wait for events on a single file handle.

int32 OS_SelectFdZero (OS_FdSet *Set)

Clear a FdSet structure.

int32 OS_SelectFdAdd (OS_FdSet *Set, uint32 objid)

Add an ID to an FdSet structure.

int32 OS_SelectFdClear (OS_FdSet *Set, uint32 objid)

Clear an ID from an FdSet structure.

bool OS SelectFdIsSet (OS FdSet *Set, uint32 objid)

Check if an FdSet structure contains a given ID.

void OS_printf (const char *string,...) OS_PRINTF(1

Abstraction for the system printf() call.

void void OS_printf_disable (void)

This function disables the output from OS_printf.

void OS printf enable (void)

This function enables the output from OS printf.

- uint32 OS BSP GetArgC (void)
- char *const * OS_BSP_GetArgV (void)
- void OS_BSP_SetExitCode (int32 code)

39.43.1 Macro Definition Documentation

39.43.1.1 OS_ERROR_NAME_LENGTH

```
#define OS_ERROR_NAME_LENGTH 35
```

Error string name length.

The sizes of strings in OSAL functions are built with this limit in mind. Always check the uses of os_err_name_t when changing this value.

Definition at line 65 of file osapi-os-core.h.

39.43.1.2 OS_FP_ENABLED

```
#define OS_FP_ENABLED 1
```

Floating point enabled state for a task.

Definition at line 58 of file osapi-os-core.h.

39.43.1.3 OS_MAX_TASK_PRIORITY

#define OS_MAX_TASK_PRIORITY 255

Upper limit for OSAL task priorities.

Definition at line 48 of file osapi-os-core.h.

39.43.1.4 OS_OBJECT_INDEX_MASK

```
#define OS_OBJECT_INDEX_MASK 0xFFFF
```

Object index mask.

Definition at line 25 of file osapi-os-core.h.

39.43.1.5 OS_OBJECT_TYPE_SHIFT

```
#define OS_OBJECT_TYPE_SHIFT 16
```

Object type shift.

Definition at line 26 of file osapi-os-core.h.

39.43.2 Typedef Documentation

```
39.43.2.1 OS_ArgCallback_t

typedef void(* OS_ArgCallback_t) (uint32 object_id, void *arg)
```

General purpose OSAL callback function.

This may be used by multiple APIS

Definition at line 179 of file osapi-os-core.h.

```
39.43.2.2 os_err_name_t
typedef char os_err_name_t[OS_ERROR_NAME_LENGTH]
```

For the OS_GetErrorName() function, to ensure everyone is making an array of the same length.

Implementation note for developers:

The sizes of strings in OSAL functions are built with this OS_ERROR_NAME_LENGTH limit in mind. Always check the uses of os_err_name_t when changing this value.

Definition at line 166 of file osapi-os-core.h.

```
39.43.2.3 osal_task
typedef void osal_task
```

For task entry point.

Definition at line 171 of file osapi-os-core.h.

39.43.3 Enumeration Type Documentation

```
39.43.3.1 OS_StreamState_t
enum OS_StreamState_t
```

For the OS_SelectSingle() function's in/out StateFlags parameter, the state(s) of the stream and the result of the select is a combination of one or more of these states.

See also

OS_SelectSingle()

Enumerator

OS_STREAM_STATE_BOUND	whether the stream is bound
OS_STREAM_STATE_CONNECTED	whether the stream is connected
OS_STREAM_STATE_READABLE	whether the stream is readable
OS_STREAM_STATE_WRITABLE	whether the stream is writable

Definition at line 148 of file osapi-os-core.h.

39.43.4 Function Documentation

```
39.43.4.1 OS_BSP_GetArgC()
```

Referenced by OS_Application_Startup().

```
39.43.4.2 OS_BSP_GetArgV()
```

Referenced by OS_Application_Startup().

39.43.4.3 OS_BSP_SetExitCode()

39.43.4.4 osal_task()

For task entry point.

39.44 osal/src/os/inc/osapi-os-filesys.h File Reference

Data Structures

struct OS_VolumeInfo_t

Internal structure of the OS volume table for mounted file systems and path translation.

struct os_fsinfo_t

OSAL file system info.

• struct OS_file_prop_t

OSAL file properties.

• struct os_fstat_t

File system status.

struct os_dirent_t

Directory entry.

Macros

- #define OS READ ONLY 0
- #define OS WRITE ONLY 1
- #define OS READ WRITE 2
- #define OS_SEEK_SET 0
- #define OS SEEK CUR 1
- #define OS_SEEK_END 2
- #define OS_CHK_ONLY 0
- #define OS REPAIR 1
- #define FS_BASED 0
- #define RAM_DISK 1
- #define EEPROM DISK 2
- #define ATA DISK 3
- #define NUM_TABLE_ENTRIES 14

Number of entries in the internal volume table.

- #define OS_FS_DEV_NAME_LEN 32
- #define OS FS PHYS NAME LEN 64
- #define OS_FS_VOL_NAME_LEN 32
- #define OS_MAX_LOCAL_PATH_LEN (OS_MAX_PATH_LEN + OS_FS_PHYS_NAME_LEN)

Maximum length of a local/native path name string.

• #define OS FS ERR PATH TOO LONG (-103)

FS path too long.

• #define OS_FS_ERR_NAME_TOO_LONG (-104)

FS name too long.

#define OS_FS_ERR_DRIVE_NOT_CREATED (-106)

FS drive not created.

#define OS_FS_ERR_DEVICE_NOT_FREE (-107)

FS device not free.

#define OS FS ERR PATH INVALID (-108)

FS path invalid.

- #define OS FS SUCCESS OS SUCCESS
- #define OS FS ERROR OS ERROR

- #define OS_FS_ERR_INVALID_POINTER OS_INVALID_POINTER
- #define OS FS ERR NO FREE FDS OS ERR NO FREE IDS
- #define OS_FS_ERR_INVALID_FD OS_ERR_INVALID_ID
- #define OS_FS_UNIMPLEMENTED OS_ERR_NOT_IMPLEMENTED
- #define OS FILESTAT MODE(x) ((x).FileModeBits)

Access file stat mode bits.

#define OS_FILESTAT_ISDIR(x) ((x).FileModeBits & OS_FILESTAT_MODE_DIR)

File stat is directory logical.

#define OS FILESTAT EXEC(x) ((x).FileModeBits & OS FILESTAT MODE EXEC)

File stat is executable logical.

#define OS_FILESTAT_WRITE(x) ((x).FileModeBits & OS_FILESTAT_MODE_WRITE)

File stat is write enabled logical.

#define OS FILESTAT READ(x) ((x).FileModeBits & OS FILESTAT MODE READ)

File stat is read enabled logical.

#define OS_FILESTAT_SIZE(x) ((x).FileSize)

Access file stat size field.

#define OS_FILESTAT_TIME(x) ((x).FileTime)

Access file stat time field.

• #define OS_DIRENTRY_NAME(x) ((x).FileName)

Access filename part of the dirent structure.

Typedefs

- typedef os_err_name_t os_fs_err_name_t
- typedef void * os_dirp_t
- · typedef int32 os fshealth t
- typedef OS_file_prop_t OS_FDTableEntry

Enumerations

enum { OS_FILESTAT_MODE_EXEC = 0x00001, OS_FILESTAT_MODE_WRITE = 0x00002, OS_FILESTAT
 MODE READ = 0x00004, OS FILESTAT MODE DIR = 0x10000 }

File stat mode bits.

Functions

• int32 OS_creat (const char *path, int32 access)

Creates a file specified by path.

• int32 OS_open (const char *path, int32 access, uint32 mode)

Opens a file.

int32 OS_close (uint32 filedes)

Closes an open file handle.

int32 OS read (uint32 filedes, void *buffer, uint32 nbytes)

Read from a file handle.

• int32 OS_write (uint32 filedes, const void *buffer, uint32 nbytes)

Write to a file handle.

 int32 OS_TimedRead (uint32 filedes, void *buffer, uint32 nbytes, int32 timeout) File/Stream input read with a timeout. int32 OS TimedWrite (uint32 filedes, const void *buffer, uint32 nbytes, int32 timeout) File/Stream output write with a timeout. int32 OS chmod (const char *path, uint32 access) Changes the permissions of a file. int32 OS_stat (const char *path, os_fstat_t *filestats) Obtain information about a file or directory. int32 OS Iseek (uint32 filedes, int32 offset, uint32 whence) Seeks to the specified position of an open file. int32 OS remove (const char *path) Removes a file from the file system. int32 OS rename (const char *old filename, const char *new filename) Renames a file. • int32 OS_cp (const char *src, const char *dest) Copies a single file from src to dest. int32 OS mv (const char *src, const char *dest) Move a single file from src to dest. int32 OS_FDGetInfo (uint32 filedes, OS_file_prop_t *fd_prop) Obtain information about an open file. int32 OS FileOpenCheck (const char *Filename) Checks to see if a file is open. int32 OS_CloseAllFiles (void) Close all open files. int32 OS CloseFileByName (const char *Filename) Close a file by filename. os_dirp_t OS_opendir (const char *path) Opens a directory for searching. int32 OS closedir (os dirp t directory) void OS rewinddir (os dirp t directory) os dirent t * OS readdir (os dirp t directory) int32 OS_DirectoryOpen (uint32 *dir_id, const char *path) Opens a directory. int32 OS DirectoryClose (uint32 dir id) Closes an open directory. int32 OS DirectoryRewind (uint32 dir id) Rewinds an open directory. int32 OS DirectoryRead (uint32 dir id, os dirent t *dirent) Reads the next name in the directory. int32 OS mkdir (const char *path, uint32 access) Makes a new directory. int32 OS_rmdir (const char *path) Removes a directory from the file system. int32 OS_FileSysAddFixedMap (uint32 *filesys_id, const char *phys_path, const char *virt_path)

Create a fixed mapping between an existing directory and a virtual OSAL mount point.

int32 OS mkfs (char *address, const char *devname, const char *volname, uint32 blocksize, uint32 numblocks)

Makes a file system on the target.

int32 OS_mount (const char *devname, const char *mountpoint)

Mounts a file system.

• int32 OS_initfs (char *address, const char *devname, const char *volname, uint32 blocksize, uint32 numblocks)

Initializes an existing file system.

• int32 OS rmfs (const char *devname)

Removes a file system.

• int32 OS_unmount (const char *mountpoint)

Unmounts a mounted file system.

int32 OS fsBlocksFree (const char *name)

Obtain number of blocks free.

int32 OS_fsBytesFree (const char *name, uint64 *bytes_free)

Obtains the number of free bytes in a volume.

• int32 OS_chkfs (const char *name, bool repair)

Checks the health of a file system and repairs it if necessary.

int32 OS_FS_GetPhysDriveName (char *PhysDriveName, const char *MountPoint)

Obtains the physical drive name associated with a mount point.

int32 OS_TranslatePath (const char *VirtualPath, char *LocalPath)

Translates a OSAL Virtual file system path to a host Local path.

int32 OS_GetFsInfo (os_fsinfo_t *filesys_info)

Returns information about the file system.

int32 OS ShellOutputToFile (const char *Cmd, uint32 filedes)

Executes the command and sends output to a file.

39.44.1 Macro Definition Documentation

39.44.1.1 NUM_TABLE_ENTRIES

#define NUM_TABLE_ENTRIES 14

Number of entries in the internal volume table.

Definition at line 53 of file osapi-os-filesys.h.

39.44.1.2 OS_CHK_ONLY

#define OS_CHK_ONLY 0

Unused, API takes bool

Definition at line 38 of file osapi-os-filesys.h.

39.44.1.3 OS_DIRENTRY_NAME

Access filename part of the dirent structure.

Definition at line 215 of file osapi-os-filesys.h.

39.44.1.4 OS FILESTAT EXEC

File stat is executable logical.

Definition at line 189 of file osapi-os-filesys.h.

39.44.1.5 OS_FILESTAT_ISDIR

```
#define OS_FILESTAT_ISDIR(  x \ ) \ ((x). \\ \mbox{FileModeBits \& OS_FILESTAT\_MODE\_DIR})
```

File stat is directory logical.

Definition at line 187 of file osapi-os-filesys.h.

39.44.1.6 OS_FILESTAT_MODE

Access file stat mode bits.

Definition at line 185 of file osapi-os-filesys.h.

39.44.1.7 OS_FILESTAT_READ

File stat is read enabled logical.

Definition at line 193 of file osapi-os-filesys.h.

39.44.1.8 OS_FILESTAT_SIZE

Access file stat size field.

Definition at line 195 of file osapi-os-filesys.h.

39.44.1.9 OS_FILESTAT_TIME

Access file stat time field.

Definition at line 197 of file osapi-os-filesys.h.

39.44.1.10 OS_FILESTAT_WRITE

File stat is write enabled logical.

Definition at line 191 of file osapi-os-filesys.h.

39.44.1.11 OS_FS_DEV_NAME_LEN

```
#define OS_FS_DEV_NAME_LEN 32
```

Device name length

Definition at line 58 of file osapi-os-filesys.h.

39.44.1.12 OS_FS_PHYS_NAME_LEN

```
#define OS_FS_PHYS_NAME_LEN 64
```

Physical drive name length

Definition at line 59 of file osapi-os-filesys.h.

```
39.44.1.13 OS_FS_VOL_NAME_LEN
```

#define OS_FS_VOL_NAME_LEN 32

Volume name length

Definition at line 60 of file osapi-os-filesys.h.

39.44.1.14 OS MAX LOCAL PATH LEN

```
#define OS_MAX_LOCAL_PATH_LEN (OS_MAX_PATH_LEN + OS_FS_PHYS_NAME_LEN)
```

Maximum length of a local/native path name string.

This is a concatenation of the OSAL virtual path with the system mount point or device name

Definition at line 68 of file osapi-os-filesys.h.

39.44.1.15 OS_REPAIR

#define OS_REPAIR 1

Unused, API takes bool

Definition at line 39 of file osapi-os-filesys.h.

39.44.2 Typedef Documentation

39.44.2.1 os_dirp_t

typedef void* os_dirp_t

Deprecated

Definition at line 211 of file osapi-os-filesys.h.

39.44.2.2 OS_FDTableEntry

```
typedef OS_file_prop_t OS_FDTableEntry
```

Deprecated Use OS_file_prop_t

Definition at line 222 of file osapi-os-filesys.h.

```
39.44.2.3 os_fs_err_name_t
```

```
typedef os_err_name_t os_fs_err_name_t
```

Definition at line 115 of file osapi-os-filesys.h.

```
39.44.2.4 os_fshealth_t
```

typedef int32 os_fshealth_t

Deprecated type no longer used

Definition at line 221 of file osapi-os-filesys.h.

39.44.3 Enumeration Type Documentation

39.44.3.1 anonymous enum

anonymous enum

File stat mode bits.

We must also define replacements for the stat structure's mode bits. This is currently just a small subset since the OSAL just presents a very simplified view of the filesystem to the upper layers. And since not all OS'es are POSIX, the more POSIX-specific bits are not relevant anyway.

Enumerator

OS_FILESTAT_MODE_EXEC	
OS_FILESTAT_MODE_WRITE	
OS_FILESTAT_MODE_READ	
OS_FILESTAT_MODE_DIR	

Definition at line 176 of file osapi-os-filesys.h.

39.45 osal/src/os/inc/osapi-os-loader.h File Reference

Data Structures

• struct OS_module_address_t

OSAL module address properties.

struct OS_module_prop_t

OSAL module properties.

struct OS_static_symbol_record_t

Associates a single symbol name with a memory address.

Typedefs

typedef OS_module_prop_t OS_module_record_t

Functions

• int32 OS_SymbolLookup (cpuaddr *symbol_address, const char *symbol_name)

Find the Address of a Symbol.

• int32 OS_SymbolTableDump (const char *filename, uint32 size_limit)

Dumps the system symbol table to a file.

• int32 OS ModuleLoad (uint32 *module id, const char *module name, const char *filename)

Loads an object file.

int32 OS_ModuleUnload (uint32 module_id)

Unloads the module file.

int32 OS_ModuleInfo (uint32 module_id, OS_module_prop_t *module_info)

Obtain information about a module.

39.45.1 Typedef Documentation

```
39.45.1.1 OS_module_record_t
```

```
typedef OS_module_prop_t OS_module_record_t
```

Deprecated Use OS_module_prop_t

Definition at line 86 of file osapi-os-loader.h.

39.46 osal/src/os/inc/osapi-os-net.h File Reference

```
#include <osconfig.h>
```

Data Structures

• union OS SockAddrData t

Storage buffer for generic network address.

· struct OS SockAddr t

Encapsulates a generic network address.

struct OS_socket_prop_t

Encapsulates socket properties.

Macros

#define OS SOCKADDR MAX LEN 28

Enumerations

enum OS_SocketDomain_t { OS_SocketDomain_INVALID, OS_SocketDomain_INET, OS_SocketDomain_IN←
 ET6, OS_SocketDomain_MAX }

Socket domain.

 enum OS_SocketType_t { OS_SocketType_INVALID, OS_SocketType_DATAGRAM, OS_SocketType_STREAM, OS_SocketType_MAX }

Socket type.

Functions

int32 OS SocketAddrInit (OS SockAddr t *Addr, OS SocketDomain t Domain)

Initialize a socket address structure to hold an address of the given family.

int32 OS SocketAddrToString (char *buffer, uint32 buflen, const OS SockAddr t *Addr)

Get a string representation of a network host address.

int32 OS_SocketAddrFromString (OS_SockAddr_t *Addr, const char *string)

Set a network host address from a string representation.

int32 OS SocketAddrGetPort (uint16 *PortNum, const OS SockAddr t *Addr)

Get the port number of a network address.

int32 OS_SocketAddrSetPort (OS_SockAddr_t *Addr, uint16 PortNum)

Set the port number of a network address.

int32 OS_SocketOpen (uint32 *sock_id, OS_SocketDomain_t Domain, OS_SocketType_t Type)

Opens a socket.

int32 OS_SocketBind (uint32 sock_id, const OS_SockAddr_t *Addr)

Binds a socket to a given local address.

int32 OS_SocketConnect (uint32 sock_id, const OS_SockAddr_t *Addr, int32 timeout)

Connects a socket to a given remote address.

int32 OS_SocketAccept (uint32 sock_id, uint32 *connsock_id, OS_SockAddr_t *Addr, int32 timeout)
 Waits for and accept the next incoming connection on the given socket.

 int32 OS_SocketRecvFrom (uint32 sock_id, void *buffer, uint32 buflen, OS_SockAddr_t *RemoteAddr, int32 timeout)

Reads data from a message-oriented (datagram) socket.

- int32 OS_SocketSendTo (uint32 sock_id, const void *buffer, uint32 buflen, const OS_SockAddr_t *RemoteAddr)

 Sends data to a message-oriented (datagram) socket.
- int32 OS_SocketGetIdByName (uint32 *sock_id, const char *sock_name)

Gets an OSAL ID from a given name.

int32 OS_SocketGetInfo (uint32 sock_id, OS_socket_prop_t *sock_prop)

Gets information about an OSAL Socket ID.

int32 OS NetworkGetID (void)

Gets the network ID of the local machine.

• int32 OS_NetworkGetHostName (char *host_name, uint32 name_len)

Gets the local machine network host name.

39.46.1 Macro Definition Documentation

39.46.1.1 OS_SOCKADDR_MAX_LEN

#define OS_SOCKADDR_MAX_LEN 28

Definition at line 37 of file osapi-os-net.h.

39.46.2 Enumeration Type Documentation

39.46.2.1 OS_SocketDomain_t

enum OS_SocketDomain_t

Socket domain.

Enumerator

OS_SocketDomain_INVALID	Invalid.
OS_SocketDomain_INET	IPv4 address family, most commonly used)
OS_SocketDomain_INET6	IPv6 address family, depends on OS/network stack support.
OS_SocketDomain_MAX	Maximum.

Definition at line 53 of file osapi-os-net.h.

```
39.46.2.2 OS_SocketType_t
```

```
enum OS_SocketType_t
```

Socket type.

Enumerator

OS_SocketType_INVALID	Invalid.
OS_SocketType_DATAGRAM	A connectionless, message-oriented socket.
OS_SocketType_STREAM	A stream-oriented socket with the concept of a connection.
OS_SocketType_MAX	Maximum.

Definition at line 62 of file osapi-os-net.h.

39.47 osal/src/os/inc/osapi-os-timer.h File Reference

Data Structures

• struct OS_timer_prop_t

Timer properties.

struct OS_timebase_prop_t

Time base properties.

Typedefs

- typedef void(* OS_TimerCallback_t) (uint32 timer_id)
 Timer callback.
- typedef uint32(* OS_TimerSync_t) (uint32 timer_id)
 Timer sync.

Functions

- int32 OS_TimeBaseCreate (uint32 *timebase_id, const char *timebase_name, OS_TimerSync_t external_sync)

 Create an abstract Time Base resource.
- int32 OS_TimeBaseSet (uint32 timebase_id, uint32 start_time, uint32 interval_time)

Sets the tick period for simulated time base objects.

• int32 OS_TimeBaseDelete (uint32 timebase_id)

Deletes a time base object.

• int32 OS_TimeBaseGetIdByName (uint32 *timebase_id, const char *timebase_name)

Find the ID of an existing time base resource.

int32 OS_TimeBaseGetInfo (uint32 timebase_id, OS_timebase_prop_t *timebase_prop)

Obtain information about a timebase resource.

• int32 OS_TimeBaseGetFreeRun (uint32 timebase_id, uint32 *freerun_val)

Read the value of the timebase free run counter.

int32 OS_TimerCreate (uint32 *timer_id, const char *timer_name, uint32 *clock_accuracy, OS_TimerCallback
 t callback ptr)

Create a timer object.

int32 OS_TimerAdd (uint32 *timer_id, const char *timer_name, uint32 timebase_id, OS_ArgCallback_
 t callback ptr, void *callback arg)

Add a timer object based on an existing TimeBase resource.

int32 OS TimerSet (uint32 timer id, uint32 start time, uint32 interval time)

Configures a periodic or one shot timer.

int32 OS_TimerDelete (uint32 timer_id)

Deletes a timer resource.

• int32 OS_TimerGetIdByName (uint32 *timer_id, const char *timer_name)

Locate an existing timer resource by name.

• int32 OS_TimerGetInfo (uint32 timer_id, OS_timer_prop_t *timer_prop)

Gets information about an existing timer.

39.47.1 Typedef Documentation

39.47.1.1 OS TimerCallback t

```
typedef void(* OS_TimerCallback_t) (uint32 timer_id)
```

Timer callback.

Definition at line 25 of file osapi-os-timer.h.

39.47.1.2 OS_TimerSync_t

```
typedef uint32(* OS_TimerSync_t) (uint32 timer_id)
```

Timer sync.

Definition at line 26 of file osapi-os-timer.h.

39.48 osal/src/os/inc/osapi-version.h File Reference

Macros

#define OS_MAJOR_VERSION 5

Major version number.

#define OS_MINOR_VERSION 0

Minor version number.

• #define OS REVISION 14

Revision number.

• #define OS_MISSION_REV 0

Mission revision.

39.48.1 Macro Definition Documentation

39.48.1.1 OS_MAJOR_VERSION

#define OS_MAJOR_VERSION 5

Major version number.

Definition at line 21 of file osapi-version.h.

39.48.1.2 OS_MINOR_VERSION

#define OS_MINOR_VERSION 0

Minor version number.

Definition at line 22 of file osapi-version.h.

39.48.1.3 OS_MISSION_REV

#define OS_MISSION_REV 0

Mission revision.

Definition at line 24 of file osapi-version.h.

39.48.1.4 OS_REVISION

#define OS_REVISION 14

Revision number.

Definition at line 23 of file osapi-version.h.

39.48.1.5 OSAL_API_VERSION

```
#define OSAL_API_VERSION ((OS_MAJOR_VERSION * 10000) + (OS_MINOR_VERSION * 100) + OS_REVISION)
```

Combine the revision components into a single value that application code can check against e.g. "#if OSAL_API_V = ERSION >= 40100" would check if some feature added in OSAL 4.1 is present.

Definition at line 30 of file osapi-version.h.

39.49 osal/src/os/inc/osapi.h File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include "common_types.h"
#include "osapi-version.h"
#include "osconfig.h"
#include "osapi-os-core.h"
#include "osapi-os-filesys.h"
#include "osapi-os-net.h"
#include "osapi-os-loader.h"
#include "osapi-os-timer.h"
Macros

    #define OS SUCCESS (0)

        Successful execution.
   • #define OS_ERROR (-1)
         Failed execution.

    #define OS_INVALID_POINTER (-2)

         Invalid pointer.

    #define OS_ERROR_ADDRESS_MISALIGNED (-3)

        Address misalignment.

    #define OS_ERROR_TIMEOUT (-4)

        Error timeout.

    #define OS_INVALID_INT_NUM (-5)

         Invalid Interrupt number.
   • #define OS_SEM_FAILURE (-6)
         Semaphore failure.

    #define OS_SEM_TIMEOUT (-7)

         Semaphore timeout.
   • #define OS_QUEUE_EMPTY (-8)
         Queue empty.

    #define OS_QUEUE_FULL (-9)

         Queue full.

    #define OS_QUEUE_TIMEOUT (-10)

         Queue timeout.

    #define OS_QUEUE_INVALID_SIZE (-11)

         Queue invalid size.
   • #define OS_QUEUE_ID_ERROR (-12)
         Queue ID error.

    #define OS_ERR_NAME_TOO_LONG (-13)

        name length including null terminator greater than OS_MAX_API_NAME

    #define OS_ERR_NO_FREE_IDS (-14)

         No free IDs.
   • #define OS_ERR_NAME_TAKEN (-15)
        Name taken.
```

```
• #define OS_ERR_INVALID_ID (-16)
         Invalid ID.

    #define OS_ERR_NAME_NOT_FOUND (-17)

         Name not found.
    • #define OS_ERR_SEM_NOT_FULL (-18)
         Semaphore not full.
    • #define OS_ERR_INVALID_PRIORITY (-19)
         Invalid priority.

    #define OS INVALID SEM VALUE (-20)

         Invalid semaphore value.

    #define OS_ERR_FILE (-27)

         File error.

    #define OS_ERR_NOT_IMPLEMENTED (-28)

         Not implemented.
    • #define OS_TIMER_ERR_INVALID_ARGS (-29)
         Timer invalid arguments.

    #define OS_TIMER_ERR_TIMER_ID (-30)

         Timer ID error.
    • #define OS_TIMER_ERR_UNAVAILABLE (-31)
         Timer unavailable.

    #define OS_TIMER_ERR_INTERNAL (-32)

         Timer internal error.

    #define OS_ERR_OBJECT_IN_USE (-33)

         Object in use.
    • #define OS_ERR_BAD_ADDRESS (-34)
         Bad address.

    #define OS_ERR_INCORRECT_OBJ_STATE (-35)

         Incorrect object state.
    • #define OS_ERR_INCORRECT_OBJ_TYPE (-36)
         Incorrect object type.

    #define OS ERR STREAM DISCONNECTED (-37)

         Stream disconnected.

    #define OS_PEND (-1)

    #define OS_CHECK (0)

39.49.1 Macro Definition Documentation
39.49.1.1 OS_CHECK
#define OS_CHECK (0)
```

Definition at line 86 of file osapi.h.

Generated by Doxygen

39.49.1.2 OS_PEND

```
#define OS_PEND (-1)
```

Definition at line 85 of file osapi.h.

39.50 psp/fsw/inc/cfe_psp.h File Reference

```
#include "common_types.h"
#include "osapi.h"
```

Data Structures

• struct CFE_PSP_MemTable_t

Macros

- #define CFE_PSP_SUCCESS (0)
- #define CFE_PSP_ERROR (-1)
- #define CFE_PSP_INVALID_POINTER (-2)
- #define CFE_PSP_ERROR_ADDRESS_MISALIGNED (-3)
- #define CFE_PSP_ERROR_TIMEOUT (-4)
- #define CFE PSP INVALID INT NUM (-5)
- #define CFE_PSP_INVALID_MEM_ADDR (-21)
- #define CFE PSP INVALID MEM TYPE (-22)
- #define CFE_PSP_INVALID_MEM_RANGE (-23)
- #define CFE_PSP_INVALID_MEM_WORDSIZE (-24)
- #define CFE_PSP_INVALID_MEM_SIZE (-25)
- #define CFE_PSP_INVALID_MEM_ATTR (-26)
- #define CFE_PSP_ERROR_NOT_IMPLEMENTED (-27)
- #define CFE_PSP_INVALID_MODULE_NAME (-28)
- #define CFE_PSP_INVALID_MODULE_ID (-29)
- #define CFE_PSP_PANIC_STARTUP 1
- #define CFE PSP PANIC VOLATILE DISK 2
- #define CFE PSP PANIC MEMORY ALLOC 3
- #define CFE_PSP_PANIC_NONVOL_DISK 4
- #define CFE_PSP_PANIC_STARTUP_SEM 5
- #define CFE_PSP_PANIC_CORE_APP 6
- #define CFE_PSP_PANIC_GENERAL_FAILURE 7
- #define BUFF SIZE 256
- #define SIZE BYTE 1
- #define SIZE HALF 2
- #define SIZE_WORD 3
- #define CFE_PSP_MEM_RAM 1
- #define CFE_PSP_MEM_EEPROM 2
- #define CFE PSP MEM ANY 3
- #define CFE_PSP_MEM_INVALID 4

- #define CFE_PSP_MEM_ATTR_WRITE 0x01
- #define CFE_PSP_MEM_ATTR_READ 0x02
- #define CFE PSP MEM ATTR READWRITE 0x03
- #define CFE_PSP_MEM_SIZE_BYTE 0x01
- #define CFE PSP MEM SIZE WORD 0x02
- #define CFE PSP MEM SIZE DWORD 0x04
- #define CFE_PSP_MAJOR_VERSION (GLOBAL_PSP_CONFIGDATA.PSP_VersionInfo.MajorVersion)
- #define CFE PSP MINOR VERSION (GLOBAL PSP CONFIGDATA.PSP VersionInfo.MinorVersion)
- #define CFE_PSP_REVISION (GLOBAL_PSP_CONFIGDATA.PSP_VersionInfo.Revision)
- #define CFE_PSP_MISSION_REV (GLOBAL_PSP_CONFIGDATA.PSP_VersionInfo.MissionRev)

Reset Types

- #define CFE PSP RST TYPE PROCESSOR 1
- #define CFE_PSP_RST_TYPE_POWERON 2
- #define CFE PSP RST TYPE MAX 3

Reset Sub-Types

#define CFE PSP RST SUBTYPE POWER CYCLE 1

Reset caused by power having been removed and restored.

#define CFE_PSP_RST_SUBTYPE_PUSH_BUTTON 2

Reset caused by reset button on the board having been pressed.

• #define CFE PSP RST SUBTYPE HW SPECIAL COMMAND 3

Reset was caused by a reset line having been stimulated by a hardware special command.

#define CFE_PSP_RST_SUBTYPE_HW_WATCHDOG 4

Reset was caused by a watchdog timer expiring.

#define CFE_PSP_RST_SUBTYPE_RESET_COMMAND 5

Reset was caused by cFE ES processing a Reset Command.

• #define CFE_PSP_RST_SUBTYPE_EXCEPTION 6

Reset was caused by a Processor Exception.

#define CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET 7

Reset was caused in an unknown manner.

#define CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET 8

Reset was caused by a JTAG or BDM connection.

#define CFE_PSP_RST_SUBTYPE_BANKSWITCH_RESET 9

Reset reverted to a cFE POWERON due to a boot bank switch.

#define CFE_PSP_RST_SUBTYPE_MAX 10

Placeholder to indicate 1+ the maximum value that the PSP will ever use.

Functions

- void CFE_PSP_Main (void)
- void CFE PSP GetTime (OS time t *LocalTime)
- void CFE PSP Restart (uint32 resetType)
- uint32 CFE_PSP_GetRestartType (uint32 *restartSubType)
- void CFE_PSP_FlushCaches (uint32 type, cpuaddr address, uint32 size)
- uint32 CFE_PSP_GetProcessorId (void)
- uint32 CFE_PSP_GetSpacecraftId (void)
- uint32 CFE PSP Get Timer Tick (void)
- uint32 CFE PSP GetTimerTicksPerSecond (void)

- uint32 CFE_PSP_GetTimerLow32Rollover (void)
- void CFE PSP Get Timebase (uint32 *Tbu, uint32 *Tbl)
- uint32 CFE PSP Get Dec (void)
- int32 CFE PSP InitProcessorReservedMemory (uint32 RestartType)
- int32 CFE PSP GetCDSSize (uint32 *SizeOfCDS)
- int32 CFE_PSP_WriteToCDS (const void *PtrToDataToWrite, uint32 CDSOffset, uint32 NumBytes)
- int32 CFE_PSP_ReadFromCDS (void *PtrToDataToRead, uint32 CDSOffset, uint32 NumBytes)
- int32 CFE PSP GetResetArea (cpuaddr *PtrToResetArea, uint32 *SizeOfResetArea)
- int32 CFE PSP GetUserReservedArea (cpuaddr *PtrToUserArea, uint32 *SizeOfUserArea)
- int32 CFE PSP GetVolatileDiskMem (cpuaddr *PtrToVolDisk, uint32 *SizeOfVolDisk)
- int32 CFE PSP GetKernelTextSegmentInfo (cpuaddr *PtrToKernelSegment, uint32 *SizeOfKernelSegment)
- int32 CFE PSP GetCFETextSegmentInfo (cpuaddr *PtrToCFESegment, uint32 *SizeOfCFESegment)
- void CFE PSP WatchdogInit (void)
- void CFE PSP WatchdogEnable (void)
- void CFE PSP WatchdogDisable (void)
- void CFE PSP WatchdogService (void)
- uint32 CFE PSP WatchdogGet (void)
- void CFE_PSP_WatchdogSet (uint32 WatchdogValue)
- void CFE PSP Panic (int32 ErrorCode)
- int32 CFE PSP InitSSR (uint32 bus, uint32 device, char *DeviceName)
- int32 CFE PSP Decompress (char *srcFileName, char *dstFileName)
- void CFE_PSP_AttachExceptions (void)
- void CFE PSP SetDefaultExceptionEnvironment (void)
- int32 CFE_PSP_PortRead8 (cpuaddr PortAddress, uint8 *ByteValue)
- int32 CFE PSP PortWrite8 (cpuaddr PortAddress, uint8 ByteValue)
- int32 CFE PSP PortRead16 (cpuaddr PortAddress, uint16 *uint16Value)
- int32 CFE PSP PortWrite16 (cpuaddr PortAddress, uint16 uint16Value)
- int32 CFE_PSP_PortRead32 (cpuaddr PortAddress, uint32 *uint32Value)
- int32 CFE_PSP_PortWrite32 (cpuaddr PortAddress, uint32 uint32 Value)
- int32 CFE PSP MemRead8 (cpuaddr MemoryAddress, uint8 *ByteValue)
- int32 CFE_PSP_MemWrite8 (cpuaddr MemoryAddress, uint8 ByteValue)
- int32 CFE_PSP_MemRead16 (cpuaddr MemoryAddress, uint16 *uint16Value)
- int32 CFE_PSP_MemWrite16 (cpuaddr MemoryAddress, uint16 uint16Value)
- int32 CFE_PSP_MemRead32 (cpuaddr MemoryAddress, uint32 *uint32Value)
- int32 CFE PSP MemWrite32 (cpuaddr MemoryAddress, uint32 uint32 Value)
- int32 CFE_PSP_MemCpy (void *dest, const void *src, uint32 n)
- int32 CFE_PSP_MemSet (void *dest, uint8 value, uint32 n)
- int32 CFE_PSP_MemValidateRange (cpuaddr Address, uint32 Size, uint32 MemoryType)
- uint32 CFE PSP MemRanges (void)
- int32 CFE_PSP_MemRangeSet (uint32 RangeNum, uint32 MemoryType, cpuaddr StartAddr, uint32 Size, uint32 WordSize, uint32 Attributes)
- int32 CFE_PSP_MemRangeGet (uint32 RangeNum, uint32 *MemoryType, cpuaddr *StartAddr, uint32 *Size, uint32 *WordSize, uint32 *Attributes)
- int32 CFE_PSP_EepromWrite8 (cpuaddr MemoryAddress, uint8 ByteValue)
- int32 CFE PSP EepromWrite16 (cpuaddr MemoryAddress, uint16 uint16Value)
- int32 CFE PSP EepromWrite32 (cpuaddr MemoryAddress, uint32 uint32Value)
- int32 CFE PSP EepromWriteEnable (uint32 Bank)
- int32 CFE PSP EepromWriteDisable (uint32 Bank)
- int32 CFE_PSP_EepromPowerUp (uint32 Bank)
- int32 CFE PSP EepromPowerDown (uint32 Bank)

39.50.1 Macro Definition Documentation

39.50.1.1 BUFF_SIZE

#define BUFF_SIZE 256

Definition at line 85 of file cfe_psp.h.

39.50.1.2 CFE_PSP_ERROR

```
#define CFE_PSP_ERROR (-1)
```

Definition at line 54 of file cfe_psp.h.

Referenced by CFE_PSP_GetCDSSize(), CFE_PSP_GetCFETextSegmentInfo(), CFE_PSP_GetKernelTextSegment \leftarrow Info(), CFE_PSP_GetResetArea(), CFE_PSP_GetUserReservedArea(), CFE_PSP_GetVolatileDiskMem(), CFE_PSP_PInitSSR(), CFE_PSP_ReadFromCDS(), and CFE_PSP_WriteToCDS().

39.50.1.3 CFE_PSP_ERROR_ADDRESS_MISALIGNED

```
#define CFE_PSP_ERROR_ADDRESS_MISALIGNED (-3)
```

Definition at line 56 of file cfe_psp.h.

39.50.1.4 CFE_PSP_ERROR_NOT_IMPLEMENTED

```
#define CFE_PSP_ERROR_NOT_IMPLEMENTED (-27)
```

Definition at line 65 of file cfe_psp.h.

Referenced by CFE_PSP_GetKernelTextSegmentInfo().

39.50.1.5 CFE_PSP_ERROR_TIMEOUT

```
#define CFE_PSP_ERROR_TIMEOUT (-4)
```

Definition at line 57 of file cfe_psp.h.

```
39.50.1.6 CFE_PSP_INVALID_INT_NUM
```

```
#define CFE_PSP_INVALID_INT_NUM (-5)
```

Definition at line 58 of file cfe_psp.h.

39.50.1.7 CFE_PSP_INVALID_MEM_ADDR

```
#define CFE_PSP_INVALID_MEM_ADDR (-21)
```

Definition at line 59 of file cfe_psp.h.

39.50.1.8 CFE_PSP_INVALID_MEM_ATTR

```
#define CFE_PSP_INVALID_MEM_ATTR (-26)
```

Definition at line 64 of file cfe_psp.h.

39.50.1.9 CFE_PSP_INVALID_MEM_RANGE

```
#define CFE_PSP_INVALID_MEM_RANGE (-23)
```

Definition at line 61 of file cfe_psp.h.

39.50.1.10 CFE_PSP_INVALID_MEM_SIZE

```
#define CFE_PSP_INVALID_MEM_SIZE (-25)
```

Definition at line 63 of file cfe_psp.h.

39.50.1.11 CFE_PSP_INVALID_MEM_TYPE

```
#define CFE_PSP_INVALID_MEM_TYPE (-22)
```

Definition at line 60 of file cfe_psp.h.

```
39.50.1.12 CFE_PSP_INVALID_MEM_WORDSIZE
#define CFE_PSP_INVALID_MEM_WORDSIZE (-24)
Definition at line 62 of file cfe psp.h.
39.50.1.13 CFE_PSP_INVALID_MODULE_ID
#define CFE_PSP_INVALID_MODULE_ID (-29)
Definition at line 67 of file cfe_psp.h.
39.50.1.14 CFE_PSP_INVALID_MODULE_NAME
#define CFE_PSP_INVALID_MODULE_NAME (-28)
Definition at line 66 of file cfe_psp.h.
39.50.1.15 CFE_PSP_INVALID_POINTER
#define CFE_PSP_INVALID_POINTER (-2)
Definition at line 55 of file cfe psp.h.
39.50.1.16 CFE_PSP_MAJOR_VERSION
#define CFE_PSP_MAJOR_VERSION (GLOBAL_PSP_CONFIGDATA.PSP_VersionInfo.MajorVersion)
Definition at line 140 of file cfe psp.h.
39.50.1.17 CFE_PSP_MEM_ANY
```

#define CFE_PSP_MEM_ANY 3

Definition at line 95 of file cfe_psp.h.

39.50.1.18 CFE_PSP_MEM_ATTR_READ

#define CFE_PSP_MEM_ATTR_READ 0x02

Definition at line 102 of file cfe psp.h.

39.50.1.19 CFE_PSP_MEM_ATTR_READWRITE

#define CFE_PSP_MEM_ATTR_READWRITE 0x03

Definition at line 103 of file cfe_psp.h.

39.50.1.20 CFE_PSP_MEM_ATTR_WRITE

#define CFE_PSP_MEM_ATTR_WRITE 0x01

Definition at line 101 of file cfe_psp.h.

39.50.1.21 CFE_PSP_MEM_EEPROM

#define CFE_PSP_MEM_EEPROM 2

Definition at line 94 of file cfe psp.h.

39.50.1.22 CFE_PSP_MEM_INVALID

#define CFE_PSP_MEM_INVALID 4

Definition at line 96 of file cfe_psp.h.

39.50.1.23 CFE_PSP_MEM_RAM

#define CFE_PSP_MEM_RAM 1

Definition at line 93 of file cfe_psp.h.

```
39.50.1.24 CFE_PSP_MEM_SIZE_BYTE
#define CFE_PSP_MEM_SIZE_BYTE 0x01
Definition at line 108 of file cfe psp.h.
39.50.1.25 CFE_PSP_MEM_SIZE_DWORD
#define CFE_PSP_MEM_SIZE_DWORD 0x04
Definition at line 110 of file cfe_psp.h.
39.50.1.26 CFE_PSP_MEM_SIZE_WORD
#define CFE_PSP_MEM_SIZE_WORD 0x02
Definition at line 109 of file cfe_psp.h.
39.50.1.27 CFE_PSP_MINOR_VERSION
#define CFE_PSP_MINOR_VERSION (GLOBAL_PSP_CONFIGDATA.PSP_VersionInfo.MinorVersion)
Definition at line 141 of file cfe psp.h.
39.50.1.28 CFE_PSP_MISSION_REV
#define CFE_PSP_MISSION_REV (GLOBAL_PSP_CONFIGDATA.PSP_VersionInfo.MissionRev)
Definition at line 143 of file cfe_psp.h.
39.50.1.29 CFE_PSP_PANIC_CORE_APP
```

#define CFE_PSP_PANIC_CORE_APP 6

Definition at line 79 of file cfe_psp.h.

```
#define CFE_PSP_PANIC_GENERAL_FAILURE 7
```

39.50.1.30 CFE_PSP_PANIC_GENERAL_FAILURE

Definition at line 80 of file cfe_psp.h.

39.50.1.31 CFE_PSP_PANIC_MEMORY_ALLOC

#define CFE_PSP_PANIC_MEMORY_ALLOC 3

Definition at line 76 of file cfe_psp.h.

39.50.1.32 CFE_PSP_PANIC_NONVOL_DISK

#define CFE_PSP_PANIC_NONVOL_DISK 4

Definition at line 77 of file cfe_psp.h.

39.50.1.33 CFE_PSP_PANIC_STARTUP

#define CFE_PSP_PANIC_STARTUP 1

Definition at line 74 of file cfe psp.h.

39.50.1.34 CFE_PSP_PANIC_STARTUP_SEM

#define CFE_PSP_PANIC_STARTUP_SEM 5

Definition at line 78 of file cfe_psp.h.

39.50.1.35 CFE_PSP_PANIC_VOLATILE_DISK

#define CFE_PSP_PANIC_VOLATILE_DISK 2

Definition at line 75 of file cfe_psp.h.

39.50.1.36 CFE_PSP_REVISION

#define CFE_PSP_REVISION (GLOBAL_PSP_CONFIGDATA.PSP_VersionInfo.Revision)

Definition at line 142 of file cfe psp.h.

39.50.1.37 CFE_PSP_RST_SUBTYPE_BANKSWITCH_RESET

```
#define CFE_PSP_RST_SUBTYPE_BANKSWITCH_RESET 9
```

Reset reverted to a cFE POWERON due to a boot bank switch.

Definition at line 135 of file cfe_psp.h.

39.50.1.38 CFE_PSP_RST_SUBTYPE_EXCEPTION

```
#define CFE_PSP_RST_SUBTYPE_EXCEPTION 6
```

Reset was caused by a Processor Exception.

Definition at line 132 of file cfe_psp.h.

39.50.1.39 CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COMMAND

```
#define CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COMMAND 3
```

Reset was caused by a reset line having been stimulated by a hardware special command.

Definition at line 129 of file cfe_psp.h.

39.50.1.40 CFE_PSP_RST_SUBTYPE_HW_WATCHDOG

#define CFE_PSP_RST_SUBTYPE_HW_WATCHDOG 4

Reset was caused by a watchdog timer expiring.

Definition at line 130 of file cfe_psp.h.

39.50.1.41 CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET

#define CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET 8

Reset was caused by a JTAG or BDM connection.

Definition at line 134 of file cfe_psp.h.

39.50.1.42 CFE_PSP_RST_SUBTYPE_MAX

#define CFE_PSP_RST_SUBTYPE_MAX 10

Placeholder to indicate 1+ the maximum value that the PSP will ever use.

Definition at line 136 of file cfe_psp.h.

39.50.1.43 CFE_PSP_RST_SUBTYPE_POWER_CYCLE

#define CFE_PSP_RST_SUBTYPE_POWER_CYCLE 1

Reset caused by power having been removed and restored.

Definition at line 127 of file cfe psp.h.

39.50.1.44 CFE_PSP_RST_SUBTYPE_PUSH_BUTTON

#define CFE_PSP_RST_SUBTYPE_PUSH_BUTTON 2

Reset caused by reset button on the board having been pressed.

Definition at line 128 of file cfe_psp.h.

39.50.1.45 CFE_PSP_RST_SUBTYPE_RESET_COMMAND

#define CFE_PSP_RST_SUBTYPE_RESET_COMMAND 5

Reset was caused by cFE ES processing a Reset Command.

Definition at line 131 of file cfe_psp.h.

39.50.1.46 CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET

```
#define CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET 7
```

Reset was caused in an unknown manner.

Definition at line 133 of file cfe psp.h.

39.50.1.47 CFE_PSP_RST_TYPE_MAX

```
#define CFE_PSP_RST_TYPE_MAX 3
```

Placeholder to indicate 1+ the maximum value that the PSP will ever use.

Definition at line 119 of file cfe_psp.h.

39.50.1.48 CFE_PSP_RST_TYPE_POWERON

```
#define CFE_PSP_RST_TYPE_POWERON 2
```

All memory has been cleared

Definition at line 118 of file cfe_psp.h.

Referenced by CFE_PSP_InitCDS(), CFE_PSP_InitResetArea(), CFE_PSP_InitUserReservedArea(), CFE_PSP_ENTERPRESERVED (), and OS_Application_Startup().

39.50.1.49 CFE_PSP_RST_TYPE_PROCESSOR

```
#define CFE_PSP_RST_TYPE_PROCESSOR 1
```

Volatile disk, Critical Data Store and User Reserved memory could still be valid

Definition at line 117 of file cfe_psp.h.

Referenced by CFE_PSP_Restart(), and OS_Application_Startup().

39.50.1.50 CFE_PSP_SUCCESS #define CFE_PSP_SUCCESS (0) Definition at line 53 of file cfe_psp.h. Referenced by CFE_PSP_GetCDSSize(), CFE_PSP_GetCFETextSegmentInfo(), CFE_PSP_GetResetArea(), CF $\verb|E_PSP_GetUserReservedArea()|, CFE_PSP_GetVolatileDiskMem()|, CFE_PSP_InitCDS()|, CFE_PSP_InitProcessor \leftarrow \\$ ReservedMemory(), CFE_PSP_InitResetArea(), CFE_PSP_InitUserReservedArea(), CFE_PSP_InitVolatileDiskMem(), CFE_PSP_ReadFromCDS(), CFE_PSP_WriteToCDS(), and OS_Application_Startup(). 39.50.1.51 SIZE_BYTE #define SIZE_BYTE 1 Definition at line 86 of file cfe_psp.h. 39.50.1.52 SIZE_HALF #define SIZE_HALF 2 Definition at line 87 of file cfe_psp.h. 39.50.1.53 SIZE_WORD #define SIZE_WORD 3 Definition at line 88 of file cfe_psp.h.

Generated by Doxygen


39.50.2 Function Documentation

39.50.2.1 CFE_PSP_AttachExceptions()

Definition at line 94 of file cfe_psp_exception.c.

References OS_printf().

Here is the call graph for this function:



39.50.2.2 CFE_PSP_Decompress()

39.50.2.3 CFE_PSP_EepromPowerDown()

39.50.2.4 CFE_PSP_EepromPowerUp()

39.50.2.5 CFE_PSP_EepromWrite16()

```
39.50.2.6 CFE_PSP_EepromWrite32()
```

39.50.2.7 CFE_PSP_EepromWrite8()

39.50.2.8 CFE_PSP_EepromWriteDisable()

39.50.2.9 CFE_PSP_EepromWriteEnable()

39.50.2.10 CFE_PSP_FlushCaches()

Definition at line 125 of file cfe_psp_support.c.

39.50.2.11 CFE_PSP_Get_Dec()

Definition at line 185 of file cfe_psp_timer.c.

39.50.2.12 CFE_PSP_Get_Timebase()

Definition at line 162 of file cfe_psp_timer.c.

References OS_time_t::microsecs, OS_GetLocalTime(), and OS_time_t::seconds.

Here is the call graph for this function:



```
39.50.2.13 CFE_PSP_Get_Timer_Tick()
```

Definition at line 102 of file cfe_psp_timer.c.

39.50.2.14 CFE_PSP_GetCDSSize()

Definition at line 219 of file cfe_psp_memory.c.

References CFE_PSP_CDS_SIZE, CFE_PSP_ERROR, CFE_PSP_SUCCESS, and NULL.

39.50.2.15 CFE_PSP_GetCFETextSegmentInfo()

Definition at line 781 of file cfe_psp_memory.c.

References _fini, _init, CFE_PSP_ERROR, CFE_PSP_SUCCESS, and NULL.

39.50.2.16 CFE_PSP_GetKernelTextSegmentInfo()

Definition at line 753 of file cfe_psp_memory.c.

References CFE_PSP_ERROR, CFE_PSP_ERROR_NOT_IMPLEMENTED, and NULL.

39.50.2.17 CFE_PSP_GetProcessorId()

Definition at line 147 of file cfe_psp_support.c.

References CFE_PSP_Cpuld.

39.50.2.18 CFE_PSP_GetResetArea()

Definition at line 434 of file cfe_psp_memory.c.

References CFE_PSP_ERROR, CFE_PSP_RESET_AREA_SIZE, CFE_PSP_ResetAreaPtr, CFE_PSP_SUCCESS, and NULL.

39.50.2.19 CFE_PSP_GetRestartType()

39.50.2.20 CFE_PSP_GetSpacecraftId()

Definition at line 168 of file cfe psp support.c.

References CFE_PSP_SpacecraftId.

39.50.2.21 CFE_PSP_GetTime()

Definition at line 77 of file cfe_psp_timer.c.

References OS_GetLocalTime().

Here is the call graph for this function:



39.50.2.22 CFE_PSP_GetTimerLow32Rollover()

Definition at line 144 of file cfe_psp_timer.c.

References CFE_PSP_TIMER_LOW32_ROLLOVER.

39.50.2.23 CFE_PSP_GetTimerTicksPerSecond()

```
 \begin{array}{ccc} \textbf{uint32} & \textbf{CFE\_PSP\_GetTimerTicksPerSecond} & \textbf{(} \\ & \textbf{void} & \textbf{)} \end{array}
```

Definition at line 123 of file cfe_psp_timer.c.

References CFE_PSP_TIMER_TICKS_PER_SECOND.

39.50.2.24 CFE_PSP_GetUserReservedArea()

Definition at line 559 of file cfe psp memory.c.

References CFE_PSP_ERROR, CFE_PSP_SUCCESS, CFE_PSP_USER_RESERVED_SIZE, CFE_PSP_User← ReservedAreaPtr, and NULL.

39.50.2.25 CFE_PSP_GetVolatileDiskMem()

Definition at line 624 of file cfe_psp_memory.c.

References CFE PSP ERROR, CFE PSP SUCCESS, and NULL.


39.50.2.26 CFE_PSP_InitProcessorReservedMemory()

Definition at line 661 of file cfe_psp_memory.c.

References CFE_PSP_CDS_KEY_FILE, CFE_PSP_InitCDS(), CFE_PSP_InitResetArea(), CFE_PSP_InitUser ReservedArea(), CFE_PSP_InitVolatileDiskMem(), CFE_PSP_RESERVED_KEY_FILE, CFE_PSP_RESET_KEY_F ILE, CFE_PSP_SUCCESS, and OS_printf().

Referenced by OS_Application_Startup().

Here is the call graph for this function:



Definition at line 66 of file cfe_psp_ssr.c.

References CFE_PSP_ERROR.

39.50.2.28 CFE_PSP_Main()

```
void CFE_PSP_Main (
     void )
```

39.50.2.29 CFE_PSP_MemCpy()

39.50.2.30 CFE_PSP_MemRangeGet()

39.50.2.31 CFE_PSP_MemRanges()

```
39.50.2.32 CFE_PSP_MemRangeSet()
```

39.50.2.33 CFE_PSP_MemRead16()

39.50.2.34 CFE_PSP_MemRead32()

39.50.2.35 CFE_PSP_MemRead8()

39.50.2.36 CFE_PSP_MemSet()

39.50.2.37 CFE_PSP_MemValidateRange()

39.50.2.38 CFE_PSP_MemWrite16()

39.50.2.39 CFE_PSP_MemWrite32()

39.50.2.40 CFE_PSP_MemWrite8()

39.50.2.41 CFE_PSP_Panic()

Definition at line 104 of file cfe_psp_support.c.

References OS_printf().

Referenced by OS_Application_Startup().

Here is the call graph for this function:



```
39.50.2.42 CFE_PSP_PortRead16()
int32 CFE_PSP_PortRead16 (
             cpuaddr PortAddress,
             uint16 * uint16Value )
39.50.2.43 CFE_PSP_PortRead32()
int32 CFE_PSP_PortRead32 (
             cpuaddr PortAddress,
             uint32 * uint32Value )
39.50.2.44 CFE_PSP_PortRead8()
int32 CFE_PSP_PortRead8 (
             cpuaddr PortAddress,
             uint8 * ByteValue )
39.50.2.45 CFE_PSP_PortWrite16()
int32 CFE_PSP_PortWrite16 (
             cpuaddr PortAddress,
             uint16 uint16Value )
39.50.2.46 CFE_PSP_PortWrite32()
int32 CFE_PSP_PortWrite32 (
             cpuaddr PortAddress,
             uint32 uint32Value )
39.50.2.47 CFE_PSP_PortWrite8()
int32 CFE_PSP_PortWrite8 (
             cpuaddr PortAddress,
```

uint8 ByteValue)

39.50.2.48 CFE_PSP_ReadFromCDS()

Definition at line 292 of file cfe_psp_memory.c.

References CFE_PSP_CDS_SIZE, CFE_PSP_CDSPtr, CFE_PSP_ERROR, CFE_PSP_SUCCESS, and NULL.

39.50.2.49 CFE_PSP_Restart()

Definition at line 70 of file cfe_psp_support.c.

References CFE_PSP_RST_TYPE_POWERON, CFE_PSP_RST_TYPE_PROCESSOR, and OS_printf().

Here is the call graph for this function:



39.50.2.50 CFE_PSP_SetDefaultExceptionEnvironment()

Definition at line 143 of file cfe psp exception.c.

39.50.2.51 CFE_PSP_WatchdogDisable()

Definition at line 114 of file cfe_psp_watchdog.c.

39.50.2.52 CFE_PSP_WatchdogEnable()

Definition at line 98 of file cfe_psp_watchdog.c.

39.50.2.53 CFE_PSP_WatchdogGet()

Definition at line 156 of file cfe_psp_watchdog.c.

References CFE_PSP_WatchdogValue.

39.50.2.54 CFE_PSP_WatchdogInit()

Definition at line 75 of file cfe_psp_watchdog.c.

References CFE_PSP_WatchdogValue.

39.50.2.55 CFE_PSP_WatchdogService()

Definition at line 135 of file cfe_psp_watchdog.c.

39.50.2.56 CFE_PSP_WatchdogSet()

Definition at line 177 of file cfe_psp_watchdog.c.

References CFE_PSP_WatchdogValue.

```
39.50.2.57 CFE_PSP_WriteToCDS()
```

Definition at line 249 of file cfe psp memory.c.

References CFE_PSP_CDS_SIZE, CFE_PSP_CDSPtr, CFE_PSP_ERROR, CFE_PSP_SUCCESS, and NULL.

39.51 psp/fsw/inc/cfe_psp_configdata.h File Reference

```
#include <osapi.h>
#include <cfe_psp.h>
```

Data Structures

- struct CFE PSP VersionInfo t
- struct Target_PspConfigData

Variables

- Target_PspConfigData GLOBAL_PSP_CONFIGDATA
- CFE_PSP_MemTable_t CFE_PSP_MemoryTable []
- OS_VolumeInfo_t OS_VolumeTable []

39.51.1 Detailed Description

Created on: Dec 31, 2014 Author: joseph.p.hickey@nasa.gov

39.51.2 Variable Documentation

39.51.2.1 CFE_PSP_MemoryTable

```
CFE_PSP_MemTable_t CFE_PSP_MemoryTable[]
```

Extern reference to the psp memory table Allows the actual instantiation to be done outside this module

Definition at line 46 of file cfe_psp_memtab.c.

39.51.2.2 GLOBAL_PSP_CONFIGDATA

```
Target_PspConfigData GLOBAL_PSP_CONFIGDATA
```

Extern reference to psp config struct. Allows the actual instantiation to be done outside this module

39.51.2.3 OS_VolumeTable

```
OS_VolumeInfo_t OS_VolumeTable[]
```

Extern reference to the psp volume table Allows the actual instantiation to be done outside this module

Definition at line 63 of file cfe_psp_voltab.c.

39.52 psp/fsw/pc-linux/src/cfe_psp_exception.c File Reference

```
#include <stdio.h>
#include <string.h>
#include "common_types.h"
#include "osapi.h"
#include "cfe_psp.h"
#include "cfe_psp_config.h"
#include <target_config.h>
```

Macros

#define CFE_PSP_ES_EXCEPTION_FUNCTION (*GLOBAL_CONFIGDATA.CfeConfig->SystemExceptionI

SR)

Functions

- void CFE_PSP_ExceptionHook (int task_id, int vector, uint8 *pEsf)
- void CFE_PSP_AttachExceptions (void)
- void CFE_PSP_SetDefaultExceptionEnvironment (void)

Variables

- CFE_PSP_ExceptionContext_t CFE_PSP_ExceptionContext
- char CFE_PSP_ExceptionReasonString [256]

39.52.1 Macro Definition Documentation

39.52.1.1 CFE_PSP_ES_EXCEPTION_FUNCTION

```
#define CFE_PSP_ES_EXCEPTION_FUNCTION (*GLOBAL_CONFIGDATA.CfeConfig->SystemExceptionISR)
```

Definition at line 51 of file cfe_psp_exception.c.

Referenced by CFE_PSP_ExceptionHook().

39.52.2 Function Documentation

39.52.2.1 CFE_PSP_AttachExceptions()

Definition at line 94 of file cfe_psp_exception.c.

References OS_printf().

Here is the call graph for this function:

```
CFE_PSP_AttachExceptions OS_printf
```

39.52.2.2 CFE_PSP_ExceptionHook()

Definition at line 108 of file cfe_psp_exception.c.

References CFE_PSP_ES_EXCEPTION_FUNCTION, CFE_PSP_ExceptionContext, and CFE_PSP_Exception ← ReasonString.

39.52.2.3 CFE_PSP_SetDefaultExceptionEnvironment()

Definition at line 143 of file cfe_psp_exception.c.

39.52.3 Variable Documentation

39.52.3.1 CFE_PSP_ExceptionContext

```
CFE_PSP_ExceptionContext_t CFE_PSP_ExceptionContext
```

Definition at line 69 of file cfe_psp_exception.c.

Referenced by CFE_PSP_ExceptionHook().

39.52.3.2 CFE_PSP_ExceptionReasonString

```
char CFE_PSP_ExceptionReasonString[256]
```

Definition at line 70 of file cfe_psp_exception.c.

Referenced by CFE_PSP_ExceptionHook().

39.53 psp/fsw/pc-linux/src/cfe_psp_memory.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <sys/types.h>
#include <unistd.h>
#include <string.h>
#include <sys/ipc.h>
#include <sys/shm.h>
#include <fcntl.h>
#include "common_types.h"
#include "osapi.h"
#include "cfe_psp.h"
#include "cfe_psp_config.h"
#include <target_config.h>
```

Macros

- #define CFE PSP CDS KEY FILE ".cdskeyfile"
- #define CFE_PSP_RESET_KEY_FILE ".resetkeyfile"
- #define CFE PSP RESERVED KEY FILE ".reservedkeyfile"
- #define CFE PSP CDS SIZE (GLOBAL CONFIGDATA.CfeConfig->CdsSize)
- #define CFE PSP RESET AREA SIZE (GLOBAL CONFIGDATA.CfeConfig->ResetAreaSize)
- #define CFE PSP USER RESERVED SIZE (GLOBAL CONFIGDATA.CfeConfig->UserReservedSize)

Functions

- int32 CFE PSP InitCDS (uint32 RestartType)
- int32 CFE PSP InitResetArea (uint32 RestartType)
- int32 CFE PSP InitVolatileDiskMem (uint32 RestartType)
- int32 CFE PSP InitUserReservedArea (uint32 RestartType)
- void CFE_PSP_DeleteCDS (void)
- int32 CFE PSP GetCDSSize (uint32 *SizeOfCDS)
- int32 CFE PSP WriteToCDS (const void *PtrToDataToWrite, uint32 CDSOffset, uint32 NumBytes)
- int32 CFE PSP ReadFromCDS (void *PtrToDataToRead, uint32 CDSOffset, uint32 NumBytes)
- void CFE_PSP_DeleteResetArea (void)
- int32 CFE PSP GetResetArea (cpuaddr *PtrToResetArea, uint32 *SizeOfResetArea)
- void CFE PSP DeleteUserReservedArea (void)
- int32 CFE PSP GetUserReservedArea (cpuaddr *PtrToUserArea, uint32 *SizeOfUserArea)
- int32 CFE_PSP_GetVolatileDiskMem (cpuaddr *PtrToVolDisk, uint32 *SizeOfVolDisk)
- int32 CFE PSP InitProcessorReservedMemory (uint32 RestartType)
- void CFE_PSP_DeleteProcessorReservedMemory (void)
- int32 CFE_PSP_GetKernelTextSegmentInfo (cpuaddr *PtrToKernelSegment, uint32 *SizeOfKernelSegment)
- int32 CFE PSP GetCFETextSegmentInfo (cpuaddr *PtrToCFESegment, uint32 *SizeOfCFESegment)

Variables

- · unsigned int _init
- · unsigned int fini
- uint8 * CFE_PSP_CDSPtr = 0
- uint8 * CFE PSP ResetAreaPtr = 0
- uint8 * CFE PSP UserReservedAreaPtr = 0
- · int ResetAreaShmId
- int CDSShmld
- · int UserShmId

39.53.1 Macro Definition Documentation

```
39.53.1.1 CFE_PSP_CDS_KEY_FILE
```

```
#define CFE_PSP_CDS_KEY_FILE ".cdskeyfile"
```

Definition at line 66 of file cfe_psp_memory.c.

Referenced by CFE PSP InitCDS(), and CFE PSP InitProcessorReservedMemory().

39.53.1.2 CFE_PSP_CDS_SIZE

```
#define CFE_PSP_CDS_SIZE (GLOBAL_CONFIGDATA.CfeConfig->CdsSize)
```

Definition at line 76 of file cfe_psp_memory.c.

Referenced by CFE_PSP_GetCDSSize(), CFE_PSP_InitCDS(), CFE_PSP_ReadFromCDS(), and CFE_PSP_Write ← ToCDS().

39.53.1.3 CFE_PSP_RESERVED_KEY_FILE

```
#define CFE_PSP_RESERVED_KEY_FILE ".reservedkeyfile"
```

Definition at line 68 of file cfe_psp_memory.c.

Referenced by CFE PSP InitProcessorReservedMemory(), and CFE PSP InitUserReservedArea().

39.53.1.4 CFE_PSP_RESET_AREA_SIZE

```
#define CFE_PSP_RESET_AREA_SIZE (GLOBAL_CONFIGDATA.CfeConfig->ResetAreaSize)
```

Definition at line 77 of file cfe_psp_memory.c.

Referenced by CFE_PSP_GetResetArea(), and CFE_PSP_InitResetArea().

39.53.1.5 CFE_PSP_RESET_KEY_FILE

```
#define CFE_PSP_RESET_KEY_FILE ".resetkeyfile"
```

Definition at line 67 of file cfe_psp_memory.c.

Referenced by CFE_PSP_InitProcessorReservedMemory(), and CFE_PSP_InitResetArea().

39.53.1.6 CFE_PSP_USER_RESERVED_SIZE

```
#define CFE_PSP_USER_RESERVED_SIZE (GLOBAL_CONFIGDATA.CfeConfig->UserReservedSize)
```

Definition at line 78 of file cfe_psp_memory.c.

Referenced by CFE_PSP_GetUserReservedArea(), and CFE_PSP_InitUserReservedArea().

39.53.2 Function Documentation

39.53.2.1 CFE_PSP_DeleteCDS()

Definition at line 185 of file cfe_psp_memory.c.

References CDSShmld.

Referenced by CFE PSP DeleteProcessorReservedMemory().


39.53.2.2 CFE_PSP_DeleteProcessorReservedMemory()

Definition at line 726 of file cfe_psp_memory.c.

References CFE_PSP_DeleteCDS(), CFE_PSP_DeleteResetArea(), and CFE_PSP_DeleteUserReservedArea().

Referenced by OS_Application_Run().

Here is the call graph for this function:



39.53.2.3 CFE_PSP_DeleteResetArea()

Definition at line 397 of file cfe_psp_memory.c.

References ResetAreaShmld.

Referenced by CFE_PSP_DeleteProcessorReservedMemory().

39.53.2.4 CFE_PSP_DeleteUserReservedArea()

Definition at line 527 of file cfe_psp_memory.c.

References UserShmld.

Referenced by CFE_PSP_DeleteProcessorReservedMemory().

39.53.2.5 CFE_PSP_GetCDSSize()

Definition at line 219 of file cfe_psp_memory.c.

References CFE_PSP_CDS_SIZE, CFE_PSP_ERROR, CFE_PSP_SUCCESS, and NULL.

39.53.2.6 CFE_PSP_GetCFETextSegmentInfo()

Definition at line 781 of file cfe_psp_memory.c.

References _fini, _init, CFE_PSP_ERROR, CFE_PSP_SUCCESS, and NULL.

39.53.2.7 CFE_PSP_GetKernelTextSegmentInfo()

Definition at line 753 of file cfe_psp_memory.c.

References CFE PSP ERROR, CFE PSP ERROR NOT IMPLEMENTED, and NULL.

39.53.2.8 CFE_PSP_GetResetArea()

Definition at line 434 of file cfe_psp_memory.c.

References CFE_PSP_ERROR, CFE_PSP_RESET_AREA_SIZE, CFE_PSP_ResetAreaPtr, CFE_PSP_SUCCESS, and NULL.

39.53.2.9 CFE_PSP_GetUserReservedArea()

Definition at line 559 of file cfe psp memory.c.

References CFE_PSP_ERROR, CFE_PSP_SUCCESS, CFE_PSP_USER_RESERVED_SIZE, CFE_PSP_User← ReservedAreaPtr, and NULL.

39.53.2.10 CFE_PSP_GetVolatileDiskMem()

Definition at line 624 of file cfe_psp_memory.c.

References CFE_PSP_ERROR, CFE_PSP_SUCCESS, and NULL.

39.53.2.11 CFE_PSP_InitCDS()

Definition at line 128 of file cfe_psp_memory.c.

References CDSShmId, CFE_PSP_CDS_KEY_FILE, CFE_PSP_CDS_SIZE, CFE_PSP_CDSPtr, CFE_PSP_RST_
TYPE_POWERON, CFE_PSP_SUCCESS, and OS_printf().

Referenced by CFE_PSP_InitProcessorReservedMemory().

Here is the call graph for this function:




39.53.2.12 CFE_PSP_InitProcessorReservedMemory()

Definition at line 661 of file cfe_psp_memory.c.

References CFE_PSP_CDS_KEY_FILE, CFE_PSP_InitCDS(), CFE_PSP_InitResetArea(), CFE_PSP_InitUser ReservedArea(), CFE_PSP_InitVolatileDiskMem(), CFE_PSP_RESERVED_KEY_FILE, CFE_PSP_RESET_KEY_F ILE, CFE_PSP_SUCCESS, and OS_printf().

Referenced by OS_Application_Startup().

Here is the call graph for this function:



39.53.2.13 CFE_PSP_InitResetArea()

Definition at line 340 of file cfe_psp_memory.c.

References CFE_PSP_RESET_AREA_SIZE, CFE_PSP_RESET_KEY_FILE, CFE_PSP_ResetAreaPtr, CFE_PSP_← RST_TYPE_POWERON, CFE_PSP_SUCCESS, OS_printf(), and ResetAreaShmld.

Referenced by CFE_PSP_InitProcessorReservedMemory().

Here is the call graph for this function:



39.53.2.14 CFE_PSP_InitUserReservedArea()

Definition at line 471 of file cfe_psp_memory.c.

References CFE_PSP_RESERVED_KEY_FILE, CFE_PSP_RST_TYPE_POWERON, CFE_PSP_SUCCESS, CFE_← PSP_USER_RESERVED_SIZE, CFE_PSP_UserReservedAreaPtr, OS_printf(), and UserShmld.

Referenced by CFE PSP InitProcessorReservedMemory().

Here is the call graph for this function:



```
39.53.2.15 CFE_PSP_InitVolatileDiskMem()
```

Definition at line 597 of file cfe_psp_memory.c.

References CFE_PSP_SUCCESS.

Referenced by CFE_PSP_InitProcessorReservedMemory().

39.53.2.16 CFE_PSP_ReadFromCDS()

Definition at line 292 of file cfe_psp_memory.c.

References CFE_PSP_CDS_SIZE, CFE_PSP_CDSPtr, CFE_PSP_ERROR, CFE_PSP_SUCCESS, and NULL.

39.53.2.17 CFE_PSP_WriteToCDS()

Definition at line 249 of file cfe_psp_memory.c.

References CFE PSP CDS SIZE, CFE PSP CDSPtr, CFE PSP ERROR, CFE PSP SUCCESS, and NULL.

39.53.3 Variable Documentation

```
39.53.3.1 _fini
unsigned int _fini
```

Referenced by CFE_PSP_GetCFETextSegmentInfo().

```
39.53.3.2 _init
unsigned int _init
Referenced by CFE PSP GetCFETextSegmentInfo().
39.53.3.3 CDSShmld
int CDSShmId
Definition at line 101 of file cfe_psp_memory.c.
Referenced by CFE_PSP_DeleteCDS(), and CFE_PSP_InitCDS().
39.53.3.4 CFE_PSP_CDSPtr
uint8* CFE_PSP_CDSPtr = 0
Definition at line 97 of file cfe_psp_memory.c.
Referenced by CFE_PSP_InitCDS(), CFE_PSP_ReadFromCDS(), and CFE_PSP_WriteToCDS().
39.53.3.5 CFE_PSP_ResetAreaPtr
uint8* CFE_PSP_ResetAreaPtr = 0
Definition at line 98 of file cfe_psp_memory.c.
Referenced by CFE_PSP_GetResetArea(), and CFE_PSP_InitResetArea().
39.53.3.6 CFE_PSP_UserReservedAreaPtr
uint8* CFE_PSP_UserReservedAreaPtr = 0
Definition at line 99 of file cfe_psp_memory.c.
```

Referenced by CFE_PSP_GetUserReservedArea(), and CFE_PSP_InitUserReservedArea().

39.53.3.7 ResetAreaShmld

```
int ResetAreaShmId
```

Definition at line 100 of file cfe_psp_memory.c.

Referenced by CFE_PSP_DeleteResetArea(), and CFE_PSP_InitResetArea().

39.53.3.8 UserShmld

```
int UserShmId
```

Definition at line 102 of file cfe_psp_memory.c.

Referenced by CFE PSP DeleteUserReservedArea(), and CFE PSP InitUserReservedArea().

39.54 psp/fsw/pc-linux/src/cfe_psp_memtab.c File Reference

```
#include "common_types.h"
#include "osapi.h"
#include "cfe_psp.h"
#include "cfe_psp_config.h"
```

Variables

CFE_PSP_MemTable_t CFE_PSP_MemoryTable [CFE_PSP_MEM_TABLE_SIZE]

39.54.1 Variable Documentation

39.54.1.1 CFE_PSP_MemoryTable

```
CFE_PSP_MemTable_t CFE_PSP_MemoryTable[CFE_PSP_MEM_TABLE_SIZE]
```

Initial value:

Extern reference to the psp memory table Allows the actual instantiation to be done outside this module Definition at line 46 of file cfe psp memtab.c.

39.55 psp/fsw/pc-linux/src/cfe_psp_ssr.c File Reference

```
#include "common_types.h"
#include "osapi.h"
#include "cfe_psp.h"
#include "cfe_psp_config.h"
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
```

Functions

• int32 CFE PSP InitSSR (uint32 bus, uint32 device, char *DeviceName)

39.55.1 Function Documentation

39.55.1.1 CFE_PSP_InitSSR()

Definition at line 66 of file cfe psp ssr.c.

References CFE PSP ERROR.

39.56 psp/fsw/pc-linux/src/cfe_psp_start.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <sys/wait.h>
#include <sys/types.h>
#include <unistd.h>
#include <signal.h>
#include <sys/time.h>
#include <getopt.h>
#include <limits.h>
#include <pthread.h>
#include <sched.h>
#include <errno.h>
#include "common_types.h"
#include "osapi.h"
#include "cfe_psp.h"
#include <target_config.h>
#include "cfe_psp_module.h"
```

Data Structures

• struct CFE_PSP_CommandData_t

Macros

- #define CFE_PSP_MAIN_FUNCTION (*GLOBAL_CONFIGDATA.CfeConfig->SystemMain)
- #define CFE PSP 1HZ FUNCTION (*GLOBAL CONFIGDATA.CfeConfig->System1HzISR)
- #define CFE_PSP_NONVOL_STARTUP_FILE (GLOBAL_CONFIGDATA.CfeConfig->NonvolStartupFile)
- #define CFE PSP CPU ID (GLOBAL CONFIGDATA.Default Cpuld)
- #define CFE_PSP_CPU_NAME (GLOBAL_CONFIGDATA.Default_CpuName)
- #define CFE PSP SPACECRAFT ID (GLOBAL CONFIGDATA.Default SpacecraftId)
- #define CFE_PSP_CPU_NAME_LENGTH 32
- #define CFE PSP RESET NAME LENGTH 10

Functions

- · void CFE PSP SigintHandler (int signal)
- void CFE_PSP_TimerHandler (int signum)
- void CFE_PSP_DisplayUsage (char *Name)
- void CFE_PSP_ProcessArgumentDefaults (CFE_PSP_CommandData_t *CommandDataDefault)
- void CFE PSP SetupLocal1Hz (void)
- void CFE_PSP_DeleteProcessorReservedMemory (void)
- void OS_Application_Startup (void)

Application startup.

void OS Application Run (void)

Application run.

Variables

- uint32 TimerCounter
- · CFE PSP CommandData t CommandData
- uint32 CFE_PSP_SpacecraftId
- uint32 CFE PSP Cpuld
- char CFE_PSP_CpuName [CFE_PSP_CPU_NAME_LENGTH]
- static const char * optString = "R:S:C:I:N:h"
- static const struct option longOpts []

39.56.1 Macro Definition Documentation

39.56.1.1 CFE_PSP_1HZ_FUNCTION

#define CFE_PSP_1HZ_FUNCTION (*GLOBAL_CONFIGDATA.CfeConfig->System1HzISR)

Definition at line 67 of file cfe_psp_start.c.

Referenced by CFE_PSP_TimerHandler().

39.56.1.2 CFE_PSP_CPU_ID

#define CFE_PSP_CPU_ID (GLOBAL_CONFIGDATA.Default_CpuId)

Definition at line 69 of file cfe_psp_start.c.

Referenced by CFE_PSP_DisplayUsage(), and CFE_PSP_ProcessArgumentDefaults().

39.56.1.3 CFE_PSP_CPU_NAME

#define CFE_PSP_CPU_NAME (GLOBAL_CONFIGDATA.Default_CpuName)

Definition at line 70 of file cfe_psp_start.c.

Referenced by CFE PSP DisplayUsage(), and CFE PSP ProcessArgumentDefaults().

39.56.1.4 CFE_PSP_CPU_NAME_LENGTH

#define CFE_PSP_CPU_NAME_LENGTH 32

Definition at line 77 of file cfe_psp_start.c.

Referenced by CFE_PSP_ProcessArgumentDefaults(), and OS_Application_Startup().

39.56.1.5 CFE_PSP_MAIN_FUNCTION

#define CFE_PSP_MAIN_FUNCTION (*GLOBAL_CONFIGDATA.CfeConfig->SystemMain)

Definition at line 66 of file cfe_psp_start.c.

Referenced by OS_Application_Startup().

```
39.56.1.6 CFE_PSP_NONVOL_STARTUP_FILE
```

#define CFE_PSP_NONVOL_STARTUP_FILE (GLOBAL_CONFIGDATA.CfeConfig->NonvolStartupFile)

Definition at line 68 of file cfe_psp_start.c.

Referenced by OS Application Startup().

39.56.1.7 CFE_PSP_RESET_NAME_LENGTH

```
#define CFE_PSP_RESET_NAME_LENGTH 10
```

Definition at line 78 of file cfe psp start.c.

Referenced by OS_Application_Startup().

39.56.1.8 CFE_PSP_SPACECRAFT_ID

```
#define CFE_PSP_SPACECRAFT_ID (GLOBAL_CONFIGDATA.Default_SpacecraftId)
```

Definition at line 71 of file cfe psp start.c.

Referenced by CFE_PSP_DisplayUsage(), and CFE_PSP_ProcessArgumentDefaults().

39.56.2 Function Documentation


39.56.2.1 CFE_PSP_DeleteProcessorReservedMemory()

Definition at line 726 of file cfe_psp_memory.c.

References CFE_PSP_DeleteCDS(), CFE_PSP_DeleteResetArea(), and CFE_PSP_DeleteUserReservedArea().

Referenced by OS_Application_Run().

Here is the call graph for this function:



39.56.2.2 CFE_PSP_DisplayUsage()

Definition at line 444 of file cfe_psp_start.c.

References CFE_PSP_CPU_ID, CFE_PSP_CPU_NAME, and CFE_PSP_SPACECRAFT_ID.

Referenced by OS Application Startup().

39.56.2.3 CFE_PSP_ProcessArgumentDefaults()

Definition at line 492 of file cfe_psp_start.c.

References CFE_PSP_CPU_ID, CFE_PSP_CPU_NAME, CFE_PSP_CPU_NAME_LENGTH, CFE_PSP_SPACEC RAFT_ID, CFE_PSP_CommandData_t::Cpuld, CFE_PSP_CommandData_t::CpuName, CFE_PSP_CommandData t::GotCpuName, CFE_PSP_CommandData_t::GotCpuName, CFE_PSP_CommandData_t::GotResetType, CFE_PSP_CommandData_t::GotSpacecraftId, CFE_PSP_CommandData_t::GotSubType, CFE_PSP_CommandData_t::Reset Type, CFE_PSP_CommandData_t::SpacecraftId, and CFE_PSP_CommandData_t::SubType.

Referenced by OS Application Startup().


39.56.2.4 CFE_PSP_SetupLocal1Hz()

Definition at line 555 of file cfe psp start.c.

References CFE_PSP_TimerHandler(), NULL, OS_printf(), and TimerCounter.

Referenced by OS_Application_Startup().

Here is the call graph for this function:



39.56.2.5 CFE_PSP_SigintHandler()

```
void CFE_PSP_SigintHandler ( int \ signal \ )
```

Definition at line 403 of file cfe_psp_start.c.

References OS_ApplicationShutdown().

Referenced by OS_Application_Startup().

Here is the call graph for this function:



39.56.2.6 CFE_PSP_TimerHandler()

Definition at line 421 of file cfe_psp_start.c.

References CFE_PSP_1HZ_FUNCTION, and TimerCounter.

Referenced by CFE_PSP_SetupLocal1Hz().

39.56.3 Variable Documentation

39.56.3.1 CFE_PSP_Cpuld

```
uint32 CFE_PSP_CpuId
```

Definition at line 126 of file cfe_psp_start.c.

Referenced by CFE_PSP_GetProcessorId(), and OS_Application_Startup().

```
39.56.3.2 CFE_PSP_CpuName
```

```
char CFE_PSP_CpuName[CFE_PSP_CPU_NAME_LENGTH]
```

Definition at line 127 of file cfe_psp_start.c.

Referenced by OS_Application_Startup().

39.56.3.3 CFE_PSP_SpacecraftId

```
uint32 CFE_PSP_SpacecraftId
```

Definition at line 125 of file cfe_psp_start.c.

Referenced by CFE_PSP_GetSpacecraftId(), and OS_Application_Startup().

39.56.3.4 CommandData

```
CFE_PSP_CommandData_t CommandData
```

Definition at line 124 of file cfe_psp_start.c.

39.56.3.5 longOpts

```
const struct option longOpts[] [static]
```

Initial value:

```
{
    { "reset", required_argument, NULL, 'R' },
    { "subtype", required_argument, NULL, 'S' },
    { "cpuid", required_argument, NULL, 'C' },
    { "scid", required_argument, NULL, 'I' },
    { "cpuname", required_argument, NULL, 'N' },
    { "help", no_argument, NULL, 'h' },
    { NULL, no_argument, NULL, 0 }
}
```

Definition at line 137 of file cfe_psp_start.c.

Referenced by OS_Application_Startup().

39.56.3.6 optString

```
const char* optString = "R:S:C:I:N:h" [static]
```

Definition at line 132 of file cfe_psp_start.c.

Referenced by OS_Application_Startup().

39.56.3.7 TimerCounter

```
uint32 TimerCounter
```

Definition at line 123 of file cfe_psp_start.c.

Referenced by CFE_PSP_SetupLocal1Hz(), and CFE_PSP_TimerHandler().

39.57 psp/fsw/pc-linux/src/cfe_psp_support.c File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <sys/types.h>
#include <unistd.h>
#include "common_types.h"
#include "osapi.h"
#include "cfe_psp.h"
```

Functions

- void CFE_PSP_Restart (uint32 reset_type)
- void CFE_PSP_Panic (int32 ErrorCode)
- void CFE_PSP_FlushCaches (uint32 type, cpuaddr address, uint32 size)
- uint32 CFE_PSP_GetProcessorId (void)
- uint32 CFE PSP GetSpacecraftId (void)

Variables

- uint32 CFE_PSP_SpacecraftId
- uint32 CFE_PSP_Cpuld

39.57.1 Function Documentation

39.57.1.1 CFE_PSP_FlushCaches()

Definition at line 125 of file cfe_psp_support.c.

39.57.1.2 CFE_PSP_GetProcessorId()

Definition at line 147 of file cfe_psp_support.c.

References CFE_PSP_Cpuld.

39.57.1.3 CFE_PSP_GetSpacecraftId()

Definition at line 168 of file cfe_psp_support.c.

References CFE_PSP_SpacecraftId.

39.57.1.4 CFE_PSP_Panic()

Definition at line 104 of file cfe_psp_support.c.

References OS_printf().

Referenced by OS_Application_Startup().

Here is the call graph for this function:



39.57.1.5 CFE_PSP_Restart()

Definition at line 70 of file cfe_psp_support.c.

References CFE_PSP_RST_TYPE_POWERON, CFE_PSP_RST_TYPE_PROCESSOR, and OS_printf().

Here is the call graph for this function:



39.57.2 Variable Documentation

39.57.2.1 CFE_PSP_Cpuld

```
uint32 CFE_PSP_CpuId
```

Definition at line 126 of file cfe_psp_start.c.

Referenced by CFE_PSP_GetProcessorId(), and OS_Application_Startup().

39.57.2.2 CFE_PSP_SpacecraftId

```
uint32 CFE_PSP_SpacecraftId
```

Definition at line 125 of file cfe_psp_start.c.

Referenced by CFE_PSP_GetSpacecraftId(), and OS_Application_Startup().

39.58 psp/fsw/pc-linux/src/cfe_psp_timer.c File Reference

```
#include "common_types.h"
#include "osapi.h"
#include <stdio.h>
#include <stdlib.h>
#include "cfe_psp.h"
```

Macros

- #define CFE_PSP_TIMER_TICKS_PER_SECOND
- #define CFE_PSP_TIMER_LOW32_ROLLOVER

Functions

- void CFE_PSP_GetTime (OS_time_t *LocalTime)
- uint32 CFE PSP Get Timer Tick (void)
- uint32 CFE PSP GetTimerTicksPerSecond (void)
- uint32 CFE_PSP_GetTimerLow32Rollover (void)
- void CFE_PSP_Get_Timebase (uint32 *Tbu, uint32 *Tbl)
- uint32 CFE_PSP_Get_Dec (void)

39.58.1 Macro Definition Documentation

39.58.1.1 CFE_PSP_TIMER_LOW32_ROLLOVER

```
#define CFE_PSP_TIMER_LOW32_ROLLOVER
```

Value:

Definition at line 63 of file cfe_psp_timer.c.

Referenced by CFE_PSP_GetTimerLow32Rollover().

39.58.1.2 CFE_PSP_TIMER_TICKS_PER_SECOND

```
#define CFE_PSP_TIMER_TICKS_PER_SECOND
```

Value:

```
1000000 /* Resolution of the least significant 32 bits of the 64 bit time stamp returned by OS_BSPGet_Timebase in timer ticks per second.

The timer resolution for accuracy should not be any slower than 1000000 ticks per second or 1 us per tick */
```

Definition at line 59 of file cfe psp timer.c.

Referenced by CFE_PSP_GetTimerTicksPerSecond().

39.58.2 Function Documentation

39.58.2.1 CFE_PSP_Get_Dec()

Definition at line 185 of file cfe_psp_timer.c.

39.58.2.2 CFE_PSP_Get_Timebase()

Definition at line 162 of file cfe_psp_timer.c.

References OS_time_t::microsecs, OS_GetLocalTime(), and OS_time_t::seconds.

Here is the call graph for this function:



39.58.2.3 CFE_PSP_Get_Timer_Tick()

Definition at line 102 of file cfe_psp_timer.c.

39.58.2.4 CFE_PSP_GetTime()

Definition at line 77 of file cfe_psp_timer.c.

References OS_GetLocalTime().

Here is the call graph for this function:



39.58.2.5 CFE_PSP_GetTimerLow32Rollover()

Definition at line 144 of file cfe_psp_timer.c.

References CFE_PSP_TIMER_LOW32_ROLLOVER.

39.58.2.6 CFE_PSP_GetTimerTicksPerSecond()

Definition at line 123 of file cfe_psp_timer.c.

References CFE_PSP_TIMER_TICKS_PER_SECOND.

39.59 psp/fsw/pc-linux/src/cfe_psp_voltab.c File Reference

```
#include "common_types.h"
#include "osapi.h"
#include "osconfig.h"
```

Variables

OS_VolumeInfo_t OS_VolumeTable [NUM_TABLE_ENTRIES]

39.59.1 Variable Documentation

39.59.1.1 OS_VolumeTable

OS_VolumeInfo_t OS_VolumeTable[NUM_TABLE_ENTRIES]

Initial value:

```
{"/ramdev0", "./ram",
                           FS_BASED,
                                                        true,
                                                                  false,
                                                                                                 0
                                             true,
            "./ram1",
{"/ramdev1",
                           FS_BASED,
                                             true,
                                                       true,
                                                                  false,
                                                                                                 0
{"/ramdev2", "./ram2",
                           FS_BASED,
                                                                  false,
                                                                             " ",
                                                                                                 0
                                             true,
                                                        true,
{"/ramdev3", "./ram3",
                           FS_BASED,
                                             true,
                                                       true,
                                                                  false,
                                                                                                 0
{"/ramdev4", "./ram4",
                                                                                                 0
                           FS_BASED,
                                             true,
                                                        true,
                                                                  false,
{"/eedev0", "./cf",
                          FS_BASED,
                                                                          "CF",
                                                                                                 512
                                           false,
                                                      false,
                                                                                      "/cf",
                                                                true,
{"unused",
             "unused",
                         FS_BASED,
                                           true,
                                                      true,
                                                               false,
                                                                           " ",
                                                                                      п п,
{"unused",
            "unused",
                          FS_BASED,
                                                                false,
                                                      true,
                                           true,
                                                                           " ",
                                                                                      " ",
{"unused",
            "unused",
                          FS_BASED,
                                                              false,
                                                      true,
                                           true,
{"unused",
            "unused",
                         FS_BASED,
                                                              false,
                                                                                               0
                                           true,
                                                      true,
{"unused",
            "unused",
                          FS_BASED,
                                                      true,
                                                              false,
                                                                                               0
                                           true,
         "unused",
{"unused",
                                                                                               0
                         FS_BASED,
                                                               false.
                                                      true,
                                           true.
{"unused",
            "unused",
                          FS_BASED,
                                                              false,
                                                                           " ",
                                                                                      " ",
                                                                                               0
                                           true.
                                                      true.
             "unused",
{"unused",
                          FS_BASED,
                                                                                               0
                                           true,
                                                      true,
                                                                false.
```

Extern reference to the psp volume table Allows the actual instantiation to be done outside this module Definition at line 63 of file cfe_psp_voltab.c.

39.60 psp/fsw/pc-linux/src/cfe_psp_watchdog.c File Reference

```
#include "common_types.h"
#include "osapi.h"
#include <stdio.h>
#include <stdlib.h>
#include "cfe_psp.h"
#include "cfe_psp_config.h"
```

Functions

```
    void CFE_PSP_WatchdogInit (void)
```

- void CFE_PSP_WatchdogEnable (void)
- void CFE_PSP_WatchdogDisable (void)
- void CFE_PSP_WatchdogService (void)
- uint32 CFE_PSP_WatchdogGet (void)
- void CFE_PSP_WatchdogSet (uint32 WatchdogValue)

Variables

uint32 CFE_PSP_WatchdogValue = CFE_PSP_WATCHDOG_MAX

39.60.1 Function Documentation

39.60.1.1 CFE_PSP_WatchdogDisable()

Definition at line 114 of file cfe_psp_watchdog.c.

39.60.1.2 CFE_PSP_WatchdogEnable()

Definition at line 98 of file cfe_psp_watchdog.c.

39.60.1.3 CFE_PSP_WatchdogGet()

Definition at line 156 of file cfe_psp_watchdog.c.

References CFE_PSP_WatchdogValue.

39.60.1.4 CFE_PSP_WatchdogInit()

Definition at line 75 of file cfe_psp_watchdog.c.

References CFE_PSP_WatchdogValue.

39.60.1.5 CFE_PSP_WatchdogService()

Definition at line 135 of file cfe_psp_watchdog.c.

39.60.1.6 CFE_PSP_WatchdogSet()

Definition at line 177 of file cfe_psp_watchdog.c.

References CFE_PSP_WatchdogValue.

39.60.2 Variable Documentation

39.60.2.1 CFE_PSP_WatchdogValue

```
uint32 CFE_PSP_WatchdogValue = CFE_PSP_WATCHDOG_MAX
```

Definition at line 64 of file cfe_psp_watchdog.c.

Referenced by CFE_PSP_WatchdogGet(), CFE_PSP_WatchdogInit(), and CFE_PSP_WatchdogSet().

Index

EXTENSION	CFE_EVS_AppTlmData_t, 545
common_types.h, 1230	Appld
_fini	CFE_ES_AppInfo_t, 477
cfe_psp_memory.c, 1297	CFE ES TaskInfo t, 535
_init	Applnfo
cfe_psp_memory.c, 1297	CFE_ES_OneAppTIm_Payload_t, 509
<u>-</u>	AppMessageSentCounter
APIDQSubsystem	CFE_EVS_AppTImData_t, 545
CCSDS_APIDqualifiers_t, 470	AppName
APIDQSystemId	CFE_ES_TaskInfo_t, 535
CCSDS_APIDqualifiers_t, 470	CFE EVS AppNameBitMaskCmd Payload t, 537
ATA_DISK	CFE EVS AppNameCmd Payload t, 539
OSAL Volume Type Defines, 402	CFE_EVS_AppNameEventIDCmd_Payload_t, 541
accuracy	CFE_EVS_AppNameEventIDMaskCmd_Payload_t
OS_timebase_prop_t, 699	542
OS_timer_prop_t, 700	CFE_EVS_PacketID_t, 559
ActiveBuffer	CFE_SB_RoutingFileEntry_t, 591
CFE_TBL_HousekeepingTlm_Payload_t, 619	CFE_SB_SenderId_t, 593
ActiveBufferAddr	Application
CFE_TBL_TblRegPacket_Payload_t, 636	CFE_ES_AppNameCmd_Payload_t, 482
ActiveTableFlag	CFE_ES_AppReloadCmd_Payload_t, 484
CFE_TBL_DumpCmd_Payload_t, 612	CFE_ES_SendMemPoolStatsCmd_Payload_t, 518
CFE_TBL_ValidateCmd_Payload_t, 642	CFE_ES_StartAppCmd_Payload_t, 530
ActualLength	ApplicationID
OS_SockAddr_t, 692	CFE_FS_Header_t, 567
addr	AtToneDelay
OS_module_prop_t, 688	CFE_TIME_DiagnosticTlm_Payload_t, 645
AddrData	AtToneLatch
OS_SockAddr_t, 692	CFE_TIME_DiagnosticTlm_Payload_t, 645
Address	AtToneLeapSeconds
OS_static_symbol_record_t, 695	CFE_TIME_DiagnosticTlm_Payload_t, 645
AddressesAreValid	CFE_TIME_ToneDataCmd_Payload_t, 675
CFE_ES_AppInfo_t, 476	AtToneMET
AlignPtr	CFE TIME DiagnosticTlm Payload t, 646
OS_SockAddrData_t, 693	CFE TIME ToneDataCmd Payload t, 675
AlignU32	AtToneSTCF
OS_SockAddrData_t, 693	CFE_TIME_DiagnosticTlm_Payload_t, 646
ApidQ	CFE_TIME_ToneDataCmd_Payload_t, 676
CCSDS APIDQHdr t, 469	AtToneState
AppData	CFE TIME ToneDataCmd Payload t, 676
CFE_EVS_HousekeepingTlm_Payload_t, 549	Attributes
AppDataFilename	CFE PSP MemTable t, 572
CFE_EVS_AppDataCmd_Payload_t, 536	OI L_I OI _WeIIITable_t, 3/2
	DCC Address
AppEnableStatus	BSSAddress
CFE_EVS_AppTImData_t, 544	CFE_ES_AppInfo_t, 477
AppEntryPoint	BSSSize
CFE_ES_StartAppCmd_Payload_t, 529	CFE_ES_AppInfo_t, 477
AppFileName	BUFF_SIZE
CFE_ES_AppReloadCmd_Payload_t, 484	cfe_psp.h, 1264
CFE_ES_StartAppCmd_Payload_t, 530	BitMask
AppID	CFE_EVS_AppNameBitMaskCmd_Payload_t, 537

CFE_EVS_BitMaskCmd_Payload_t, 547	ccsds.h, 881
BlockSize	CCSDS_EDS_MASK
CFE_ES_BlockStats_t, 485	ccsds.h, 869
OS_VolumeInfo_t, 701	CCSDS_ENDIAN_MASK
BlockStats	ccsds.h, 869
CFE_ES_MemPoolStats_t, 506	CCSDS_HAS_SEC_HDR
boolean	ccsds.h, 869
common_types.h, 1232	CCSDS_INC_SEQ
BootSource	ccsds.h, 869
CFE_ES_HousekeepingTlm_Payload_t, 494	CCSDS_INIT_CHECKSUM
bss_address	ccsds.h, 870
OS_module_address_t, 686	CCSDS_INIT_FC
bss_size	ccsds.h, 870
OS_module_address_t, 687	CCSDS_INIT_SEQFLG
Buffer	ccsds.h, 870
OS_SockAddrData_t, 693	CCSDS_INIT_SEQ
build/doc/osconfig-example.h, 706	ccsds.h, 870
build/native/inc/osconfig.h, 714	CCSDS LITTLE ENDIAN
Byte	ccsds.h, 870
CFE SB Msg t, 583	CCSDS LoadCheckSum
ByteAlign4	ccsds.h, 881
CFE_TBL_TblRegPacket_Payload_t, 636	CCSDS_NO_SEC_HDR
ByteAlignPad1	ccsds.h, 870
CFE_TBL_HousekeepingTlm_Payload_t, 619	CCSDS NON PLAYBACK PKT
ByteAlignSpare1	ccsds.h, 871
CFE_ES_CDSRegDumpRec_t, 486	CCSDS_PLAYBACK_PKT_MASK
01	ccsds.h, 871
CCSDS APIDOHdr t 469	
CCSDS_APIDQHdr_t, 469	CCSDS_PLAYBACK_PKT
ApidQ, 469	CCSDS_PLAYBACK_PKT ccsds.h, 871
ApidQ, 469 Pri, 469	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 Streamld, 473
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 Streamld, 473 CCSDS_RD_APID
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 StreamId, 473 CCSDS_RD_APID ccsds.h, 871
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 StreamId, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 StreamId, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867 CCSDS_CLR_PRI_HDR	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 StreamId, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867 CCSDS_CLR_PRI_HDR ccsds.h, 868	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 StreamId, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM ccsds.h, 871
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867 CCSDS_CLR_PRI_HDR ccsds.h, 868 CCSDS_CLR_SEC_APIDQ	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 StreamId, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM ccsds.h, 871 CCSDS_RD_EDS_VER
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867 CCSDS_CLR_PRI_HDR ccsds.h, 868 CCSDS_CLR_SEC_APIDQ ccsds.h, 868	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 StreamId, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM ccsds.h, 871 CCSDS_RD_EDS_VER ccsds.h, 872
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867 CCSDS_CLR_PRI_HDR ccsds.h, 868 CCSDS_CLR_SEC_APIDQ ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 StreamId, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM ccsds.h, 871 CCSDS_RD_EDS_VER ccsds.h, 872 CCSDS_RD_ENDIAN
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867 CCSDS_CLR_PRI_HDR ccsds.h, 868 CCSDS_CLR_SEC_APIDQ ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 StreamId, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM ccsds.h, 871 CCSDS_RD_EDS_VER ccsds.h, 872 CCSDS_RD_ENDIAN ccsds.h, 872
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867 CCSDS_CLR_PRI_HDR ccsds.h, 868 CCSDS_CLR_SEC_APIDQ ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 Streamld, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM ccsds.h, 871 CCSDS_RD_EDS_VER ccsds.h, 872 CCSDS_RD_ENDIAN ccsds.h, 872 CCSDS_RD_FC
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867 CCSDS_CLR_PRI_HDR ccsds.h, 868 CCSDS_CLR_SEC_APIDQ ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868 CCSDS_CMD ccsds.h, 869	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 Streamld, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM ccsds.h, 871 CCSDS_RD_EDS_VER ccsds.h, 872 CCSDS_RD_ENDIAN ccsds.h, 872 CCSDS_RD_FC ccsds.h, 872
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867 CCSDS_CLR_PRI_HDR ccsds.h, 868 CCSDS_CLR_SEC_APIDQ ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868 CCSDS_CMD ccsds.h, 869 CCSDS_CMD	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 StreamId, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM ccsds.h, 871 CCSDS_RD_EDS_VER ccsds.h, 872 CCSDS_RD_ENDIAN ccsds.h, 872 CCSDS_RD_FC ccsds.h, 872 CCSDS_RD_FC ccsds.h, 872 CCSDS_RD_LEN
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867 CCSDS_CLR_PRI_HDR ccsds.h, 868 CCSDS_CLR_SEC_APIDQ ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868 CCSDS_CMD ccsds.h, 869 CCSDS_CMD	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 Streamld, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM ccsds.h, 871 CCSDS_RD_EDS_VER ccsds.h, 872 CCSDS_RD_ENDIAN ccsds.h, 872 CCSDS_RD_FC ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867 CCSDS_CLR_PRI_HDR ccsds.h, 868 CCSDS_CLR_SEC_APIDQ ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868 CCSDS_CMD ccsds.h, 869 CCSDS_CMD	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 Streamld, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM ccsds.h, 871 CCSDS_RD_EDS_VER ccsds.h, 872 CCSDS_RD_ENDIAN ccsds.h, 872 CCSDS_RD_FC ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_PLAYBACK
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867 CCSDS_CLR_PRI_HDR ccsds.h, 868 CCSDS_CLR_SEC_APIDQ ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868 CCSDS_CMD ccsds.h, 869 CCSDS_CMD ccsds.h, 869 CCSDS_CmdPkt_t ccsds.h, 881 CCSDS_CmdSecHdr_t, 470 Checksum, 471	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 Streamld, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM ccsds.h, 871 CCSDS_RD_EDS_VER ccsds.h, 872 CCSDS_RD_ENDIAN ccsds.h, 872 CCSDS_RD_FC ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_PLAYBACK ccsds.h, 872
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867 CCSDS_CLR_PRI_HDR ccsds.h, 868 CCSDS_CLR_SEC_APIDQ ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868 CCSDS_CR_TLMSEC_HDR ccsds.h, 868 CCSDS_CMD ccsds.h, 869 CCSDS_CMD ccsds.h, 869 CCSDS_CMDecsds.h, 881 CCSDS_CmdSecHdr_t, 470 Checksum, 471 FunctionCode, 471	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 Streamld, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM ccsds.h, 871 CCSDS_RD_EDS_VER ccsds.h, 872 CCSDS_RD_ENDIAN ccsds.h, 872 CCSDS_RD_FC ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_PLAYBACK
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867 CCSDS_CLR_PRI_HDR ccsds.h, 868 CCSDS_CLR_SEC_APIDQ ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868 CCSDS_CMD_ccsds.h, 869 CCSDS_CMD ccsds.h, 869 CCSDS_CMD+t_t ccsds.h, 881 CCSDS_CmdSecHdr_t, 470 Checksum, 471 FunctionCode, 471 CCSDS_CommandPacket_t, 471	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 Streamld, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM ccsds.h, 871 CCSDS_RD_EDS_VER ccsds.h, 872 CCSDS_RD_ENDIAN ccsds.h, 872 CCSDS_RD_FC ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_PLAYBACK ccsds.h, 872 CCSDS_RD_PLAYBACK ccsds.h, 872 CCSDS_RD_SEC_HDR_SEC ccsds.h, 872
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867 CCSDS_CLR_PRI_HDR ccsds.h, 868 CCSDS_CLR_SEC_APIDQ ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868 CCSDS_CR_TLMSEC_HDR ccsds.h, 868 CCSDS_CMD ccsds.h, 869 CCSDS_CMD ccsds.h, 869 CCSDS_CMDecsds.h, 881 CCSDS_CmdSecHdr_t, 470 Checksum, 471 FunctionCode, 471	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 Streamld, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM ccsds.h, 871 CCSDS_RD_EDS_VER ccsds.h, 872 CCSDS_RD_ENDIAN ccsds.h, 872 CCSDS_RD_FC ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_PLAYBACK ccsds.h, 872 CCSDS_RD_PLAYBACK ccsds.h, 872 CCSDS_RD_SEC_HDR_SEC
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 867 CCSDS_CLR_PRI_HDR ccsds.h, 868 CCSDS_CLR_SEC_APIDQ ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868 CCSDS_CMD_ccsds.h, 869 CCSDS_CMD ccsds.h, 869 CCSDS_CMD+t_t ccsds.h, 881 CCSDS_CmdSecHdr_t, 470 Checksum, 471 FunctionCode, 471 CCSDS_CommandPacket_t, 471	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 Streamld, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM ccsds.h, 871 CCSDS_RD_EDS_VER ccsds.h, 872 CCSDS_RD_ENDIAN ccsds.h, 872 CCSDS_RD_FC ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_PLAYBACK ccsds.h, 872 CCSDS_RD_PLAYBACK ccsds.h, 872 CCSDS_RD_SEC_HDR_SEC ccsds.h, 872
ApidQ, 469 Pri, 469 CCSDS_APIDqualifiers_t, 470 APIDQSubsystem, 470 APIDQSystemId, 470 CCSDS_BIG_ENDIAN ccsds.h, 867 CCSDS_CLR_CMDSEC_HDR ccsds.h, 868 CCSDS_CLR_PRI_HDR ccsds.h, 868 CCSDS_CLR_SEC_APIDQ ccsds.h, 868 CCSDS_CLR_TLMSEC_HDR ccsds.h, 868 CCSDS_CMD ccsds.h, 869 CCSDS_CMD ccsds.h, 869 CCSDS_CMD ccsds.h, 881 CCSDS_CmdSecHdr_t, 470 Checksum, 471 FunctionCode, 471 CCSDS_CommandPacket_t, 471 Sec, 471	CCSDS_PLAYBACK_PKT ccsds.h, 871 CCSDS_PriHdr_t, 472 Length, 472 Sequence, 472 Streamld, 473 CCSDS_RD_APID ccsds.h, 871 CCSDS_RD_BITS ccsds.h, 871 CCSDS_RD_CHECKSUM ccsds.h, 871 CCSDS_RD_EDS_VER ccsds.h, 872 CCSDS_RD_ENDIAN ccsds.h, 872 CCSDS_RD_FC ccsds.h, 872 CCSDS_RD_LEN ccsds.h, 872 CCSDS_RD_SEC_HDR_SEC ccsds.h, 872 CCSDS_RD_SEC_HDR_SUBSEC

ccsds.h, 873	CCSDS_WR_SEC_HDR_SEC
CCSDS_RD_SEQ	ccsds.h, 877
ccsds.h, 873	CCSDS_WR_SEC_HDR_SUBSEC
CCSDS_RD_SHDR	ccsds.h, 878
ccsds.h, 873	CCSDS_WR_SEQFLG
CCSDS_RD_SID	ccsds.h, 878
ccsds.h, 874	CCSDS_WR_SEQ
CCSDS_RD_SUBSYSTEM_ID	ccsds.h, 878
ccsds.h, 874	CCSDS_WR_SHDR
CCSDS_RD_SYSTEM_ID	ccsds.h, 879
ccsds.h, 874	CCSDS_WR_SID
CCSDS_RD_TYPE	ccsds.h, 879
ccsds.h, 874	CCSDS_WR_SUBSYSTEM_ID
CCSDS_RD_VERS	ccsds.h, 879
ccsds.h, 874	CCSDS_WR_SYSTEM_ID
CCSDS_SID_APID	ccsds.h, 879
ccsds.h, 874	CCSDS_WR_TYPE
CCSDS_SID_SHDR	ccsds.h, 880
ccsds.h, 875	CCSDS_WR_VERS
CCSDS SID TYPE	ccsds.h, 880
ccsds.h, 875	CDSShmld
CCSDS_SID_VERS	cfe_psp_memory.c, 1298
ccsds.h, 875	cFE Access Table Content APIs, 305
CCSDS_SpacePacket_t, 473	CFE TBL GetAddress, 305
Hdr, 473	CFE TBL GetAddresses, 306
CCSDS_TIME_SIZE	CFE_TBL_ReleaseAddress, 307
ccsds.h, 875	CFE_TBL_ReleaseAddresses, 308
CCSDS_TLM	cFE Application Behavior APIs, 190
ccsds.h, 875	CFE_ES_ExitApp, 190
CCSDS_TelemetryPacket_t, 474	CFE_ES_IncrementTaskCounter, 191
Sec, 474	CFE_ES_RegisterApp, 191
SpacePacket, 474	CFE ES RunLoop, 191
CCSDS TImPkt t	CFE_ES_WaitForStartupSync, 192
ccsds.h, 881	CFE_ES_WaitForSystemState, 193
CCSDS_TImSecHdr_t, 474	cFE Application Control APIs, 187
	CFE_ES_DeleteApp, 187
Time, 475 CCSDS_ValidCheckSum	CFE_ES_ReloadApp, 187
ccsds.h, 882	CFE_ES_RestartApp, 188
CCSDS_WR_APID	cFE Checksum Control APIs, 281
ccsds.h, 875	CFE_SB_GenerateChecksum, 281
CCSDS_WR_BITS	CFE_SB_GetChecksum, 281
ccsds.h, 876	CFE_SB_ValidateChecksum, 282
CCSDS_WR_CHECKSUM	cFE Child Task APIs, 201
ccsds.h, 876	CFE_ES_CreateChildTask, 201
CCSDS_WR_EDS_VER	CFE_ES_DeleteChildTask, 202
ccsds.h, 876	CFE_ES_ExitChildTask, 203
CCSDS_WR_ENDIAN	CFE_ES_RegisterChildTask, 203
ccsds.h, 876	cFE Clock State Flag Defines, 336
CCSDS_WR_FC	CFE_TIME_FLAG_ADD1HZ, 336
ccsds.h, 877	CFE_TIME_FLAG_ADDADJ, 336
CCSDS_WR_LEN	CFE_TIME_FLAG_ADDTCL, 337
ccsds.h, 877	CFE_TIME_FLAG_CLKSET, 337
CCSDS_WR_PLAYBACK	CFE_TIME_FLAG_CMDFLY, 337
ccsds.h, 877	CFE_TIME_FLAG_FLYING, 337

CFE_TIME_FLAG_GDTONE, 337	cFE Getting Message Characteristics APIs, 274
CFE_TIME_FLAG_SERVER, 338	CFE_SB_GetCmdCode, 274
CFE_TIME_FLAG_SIGPRI, 338	CFE_SB_GetLastSenderId, 275
CFE_TIME_FLAG_SRCINT, 338	CFE_SB_GetMsgld, 276
CFE_TIME_FLAG_SRVFLY, 338	CFE_SB_GetMsgTime, 276
CFE TIME FLAG UNUSED, 338	CFE_SB_GetTotalMsgLength, 277
cFE Compressed File Management APIs, 242	CFE_SB_GetUserData, 277
CFE_FS_Decompress, 242	CFE_SB_GetUserDataLength, 278
CFE_FS_GetUncompressedFile, 243	CFE_SB_MessageStringGet, 279
CFE_FS_IsGzFile, 243	cFE Information APIs, 195
cFE Critical Data Store APIs, 208	CFE_ES_GetAppIDByName, 196
CFE ES CopyToCDS, 208	CFE_ES_GetAppID, 195
CFE_ES_RegisterCDS, 209	CFE_ES_GetAppInfo, 197
CFE_ES_RestoreFromCDS, 210	CFE_ES_GetAppName, 197
cFE Entry/Exit APIs, 185	CFE_ES_GetResetType, 198
CFE_ES_Main, 185	CFE ES GetTaskInfo, 199
CFE ES ResetCFE, 186	cFE Manage Table Content APIs, 297
cFE External Time Source APIs, 329	CFE_TBL_DumpToBuffer, 297
CFE_TIME_ExternalGPS, 329	CFE_TBL_Load, 298
CFE_TIME_ExternalMET, 330	CFE_TBL_Manage, 299
CFE_TIME_ExternalTime, 330	CFE_TBL_Modified, 301
CFE_TIME_ExternalTone, 331	CFE_TBL_Update, 302
CFE_TIME_RegisterSynchCallback, 332	CFE_TBL_Validate, 303
CFE_TIME_UnregisterSynchCallback, 332	cFE Memory Manager APIs, 212
cFE File Header Management APIs, 238	CFE_ES_GetMemPoolStats, 212
CFE_FS_InitHeader, 238	CFE_ES_GetPoolBuf, 213
CFE_FS_ReadHeader, 238	CFE_ES_GetPoolBufInfo, 214
CFE_FS_SetTimestamp, 239	CFE_ES_PoolCreate, 215
CFE_FS_WriteHeader, 240	CFE_ES_PoolCreateEx, 216
cFE File Utility APIs, 245	CFE_ES_PoolCreateNoSem, 217
CFE_FS_ExtractFilenameFromPath, 245	CFE_ES_PutPoolBuf, 218
cFE Generic Counter APIs, 222	cFE Message ID APIs, 284
CFE_ES_DeleteGenCounter, 222	CFE_SB_GetPktType, 284
CFE_ES_GetGenCount, 223	CFE_SB_lsValidMsgld, 284
CFE_ES_GetGenCounterIDByName, 224	CFE_SB_Msgld_Equal, 285
CFE_ES_IncrementGenCounter, 224	CFE_SB_MsgldToValue, 286
CFE_ES_RegisterGenCounter, 225	CFE_SB_ValueToMsgld, 286
CFE_ES_SetGenCount, 226	cFE Message Subscription Control APIs, 253
cFE Get Current Time APIs, 315	CFE_SB_Subscribe, 253
CFE_TIME_GetMETseconds, 315	CFE_SB_SubscribeEx, 254
CFE_TIME_GetMETsubsecs, 316	CFE_SB_SubscribeLocal, 255
CFE_TIME_GetMET, 315	CFE_SB_Unsubscribe, 256
CFE_TIME_GetTAI, 316	CFE_SB_UnsubscribeLocal, 257
CFE_TIME_GetTime, 317	cFE Miscellaneous APIs, 205
CFE_TIME_GetUTC, 318	CFE_ES_CalculateCRC, 205
cFE Get Table Information APIs, 311	CFE_ES_ProcessCoreException, 206
CFE_TBL_GetInfo, 311	CFE_ES_WriteToSysLog, 206
CFE_TBL_GetStatus, 312	cFE Miscellaneous Time APIs, 334
CFE_TBL_NotifyByMessage, 313	CFE_TIME_Local1HzISR, 334
cFE Get Time Information APIs, 319	CFE_TIME_Print, 334
CFE_TIME_GetClockInfo, 319	cFE Performance Monitor APIs, 219
CFE_TIME_GetClockState, 319	CFE_ES_PerfLogAdd, 220
CFE_TIME_GetLeapSeconds, 320	CFE_ES_PerfLogEntry, 219
CFE_TIME_GetSTCF, 320	CFE_ES_PerfLogExit, 219

cFE Pipe Management APIs, 247	CFE_ES_NOT_IMPLEMENTED, 152
CFE_SB_CreatePipe, 247	CFE_ES_OPERATION_TIMED_OUT, 152
CFE_SB_DeletePipe, 248	CFE_ES_QUEUE_DELETE_ERR, 153
CFE_SB_GetPipeIdByName, 249	CFE_ES_RST_ACCESS_ERR, 153
CFE_SB_GetPipeName, 249	CFE_ES_TASK_DELETE_ERR, 153
CFE_SB_GetPipeOpts, 250	CFE_ES_TIMER_DELETE_ERR, 153
CFE_SB_SetPipeOpts, 251	CFE_EVS_APP_FILTER_OVERLOAD, 154
cFE Registration APIs, 228, 291	CFE_EVS_APP_ILLEGAL_APP_ID, 154
CFE_EVS_Register, 228	CFE_EVS_APP_NOT_REGISTERED, 154
CFE EVS Unregister, 229	CFE_EVS_EVT_NOT_REGISTERED, 154
CFE_TBL_Register, 291	CFE_EVS_FILE_WRITE_ERROR, 155
CFE_TBL_Share, 294	CFE_EVS_FUNCTION_DISABLED, 155
CFE_TBL_Unregister, 295	CFE_EVS_INVALID_PARAMETER, 155
cFE Reset Event Filter APIs, 236	CFE_EVS_NOT_IMPLEMENTED, 155
CFE_EVS_ResetAllFilters, 236	CFE_EVS_RESET_AREA_POINTER, 156
CFE EVS ResetFilter, 236	CFE_EVS_UNKNOWN_FILTER, 156
cFE Return Code Defines, 136	CFE_FS_BAD_ARGUMENT, 156
CFE_ES_APP_CLEANUP_ERR, 143	CFE_FS_FNAME_TOO_LONG, 156
CFE_ES_BAD_ARGUMENT, 143	CFE_FS_GZIP_BAD_CODE_BLOCK, 157
CFE_ES_BIN_SEM_DELETE_ERR, 144	CFE_FS_GZIP_BAD_DATA, 157
CFE_ES_BUFFER_NOT_IN_POOL, 144	CFE_FS_GZIP_CRC_ERROR, 157
CFE_ES_CDS_ACCESS_ERROR, 144	CFE_FS_GZIP_INDEX_ERROR, 157
CFE_ES_CDS_ALREADY_EXISTS, 144	CFE_FS_GZIP_LENGTH_ERROR, 158
CFE_ES_CDS_BLOCK_CRC_ERR, 145	CFE_FS_GZIP_NO_MEMORY, 158
CFE_ES_CDS_INSUFFICIENT_MEMORY, 145	CFE_FS_GZIP_NON_ZIP_FILE, 158
CFE_ES_CDS_INVALID_NAME, 145	CFE_FS_GZIP_OPEN_INPUT, 158
CFE_ES_CDS_INVALID_SIZE, 146	CFE_FS_GZIP_OPEN_OUTPUT, 159
CFE_ES_CDS_INVALID, 145	CFE_FS_GZIP_READ_ERROR_HEADER, 159
CFE_ES_CDS_NOT_FOUND_ERR, 146	CFE_FS_GZIP_READ_ERROR, 159
CFE_ES_CDS_OWNER_ACTIVE_ERR, 146	CFE_FS_GZIP_WRITE_ERROR, 159
CFE_ES_CDS_REGISTRY_FULL, 146	CFE_FS_INVALID_PATH, 160
CFE_ES_CDS_WRONG_TYPE_ERR, 147	CFE_FS_NOT_IMPLEMENTED, 160
CFE_ES_COUNT_SEM_DELETE_ERR, 147	CFE_OS_ERR_INVALID_ID, 160
CFE_ES_ERR_APP_CREATE, 147	CFE OS ERR INVALID PRIORITY, 160
CFE ES ERR APP REGISTER, 147	CFE_OS_ERR_NAME_NOT_FOUND, 161
CFE_ES_ERR_APPID, 148	CFE_OS_ERR_NAME_TAKEN, 161
CFE ES ERR APPNAME, 148	CFE OS ERR NAME TOO LONG, 161
CFE ES ERR BUFFER, 148	CFE_OS_ERR_NO_FREE_IDS, 161
CFE_ES_ERR_CHILD_TASK_CREATE, 148	CFE_OS_ERR_SEM_NOT_FULL, 162
CFE ES ERR CHILD TASK DELETE MAIN T↔	CFE_OS_ERROR_ADDRESS_MISALIGNED, 162
ASK, 149	CFE_OS_ERROR_TIMEOUT, 162
CFE_ES_ERR_CHILD_TASK_DELETE, 149	CFE_OS_ERROR, 162
CFE_ES_ERR_CHILD_TASK_REGISTER, 149	CFE_OS_FS_ERR_DRIVE_NOT_CREATED, 163
CFE_ES_ERR_LOAD_LIB, 149	CFE_OS_FS_ERR_INVALID_POINTER, 163
CFE ES ERR MEM BLOCK SIZE, 150	CFE OS FS ERR NAME TOO LONG, 163
CFE ES ERR MEM HANDLE, 150	
:	CFE_OS_FS_ERR_PATH_TOO_LONG, 163
CFE_ES_ERR_SHELL_CMD, 150	CFE_OS_FS_ERROR, 164
CFE_ES_ERR_SYS_LOG_FULL, 150	CFE_OS_INVALID_INT_NUM, 164
CFE_ES_ERR_SYS_LOG_TRUNCATED, 151	CFE_OS_INVALID_POINTER, 164
CFE_ES_ERR_TASKID, 151	CFE_OS_QUEUE_EMPTY, 164
CFE_ES_FILE_CLOSE_ERR, 151	CFE_OS_QUEUE_FULL, 165
CFE_ES_FILE_IO_ERR, 151	CFE_OS_QUEUE_ID_ERROR, 165
CFE_ES_LIB_ALREADY_LOADED, 152	CFE_OS_QUEUE_INVALID_SIZE, 165
CFE_ES_MUT_SEM_DELETE_ERR, 152	CFE_OS_QUEUE_TIMEOUT, 165

CFE_OS_SEM_FAILURE, 166	CFE_TBL_ERR_SHORT_FILE, 179
CFE_OS_SEM_TIMEOUT, 166	CFE_TBL_ERR_UNREGISTERED, 180
CFE_OSAPI_NOT_IMPLEMENTED, 166	CFE_TBL_INFO_DUMP_PENDING, 180
CFE_SB_BAD_ARGUMENT, 166	CFE_TBL_INFO_NO_UPDATE_PENDING, 180
CFE_SB_BUF_ALOC_ERR, 167	CFE_TBL_INFO_NO_VALIDATION_PENDING, 180
CFE_SB_BUFFER_INVALID, 167	CFE_TBL_INFO_RECOVERED_TBL, 181
CFE_SB_INTERNAL_ERR, 167	CFE_TBL_INFO_TABLE_LOCKED, 181
CFE_SB_MAX_DESTS_MET, 167	CFE_TBL_INFO_UPDATE_PENDING, 181
CFE_SB_MAX_MSGS_MET, 168	CFE_TBL_INFO_UPDATED, 181
CFE_SB_MAX_PIPES_MET, 168	CFE_TBL_INFO_VALIDATION_PENDING, 182
CFE SB MSG TOO BIG, 168	CFE_TBL_MESSAGE_ERROR, 182
CFE_SB_NO_MESSAGE, 168	CFE TBL NOT IMPLEMENTED, 182
CFE_SB_NO_MSG_RECV, 169	CFE_TBL_WARN_DUPLICATE, 182
CFE_SB_NO_SUBSCRIBERS, 169	CFE_TBL_WARN_NOT_CRITICAL, 183
CFE_SB_NOT_IMPLEMENTED, 169	CFE_TBL_WARN_PARTIAL_LOAD, 183
CFE_SB_PIPE_CR_ERR, 169	CFE_TBL_WARN_SHORT_FILE, 183
CFE_SB_PIPE_RD_ERR, 170	CFE_TIME_CALLBACK_NOT_REGISTERED, 183
CFE_SB_TIME_OUT, 170	CFE_TIME_INTERNAL_ONLY, 184
CFE_SB_WRONG_MSG_TYPE, 170	CFE_TIME_NOT_IMPLEMENTED, 184
CFE STATUS BAD COMMAND CODE, 170	CFE_TIME_OUT_OF_RANGE, 184
	CFE_TIME_TOO_MANY_SYNCH_CALLBACKS,
CFE_STATUS_NO_COUNTER_INCREMENT, 171	184
CFE_STATUS_NOT_IMPLEMENTED, 171	
CFE_STATUS_UNKNOWN_MSG_ID, 171	cFE SB Packet Type Defines, 246
CFE_STATUS_WRONG_MSG_LENGTH, 171	CFE_SB_PKTTYPE_CMD, 246
CFE_SUCCESS, 172	CFE_SB_PKTTYPE_INVALID, 246
CFE_TBL_ERR_ACCESS, 172	CFE_SB_PKTTYPE_TLM, 246
CFE_TBL_ERR_BAD_APP_ID, 172	cFE Send Event APIs, 231
CFE_TBL_ERR_BAD_CONTENT_ID, 172	CFE_EVS_SendEvent, 231
CFE_TBL_ERR_BAD_PROCESSOR_ID, 173	CFE_EVS_SendEventWithAppID, 232
CFE_TBL_ERR_BAD_SPACECRAFT_ID, 173	CFE_EVS_SendTimedEvent, 233
CFE_TBL_ERR_BAD_SUBTYPE_ID, 173	cFE Send/Receive Message APIs, 258
CFE_TBL_ERR_DUMP_ONLY, 173	CFE_SB_PassMsg, 258
CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 174	CFE_SB_RcvMsg, 259
CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 174	CFE_SB_SendMsg, 260
CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 174	cFE Setting Message Characteristics APIs, 267
CFE_TBL_ERR_FILE_NOT_FOUND, 174	CFE_SB_InitMsg, 267
CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 175	CFE_SB_MessageStringSet, 268
CFE_TBL_ERR_FILE_TOO_LARGE, 175	CFE_SB_SetCmdCode, 269
CFE_TBL_ERR_FILENAME_TOO_LONG, 175	CFE_SB_SetMsgld, 270
CFE_TBL_ERR_HANDLES_FULL, 175	CFE_SB_SetMsgTime, 270
CFE_TBL_ERR_ILLEGAL_SRC_TYPE, 176	CFE_SB_SetTotalMsgLength, 271
CFE_TBL_ERR_INVALID_HANDLE, 176	CFE_SB_SetUserDataLength, 272
CFE_TBL_ERR_INVALID_NAME, 176	CFE_SB_TimeStampMsg, 272
CFE_TBL_ERR_INVALID_OPTIONS, 176	cFE Table Type Defines, 288
CFE_TBL_ERR_INVALID_SIZE, 177	CFE_TBL_OPT_BUFFER_MSK, 288
CFE_TBL_ERR_LOAD_IN_PROGRESS, 177	CFE_TBL_OPT_CRITICAL_MSK, 289
CFE_TBL_ERR_LOAD_INCOMPLETE, 177	CFE_TBL_OPT_CRITICAL, 288
CFE_TBL_ERR_NEVER_LOADED, 178	CFE_TBL_OPT_DBL_BUFFER, 289
CFE_TBL_ERR_NO_ACCESS, 178	CFE_TBL_OPT_DEFAULT, 289
CFE_TBL_ERR_NO_BUFFER_AVAIL, 178	CFE_TBL_OPT_DUMP_ONLY, 289
CFE_TBL_ERR_NO_STD_HEADER, 178	CFE_TBL_OPT_LD_DMP_MSK, 289
CFE_TBL_ERR_NO_TBL_HEADER, 179	CFE_TBL_OPT_LOAD_DUMP, 290
CFE_TBL_ERR_PARTIAL_LOAD, 179	CFE_TBL_OPT_NOT_CRITICAL, 290
CFE_TBL_ERR_REGISTRY_FULL, 179	CFE_TBL_OPT_NOT_USR_DEF, 290
	/

CFE_TBL_OPT_SNGL_BUFFER, 290	CFE_ES_APP_KILL_TIMEOUT
CFE_TBL_OPT_USR_DEF_ADDR, 290	cpu1_platform_cfg.h, 737
CFE_TBL_OPT_USR_DEF_MSK, 290	CFE_ES_APP_RESTART
cFE Time Arithmetic APIs, 322	cfe_es.h, 897
CFE_TIME_Add, 322	CFE_ES_APP_RUN
CFE_TIME_Compare, 323	cfe_es.h, 897
CFE_TIME_Subtract, 324	CFE_ES_APP_SCAN_RATE
cFE Time Conversion APIs, 325	cpu1_platform_cfg.h, 738
CFE_TIME_CFE2FSSeconds, 325	CFE_ES_APP_STATE_EARLY_INIT
CFE_TIME_FS2CFESeconds, 326	cfe_es.h, 897
CFE TIME MET2SCTime, 326	CFE_ES_APP_STATE_LATE_INIT
CFE_TIME_Micro2SubSecs, 327	cfe es.h, 898
CFE_TIME_Sub2MicroSecs, 328	CFE_ES_APP_STATE_RUNNING
cFE Zero Copy Message APIs, 262	 cfe_es.h, <mark>898</mark>
CFE_SB_ZeroCopyGetPtr, 262	CFE_ES_APP_STATE_STOPPED
CFE_SB_ZeroCopyPass, 263	cfe_es.h, 898
CFE SB ZeroCopyReleasePtr, 264	CFE_ES_APP_STATE_UNDEFINED
CFE_SB_ZeroCopySend, 265	cfe_es.h, 898
CFE_BIT	CFE_ES_APP_STATE_WAITING
cfe sb.h, 1059	cfe_es.h, 898
CFE_CLR	CFE_ES_APP_TLM_MID
cfe_sb.h, 1060	cpu1_msgids.h, 724
CFE_CMD_APPID_BASE_CPU1	CFE_ES_APP_TLM_MSG
sample mission cfg.h, 828	sample_mission_cfg.h, 829
CFE_CMD_APPID_BASE_CPU2	CFE_ES_APP_TYPE_CORE
sample_mission_cfg.h, 828	cfe_es.h, 898
CFE_CMD_APPID_BASE_CPU3	CFE_ES_APP_TYPE_EXTERNAL
sample_mission_cfg.h, 828	cfe_es.h, 899
CFE_CMD_MID_BASE_CPU1	CFE_ES_APPLICATION_LOG_ENTRY
sample_mission_cfg.h, 828	cfe_es.h, 899
CFE_CMD_MID_BASE_CPU2	CFE_ES_AppInfo_t, 475
sample_mission_cfg.h, 828	AddressesAreValid, 476
CFE_CMD_MID_BASE_CPU3	Appld, 477
sample_mission_cfg.h, 828	BSSAddress, 477
CFE_CMD_MID_BASE_GLOB	BSSSize, 477
sample_mission_cfg.h, 828	CodeAddress, 477
CFE_CORE_MAX_STARTUP_MSEC	CodeSize, 478
cpu1_platform_cfg.h, 737	DataAddress, 478
CFE_CPU_ID	DataSize, 478
cpu1_platform_cfg.h, 737	EntryPoint, 478
CFE_CPU_NAME	ExceptionAction, 479
cpu1_platform_cfg.h, 737	ExecutionCounter, 479
CFE_ES_ALL_APPS_EID	FileName, 479
cfe_es_events.h, 910	MainTaskld, 479
CFE_ES_APP_CLEANUP_ERR	MainTaskName, 480
cFE Return Code Defines, 143	ModuleId, 480
CFE_ES_APP_ERROR	Name, 480
cfe_es.h, 896	NumOfChildTasks, 480
CFE_ES_APP_EXCEPTION_PROC_RESTART	Priority, 481
cfe_es.h, 897	StackSize, 481
CFE_ES_APP_EXCEPTION_RESTART_APP	StartAddress, 481
cfe_es.h, 897	Type, 481
CFE_ES_APP_EXIT	CFE_ES_AppNameCmd_Payload_t, 482
 cfe_es.h, 897	Application, 482
_ · · ·	· · ·

CFE_ES_AppNameCmd_t, 483	CFE_ES_CDS_INVALID
CmdHeader, 483	cFE Return Code Defines, 145
Payload, 483	CFE_ES_CDS_MAX_BLOCK_SIZE
CFE_ES_AppReloadCmd_Payload_t, 483	cpu1_platform_cfg.h, 738
AppFileName, 484	CFE_ES_CDS_MAX_FULL_NAME_LEN
Application, 484	cfe_es.h, 899
CFE_ES_AppState	CFE_ES_CDS_MAX_NAME_LENGTH
cfe_es_extern_typedefs.h, 958	sample_mission_cfg.h, 829
CFE_ES_AppState_Enum_t	CFE ES CDS MAX NUM ENTRIES
cfe_es_extern_typedefs.h, 956	cpu1_platform_cfg.h, 738
CFE_ES_AppType	CFE ES CDS MEM BLOCK SIZE 01
cfe_es_extern_typedefs.h, 958	cpu1_platform_cfg.h, 738
CFE_ES_AppType_Enum_t	CFE_ES_CDS_MEM_BLOCK_SIZE_02
cfe_es_extern_typedefs.h, 956	cpu1_platform_cfg.h, 738
CFE_ES_BAD_ARGUMENT	CFE_ES_CDS_MEM_BLOCK_SIZE_03
cFE Return Code Defines, 143	cpu1_platform_cfg.h, 738
CFE ES BANKSWITCH RESET	CFE_ES_CDS_MEM_BLOCK_SIZE_04
cfe es.h, 899	cpu1_platform_cfg.h, 739
CFE_ES_BIN_SEM_DELETE_ERR	CFE_ES_CDS_MEM_BLOCK_SIZE_05
cFE Return Code Defines, 144	cpu1_platform_cfg.h, 739
CFE_ES_BOOT_ERR_EID	CFE_ES_CDS_MEM_BLOCK_SIZE_06
cfe_es_events.h, 911	cpu1_platform_cfg.h, 739
CFE_ES_BUFFER_NOT_IN_POOL	CFE_ES_CDS_MEM_BLOCK_SIZE_07
cFE Return Code Defines, 144	cpu1_platform_cfg.h, 739
CFE_ES_BUILD_INF_EID	CFE_ES_CDS_MEM_BLOCK_SIZE_08
cfe_es_events.h, 911	cpu1_platform_cfg.h, 739
CFE_ES_BlockStats_t, 484	CFE_ES_CDS_MEM_BLOCK_SIZE_09
BlockSize, 485	cpu1_platform_cfg.h, 739
NumCreated, 485	CFE_ES_CDS_MEM_BLOCK_SIZE_10
NumFree, 485	cpu1_platform_cfg.h, 740
CFE_ES_CC1_ERR_EID	CFE_ES_CDS_MEM_BLOCK_SIZE_11
cfe_es_events.h, 911	cpu1_platform_cfg.h, 740
CFE_ES_CDS_ACCESS_ERROR	CFE_ES_CDS_MEM_BLOCK_SIZE_12
cFE Return Code Defines, 144	cpu1_platform_cfg.h, 740
CFE_ES_CDS_ALREADY_EXISTS	CFE_ES_CDS_MEM_BLOCK_SIZE_13
cFE Return Code Defines, 144	cpu1_platform_cfg.h, 740
CFE_ES_CDS_BAD_HANDLE	CFE_ES_CDS_MEM_BLOCK_SIZE_14
cfe_es.h, 899	cpu1_platform_cfg.h, 740
CFE_ES_CDS_BLOCK_CRC_ERR	CFE_ES_CDS_MEM_BLOCK_SIZE_15
cFE Return Code Defines, 145	cpu1_platform_cfg.h, 740
CFE_ES_CDS_DELETE_ERR_EID	CFE_ES_CDS_MEM_BLOCK_SIZE_16
cfe_es_events.h, 912	cpu1_platform_cfg.h, 741
CFE_ES_CDS_DELETE_TBL_ERR_EID	CFE_ES_CDS_NAME_ERR_EID
cfe_es_events.h, 912	cfe_es_events.h, 914
CFE_ES_CDS_DELETED_INFO_EID	CFE_ES_CDS_NOT_FOUND_ERR
cfe_es_events.h, 913	cFE Return Code Defines, 146
CFE_ES_CDS_DUMP_ERR_EID	CFE_ES_CDS_OWNER_ACTIVE_EID
cfe_es_events.h, 913	cfe_es_events.h, 914
CFE_ES_CDS_INSUFFICIENT_MEMORY	CFE_ES_CDS_OWNER_ACTIVE_ERR
cFE Return Code Defines, 145	cFE Return Code Defines, 146
CFE_ES_CDS_INVALID_NAME	CFE_ES_CDS_REG_DUMP_INF_EID
cFE Return Code Defines, 145	cfe_es_events.h, 915
CFE_ES_CDS_INVALID_SIZE	CFE_ES_CDS_REGISTER_ERR_EID
cFE Return Code Defines, 146	cfe es events.h. 915

CFE_ES_CDS_REGISTRY_FULL	CFE_ES_DEFAULT_CDS_REG_DUMP_FILE
cFE Return Code Defines, 146	cpu1_platform_cfg.h, 741
CFE_ES_CDS_SIZE	CFE_ES_DEFAULT_CRC
cpu1_platform_cfg.h, 741	sample_mission_cfg.h, 830
CFE_ES_CDS_WRONG_TYPE_ERR	CFE_ES_DEFAULT_ER_LOG_FILE
cFE Return Code Defines, 147	cpu1_platform_cfg.h, 741
CFE_ES_CDSHandle_t	CFE_ES_DEFAULT_PERF_DUMP_FILENAME
cfe_es.h, 905	cpu1_platform_cfg.h, 741
CFE_ES_CDSRegDumpRec_t, 486	CFE_ES_DEFAULT_SHELL_FILENAME
ByteAlignSpare1, 486	cpu1_platform_cfg.h, 742
Handle, 486	CFE_ES_DEFAULT_STACK_SIZE
Name, 486	cpu1_platform_cfg.h, 742
Size, 487	CFE_ES_DEFAULT_SYSLOG_FILE
Table, 487	cpu1_platform_cfg.h, 742
CFE_ES_CLEAR_ER_LOG_CC	CFE_ES_DEFAULT_SYSLOG_MODE
cfe_es_msg.h, 963	cpu1_platform_cfg.h, 742
CFE_ES_CLEAR_SYSLOG_CC	CFE_ES_DEFAULT_TASK_LOG_FILE
cfe_es_msg.h, 964	cpu1_platform_cfg.h, 742
CFE_ES_CMD_MID	CFE_ES_DELETE_CDS_CC
cpu1_msgids.h, 724	cfe_es_msg.h, 965
CFE_ES_CMD_MSG	CFE_ES_DTEST
sample_mission_cfg.h, 829	cfe_es.h, 900
CFE_ES_CORE_APP_INIT_ERROR	CFE_ES_DUMP_CDS_REGISTRY_CC
cfe_es.h, 899	cfe_es_msg.h, 965
CFE_ES_CORE_APP_RUNTIME_ERROR	CFE_ES_DeleteApp
cfe_es.h, 900	cFE Application Control APIs, 187
CFE_ES_CORE_LOG_ENTRY	CFE_ES_DeleteCDS_t, 487
cfe_es.h, 900	CmdHeader, 488
CFE_ES_COUNT_SEM_DELETE_ERR	Payload, 488
cFE Return Code Defines, 147	CFE_ES_DeleteCDSCmd_Payload_t, 488
CFE_ES_CRC_16	CdsName, 488
sample_mission_cfg.h, 829	CFE_ES_DeleteChildTask
CFE_ES_CRC_32	cFE Child Task APIs, 202
sample_mission_cfg.h, 829	CFE_ES_DeleteGenCounter
CFE ES CRC 8	cFE Generic Counter APIs, 222
sample_mission_cfg.h, 829	CFE_ES_DumpCDSRegistry_t, 489
CFE_ES_CREATING_CDS_DUMP_ERR_EID	CmdHeader, 489
cfe es events.h, 916	Payload, 489
CFE_ES_CalculateCRC	CFE_ES_DumpCDSRegistryCmd_Payload_t, 490
cFE Miscellaneous APIs, 205	DumpFilename, 490
CFE ES ChildTaskMainFuncPtr t	CFE_ES_ER_LOG_ENTRIES
cfe_es.h, 905	cpu1_platform_cfg.h, 742
CFE_ES_ClearERLog_t	CFE_ES_ER_LOG_MAX_CONTEXT_SIZE
cfe_es_msg.h, 988	cpu1_platform_cfg.h, 743
CFE_ES_ClearSyslog_t	CFE_ES_ERLOG1_INF_EID
cfe_es_msg.h, 988	cfe_es_events.h, 916
CFE_ES_CopyToCDS	CFE ES ERLOG2 EID
cFE Critical Data Store APIs, 208	
	cfe_es_events.h, 917
CFE_ES_CreateChildTask	CFE_ES_ERLOG2_ERR_EID
cFE Child Task APIs, 201	cfe_es_events.h, 917
CFE_ES_DBIT	CFE_ES_ERR_APP_CREATE
cfe_es.h, 900	cFE Return Code Defines, 147
CFE_ES_DEFAULT_APP_LOG_FILE	CFE_ES_ERR_APP_REGISTER
cpu1_platform_cfg.h, 741	cFE Return Code Defines, 147

CFE_ES_ERR_APPID	CFE_ES_FILEWRITE_ERR_EID
cFE Return Code Defines, 148	cfe_es_events.h, 920
CFE_ES_ERR_APPNAME	CFE ES FileNameCmd Payload t, 491
cFE Return Code Defines, 148	FileName, 491
CFE_ES_ERR_BUFFER	CFE_ES_FileNameCmd_t, 491
cFE Return Code Defines, 148	CmdHeader, 492
CFE_ES_ERR_CHILD_TASK_CREATE	Payload, 492
cFE Return Code Defines, 148	CFE_ES_GetAppIDByName
CFE ES ERR CHILD TASK DELETE MAIN TASK	cFE Information APIs, 196
cFE Return Code Defines, 149	CFE_ES_GetAppID
CFE_ES_ERR_CHILD_TASK_DELETE	cFE Information APIs, 195
cFE Return Code Defines, 149	CFE ES GetAppInfo
CFE_ES_ERR_CHILD_TASK_REGISTER	cFE Information APIs, 197
cFE Return Code Defines, 149	CFE_ES_GetAppName
CFE_ES_ERR_LOAD_LIB	cFE Information APIs, 197
cFE Return Code Defines, 149	CFE_ES_GetGenCount
CFE_ES_ERR_MEM_BLOCK_SIZE	cFE Generic Counter APIs, 223
cFE Return Code Defines, 150	CFE ES GetGenCounterIDByName
	- -
CFE_ES_ERR_MEM_HANDLE	cFE Generic Counter APIs, 224
cFE Return Code Defines, 150	CFE_ES_GetMemPoolStats
CFE_ES_ERR_SHELL_CMD	cFE Memory Manager APIs, 212
cFE Return Code Defines, 150	CFE_ES_GetPoolBuf
CFE_ES_ERR_SYS_LOG_FULL	cFE Memory Manager APIs, 213
cFE Return Code Defines, 150	CFE_ES_GetPoolBufInfo
CFE_ES_ERR_SYS_LOG_TRUNCATED	cFE Memory Manager APIs, 214
cFE Return Code Defines, 151	CFE_ES_GetResetType
CFE_ES_ERR_SYSLOGMODE_EID	cFE Information APIs, 198
cfe_es_events.h, 918	CFE_ES_GetTaskInfo
CFE_ES_ERR_TASKID	cFE Information APIs, 199
cFE Return Code Defines, 151	CFE_ES_HK_TLM_MID
CFE_ES_ERREXIT_APP_ERR_EID	cpu1_msgids.h, 724
cfe_es_events.h, 918	CFE_ES_HK_TLM_MSG
CFE_ES_ERREXIT_APP_INF_EID	sample_mission_cfg.h, 830
cfe_es_events.h, 919	CFE_ES_HW_SPECIAL_COMMAND
CFE_ES_EXCEPTION_FUNCTION	cfe_es.h, 900
cpu1_platform_cfg.h, 743	CFE_ES_HW_WATCHDOG
CFE_ES_EXCEPTION	cfe_es.h, 901
cfe_es.h, 900	CFE_ES_HWDEBUG_RESET
CFE_ES_EXIT_APP_ERR_EID	cfe_es.h, 901
cfe_es_events.h, 919	CFE ES HkPacket t
CFE_ES_EXIT_APP_INF_EID	 cfe_es_msg.h, 988
cfe_es_events.h, 920	CFE_ES_HousekeepingTlm_Payload_t, 492
CFE ES ExceptionAction	BootSource, 494
cfe_es_extern_typedefs.h, 959	CFECoreChecksum, 495
CFE_ES_ExceptionAction_Enum_t	CFEMajorVersion, 495
cfe_es_extern_typedefs.h, 956	CFEMinorVersion, 495
CFE ES ExitApp	CFEMissionRevision, 495
cFE Application Behavior APIs, 190	CFERevision, 496
CFE_ES_ExitChildTask	CommandCounter, 496
cFE Child Task APIs, 203	CommandErrorCounter, 496
CFE_ES_FILE_CLOSE_ERR	ERLogEntries, 496
	_
cFE Return Code Defines, 151	ERLogIndex, 497
CFE_ES_FILE_IO_ERR	HeapBlocksFree, 497
cFE Return Code Defines, 151	HeapBytesFree, 497

HeapMaxBlockSize, 497	cfe_es_extern_typedefs.h, 959
MaxProcessorResets, 498	CFE_ES_LogMode_Enum_t
OSALMajorVersion, 498	cfe_es_extern_typedefs.h, 957
OSALMinorVersion, 498	CFE_ES_MAX_APPLICATIONS
OSALMissionRevision, 498	cpu1_platform_cfg.h, 743
OSALRevision, 499	CFE ES MAX BLOCK SIZE
PerfDataCount, 499	cpu1_platform_cfg.h, 743
PerfDataEnd, 499	CFE_ES_MAX_EID
PerfDataStart, 499	cfe_es_events.h, 923
PerfDataToWrite, 500	CFE ES MAX GEN COUNTERS
PerfFilterMask, 500	cpu1 platform cfg.h, 743
PerfMode, 500	CFE_ES_MAX_LIBRARIES
PerfState, 500	cpu1_platform_cfg.h, 743
PerfTriggerCount, 501	CFE_ES_MAX_MEMPOOL_BLOCK_SIZES
PerfTriggerMask, 501	cfe es.h, 901
ProcessorResets, 501	CFE_ES_MAX_PROCESSOR_RESETS
RegisteredCoreApps, 501	cpu1_platform_cfg.h, 744
RegisteredExternalApps, 502	CFE_ES_MAX_SHELL_CMD
RegisteredLibs, 502	cpu1 platform cfg.h, 744
	CFE ES MAX SHELL PKT
RegisteredTasks, 502	
ResetSubtype, 502	cpu1_platform_cfg.h, 744
ResetType, 503	CFE_ES_MEM_BLOCK_SIZE_01
SysLogBytesUsed, 503	cpu1_platform_cfg.h, 744
SysLogEntries, 503	CFE_ES_MEM_BLOCK_SIZE_02
SysLogMode, 503	cpu1_platform_cfg.h, 744
SysLogSize, 504	CFE_ES_MEM_BLOCK_SIZE_03
CFE_ES_HousekeepingTlm_t, 504	cpu1_platform_cfg.h, 744
Payload, 504	CFE_ES_MEM_BLOCK_SIZE_04
TImHeader, 505	cpu1_platform_cfg.h, 745
CFE_ES_INIT_INF_EID	CFE_ES_MEM_BLOCK_SIZE_05
cfe_es_events.h, 921	cpu1_platform_cfg.h, 745
CFE_ES_INITSTATS_INF_EID	CFE_ES_MEM_BLOCK_SIZE_06
cfe_es_events.h, 921	cpu1_platform_cfg.h, 745
CFE_ES_INVALID_POOL_HANDLE_ERR_EID	CFE_ES_MEM_BLOCK_SIZE_07
cfe_es_events.h, 922	cpu1_platform_cfg.h, 745
CFE_ES_IncrementGenCounter	CFE_ES_MEM_BLOCK_SIZE_08
cFE Generic Counter APIs, 224	cpu1_platform_cfg.h, 745
CFE_ES_IncrementTaskCounter	CFE_ES_MEM_BLOCK_SIZE_09
cFE Application Behavior APIs, 191	cpu1_platform_cfg.h, 745
CFE_ES_LEN_ERR_EID	CFE_ES_MEM_BLOCK_SIZE_10
cfe_es_events.h, 922	cpu1_platform_cfg.h, 746
CFE_ES_LIB_ALREADY_LOADED	CFE_ES_MEM_BLOCK_SIZE_11
cFE Return Code Defines, 152	cpu1_platform_cfg.h, 746
CFE ES LOG DISCARD	CFE ES MEM BLOCK SIZE 12
cfe_es.h, 901	cpu1 platform cfg.h, 746
CFE ES LOG OVERWRITE	CFE_ES_MEM_BLOCK_SIZE_13
cfe_ es.h, 901	cpu1_platform_cfg.h, 746
CFE ES LibraryEntryFuncPtr t	CFE_ES_MEM_BLOCK_SIZE_14
cfe_es.h, 906	cpu1_platform_cfg.h, 746
CFE_ES_LogEntryType	CFE_ES_MEM_BLOCK_SIZE_15
cfe_es_extern_typedefs.h, 959	cpu1_platform_cfg.h, 746
CFE_ES_LogEntryType_Enum_t	CFE_ES_MEM_BLOCK_SIZE_16
cfe_es_extern_typedefs.h, 957	cpu1_platform_cfg.h, 747
CFE_ES_LogMode	CFE_ES_MEMSTATS_TLM_MID
	<u>-</u>

cpu1_msgids.h, 725	Mode, 512
CFE_ES_MEMSTATS_TLM_MSG	CFE_ES_OverWriteSyslog_t, 510
sample_mission_cfg.h, 830	CmdHeader, 511
CFE_ES_MID_ERR_EID	Payload, 511
cfe_es_events.h, 923	CFE_ES_PCR_ERR1_EID
CFE_ES_MUT_SEM_DELETE_ERR	cfe_es_events.h, 926
cFE Return Code Defines, 152	CFE_ES_PCR_ERR2_EID
CFE_ES_Main	cfe_es_events.h, 926
cFE Entry/Exit APIs, 185	CFE_ES_PERF_CHILD_MS_DELAY
CFE_ES_MemHandle_t	cpu1_platform_cfg.h, 747
cfe_es.h, 906	CFE_ES_PERF_CHILD_PRIORITY
CFE_ES_MemPoolStats_t, 505	cpu1_platform_cfg.h, 747
BlockStats, 506	CFE_ES_PERF_CHILD_STACK_SIZE
CheckErrCtr, 506	cpu1_platform_cfg.h, 747
NumBlocksRequested, 506	CFE_ES_PERF_DATA_BUFFER_SIZE
NumFreeBytes, 506	cpu1_platform_cfg.h, 748
PoolSize, 506	CFE_ES_PERF_DATAWRITTEN_EID
CFE_ES_MemStatsTIm_t, 507	cfe_es_events.h, 927
Payload, 507	CFE_ES_PERF_ENTRIES_BTWN_DLYS
TImHeader, 507	cpu1_platform_cfg.h, 748
CFE ES NO MUTEX	CFE_ES_PERF_FILTMASK_ALL
cfe_es.h, 901	cpu1_platform_cfg.h, 748
CFE_ES_NONVOL_STARTUP_FILE	CFE_ES_PERF_FILTMASK_INIT
cpu1 platform cfg.h, 747	cpu1_platform_cfg.h, 748
CFE_ES_NOOP_CC	CFE_ES_PERF_FILTMASK_NONE
cfe_es_msg.h, 966	cpu1_platform_cfg.h, 748
CFE_ES_NOOP_INF_EID	CFE_ES_PERF_FILTMSKCMD_EID
cfe_es_events.h, 923	cfe_es_events.h, 927
CFE_ES_NOT_IMPLEMENTED	CFE_ES_PERF_FILTMSKERR_EID
cFE Return Code Defines, 152	cfe_es_events.h, 928
CFE_ES_NoArgsCmd_t, 508	CFE_ES_PERF_LOG_ERR_EID
CmdHeader, 508	cfe_es_events.h, 928
CFE_ES_Noop_t	CFE_ES_PERF_MAX_IDS
cfe_es_msg.h, 988	cpu1_platform_cfg.h, 748
CFE ES OBJECT TABLE SIZE	CFE_ES_PERF_STARTCMD_EID
cpu1_platform_cfg.h, 747	cfe_es_events.h, 929
CFE_ES_ONE_APP_EID	CFE_ES_PERF_STARTCMD_ERR_EID
cfe_es_events.h, 924 CFE ES ONE APPID ERR EID	cfe_es_events.h, 929 CFE ES PERF STARTCMD TRIG ERR EID
cfe_es_events.h, 924	cfe_es_events.h, 930
CFE_ES_ONE_ERR_EID	CFE_ES_PERF_STOPCMD_EID
cfe_es_events.h, 925	cfe_es_events.h, 930
CFE_ES_OPERATION_TIMED_OUT	CFE_ES_PERF_STOPCMD_ERR2_EID
cFE Return Code Defines, 152	cfe_es_events.h, 931
CFE_ES_OSCREATE_ERR_EID	CFE_ES_PERF_TRIGMASK_ALL
cfe_es_events.h, 925	cpu1_platform_cfg.h, 749
CFE_ES_OVER_WRITE_SYSLOG_CC	CFE_ES_PERF_TRIGMASK_INIT
cfe_es_msg.h, 967	cpu1_platform_cfg.h, 749
CFE_ES_OneAppTIm_Payload_t, 509	CFE_ES_PERF_TRIGMASK_NONE
Applnfo, 509	cpu1_platform_cfg.h, 749
CFE_ES_OneAppTIm_t, 510	CFE_ES_PERF_TRIGMSKCMD_EID
Payload, 510	cfe_es_events.h, 931
TImHeader, 510	CFE_ES_PERF_TRIGMSKERR_EID
CFE ES OverWriteSysLogCmd Payload t, 511	cfe es events.h, 932

CFE_ES_POWER_CYCLE	cpu1_platform_cfg.h, 750
cfe_es.h, 902	CFE_ES_RELOAD_APP_CC
CFE_ES_POWERON_RESET	cfe_es_msg.h, 971
cfe_es.h, 902	CFE_ES_RELOAD_APP_DBG_EID
CFE_ES_PROCESSOR_RESET	cfe_es_events.h, 932
cfe_es.h, 902	CFE_ES_RELOAD_APP_ERR1_EID
CFE_ES_PUSH_BUTTON	cfe_es_events.h, 933
cfe_es.h, 902	CFE_ES_RELOAD_APP_ERR2_EID
CFE_ES_PerfLogAdd	cfe_es_events.h, 933
cFE Performance Monitor APIs, 220	CFE_ES_RELOAD_APP_ERR3_EID
CFE_ES_PerfLogEntry	cfe_es_events.h, 934
cFE Performance Monitor APIs, 219	CFE_ES_RELOAD_APP_ERR4_EID
CFE_ES_PerfLogExit	cfe_es_events.h, 934
cFE Performance Monitor APIs, 219	CFE_ES_RELOAD_APP_INF_EID
CFE_ES_PoolAlign_t, 512	cfe_es_events.h, 935
LongDouble, 513	CFE_ES_RESET_AREA_SIZE
LongInt, 513	cpu1 platform cfg.h, 750
Ptr, 513	CFE_ES_RESET_COMMAND
CFE_ES_PoolCreate	cfe es.h, 902
cFE Memory Manager APIs, 215	CFE_ES_RESET_COUNTERS_CC
CFE ES PoolCreateEx	cfe_es_msg.h, 972
cFE Memory Manager APIs, 216	CFE ES RESET INF EID
CFE_ES_PoolCreateNoSem	cfe_es_events.h, 935
cFE Memory Manager APIs, 217	CFE ES RESET PR COUNT CC
CFE_ES_PoolStatsTIm_Payload_t, 513	cfe_es_msg.h, 973
PoolHandle, 514	CFE_ES_RESET_PR_COUNT_EID
PoolStats, 514	cfe_es_events.h, 936
CFE_ES_PoolStatsTlm_t	CFE_ES_RESTART_APP_CC
cfe_es_msg.h, 988	cfe_es_msg.h, 974
CFE_ES_ProcessCoreException	CFE_ES_RESTART_APP_DBG_EID
cFE Miscellaneous APIs, 206	cfe_es_events.h, 936
CFE_ES_PutPoolBuf	CFE_ES_RESTART_APP_ERR1_EID
cFE Memory Manager APIs, 218	cfe_es_events.h, 937
CFE_ES_QUERY_ALL_CC	CFE_ES_RESTART_APP_ERR2_EID
cfe_es_msg.h, 968	cfe_es_events.h, 937
CFE_ES_QUERY_ALL_TASKS_CC	CFE_ES_RESTART_APP_ERR3_EID
cfe_es_msg.h, 969	cfe_es_events.h, 938
CFE ES QUERY ONE CC	CFE ES RESTART APP ERR4 EID
cfe_es_msg.h, 970	cfe_es_events.h, 938
CFE_ES_QUEUE_DELETE_ERR	CFE ES RESTART APP INF EID
cFE Return Code Defines, 153	cfe_es_events.h, 939
CFE_ES_QueryAll_t	CFE_ES_RESTART_CC
cfe_es_msg.h, 988	cfe es msg.h, 975
CFE_ES_QueryAllTasks_t	CFE ES RST ACCESS EID
cfe_es_msg.h, 988	cfe_es_events.h, 939
CFE ES QueryOne t	CFE_ES_RST_ACCESS_ERR
cfe_es_msg.h, 989	cFE Return Code Defines, 153
-	
CFE_ES_RAM_DISK_MOUNT_STRING cpu1_platform_cfg.h, 749	CFE_ES_RegisterApp cFE Application Behavior APIs, 191
CFE_ES_RAM_DISK_NUM_SECTORS	CFE_ES_RegisterCDS
cpu1_platform_cfg.h, 749 CFE_ES_RAM_DISK_PERCENT_RESERVED	cFE Critical Data Store APIs, 209
	CFE_ES_RegisterChildTask
cpu1_platform_cfg.h, 749	cFE Child Task APIs, 203
CFE_ES_RAM_DISK_SECTOR_SIZE	CFE_ES_RegisterGenCounter

cFE Generic Counter APIs, 225	cfe_es_msg.h, 981
CFE_ES_ReloadApp	CFE_ES_START_ERR_EID
cFE Application Control APIs, 187	cfe_es_events.h, 941
CFE_ES_ReloadApp_t, 514	CFE_ES_START_EXC_ACTION_ERR_EID
CmdHeader, 515	cfe_es_events.h, 942
Payload, 515	CFE_ES_START_INF_EID
CFE_ES_ResetCFE	cfe_es_events.h, 942
cFE Entry/Exit APIs, 186	CFE_ES_START_INVALID_ENTRY_POINT_ERR_EID
CFE_ES_ResetCounters_t	cfe_es_events.h, 943
cfe_es_msg.h, 989	CFE_ES_START_INVALID_FILENAME_ERR_EID
CFE_ES_ResetPRCount_t	cfe_es_events.h, 943
cfe_es_msg.h, 989	CFE_ES_START_NULL_APP_NAME_ERR_EID
CFE_ES_Restart_t, 515	cfe_es_events.h, 944
CmdHeader, 516	CFE_ES_START_PERF_DATA_CC
Payload, 516	cfe_es_msg.h, 982
CFE_ES_RestartApp	CFE_ES_START_PRIORITY_ERR_EID
cFE Application Control APIs, 188	cfe_es_events.h, 944
CFE_ES_RestartApp_t	CFE_ES_START_STACK_ERR_EID
cfe_es_msg.h, 989	cfe_es_events.h, 945
CFE_ES_RestartCmd_Payload_t, 516	CFE_ES_START_TASK_PRIORITY
RestartType, 516	cpu1_platform_cfg.h, 750
CFE_ES_RestoreFromCDS	CFE_ES_START_TASK_STACK_SIZE
cFE Critical Data Store APIs, 210	cpu1_platform_cfg.h, 750
CFE_ES_RunLoop	CFE_ES_STARTUP_SCRIPT_TIMEOUT_MSEC
cFE Application Behavior APIs, 191	cpu1_platform_cfg.h, 750
CFE_ES_RunStatus	CFE_ES_STARTUP_SYNC_POLL_MSEC
cfe_es_extern_typedefs.h, 960	cpu1_platform_cfg.h, 750
CFE_ES_RunStatus_Enum_t	CFE_ES_STATIC_POOL_TYPE
cfe_es_extern_typedefs.h, 957	cfe_es.h, 902
CFE_ES_SEND_HK_MID	CFE_ES_STOP_APP_CC
cpu1_msgids.h, 725	cfe_es_msg.h, 983
CFE_ES_SEND_HK_MSG	CFE_ES_STOP_DBG_EID
sample_mission_cfg.h, 830	cfe_es_events.h, 945
CFE_ES_SEND_MEM_POOL_STATS_CC	CFE_ES_STOP_ERR1_EID
cfe_es_msg.h, 976	cfe_es_events.h, 946
CFE_ES_SET_MAX_PR_COUNT_CC	CFE_ES_STOP_ERR2_EID
cfe_es_msg.h, 977	cfe_es_events.h, 946
CFE_ES_SET_MAX_PR_COUNT_EID	CFE_ES_STOP_ERR3_EID
cfe_es_events.h, 940	cfe_es_events.h, 947
CFE_ES_SET_PERF_FILTER_MASK_CC	CFE_ES_STOP_INF_EID
cfe_es_msg.h, 978	cfe_es_events.h, 947
CFE_ES_SET_PERF_TRIGGER_MASK_CC	CFE_ES_STOP_PERF_DATA_CC
cfe_es_msg.h, 979	cfe_es_msg.h, 984
CFE_ES_SHELL_CC	CFE_ES_SYS_DELETE
cfe_es_msg.h, 980	cfe_es.h, 903
CFE_ES_SHELL_ERR_EID	CFE_ES_SYS_EXCEPTION
cfe_es_events.h, 940	cfe_es.h, 903
CFE_ES_SHELL_INF_EID	CFE_ES_SYS_RELOAD
cfe_es_events.h, 941	cfe_es.h, 903
CFE_ES_SHELL_TLM_MID	CFE_ES_SYS_RESTART
cpu1_msgids.h, 725	cfe_es.h, 903
CFE_ES_SHELL_TLM_MSG	CFE_ES_SYSLOG1_INF_EID
sample_mission_cfg.h, 830	cfe_es_events.h, 948
CFE ES START APP CC	CFE ES SYSLOG2 EID

cfe es events.h, 948	CFE_ES_ShellPacket_t
CFE_ES_SYSLOG2_ERR_EID	cfe_es_msg.h, 989
cfe es events.h, 949	CFE_ES_ShellTlm_t, 527
CFE_ES_SYSLOGMODE_EID	Payload, 527
cfe es events.h, 949	TlmHeader, 528
CFE_ES_SYSTEM_LOG_SIZE	CFE_ES_StartApp_t, 528
cpu1_platform_cfg.h, 751	CmdHeader, 528
CFE_ES_SYSTEM_STATE_APPS_INIT	Payload, 528
cfe_es.h, 903	CFE_ES_StartAppCmd_Payload_t, 529
CFE_ES_SYSTEM_STATE_CORE_READY	AppEntryPoint, 529
cfe_es.h, 903	AppFileName, 530
CFE ES SYSTEM STATE CORE STARTUP	Application, 530
cfe_es.h, 904	ExceptionAction, 530
CFE_ES_SYSTEM_STATE_EARLY_INIT	Priority, 530
cfe_es.h, 904	StackSize, 530
CFE_ES_SYSTEM_STATE_OPERATIONAL	CFE_ES_StartPerfCmd_Payload_t, 531
cfe_es.h, 904	TriggerMode, 531
CFE_ES_SYSTEM_STATE_SHUTDOWN	CFE_ES_StartPerfData_t, 532
cfe es.h, 904	
	CmdHeader, 532
CFE_ES_SYSTEM_STATE_UNDEFINED	Payload, 532
cfe_es.h, 904	CFE_ES_StopApp_t
CFE_ES_SendMemPoolStats_t, 517	cfe_es_msg.h, 989
CmdHeader, 517	CFE_ES_StopPerfCmd_Payload_t, 532
Payload, 517	DataFileName, 533
CFE_ES_SendMemPoolStatsCmd_Payload_t, 518	CFE_ES_StopPerfData_t, 533
Application, 518	CmdHeader, 534
PoolHandle, 518	Payload, 534
055 50 0 10 0 1	
CFE_ES_SetGenCount	CFE_ES_SystemState
cFE Generic Counter APIs, 226	cfe_es_extern_typedefs.h, 960
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t cfe_es_extern_typedefs.h, 957
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t cfe_es_extern_typedefs.h, 957 CFE_ES_TASK_DELETE_ERR
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t cfe_es_extern_typedefs.h, 957 CFE_ES_TASK_DELETE_ERR cFE Return Code Defines, 153
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t cfe_es_extern_typedefs.h, 957 CFE_ES_TASK_DELETE_ERR cFE Return Code Defines, 153 CFE_ES_TASKINFO_EID
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t cfe_es_extern_typedefs.h, 957 CFE_ES_TASK_DELETE_ERR cFE Return Code Defines, 153 CFE_ES_TASKINFO_EID cfe_es_events.h, 950
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t cfe_es_extern_typedefs.h, 957 CFE_ES_TASK_DELETE_ERR cFE Return Code Defines, 153 CFE_ES_TASKINFO_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_OSCREATE_ERR_EID
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t cfe_es_extern_typedefs.h, 957 CFE_ES_TASK_DELETE_ERR cFE Return Code Defines, 153 CFE_ES_TASKINFO_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_OSCREATE_ERR_EID cfe_es_events.h, 950
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521 CFE_ES_SetPerfFilterMaskCmd_Payload_t, 521	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t cfe_es_extern_typedefs.h, 957 CFE_ES_TASK_DELETE_ERR cFE Return Code Defines, 153 CFE_ES_TASKINFO_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_OSCREATE_ERR_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_WR_ERR_EID
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521 CFE_ES_SetPerfFilterMaskCmd_Payload_t, 521 FilterMask, 522	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t cfe_es_extern_typedefs.h, 957 CFE_ES_TASK_DELETE_ERR cFE Return Code Defines, 153 CFE_ES_TASKINFO_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_OSCREATE_ERR_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_WR_ERR_EID cfe_es_events.h, 950
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521 CFE_ES_SetPerfFilterMaskCmd_Payload_t, 521 FilterMask, 522 FilterMaskNum, 522	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t cfe_es_extern_typedefs.h, 957 CFE_ES_TASK_DELETE_ERR cFE Return Code Defines, 153 CFE_ES_TASKINFO_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_OSCREATE_ERR_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_WR_ERR_EID cfe_es_events.h, 951 CFE_ES_TASKINFO_WRHDR_ERR_EID
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521 CFE_ES_SetPerfFilterMaskCmd_Payload_t, 521 FilterMask, 522 FilterMaskNum, 522 CFE_ES_SetPerfTrigMaskCmd_Payload_t, 523	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521 CFE_ES_SetPerfFilterMaskCmd_Payload_t, 521 FilterMask, 522 FilterMaskNum, 522 CFE_ES_SetPerfTrigMaskCmd_Payload_t, 523 TriggerMask, 524	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t cfe_es_extern_typedefs.h, 957 CFE_ES_TASK_DELETE_ERR cFE Return Code Defines, 153 CFE_ES_TASKINFO_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_OSCREATE_ERR_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_WR_ERR_EID cfe_es_events.h, 951 CFE_ES_TASKINFO_WRHDR_ERR_EID
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521 CFE_ES_SetPerfFilterMaskCmd_Payload_t, 521 FilterMask, 522 FilterMaskNum, 522 CFE_ES_SetPerfTrigMaskCmd_Payload_t, 523	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521 CFE_ES_SetPerfFilterMaskCmd_Payload_t, 521 FilterMask, 522 FilterMaskNum, 522 CFE_ES_SetPerfTrigMaskCmd_Payload_t, 523 TriggerMask, 524	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t cfe_es_extern_typedefs.h, 957 CFE_ES_TASK_DELETE_ERR cFE Return Code Defines, 153 CFE_ES_TASKINFO_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_OSCREATE_ERR_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_WR_ERR_EID cfe_es_events.h, 951 CFE_ES_TASKINFO_WRHDR_ERR_EID cfe_es_events.h, 951 CFE_ES_TASKINFO_WRHDR_ERR_EID cfe_es_events.h, 951 CFE_ES_TASKWR_ERR_EID
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521 CFE_ES_SetPerfFilterMaskCmd_Payload_t, 521 FilterMask, 522 FilterMaskNum, 522 CFE_ES_SetPerfTrigMaskCmd_Payload_t, 523 TriggerMask, 524 TriggerMaskNum, 524	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t cfe_es_extern_typedefs.h, 957 CFE_ES_TASK_DELETE_ERR cFE Return Code Defines, 153 CFE_ES_TASKINFO_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_OSCREATE_ERR_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_WR_ERR_EID cfe_es_events.h, 951 CFE_ES_TASKINFO_WRHDR_ERR_EID cfe_es_events.h, 951 CFE_ES_TASKINFO_WRHDR_ERR_EID cfe_es_events.h, 951 CFE_ES_TASKWR_ERR_EID cfe_es_events.h, 952 CFE_ES_TEST_LONG_MASK cfe_es.h, 904
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521 CFE_ES_SetPerfFilterMaskCmd_Payload_t, 521 FilterMask, 522 FilterMaskNum, 522 CFE_ES_SetPerfTrigMaskCmd_Payload_t, 523 TriggerMask, 524 TriggerMaskNum, 524 CFE_ES_SetPerfTriggerMask_t, 522	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521 CFE_ES_SetPerfFilterMaskCmd_Payload_t, 521 FilterMask, 522 FilterMaskNum, 522 CFE_ES_SetPerfTrigMaskCmd_Payload_t, 523 TriggerMask, 524 TriggerMaskNum, 524 CFE_ES_SetPerfTriggerMask_t, 522 CmdHeader, 523	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t cfe_es_extern_typedefs.h, 957 CFE_ES_TASK_DELETE_ERR cFE Return Code Defines, 153 CFE_ES_TASKINFO_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_OSCREATE_ERR_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_WR_ERR_EID cfe_es_events.h, 951 CFE_ES_TASKINFO_WRHDR_ERR_EID cfe_es_events.h, 951 CFE_ES_TASKINFO_WRHDR_ERR_EID cfe_es_events.h, 951 CFE_ES_TASKWR_ERR_EID cfe_es_events.h, 952 CFE_ES_TEST_LONG_MASK cfe_es.h, 904
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521 CFE_ES_SetPerfFilterMaskCmd_Payload_t, 521 FilterMask, 522 FilterMaskNum, 522 CFE_ES_SetPerfTrigMaskCmd_Payload_t, 523 TriggerMask, 524 TriggerMaskNum, 524 CFE_ES_SetPerfTriggerMask_t, 522 CmdHeader, 523 Payload, 523	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521 CFE_ES_SetPerfFilterMaskCmd_Payload_t, 521 FilterMask, 522 FilterMaskNum, 522 CFE_ES_SetPerfTrigMaskCmd_Payload_t, 523 TriggerMask, 524 TriggerMaskNum, 524 CFE_ES_SetPerfTriggerMask_t, 522 CmdHeader, 523 Payload, 523 CFE_ES_Shell_t, 524 CmdHeader, 525 Payload, 525	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t cfe_es_extern_typedefs.h, 957 CFE_ES_TASK_DELETE_ERR cFE Return Code Defines, 153 CFE_ES_TASKINFO_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_OSCREATE_ERR_EID cfe_es_events.h, 950 CFE_ES_TASKINFO_WR_ERR_EID cfe_es_events.h, 951 CFE_ES_TASKINFO_WRHDR_ERR_EID cfe_es_events.h, 951 CFE_ES_TASKWR_ERR_EID cfe_es_events.h, 951 CFE_ES_TASKWR_ERR_EID cfe_es_events.h, 952 CFE_ES_TEST_LONG_MASK cfe_es.h, 904 CFE_ES_TIMER_DELETE_ERR cFE_Return Code_Defines, 153
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521 CFE_ES_SetPerfFilterMaskCmd_Payload_t, 521 FilterMask, 522 FilterMaskNum, 522 CFE_ES_SetPerfTrigMaskCmd_Payload_t, 523 TriggerMask, 524 TriggerMaskNum, 524 CFE_ES_SetPerfTriggerMask_t, 522 CmdHeader, 523 Payload, 523 CFE_ES_Shell_t, 524 CmdHeader, 525	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521 CFE_ES_SetPerfFilterMaskCmd_Payload_t, 521 FilterMask, 522 FilterMaskNum, 522 CFE_ES_SetPerfTrigMaskCmd_Payload_t, 523 TriggerMask, 524 TriggerMaskNum, 524 CFE_ES_SetPerfTriggerMask_t, 522 CmdHeader, 523 Payload, 523 CFE_ES_Shell_t, 524 CmdHeader, 525 Payload, 525	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521 CFE_ES_SetPerfFilterMaskCmd_Payload_t, 521 FilterMask, 522 FilterMaskNum, 522 CFE_ES_SetPerfTrigMaskCmd_Payload_t, 523 TriggerMask, 524 TriggerMaskNum, 524 CFE_ES_SetPerfTriggerMask_t, 522 CmdHeader, 523 Payload, 523 CFE_ES_Shell_t, 524 CmdHeader, 525 Payload, 525 CFE_ES_ShellCmd_Payload_t, 525	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t
cFE Generic Counter APIs, 226 CFE_ES_SetMaxPRCount_t, 519 CmdHeader, 519 Payload, 519 CFE_ES_SetMaxPRCountCmd_Payload_t, 520 MaxPRCount, 520 CFE_ES_SetPerfFilterMask_t, 521 CmdHeader, 521 Payload, 521 CFE_ES_SetPerfFilterMaskCmd_Payload_t, 521 FilterMask, 522 FilterMaskNum, 522 CFE_ES_SetPerfTrigMaskCmd_Payload_t, 523 TriggerMask, 524 TriggerMaskNum, 524 CFE_ES_SetPerfTriggerMask_t, 522 CmdHeader, 523 Payload, 523 CFE_ES_Shell_t, 524 CmdHeader, 525 Payload, 525 CFE_ES_ShellCmd_Payload_t, 525 CmdString, 526	cfe_es_extern_typedefs.h, 960 CFE_ES_SystemState_Enum_t

TaskName, 535	CFE_EVS_AppNameCmd_t, 539
CFE_ES_UNDEFINED_RESET	CmdHeader, 540
cfe_es.h, 905	Payload, 540
CFE_ES_USE_MUTEX	CFE_EVS_AppNameEventIDCmd_Payload_t, 540
cfe_es.h, 905	AppName, 541
CFE_ES_USER_RESERVED_SIZE	EventID, 541
cpu1_platform_cfg.h, 751	CFE_EVS_AppNameEventIDCmd_t, 541
CFE_ES_VERSION_INF_EID	CmdHeader, 541
cfe_es_events.h, 953	Payload, 542
CFE_ES_VOLATILE_STARTUP_FILE	CFE_EVS_AppNameEventIDMaskCmd_Payload_t, 542
cpu1_platform_cfg.h, 751	AppName, 542
CFE_ES_WRHDR_ERR_EID	EventID, 543
cfe_es_events.h, 953	Mask, 543
CFE_ES_WRITE_CFE_HDR_ERR_EID	CFE_EVS_AppNameEventIDMaskCmd_t, 543
cfe_es_events.h, 954	CmdHeader, 544
CFE_ES_WRITE_ER_LOG_CC	Payload, 544
cfe_es_msg.h, 985	CFE_EVS_AppTlmData_t, 544
CFE_ES_WRITE_SYSLOG_CC	AppEnableStatus, 544
cfe_es_msg.h, 986	AppID, 545
CFE_ES_WaitForStartupSync	AppMessageSentCounter, 545
cFE Application Behavior APIs, 192	Padding, 545
CFE_ES_WaitForSystemState	CFE_EVS_BINARY_FILTER
cFE Application Behavior APIs, 193	cfe_evs.h, 992
CFE_ES_WriteERLog_t	CFE_EVS_BinFilter_t, 546
cfe_es_msg.h, 990	EventID, 546
CFE_ES_WriteSyslog_t	Mask, 546
cfe_es_msg.h, 990	CFE_EVS_BitMaskCmd_Payload_t, 547
CFE_ES_WriteToSysLog	BitMask, 547
cFE Miscellaneous APIs, 206	Spare, 547
CFE_EVENTS_SERVICE	CFE_EVS_BitMaskCmd_t, 548
cfe_error.h, 890	CmdHeader, 548
CFE_EVS_ADD_EVENT_FILTER_CC	Payload, 548
cfe_evs_msg.h, 1024	CFE_EVS_CLEAR_LOG_CC
CFE_EVS_ADDFILTER_EID	cfe_evs_msg.h, 1025
cfe_evs_events.h, 998	CFE_EVS_CMD_MID
CFE_EVS_APP_FILTER_OVERLOAD	cpu1_msgids.h, 725
	CFE EVS CMD MSG
cFE Return Code Defines, 154	
CFE_EVS_APP_ILLEGAL_APP_ID	sample_mission_cfg.h, 830
cFE Return Code Defines, 154	CFE_EVS_CRITICAL_BIT
CFE_EVS_APP_NOT_REGISTERED	cfe_evs_msg.h, 1026
cFE Return Code Defines, 154	CFE_EVS_CRITICAL
CFE_EVS_AddEventFilter_t	cfe_evs.h, 992
cfe_evs_msg.h, 1046	CFE_EVS_ClearLog_t
CFE_EVS_AppDataCmd_Payload_t, 536	cfe_evs_msg.h, 1047
AppDataFilename, 536	CFE_EVS_DEBUG_BIT
CFE_EVS_AppNameBitMaskCmd_Payload_t, 537	cfe_evs_msg.h, 1026
AppName, 537	CFE_EVS_DEBUG
BitMask, 537	cfe_evs.h, 992
Spare, 537	CFE_EVS_DEFAULT_APP_DATA_FILE
CFE_EVS_AppNameBitMaskCmd_t, 538	cpu1_platform_cfg.h, 751
CmdHeader, 538	CFE_EVS_DEFAULT_LOG_FILE
Payload, 538	cpu1_platform_cfg.h, 751
CFE_EVS_AppNameCmd_Payload_t, 539	CFE_EVS_DEFAULT_LOG_MODE
AppName, 539	cpu1 platform cfg.h, 751

CFE_EVS_DEFAULT_MSG_FORMAT_MODE	CFE_EVS_ERR_CRDATFILE_EID
cpu1_platform_cfg.h, 752	cfe_evs_events.h, 1003
CFE_EVS_DEFAULT_TYPE_FLAG	CFE_EVS_ERR_CRLOGFILE_EID
cpu1_platform_cfg.h, 752	cfe_evs_events.h, 1004
CFE_EVS_DELETE_EVENT_FILTER_CC	CFE_EVS_ERR_EVTIDNOREGS_EID
cfe_evs_msg.h, 1026	cfe_evs_events.h, 1004
CFE_EVS_DELFILTER_EID	CFE_EVS_ERR_ILLAPPIDRANGE_EID
cfe_evs_events.h, 998	cfe_evs_events.h, 1005
CFE_EVS_DISABLE_APP_EVENT_TYPE_CC	CFE_EVS_ERR_ILLEGALFMTMOD_EID
cfe_evs_msg.h, 1027	cfe_evs_events.h, 1005
CFE_EVS_DISABLE_APP_EVENTS_CC	CFE_EVS_ERR_INVALID_BITMASK_EID
cfe_evs_msg.h, 1028	cfe_evs_events.h, 1006
CFE_EVS_DISABLE_EVENT_TYPE_CC	CFE_EVS_ERR_LOGMODE_EID
cfe_evs_msg.h, 1029	cfe_evs_events.h, 1006
CFE_EVS_DISABLE_PORTS_CC	CFE_EVS_ERR_MAXREGSFILTER_EID
cfe_evs_msg.h, 1030	cfe_evs_events.h, 1007
CFE_EVS_DISAPPENTTYPE_EID	CFE_EVS_ERR_MSGID_EID
cfe_evs_events.h, 998	cfe_evs_events.h, 1007
CFE_EVS_DISAPPEVT_EID	CFE_EVS_ERR_NOAPPIDFOUND_EID
cfe_evs_events.h, 999	cfe_evs_events.h, 1008
CFE_EVS_DISEVTTYPE_EID	CFE_EVS_ERR_UNREGISTERED_EVS_APP
cfe_evs_events.h, 999	cfe_evs_events.h, 1008
CFE_EVS_DISPORT_EID	CFE_EVS_ERR_WRDATFILE_EID
cfe_evs_events.h, 1000	cfe_evs_events.h, 1009
CFE_EVS_DeleteEventFilter_t	CFE_EVS_ERR_WRLOGFILE_EID
cfe_evs_msg.h, 1047	cfe_evs_events.h, 1009
CFE_EVS_DisableAppEventType_t	CFE_EVS_ERROR_BIT
cfe_evs_msg.h, 1047	cfe_evs_msg.h, 1035
CFE_EVS_DisableAppEvents_t	CFE_EVS_ERROR
cfe_evs_msg.h, 1047	cfe_evs.h, 992
CFE_EVS_DisableEventType_t	CFE_EVS_EVENT_MSG_MID
cfe_evs_msg.h, 1047	cpu1_msgids.h, 725
CFE_EVS_DisablePorts_t	CFE_EVS_EVENT_MSG_MSG
cfe_evs_msg.h, 1047	sample_mission_cfg.h, 831
CFE_EVS_ENAAPPEVT_EID	CFE_EVS_EVERY_FOURTH_ONE
cfe_evs_events.h, 1000	cfe_evs.h, 992
CFE_EVS_ENAAPPEVTTYPE_EID	CFE_EVS_EVERY_OTHER_ONE
cfe_evs_events.h, 1001	cfe_evs.h, 992
CFE_EVS_ENABLE_APP_EVENT_TYPE_CC	CFE_EVS_EVERY_OTHER_TWO
cfe_evs_msg.h, 1031	cfe_evs.h, 993
CFE_EVS_ENABLE_APP_EVENTS_CC	CFE_EVS_EVT_FILTERED_EID
cfe_evs_msg.h, 1032	cfe_evs_events.h, 1010
CFE_EVS_ENABLE_EVENT_TYPE_CC	CFE_EVS_EVT_NOT_REGISTERED
cfe_evs_msg.h, 1033	cFE Return Code Defines, 154
CFE_EVS_ENABLE_PORTS_CC	CFE_EVS_EnableAppEventType_t
cfe_evs_msg.h, 1034	cfe_evs_msg.h, 1048
CFE_EVS_ENAEVTTYPE_EID	CFE_EVS_EnableAppEvents_t
cfe_evs_events.h, 1001	cfe_evs_msg.h, 1048
CFE_EVS_ENAPORT_EID	CFE_EVS_EnableEventType_t
cfe_evs_events.h, 1002	cfe_evs_msg.h, 1048
CFE_EVS_ERR_APPNOREGS_EID	CFE_EVS_EnablePorts_t
cfe_evs_events.h, 1002	cfe_evs_msg.h, 1048
CFE_EVS_ERR_CC_EID	CFE_EVS_EventFilter
cfe evs events.h, 1003	cfe evs extern typedefs.h, 1020

CFE_EVS_EventFilter_Enum_t	TlmHeader, 554
cfe_evs_extern_typedefs.h, 1019	CFE_EVS_INFORMATION_BIT
CFE EVS EventOutput	
cfe_evs_extern_typedefs.h, 1021	CFE_EVS_INFORMATION
CFE_EVS_EventOutput_Enum_t	cfe evs.h, 994
cfe_evs_extern_typedefs.h, 1019	CFE_EVS_INVALID_PARAMETER
CFE_EVS_EventType	cFE Return Code Defines, 155
cfe_evs_extern_typedefs.h, 1021	CFE_EVS_LEN_ERR_EID
CFE_EVS_EventType_Enum_t	cfe_evs_events.h, 1011
cfe_evs_extern_typedefs.h, 1020	CFE_EVS_LOG_DISCARD
CFE_EVS_FILE_WRITE_ERROR	cfe_evs_msg.h, 1036
cFE Return Code Defines, 155	CFE_EVS_LOG_MAX
CFE_EVS_FILTER_MAX_EID	cpu1_platform_cfg.h, 752
cfe_evs_events.h, 1010	CFE_EVS_LOG_OVERWRITE
CFE_EVS_FIRST_16_STOP	cfe_evs_msg.h, 1036
cfe_evs.h, 993	CFE_EVS_LOG_ON
CFE EVS FIRST 32 STOP	cpu1_platform_cfg.h, 752
cfe_evs.h, 993	CFE_EVS_LOGMODE_EID
CFE_EVS_FIRST_4_STOP	cfe evs events.h, 1011
cfe_evs.h, 993	CFE EVS LONG EVENT MSG MID
CFE_EVS_FIRST_64_STOP	cpu1_msgids.h, 726
cfe_evs.h, 993	CFE_EVS_LogFileCmd_Payload_t, 554
CFE EVS FIRST 8 STOP	LogFilename, 555
cfe_evs.h, 994	CFE_EVS_LogMode
CFE_EVS_FIRST_ONE_STOP	cfe_evs_extern_typedefs.h, 1021
cfe_evs.h, 994	CFE_EVS_LogMode_Enum_t
CFE_EVS_FIRST_TWO_STOP	cfe_evs_extern_typedefs.h, 1020
cfe_evs.h, 994	CFE_EVS_LongEventTIm_Payload_t, 555
CFE_EVS_FUNCTION_DISABLED	Message, 556
cFE Return Code Defines, 155	PacketID, 556
CFE_EVS_HK_TLM_LNGTH	Spare1, 556
cfe_evs_msg.h, 1036	Spare2, 556
CFE_EVS_HK_TLM_MID	CFE_EVS_LongEventTlm_t, 557
cpu1_msgids.h, 725	Payload, 557
CFE_EVS_HK_TLM_MSG	TlmHeader, 557
sample_mission_cfg.h, 831	CFE_EVS_MAX_EID
CFE_EVS_HousekeepingTlm_Payload_t, 548	cfe_evs_events.h, 1012
AppData, 549	CFE_EVS_MAX_EVENT_FILTERS
CommandCounter, 550	cpu1_platform_cfg.h, 752
CommandErrorCounter, 550	CFE EVS MAX MESSAGE LENGTH
LogEnabled, 550	sample mission cfg.h, 831
LogFullFlag, 550	CFE_EVS_MsgFormat
LogMode, 551	cfe_evs_extern_typedefs.h, 1022
LogOverflowCounter, 551	CFE EVS MsgFormat Enum t
MessageFormatMode, 551	cfe_evs_extern_typedefs.h, 1020
MessageSendCounter, 551	CFE_EVS_NO_FILTER
MessageTruncCounter, 552	cfe_evs.h, 994
OutputPort, 552	CFE_EVS_NO_LOGCLR_EID
Spare1, 552	cfe_evs_events.h, 1012
Spare2, 552	CFE_EVS_NO_LOGSET_EID
Spare3, 553	cfe_evs_events.h, 1012
UnregisteredAppCounter, 553	CFE_EVS_NO_LOGWR_EID
CFE_EVS_HousekeepingTlm_t, 553	cfe_evs_events.h, 1013
Payload, 554	CFE_EVS_NOOP_CC
•	

cfe_evs_msg.h, 1036	cFE Registration APIs, 228
CFE_EVS_NOOP_EID	CFE EVS ResetAllFilters
cfe_evs_events.h, 1013	cFE Reset Event Filter APIs, 236
CFE_EVS_NOT_IMPLEMENTED	CFE_EVS_ResetAllFilters_t
cFE Return Code Defines, 155	cfe_evs_msg.h, 1049
CFE_EVS_NoArgsCmd_t, 557	CFE_EVS_ResetAppCounter_t
-	
CmdHeader, 558	cfe_evs_msg.h, 1049
CFE_EVS_Noop_t	CFE_EVS_ResetCounters_t
cfe_evs_msg.h, 1048	cfe_evs_msg.h, 1049
CFE_EVS_PORT1	CFE_EVS_ResetFilter
cfe_evs.h, 995	cFE Reset Event Filter APIs, 236
CFE_EVS_PORT1_BIT	CFE_EVS_ResetFilter_t
cfe_evs_msg.h, 1037	cfe_evs_msg.h, 1049
CFE_EVS_PORT2	CFE_EVS_SEND_HK_MID
cfe_evs.h, 995	cpu1_msgids.h, 726
CFE_EVS_PORT2_BIT	CFE_EVS_SEND_HK_MSG
cfe_evs_msg.h, 1037	sample_mission_cfg.h, 831
CFE_EVS_PORT3	CFE_EVS_SET_EVENT_FORMAT_MODE_CC
cfe_evs.h, 995	cfe_evs_msg.h, 1041
CFE_EVS_PORT3_BIT	CFE_EVS_SET_FILTER_CC
cfe_evs_msg.h, 1038	cfe_evs_msg.h, 1042
CFE_EVS_PORT4	CFE_EVS_SET_LOG_MODE_CC
cfe_evs.h, 995	cfe_evs_msg.h, 1043
CFE_EVS_PORT4_BIT	CFE_EVS_SETEVTFMTMOD_EID
cfe_evs_msg.h, 1038	cfe_evs_events.h, 1016
CFE_EVS_PORT_DEFAULT	CFE_EVS_SETFILTERMSK_EID
cpu1_platform_cfg.h, 752	cfe_evs_events.h, 1016
CFE_EVS_Packet_t	CFE_EVS_SHORT_EVENT_MSG_MID
cfe_evs_msg.h, 1048	cpu1_msgids.h, 726
CFE_EVS_PacketID_t, 558	CFE_EVS_START_TASK_PRIORITY
AppName, 559	cpu1_platform_cfg.h, 753
EventID, 559	CFE_EVS_START_TASK_STACK_SIZE
EventType, 559	cpu1_platform_cfg.h, 753
ProcessorID, 559	CFE_EVS_STARTUP_EID
SpacecraftID, 559	cfe_evs_events.h, 1017
CFE_EVS_RESET_ALL_FILTERS_CC	CFE_EVS_SendEvent
cfe_evs_msg.h, 1038	cFE Send Event APIs, 231
CFE_EVS_RESET_APP_COUNTER_CC	CFE_EVS_SendEventWithAppID
cfe_evs_msg.h, 1039	cFE Send Event APIs, 232
CFE_EVS_RESET_AREA_POINTER	CFE_EVS_SendTimedEvent
cFE Return Code Defines, 156	cFE Send Event APIs, 233
CFE_EVS_RESET_COUNTERS_CC	CFE_EVS_SetEventFormatMode_Payload_t, 560
cfe_evs_msg.h, 1040	MsgFormat, 560
CFE_EVS_RESET_FILTER_CC	Spare, 561
cfe_evs_msg.h, 1040	CFE_EVS_SetEventFormatMode_t, 561
CFE_EVS_RSTALLFILTER_EID	CmdHeader, 561
cfe_evs_events.h, 1014	Payload, 561
CFE_EVS_RSTCNT_EID	CFE_EVS_SetFilter_t
cfe_evs_events.h, 1014	cfe_evs_msg.h, 1049
CFE_EVS_RSTEVTCNT_EID	CFE_EVS_SetLogMode_Payload_t, 562
cfe_evs_events.h, 1015	LogMode, 562
CFE_EVS_RSTFILTER_EID	Spare, 562
cfe_evs_events.h, 1015	CFE_EVS_SetLogMode_t, 563
CFE_EVS_Register	CmdHeader, 563

Payload, 563	CFE_FS_FILE_CONTENT_ID
CFE_EVS_ShortEventTlm_Payload_t, 564	cfe_fs_extern_typedefs.h, 1054
PacketID, 564	CFE_FS_FNAME_TOO_LONG
CFE_EVS_ShortEventTIm_t, 564	cFE Return Code Defines, 156
Payload, 565	CFE_FS_GZIP_BAD_CODE_BLOCK
TImHeader, 565	cFE Return Code Defines, 157
CFE_EVS_TImPkt_t	CFE_FS_GZIP_BAD_DATA
cfe_evs_msg.h, 1049	cFE Return Code Defines, 157
CFE_EVS_UNKNOWN_FILTER	CFE_FS_GZIP_CRC_ERROR
cFE Return Code Defines, 156	cFE Return Code Defines, 157
CFE_EVS_Unregister	CFE_FS_GZIP_INDEX_ERROR
cFE Registration APIs, 229	cFE Return Code Defines, 157
CFE_EVS_WRDAT_EID	CFE_FS_GZIP_LENGTH_ERROR
cfe_evs_events.h, 1017	cFE Return Code Defines, 158
CFE_EVS_WRITE_APP_DATA_FILE_CC	CFE_FS_GZIP_NO_MEMORY
cfe_evs_msg.h, 1044	cFE Return Code Defines, 158
CFE EVS WRITE LOG DATA FILE CC	CFE FS GZIP NON ZIP FILE
cfe evs msg.h, 1045	cFE Return Code Defines, 158
CFE_EVS_WRLOG_EID	CFE_FS_GZIP_OPEN_INPUT
cfe evs events.h, 1018	cFE Return Code Defines, 158
CFE_EVS_WriteAppDataFile_t, 565	CFE_FS_GZIP_OPEN_OUTPUT
CmdHeader, 565	cFE Return Code Defines, 159
Payload, 565	CFE_FS_GZIP_READ_ERROR_HEADER
CFE_EVS_WriteLogDataFile_t, 566	cFE Return Code Defines, 159
CmdHeader, 566	CFE_FS_GZIP_READ_ERROR
Payload, 566	cFE Return Code Defines, 159
CFE_EXECUTIVE_SERVICE	CFE_FS_GZIP_WRITE_ERROR
cfe_error.h, 890	cFE Return Code Defines, 159
CFE_FILE_SERVICE	CFE_FS_GetUncompressedFile
cfe_error.h, 890	cFE Compressed File Management APIs, 243
CFE_FS_BAD_ARGUMENT	CFE_FS_HDR_DESC_MAX_LEN
cFE Return Code Defines, 156	cfe_fs_extern_typedefs.h, 1054
CFE_FS_Decompress	CFE_FS_Header_t, 567
cFE Compressed File Management APIs, 242	ApplicationID, 567
CFE_FS_ES_CDS_REG_SUBTYPE	ContentType, 567
cfe_fs.h, 1051	Description, 568
CFE_FS_ES_ERLOG_SUBTYPE	Length, 568
cfe_fs.h, 1051	ProcessorID, 568
CFE_FS_ES_PERFDATA_SUBTYPE	SpacecraftID, 568
cfe_fs.h, 1051	SubType, 568
CFE_FS_ES_QUERYALL_SUBTYPE	TimeSeconds, 569
cfe_fs.h, 1051	TimeSubSeconds, 569
CFE_FS_ES_QUERYALLTASKS_SUBTYPE	CFE_FS_INVALID_PATH
cfe fs.h, 1051	cFE Return Code Defines, 160
CFE_FS_ES_SHELL_SUBTYPE	CFE_FS_InitHeader
cfe_fs.h, 1051	cFE File Header Management APIs, 238
	CFE_FS_IsGzFile
CFE_FS_ES_SYSLOG_SUBTYPE	
cfe_fs.h, 1051	cFE Compressed File Management APIs, 243
CFE_FS_EVS_APPDATA_SUBTYPE	CFE_FS_NOT_IMPLEMENTED
cfe_fs.h, 1052	cFE Return Code Defines, 160
CFE_FS_EVS_EVENTLOG_SUBTYPE	CFE_FS_ReadHeader
cfe_fs.h, 1052	cFE File Header Management APIs, 238
CFE_FS_ExtractFilenameFromPath	CFE_FS_SB_MAPDATA_SUBTYPE
cFE File Utility APIs, 245	cfe fs.h, 1052

CFE_FS_SB_PIPEDATA_SUBTYPE	CFE_MISSION_ES_MAX_SHELL_CMD
cfe_fs.h, 1052	sample_mission_cfg.h, 835
CFE_FS_SB_ROUTEDATA_SUBTYPE	CFE_MISSION_ES_MAX_SHELL_PKT
cfe_fs.h, 1052	sample_mission_cfg.h, 836
CFE_FS_SetTimestamp	CFE_MISSION_ES_MEMSTATS_TLM_MSG
cFE File Header Management APIs, 239	sample_mission_cfg.h, 836
CFE_FS_SubType	CFE_MISSION_ES_PERF_EXIT_BIT
cfe_fs_extern_typedefs.h, 1054	sample_perfids.h, 862
CFE_FS_SubType_Enum_t	CFE_MISSION_ES_PERF_MAX_IDS
cfe_fs_extern_typedefs.h, 1054	sample_mission_cfg.h, 837
CFE_FS_TBL_IMG_SUBTYPE	CFE_MISSION_ES_SEND_HK_MSG
cfe_fs.h, 1052	sample_mission_cfg.h, 837
CFE_FS_TBL_REG_SUBTYPE	CFE_MISSION_ES_SHELL_TLM_MSG
cfe_fs.h, 1053	sample_mission_cfg.h, 837
CFE_FS_WriteHeader	CFE_MISSION_EVS_CMD_MSG
cFE File Header Management APIs, 240	sample_mission_cfg.h, 837
CFE_GENERIC_SERVICE	CFE_MISSION_EVS_HK_TLM_MSG
cfe_error.h, 890	sample_mission_cfg.h, 838
CFE_MAJOR_VERSION	CFE_MISSION_EVS_LONG_EVENT_MSG_MSG
cfe_version.h, 1228	sample_mission_cfg.h, 838
CFE_MAKE_BIG16	CFE_MISSION_EVS_MAIN_PERF_ID
ccsds.h, 880	sample_perfids.h, 863
CFE_MAKE_BIG32	CFE_MISSION_EVS_MAX_MESSAGE_LENGTH
ccsds.h, 880	sample_mission_cfg.h, 838
CFE_MINOR_VERSION	CFE_MISSION_EVS_SEND_HK_MSG
cfe_version.h, 1228	sample_mission_cfg.h, 838
CFE_MISSION_CMD_APPID_BASE1	CFE_MISSION_EVS_SHORT_EVENT_MSG_MSG
sample_mission_cfg.h, 831	sample_mission_cfg.h, 839
CFE_MISSION_CMD_MID_BASE1	CFE_MISSION_MAX_API_LEN
sample_mission_cfg.h, 831	sample_mission_cfg.h, 839
CFE_MISSION_CMD_MID_BASE_GLOB	CFE_MISSION_MAX_FILE_LEN
sample_mission_cfg.h, 832	sample_mission_cfg.h, 839
CFE_MISSION_ES_APP_TLM_MSG	CFE_MISSION_MAX_PATH_LEN
sample_mission_cfg.h, 832	sample_mission_cfg.h, 840
CFE_MISSION_ES_CDS_MAX_NAME_LENGTH	CFE_MISSION_REV
sample_mission_cfg.h, 833	cpu1_platform_cfg.h, 753
CFE_MISSION_ES_CDS_MAX_NAME_LEN	CFE_MISSION_SB_ALLSUBS_TLM_MSG
sample_mission_cfg.h, 832	sample_mission_cfg.h, 840
CFE_MISSION_ES_CMD_MSG	CFE_MISSION_SB_CMD_MSG
sample_mission_cfg.h, 833	sample_mission_cfg.h, 841
CFE_MISSION_ES_CRC_16	CFE_MISSION_SB_HK_TLM_MSG
sample_mission_cfg.h, 834	sample_mission_cfg.h, 841
CFE_MISSION_ES_CRC_32	CFE_MISSION_SB_MAIN_PERF_ID
sample_mission_cfg.h, 834	sample_perfids.h, 863
CFE_MISSION_ES_CRC_8	CFE_MISSION_SB_MAX_PIPES
sample_mission_cfg.h, 834	sample_mission_cfg.h, 841
CFE_MISSION_ES_DEFAULT_CRC	CFE_MISSION_SB_MAX_SB_MSG_SIZE
sample_mission_cfg.h, 834	sample_mission_cfg.h, 841
CFE_MISSION_ES_HK_TLM_MSG	CFE_MISSION_SB_MSG_LIM_PERF_ID
sample_mission_cfg.h, 834	sample_perfids.h, 863
CFE_MISSION_ES_MAIN_PERF_ID	CFE_MISSION_SB_ONESUB_TLM_MSG
sample_perfids.h, 862	sample_mission_cfg.h, 842
CFE_MISSION_ES_MAX_APPLICATIONS	CFE_MISSION_SB_PACKET_TIME_FORMAT
sample mission cfg.h, 835	sample mission cfg.h, 842

CFE_MISSION_SB_PIPE_OFLOW_PERF_ID CFE_MISSION_TIME_DEF_STCF_SECS sample perfids.h, 863 sample mission cfa.h. 849 CFE MISSION SB SEND HK MSG CFE MISSION TIME DEF STCF SUBS sample mission cfg.h, 842 sample mission cfg.h, 849 CFE_MISSION_SB_STATS_TLM_MSG CFE_MISSION_TIME_DIAG_TLM_MSG sample mission cfg.h, 843 sample mission cfg.h, 849 CFE MISSION SB TIME 32 16 SUBS CFE MISSION TIME EPOCH DAY sample mission cfg.h, 849 sample mission cfg.h, 843 CFE MISSION SB TIME 32 32 M 20 CFE MISSION TIME EPOCH HOUR sample mission cfg.h, 843 sample mission cfg.h, 849 CFE_MISSION_SB_TIME_32_32_SUBS CFE_MISSION_TIME_EPOCH_MINUTE sample mission cfg.h, 849 sample mission cfg.h, 843 CFE MISSION SPACECRAFT ID CFE MISSION TIME EPOCH SECOND sample mission cfg.h, 850 sample mission cfg.h, 843 CFE MISSION TBL CMD MSG CFE MISSION TIME EPOCH YEAR sample mission cfg.h, 850 sample mission cfg.h, 844 CFE MISSION TBL HK TLM MSG CFE MISSION TIME FS FACTOR sample mission cfg.h, 844 sample mission cfg.h, 850 CFE MISSION TBL MAIN PERF ID CFE MISSION TIME HK TLM MSG sample_perfids.h, 863 sample_mission_cfg.h, 851 CFE MISSION TBL MAX FULL NAME LEN CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID sample mission cfg.h, 844 sample perfids.h, 864 CFE MISSION TBL MAX NAME LENGTH CFE MISSION TIME LOCAL1HZTASK PERF ID sample mission cfg.h, 844 sample perfids.h, 864 CFE_MISSION_TBL_REG_TLM_MSG CFE_MISSION_TIME_MAIN_PERF_ID sample mission cfg.h, 845 sample perfids.h, 864 CFE MISSION TBL SEND HK MSG CFE MISSION TIME MAX ELAPSED sample mission cfg.h, 845 sample mission cfg.h, 851 CFE MISSION TIME 1HZ CMD MSG CFE MISSION TIME MIN ELAPSED sample mission cfg.h, 845 sample mission cfg.h, 851 CFE_MISSION_TIME_AT_TONE_WAS CFE_MISSION_TIME_SEND_CMD_MSG sample mission cfg.h, 845 sample mission cfg.h, 852 CFE MISSION TIME AT TONE WILL BE CFE MISSION TIME SEND HK MSG sample mission cfg.h, 846 sample mission cfg.h, 852 CFE MISSION TIME CFG DEFAULT TAI CFE MISSION TIME SENDMET PERF ID sample mission cfg.h, 846 sample perfids.h, 864 CFE_MISSION_TIME_TONE1HZISR_PERF_ID CFE MISSION TIME CFG DEFAULT UTC sample mission cfg.h, 846 sample perfids.h, 864 CFE_MISSION_TIME_CFG_FAKE_TONE CFE_MISSION_TIME_TONE1HZTASK_PERF_ID sample mission cfg.h, 847 sample perfids.h, 865 CFE_MISSION_TIME_CMD_MSG CFE_MISSION_TIME_TONE_CMD_MSG sample mission cfg.h, 847 sample_mission_cfg.h, 852 CFE MISSION TIME DATA CMD MSG CFE MISSION TLM APPID BASE1 sample mission cfg.h, 847 sample mission cfg.h, 852 CFE MISSION TIME DEF DELAY SECS CFE MISSION TLM MID BASE1 sample_mission_cfg.h, 847 sample_mission_cfg.h, 853 CFE MISSION TIME DEF DELAY SUBS CFE MISSION TLM MID BASE GLOB sample mission cfg.h, 848 sample mission cfg.h, 853 CFE MISSION TIME DEF LEAPS CFE OS ERR INVALID ID sample mission cfg.h, 848 cFE Return Code Defines, 160 CFE_MISSION_TIME_DEF_MET_SECS CFE_OS_ERR_INVALID_PRIORITY sample mission cfg.h, 848 cFE Return Code Defines, 160 CFE MISSION TIME DEF MET SUBS CFE OS ERR NAME NOT FOUND sample mission cfg.h, 848 cFE Return Code Defines, 161

CFE_OS_ERR_NAME_TAKEN	CFE_PLATFORM_ES_APP_SCAN_RATE
cFE Return Code Defines, 161	cpu1_platform_cfg.h, 755
CFE OS ERR NAME TOO LONG	CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE
cFE Return Code Defines, 161	cpu1_platform_cfg.h, 756
CFE_OS_ERR_NO_FREE_IDS	CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES
cFE Return Code Defines, 161	cpu1_platform_cfg.h, 756
CFE_OS_ERR_SEM_NOT_FULL	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01
cFE Return Code Defines, 162	cpu1_platform_cfg.h, 756
CFE_OS_ERROR_ADDRESS_MISALIGNED	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02
cFE Return Code Defines, 162	cpu1_platform_cfg.h, 757
CFE_OS_ERROR_TIMEOUT	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_03
cFE Return Code Defines, 162	cpu1_platform_cfg.h, 757
CFE_OS_ERROR	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04
cFE Return Code Defines, 162	cpu1_platform_cfg.h, 757
CFE_OS_FS_ERR_DRIVE_NOT_CREATED	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_05
cFE Return Code Defines, 163	cpu1_platform_cfg.h, 757
CFE OS FS ERR INVALID POINTER	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_06
cFE Return Code Defines, 163	cpu1_platform_cfg.h, 757
CFE_OS_FS_ERR_NAME_TOO_LONG	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_07
cFE Return Code Defines, 163	cpu1 platform cfg.h, 758
CFE_OS_FS_ERR_PATH_TOO_LONG	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_08
cFE Return Code Defines, 163	cpu1 platform cfg.h, 758
CFE_OS_FS_ERROR	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_09
cFE Return Code Defines, 164	cpu1_platform_cfg.h, 758
CFE_OS_INVALID_INT_NUM	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_10
cFE Return Code Defines, 164	cpu1_platform_cfg.h, 758
CFE_OS_INVALID_POINTER	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_11
cFE Return Code Defines, 164	cpu1_platform_cfg.h, 758
CFE_OS_QUEUE_EMPTY	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_12
cFE Return Code Defines, 164	cpu1_platform_cfg.h, 758
CFE_OS_QUEUE_FULL	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_13
cFE Return Code Defines, 165	cpu1_platform_cfg.h, 759
CFE_OS_QUEUE_ID_ERROR	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_14
cFE Return Code Defines, 165	cpu1_platform_cfg.h, 759
CFE_OS_QUEUE_INVALID_SIZE	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_15
cFE Return Code Defines, 165	cpu1_platform_cfg.h, 759
CFE_OS_QUEUE_TIMEOUT	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_16
cFE Return Code Defines, 165	cpu1_platform_cfg.h, 759
CFE_OS_SEM_FAILURE	CFE_PLATFORM_ES_CDS_SIZE
cFE Return Code Defines, 166	cpu1_platform_cfg.h, 759
CFE_OS_SEM_TIMEOUT	CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE
cFE Return Code Defines, 166	cpu1_platform_cfg.h, 759
CFE_OSAPI_NOT_IMPLEMENTED	CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_
cFE Return Code Defines, 166	FILE
CFE_PLATFORM_CORE_MAX_STARTUP_MSEC	cpu1_platform_cfg.h, 760
cpu1_platform_cfg.h, 753	CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE
CFE_PLATFORM_CPU_ID	cpu1_platform_cfg.h, 760
cpu1_platform_cfg.h, 754	CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_FILE ↔
CFE_PLATFORM_CPU_NAME	NAME
cpu1_platform_cfg.h, 754	cpu1_platform_cfg.h, 760
CFE_PLATFORM_ENDIAN	CFE_PLATFORM_ES_DEFAULT_POR_SYSLOG_MO
cpu1_platform_cfg.h, 754	DE anul platform etc.b. 761
CFE_PLATFORM_ES_APP_KILL_TIMEOUT	cpu1_platform_cfg.h, 761
cpu1_platform_cfg.h, 755	CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_MODE

cpu1_platform_cfg.h, 761 cpu1_platform_cfg.h, 770 CFE PLATFORM ES DEFAULT SHELL FILENAME CFE PLATFORM ES MEM BLOCK SIZE 14 cpu1 platform cfg.h, 762 cpu1 platform cfg.h, 770 CFE PLATFORM_ES_MEM_BLOCK_SIZE_15 CFE_PLATFORM_ES_DEFAULT_STACK_SIZE cpu1_platform_cfg.h, 762 cpu1_platform_cfg.h, 770 CFE PLATFORM ES DEFAULT SYSLOG FILE CFE PLATFORM ES MEM BLOCK SIZE 16 cpu1 platform cfg.h, 763 cpu1 platform cfg.h, 771 CFE_PLATFORM_ES_DEFAULT_TASK_LOG_FILE CFE PLATFORM ES MEMPOOL ALIGN SIZE MIN cpu1 platform cfg.h, 763 cpu1 platform cfg.h, 771 CFE_PLATFORM_ES_ER_LOG_ENTRIES CFE_PLATFORM_ES_NONVOL_STARTUP_FILE cpu1_platform_cfg.h, 764 cpu1_platform_cfg.h, 771 CFE PLATFORM ES ER LOG MAX CONTEXT SIZE CFE PLATFORM ES OBJECT TABLE SIZE cpu1 platform cfg.h, 764 cpu1 platform cfg.h, 771 CFE PLATFORM ES EXCEPTION FUNCTION CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY cpu1 platform cfg.h, 764 cpu1 platform cfg.h, 772 CFE_PLATFORM_ES_MAX_APPLICATIONS CFE_PLATFORM_ES_PERF_CHILD_PRIORITY cpu1 platform cfg.h, 765 cpu1 platform cfg.h, 772 CFE PLATFORM ES MAX BLOCK SIZE CFE PLATFORM ES PERF CHILD STACK SIZE cpu1 platform cfg.h, 766 cpu1 platform cfg.h, 772 CFE_PLATFORM_ES_MAX_GEN_COUNTERS CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE cpu1 platform cfg.h, 766 cpu1 platform cfg.h, 773 CFE PLATFORM ES MAX LIBRARIES CFE PLATFORM ES PERF ENTRIES BTWN DLYS cpu1 platform cfg.h, 773 cpu1 platform cfg.h, 766 CFE PLATFORM ES MAX PROCESSOR RESETS CFE PLATFORM ES PERF FILTMASK ALL cpu1_platform_cfg.h, 767 cpu1_platform_cfg.h, 773 CFE PLATFORM ES MAX SHELL CMD CFE PLATFORM ES PERF FILTMASK INIT cpu1 platform cfg.h, 767 cpu1 platform cfg.h, 774 CFE PLATFORM ES MAX SHELL PKT CFE PLATFORM ES PERF FILTMASK NONE cpu1 platform cfg.h, 767 cpu1 platform cfg.h, 774 CFE_PLATFORM_ES_PERF_MAX_IDS CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 cpu1_platform_cfg.h, 768 cpu1_platform_cfg.h, 774 CFE PLATFORM ES MEM BLOCK SIZE 02 CFE PLATFORM ES PERF TRIGMASK ALL cpu1 platform cfg.h, 768 cpu1 platform cfg.h, 775 CFE PLATFORM ES MEM BLOCK SIZE 03 CFE PLATFORM ES PERF TRIGMASK INIT cpu1 platform cfg.h, 768 cpu1 platform cfg.h, 775 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_04 CFE_PLATFORM_ES_PERF_TRIGMASK_NONE cpu1 platform cfg.h, 769 cpu1 platform cfg.h, 775 CFE PLATFORM ES MEM BLOCK SIZE 05 CFE PLATFORM ES RAM DISK MOUNT STRING cpu1_platform_cfg.h, 769 cpu1_platform_cfg.h, 776 CFE PLATFORM ES MEM BLOCK SIZE 06 CFE PLATFORM ES RAM DISK NUM SECTORS cpu1_platform_cfg.h, 769 cpu1_platform_cfg.h, 776 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07 CFE PLATFORM ES RAM DISK PERCENT RESE← cpu1 platform cfg.h, 769 **RVED** CFE PLATFORM ES MEM BLOCK SIZE 08 cpu1 platform cfg.h, 776 CFE PLATFORM ES RAM DISK SECTOR SIZE cpu1 platform cfg.h, 769 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_09 cpu1_platform_cfg.h, 777 cpu1 platform cfg.h, 769 CFE PLATFORM ES RESET AREA SIZE CFE PLATFORM ES MEM BLOCK SIZE 10 cpu1 platform cfg.h, 777 CFE PLATFORM_ES_SHELL_OS_DELAY_MILLISEC cpu1 platform cfg.h, 770 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_11 cpu1_platform_cfg.h, 778 CFE_PLATFORM_ES_START_TASK_PRIORITY cpu1_platform_cfg.h, 770 CFE PLATFORM ES MEM BLOCK SIZE 12 cpu1 platform cfg.h, 778 CFE_PLATFORM_ES_START_TASK_STACK_SIZE cpu1 platform cfg.h, 770 CFE PLATFORM ES MEM BLOCK SIZE 13 cpu1 platform cfg.h, 779

CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT← cpu1_platform_cfg.h, 788 MSEC CFE PLATFORM SB FILTER MASK5 cpu1 platform cfg.h, 779 cpu1 platform cfg.h, 788 CFE PLATFORM_SB_FILTER_MASK6 CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC cpu1_platform_cfg.h, 779 cpu1_platform_cfg.h, 788 CFE_PLATFORM_ES_SYSTEM_LOG_SIZE CFE PLATFORM SB FILTER MASK7 cpu1 platform cfg.h, 780 cpu1 platform cfg.h, 788 CFE PLATFORM ES USER RESERVED SIZE CFE PLATFORM SB FILTER MASK8 cpu1 platform cfg.h, 780 cpu1 platform cfg.h, 789 CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE CFE PLATFORM SB FILTERED EVENT1 cpu1_platform_cfg.h, 781 cpu1_platform_cfg.h, 789 CFE PLATFORM EVS DEFAULT APP DATA FILE CFE PLATFORM SB FILTERED EVENT2 cpu1 platform cfg.h, 781 cpu1 platform cfg.h, 789 CFE_PLATFORM_EVS_DEFAULT_LOG_FILE CFE PLATFORM SB FILTERED EVENT3 cpu1 platform cfg.h, 782 cpu1 platform cfg.h, 789 CFE_PLATFORM_EVS_DEFAULT_LOG_MODE CFE_PLATFORM_SB_FILTERED_EVENT4 cpu1 platform cfg.h, 789 cpu1 platform cfg.h, 782 CFE PLATFORM EVS DEFAULT MSG FORMAT ← CFE PLATFORM SB FILTERED EVENT5 MODE cpu1 platform cfg.h, 790 cpu1_platform_cfg.h, 782 CFE_PLATFORM_SB_FILTERED_EVENT6 CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG cpu1 platform cfg.h, 790 CFE PLATFORM SB FILTERED EVENT7 cpu1 platform cfg.h, 783 CFE PLATFORM EVS LOG MAX cpu1 platform cfg.h, 790 cpu1_platform_cfg.h, 783 CFE PLATFORM SB FILTERED EVENT8 CFE_PLATFORM_EVS_LOG_ON cpu1_platform_cfg.h, 790 cpu1 platform cfg.h, 783 CFE PLATFORM SB HIGHEST VALID MSGID CFE PLATFORM EVS MAX EVENT FILTERS cpu1 platform cfg.h, 790 cpu1 platform cfg.h, 784 CFE PLATFORM SB MAX BLOCK SIZE CFE PLATFORM EVS PORT DEFAULT cpu1 platform cfg.h, 791 cpu1_platform_cfg.h, 784 CFE_PLATFORM_SB_MAX_DEST_PER_PKT CFE_PLATFORM_EVS_START_TASK_PRIORITY cpu1_platform_cfg.h, 791 cpu1 platform cfg.h, 784 CFE PLATFORM SB MAX MSG IDS CFE PLATFORM EVS START TASK STACK SIZE cpu1 platform cfg.h, 791 CFE PLATFORM SB MAX PIPE DEPTH cpu1 platform cfg.h, 785 CFE PLATFORM SB BUF MEMORY BYTES cpu1 platform cfg.h, 792 CFE_PLATFORM_SB_MAX_PIPES cpu1 platform cfg.h, 785 CFE PLATFORM SB DEFAULT MAP FILENAME cpu1 platform cfg.h, 792 cpu1 platform cfg.h, 785 CFE PLATFORM SB MEM BLOCK SIZE 01 CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT cpu1_platform_cfg.h, 793 cpu1 platform cfg.h, 786 CFE PLATFORM SB MEM BLOCK SIZE 02 CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME cpu1_platform_cfg.h, 793 cpu1 platform cfg.h, 786 CFE PLATFORM SB DEFAULT REPORT SENDER cpu1 platform cfg.h, 787 CFE PLATFORM SB DEFAULT ROUTING FILENA← ME cpu1 platform cfg.h, 787 CFE PLATFORM SB FILTER MASK1 cpu1 platform cfg.h, 787 CFE_PLATFORM_SB_FILTER_MASK2 cpu1_platform_cfg.h, 788 CFE PLATFORM SB FILTER MASK3 cpu1 platform cfg.h, 788 CFE PLATFORM SB FILTER MASK4

cpu1_platform_cfg.h, 794	cpu1_platform_cfg.h, 802
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10	CFE_PLATFORM_TBL_VALID_SCID_2
cpu1_platform_cfg.h, 795	cpu1_platform_cfg.h, 802
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11	CFE_PLATFORM_TBL_VALID_SCID_COUNT
cpu1_platform_cfg.h, 795	cpu1_platform_cfg.h, 803
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12	CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY
cpu1_platform_cfg.h, 795	cpu1_platform_cfg.h, 803
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13	CFE_PLATFORM_TIME_1HZ_TASK_STACK_SIZE
cpu1_platform_cfg.h, 795	cpu1_platform_cfg.h, 803
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14	CFE_PLATFORM_TIME_CFG_CLIENT
cpu1_platform_cfg.h, 795	cpu1_platform_cfg.h, 803
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15	CFE_PLATFORM_TIME_CFG_LATCH_FLY
cpu1_platform_cfg.h, 795	cpu1_platform_cfg.h, 803
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16	CFE_PLATFORM_TIME_CFG_SERVER
cpu1_platform_cfg.h, 796	cpu1_platform_cfg.h, 804
CFE_PLATFORM_SB_START_TASK_PRIORITY	CFE_PLATFORM_TIME_CFG_SIGNAL
cpu1_platform_cfg.h, 796	cpu1_platform_cfg.h, 804
CFE_PLATFORM_SB_START_TASK_STACK_SIZE	CFE_PLATFORM_TIME_CFG_SOURCE
cpu1_platform_cfg.h, 796	cpu1_platform_cfg.h, 804
CFE_PLATFORM_TBL_BUF_MEMORY_BYTES	CFE_PLATFORM_TIME_CFG_SRC_GPS
cpu1_platform_cfg.h, 796	cpu1_platform_cfg.h, 805
CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE cpu1_platform_cfg.h, 797	CFE_PLATFORM_TIME_CFG_SRC_MET
CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES	cpu1_platform_cfg.h, 805 CFE_PLATFORM_TIME_CFG_SRC_TIME
cpu1_platform_cfg.h, 797	cpu1_platform_cfg.h, 805
CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE	CFE_PLATFORM_TIME_CFG_START_FLY
cpu1_platform_cfg.h, 797	cpu1_platform_cfg.h, 806
CFE_PLATFORM_TBL_MAX_NUM_HANDLES	CFE_PLATFORM_TIME_CFG_TONE_LIMIT
cpu1_platform_cfg.h, 798	cpu1_platform_cfg.h, 806
CFE_PLATFORM_TBL_MAX_NUM_TABLES	CFE_PLATFORM_TIME_CFG_VIRTUAL
cpu1_platform_cfg.h, 798	cpu1_platform_cfg.h, 806
CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS	CFE_PLATFORM_TIME_MAX_DELTA_SECS
cpu1_platform_cfg.h, 798	cpu1_platform_cfg.h, 807
CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS	CFE_PLATFORM_TIME_MAX_DELTA_SUBS
cpu1_platform_cfg.h, 799	cpu1_platform_cfg.h, 807
CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE	CFE_PLATFORM_TIME_MAX_LOCAL_SECS
cpu1_platform_cfg.h, 799	cpu1_platform_cfg.h, 808
CFE PLATFORM TBL START TASK PRIORITY	CFE_PLATFORM_TIME_MAX_LOCAL_SUBS
cpu1_platform_cfg.h, 800	cpu1_platform_cfg.h, 808
CFE_PLATFORM_TBL_START_TASK_STACK_SIZE	CFE_PLATFORM_TIME_START_TASK_PRIORITY
cpu1_platform_cfg.h, 800	cpu1_platform_cfg.h, 808
CFE_PLATFORM_TBL_U32FROM4CHARS	CFE_PLATFORM_TIME_START_TASK_STACK_SIZE
cpu1_platform_cfg.h, 800	cpu1_platform_cfg.h, 808
CFE_PLATFORM_TBL_VALID_PRID_1	CFE_PLATFORM_TIME_TONE_TASK_PRIORITY
cpu1_platform_cfg.h, 801	cpu1_platform_cfg.h, 809
CFE_PLATFORM_TBL_VALID_PRID_2	CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE
cpu1_platform_cfg.h, 801	cpu1_platform_cfg.h, 809
CFE_PLATFORM_TBL_VALID_PRID_3	CFE_PSP_1HZ_FUNCTION
cpu1_platform_cfg.h, 801	cfe_psp_start.c, 1301
CFE_PLATFORM_TBL_VALID_PRID_4	CFE_PSP_AttachExceptions
cpu1_platform_cfg.h, 801	cfe_psp.h, 1273
CFE_PLATFORM_TBL_VALID_PRID_COUNT	cfe_psp_exception.c, 1288
cpu1_platform_cfg.h, 802	CFE_PSP_CDS_KEY_FILE
CFE PLATFORM TBL VALID SCID 1	cfe psp memory.c, 1290

CFE_PSP_CDS_SIZE	cfe_psp.h, 1274
cfe_psp_memory.c, 1291	CFE_PSP_EepromWrite32
CFE_PSP_CDSPtr	cfe_psp.h, 1274
cfe_psp_memory.c, 1298	CFE_PSP_EepromWrite8
CFE_PSP_CPU_ID	cfe_psp.h, 1275
cfe_psp_start.c, 1302	CFE_PSP_EepromWriteDisable
CFE_PSP_CPU_NAME_LENGTH	cfe_psp.h, 1275
cfe_psp_start.c, 1302	CFE_PSP_EepromWriteEnable
CFE_PSP_CPU_NAME	cfe_psp.h, 1275
cfe_psp_start.c, 1302	CFE_PSP_ExceptionContext
CFE_PSP_CommandData_t, 569	cfe_psp_exception.c, 1289
Cpuld, 570	CFE_PSP_ExceptionHook
CpuName, 570	cfe_psp_exception.c, 1288
GotCpuld, 570	CFE_PSP_ExceptionReasonString
GotCpuName, 570	cfe_psp_exception.c, 1289
GotResetType, 570	CFE_PSP_FlushCaches
GotSpacecraftId, 571	cfe_psp.h, 1275
GotSubType, 571	cfe_psp_support.c, 1307
ResetType, 571	CFE_PSP_Get_Dec
SpacecraftId, 571	cfe_psp.h, 1275
SubType, 571	cfe_psp_timer.c, 1311
CFE_PSP_Cpuld	CFE_PSP_Get_Timebase
cfe_psp_start.c, 1305	cfe_psp.h, 1275
cfe_psp_support.c, 1309	cfe_psp_timer.c, 1311
CFE_PSP_CpuName	CFE_PSP_Get_Timer_Tick
cfe_psp_start.c, 1305	cfe_psp.h, 1276
CFE_PSP_Decompress	cfe_psp_timer.c, 1311
cfe_psp.h, 1274	CFE_PSP_GetCDSSize
CFE_PSP_DeleteCDS	cfe_psp.h, 1276
cfe_psp_memory.c, 1292	cfe_psp_memory.c, 1293
CFE_PSP_DeleteProcessorReservedMemory	CFE_PSP_GetCFETextSegmentInfo
cfe_psp_memory.c, 1292	cfe_psp.h, 1276
cfe_psp_start.c, 1303	cfe_psp_memory.c, 1293
CFE_PSP_DeleteResetArea	CFE_PSP_GetKernelTextSegmentInfo
cfe_psp_memory.c, 1292	cfe_psp.h, 1276
CFE_PSP_DeleteUserReservedArea	cfe_psp_memory.c, 1293
cfe_psp_memory.c, 1293	CFE_PSP_GetProcessorId
CFE_PSP_DisplayUsage	cfe_psp.h, 1277
cfe_psp_start.c, 1303	cfe_psp_support.c, 1308
CFE_PSP_ERROR_ADDRESS_MISALIGNED	CFE_PSP_GetResetArea
cfe_psp.h, 1264	cfe_psp.h, 1277
CFE_PSP_ERROR_NOT_IMPLEMENTED	cfe_psp_memory.c, 1294
cfe_psp.h, 1264	CFE_PSP_GetRestartType
CFE_PSP_ERROR_TIMEOUT	cfe_psp.h, 1277
cfe_psp.h, 1264	CFE_PSP_GetSpacecraftId
CFE_PSP_ERROR	cfe_psp.h, 1277
cfe_psp.h, 1264	cfe_psp_support.c, 1308
CFE_PSP_ES_EXCEPTION_FUNCTION	CFE_PSP_GetTime
cfe_psp_exception.c, 1287	cfe_psp.h, 1277
CFE_PSP_EepromPowerDown	cfe_psp_timer.c, 1311
cfe_psp.h, 1274	CFE_PSP_GetTimerLow32Rollover
CFE_PSP_EepromPowerUp	cfe_psp.h, 1278
cfe_psp.h, 1274	cfe_psp_timer.c, 1312
CFE PSP EepromWrite16	CFE PSP GetTimerTicksPerSecond

cfe_psp.h, 1278	CFE_PSP_MEM_EEPROM
cfe_psp_timer.c, 1312	cfe_psp.h, 1267
CFE_PSP_GetUserReservedArea	CFE_PSP_MEM_INVALID
cfe_psp.h, 1278	cfe_psp.h, 1267
cfe_psp_memory.c, 1294	CFE_PSP_MEM_RAM
CFE_PSP_GetVolatileDiskMem	cfe_psp.h, 1267
cfe_psp.h, 1279	CFE_PSP_MEM_SIZE_BYTE
cfe_psp_memory.c, 1294	
CFE_PSP_INVALID_INT_NUM	CFE_PSP_MEM_SIZE_DWORD
cfe_psp.h, 1264	cfe_psp.h, 1268
CFE PSP INVALID MEM ADDR	CFE_PSP_MEM_SIZE_WORD
cfe_psp.h, 1265	cfe_psp.h, 1268
CFE_PSP_INVALID_MEM_ATTR	CFE_PSP_MINOR_VERSION
cfe_psp.h, 1265	cfe_psp.h, 1268
CFE_PSP_INVALID_MEM_RANGE	CFE_PSP_MISSION_REV
cfe_psp.h, 1265	cfe_psp.h, 1268
CFE_PSP_INVALID_MEM_SIZE	CFE_PSP_Main
cfe_psp.h, 1265	cfe_psp.h, 1280
CFE_PSP_INVALID_MEM_TYPE	CFE_PSP_MemCpy
cfe_psp.h, 1265	cfe_psp.h, 1280
CFE_PSP_INVALID_MEM_WORDSIZE	CFE_PSP_MemRangeGet
cfe_psp.h, 1265	cfe_psp.h, 1280
CFE_PSP_INVALID_MODULE_ID	CFE_PSP_MemRangeSet
cfe_psp.h, 1266	cfe_psp.h, 1280
CFE_PSP_INVALID_MODULE_NAME	CFE_PSP_MemRanges
cfe_psp.h, 1266	cfe_psp.h, 1280
CFE_PSP_INVALID_POINTER	CFE_PSP_MemRead16
cfe_psp.h, 1266	cfe_psp.h, 1281
CFE_PSP_InitCDS	CFE_PSP_MemRead32
cfe_psp_memory.c, 1294	cfe_psp.h, 1281
CFE_PSP_InitProcessorReservedMemory	CFE_PSP_MemRead8
cfe_psp.h, 1279	cfe_psp.h, 1281
cfe_psp_memory.c, 1295	CFE_PSP_MemSet
CFE_PSP_InitResetArea	cfe_psp.h, 1281
cfe_psp_memory.c, 1295	CFE_PSP_MemTable_t, 572
CFE_PSP_InitSSR	Attributes, 572
cfe_psp.h, 1279	MemoryType, 572
cfe_psp_ssr.c, 1300	Size, 572
CFE_PSP_InitUserReservedArea	StartAddr, 573
cfe_psp_memory.c, 1296	WordSize, 573
CFE_PSP_InitVolatileDiskMem	CFE_PSP_MemValidateRange
cfe_psp_memory.c, 1296	cfe psp.h, 1281
CFE_PSP_MAIN_FUNCTION	CFE_PSP_MemWrite16
cfe psp start.c, 1302	cfe_psp.h, 1281
CFE_PSP_MAJOR_VERSION	CFE_PSP_MemWrite32
cfe psp.h, 1266	cfe psp.h, 1282
CFE PSP MEM ANY	CFE PSP MemWrite8
cfe_psp.h, 1266	cfe_psp.h, 1282
CFE_PSP_MEM_ATTR_READWRITE	CFE_PSP_MemoryTable
cfe_psp.h, 1267	cfe_psp_configdata.h, 1286
CFE_PSP_MEM_ATTR_READ	cfe_psp_memtab.c, 1299
cfe_psp.h, 1266	CFE_PSP_NONVOL_STARTUP_FILE
CFE_PSP_MEM_ATTR_WRITE	cfe_psp_start.c, 1302
cfe_psp.h, 1267	CFE_PSP_PANIC_CORE_APP

cfe_psp.h, 1268	CFE_PSP_RST_SUBTYPE_PUSH_BUTTON
CFE_PSP_PANIC_GENERAL_FAILURE	cfe_psp.h, 1271
cfe_psp.h, 1268	CFE_PSP_RST_SUBTYPE_RESET_COMMAND
CFE_PSP_PANIC_MEMORY_ALLOC	cfe_psp.h, 1271
cfe_psp.h, 1269	CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET
CFE_PSP_PANIC_NONVOL_DISK	cfe_psp.h, 1271
cfe_psp.h, 1269	CFE_PSP_RST_TYPE_MAX
CFE_PSP_PANIC_STARTUP_SEM	cfe_psp.h, 1272
cfe_psp.h, 1269	CFE_PSP_RST_TYPE_POWERON
CFE_PSP_PANIC_STARTUP	cfe_psp.h, 1272
cfe_psp.h, 1269	CFE_PSP_RST_TYPE_PROCESSOR
CFE_PSP_PANIC_VOLATILE_DISK	cfe_psp.h, 1272
cfe_psp.h, 1269	CFE_PSP_ReadFromCDS
CFE_PSP_Panic	cfe_psp.h, 1283
cfe_psp.h, 1282	cfe_psp_memory.c, 1297
cfe_psp_support.c, 1308	CFE_PSP_ResetAreaPtr
CFE_PSP_PortRead16	cfe_psp_memory.c, 1298
cfe_psp.h, 1282	CFE_PSP_Restart
CFE_PSP_PortRead32	cfe_psp.h, 1284
cfe_psp.h, 1283	cfe_psp_support.c, 1308
CFE_PSP_PortRead8	CFE_PSP_SPACECRAFT_ID
cfe_psp.h, 1283	cfe_psp_start.c, 1303
CFE_PSP_PortWrite16	CFE_PSP_SUCCESS
cfe_psp.h, 1283	cfe_psp.h, 1272
CFE_PSP_PortWrite32	CFE_PSP_SetDefaultExceptionEnvironment
cfe_psp.h, 1283	cfe_psp.h, 1284
CFE_PSP_PortWrite8	cfe_psp_exception.c, 1288
cfe_psp.h, 1283	CFE_PSP_SetupLocal1Hz
CFE_PSP_ProcessArgumentDefaults	cfe_psp_start.c, 1304
cfe_psp_start.c, 1304	CFE_PSP_SigintHandler
CFE_PSP_RESERVED_KEY_FILE	cfe_psp_start.c, 1304
cfe_psp_memory.c, 1291	CFE_PSP_SpacecraftId
CFE_PSP_RESET_AREA_SIZE	cfe_psp_start.c, 1306
cfe_psp_memory.c, 1291	cfe_psp_support.c, 1309
CFE_PSP_RESET_KEY_FILE	CFE_PSP_TIMER_LOW32_ROLLOVER
cfe_psp_memory.c, 1291	cfe_psp_timer.c, 1310
CFE_PSP_RESET_NAME_LENGTH	CFE_PSP_TIMER_TICKS_PER_SECOND
cfe_psp_start.c, 1303	cfe_psp_timer.c, 1310
CFE_PSP_REVISION	CFE_PSP_TimerHandler
cfe_psp.h, 1269 CFE_PSP_RST_SUBTYPE_BANKSWITCH_RESET	cfe_psp_start.c, 1305
cfe_psp.h, 1270	CFE_PSP_USER_RESERVED_SIZE
CFE PSP RST SUBTYPE EXCEPTION	cfe_psp_memory.c, 1291 CFE PSP UserReservedAreaPtr
cfe_psp.h, 1270	cfe_psp_dserNeserVedAreartr
CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COMMAND	CFE_PSP_VersionInfo_t, 573
cfe_psp.h, 1270	MajorVersion, 573 MinorVersion, 574
CFE_PSP_RST_SUBTYPE_HW_WATCHDOG	
cfe_psp.h, 1270	MissionRev, 574
CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET	Revision, 574
cfe_psp.h, 1270	CFE_PSP_WatchdogDisable
CFE_PSP_RST_SUBTYPE_MAX	cfe_psp.h, 1284
cfe_psp.h, 1271	cfe_psp_watchdog.c, 1314
CFE_PSP_RST_SUBTYPE_POWER_CYCLE	CFE_PSP_WatchdogEnable
cfe psp.h, 1271	cfe psp.h, 1284

cfe_psp_watchdog.c, 1314	CFE_SB_CMD_MSG
CFE_PSP_WatchdogGet	sample_mission_cfg.h, 853
cfe_psp.h, 1285	CFE_SB_CR_PIPE_BAD_ARG_EID
cfe_psp_watchdog.c, 1314	cfe_sb_events.h, 1071
CFE_PSP_WatchdogInit	CFE_SB_CR_PIPE_ERR_EID
cfe_psp.h, 1285	cfe sb events.h, 1071
cfe_psp_watchdog.c, 1314	CFE_SB_CR_PIPE_NAME_TAKEN_EID
CFE_PSP_WatchdogService	cfe_sb_events.h, 1072
cfe_psp.h, 1285	CFE_SB_CR_PIPE_NO_FREE_EID
cfe_psp_watchdog.c, 1315	cfe_sb_events.h, 1072
CFE_PSP_WatchdogSet	CFE_SB_CmdHdr_t
cfe psp.h, 1285	ofe_sb.h, 1064
_ ·	
cfe_psp_watchdog.c, 1315	CFE_SB_CreatePipe
CFE_PSP_WatchdogValue	cFE Pipe Management APIs, 247
cfe_psp_watchdog.c, 1315	CFE_SB_DEFAULT_MAP_FILENAME
CFE_PSP_WriteToCDS	cpu1_platform_cfg.h, 809
cfe_psp.h, 1285	CFE_SB_DEFAULT_MSG_LIMIT
cfe_psp_memory.c, 1297	cpu1_platform_cfg.h, 810
CFE_REVISION	CFE_SB_DEFAULT_PIPE_FILENAME
cfe_version.h, 1228	cpu1_platform_cfg.h, 810
CFE_SB_ALLSUBS_TLM_MID	CFE_SB_DEFAULT_REPORT_SENDER
cpu1_msgids.h, 726	cpu1_platform_cfg.h, 810
CFE_SB_ALLSUBS_TLM_MSG	CFE_SB_DEFAULT_ROUTING_FILENAME
sample_mission_cfg.h, 853	cpu1_platform_cfg.h, 810
CFE_SB_AllSubscriptionsTlm_Payload_t, 574	CFE_SB_DEL_PIPE_ERR1_EID
Entries, 575	cfe_sb_events.h, 1073
Entry, 575	CFE_SB_DEL_PIPE_ERR2_EID
PktSegment, 575	cfe_sb_events.h, 1073
TotalSegments, 575	CFE_SB_DEST_BLK_ERR_EID
CFE_SB_AllSubscriptionsTlm_t, 576	cfe_sb_events.h, 1074
	CFE_SB_DISABLE_ROUTE_CC
Hdr, 576	
Payload, 576	cfe_sb_msg.h, 1106
CFE_SB_BAD_ARGUMENT	CFE_SB_DISABLE_SUB_REPORTING_CC
cFE Return Code Defines, 166	cfe_sb_msg.h, 1107
CFE_SB_BAD_CMD_CODE_EID	CFE_SB_DSBL_RTE1_EID
cfe_sb_events.h, 1069	cfe_sb_events.h, 1074
CFE_SB_BAD_MSGID_EID	CFE_SB_DSBL_RTE2_EID
cfe_sb_events.h, 1069	cfe_sb_events.h, 1075
CFE_SB_BAD_PIPEID_EID	CFE_SB_DSBL_RTE3_EID
cfe_sb_events.h, 1069	cfe_sb_events.h, 1075
CFE_SB_BUF_ALOC_ERR	CFE_SB_DUP_SUBSCRIP_EID
cFE Return Code Defines, 167	cfe_sb_events.h, 1076
CFE SB BUF MEMORY BYTES	CFE SB Default Qos
cpu1_platform_cfg.h, 809	cfe_sb.h, 1066
CFE_SB_BUFFER_INVALID	CFE_SB_DeletePipe
cFE Return Code Defines, 167	cFE Pipe Management APIs, 248
CFE_SB_CMD0_RCVD_EID	CFE SB DisableRoute t
cfe sb events.h, 1070	cfe_sb_msg.h, 1117
	-
CFE_SB_CMD1_RCVD_EID	CFE_SB_DisableSubReporting_t
cfe_sb_events.h, 1070	cfe_sb_msg.h, 1118
CFE_SB_CMD_HDR_SIZE	CFE_SB_ENABLE_ROUTE_CC
cfe_sb.h, 1060	cfe_sb_msg.h, 1108
CFE_SB_CMD_MID	CFE_SB_ENABLE_SUB_REPORTING_CC
cou1 msgids.h. 726	cfe_sb_msa.h. 1109

CFE_SB_ENBL_RTE1_EID	CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID
cfe_sb_events.h, 1076	cfe_sb_events.h, 1080
CFE_SB_ENBL_RTE2_EID	CFE_SB_GETPIPENAME_EID
cfe_sb_events.h, 1077	cfe_sb_events.h, 1081
CFE_SB_ENBL_RTE3_EID	CFE_SB_GETPIPENAME_ID_ERR_EID
cfe_sb_events.h, 1077	cfe_sb_events.h, 1081
CFE_SB_EnableRoute_t	CFE_SB_GETPIPENAME_NULL_PTR_EID
cfe_sb_msg.h, 1118	cfe_sb_events.h, 1082
CFE_SB_EnableSubReporting_t	CFE_SB_GETPIPEOPTS_EID
cfe_sb_msg.h, 1118	cfe_sb_events.h, 1082
CFE_SB_FILEWRITE_ERR_EID	CFE_SB_GETPIPEOPTS_ID_ERR_EID
cfe_sb_events.h, 1078	cfe_sb_events.h, 1083
CFE_SB_FILTER_MASK1	CFE_SB_GETPIPEOPTS_PTR_ERR_EID
cpu1_platform_cfg.h, 810	cfe_sb_events.h, 1083
CFE_SB_FILTER_MASK2	CFE_SB_GLS_INV_CALLER_EID
cpu1_platform_cfg.h, 810	cfe_sb_events.h, 1084
CFE SB FILTER MASK3	CFE SB GenerateChecksum
cpu1_platform_cfg.h, 811	cFE Checksum Control APIs, 281
CFE_SB_FILTER_MASK4	CFE_SB_GetChecksum
cpu1 platform cfg.h, 811	cFE Checksum Control APIs, 281
CFE_SB_FILTER_MASK5	CFE_SB_GetCmdCode
cpu1_platform_cfg.h, 811	cFE Getting Message Characteristics APIs, 274
CFE_SB_FILTER_MASK6	CFE_SB_GetLastSenderId
	cFE Getting Message Characteristics APIs, 275
cpu1_platform_cfg.h, 811 CFE_SB_FILTER_MASK7	
	CFE_SB_GetMsgld
cpu1_platform_cfg.h, 811	cFE Getting Message Characteristics APIs, 276
CFE_SB_FILTER_MASK8	CFE_SB_GetMsgTime
cpu1_platform_cfg.h, 811	cFE Getting Message Characteristics APIs, 276
CFE_SB_FILTERED_EVENT1	CFE_SB_GetPipeldByName
cpu1_platform_cfg.h, 812	cFE Pipe Management APIs, 249
CFE_SB_FILTERED_EVENT2	CFE_SB_GetPipeName
cpu1_platform_cfg.h, 812	cFE Pipe Management APIs, 249
CFE_SB_FILTERED_EVENT3	CFE_SB_GetPipeOpts
cpu1_platform_cfg.h, 812	cFE Pipe Management APIs, 250
CFE_SB_FILTERED_EVENT4	CFE_SB_GetPktType
cpu1_platform_cfg.h, 812	cFE Message ID APIs, 284
CFE_SB_FILTERED_EVENT5	CFE_SB_GetTotalMsgLength
cpu1_platform_cfg.h, 812	cFE Getting Message Characteristics APIs, 277
CFE_SB_FILTERED_EVENT6	CFE_SB_GetUserData
cpu1_platform_cfg.h, 812	cFE Getting Message Characteristics APIs, 277
CFE_SB_FILTERED_EVENT7	CFE_SB_GetUserDataLength
cpu1_platform_cfg.h, 813	cFE Getting Message Characteristics APIs, 278
CFE_SB_FILTERED_EVENT8	CFE_SB_HIGHEST_VALID_MSGID
cpu1_platform_cfg.h, 813	cpu1_platform_cfg.h, 813
CFE_SB_FULL_SUB_PKT_EID	CFE_SB_HK_TLM_MID
cfe_sb_events.h, 1078	cpu1_msgids.h, 726
CFE_SB_GET_BUF_ERR_EID	CFE_SB_HK_TLM_MSG
cfe_sb_events.h, 1079	sample_mission_cfg.h, 853
CFE_SB_GET_MEMADDR	CFE_SB_HKMsg_t
cfe_sb.h, 1060	cfe_sb_msg.h, 1118
CFE_SB_GETPIPEIDBYNAME_EID	CFE_SB_HousekeepingTlm_Payload_t, 577
cfe_sb_events.h, 1079	CommandCounter, 578
CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID	CommandErrorCounter, 578
cfe_sb_events.h, 1080	CreatePipeErrorCounter, 578

DuplicateSubscriptionsCounter, 578 GetPipeIdByNameErrorCounter, 579	cFE Return Code Defines, 168 CFE_SB_MAX_PIPES
InternalErrorCounter, 579	cpu1_platform_cfg.h, 814
MemInUse, 579	CFE_SB_MAX_SB_MSG_SIZE
MemPoolHandle, 579	sample_mission_cfg.h, 853
MsgLimitErrorCounter, 580	CFE SB MEM BLOCK SIZE 01
MsgReceiveErrorCounter, 580	cpu1_platform_cfg.h, 814
MsgSendErrorCounter, 580	CFE_SB_MEM_BLOCK_SIZE_02
NoSubscribersCounter, 580	cpu1_platform_cfg.h, 814
PipeOptsErrorCounter, 581	CFE_SB_MEM_BLOCK_SIZE_03
PipeOverflowErrorCounter, 581	cpu1_platform_cfg.h, 814
Spare2Align, 581	CFE_SB_MEM_BLOCK_SIZE_04
, -	
SubscribeErrorCounter, 581	cpu1_platform_cfg.h, 814
UnmarkedMem, 582	CFE_SB_MEM_BLOCK_SIZE_05
CFE_SB_HousekeepingTlm_t, 582	cpu1_platform_cfg.h, 815
Hdr, 582	CFE_SB_MEM_BLOCK_SIZE_06
Payload, 583	cpu1_platform_cfg.h, 815
CFE_SB_INIT_EID	CFE_SB_MEM_BLOCK_SIZE_07
cfe_sb_events.h, 1084	cpu1_platform_cfg.h, 815
CFE_SB_INTERNAL_ERR	CFE_SB_MEM_BLOCK_SIZE_08
cFE Return Code Defines, 167	cpu1_platform_cfg.h, 815
CFE_SB_INVALID_MSG_ID	CFE_SB_MEM_BLOCK_SIZE_09
cfe_sb.h, 1060	cpu1_platform_cfg.h, 815
CFE_SB_InitMsg	CFE_SB_MEM_BLOCK_SIZE_10
cFE Setting Message Characteristics APIs, 267	cpu1_platform_cfg.h, 815
CFE_SB_IsValidMsgId	CFE_SB_MEM_BLOCK_SIZE_11
cFE Message ID APIs, 284	cpu1_platform_cfg.h, 816
CFE_SB_LEN_ERR_EID	CFE_SB_MEM_BLOCK_SIZE_12
cfe_sb_events.h, 1085	cpu1_platform_cfg.h, 816
CFE_SB_LSTSNDER_ERR1_EID	CFE_SB_MEM_BLOCK_SIZE_13
cfe_sb_events.h, 1085	cpu1_platform_cfg.h, 816
CFE_SB_LSTSNDER_ERR2_EID	CFE_SB_MEM_BLOCK_SIZE_14
cfe_sb_events.h, 1086	cpu1_platform_cfg.h, 816
CFE_SB_MAX_BLOCK_SIZE	CFE_SB_MEM_BLOCK_SIZE_15
cpu1_platform_cfg.h, 813	cpu1_platform_cfg.h, 816
CFE_SB_MAX_DEST_PER_PKT	CFE_SB_MEM_BLOCK_SIZE_16
cpu1_platform_cfg.h, 813	cpu1_platform_cfg.h, 816
CFE_SB_MAX_DESTS_MET_EID	CFE_SB_MSG_TOO_BIG_EID
cfe_sb_events.h, 1086	cfe_sb_events.h, 1088
CFE_SB_MAX_DESTS_MET	CFE_SB_MSG_TOO_BIG
cFE Return Code Defines, 167	cFE Return Code Defines, 168
CFE_SB_MAX_EID	CFE_SB_MSGID_LIM_ERR_EID
cfe sb events.h, 1087	cfe_sb_events.h, 1088
CFE_SB_MAX_MSG_IDS	CFE_SB_MSGID_RESERVED
cpu1_platform_cfg.h, 813	cfe_sb.h, 1061
CFE_SB_MAX_MSGS_MET_EID	CFE SB MSGID UNWRAP VALUE
cfe_sb_events.h, 1087	cfe_sb.h, 1061
CFE_SB_MAX_MSGS_MET	CFE SB MSGID WRAP VALUE
cFE Return Code Defines, 168	cfe_sb.h, 1061
CFE_SB_MAX_PIPE_DEPTH	CFE_SB_MessageStringGet
cpu1_platform_cfg.h, 814	cFE Getting Message Characteristics APIs, 279
CFE_SB_MAX_PIPES_MET_EID	CFE_SB_MessageStringSet
cfe_sb_events.h, 1087	cFE Setting Message Characteristics APIs, 268
CFE SB MAX PIPES MET	CFE SB Msg t, 583
······ ···-·	

Byte, 583	cFE SB Packet Type Defines, 246
Dword, 584	CFE_SB_PKTTYPE_INVALID
Hdr, 584	cFE SB Packet Type Defines, 246
SpacePacket, 584	CFE_SB_PKTTYPE_TLM
CFE_SB_Msgld_Atom_t	cFE SB Packet Type Defines, 246
cfe_sb_extern_typedefs.h, 1103	CFE_SB_POLL
CFE_SB_Msgld_Equal	cfe_sb.h, 1062
cFE Message ID APIs, 285	CFE_SB_PassMsg
CFE_SB_Msgld_t	cFE Send/Receive Message APIs, 258
cfe_sb_extern_typedefs.h, 1103	CFE_SB_PipeDepthStats_t, 585
CFE_SB_MsgldToValue	Depth, 586
cFE Message ID APIs, 286	InUse, 586
CFE_SB_MsgMapFileEntry_t, 584	PeakInUse, 586
Index, 585	Pipeld, 587
Msgld, 585	Spare, 587
CFE_SB_MsgPayloadPtr_t	CFE_SB_Pipeld_t
cfe_sb.h, 1064	cfe_sb.h, 1065
CFE_SB_MsgPtr_t	CFE_SB_PrevSubMsg_t
cfe_sb.h, 1064	cfe_sb_msg.h, 1118
CFE_SB_MsgRouteldx_Atom_t	CFE_SB_Q_FULL_ERR_EID
	cfe sb events.h, 1090
cfe_sb_extern_typedefs.h, 1103 CFE_SB_NO_MESSAGE	CFE_SB_Q_RD_ERR_EID
cFE Return Code Defines, 168	cfe_sb_events.h, 1091
CFE_SB_NO_MSG_RECV	CFE_SB_Q_WR_ERR_EID
cFE Return Code Defines, 169	cfe_sb_events.h, 1091
CFE_SB_NO_SUBSCRIBERS	CFE_SB_Qos_t, 587
cFE Return Code Defines, 169	Priority, 588
CFE_SB_NOOP_CC	Reliability, 588
cfe_sb_msg.h, 1110	CFE_SB_QosPriority
CFE_SB_NOT_IMPLEMENTED	cfe_sb_extern_typedefs.h, 1104
cFE Return Code Defines, 169	CFE_SB_QosPriority_Enum_t
CFE_SB_Noop_t	cfe_sb_extern_typedefs.h, 1103
cfe_sb_msg.h, 1118	CFE_SB_QosReliability
CFE_SB_ONESUB_TLM_MID	cfe_sb_extern_typedefs.h, 1104
cpu1_msgids.h, 727	CFE_SB_QosReliability_Enum_t
CFE_SB_ONESUB_TLM_MSG	cfe_sb_extern_typedefs.h, 1104
sample_mission_cfg.h, 854	CFE_SB_RCV_BAD_ARG_EID
CFE_SB_PACKET_TIME_FORMAT	cfe_sb_events.h, 1092
sample_mission_cfg.h, 854	CFE_SB_RESET_COUNTERS_CC
CFE_SB_PART_SUB_PKT_EID	cfe_sb_msg.h, 1111
cfe_sb_events.h, 1089	CFE_SB_RcvMsg
CFE_SB_PEND_FOREVER	cFE Send/Receive Message APIs, 259
cfe_sb.h, 1062	CFE_SB_ResetCounters_t
CFE_SB_PIPE_ADDED_EID	cfe_sb_msg.h, 1119
cfe_sb_events.h, 1089	CFE_SB_RouteCmd_Payload_t, 588
CFE_SB_PIPE_CR_ERR	Msgld, 589
cFE Return Code Defines, 169	Pipe, 589
CFE_SB_PIPE_DELETED_EID	Spare, 589
cfe_sb_events.h, 1090	CFE_SB_RouteCmd_t, 590
CFE_SB_PIPE_RD_ERR	
cFE Return Code Defines, 170	Payload, 590
CFE_SB_PIPEOPTS_IGNOREMINE	CFE_SB_RoutingFileEntry_t, 591
cfe_sb.h, 1062	AppName, 591
CFE_SB_PKTTYPE_CMD	MsgCnt, 592
	• · · · · · · · · · · · · · · · · · · ·

Msgld, 592	CFE_SB_SUBSCRIPTION_RCVD_EID
Pipeld, 592	cfe_sb_events.h, 1098
PipeName, 592	CFE SB SUBSCRIPTION REMOVED EID
State, 592	cfe_sb_events.h, 1099
CFE_SB_SEND_BAD_ARG_EID	CFE SB SUBSCRIPTION RPT EID
cfe sb events.h, 1092	cfe_sb_events.h, 1099
CFE_SB_SEND_HK_MID	CFE_SB_SUBSCRIPTION
cpu1_msgids.h, 727	cfe_sb.h, 1063
CFE_SB_SEND_HK_MSG	CFE SB SendMapInfo t
sample_mission_cfg.h, 854	cfe_sb_msg.h, 1119
CFE_SB_SEND_INV_MSGID_EID	CFE_SB_SendMsg
cfe sb events.h, 1093	cFE Send/Receive Message APIs, 260
CFE_SB_SEND_MAP_INFO_CC	CFE_SB_SendPipeInfo_t
cfe_sb_msg.h, 1112	cfe_sb_msg.h, 1119
CFE_SB_SEND_NO_SUBS_EID	CFE_SB_SendPrevSubs_t
cfe_sb_events.h, 1093	cfe_sb_msg.h, 1119
CFE_SB_SEND_PIPE_INFO_CC	CFE_SB_SendRoutingInfo_t
cfe_sb_msg.h, 1113	cfe_sb_msg.h, 1119
CFE_SB_SEND_PREV_SUBS_CC	CFE_SB_SendSbStats_t
cfe sb msg.h, 1114	cfe_sb_msg.h, 1119
CFE_SB_SEND_ROUTING_INFO_CC	CFE SB Senderld t, 593
cfe_sb_msg.h, 1115	AppName, 593
CFE_SB_SEND_SB_STATS_CC	ProcessorId, 593
cfe_sb_msg.h, 1116	CFE_SB_SetCmdCode
CFE_SB_SET_MEMADDR	cFE Setting Message Characteristics APIs, 269
cfe_sb.h, 1062	CFE_SB_SetMsgld
CFE_SB_SETPIPEOPTS_EID	cFE Setting Message Characteristics APIs, 270
cfe_sb_events.h, 1094	CFE_SB_SetMsgTime
CFE_SB_SETPIPEOPTS_ID_ERR_EID	cFE Setting Message Characteristics APIs, 270
cfe_sb_events.h, 1094	CFE_SB_SetPipeOpts
CFE_SB_SETPIPEOPTS_OWNER_ERR_EID	cFE Pipe Management APIs, 251
cfe_sb_events.h, 1095	CFE_SB_SetTotalMsgLength
CFE_SB_SND_RTG_EID	cFE Setting Message Characteristics APIs, 271
cfe_sb_events.h, 1095	CFE_SB_SetUserDataLength
CFE_SB_SND_RTG_ERR1_EID	cFE Setting Message Characteristics APIs, 272
cfe_sb_events.h, 1096	CFE_SB_SingleSubscriptionTlm_Payload_t, 594
CFE_SB_SND_STATS_EID	Msgld, 594
cfe_sb_events.h, 1096	Pipe, 595
CFE_SB_START_TASK_PRIORITY	Qos, 595
cpu1_platform_cfg.h, 817	SubType, 595
CFE_SB_START_TASK_STACK_SIZE	CFE_SB_SingleSubscriptionTlm_t, 595
cpu1_platform_cfg.h, 817	Hdr, 596
CFE_SB_STATS_TLM_MID	Payload, 596
cpu1_msgids.h, 727	CFE_SB_StatMsg_t
CFE_SB_STATS_TLM_MSG	cfe_sb_msg.h, 1120
sample_mission_cfg.h, 854	CFE_SB_StatsTIm_Payload_t, 596
CFE_SB_SUB_ARG_ERR_EID	MaxMemAllowed, 597
cfe_sb_events.h, 1097	MaxMsgldsAllowed, 598
CFE_SB_SUB_ENTRIES_PER_PKT	MaxPipeDepthAllowed, 598
cfe_sb.h, 1063	MaxPipesAllowed, 598
CFE_SB_SUB_INV_CALLER_EID	MaxSubscriptionsAllowed, 598
cfe_sb_events.h, 1097	MemInUse, 599
CFE_SB_SUB_INV_PIPE_EID	MsgldsInUse, 599
cfe_sb_events.h, 1098	PeakMemInUse, 599

PeakMsgldsInUse, 599	cFE Checksum Control APIs, 282
PeakPipesInUse, 600	CFE_SB_ValueToMsgld
PeakSBBuffersInUse, 600	cFE Message ID APIs, 286
PeakSubscriptionsInUse, 600	CFE_SB_WRONG_MSG_TYPE
PipeDepthStats, 600	cFE Return Code Defines, 170
PipesInUse, 601	CFE_SB_WriteFileInfoCmd_Payload_t, 604
SBBuffersInUse, 601	Filename, 604
SubscriptionsInUse, 601	CFE_SB_WriteFileInfoCmd_t, 605
CFE_SB_StatsTlm_t, 602	Hdr, 605
Hdr, 602	Payload, 605
Payload, 602	CFE_SB_ZeroCopyGetPtr
CFE_SB_SubEntries_t, 602	cFE Zero Copy Message APIs, 262
Msgld, 603	CFE_SB_ZeroCopyHandle_t
Pipe, 603	cfe_sb.h, 1065
Qos, 603	CFE_SB_ZeroCopyPass
CFE_SB_SubRprtMsg_t	cFE Zero Copy Message APIs, 263
cfe_sb_msg.h, 1120	CFE_SB_ZeroCopyReleasePtr
CFE_SB_Subscribe	cFE Zero Copy Message APIs, 264
cFE Message Subscription Control APIs, 253	CFE_SB_ZeroCopySend
CFE_SB_SubscribeEx	cFE Zero Copy Message APIs, 265
cFE Message Subscription Control APIs, 254	CFE_SERVICE_BITMASK
CFE_SB_SubscribeLocal	cfe_error.h, 891
cFE Message Subscription Control APIs, 255	CFE_SEVERITY_BITMASK
CFE_SB_TIME_32_16_SUBS	cfe_error.h, 891
sample_mission_cfg.h, 854	CFE_SEVERITY_ERROR
CFE_SB_TIME_32_32_M_20	cfe_error.h, 891
sample_mission_cfg.h, 854	CFE_SEVERITY_INFO
CFE_SB_TIME_32_32_SUBS	cfe_error.h, 891
sample_mission_cfg.h, 855	CFE_SEVERITY_SUCCESS
CFE_SB_TIME_OUT	cfe_error.h, 891
cFE Return Code Defines, 170	CFE_SET
CFE_SB_TLM_HDR_SIZE	cfe_sb.h, 1063
cfe_sb.h, 1063	CFE_SOFTWARE_BUS_SERVICE
CFE_SB_TimeOut_t	cfe_error.h, 892
cfe_sb.h, 1065	CFE_SPACECRAFT_ID
CFE_SB_TimeStampMsg	sample_mission_cfg.h, 855
cFE Setting Message Characteristics APIs, 272	CFE_STATUS_BAD_COMMAND_CODE
CFE_SB_TImHdr_t	cFE Return Code Defines, 170
cfe_sb.h, 1065	CFE_STATUS_NO_COUNTER_INCREMENT
CFE_SB_UNSUB_ARG_ERR_EID	cFE Return Code Defines, 171
cfe_sb_events.h, 1100	CFE_STATUS_NOT_IMPLEMENTED
CFE_SB_UNSUB_INV_CALLER_EID	cFE Return Code Defines, 171
cfe_sb_events.h, 1100	CFE_STATUS_UNKNOWN_MSG_ID
CFE_SB_UNSUB_INV_PIPE_EID	cFE Return Code Defines, 171
cfe_sb_events.h, 1101	CFE_STATUS_WRONG_MSG_LENGTH
CFE_SB_UNSUB_NO_SUBS_EID	cFE Return Code Defines, 171
cfe_sb_events.h, 1101	CFE_SUCCESS
CFE_SB_UNSUBSCRIPTION	cFE Return Code Defines, 172
cfe_sb.h, 1063	CFE_TABLE_SERVICE
CFE_SB_Unsubscribe	cfe_error.h, 892
cFE Message Subscription Control APIs, 256	CFE_TBL_ABORT_LOAD_CC
CFE_SB_UnsubscribeLocal	cfe_tbl_msg.h, 1164
cFE Message Subscription Control APIs, 257	CFE_TBL_ACTIVATE_CC
CFE SB ValidateChecksum	cfe tbl msg.h, 1164

CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID	CFE_TBL_DelCDSCmd_Payload_t, 609
cfe_tbl_events.h, 1127	TableName, 609
CFE_TBL_ACTIVATE_ERR_EID	CFE_TBL_DeleteCDS_t, 610
cfe_tbl_events.h, 1127	CmdHeader, 610
CFE_TBL_ACTIVE_BUFFER	Payload, 610
cfe_tbl.h, 1122	CFE_TBL_Dump_t, 610
CFE_TBL_ASSUMED_VALID_INF_EID	CmdHeader, 611
cfe_tbl_events.h, 1127	Payload, 611
CFE_TBL_AbortLoad_t, 605	CFE_TBL_DumpCmd_Payload_t, 611
CmdHeader, 606	ActiveTableFlag, 612
Payload, 606	DumpFilename, 612
CFE TBL AbortLoadCmd Payload t, 606	TableName, 612
TableName, 607	CFE_TBL_DumpRegistry_t, 613
CFE_TBL_Activate_t, 607	CmdHeader, 613
CmdHeader, 607	Payload, 613
Payload, 608	CFE_TBL_DumpRegistryCmd_Payload_t, 613
CFE_TBL_ActivateCmd_Payload_t, 608	DumpFilename, 614
	•
TableName, 608	CFE_TBL_DumpToBuffer
CFE_TBL_BAD_TABLE_HANDLE	cFE Manage Table Content APIs, 297
cfe_tbl.h, 1122	CFE_TBL_ERR_ACCESS
CFE_TBL_BUF_MEMORY_BYTES	cFE Return Code Defines, 172
cpu1_platform_cfg.h, 817	CFE_TBL_ERR_BAD_APP_ID
CFE_TBL_BufferSelect	cFE Return Code Defines, 172
cfe_tbl_extern_typedefs.h, 1161	CFE_TBL_ERR_BAD_CONTENT_ID
CFE_TBL_BufferSelect_Enum_t	cFE Return Code Defines, 172
cfe_tbl_extern_typedefs.h, 1161	CFE_TBL_ERR_BAD_PROCESSOR_ID
CFE_TBL_CC1_ERR_EID	cFE Return Code Defines, 173
cfe_tbl_events.h, 1128	CFE_TBL_ERR_BAD_SPACECRAFT_ID
CFE_TBL_CDS_DELETE_ERR_EID	cFE Return Code Defines, 173
cfe_tbl_events.h, 1128	CFE_TBL_ERR_BAD_SUBTYPE_ID
CFE_TBL_CDS_DELETED_INFO_EID	cFE Return Code Defines, 173
cfe_tbl_events.h, 1129	CFE_TBL_ERR_DUMP_ONLY
CFE_TBL_CDS_NOT_FOUND_ERR_EID	cFE Return Code Defines, 173
cfe_tbl_events.h, 1129	CFE TBL ERR DUPLICATE DIFF SIZE
CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID	cFE Return Code Defines, 174
cfe_tbl_events.h, 1130	CFE_TBL_ERR_DUPLICATE_NOT_OWNED
CFE_TBL_CMD_MID	cFE Return Code Defines, 174
cpu1_msgids.h, 727	CFE TBL ERR FILE FOR WRONG TABLE
CFE_TBL_CMD_MSG	cFE Return Code Defines, 174
sample_mission_cfg.h, 855	CFE_TBL_ERR_FILE_NOT_FOUND
CFE_TBL_CREATING_DUMP_FILE_ERR_EID	cFE Return Code Defines, 174
cfe_tbl_events.h, 1130	CFE_TBL_ERR_FILE_SIZE_INCONSISTENT
CFE TBL CallbackFuncPtr t	cFE Return Code Defines, 175
cfe_tbl.h, 1123	CFE_TBL_ERR_FILE_TOO_LARGE
CFE_TBL_DEFAULT_REG_DUMP_FILE	cFE Return Code Defines, 175
cpu1_platform_cfg.h, 817	CFE_TBL_ERR_FILENAME_TOO_LONG
CFE_TBL_DELETE_CDS_CC	cFE Return Code Defines, 175
cfe_tbl_msg.h, 1165	CFE_TBL_ERR_HANDLES_FULL
CFE_TBL_DUMP_CC	cFE Return Code Defines, 175
cfe_tbl_msg.h, 1166	CFE_TBL_ERR_ILLEGAL_SRC_TYPE
CFE_TBL_DUMP_PENDING_ERR_EID	cFE Return Code Defines, 176
cfe_tbl_events.h, 1131	CFE_TBL_ERR_INVALID_HANDLE
CFE_TBL_DUMP_REGISTRY_CC	cFE Return Code Defines, 176
cfe tbl msg.h, 1167	CFE TBL ERR INVALID NAME

cFE Return Code Defines, 176	CFE_TBL_FileDef_t, 616
CFE_TBL_ERR_INVALID_OPTIONS	Description, 616
cFE Return Code Defines, 176	ObjectName, 616
CFE_TBL_ERR_INVALID_SIZE	ObjectSize, 616
cFE Return Code Defines, 177	TableName, 617
CFE_TBL_ERR_LOAD_IN_PROGRESS	TgtFilename, 617
cFE Return Code Defines, 177	CFE TBL GetAddress
CFE_TBL_ERR_LOAD_INCOMPLETE	cFE Access Table Content APIs, 305
cFE Return Code Defines, 177	CFE_TBL_GetAddresses
CFE_TBL_ERR_NEVER_LOADED	cFE Access Table Content APIs, 306
cFE Return Code Defines, 178	CFE_TBL_GetInfo
CFE_TBL_ERR_NO_ACCESS	cFE Get Table Information APIs, 311
cFE Return Code Defines, 178	CFE_TBL_GetStatus
CFE_TBL_ERR_NO_BUFFER_AVAIL	cFE Get Table Information APIs, 312
cFE Return Code Defines, 178	CFE_TBL_HANDLE_ACCESS_ERR_EID
CFE_TBL_ERR_NO_STD_HEADER	cfe_tbl_events.h, 1136
cFE Return Code Defines, 178	CFE_TBL_HK_TLM_MID
CFE_TBL_ERR_NO_TBL_HEADER	cpu1_msgids.h, 727
cFE Return Code Defines, 179	CFE_TBL_HK_TLM_MSG
CFE TBL ERR PARTIAL LOAD	sample_mission_cfg.h, 855
cFE Return Code Defines, 179	CFE_TBL_Handle_t
CFE_TBL_ERR_REGISTRY_FULL	cfe tbl.h, 1123
cFE Return Code Defines, 179	CFE_TBL_HkPacket_t
CFE TBL ERR SHORT FILE	cfe_tbl_msg.h, 1174
cFE Return Code Defines, 179	CFE_TBL_HousekeepingTlm_Payload_t, 617
CFE_TBL_ERR_UNREGISTERED	ActiveBuffer, 619
cFE Return Code Defines, 180	ByteAlignPad1, 619
CFE_TBL_FAIL_HK_SEND_ERR_EID	CommandCounter, 619
cfe_tbl_events.h, 1131	CommandErrorCounter, 619
CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID	FailedValCounter, 619
cfe_tbl_events.h, 1132	LastFileDumped, 620
CFE_TBL_FILE_ACCESS_ERR_EID	LastFileLoaded, 620
cfe_tbl_events.h, 1132	LastTableLoaded, 620
CFE_TBL_FILE_INCOMPLETE_ERR_EID	LastUpdateTime, 621
cfe_tbl_events.h, 1133	LastUpdatedTable, 620
CFE_TBL_FILE_LOADED_INF_EID	LastValCrc, 621
cfe_tbl_events.h, 1133	LastValStatus, 621
CFE_TBL_FILE_STD_HDR_ERR_EID	LastValTableName, 621
cfe_tbl_events.h, 1134	MemPoolHandle, 622
CFE_TBL_FILE_SUBTYPE_ERR_EID	NumFreeSharedBufs, 622
cfe_tbl_events.h, 1134	NumLoadPending, 622
CFE_TBL_FILE_TBL_HDR_ERR_EID	NumTables, 622
cfe_tbl_events.h, 1135	NumValRequests, 623
CFE_TBL_FILE_TOO_BIG_ERR_EID	SuccessValCounter, 623
cfe_tbl_events.h, 1135	ValidationCounter, 623
CFE_TBL_FILE_TYPE_ERR_EID	CFE_TBL_HousekeepingTlm_t, 624
cfe_tbl_events.h, 1136	Payload, 624
CFE_TBL_FILEDEF	TlmHeader, 624
cfe_tbl_filedef.h, 1162	CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID
CFE_TBL_File_Hdr_t, 614	cfe_tbl_events.h, 1137
NumBytes, 615	CFE_TBL_IN_REGISTRY_ERR_EID
Offset, 615	cfe_tbl_events.h, 1137
Reserved, 615	CFE_TBL_INACTIVE_BUFFER
TableName, 615	cfe_tbl.h, 1123

CFE_TBL_INFO_DUMP_PENDING	cfe_tbl_events.h, 1142
cFE Return Code Defines, 180	CFE_TBL_LOAD_SUCCESS_INF_EID
CFE_TBL_INFO_NO_UPDATE_PENDING	cfe_tbl_events.h, 1142
cFE Return Code Defines, 180	CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID
CFE_TBL_INFO_NO_VALIDATION_PENDING	cfe_tbl_events.h, 1143
cFE Return Code Defines, 180	CFE_TBL_LOAD_TYPE_ERR_EID
CFE_TBL_INFO_RECOVERED_TBL	cfe_tbl_events.h, 1143
cFE Return Code Defines, 181	CFE_TBL_LOAD_VAL_ERR_EID
CFE_TBL_INFO_TABLE_LOCKED	cfe tbl events.h, 1143
cFE Return Code Defines, 181	CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID
CFE TBL INFO UPDATE PENDING	cfe_tbl_events.h, 1144
cFE Return Code Defines, 181	CFE_TBL_LOADING_PENDING_ERR_EID
CFE_TBL_INFO_UPDATED	cfe_tbl_events.h, 1144
cFE Return Code Defines, 181	CFE_TBL_Load
CFE_TBL_INFO_VALIDATION_PENDING	cFE Manage Table Content APIs, 298
cFE Return Code Defines, 182	CFE_TBL_Load_t, 628
CFE_TBL_INIT_INF_EID	CmdHeader, 628
cfe_tbl_events.h, 1137	Payload, 628
CFE_TBL_INTERNAL_ERROR_ERR_EID	CFE_TBL_LoadCmd_Payload_t, 629
cfe_tbl_events.h, 1138	LoadFilename, 629
CFE TBL Info t, 624	CFE_TBL_MAX_CRITICAL_TABLES
:	
Crc, 625	cpu1_platform_cfg.h, 817 CFE TBL MAX DBL TABLE SIZE
Critical, 625	
DoubleBuffered, 626	cpu1_platform_cfg.h, 817
DumpOnly, 626	CFE_TBL_MAX_EID
FileCreateTimeSecs, 626	cfe_tbl_events.h, 1144
FileCreateTimeSubSecs, 626	CFE_TBL_MAX_FULL_NAME_LEN
LastFileLoaded, 626	cfe_tbl.h, 1123
NumUsers, 627	CFE_TBL_MAX_NAME_LENGTH
Size, 627	sample_mission_cfg.h, 855
TableLoadedOnce, 627	CFE_TBL_MAX_NUM_HANDLES
TimeOfLastUpdate, 627	cpu1_platform_cfg.h, 818
UserDefAddr, 627	CFE_TBL_MAX_NUM_TABLES
CFE_TBL_LEN_ERR_EID	cpu1_platform_cfg.h, 818
cfe_tbl_events.h, 1138	CFE_TBL_MAX_NUM_VALIDATIONS
CFE_TBL_LOAD_ABORT_ERR_EID	cpu1_platform_cfg.h, 818
cfe_tbl_events.h, 1139	CFE_TBL_MAX_SIMULTANEOUS_LOADS
CFE_TBL_LOAD_ABORT_INF_EID	cpu1_platform_cfg.h, 818
cfe_tbl_events.h, 1139	CFE_TBL_MAX_SNGL_TABLE_SIZE
CFE_TBL_LOAD_CC	cpu1_platform_cfg.h, 818
cfe_tbl_msg.h, 1168	CFE_TBL_MESSAGE_ERROR
CFE_TBL_LOAD_DUMPONLY_ERR_EID	cFE Return Code Defines, 182
cfe_tbl_events.h, 1140	CFE_TBL_MID_ERR_EID
CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID	cfe_tbl_events.h, 1145
cfe_tbl_events.h, 1140	CFE_TBL_Manage
CFE_TBL_LOAD_FILENAME_LONG_ERR_EID	cFE Manage Table Content APIs, 299
cfe_tbl_events.h, 1141	CFE_TBL_Modified
CFE_TBL_LOAD_IN_PROGRESS_ERR_EID	cFE Manage Table Content APIs, 301
cfe_tbl_events.h, 1141	CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID
CFE_TBL_LOAD_PEND_REQ_INF_EID	cfe_tbl_events.h, 1145
cfe_tbl_events.h, 1141	CFE_TBL_NO_SUCH_TABLE_ERR_EID
CFE_TBL_LOAD_SHORT_FILE_ERR_EID	cfe_tbl_events.h, 1145
cfe_tbl_events.h, 1142	CFE_TBL_NO_WORK_BUFFERS_ERR_EID
CFF TBL LOAD SBC TYPE FBB FID	cfe tbl events.h. 1146

CFE_TBL_NOOP_CC	cfe_tbl_events.h, 1149
cfe_tbl_msg.h, 1169	CFE_TBL_REG_TLM_MID
CFE_TBL_NOOP_INF_EID	cpu1_msgids.h, 727
cfe_tbl_events.h, 1146	CFE_TBL_REG_TLM_MSG
CFE_TBL_NOT_CRITICAL_TBL_ERR_EID	sample_mission_cfg.h, 855
cfe_tbl_events.h, 1147	CFE_TBL_REGISTER_ERR_EID
CFE_TBL_NOT_IMPLEMENTED	cfe_tbl_events.h, 1150
cFE Return Code Defines, 182	CFE_TBL_RESET_COUNTERS_CC
CFE_TBL_NOT_IN_CRIT_REG_ERR_EID	cfe_tbl_msg.h, 1170
cfe_tbl_events.h, 1147	CFE_TBL_RESET_INF_EID
CFE_TBL_NoArgsCmd_t, 630	cfe_tbl_events.h, 1150
CmdHeader, 630	CFE_TBL_Register
CFE_TBL_Noop_t	cFE Registration APIs, 291
cfe_tbl_msg.h, 1174	CFE_TBL_ReleaseAddress
CFE_TBL_NotifyByMessage	cFE Access Table Content APIs, 307
cFE Get Table Information APIs, 313	CFE_TBL_ReleaseAddresses
CFE_TBL_NotifyCmd_Payload_t, 630	cFE Access Table Content APIs, 308
Parameter, 631	CFE_TBL_ResetCounters_t
CFE_TBL_NotifyCmd_t, 631	cfe_tbl_msg.h, 1174
CmdHeader, 632	CFE_TBL_SEND_HK_MID
Payload, 632	cpu1_msgids.h, 728
CFE_TBL_OPT_BUFFER_MSK	CFE_TBL_SEND_HK_MSG
cFE Table Type Defines, 288	sample_mission_cfg.h, 856
CFE TBL OPT CRITICAL MSK	CFE TBL SEND REGISTRY CC
cFE Table Type Defines, 289	cfe_tbl_msg.h, 1171
CFE TBL OPT CRITICAL	CFE_TBL_SHARE_ERR_EID
cFE Table Type Defines, 288	cfe_tbl_events.h, 1151
CFE_TBL_OPT_DBL_BUFFER	CFE_TBL_SPACECRAFT_ID_ERR_EID
cFE Table Type Defines, 289	cfe_tbl_events.h, 1151
CFE TBL OPT DEFAULT	CFE_TBL_START_TASK_PRIORITY
cFE Table Type Defines, 289	cpu1_platform_cfg.h, 818
CFE_TBL_OPT_DUMP_ONLY	CFE_TBL_START_TASK_STACK_SIZE
cFE Table Type Defines, 289	cpu1_platform_cfg.h, 819
CFE_TBL_OPT_LD_DMP_MSK	CFE_TBL_SendRegistry_t, 632
cFE Table Type Defines, 289	CmdHeader, 633
CFE_TBL_OPT_LOAD_DUMP	Payload, 633
cFE Table Type Defines, 290	CFE_TBL_SendRegistryCmd_Payload_t, 633
CFE_TBL_OPT_NOT_CRITICAL	TableName, 633
cFE Table Type Defines, 290	CFE_TBL_Share
CFE_TBL_OPT_NOT_USR_DEF	cFE Registration APIs, 294
cFE Table Type Defines, 290	CFE_TBL_SrcEnum_t
CFE_TBL_OPT_SNGL_BUFFER	cfe_tbl.h, 1123
cFE Table Type Defines, 290	CFE_TBL_TLM_REG_CMD_INF_EID
CFE TBL OPT USR DEF ADDR	cfe_tbl_events.h, 1152
cFE Table Type Defines, 290	CFE TBL TOO MANY DUMPS ERR EID
CFE_TBL_OPT_USR_DEF_MSK	cfe_tbl_events.h, 1152
cFE Table Type Defines, 290	CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID
CFE_TBL_OVERWRITE_DUMP_INF_EID	cfe_tbl_events.h, 1153
cfe_tbl_events.h, 1148	CFE_TBL_TableRegistryTlm_t, 634
CFE_TBL_OVERWRITE_REG_DUMP_INF_EID	Payload, 634
cfe_tbl_events.h, 1148	-
	TlmHeader, 634
CFF TBL PARTIAL LOAD FRR FID	TImHeader, 634 CEF TBI TblBegPacket Payload t. 635
CFE_TBL_PARTIAL_LOAD_ERR_EID cfe_tbl_events.h. 1149	CFE_TBL_TblRegPacket_Payload_t, 635
CFE_TBL_PARTIAL_LOAD_ERR_EID cfe_tbl_events.h, 1149 CFE_TBL_PROCESSOR_ID_ERR_EID	

Crc, 636	cfe_tbl_events.h, 1156
Critical, 636	CFE_TBL_Validate
DoubleBuffered, 637	cFE Manage Table Content APIs, 303
DumpOnly, 637	CFE_TBL_Validate_t, 640
FileCreateTimeSecs, 637	CmdHeader, 641
FileCreateTimeSubSecs, 637	Payload, 641
InactiveBufferAddr, 638	CFE_TBL_ValidateCmd_Payload_t, 641
LastFileLoaded, 638	ActiveTableFlag, 642
LoadPending, 638	TableName, 642
Name, 638	CFE_TBL_WARN_DUPLICATE
OwnerAppName, 639	cFE Return Code Defines, 182
Size, 639	CFE_TBL_WARN_NOT_CRITICAL
TableLoadedOnce, 639	cFE Return Code Defines, 183
TimeOfLastUpdate, 639	CFE_TBL_WARN_PARTIAL_LOAD
ValidationFuncPtr, 640	cFE Return Code Defines, 183
CFE_TBL_TblRegPacket_t	CFE_TBL_WARN_SHORT_FILE
cfe_tbl_msg.h, 1174	cFE Return Code Defines, 183
CFE_TBL_U32FROM4CHARS	CFE_TBL_WRITE_CFE_HDR_ERR_EID
cpu1_platform_cfg.h, 819	cfe_tbl_events.h, 1157
CFE_TBL_UNREGISTER_ERR_EID	CFE_TBL_WRITE_DUMP_INF_EID
cfe_tbl_events.h, 1153	cfe_tbl_events.h, 1157
CFE_TBL_UNVALIDATED_ERR_EID	CFE_TBL_WRITE_REG_DUMP_INF_EID
cfe_tbl_events.h, 1154	cfe_tbl_events.h, 1158
CFE_TBL_UPDATE_ERR_EID	CFE_TBL_WRITE_TBL_HDR_ERR_EID
cfe_tbl_events.h, 1154	cfe_tbl_events.h, 1158
CFE_TBL_UPDATE_SUCCESS_INF_EID	CFE_TBL_WRITE_TBL_IMG_ERR_EID
cfe_tbl_events.h, 1155	cfe_tbl_events.h, 1159
CFE_TBL_Unregister	CFE_TBL_WRITE_TBL_REG_ERR_EID
cFE Registration APIs, 295	cfe_tbl_events.h, 1159
CFE_TBL_Update	CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID
cFE Manage Table Content APIs, 302	cfe_tbl_events.h, 1160
CFE_TBL_VAL_REQ_MADE_INF_EID	CFE_TIME_1HZ_CFG_EID
cfe_tbl_events.h, 1155	cfe_time_events.h, 1182
CFE_TBL_VALID_PRID_1	CFE_TIME_1HZ_CMD_MID
cpu1_platform_cfg.h, 819	cpu1_msgids.h, 728
CFE_TBL_VALID_PRID_2	CFE_TIME_1HZ_CMD_MSG
cpu1_platform_cfg.h, 819	sample_mission_cfg.h, 856
CFE_TBL_VALID_PRID_3	CFE_TIME_1HZ_EID
cpu1_platform_cfg.h, 819	cfe_time_events.h, 1183
CFE_TBL_VALID_PRID_4	CFE_TIME_1HZ_ERR_EID
cpu1_platform_cfg.h, 819	cfe_time_events.h, 1183
CFE_TBL_VALID_PRID_COUNT	CFE_TIME_1HZ_TASK_PRIORITY
cpu1_platform_cfg.h, 820	cpu1_platform_cfg.h, 820
CFE_TBL_VALID_SCID_1	CFE_TIME_1HZ_TASK_STACK_SIZE
cpu1_platform_cfg.h, 820	cpu1_platform_cfg.h, 820
CFE_TBL_VALID_SCID_2	CFE_TIME_1HzCmd_t, 642
cpu1_platform_cfg.h, 820	CmdHeader, 642
CFE_TBL_VALID_SCID_COUNT	CFE_TIME_ADD_1HZ_ADJUSTMENT_CC
cpu1_platform_cfg.h, 820	cfe_time_msg.h, 1208
CFE_TBL_VALIDATE_CC	CFE_TIME_ADD_ADJUST_CC
cfe_tbl_msg.h, 1172	cfe_time_msg.h, 1209
CFE_TBL_VALIDATION_ERR_EID	CFE_TIME_ADD_ADJUST
cfe_tbl_events.h, 1156	cfe_time.h, 1177
CFE TBL VALIDATION INF EID	CFE TIME ADD DELAY CC

() 1 4040	1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
cfe_time_msg.h, 1210	sample_mission_cfg.h, 857
CFE_TIME_AT_TONE_WAS	CFE_TIME_ClockState
sample_mission_cfg.h, 856 CFE_TIME_AT_TONE_WILL_BE	cfe_time_extern_typedefs.h, 1204
sample mission cfg.h, 856	CFE_TIME_ClockState_Enum_t
CFE TIME Add	cfe_time_extern_typedefs.h, 1202
_	CFE_TIME_Compare
cFE Time Arithmetic APIs, 322	cFE Time Arithmetic APIs, 323
CFE_TIME_Add1HZAdjustment_t	CFE_TIME_Compare_t
cfe_time_msg.h, 1225	cfe_time.h, 1180
CFE_TIME_AddAdjust_t	CFE_TIME_Copy
cfe_time_msg.h, 1226	cfe_time.h, 1177
CFE_TIME_AddDelay_t	CFE_TIME_DATA_CMD_MID
cfe_time_msg.h, 1226	cpu1_msgids.h, 728
CFE_TIME_AdjustDirection	CFE_TIME_DATA_CMD_MSG
cfe_time_extern_typedefs.h, 1204	sample_mission_cfg.h, 857
CFE_TIME_AdjustDirection_Enum_t	CFE_TIME_DEF_DELAY_SECS
cfe_time_extern_typedefs.h, 1202	sample_mission_cfg.h, 857
CFE_TIME_CALLBACK_NOT_REGISTERED	CFE_TIME_DEF_DELAY_SUBS
cFE Return Code Defines, 183	sample_mission_cfg.h, 857
CFE_TIME_CC_ERR_EID	CFE_TIME_DEF_LEAPS
cfe_time_events.h, 1183	sample_mission_cfg.h, 857
CFE_TIME_CFE2FSSeconds	CFE_TIME_DEF_MET_SECS
cFE Time Conversion APIs, 325	sample_mission_cfg.h, 858
CFE_TIME_CFG_CLIENT	CFE_TIME_DEF_MET_SUBS
cpu1_platform_cfg.h, 821	sample_mission_cfg.h, 858
CFE_TIME_CFG_DEFAULT_TAI	CFE_TIME_DEF_STCF_SECS
sample_mission_cfg.h, 856	sample_mission_cfg.h, 858
CFE_TIME_CFG_DEFAULT_UTC	CFE_TIME_DEF_STCF_SUBS
sample_mission_cfg.h, 856	sample_mission_cfg.h, 858
CFE_TIME_CFG_FAKE_TONE	CFE_TIME_DELAY_CFG_EID
sample_mission_cfg.h, 857	cfe_time_events.h, 1184
CFE_TIME_CFG_LATCH_FLY	CFE_TIME_DELAY_EID
cpu1_platform_cfg.h, 821	cfe_time_events.h, 1184
CFE_TIME_CFG_SERVER	CFE_TIME_DELAY_ERR_EID
cpu1_platform_cfg.h, 821	cfe_time_events.h, 1185
CFE_TIME_CFG_SIGNAL	CFE_TIME_DELTA_CFG_EID
cpu1_platform_cfg.h, 821	cfe_time_events.h, 1185
CFE_TIME_CFG_SOURCE	CFE_TIME_DELTA_EID
cpu1_platform_cfg.h, 821	cfe_time_events.h, 1186
CFE_TIME_CFG_SRC_GPS	CFE_TIME_DELTA_ERR_EID
cpu1_platform_cfg.h, 821	cfe_time_events.h, 1186
CFE_TIME_CFG_SRC_MET	CFE_TIME_DIAG_EID
cpu1_platform_cfg.h, 822	cfe_time_events.h, 1187
CFE_TIME_CFG_SRC_TIME	CFE_TIME_DIAG_TLM_MID
cpu1_platform_cfg.h, 822	cpu1_msgids.h, 728
CFE_TIME_CFG_START_FLY	CFE_TIME_DIAG_TLM_MSG
cpu1_platform_cfg.h, 822	sample_mission_cfg.h, 858
CFE_TIME_CFG_TONE_LIMIT	CFE_TIME_DiagPacket_t
cpu1_platform_cfg.h, 822	cfe_time_msg.h, 1226
CFE_TIME_CFG_VIRTUAL	CFE_TIME_DiagnosticTlm_Payload_t, 643
cpu1_platform_cfg.h, 822	AtTonel etch, 645
CFE_TIME_CMD_MID	AtToneLatch, 645
cpu1_msgids.h, 728	AtToneMET 646
CFE TIME CMD MSG	AtToneMET, 646

AtToneSTCF, 646	cfe_time_events.h, 1187
ClockFlyState, 646	CFE_TIME_ExternalGPS
ClockSetState, 646	cFE External Time Source APIs, 329
ClockSignal, 647	CFE_TIME_ExternalMET
ClockSource, 647	cFE External Time Source APIs, 330
ClockStateAPI, 647	CFE_TIME_ExternalTime
ClockStateFlags, 647	cFE External Time Source APIs, 330
CurrentLatch, 648	CFE_TIME_ExternalTone
CurrentMET, 648	cFE External Time Source APIs, 331
CurrentTAI, 648	CFE_TIME_FLAG_ADD1HZ
CurrentUTC, 648	cFE Clock State Flag Defines, 336
DataStoreStatus, 649	CFE_TIME_FLAG_ADDADJ
DelayDirection, 649	cFE Clock State Flag Defines, 336
Forced2Fly, 649	CFE_TIME_FLAG_ADDTCL
LocalIntCounter, 649	cFE Clock State Flag Defines, 337
LocalTaskCounter, 650	CFE_TIME_FLAG_CLKSET
MaxElapsed, 650	cFE Clock State Flag Defines, 337
MaxLocalClock, 650	CFE_TIME_FLAG_CMDFLY
MinElapsed, 650	cFE Clock State Flag Defines, 337
OneHzAdjust, 651	CFE_TIME_FLAG_FLYING
OneHzDirection, 651	cFE Clock State Flag Defines, 337
OneTimeAdjust, 651	CFE_TIME_FLAG_GDTONE
OneTimeDirection, 651	cFE Clock State Flag Defines, 337
ServerFlyState, 652	CFE_TIME_FLAG_SERVER
TimeSinceTone, 652	cFE Clock State Flag Defines, 338
ToneDataCounter, 652	CFE_TIME_FLAG_SIGPRI
ToneDataLatch, 652	cFE Clock State Flag Defines, 338
ToneIntCounter, 653	CFE_TIME_FLAG_SRCINT
ToneIntErrorCounter, 653	cFE Clock State Flag Defines, 338
ToneMatchCounter, 653	CFE TIME FLAG SRVFLY
ToneMatchErrorCounter, 653	cFE Clock State Flag Defines, 338
ToneOverLimit, 654	CFE_TIME_FLAG_UNUSED
ToneSignalCounter, 654	cFE Clock State Flag Defines, 338
ToneSignalLatch, 654	CFE_TIME_FLY_OFF_EID
ToneTaskCounter, 654	cfe time events.h, 1188
ToneUnderLimit, 655	CFE_TIME_FLY_ON_EID
VersionCounter, 655	cfe_time_events.h, 1188
VirtualMET, 655	CFE_TIME_FLYWHEEL
CFE_TIME_DiagnosticTlm_t, 656	cfe_time.h, 1177
Payload, 656	CFE_TIME_FS2CFESeconds
TImHeader, 656	cFE Time Conversion APIs, 326
CFE TIME ENA 1HZ CMD PKT	CFE TIME FS FACTOR
cpu1_platform_cfg.h, 822	sample mission cfg.h, 859
CFE TIME EPOCH DAY	CFE_TIME_FakeToneCmd_t, 656
sample_mission_cfg.h, 858	CmdHeader, 657
CFE_TIME_EPOCH_HOUR	CFE_TIME_FlagBit
sample_mission_cfg.h, 859	cfe_time_extern_typedefs.h, 1205
CFE_TIME_EPOCH_MINUTE	CFE_TIME_FlagBit_Enum_t
sample_mission_cfg.h, 859	cfe_time_extern_typedefs.h, 1202
CFE_TIME_EPOCH_SECOND	CFE_TIME_FlywheelState
sample_mission_cfg.h, 859	cfe_time_extern_typedefs.h, 1205
CFE_TIME_EPOCH_YEAR	CFE_TIME_FlywheelState_Enum_t
sample_mission_cfg.h, 859	cfe_time_extern_typedefs.h, 1203
CFE_TIME_EXIT_ERR_EID	CFE_TIME_GetClockInfo

cFE Get Time Information APIs, 319	CFE TIME LEAPS EID
CFE_TIME_GetClockState	cfe_time_events.h, 1190
cFE Get Time Information APIs, 319	CFE TIME LEN ERR EID
CFE_TIME_GetLeapSeconds	cfe_time_events.h, 1190
cFE Get Time Information APIs, 320	CFE_TIME_LeapsCmd_Payload_t, 662
CFE_TIME_GetMETseconds	LeapSeconds, 662
cFE Get Current Time APIs, 315	CFE_TIME_Local1HzISR
CFE_TIME_GetMETsubsecs	cFE Miscellaneous Time APIs, 334
cFE Get Current Time APIs, 316	CFE_TIME_MAX_DELTA_SECS
CFE_TIME_GetMET	cpu1_platform_cfg.h, 823
cFE Get Current Time APIs, 315	CFE_TIME_MAX_DELTA_SUBS
CFE_TIME_GetSTCF	cpu1 platform cfg.h, 823
cFE Get Time Information APIs, 320	CFE_TIME_MAX_EID
CFE_TIME_GetTAI	cfe_time_events.h, 1191
cFE Get Current Time APIs, 316	CFE_TIME_MAX_ELAPSED
CFE_TIME_GetTime	sample_mission_cfg.h, 860
cFE Get Current Time APIs, 317	CFE_TIME_MAX_LOCAL_SECS
CFE_TIME_GetUTC	cpu1_platform_cfg.h, 823
cFE Get Current Time APIs, 318	CFE_TIME_MAX_LOCAL_SUBS
CFE_TIME_HK_TLM_MID	cpu1_platform_cfg.h, 823
cpu1 msgids.h, 728	CFE_TIME_MET2SCTime
CFE_TIME_HK_TLM_MSG	cFE Time Conversion APIs, 326
sample_mission_cfg.h, 859	CFE_TIME_MET_CFG_EID
CFE_TIME_HkPacket_t	cfe_time_events.h, 1191
cfe_time_msg.h, 1226	CFE_TIME_MET_EID
CFE_TIME_HousekeepingTlm_Payload_t, 657	cfe_time_events.h, 1191
ClockStateAPI, 658	CFE_TIME_MET_ERR_EID
ClockStateFlags, 658	cfe_time_events.h, 1192
CommandCounter, 658	CFE TIME MIN ELAPSED
CommandErrorCounter, 658	sample_mission_cfg.h, 860
LeapSeconds, 659	CFE_TIME_Micro2SubSecs
Seconds1HzAdj, 659	cFE Time Conversion APIs, 327
SecondsDelay, 659	CFE_TIME_NO_FLY
SecondsMET, 659	cfe_time.h, 1178
SecondsSTCF, 660	CFE_TIME_NOOP_CC
Subsecs1HzAdj, 660	cfe_time_msg.h, 1211
SubsecsDelay, 660	CFE TIME NOOP EID
SubsecsMET, 660	cfe_time_events.h, 1192
SubsecsSTCF, 661	CFE_TIME_NOT_IMPLEMENTED
CFE_TIME_HousekeepingTlm_t, 661	cFE Return Code Defines, 184
Payload, 661	CFE TIME NOT SET
TImHeader, 662	cfe_time.h, 1178
CFE_TIME_ID_ERR_EID	CFE_TIME_NoArgsCmd_t, 663
cfe_time_events.h, 1188	CmdHeader, 663
CFE_TIME_INIT_EID	CFE_TIME_Noop_t
cfe_time_events.h, 1189	cfe_time_msg.h, 1226
CFE_TIME_INTERNAL_ONLY	CFE_TIME_OUT_OF_RANGE
cFE Return Code Defines, 184	cFE Return Code Defines, 184
CFE_TIME_INVALID	CFE_TIME_OneHzAdjustmentCmd_Payload_t, 663
cfe_time.h, 1177	Seconds, 663
CFE_TIME_IS_FLY	Subseconds, 664
cfe_time.h, 1177	CFE_TIME_OneHzAdjustmentCmd_t, 664
CFE_TIME_LEAPS_CFG_EID	CmdHeader, 664
cfe_time_events.h, 1189	Payload, 664

CFE_TIME_PRINTED_STRING_SIZE	cfe_time_events.h, 1195
cfe_time.h, 1178	CFE_TIME_SOURCE_ERR_EID
CFE TIME Print	cfe_time_events.h, 1196
cFE Miscellaneous Time APIs, 334	CFE_TIME_START_TASK_PRIORITY
CFE_TIME_RESET_COUNTERS_CC	cpu1_platform_cfg.h, 823
cfe_time_msg.h, 1212	CFE_TIME_START_TASK_STACK_SIZE
CFE_TIME_RESET_EID	cpu1_platform_cfg.h, 823
cfe_time_events.h, 1193	CFE_TIME_STATE_EID
CFE_TIME_RegisterSynchCallback	cfe_time_events.h, 1196
cFE External Time Source APIs, 332	CFE_TIME_STATE_ERR_EID
CFE_TIME_ResetCounters_t	cfe time events.h, 1197
cfe time msg.h, 1226	CFE_TIME_STCF_CFG_EID
CFE_TIME_ResetVars_t, 665	cfe_time_events.h, 1197
ClockSignal, 666	CFE_TIME_STCF_EID
CurrentDelay, 666	cfe_time_events.h, 1198
CurrentMET, 666	CFE_TIME_STCF_ERR_EID
CurrentSTCF, 666	cfe time events.h, 1198
LeapSeconds, 666	CFE TIME SUB 1HZ ADJUSTMENT CC
Signature, 666	cfe time msg.h, 1222
CFE TIME SEND CMD MID	CFE_TIME_SUB_ADJUST_CC
cpu1 msgids.h, 729	cfe_time_msg.h, 1223
CFE_TIME_SEND_CMD_MSG	CFE_TIME_SUB_ADJUST
sample mission cfg.h, 860	cfe_time.h, 1178
CFE_TIME_SEND_DIAGNOSTIC_TLM_CC	CFE_TIME_SUB_DELAY_CC
cfe_time_msg.h, 1213	cfe_time_msg.h, 1224
CFE_TIME_SEND_HK_MID	CFE_TIME_SendDiagnosticTlm_t
cpu1_msgids.h, 729	cfe_time_msg.h, 1227
CFE_TIME_SEND_HK_MSG	CFE_TIME_SetLeapSeconds_t, 667
sample_mission_cfg.h, 860	CmdHeader, 667
CFE_TIME_SERVICE	Payload, 667
cfe_error.h, 892	CFE_TIME_SetMET_t
CFE_TIME_SET_LEAP_SECONDS_CC	cfe_time_msg.h, 1227
cfe_time_msg.h, 1214	CFE_TIME_SetSTCF_t
CFE_TIME_SET_MET_CC	cfe_time_msg.h, 1227
cfe_time_msg.h, 1215	CFE_TIME_SetSignal_t, 668
CFE_TIME_SET_SIGNAL_CC	CmdHeader, 668
cfe_time_msg.h, 1216	Payload, 668
CFE_TIME_SET_SOURCE_CC	CFE_TIME_SetSource_t, 668
cfe time msg.h, 1217	CmdHeader, 669
CFE_TIME_SET_STATE_CC	Payload, 669
cfe_time_msg.h, 1218	CFE TIME SetState
CFE TIME SET STCF CC	cfe_time_extern_typedefs.h, 1205
cfe time msg.h, 1220	CFE_TIME_SetState_Enum_t
CFE_TIME_SET_TIME_CC	cfe time extern typedefs.h, 1203
cfe_time_msg.h, 1221 CFE TIME SIGNAL CFG EID	CFE_TIME_SetState_t, 669 CmdHeader, 669
cfe_time_events.h, 1193	Payload, 670
	• •
CFE_TIME_SIGNAL_EID	CFE_TIME_SetTime_t
cfe_time_events.h, 1194	cfe_time_msg.h, 1227
CFE_TIME_SIGNAL_ERR_EID	CFE_TIME_SignalCmd_Payload_t, 670
cfe_time_events.h, 1194	ToneSource, 670
CFE_TIME_SOURCE_CFG_EID	CFE_TIME_SourceCmd_Payload_t, 671
cfe_time_events.h, 1195	TimeSource, 671
CFE TIME SOURCE EID	CFE TIME SourceSelect

cfe_time_extern_typedefs.h, 1206	CFE_TIME_ToneSignalCmd_t, 677
CFE_TIME_SourceSelect_Enum_t	CmdHeader, 677
cfe_time_extern_typedefs.h, 1203	CFE_TIME_ToneSignalSelect
CFE_TIME_StateCmd_Payload_t, 671	cfe_time_extern_typedefs.h, 1206
ClockState, 672	CFE_TIME_ToneSignalSelect_Enum_t
CFE_TIME_Sub1HZAdjustment_t	cfe_time_extern_typedefs.h, 1203
cfe_time_msg.h, 1227	CFE_TIME_USE_EXTERN
CFE_TIME_Sub2MicroSecs	cfe_time.h, 1179
cFE Time Conversion APIs, 328	CFE_TIME_USE_INTERN
CFE_TIME_SubAdjust_t	cfe_time.h, 1179
cfe_time_msg.h, 1227	CFE_TIME_UnregisterSynchCallback
CFE_TIME_SubDelay_t	cFE External Time Source APIs, 332
cfe_time_msg.h, 1228	CFE_TIME_VALID
CFE_TIME_Subtract	cfe_time.h, 1179
cFE Time Arithmetic APIs, 324	CFE_TIME_WAS_SET
CFE_TIME_SynchCallbackPtr_t	cfe_time.h, 1179
cfe_time.h, 1179	CFE_TLM_APPID_BASE_CPU1
CFE_TIME_SysTime_t, 672	sample_mission_cfg.h, 860
Seconds, 673	CFE_TLM_APPID_BASE_CPU2
Subseconds, 673	sample_mission_cfg.h, 861
CFE_TIME_TIME_CFG_EID	CFE_TLM_APPID_BASE_CPU3
cfe_time_events.h, 1199	sample_mission_cfg.h, 861
CFE_TIME_TIME_EID	CFE_TLM_MID_BASE_CPU1
cfe_time_events.h, 1199	sample_mission_cfg.h, 861
CFE_TIME_TIME_ERR_EID	CFE_TLM_MID_BASE_CPU2
cfe_time_events.h, 1200	sample_mission_cfg.h, 861
CFE_TIME_TONE_CMD_MID	CFE_TLM_MID_BASE_CPU3
cpu1_msgids.h, 729	sample_mission_cfg.h, 861
CFE_TIME_TONE_CMD_MSG	CFE_TLM_MID_BASE_GLOB
sample_mission_cfg.h, 860	sample_mission_cfg.h, 861
CFE_TIME_TONE_PRI	CFE_TST
cfe_time.h, 1178	 cfe_sb.h, 1064
CFE_TIME_TONE_RED	CFECoreChecksum
cfe_time.h, 1178	CFE_ES_HousekeepingTlm_Payload_t, 495
CFE_TIME_TONE_TASK_PRIORITY	CFEMajorVersion
cpu1_platform_cfg.h, 824	CFE_ES_HousekeepingTlm_Payload_t, 495
CFE_TIME_TONE_TASK_STACK_SIZE	CFEMinorVersion
cpu1 platform cfg.h, 824	CFE ES HousekeepingTlm Payload t, 495
CFE_TIME_TOO_MANY_SYNCH_CALLBACKS	CFEMissionRevision
cFE Return Code Defines, 184	CFE ES HousekeepingTlm Payload t, 495
CFE TIME TimeCmd Payload t, 673	CFERevision
MicroSeconds, 673	CFE_ES_HousekeepingTlm_Payload_t, 496
Seconds, 674	ccsds.h
CFE_TIME_TimeCmd_t, 674	CCSDS_BIG_ENDIAN, 867
CmdHeader, 674	CCSDS_CLR_CMDSEC_HDR, 867
Payload, 674	CCSDS_CLR_PRI_HDR, 868
CFE_TIME_ToneDataCmd_Payload_t, 675	CCSDS_CLR_SEC_APIDQ, 868
AtToneLeapSeconds, 675	CCSDS CLR TLMSEC HDR, 868
AtToneMET, 675	CCSDS_CMD, 869
AtToneSTCF, 676	CCSDS_CmdPkt_t, 881
AtToneState, 676	CCSDS_ComputeCheckSum, 881
CFE_TIME_ToneDataCmd_t, 676	CCSDS_EDS_MASK, 869
CmdHeader, 677	CCSDS_ENDIAN_MASK, 869
Payload, 677	CCSDS_HAS_SEC_HDR, 869
	,

CCSDS_INC_SEQ, 869	CCSDS_WR_VERS, 880
CCSDS_INIT_CHECKSUM, 870	CFE_MAKE_BIG16, 880
CCSDS_INIT_FC, 870	CFE_MAKE_BIG32, 880
CCSDS_INIT_SEQFLG, 870	NUM_CCSDS_APIDS, 880
CCSDS_INIT_SEQ, 870	NUM_CCSDS_PKT_TYPES, 881
CCSDS_LITTLE_ENDIAN, 870	CdsName
CCSDS_LoadCheckSum, 881	CFE_ES_DeleteCDSCmd_Payload_t, 488
CCSDS_NO_SEC_HDR, 870	cfe/docs/src/cfe_es.dox, 865
CCSDS_NON_PLAYBACK_PKT, 871	cfe/docs/src/cfe_evs.dox, 865
CCSDS_PLAYBACK_PKT_MASK, 871	cfe/docs/src/cfe_sb.dox, 865
CCSDS_PLAYBACK_PKT, 871	cfe/docs/src/cfe_tbl.dox, 865
CCSDS_RD_APID, 871	cfe/docs/src/cfe_time.dox, 865
CCSDS_RD_BITS, 871	cfe/docs/src/cfe_xref.dox, 865
CCSDS_RD_CHECKSUM, 871	cfe/docs/src/main.dox, 865
CCSDS_RD_EDS_VER, 872	cfe/fsw/cfe-core/src/inc/ccsds.h, 865
CCSDS_RD_ENDIAN, 872	cfe/fsw/cfe-core/src/inc/cfe.h, 882
CCSDS_RD_FC, 872	cfe/fsw/cfe-core/src/inc/cfe_error.h, 882
CCSDS_RD_LEN, 872	cfe/fsw/cfe-core/src/inc/cfe_es.h, 892
CCSDS_RD_PLAYBACK, 872	cfe/fsw/cfe-core/src/inc/cfe_es_events.h, 906
CCSDS_RD_SEC_HDR_SEC, 872	cfe/fsw/cfe-core/src/inc/cfe_es_extern_typedefs.h, 955
CCSDS_RD_SEC_HDR_SUBSEC, 873	cfe/fsw/cfe-core/src/inc/cfe_es_msg.h, 961
CCSDS_RD_SEQFLG, 873	cfe/fsw/cfe-core/src/inc/cfe_evs.h, 990
CCSDS_RD_SEQ, 873	cfe/fsw/cfe-core/src/inc/cfe_evs_events.h, 996
CCSDS_RD_SHDR, 873	cfe/fsw/cfe-core/src/inc/cfe_evs_extern_typedefs.h, 1019
CCSDS_RD_SID, 874	cfe/fsw/cfe-core/src/inc/cfe_evs_msg.h, 1022
CCSDS_RD_SUBSYSTEM_ID, 874	cfe/fsw/cfe-core/src/inc/cfe_fs.h, 1050
CCSDS_RD_SYSTEM_ID, 874	cfe/fsw/cfe-core/src/inc/cfe_fs_extern_typedefs.h, 1053
CCSDS_RD_TYPE, 874	cfe/fsw/cfe-core/src/inc/cfe_sb.h, 1056
CCSDS_RD_VERS, 874	cfe/fsw/cfe-core/src/inc/cfe_sb_events.h, 1066
CCSDS_SID_APID, 874	cfe/fsw/cfe-core/src/inc/cfe_sb_extern_typedefs.h, 1102
CCSDS_SID_SHDR, 875	cfe/fsw/cfe-core/src/inc/cfe_sb_msg.h, 1105
CCSDS_SID_TYPE, 875	cfe/fsw/cfe-core/src/inc/cfe_tbl.h, 1120
CCSDS_SID_VERS, 875	cfe/fsw/cfe-core/src/inc/cfe_tbl_events.h, 1124
CCSDS_TIME_SIZE, 875	cfe/fsw/cfe-core/src/inc/cfe_tbl_extern_typedefs.h, 1161
CCSDS_TLM, 875	cfe/fsw/cfe-core/src/inc/cfe_tbl_filedef.h, 1162
CCSDS_TImPkt_t, 881	cfe/fsw/cfe-core/src/inc/cfe_tbl_msg.h, 1163
CCSDS_ValidCheckSum, 882	cfe/fsw/cfe-core/src/inc/cfe_time.h, 1174
CCSDS_WR_APID, 875	cfe/fsw/cfe-core/src/inc/cfe_time_events.h, 1180
CCSDS_WR_BITS, 876	cfe/fsw/cfe-core/src/inc/cfe_time_extern_typedefs.h, 1201
CCSDS_WR_CHECKSUM, 876	cfe/fsw/cfe-core/src/inc/cfe_time_msg.h, 1206
CCSDS_WR_EDS_VER, 876	cfe/fsw/cfe-core/src/inc/cfe_version.h, 1228
CCSDS_WR_ENDIAN, 876	cfe/fsw/cfe-core/src/inc/network_includes.h, 1229
CCSDS_WR_FC, 877	cfe_error.h
CCSDS_WR_LEN, 877	CFE_EVENTS_SERVICE, 890
CCSDS_WR_PLAYBACK, 877	CFE_EXECUTIVE_SERVICE, 890
CCSDS_WR_SEC_HDR_SEC, 877	CFE_FILE_SERVICE, 890
CCSDS_WR_SEC_HDR_SUBSEC, 878	CFE_GENERIC_SERVICE, 890
CCSDS_WR_SEQFLG, 878	CFE_SERVICE_BITMASK, 891
CCSDS_WR_SEQ, 878	CFE_SEVERITY_BITMASK, 891
CCSDS_WR_SHDR, 879	CFE_SEVERITY_ERROR, 891
CCSDS_WR_SID, 879	CFE_SEVERITY_INFO, 891
CCSDS_WR_SUBSYSTEM_ID, 879	CFE_SEVERITY_SUCCESS, 891
CCSDS_WR_SYSTEM_ID, 879	CFE_SOFTWARE_BUS_SERVICE, 892
CCSDS_WR_TYPE, 880	CFE_TABLE_SERVICE, 892

CFE_TIME_SERVICE, 892	CFE_ES_SYSTEM_STATE_UNDEFINED, 904
cfe_es.h	CFE_ES_TEST_LONG_MASK, 904
CFE_ES_APP_ERROR, 896	CFE_ES_UNDEFINED_RESET, 905
CFE_ES_APP_EXCEPTION_PROC_RESTART,	CFE_ES_USE_MUTEX, 905
897	OS_PRINTF, 905
CFE_ES_APP_EXCEPTION_RESTART_APP, 897	cfe_es_events.h
CFE_ES_APP_EXIT, 897	CFE_ES_ALL_APPS_EID, 910
CFE_ES_APP_RESTART, 897	CFE_ES_BOOT_ERR_EID, 911
CFE_ES_APP_RUN, 897	CFE_ES_BUILD_INF_EID, 911
CFE_ES_APP_STATE_EARLY_INIT, 897	CFE_ES_CC1_ERR_EID, 911
CFE_ES_APP_STATE_LATE_INIT, 898	CFE ES CDS DELETE ERR EID, 912
CFE_ES_APP_STATE_RUNNING, 898	CFE_ES_CDS_DELETE_TBL_ERR_EID, 912
CFE_ES_APP_STATE_STOPPED, 898	CFE_ES_CDS_DELETED_INFO_EID, 913
CFE_ES_APP_STATE_UNDEFINED, 898	CFE_ES_CDS_DUMP_ERR_EID, 913
CFE_ES_APP_STATE_WAITING, 898	CFE_ES_CDS_NAME_ERR_EID, 914
CFE_ES_APP_TYPE_CORE, 898	CFE_ES_CDS_OWNER_ACTIVE_EID, 914
CFE_ES_APP_TYPE_EXTERNAL, 899	CFE_ES_CDS_REG_DUMP_INF_EID, 915
CFE_ES_APPLICATION_LOG_ENTRY, 899	CFE_ES_CDS_REGISTER_ERR_EID, 915
CFE_ES_BANKSWITCH_RESET, 899	CFE_ES_CREATING_CDS_DUMP_ERR_EID, 916
CFE_ES_CDS_BAD_HANDLE, 899	CFE_ES_ERLOG1_INF_EID, 916
CFE_ES_CDS_MAX_FULL_NAME_LEN, 899	CFE_ES_ERLOG2_EID, 917
CFE_ES_CDSHandle_t, 905	CFE_ES_ERLOG2_ERR_EID, 917
CFE_ES_CORE_APP_INIT_ERROR, 899	CFE_ES_ERR_SYSLOGMODE_EID, 918
CFE_ES_CORE_APP_RUNTIME_ERROR, 900	CFE_ES_ERREXIT_APP_ERR_EID, 918
CFE_ES_CORE_LOG_ENTRY, 900	CFE_ES_ERREXIT_APP_INF_EID, 919
CFE_ES_ChildTaskMainFuncPtr_t, 905	CFE_ES_EXIT_APP_ERR_EID, 919
CFE_ES_DBIT, 900	CFE_ES_EXIT_APP_INF_EID, 920
CFE_ES_DTEST, 900	CFE_ES_FILEWRITE_ERR_EID, 920
CFE_ES_EXCEPTION, 900	CFE_ES_INIT_INF_EID, 921
CFE_ES_HW_SPECIAL_COMMAND, 900	CFE_ES_INITSTATS_INF_EID, 921
CFE_ES_HW_WATCHDOG, 901	CFE_ES_INVALID_POOL_HANDLE_ERR_EID, 922
CFE_ES_HWDEBUG_RESET, 901	CFE_ES_LEN_ERR_EID, 922
CFE_ES_LOG_DISCARD, 901	CFE_ES_MAX_EID, 923
CFE_ES_LOG_OVERWRITE, 901	CFE_ES_MID_ERR_EID, 923
CFE_ES_LibraryEntryFuncPtr_t, 906	CFE_ES_NOOP_INF_EID, 923
CFE_ES_MAX_MEMPOOL_BLOCK_SIZES, 901	CFE_ES_ONE_APP_EID, 924
CFE_ES_MemHandle_t, 906	CFE_ES_ONE_APPID_ERR_EID, 924
CFE_ES_NO_MUTEX, 901	CFE_ES_ONE_ERR_EID, 925
CFE_ES_POWER_CYCLE, 902	CFE_ES_OSCREATE_ERR_EID, 925
CFE_ES_POWERON_RESET, 902	CFE_ES_PCR_ERR1_EID, 926
CFE_ES_PROCESSOR_RESET, 902	CFE_ES_PCR_ERR2_EID, 926
CFE_ES_PUSH_BUTTON, 902	CFE_ES_PERF_DATAWRITTEN_EID, 927
CFE_ES_RESET_COMMAND, 902	CFE_ES_PERF_FILTMSKCMD_EID, 927
CFE_ES_STATIC_POOL_TYPE, 902	CFE_ES_PERF_FILTMSKERR_EID, 928
CFE_ES_SYS_DELETE, 903	CFE_ES_PERF_LOG_ERR_EID, 928
CFE_ES_SYS_EXCEPTION, 903	CFE_ES_PERF_STARTCMD_EID, 929
CFE_ES_SYS_RELOAD, 903	CFE_ES_PERF_STARTCMD_ERR_EID, 929
CFE_ES_SYS_RESTART, 903	CFE_ES_PERF_STARTCMD_TRIG_ERR_EID, 930
CFE_ES_SYSTEM_STATE_APPS_INIT, 903	CFE_ES_PERF_STOPCMD_EID, 930
CFE_ES_SYSTEM_STATE_CORE_READY, 903	CFE_ES_PERF_STOPCMD_ERR2_EID, 931
CFE_ES_SYSTEM_STATE_CORE_STARTUP, 904	CFE_ES_PERF_TRIGMSKCMD_EID, 931
CFE_ES_SYSTEM_STATE_EARLY_INIT, 904	CFE_ES_PERF_TRIGMSKERR_EID, 932
CFE_ES_SYSTEM_STATE_OPERATIONAL, 904	CFE_ES_RELOAD_APP_DBG_EID, 932
CFE_ES_SYSTEM_STATE_SHUTDOWN, 904	CFE_ES_RELOAD_APP_ERR1_EID, 933

CFE_ES_RELOAD_APP_ERR2_EID, 933	CFE_ES_LogMode, 959
CFE_ES_RELOAD_APP_ERR3_EID, 934	CFE_ES_LogMode_Enum_t, 957
CFE_ES_RELOAD_APP_ERR4_EID, 934	CFE_ES_RunStatus, 960
CFE_ES_RELOAD_APP_INF_EID, 935	CFE_ES_RunStatus_Enum_t, 957
CFE_ES_RESET_INF_EID, 935	CFE_ES_SystemState, 960
CFE_ES_RESET_PR_COUNT_EID, 936	CFE_ES_SystemState_Enum_t, 957
CFE_ES_RESTART_APP_DBG_EID, 936	cfe_es_msg.h
CFE_ES_RESTART_APP_ERR1_EID, 937	CFE_ES_CLEAR_ER_LOG_CC, 963
CFE_ES_RESTART_APP_ERR2_EID, 937	CFE_ES_CLEAR_SYSLOG_CC, 964
CFE_ES_RESTART_APP_ERR3_EID, 938	CFE ES ClearERLog t, 988
CFE_ES_RESTART_APP_ERR4_EID, 938	CFE_ES_ClearSyslog_t, 988
CFE_ES_RESTART_APP_INF_EID, 939	CFE ES DELETE CDS CC, 965
CFE_ES_RST_ACCESS_EID, 939	CFE_ES_DUMP_CDS_REGISTRY_CC, 965
CFE_ES_SET_MAX_PR_COUNT_EID, 940	CFE_ES_HkPacket_t, 988
CFE_ES_SHELL_ERR_EID, 940	CFE_ES_NOOP_CC, 966
CFE_ES_SHELL_INF_EID, 941	CFE_ES_Noop_t, 988
CFE_ES_START_ERR_EID, 941	CFE_ES_OVER_WRITE_SYSLOG_CC, 967
CFE_ES_START_EXC_ACTION_ERR_EID, 942	CFE ES PoolStatsTIm t, 988
CFE ES START INF EID, 942	CFE_ES_QUERY_ALL_CC, 968
CFE_ES_START_INVALID_ENTRY_POINT_ERR↔	CFE_ES_QUERY_ALL_TASKS_CC, 969
_EID, 943	CFE_ES_QUERY_ONE_CC, 970
CFE_ES_START_INVALID_FILENAME_ERR_EID,	CFE_ES_QueryAll_t, 988
943	CFE_ES_QueryAllTasks_t, 988
CFE_ES_START_NULL_APP_NAME_ERR_EID,	CFE_ES_QueryOne_t, 989
944	CFE_ES_RELOAD_APP_CC, 971
CFE_ES_START_PRIORITY_ERR_EID, 944	CFE_ES_RESET_COUNTERS_CC, 972
CFE_ES_START_STACK_ERR_EID, 945	CFE_ES_RESET_PR_COUNT_CC, 973
CFE_ES_STOP_DBG_EID, 945	CFE_ES_RESTART_APP_CC, 974
CFE_ES_STOP_ERR1_EID, 946	CFE_ES_RESTART_CC, 975
CFE_ES_STOP_ERR2_EID, 946	CFE_ES_ResetCounters_t, 989
CFE_ES_STOP_ERR3_EID, 947	CFE_ES_ResetPRCount_t, 989
CFE_ES_STOP_INF_EID, 947	CFE_ES_RestartApp_t, 989
CFE_ES_SYSLOG1_INF_EID, 948	CFE_ES_SEND_MEM_POOL_STATS_CC, 976
CFE_ES_SYSLOG2_EID, 948	CFE_ES_SET_MAX_PR_COUNT_CC, 977
CFE_ES_SYSLOG2_ERR_EID, 949	CFE_ES_SET_PERF_FILTER_MASK_CC, 978
CFE_ES_SYSLOGMODE_EID, 949	CFE_ES_SET_PERF_TRIGGER_MASK_CC, 979
CFE_ES_TASKINFO_EID, 950	CFE_ES_SHELL_CC, 980
CFE_ES_TASKINFO_OSCREATE_ERR_EID, 950	CFE_ES_START_APP_CC, 981
CFE_ES_TASKINFO_WR_ERR_EID, 951	CFE_ES_START_PERF_DATA_CC, 982
CFE_ES_TASKINFO_WRHDR_ERR_EID, 951	CFE_ES_STOP_APP_CC, 983
CFE_ES_TASKWR_ERR_EID, 952	CFE_ES_STOP_PERF_DATA_CC, 984
CFE_ES_TLM_POOL_STATS_INFO_EID, 952	CFE_ES_ShellPacket_t, 989
CFE_ES_VERSION_INF_EID, 953	CFE_ES_StopApp_t, 989
CFE_ES_WRHDR_ERR_EID, 953	CFE_ES_WRITE_ER_LOG_CC, 985
CFE_ES_WRITE_CFE_HDR_ERR_EID, 954	CFE_ES_WRITE_SYSLOG_CC, 986
cfe_es_extern_typedefs.h	CFE_ES_WriteERLog_t, 990
CFE_ES_AppState, 958	CFE_ES_WriteSyslog_t, 990
CFE_ES_AppState_Enum_t, 956	cfe_evs.h
CFE_ES_AppType, 958	CFE_EVS_BINARY_FILTER, 992
CFE_ES_AppType_Enum_t, 956	CFE_EVS_CRITICAL, 992
CFE_ES_ExceptionAction, 959	CFE_EVS_DEBUG, 992
CFE_ES_ExceptionAction_Enum_t, 956	CFE_EVS_ERROR, 992
CFE_ES_LogEntryType, 959	CFE_EVS_EVERY_FOURTH_ONE, 992
CFE ES LogEntryType Enum t, 957	CFE EVS EVERY OTHER ONE, 992

CFE_EVS_EVERY_OTHER_TWO, 993	CFE_EVS_SETEVTFMTMOD_EID, 1016
CFE_EVS_FIRST_16_STOP, 993	CFE_EVS_SETFILTERMSK_EID, 1016
CFE_EVS_FIRST_32_STOP, 993	CFE_EVS_STARTUP_EID, 1017
CFE_EVS_FIRST_4_STOP, 993	CFE_EVS_WRDAT_EID, 1017
CFE_EVS_FIRST_64_STOP, 993	CFE_EVS_WRLOG_EID, 1018
CFE_EVS_FIRST_8_STOP, 994	cfe_evs_extern_typedefs.h
CFE_EVS_FIRST_ONE_STOP, 994	CFE_EVS_EventFilter, 1020
CFE_EVS_FIRST_TWO_STOP, 994	CFE_EVS_EventFilter_Enum_t, 1019
CFE EVS INFORMATION, 994	CFE_EVS_EventOutput, 1021
CFE EVS NO FILTER, 994	CFE_EVS_EventOutput_Enum_t, 1019
CFE_EVS_PORT1, 995	CFE_EVS_EventType, 1021
CFE_EVS_PORT2, 995	CFE_EVS_EventType_Enum_t, 1020
CFE_EVS_PORT3, 995	CFE_EVS_LogMode, 1021
CFE_EVS_PORT4, 995	CFE_EVS_LogMode_Enum_t, 1020
cfe_evs_events.h	CFE_EVS_MsgFormat, 1022
CFE_EVS_ADDFILTER_EID, 998	CFE_EVS_MsgFormat_Enum_t, 1020
CFE_EVS_DELFILTER_EID, 998	-
CFE_EVS_DELFICTEN_EID, 998 CFE_EVS_DISAPPENTTYPE_EID, 998	cfe_evs_msg.h
	CFE_EVS_ADD_EVENT_FILTER_CC, 1024
CFE_EVS_DISAPPEVT_EID, 999	CFE_EVS_AddEventFilter_t, 1046
CFE_EVS_DISEVTTYPE_EID, 999	CFE_EVS_CLEAR_LOG_CC, 1025
CFE_EVS_DISPORT_EID, 1000	CFE_EVS_CRITICAL_BIT, 1026
CFE_EVS_ENAAPPEVT_EID, 1000	CFE_EVS_ClearLog_t, 1047
CFE_EVS_ENAAPPEVTTYPE_EID, 1001	CFE_EVS_DEBUG_BIT, 1026
CFE_EVS_ENAEVTTYPE_EID, 1001	CFE_EVS_DELETE_EVENT_FILTER_CC, 1026
CFE_EVS_ENAPORT_EID, 1002	CFE_EVS_DISABLE_APP_EVENT_TYPE_CC,
CFE_EVS_ERR_APPNOREGS_EID, 1002	1027
CFE_EVS_ERR_CC_EID, 1003	CFE_EVS_DISABLE_APP_EVENTS_CC, 1028
CFE_EVS_ERR_CRDATFILE_EID, 1003	CFE_EVS_DISABLE_EVENT_TYPE_CC, 1029
CFE_EVS_ERR_CRLOGFILE_EID, 1004	CFE_EVS_DISABLE_PORTS_CC, 1030
CFE_EVS_ERR_EVTIDNOREGS_EID, 1004	CFE_EVS_DeleteEventFilter_t, 1047
CFE_EVS_ERR_ILLAPPIDRANGE_EID, 1005	CFE_EVS_DisableAppEventType_t, 1047
CFE_EVS_ERR_ILLEGALFMTMOD_EID, 1005	CFE_EVS_DisableAppEvents_t, 1047
CFE_EVS_ERR_INVALID_BITMASK_EID, 1006	CFE_EVS_DisableEventType_t, 1047
CFE_EVS_ERR_LOGMODE_EID, 1006	CFE_EVS_DisablePorts_t, 1047
CFE_EVS_ERR_MAXREGSFILTER_EID, 1007	CFE_EVS_ENABLE_APP_EVENT_TYPE_CC, 1031
CFE_EVS_ERR_MSGID_EID, 1007	CFE_EVS_ENABLE_APP_EVENTS_CC, 1032
CFE_EVS_ERR_NOAPPIDFOUND_EID, 1008	CFE_EVS_ENABLE_EVENT_TYPE_CC, 1033
CFE_EVS_ERR_UNREGISTERED_EVS_APP,	CFE_EVS_ENABLE_PORTS_CC, 1034
1008	CFE_EVS_ERROR_BIT, 1035
CFE_EVS_ERR_WRDATFILE_EID, 1009	CFE_EVS_EnableAppEventType_t, 1048
CFE_EVS_ERR_WRLOGFILE_EID, 1009	CFE_EVS_EnableAppEvents_t, 1048
CFE_EVS_EVT_FILTERED_EID, 1010	CFE_EVS_EnableEventType_t, 1048
CFE EVS FILTER MAX EID, 1010	CFE EVS EnablePorts t, 1048
CFE EVS LEN ERR EID, 1011	CFE EVS HK TLM LNGTH, 1036
CFE_EVS_LOGMODE_EID, 1011	CFE_EVS_INFORMATION_BIT, 1036
CFE_EVS_MAX_EID, 1012	CFE_EVS_LOG_DISCARD, 1036
CFE_EVS_NO_LOGCLR_EID, 1012	CFE_EVS_LOG_OVERWRITE, 1036
CFE_EVS_NO_LOGSET_EID, 1012	CFE EVS NOOP CC, 1036
CFE_EVS_NO_LOGWR_EID, 1013	CFE_EVS_Noop_t, 1048
CFE_EVS_NOOP_EID, 1013	CFE_EVS_PORT1_BIT, 1037
CFE_EVS_RSTALLFILTER_EID, 1014	CFE_EVS_PORT2_BIT, 1037
CFE_EVS_RSTCNT_EID, 1014	CFE_EVS_PORT3_BIT, 1038
CFE_EVS_RSTEVTCNT_EID, 1015	CFE EVS PORT4 BIT, 1038
CFE_EVS_RSTFILTER_EID, 1015	CFE_EVS_Packet_t, 1048
5. L_L V	01 L_L v 0_1 acret_t, 1040

	CFE_EVS_RESET_ALL_FILTERS_CC, 1038	CFE_PSP_Get_Timebase, 1275
	CFE_EVS_RESET_APP_COUNTER_CC, 1039	CFE_PSP_Get_Timer_Tick, 1276
	CFE_EVS_RESET_COUNTERS_CC, 1040	CFE_PSP_GetCDSSize, 1276
		CFE_PSP_GetCFETextSegmentInfo, 1276
	CFE_EVS_RESET_FILTER_CC, 1040	
	CFE_EVS_ResetAllFilters_t, 1049	CFE_PSP_GetKernelTextSegmentInfo, 1276
	CFE_EVS_ResetAppCounter_t, 1049	CFE_PSP_GetProcessorId, 1277
	CFE_EVS_ResetCounters_t, 1049	CFE_PSP_GetResetArea, 1277
	CFE_EVS_ResetFilter_t, 1049	CFE_PSP_GetRestartType, 1277
	CFE_EVS_SET_EVENT_FORMAT_MODE_CC,	CFE_PSP_GetSpacecraftId, 1277
	1041	CFE_PSP_GetTime, 1277
	CFE_EVS_SET_FILTER_CC, 1042	CFE_PSP_GetTimerLow32Rollover, 1278
	CFE_EVS_SET_LOG_MODE_CC, 1043	CFE_PSP_GetTimerTicksPerSecond, 1278
	CFE_EVS_SetFilter_t, 1049	CFE_PSP_GetUserReservedArea, 1278
	CFE_EVS_TImPkt_t, 1049	CFE_PSP_GetVolatileDiskMem, 1279
	CFE_EVS_WRITE_APP_DATA_FILE_CC, 1044	CFE_PSP_INVALID_INT_NUM, 1264
	CFE_EVS_WRITE_LOG_DATA_FILE_CC, 1045	CFE_PSP_INVALID_MEM_ADDR, 1265
cfe_	fs.h	CFE_PSP_INVALID_MEM_ATTR, 1265
	CFE_FS_ES_CDS_REG_SUBTYPE, 1051	CFE_PSP_INVALID_MEM_RANGE, 1265
	CFE_FS_ES_ERLOG_SUBTYPE, 1051	CFE_PSP_INVALID_MEM_SIZE, 1265
	CFE_FS_ES_PERFDATA_SUBTYPE, 1051	CFE PSP INVALID MEM TYPE, 1265
	CFE FS ES QUERYALL SUBTYPE, 1051	CFE_PSP_INVALID_MEM_WORDSIZE, 1265
	CFE_FS_ES_QUERYALLTASKS_SUBTYPE, 1051	CFE PSP INVALID MODULE ID, 1266
	CFE FS ES SHELL SUBTYPE, 1051	CFE_PSP_INVALID_MODULE_NAME, 1266
	CFE_FS_ES_SYSLOG_SUBTYPE, 1051	CFE PSP INVALID POINTER, 1266
	CFE_FS_EVS_APPDATA_SUBTYPE, 1052	CFE_PSP_InitProcessorReservedMemory, 1279
	CFE_FS_EVS_EVENTLOG_SUBTYPE, 1052	CFE_PSP_InitSSR, 1279
	CFE_FS_SB_MAPDATA_SUBTYPE, 1052	CFE_PSP_MAJOR_VERSION, 1266
	CFE_FS_SB_PIPEDATA_SUBTYPE, 1052	CFE_PSP_MEM_ANY, 1266
	CFE_FS_SB_ROUTEDATA_SUBTYPE, 1052	CFE_PSP_MEM_ATTR_READWRITE, 1267
	CFE_FS_TBL_IMG_SUBTYPE, 1052	CFE_PSP_MEM_ATTR_READ, 1266
	CFE_FS_TBL_REG_SUBTYPE, 1053	CFE_PSP_MEM_ATTR_WRITE, 1267
cfe	fs_extern_typedefs.h	CFE_PSP_MEM_EEPROM, 1267
0.0_	CFE_FS_FILE_CONTENT_ID, 1054	CFE_PSP_MEM_INVALID, 1267
	CFE_FS_HDR_DESC_MAX_LEN, 1054	CFE PSP MEM RAM, 1267
	CFE_FS_SubType, 1054	CFE PSP MEM SIZE BYTE, 1267
	CFE_FS_SubType_Enum_t, 1054	CFE_PSP_MEM_SIZE_DWORD, 1268
cfo	psp.h	CFE_PSP_MEM_SIZE_WORD, 1268
CIE_		
	BUFF_SIZE, 1264	CFE_PSP_MINOR_VERSION, 1268
	CFE_PSP_AttachExceptions, 1273	CFE_PSP_MISSION_REV, 1268
	CFE_PSP_Decompress, 1274	CFE_PSP_Main, 1280
	CFE_PSP_ERROR_ADDRESS_MISALIGNED,	CFE_PSP_MemCpy, 1280
	1264	CFE_PSP_MemRangeGet, 1280
	CFE_PSP_ERROR_NOT_IMPLEMENTED, 1264	CFE_PSP_MemRangeSet, 1280
	CFE_PSP_ERROR_TIMEOUT, 1264	CFE_PSP_MemRanges, 1280
	CFE_PSP_ERROR, 1264	CFE_PSP_MemRead16, 1281
	CFE_PSP_EepromPowerDown, 1274	CFE_PSP_MemRead32, 1281
	CFE_PSP_EepromPowerUp, 1274	CFE_PSP_MemRead8, 1281
	CFE_PSP_EepromWrite16, 1274	CFE_PSP_MemSet, 1281
	CFE_PSP_EepromWrite32, 1274	CFE_PSP_MemValidateRange, 1281
	CFE_PSP_EepromWrite8, 1275	CFE_PSP_MemWrite16, 1281
	CFE_PSP_EepromWriteDisable, 1275	CFE_PSP_MemWrite32, 1282
	CFE_PSP_EepromWriteEnable, 1275	CFE_PSP_MemWrite8, 1282
	CFE_PSP_FlushCaches, 1275	CFE_PSP_PANIC_CORE_APP, 1268
	CFE PSP Get Dec, 1275	CFE PSP PANIC GENERAL FAILURE, 1268

CFE PSP PANIC MEMORY ALLOC, 1269	CFE_PSP_ExceptionHook, 1288
CFE PSP PANIC NONVOL DISK, 1269	_ ·
	CFE_PSP_ExceptionReasonString, 1289
CFE_PSP_PANIC_STARTUP_SEM, 1269	CFE_PSP_SetDefaultExceptionEnvironment, 1288
CFE_PSP_PANIC_STARTUP, 1269	cfe_psp_memory.c
CFE_PSP_PANIC_VOLATILE_DISK, 1269	_fini, 1297
CFE_PSP_Panic, 1282	_init, 1297
CFE_PSP_PortRead16, 1282	CDSShmld, 1298
CFE_PSP_PortRead32, 1283	CFE_PSP_CDS_KEY_FILE, 1290
CFE_PSP_PortRead8, 1283	CFE_PSP_CDS_SIZE, 1291
CFE_PSP_PortWrite16, 1283	CFE_PSP_CDSPtr, 1298
CFE_PSP_PortWrite32, 1283	CFE_PSP_DeleteCDS, 1292
CFE_PSP_PortWrite8, 1283	CFE_PSP_DeleteProcessorReservedMemory, 1292
CFE_PSP_REVISION, 1269	CFE_PSP_DeleteResetArea, 1292
CFE_PSP_RST_SUBTYPE_BANKSWITCH_RES↔	CFE_PSP_DeleteUserReservedArea, 1293
ET, 1270	CFE PSP GetCDSSize, 1293
CFE_PSP_RST_SUBTYPE_EXCEPTION, 1270	CFE_PSP_GetCFETextSegmentInfo, 1293
CFE PSP RST SUBTYPE HW SPECIAL COM↔	CFE_PSP_GetKernelTextSegmentInfo, 1293
MAND, 1270	CFE PSP GetResetArea, 1294
CFE_PSP_RST_SUBTYPE_HW_WATCHDOG,	CFE PSP GetUserReservedArea, 1294
1270	CFE PSP GetVolatileDiskMem, 1294
CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET,	CFE PSP InitCDS, 1294
1270	CFE_PSP_InitProcessorReservedMemory, 1295
CFE PSP RST SUBTYPE MAX, 1271	CFE_PSP_InitResetArea, 1295
CFE_PSP_RST_SUBTYPE_POWER_CYCLE, 1271	CFE_PSP_InitUserReservedArea, 1296
CFE_PSP_RST_SUBTYPE_PUSH_BUTTON, 1271	CFE_PSP_InitVolatileDiskMem, 1296
CFE_PSP_RST_SUBTYPE_RESET_COMMAND,	CFE_PSP_RESERVED_KEY_FILE, 1291
1271	CFE_PSP_RESET_AREA_SIZE, 1291
CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET,	CFE_PSP_RESET_KEY_FILE, 1291
1271	CFE PSP ReadFromCDS, 1297
CFE_PSP_RST_TYPE_MAX, 1272	CFE PSP ResetAreaPtr, 1298
CFE_PSP_RST_TYPE_POWERON, 1272	CFE_PSP_USER_RESERVED_SIZE, 1291
CFE_PSP_RST_TYPE_PROCESSOR, 1272	CFE_PSP_UserReservedAreaPtr, 1298
CFE PSP ReadFromCDS, 1283	CFE_PSP_WriteToCDS, 1297
CFE_PSP_Restart, 1284	
	ResetAreaShmld, 1298
CFE_PSP_SUCCESS, 1272	UserShmld, 1299
CFE_PSP_SetDefaultExceptionEnvironment, 1284	cfe_psp_memtab.c
CFE_PSP_WatchdogDisable, 1284	CFE_PSP_MemoryTable, 1299
CFE_PSP_WatchdogEnable, 1284	cfe_psp_ssr.c
CFE_PSP_WatchdogGet, 1285	CFE_PSP_InitSSR, 1300
CFE_PSP_WatchdogInit, 1285	cfe_psp_start.c
CFE_PSP_WatchdogService, 1285	CFE_PSP_1HZ_FUNCTION, 1301
CFE_PSP_WatchdogSet, 1285	CFE_PSP_CPU_ID, 1302
CFE_PSP_WriteToCDS, 1285	CFE_PSP_CPU_NAME_LENGTH, 1302
SIZE_BYTE, 1273	CFE_PSP_CPU_NAME, 1302
SIZE_HALF, 1273	CFE_PSP_Cpuld, 1305
SIZE_WORD, 1273	CFE_PSP_CpuName, 1305
cfe_psp_configdata.h	CFE_PSP_DeleteProcessorReservedMemory, 1303
CFE_PSP_MemoryTable, 1286	CFE_PSP_DisplayUsage, 1303
GLOBAL_PSP_CONFIGDATA, 1286	CFE_PSP_MAIN_FUNCTION, 1302
OS_VolumeTable, 1287	CFE_PSP_NONVOL_STARTUP_FILE, 1302
cfe_psp_exception.c	CFE_PSP_ProcessArgumentDefaults, 1304
CFE_PSP_AttachExceptions, 1288	CFE_PSP_RESET_NAME_LENGTH, 1303
CFE_PSP_ES_EXCEPTION_FUNCTION, 1287	CFE_PSP_SPACECRAFT_ID, 1303
CFE_PSP_ExceptionContext, 1289	CFE_PSP_SetupLocal1Hz, 1304

CFE_PSP_SigintHandler, 1304	CFE_SB_TLM_HDR_SIZE, 1063
CFE_PSP_SpacecraftId, 1306	CFE_SB_TimeOut_t, 1065
CFE_PSP_TimerHandler, 1305	CFE_SB_TlmHdr_t, 1065
CommandData, 1306	CFE_SB_UNSUBSCRIPTION, 1063
longOpts, 1306	CFE_SB_ZeroCopyHandle_t, 1065
optString, 1306	CFE_SET, 1063
TimerCounter, 1307	CFE_TST, 1064
cfe_psp_support.c	cfe_sb_events.h
CFE_PSP_Cpuld, 1309	CFE_SB_BAD_CMD_CODE_EID, 1069
CFE PSP FlushCaches, 1307	CFE_SB_BAD_MSGID_EID, 1069
CFE_PSP_GetProcessorId, 1308	CFE_SB_BAD_PIPEID_EID, 1069
CFE_PSP_GetSpacecraftId, 1308	CFE_SB_CMD0_RCVD_EID, 1070
CFE_PSP_Panic, 1308	CFE_SB_CMD1_RCVD_EID, 1070
CFE_PSP_Restart, 1308	CFE_SB_CR_PIPE_BAD_ARG_EID, 1071
CFE_PSP_SpacecraftId, 1309	CFE_SB_CR_PIPE_ERR_EID, 1071
cfe_psp_timer.c	CFE_SB_CR_PIPE_NAME_TAKEN_EID, 1072
CFE_PSP_Get_Dec, 1311	CFE_SB_CR_PIPE_NO_FREE_EID, 1072
CFE PSP Get Timebase, 1311	CFE SB DEL PIPE ERR1 EID, 1073
CFE_PSP_Get_Timer_Tick, 1311	CFE_SB_DEL_PIPE_ERR2_EID, 1073
CFE_PSP_GetTime, 1311	CFE_SB_DEST_BLK_ERR_EID, 1074
CFE_PSP_GetTimerLow32Rollover, 1312	CFE_SB_DSBL_RTE1_EID, 1074
CFE_PSP_GetTimerTicksPerSecond, 1312	CFE SB DSBL RTE2 EID, 1075
CFE_PSP_TIMER_LOW32_ROLLOVER, 1310	CFE_SB_DSBL_RTE3_EID, 1075
CFE_PSP_TIMER_TICKS_PER_SECOND, 1310	CFE_SB_DUP_SUBSCRIP_EID, 1076
cfe_psp_voltab.c	CFE_SB_ENBL_RTE1_EID, 1076
OS_VolumeTable, 1313	CFE_SB_ENBL_RTE2_EID, 1077
cfe_psp_watchdog.c	CFE_SB_ENBL_RTE3_EID, 1077
CFE_PSP_WatchdogDisable, 1314	CFE_SB_FILEWRITE_ERR_EID, 1078
CFE_PSP_WatchdogEnable, 1314	CFE_SB_FULL_SUB_PKT_EID, 1078
CFE_PSP_WatchdogGet, 1314	CFE_SB_GET_BUF_ERR_EID, 1079
CFE_PSP_WatchdogInit, 1314	CFE_SB_GETPIPEIDBYNAME_EID, 1079
CFE_PSP_WatchdogService, 1315	CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID,
CFE_PSP_WatchdogSet, 1315	1080
CFE_PSP_WatchdogValue, 1315	CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID,
cfe_sb.h	1080
CFE_BIT, 1059	CFE SB GETPIPENAME EID, 1081
CFE_CLR, 1060	CFE_SB_GETPIPENAME_ID_ERR_EID, 1081
CFE_SB_CMD_HDR_SIZE, 1060	CFE_SB_GETPIPENAME_NULL_PTR_EID, 1082
CFE SB CmdHdr t, 1064	CFE SB GETPIPEOPTS EID, 1082
CFE SB Default Qos, 1066	CFE SB GETPIPEOPTS ID ERR EID, 1083
CFE_SB_GET_MEMADDR, 1060	CFE_SB_GETPIPEOPTS_PTR_ERR_EID, 1083
CFE_SB_INVALID_MSG_ID, 1060	CFE_SB_GLS_INV_CALLER_EID, 1084
CFE SB MSGID RESERVED, 1061	CFE_SB_INIT_EID, 1084
	CFE SB LEN ERR EID, 1085
CFE_SB_MSGID_UNWRAP_VALUE, 1061	CFE SB LSTSNDER ERR1 EID, 1085
CFE_SB_MSGID_WRAP_VALUE, 1061	
CFE_SB_MsgPayloadPtr_t, 1064	CFE_SB_LSTSNDER_ERR2_EID, 1086
CFE_SB_MsgPtr_t, 1064	CFE_SB_MAX_DESTS_MET_EID, 1086
CFE_SB_PEND_FOREVER, 1062	CFE_SB_MAX_EID, 1087
CFE_SB_PIPEOPTS_IGNOREMINE, 1062	CFE_SB_MAX_MSGS_MET_EID, 1087
CFE_SB_POLL, 1062	CFE_SB_MAX_PIPES_MET_EID, 1087
CFE_SB_Pipeld_t, 1065	CFE_SB_MSG_TOO_BIG_EID, 1088
CFE_SB_SET_MEMADDR, 1062	CFE_SB_MSGID_LIM_ERR_EID, 1088
CFE_SB_SUB_ENTRIES_PER_PKT, 1063	CFE_SB_PART_SUB_PKT_EID, 1089
CFE_SB_SUBSCRIPTION, 1063	CFE_SB_PIPE_ADDED_EID, 1089

CFE_SB_PIPE_DELETED_EID, 1090	CFE_SB_SendPrevSubs_t, 1119
CFE_SB_Q_FULL_ERR_EID, 1090	CFE_SB_SendRoutingInfo_t, 1119
CFE_SB_Q_RD_ERR_EID, 1091	CFE_SB_SendSbStats_t, 1119
CFE_SB_Q_WR_ERR_EID, 1091	CFE_SB_StatMsg_t, 1120
CFE_SB_RCV_BAD_ARG_EID, 1092	CFE SB SubRprtMsg t, 1120
CFE_SB_SEND_BAD_ARG_EID, 1092	cfe_tbl.h
CFE_SB_SEND_INV_MSGID_EID, 1093	CFE_TBL_ACTIVE_BUFFER, 1122
CFE_SB_SEND_NO_SUBS_EID, 1093	CFE_TBL_BAD_TABLE_HANDLE, 1122
CFE_SB_SETPIPEOPTS_EID, 1094	CFE TBL CallbackFuncPtr t, 1123
CFE_SB_SETPIPEOPTS_ID_ERR_EID, 1094	CFE_TBL_Handle_t, 1123
CFE_SB_SETPIPEOPTS_OWNER_ERR_EID, 1095	CFE_TBL_INACTIVE_BUFFER, 1123
CFE SB SND RTG EID, 1095	CFE_TBL_MAX_FULL_NAME_LEN, 1123
CFE_SB_SND_RTG_ERR1_EID, 1096	CFE_TBL_SrcEnum_t, 1123
CFE_SB_SND_STATS_EID, 1096	cfe tbl events.h
CFE_SB_SUB_ARG_ERR_EID, 1097	CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID,
CFE_SB_SUB_INV_CALLER_EID, 1097	1127
CFE_SB_SUB_INV_PIPE_EID, 1098	CFE_TBL_ACTIVATE_ERR_EID, 1127
CFE SB SUBSCRIPTION RCVD EID, 1098	CFE_TBL_ASSUMED_VALID_INF_EID, 1127
CFE_SB_SUBSCRIPTION_REMOVED_EID, 1099	CFE_TBL_CC1_ERR_EID, 1128
CFE_SB_SUBSCRIPTION_RPT_EID, 1099	CFE_TBL_CDS_DELETE_ERR_EID, 1128
CFE_SB_UNSUB_ARG_ERR_EID, 1100	CFE_TBL_CDS_DELETED_INFO_EID, 1129
CFE_SB_UNSUB_INV_CALLER_EID, 1100	CFE_TBL_CDS_NOT_FOUND_ERR_EID, 1129
CFE_SB_UNSUB_INV_PIPE_EID, 1101	CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID, 1130
CFE_SB_UNSUB_NO_SUBS_EID, 1101	CFE_TBL_CREATING_DUMP_FILE_ERR_EID,
cfe_sb_extern_typedefs.h	1130
CFE_SB_Msgld_Atom_t, 1103	CFE_TBL_DUMP_PENDING_ERR_EID, 1131
CFE_SB_Msgld_t, 1103	CFE_TBL_FAIL_HK_SEND_ERR_EID, 1131
CFE_SB_MsgRouteIdx_Atom_t, 1103	CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID, 1132
CFE_SB_QosPriority, 1104	CFE_TBL_FILE_ACCESS_ERR_EID, 1132
CFE_SB_QosPriority_Enum_t, 1103	CFE_TBL_FILE_INCOMPLETE_ERR_EID, 1133
CFE_SB_QosReliability, 1104	CFE_TBL_FILE_LOADED_INF_EID, 1133
CFE_SB_QosReliability_Enum_t, 1104	CFE_TBL_FILE_STD_HDR_ERR_EID, 1134
cfe_sb_msg.h	CFE_TBL_FILE_SUBTYPE_ERR_EID, 1134
CFE_SB_DISABLE_ROUTE_CC, 1106	CFE_TBL_FILE_TBL_HDR_ERR_EID, 1135
CFE_SB_DISABLE_SUB_REPORTING_CC, 1107	CFE_TBL_FILE_TOO_BIG_ERR_EID, 1135
CFE_SB_DisableRoute_t, 1117	CFE_TBL_FILE_TYPE_ERR_EID, 1136
CFE_SB_DisableSubReporting_t, 1118	CFE_TBL_HANDLE_ACCESS_ERR_EID, 1136
CFE_SB_ENABLE_ROUTE_CC, 1108	CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID,
CFE_SB_ENABLE_SUB_REPORTING_CC, 1109	1137
CFE_SB_EnableRoute_t, 1118	CFE TBL IN REGISTRY ERR EID, 1137
CFE_SB_EnableSubReporting_t, 1118	CFE TBL INIT INF EID, 1137
CFE SB HKMsg t, 1118	CFE TBL INTERNAL ERROR ERR EID, 1138
CFE_SB_NOOP_CC, 1110	CFE TBL LEN ERR EID, 1138
CFE SB Noop t, 1118	CFE TBL LOAD ABORT ERR EID, 1139
CFE_SB_PrevSubMsg_t, 1118	CFE TBL LOAD ABORT INF EID, 1139
CFE SB RESET COUNTERS CC, 1111	CFE_TBL_LOAD_DUMPONLY_ERR_EID, 1140
CFE SB ResetCounters t, 1119	CFE TBL LOAD EXCEEDS SIZE ERR EID, 114
CFE SB SEND MAP INFO CC, 1112	CFE_TBL_LOAD_FILENAME_LONG_ERR_EID,
CFE_SB_SEND_PIPE_INFO_CC, 1113	1141
CFE_SB_SEND_PREV_SUBS_CC, 1114	CFE_TBL_LOAD_IN_PROGRESS_ERR_EID, 1141
CFE_SB_SEND_PREV_SUBS_CC, 1114 CFE_SB_SEND_ROUTING_INFO_CC, 1115	CFE_TBL_LOAD_PEND_REQ_INF_EID, 1141
CFE_SB_SEND_SB_STATS_CC, 1116	CFE_TBL_LOAD_PEND_REQ_INF_EID, 1141 CFE_TBL_LOAD_SHORT_FILE_ERR_EID, 1142
CFE_SB_SendMapInfo_t, 1119	CFE_TBL_LOAD_SRC_TYPE_ERR_EID, 1142
CFE_SB_SendPipeInfo_t, 1119	CFE_TBL_LOAD_SUCCESS_INF_EID, 1142

CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_←	CFE_TBL_HkPacket_t, 1174
EID, 1143	CFE_TBL_LOAD_CC, 1168
CFE_TBL_LOAD_TYPE_ERR_EID, 1143	CFE_TBL_NOOP_CC, 1169
CFE_TBL_LOAD_VAL_ERR_EID, 1143	CFE_TBL_Noop_t, 1174
CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID,	CFE_TBL_RESET_COUNTERS_CC, 1170
1144	CFE_TBL_ResetCounters_t, 1174
CFE_TBL_LOADING_PENDING_ERR_EID, 1144	CFE_TBL_SEND_REGISTRY_CC, 1171
CFE_TBL_MAX_EID, 1144	CFE_TBL_TblRegPacket_t, 1174
CFE_TBL_MID_ERR_EID, 1145	CFE TBL VALIDATE CC, 1172
CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID,	cfe time.h
1145	CFE_TIME_ADD_ADJUST, 1177
CFE_TBL_NO_SUCH_TABLE_ERR_EID, 1145	CFE TIME Compare t, 1180
CFE_TBL_NO_WORK_BUFFERS_ERR_EID, 1146	CFE_TIME_Copy, 1177
CFE_TBL_NOOP_INF_EID, 1146	CFE_TIME_FLYWHEEL, 1177
CFE_TBL_NOT_CRITICAL_TBL_ERR_EID, 1147	CFE_TIME_INVALID, 1177
CFE_TBL_NOT_IN_CRIT_REG_ERR_EID, 1147	CFE_TIME_IS_FLY, 1177
CFE_TBL_OVERWRITE_DUMP_INF_EID, 1148	CFE_TIME_NO_FLY, 1178
CFE_TBL_OVERWRITE_REG_DUMP_INF_EID,	CFE_TIME_NOT_SET, 1178
1148	CFE_TIME_PRINTED_STRING_SIZE, 1178
CFE_TBL_PARTIAL_LOAD_ERR_EID, 1149	CFE_TIME_SUB_ADJUST, 1178
CFE_TBL_PROCESSOR_ID_ERR_EID, 1149	CFE TIME SynchCallbackPtr t, 1179
CFE_TBL_REGISTER_ERR_EID, 1150	CFE_TIME_TONE_PRI, 1178
CFE TBL RESET INF EID, 1150	CFE_TIME_TONE_RED, 1178
CFE_TBL_SHARE_ERR_EID, 1151	CFE_TIME_USE_EXTERN, 1179
CFE_TBL_SPACECRAFT_ID_ERR_EID, 1151	CFE_TIME_USE_INTERN, 1179
CFE_TBL_TLM_REG_CMD_INF_EID, 1152	CFE_TIME_VALID, 1179
CFE_TBL_TOO_MANY_DUMPS_ERR_EID, 1152	CFE_TIME_WAS_SET, 1179
CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID,	cfe_time_events.h
1153	CFE_TIME_1HZ_CFG_EID, 1182
CFE_TBL_UNREGISTER_ERR_EID, 1153	CFE_TIME_1HZ_EID, 1183
CFE_TBL_UNVALIDATED_ERR_EID, 1154	CFE_TIME_1HZ_ERR_EID, 1183
CFE_TBL_UPDATE_ERR_EID, 1154	CFE_TIME_CC_ERR_EID, 1183
CFE_TBL_UPDATE_SUCCESS_INF_EID, 1155	CFE_TIME_DELAY_CFG_EID, 1184
CFE_TBL_VAL_REQ_MADE_INF_EID, 1155	CFE_TIME_DELAY_EID, 1184
CFE_TBL_VALIDATION_ERR_EID, 1156	CFE_TIME_DELAY_ERR_EID, 1185
CFE_TBL_VALIDATION_INF_EID, 1156	CFE_TIME_DELTA_CFG_EID, 1185
CFE_TBL_WRITE_CFE_HDR_ERR_EID, 1157	CFE_TIME_DELTA_EID, 1186
CFE_TBL_WRITE_DUMP_INF_EID, 1157	CFE TIME DELTA ERR EID, 1186
CFE_TBL_WRITE_REG_DUMP_INF_EID, 1158	CFE TIME DIAG EID, 1187
CFE TBL WRITE TBL HDR ERR EID, 1158	CFE_TIME_EXIT_ERR_EID, 1187
CFE_TBL_WRITE_TBL_IMG_ERR_EID, 1159	CFE_TIME_FLY_OFF_EID, 1188
CFE TBL WRITE TBL REG ERR EID, 1159	CFE_TIME_FLY_ON_EID, 1188
CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID, 1160	CFE TIME ID ERR EID, 1188
cfe tbl extern typedefs.h	CFE TIME INIT EID, 1189
CFE_TBL_BufferSelect, 1161	CFE_TIME_LEAPS_CFG_EID, 1189
CFE_TBL_BufferSelect_Enum_t, 1161	CFE_TIME_LEAPS_EID, 1190
cfe_tbl_filedef.h	CFE TIME LEN ERR EID, 1190
CFE_TBL_FILEDEF, 1162	:
cfe_tbl_msg.h	CFE_TIME_MAX_EID, 1191
CFE_TBL_ABORT_LOAD_CC, 1164	CFE_TIME_MET_CFG_EID, 1191
CEE TRI ACTIVATE CC 1164	CFE_TIME_MET_CFG_EID, 1191 CFE_TIME_MET_EID, 1191
CFE_TBL_ACTIVATE_CC, 1164	CFE_TIME_MET_CFG_EID, 1191 CFE_TIME_MET_EID, 1191 CFE_TIME_MET_ERR_EID, 1192
CFE_TBL_DELETE_CDS_CC, 1165	CFE_TIME_MET_CFG_EID, 1191 CFE_TIME_MET_EID, 1191 CFE_TIME_MET_ERR_EID, 1192 CFE_TIME_NOOP_EID, 1192
	CFE_TIME_MET_CFG_EID, 1191 CFE_TIME_MET_EID, 1191 CFE_TIME_MET_ERR_EID, 1192

CEE TIME CIGNAL EID 1104	CEE TIME CONCINE + 1997
CFE_TIME_SIGNAL_EID, 1194	CFE_TIME_SetSTCF_t, 1227
CFE_TIME_SIGNAL_ERR_EID, 1194	CFE_TIME_SetTime_t, 1227
CFE_TIME_SOURCE_CFG_EID, 1195	CFE_TIME_Sub1HZAdjustment_t, 1227
CFE_TIME_SOURCE_EID, 1195	CFE_TIME_SubAdjust_t, 1227
CFE_TIME_SOURCE_ERR_EID, 1196	CFE_TIME_SubDelay_t, 1228
CFE_TIME_STATE_EID, 1196	cfe_version.h
CFE_TIME_STATE_ERR_EID, 1197	CFE_MAJOR_VERSION, 1228
CFE_TIME_STCF_CFG_EID, 1197	CFE_MINOR_VERSION, 1228
CFE_TIME_STCF_EID, 1198	CFE_REVISION, 1228
CFE TIME STCF ERR EID, 1198	CheckErrCtr
CFE_TIME_TIME_CFG_EID, 1199	CFE ES MemPoolStats t, 506
CFE_TIME_TIME_EID, 1199	Checksum
CFE_TIME_TIME_ERR_EID, 1200	CCSDS_CmdSecHdr_t, 471
cfe_time_extern_typedefs.h	ClockFlyState
CFE_TIME_AdjustDirection, 1204	CFE_TIME_DiagnosticTIm_Payload_t, 646
CFE_TIME_AdjustDirection_Enum_t, 1202	ClockSetState
CFE_TIME_ClockState, 1204	CFE_TIME_DiagnosticTIm_Payload_t, 646
CFE_TIME_ClockState_Enum_t, 1202	ClockSignal
CFE_TIME_FlagBit, 1205	CFE_TIME_DiagnosticTlm_Payload_t, 647
CFE_TIME_FlagBit_Enum_t, 1202	CFE_TIME_ResetVars_t, 666
CFE TIME FlywheelState, 1205	ClockSource
CFE_TIME_FlywheelState_Enum_t, 1203	CFE_TIME_DiagnosticTIm_Payload_t, 647
CFE_TIME_SetState, 1205	ClockState
CFE_TIME_SetState_Enum_t, 1203	CFE TIME StateCmd Payload t, 672
CFE_TIME_SourceSelect, 1206	ClockStateAPI
CFE_TIME_SourceSelect_Enum_t, 1203 CFE_TIME_ToneSignalSelect, 1206	CFE_TIME_DiagnosticTIm_Payload_t, 647
CEE LIME TONESIONAISEIECE 1206	CFE_TIME_HousekeepingTlm_Payload_t, 658
CFE_TIME_ToneSignalSelect_Enum_t, 1203	ClockStateFlags
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h	ClockStateFlags CFE_TIME_DiagnosticTlm_Payload_t, 647
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206	ClockStateFlags CFE_TIME_DiagnosticTlm_Payload_t, 647 CFE_TIME_HousekeepingTlm_Payload_t, 658
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h	ClockStateFlags CFE_TIME_DiagnosticTlm_Payload_t, 647
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206	ClockStateFlags CFE_TIME_DiagnosticTlm_Payload_t, 647 CFE_TIME_HousekeepingTlm_Payload_t, 658
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209	ClockStateFlags CFE_TIME_DiagnosticTlm_Payload_t, 647 CFE_TIME_HousekeepingTlm_Payload_t, 658 CmdHeader
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225	ClockStateFlags
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1200 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_NoArgsCmd_t, 508
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1200 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_HkPacket_t, 1226	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_NoArgsCmd_t, 508 CFE_ES_OverWriteSyslog_t, 511
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1200 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_NOOP_CC, 1211	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_NoArgsCmd_t, 508 CFE_ES_OverWriteSyslog_t, 511 CFE_ES_ReloadApp_t, 515
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1200 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_HkPacket_t, 1226 CFE_TIME_NOOP_CC, 1211 CFE_TIME_Noop_t, 1226	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_FileNameCmd_t, 508 CFE_ES_OverWriteSyslog_t, 511 CFE_ES_ReloadApp_t, 515 CFE_ES_Restart_t, 516
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_HkPacket_t, 1226 CFE_TIME_NOOP_CC, 1211 CFE_TIME_Noop_t, 1226 CFE_TIME_RESET_COUNTERS_CC, 1212	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_FileNameCmd_t, 508 CFE_ES_OverWriteSyslog_t, 511 CFE_ES_ReloadApp_t, 515 CFE_ES_Restart_t, 516 CFE_ES_SendMemPoolStats_t, 517
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_HkPacket_t, 1226 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_t, 1226 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_ResetCounters_t, 1226	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_FileNameCmd_t, 508 CFE_ES_NoArgsCmd_t, 508 CFE_ES_OverWriteSyslog_t, 511 CFE_ES_ReloadApp_t, 515 CFE_ES_Restart_t, 516 CFE_ES_SendMemPoolStats_t, 517 CFE_ES_SetMaxPRCount_t, 519
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_HkPacket_t, 1226 CFE_TIME_NOOP_CC, 1211 CFE_TIME_Noop_t, 1226 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_RESETCOUNTERS_C, 1212 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 121	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_FileNameCmd_t, 508 CFE_ES_OverWriteSyslog_t, 511 CFE_ES_ReloadApp_t, 515 CFE_ES_Restart_t, 516 CFE_ES_SendMemPoolStats_t, 517 CFE_ES_SetMaxPRCount_t, 519 CFE_ES_SetPerfFilterMask_t, 521
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_HkPacket_t, 1226 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_t, 1226 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 121 CFE_TIME_SET_LEAP_SECONDS_CC, 1214	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_FileNameCmd_t, 508 CFE_ES_OverWriteSyslog_t, 511 CFE_ES_ReloadApp_t, 515 CFE_ES_Restart_t, 516 CFE_ES_SendMemPoolStats_t, 517 CFE_ES_SetMaxPRCount_t, 519 CFE_ES_SetPerfFilterMask_t, 521 CFE_ES_SetPerfTriggerMask_t, 523
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_t, 1226 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 121 CFE_TIME_SET_LEAP_SECONDS_CC, 1214 CFE_TIME_SET_MET_CC, 1215	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_FileNameCmd_t, 508 CFE_ES_NoArgsCmd_t, 508 CFE_ES_OverWriteSyslog_t, 511 CFE_ES_ReloadApp_t, 515 CFE_ES_Restart_t, 516 CFE_ES_SendMemPoolStats_t, 517 CFE_ES_SetMaxPRCount_t, 519 3 CFE_ES_SetPerfFilterMask_t, 521 CFE_ES_SetPerfTriggerMask_t, 523 CFE_ES_Shell_t, 525
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_t, 1226 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 121 CFE_TIME_SET_LEAP_SECONDS_CC, 1214 CFE_TIME_SET_MET_CC, 1215 CFE_TIME_SET_SIGNAL_CC, 1216	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_NoArgsCmd_t, 508 CFE_ES_OverWriteSyslog_t, 511 CFE_ES_ReloadApp_t, 515 CFE_ES_Restart_t, 516 CFE_ES_SendMemPoolStats_t, 517 CFE_ES_SetMaxPRCount_t, 519 CFE_ES_SetPerfFilterMask_t, 521 CFE_ES_SetPerfTriggerMask_t, 523 CFE_ES_Shell_t, 525 CFE_ES_StartApp_t, 528
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_t, 1226 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 121 CFE_TIME_SET_LEAP_SECONDS_CC, 1214 CFE_TIME_SET_MET_CC, 1215	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_FileNameCmd_t, 508 CFE_ES_NoArgsCmd_t, 508 CFE_ES_OverWriteSyslog_t, 511 CFE_ES_ReloadApp_t, 515 CFE_ES_Restart_t, 516 CFE_ES_SendMemPoolStats_t, 517 CFE_ES_SetMaxPRCount_t, 519 3 CFE_ES_SetPerfFilterMask_t, 521 CFE_ES_SetPerfTriggerMask_t, 523 CFE_ES_Shell_t, 525
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_t, 1226 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 121 CFE_TIME_SET_LEAP_SECONDS_CC, 1214 CFE_TIME_SET_MET_CC, 1215 CFE_TIME_SET_SIGNAL_CC, 1216	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_NoArgsCmd_t, 508 CFE_ES_OverWriteSyslog_t, 511 CFE_ES_ReloadApp_t, 515 CFE_ES_Restart_t, 516 CFE_ES_SendMemPoolStats_t, 517 CFE_ES_SetMaxPRCount_t, 519 CFE_ES_SetPerfFilterMask_t, 521 CFE_ES_SetPerfTriggerMask_t, 523 CFE_ES_Shell_t, 525 CFE_ES_StartApp_t, 528
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_t, 1226 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 121 CFE_TIME_SET_LEAP_SECONDS_CC, 1214 CFE_TIME_SET_MET_CC, 1215 CFE_TIME_SET_SIGNAL_CC, 1216 CFE_TIME_SET_SOURCE_CC, 1217	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_FileNameCmd_t, 508 CFE_ES_NoArgsCmd_t, 508 CFE_ES_NoArgsCmd_t, 511 CFE_ES_ReloadApp_t, 515 CFE_ES_Restart_t, 516 CFE_ES_SendMemPoolStats_t, 517 CFE_ES_SetMaxPRCount_t, 519 3 CFE_ES_SetPerfFilterMask_t, 521 CFE_ES_SetPerfTriggerMask_t, 523 CFE_ES_Shell_t, 525 CFE_ES_StartApp_t, 528 CFE_ES_StartPerfData_t, 532
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_CC, 1211 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 121 CFE_TIME_SET_LEAP_SECONDS_CC, 1214 CFE_TIME_SET_LEAP_SECONDS_CC, 1214 CFE_TIME_SET_STATE_CC, 1216 CFE_TIME_SET_SOURCE_CC, 1217 CFE_TIME_SET_STATE_CC, 1218 CFE_TIME_SET_STCF_CC, 1220	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_FileNameCmd_t, 508 CFE_ES_NoArgsCmd_t, 508 CFE_ES_NoArgsCmd_t, 511 CFE_ES_ReloadApp_t, 515 CFE_ES_Restart_t, 516 CFE_ES_Restart_t, 516 CFE_ES_SetMaxPRCount_t, 519 CFE_ES_SetPerfFilterMask_t, 521 CFE_ES_SetPerfTriggerMask_t, 523 CFE_ES_Shell_t, 525 CFE_ES_StartApp_t, 528 CFE_ES_StartPerfData_t, 534 CFE_EVS_AppNameBitMaskCmd_t, 538
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_CC, 1211 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 121 CFE_TIME_SET_LEAP_SECONDS_CC, 1214 CFE_TIME_SET_LEAP_SECONDS_CC, 1214 CFE_TIME_SET_MET_CC, 1215 CFE_TIME_SET_SIGNAL_CC, 1216 CFE_TIME_SET_SOURCE_CC, 1217 CFE_TIME_SET_STATE_CC, 1220 CFE_TIME_SET_STCF_CC, 1220 CFE_TIME_SET_TIME_CC, 1221	ClockStateFlags CFE_TIME_DiagnosticTlm_Payload_t, 647 CFE_TIME_HousekeepingTlm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_FileNameCmd_t, 508 CFE_ES_NoArgsCmd_t, 508 CFE_ES_NoArgsCmd_t, 515 CFE_ES_ReloadApp_t, 515 CFE_ES_Restart_t, 516 CFE_ES_Restart_t, 516 CFE_ES_SetMaxPRCount_t, 519 CFE_ES_SetPerfFilterMask_t, 521 CFE_ES_SetPerfTriggerMask_t, 523 CFE_ES_Shell_t, 525 CFE_ES_StartApp_t, 528 CFE_ES_StartPerfData_t, 534 CFE_EVS_AppNameBitMaskCmd_t, 538 CFE_EVS_AppNameCmd_t, 540
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_CC, 1211 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 121 CFE_TIME_SET_LEAP_SECONDS_CC, 1214 CFE_TIME_SET_LEAP_SECONDS_CC, 1214 CFE_TIME_SET_MET_CC, 1215 CFE_TIME_SET_SIGNAL_CC, 1216 CFE_TIME_SET_SOURCE_CC, 1217 CFE_TIME_SET_STATE_CC, 1220 CFE_TIME_SET_STOF_CC, 1220 CFE_TIME_SET_TIME_CC, 1221 CFE_TIME_SET_TIME_CC, 1221	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_FileNameCmd_t, 508 CFE_ES_NoArgsCmd_t, 508 CFE_ES_NoArgsCmd_t, 515 CFE_ES_ReloadApp_t, 515 CFE_ES_Restart_t, 516 CFE_ES_SendMemPoolStats_t, 517 CFE_ES_SetMaxPRCount_t, 519 CFE_ES_SetPerfFilterMask_t, 521 CFE_ES_SetPerfTriggerMask_t, 523 CFE_ES_Shell_t, 525 CFE_ES_StartApp_t, 528 CFE_ES_StartPerfData_t, 534 CFE_ES_StopPerfData_t, 534 CFE_EVS_AppNameBitMaskCmd_t, 538 CFE_EVS_AppNameCmd_t, 540 CFE_EVS_AppNameEventIDCmd_t, 541
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_CC, 1211 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 121 CFE_TIME_SET_LEAP_SECONDS_CC, 1214 CFE_TIME_SET_LEAP_SECONDS_CC, 1214 CFE_TIME_SET_MET_CC, 1215 CFE_TIME_SET_SIGNAL_CC, 1216 CFE_TIME_SET_SOURCE_CC, 1217 CFE_TIME_SET_STATE_CC, 1218 CFE_TIME_SET_STATE_CC, 1220 CFE_TIME_SET_STATE_CC, 1221 CFE_TIME_SET_TIME_CC, 1221 CFE_TIME_SUB_1HZ_ADJUSTMENT_CC, 1222 CFE_TIME_SUB_ADJUST_CC, 1223	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_NoArgsCmd_t, 508 CFE_ES_NoArgsCmd_t, 508 CFE_ES_ReloadApp_t, 515 CFE_ES_Restart_t, 516 CFE_ES_SendMemPoolStats_t, 517 CFE_ES_SetMaxPRCount_t, 519 CFE_ES_SetPerfFilterMask_t, 521 CFE_ES_SetPerfTriggerMask_t, 523 CFE_ES_StartApp_t, 528 CFE_ES_StartPerfData_t, 532 CFE_ES_StartPerfData_t, 534 CFE_EVS_AppNameBitMaskCmd_t, 538 CFE_EVS_AppNameEventIDCmd_t, 541 CFE_EVS_AppNameEventIDCmd_t, 544
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_CC, 1211 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 1216 CFE_TIME_SET_LEAP_SECONDS_CC, 1214 CFE_TIME_SET_MET_CC, 1215 CFE_TIME_SET_SIGNAL_CC, 1216 CFE_TIME_SET_SOURCE_CC, 1217 CFE_TIME_SET_STATE_CC, 1220 CFE_TIME_SET_STATE_CC, 1221 CFE_TIME_SET_TIME_CC, 1221 CFE_TIME_SET_TIME_CC, 1221 CFE_TIME_SET_TIME_CC, 1221 CFE_TIME_SUB_1HZ_ADJUSTMENT_CC, 1222 CFE_TIME_SUB_ADJUST_CC, 1223 CFE_TIME_SUB_DELAY_CC, 1224	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_FileNameCmd_t, 508 CFE_ES_NoArgsCmd_t, 508 CFE_ES_OverWriteSyslog_t, 511 CFE_ES_ReloadApp_t, 515 CFE_ES_Restart_t, 516 CFE_ES_SendMemPoolStats_t, 517 CFE_ES_SetMaxPRCount_t, 519 CFE_ES_SetPerfFilterMask_t, 521 CFE_ES_SetPerfTriggerMask_t, 523 CFE_ES_Shell_t, 525 CFE_ES_StartApp_t, 528 CFE_ES_StartPerfData_t, 532 CFE_ES_StartPerfData_t, 534 CFE_EVS_AppNameBitMaskCmd_t, 538 CFE_EVS_AppNameCmd_t, 540 CFE_EVS_AppNameEventIDCmd_t, 541 CFE_EVS_AppNameEventIDMaskCmd_t, 544 CFE_EVS_BitMaskCmd_t, 548
CFE_TIME_ToneSignalSelect_Enum_t, 1203 cfe_time_msg.h CFE_TIME_ADD_1HZ_ADJUSTMENT_CC, 1206 CFE_TIME_ADD_ADJUST_CC, 1209 CFE_TIME_ADD_DELAY_CC, 1210 CFE_TIME_Add1HZAdjustment_t, 1225 CFE_TIME_AddAdjust_t, 1226 CFE_TIME_AddDelay_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_DiagPacket_t, 1226 CFE_TIME_NOOP_CC, 1211 CFE_TIME_NOOP_CC, 1211 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_RESET_COUNTERS_CC, 1212 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 121 CFE_TIME_SET_LEAP_SECONDS_CC, 1214 CFE_TIME_SET_LEAP_SECONDS_CC, 1214 CFE_TIME_SET_MET_CC, 1215 CFE_TIME_SET_SIGNAL_CC, 1216 CFE_TIME_SET_SOURCE_CC, 1217 CFE_TIME_SET_STATE_CC, 1218 CFE_TIME_SET_STATE_CC, 1220 CFE_TIME_SET_STATE_CC, 1221 CFE_TIME_SET_TIME_CC, 1221 CFE_TIME_SUB_1HZ_ADJUSTMENT_CC, 1222 CFE_TIME_SUB_ADJUST_CC, 1223	ClockStateFlags CFE_TIME_DiagnosticTIm_Payload_t, 647 CFE_TIME_HousekeepingTIm_Payload_t, 658 CmdHeader CFE_ES_AppNameCmd_t, 483 CFE_ES_DeleteCDS_t, 488 CFE_ES_DumpCDSRegistry_t, 489 CFE_ES_FileNameCmd_t, 492 CFE_ES_NoArgsCmd_t, 508 CFE_ES_NoArgsCmd_t, 508 CFE_ES_ReloadApp_t, 515 CFE_ES_Restart_t, 516 CFE_ES_SendMemPoolStats_t, 517 CFE_ES_SetMaxPRCount_t, 519 CFE_ES_SetPerfFilterMask_t, 521 CFE_ES_SetPerfTriggerMask_t, 523 CFE_ES_StartApp_t, 528 CFE_ES_StartPerfData_t, 532 CFE_ES_StartPerfData_t, 534 CFE_EVS_AppNameBitMaskCmd_t, 538 CFE_EVS_AppNameEventIDCmd_t, 541 CFE_EVS_AppNameEventIDCmd_t, 544

CFE_EVS_SetLogMode_t, 563	cpusize, 1232
CFE_EVS_WriteAppDataFile_t, 565	FALSE, 1230
CFE_EVS_WriteLogDataFile_t, 566	int16, 1232
CFE_TBL_AbortLoad_t, 606	int32, 1233
CFE_TBL_Activate_t, 607	int64, 1233
CFE_TBL_DeleteCDS_t, 610	int8, 1233
CFE_TBL_Dump_t, 611	intptr, 1233
CFE_TBL_DumpRegistry_t, 613	NULL, 1230
CFE_TBL_Load_t, 628	OS_ALIGN, 1231
CFE_TBL_NoArgsCmd_t, 630	OS_PACK, 1231
CFE_TBL_NotifyCmd_t, 632	OS_PRINTF, 1231
CFE_TBL_SendRegistry_t, 633	OS_USED, 1231
CFE_TBL_Validate_t, 641	osalbool, 1233
CFE_TIME_1HzCmd_t, 642	TRUE, 1231
CFE_TIME_FakeToneCmd_t, 657	uint16, 1233
CFE_TIME_NoArgsCmd_t, 663	uint32, 1234
CFE TIME OneHzAdjustmentCmd t, 664	uint64, 1234
CFE_TIME_SetLeapSeconds_t, 667	uint8, 1234
CFE_TIME_SetSignal_t, 668	CompileTimeAssert
CFE_TIME_SetSource_t, 669	common_types.h, 1230, 1234, 1235
CFE_TIME_SetState_t, 669	ContentType
CFE TIME TimeCmd t, 674	CFE FS Header t, 567
CFE TIME ToneDataCmd t, 677	cpu1_msgids.h, 723
CFE_TIME_ToneSignalCmd_t, 677	CFE ES APP TLM MID, 724
CmdString	CFE ES CMD MID, 724
CFE_ES_ShellCmd_Payload_t, 526	CFE_ES_HK_TLM_MID, 724
code_address	CFE_ES_MEMSTATS_TLM_MID, 725
OS_module_address_t, 687	CFE_ES_SEND_HK_MID, 725
code_size	CFE_ES_SHELL_TLM_MID, 725
OS_module_address_t, 687	CFE_EVS_CMD_MID, 725
CodeAddress	CFE_EVS_EVENT_MSG_MID, 725
CFE_ES_AppInfo_t, 477	CFE EVS HK TLM MID, 725
CodeSize	CFE_EVS_LONG_EVENT_MSG_MID, 726
CFE_ES_AppInfo_t, 478	CFE_EVS_SEND_HK_MID, 726
CommandCounter	CFE EVS SHORT EVENT MSG MID, 726
CFE_ES_HousekeepingTlm_Payload_t, 496	CFE SB ALLSUBS TLM MID, 726
CFE_EVS_HousekeepingTlm_Payload_t, 550	CFE_SB_CMD_MID, 726
CFE_SB_HousekeepingTlm_Payload_t, 578	CFE_SB_HK_TLM_MID, 726
CFE_TBL_HousekeepingTlm_Payload_t, 619	CFE_SB_ONESUB_TLM_MID, 727
CFE_TIME_HousekeepingTlm_Payload_t, 658	CFE_SB_SEND_HK_MID, 727
CommandData	CFE SB STATS TLM MID, 727
cfe_psp_start.c, 1306	CFE_TBL_CMD_MID, 727
CommandErrorCounter	CFE_TBL_HK_TLM_MID, 727
CFE_ES_HousekeepingTlm_Payload_t, 496	
	CFE_TBL_REG_TLM_MID, 727
CFE_EVS_HousekeepingTlm_Payload_t, 550	CFE_TBL_SEND_HK_MID, 728
CFE_SB_HousekeepingTlm_Payload_t, 578	CFE_TIME_1HZ_CMD_MID, 728
CFE_TBL_HousekeepingTlm_Payload_t, 619	CFE_TIME_CMD_MID, 728
CFE_TIME_HousekeepingTlm_Payload_t, 658	CFE_TIME_DIAC_TIME_MID_728
common_types.h	CFE_TIME_DIAG_TLM_MID, 728
EXTENSION, 1230	CFE_TIME_HK_TLM_MID, 728
boolean, 1232	CFE_TIME_SEND_CMD_MID, 729
CompileTimeAssert, 1230, 1234, 1235	CFE_TIME_SEND_HK_MID, 729
cpuaddr, 1232	CFE_TIME_TONE_CMD_MID, 729
cpudiff, 1232	cpu1_platform_cfg.h, 729

CFE_CORE_MAX_STARTUP_MSEC, 737	CFE_ES_MEM_BLOCK_SIZE_12, 746
CFE_CPU_ID, 737	CFE_ES_MEM_BLOCK_SIZE_13, 746
CFE_CPU_NAME, 737	CFE_ES_MEM_BLOCK_SIZE_14, 746
CFE_ES_APP_KILL_TIMEOUT, 737	CFE_ES_MEM_BLOCK_SIZE_15, 746
CFE_ES_APP_SCAN_RATE, 738	CFE_ES_MEM_BLOCK_SIZE_16, 747
CFE_ES_CDS_MAX_BLOCK_SIZE, 738	CFE_ES_NONVOL_STARTUP_FILE, 747
CFE_ES_CDS_MAX_NUM_ENTRIES, 738	CFE_ES_OBJECT_TABLE_SIZE, 747
CFE_ES_CDS_MEM_BLOCK_SIZE_01, 738	CFE_ES_PERF_CHILD_MS_DELAY, 747
CFE_ES_CDS_MEM_BLOCK_SIZE_02, 738	CFE ES PERF CHILD PRIORITY, 747
CFE_ES_CDS_MEM_BLOCK_SIZE_03, 738	CFE_ES_PERF_CHILD_STACK_SIZE, 747
CFE_ES_CDS_MEM_BLOCK_SIZE_04, 739	CFE_ES_PERF_DATA_BUFFER_SIZE, 748
CFE_ES_CDS_MEM_BLOCK_SIZE_05, 739	CFE_ES_PERF_ENTRIES_BTWN_DLYS, 748
CFE_ES_CDS_MEM_BLOCK_SIZE_06, 739	CFE_ES_PERF_FILTMASK_ALL, 748
CFE_ES_CDS_MEM_BLOCK_SIZE_07, 739	
CFE_ES_CDS_MEM_BLOCK_SIZE_08, 739	CFE_ES_PERF_FILTMASK_INIT, 748
CFE_ES_CDS_MEM_BLOCK_SIZE_09, 739	CFE_ES_PERF_FILTMASK_NONE, 748
CFE_ES_CDS_MEM_BLOCK_SIZE_10, 740	CFE_ES_PERF_MAX_IDS, 748
CFE_ES_CDS_MEM_BLOCK_SIZE_11, 740	CFE_ES_PERF_TRIGMASK_ALL, 749
CFE_ES_CDS_MEM_BLOCK_SIZE_12, 740	CFE_ES_PERF_TRIGMASK_INIT, 749
CFE_ES_CDS_MEM_BLOCK_SIZE_13, 740	CFE_ES_PERF_TRIGMASK_NONE, 749
CFE_ES_CDS_MEM_BLOCK_SIZE_13, 740	CFE_ES_RAM_DISK_MOUNT_STRING, 749
CFE_ES_CDS_MEM_BLOCK_SIZE_15, 740	CFE_ES_RAM_DISK_NUM_SECTORS, 749
	CFE_ES_RAM_DISK_PERCENT_RESERVED, 749
CFE_ES_CDS_MEM_BLOCK_SIZE_16, 741	CFE_ES_RAM_DISK_SECTOR_SIZE, 750
CFE_ES_CDS_SIZE, 741 CFE_ES_DEFAULT_APP_LOG_FILE, 741	CFE_ES_RESET_AREA_SIZE, 750
	CFE_ES_START_TASK_PRIORITY, 750
CFE_ES_DEFAULT_CDS_REG_DUMP_FILE, 741	CFE_ES_START_TASK_STACK_SIZE, 750
CFE_ES_DEFAULT_ER_LOG_FILE, 741	CFE_ES_STARTUP_SCRIPT_TIMEOUT_MSEC,
CFE_ES_DEFAULT_PERF_DUMP_FILENAME, 741	750
CFE_ES_DEFAULT_SHELL_FILENAME, 742	CFE_ES_STARTUP_SYNC_POLL_MSEC, 750
CFE_ES_DEFAULT_STACK_SIZE, 742	CFE_ES_SYSTEM_LOG_SIZE, 751
CFE_ES_DEFAULT_SYSLOG_FILE, 742	CFE_ES_USER_RESERVED_SIZE, 751
CFE_ES_DEFAULT_SYSLOG_MODE, 742	CFE_ES_VOLATILE_STARTUP_FILE, 751
CFE_ES_DEFAULT_TASK_LOG_FILE, 742	CFE_EVS_DEFAULT_APP_DATA_FILE, 751
CFE_ES_ER_LOG_ENTRIES, 742	CFE EVS DEFAULT LOG FILE, 751
CFE_ES_ER_LOG_MAX_CONTEXT_SIZE, 743	CFE_EVS_DEFAULT_LOG_MODE, 751
CFE_ES_EXCEPTION_FUNCTION, 743	CFE_EVS_DEFAULT_MSG_FORMAT_MODE, 752
CFE_ES_MAX_APPLICATIONS, 743	
CFE_ES_MAX_BLOCK_SIZE, 743	CFE_EVS_DEFAULT_TYPE_FLAG, 752
CFE_ES_MAX_GEN_COUNTERS, 743	CFE_EVS_LOG_MAX, 752
CFE_ES_MAX_LIBRARIES, 743	CFE_EVS_LOG_ON, 752
CFE_ES_MAX_PROCESSOR_RESETS, 744	CFE_EVS_MAX_EVENT_FILTERS, 752
CFE_ES_MAX_SHELL_CMD, 744	CFE_EVS_PORT_DEFAULT, 752
CFE_ES_MAX_SHELL_PKT, 744	CFE_EVS_START_TASK_PRIORITY, 753
CFE_ES_MEM_BLOCK_SIZE_01, 744	CFE_EVS_START_TASK_STACK_SIZE, 753
CFE_ES_MEM_BLOCK_SIZE_02, 744	CFE_MISSION_REV, 753
CFE_ES_MEM_BLOCK_SIZE_03, 744	CFE_PLATFORM_CORE_MAX_STARTUP_MSEC,
CFE_ES_MEM_BLOCK_SIZE_04, 745	753
CFE_ES_MEM_BLOCK_SIZE_05, 745	CFE_PLATFORM_CPU_ID, 754
CFE_ES_MEM_BLOCK_SIZE_06, 745	CFE_PLATFORM_CPU_NAME, 754
CFE_ES_MEM_BLOCK_SIZE_07, 745	CFE_PLATFORM_ENDIAN, 754
CFE_ES_MEM_BLOCK_SIZE_08, 745	CFE_PLATFORM_ES_APP_KILL_TIMEOUT, 755
CFE_ES_MEM_BLOCK_SIZE_09, 745	CFE_PLATFORM_ES_APP_SCAN_RATE, 755
CFE_ES_MEM_BLOCK_SIZE_10, 746	CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE,
CFE_ES_MEM_BLOCK_SIZE_11, 746	756

CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES, LE, 763 CFE PLATFORM ES ER LOG ENTRIES, 764 756 CFE PLATFORM ES CDS MEM BLOCK SIZE← CFE PLATFORM ES ER LOG MAX CONTEX↔ 01, 756 T SIZE, 764 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE ← CFE PLATFORM ES EXCEPTION FUNCTION, 02, 757 764 CFE PLATFORM ES CDS MEM BLOCK SIZE← CFE PLATFORM ES MAX APPLICATIONS, 765 CFE PLATFORM ES MAX BLOCK SIZE, 766 03, 757 CFE PLATFORM ES CDS MEM BLOCK SIZE← CFE PLATFORM ES MAX GEN COUNTERS, 04, 757 766 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE← CFE PLATFORM ES MAX LIBRARIES, 766 CFE PLATFORM ES MAX PROCESSOR RES← 05, 757 $\mathsf{CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE} {\leftarrow}$ ETS, 767 CFE PLATFORM ES MAX SHELL CMD, 767 CFE PLATFORM_ES_CDS_MEM_BLOCK_SIZE \leftarrow CFE_PLATFORM_ES_MAX_SHELL_PKT, 767 CFE PLATFORM ES MEM BLOCK SIZE 01, 768 07, 758 CFE PLATFORM ES MEM BLOCK SIZE 02, 768 CFE PLATFORM ES CDS MEM BLOCK SIZE← CFE PLATFORM ES MEM BLOCK SIZE 03, 768 08, 758 CFE PLATFORM ES CDS MEM BLOCK SIZE← CFE PLATFORM ES MEM BLOCK SIZE 04, 769 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 769 09, 758 $\mathsf{CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE} {\leftarrow}$ CFE_PLATFORM_ES_MEM_BLOCK_SIZE_06, 769 CFE PLATFORM ES MEM BLOCK SIZE 07, 769 10, 758 CFE PLATFORM ES CDS MEM BLOCK SIZE← CFE PLATFORM ES MEM BLOCK SIZE 08, 769 11, 758 CFE PLATFORM ES MEM BLOCK SIZE 09, 769 ${\sf CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE} {\leftarrow}$ CFE_PLATFORM_ES_MEM_BLOCK_SIZE_10, 770 _12, 758 CFE PLATFORM ES MEM BLOCK SIZE 11,770 CFE PLATFORM ES CDS MEM BLOCK SIZE← CFE PLATFORM ES MEM BLOCK SIZE 12, 770 CFE PLATFORM ES MEM BLOCK SIZE 13, 770 ${\sf CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE} {\leftarrow}$ CFE PLATFORM ES MEM BLOCK SIZE 14,770 _14, 759 CFE_PLATFORM_ES_MEM_BLOCK_SIZE_15, 770 CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE← CFE PLATFORM ES MEM BLOCK SIZE 16, 771 15, 759 CFE PLATFORM ES MEMPOOL ALIGN SIZE← CFE PLATFORM ES CDS MEM BLOCK SIZE← MIN. 771 16, 759 CFE_PLATFORM_ES_NONVOL_STARTUP_FILE, CFE PLATFORM ES CDS SIZE, 759 CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE, CFE_PLATFORM_ES_OBJECT_TABLE_SIZE, 771 759 CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY, CFE PLATFORM ES DEFAULT CDS REG DU← CFE_PLATFORM_ES_PERF_CHILD_PRIORITY, MP FILE, 760 CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE, 772 ${\sf CFE_PLATFORM_ES_PERF_CHILD_STACK_SI} {\leftarrow}$ CFE_PLATFORM_ES_DEFAULT_PERF_DUMP_← ZE, 772 FILENAME, 760 CFE PLATFORM ES PERF DATA BUFFER SI← CFE PLATFORM ES DEFAULT POR SYSLOG← ZE, 773 MODE, 761 CFE PLATFORM ES PERF ENTRIES BTWN ← $CFE_PLATFORM_ES_DEFAULT_PR_SYSLOG_{\leftarrow}$ **DLYS, 773** CFE PLATFORM ES PERF FILTMASK ALL, 773 MODE, 761 CFE PLATFORM ES PERF FILTMASK INIT, 774 CFE_PLATFORM_ES_DEFAULT_SHELL_FILEN← CFE PLATFORM ES PERF FILTMASK NONE, AME. 762 CFE_PLATFORM_ES_DEFAULT_STACK_SIZE, 762 CFE_PLATFORM_ES_PERF_MAX_IDS, 774 CFE PLATFORM ES DEFAULT SYSLOG FILE, CFE PLATFORM ES PERF TRIGMASK ALL, 775 CFE_PLATFORM_ES_PERF_TRIGMASK_INIT, CFE PLATFORM ES DEFAULT TASK LOG FI← 775

CFE_PLATFORM_ES_PERF_TRIGMASK_NONE,	ENAME, 787
775	CFE_PLATFORM_SB_FILTER_MASK1, 787
CFE_PLATFORM_ES_RAM_DISK_MOUNT_STR↔	CFE_PLATFORM_SB_FILTER_MASK2, 788
ING, 776	CFE_PLATFORM_SB_FILTER_MASK3, 788
CFE_PLATFORM_ES_RAM_DISK_NUM_SECTO↔	CFE_PLATFORM_SB_FILTER_MASK4, 788
RS, 776	CFE_PLATFORM_SB_FILTER_MASK5, 788
CFE_PLATFORM_ES_RAM_DISK_PERCENT_R↔	CFE_PLATFORM_SB_FILTER_MASK6, 788
ESERVED, 776	CFE_PLATFORM_SB_FILTER_MASK7, 788
CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE,	CFE PLATFORM SB FILTER MASK8, 789
777	CFE_PLATFORM_SB_FILTERED_EVENT1, 789
CFE_PLATFORM_ES_RESET_AREA_SIZE, 777	CFE_PLATFORM_SB_FILTERED_EVENT2, 789
CFE_PLATFORM_ES_SHELL_OS_DELAY_MILL↔	CFE_PLATFORM_SB_FILTERED_EVENT3, 789
ISEC, 778	CFE_PLATFORM_SB_FILTERED_EVENT4, 789
CFE_PLATFORM_ES_START_TASK_PRIORITY,	
	CFE_PLATFORM_SB_FILTERED_EVENTS, 790
778	CFE_PLATFORM_SB_FILTERED_EVENT6, 790
CFE_PLATFORM_ES_START_TASK_STACK_SI 25 370	CFE_PLATFORM_SB_FILTERED_EVENT7, 790
ZE, 779	CFE_PLATFORM_SB_FILTERED_EVENT8, 790
CFE_PLATFORM_ES_STARTUP_SCRIPT_TIME↔	CFE_PLATFORM_SB_HIGHEST_VALID_MSGID,
OUT_MSEC, 779	790
CFE_PLATFORM_ES_STARTUP_SYNC_POLL_←	CFE_PLATFORM_SB_MAX_BLOCK_SIZE, 791
MSEC, 779	CFE_PLATFORM_SB_MAX_DEST_PER_PKT, 791
CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 780	CFE_PLATFORM_SB_MAX_MSG_IDS, 791
CFE_PLATFORM_ES_USER_RESERVED_SIZE,	CFE_PLATFORM_SB_MAX_PIPE_DEPTH, 792
780	CFE_PLATFORM_SB_MAX_PIPES, 792
CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE,	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01, 793
781	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02, 793
CFE_PLATFORM_EVS_DEFAULT_APP_DATA_←	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03, 793
FILE, 781	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04, 794
CFE_PLATFORM_EVS_DEFAULT_LOG_FILE, 782	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05, 794
CFE_PLATFORM_EVS_DEFAULT_LOG_MODE,	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06, 794
782	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07, 794
CFE_PLATFORM_EVS_DEFAULT_MSG_FORM↔	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08, 794
AT MODE, 782	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09, 794
CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG,	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10, 795
783	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11, 795
CFE PLATFORM EVS LOG MAX, 783	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12, 795
CFE_PLATFORM_EVS_LOG_ON, 783	
	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13, 795
CFE_PLATFORM_EVS_MAX_EVENT_FILTERS,	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14, 795
784	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15, 795
CFE_PLATFORM_EVS_PORT_DEFAULT, 784	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16, 796
CFE_PLATFORM_EVS_START_TASK_PRIORITY,	CFE_PLATFORM_SB_START_TASK_PRIORITY,
784	796
CFE_PLATFORM_EVS_START_TASK_STACK_←	CFE_PLATFORM_SB_START_TASK_STACK_SI↔
SIZE, 785	ZE, 796
CFE_PLATFORM_SB_BUF_MEMORY_BYTES,	CFE_PLATFORM_TBL_BUF_MEMORY_BYTES,
785	796
CFE_PLATFORM_SB_DEFAULT_MAP_FILENA↔	CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_←
ME, 785	FILE, 797
CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT, 786	CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES,
CFE PLATFORM SB DEFAULT PIPE FILENA↔	797
ME, 786	CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE,
CFE_PLATFORM_SB_DEFAULT_REPORT_SEN↔	797
DER, 787	CFE_PLATFORM_TBL_MAX_NUM_HANDLES, 798
CEE PLATFORM SB DEFAULT BOUTING FIL ↔	CFE PLATFORM TBL MAX NUM TABLES, 798
- va	OLE LENTI CHIM THE MAY NOW LADIES. 180

CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS,	CFE_SB_FILTER_MASK3, 811
798	CFE_SB_FILTER_MASK4, 811
CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_←	CFE_SB_FILTER_MASK5, 811
LOADS, 799	CFE_SB_FILTER_MASK6, 811
CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE,	CFE_SB_FILTER_MASK7, 811
799	CFE_SB_FILTER_MASK8, 811
CFE_PLATFORM_TBL_START_TASK_PRIORITY,	CFE_SB_FILTERED_EVENT1, 812
800	CFE_SB_FILTERED_EVENT2, 812
CFE_PLATFORM_TBL_START_TASK_STACK_←	CFE_SB_FILTERED_EVENT3, 812
SIZE, 800	CFE_SB_FILTERED_EVENT4, 812
CFE_PLATFORM_TBL_U32FROM4CHARS, 800	CFE_SB_FILTERED_EVENT5, 812
CFE_PLATFORM_TBL_VALID_PRID_1, 801	CFE_SB_FILTERED_EVENT6, 812
CFE_PLATFORM_TBL_VALID_PRID_2, 801	CFE_SB_FILTERED_EVENT7, 813
CFE_PLATFORM_TBL_VALID_PRID_3, 801	CFE_SB_FILTERED_EVENT8, 813
CFE_PLATFORM_TBL_VALID_PRID_4, 801	CFE_SB_HIGHEST_VALID_MSGID, 813
CFE_PLATFORM_TBL_VALID_PRID_COUNT, 802	CFE_SB_MAX_BLOCK_SIZE, 813
CFE_PLATFORM_TBL_VALID_SCID_1, 802	CFE_SB_MAX_DEST_PER_PKT, 813
CFE PLATFORM TBL VALID SCID 2, 802	
	CFE_SB_MAX_MSG_IDS, 813
CFE_PLATFORM_TBL_VALID_SCID_COUNT, 803 CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY,	CFE_SB_MAX_PIPE_DEPTH, 814
	CFE_SB_MAX_PIPES, 814
803	CFE_SB_MEM_BLOCK_SIZE_01, 814
CFE_PLATFORM_TIME_1HZ_TASK_STACK_SI 75 000	CFE_SB_MEM_BLOCK_SIZE_02, 814
ZE, 803	CFE_SB_MEM_BLOCK_SIZE_03, 814
CFE_PLATFORM_TIME_CFG_CLIENT, 803	CFE_SB_MEM_BLOCK_SIZE_04, 814
CFE_PLATFORM_TIME_CFG_LATCH_FLY, 803	CFE_SB_MEM_BLOCK_SIZE_05, 815
CFE_PLATFORM_TIME_CFG_SERVER, 804	CFE_SB_MEM_BLOCK_SIZE_06, 815
CFE_PLATFORM_TIME_CFG_SIGNAL, 804	CFE_SB_MEM_BLOCK_SIZE_07, 815
CFE_PLATFORM_TIME_CFG_SOURCE, 804	CFE_SB_MEM_BLOCK_SIZE_08, 815
CFE_PLATFORM_TIME_CFG_SRC_GPS, 805	CFE_SB_MEM_BLOCK_SIZE_09, 815
CFE_PLATFORM_TIME_CFG_SRC_MET, 805	CFE_SB_MEM_BLOCK_SIZE_10, 815
CFE_PLATFORM_TIME_CFG_SRC_TIME, 805	CFE_SB_MEM_BLOCK_SIZE_11, 816
CFE_PLATFORM_TIME_CFG_START_FLY, 806	CFE_SB_MEM_BLOCK_SIZE_12, 816
CFE_PLATFORM_TIME_CFG_TONE_LIMIT, 806	CFE_SB_MEM_BLOCK_SIZE_13, 816
CFE_PLATFORM_TIME_CFG_VIRTUAL, 806	CFE_SB_MEM_BLOCK_SIZE_14, 816
CFE_PLATFORM_TIME_MAX_DELTA_SECS, 807	CFE_SB_MEM_BLOCK_SIZE_15, 816
CFE_PLATFORM_TIME_MAX_DELTA_SUBS, 807	CFE_SB_MEM_BLOCK_SIZE_16, 816
CFE_PLATFORM_TIME_MAX_LOCAL_SECS, 808	CFE_SB_START_TASK_PRIORITY, 817
CFE_PLATFORM_TIME_MAX_LOCAL_SUBS, 808	CFE_SB_START_TASK_STACK_SIZE, 817
CFE_PLATFORM_TIME_START_TASK_PRIORI⊷	CFE_TBL_BUF_MEMORY_BYTES, 817
TY, 808	CFE_TBL_DEFAULT_REG_DUMP_FILE, 817
CFE_PLATFORM_TIME_START_TASK_STACK_←	CFE_TBL_MAX_CRITICAL_TABLES, 817
SIZE, 808	CFE_TBL_MAX_DBL_TABLE_SIZE, 817
CFE_PLATFORM_TIME_TONE_TASK_PRIORITY,	CFE_TBL_MAX_NUM_HANDLES, 818
809	CFE_TBL_MAX_NUM_TABLES, 818
CFE_PLATFORM_TIME_TONE_TASK_STACK_←	CFE_TBL_MAX_NUM_VALIDATIONS, 818
SIZE, 809	CFE_TBL_MAX_SIMULTANEOUS_LOADS, 818
CFE_SB_BUF_MEMORY_BYTES, 809	CFE_TBL_MAX_SNGL_TABLE_SIZE, 818
CFE_SB_DEFAULT_MAP_FILENAME, 809	CFE_TBL_START_TASK_PRIORITY, 818
CFE_SB_DEFAULT_MSG_LIMIT, 810	CFE_TBL_START_TASK_STACK_SIZE, 819
CFE_SB_DEFAULT_PIPE_FILENAME, 810	CFE_TBL_U32FROM4CHARS, 819
CFE_SB_DEFAULT_REPORT_SENDER, 810	CFE_TBL_VALID_PRID_1, 819
CFE_SB_DEFAULT_ROUTING_FILENAME, 810	CFE_TBL_VALID_PRID_2, 819
CFE_SB_FILTER_MASK1, 810	CFE_TBL_VALID_PRID_3, 819
CFE SB FILTER MASK2, 810	CFE TBL VALID PRID 4, 819

CFE_TBL_VALID_PRID_COUNT, 820	CFE_TIME_ResetVars_t, 666
CFE_TBL_VALID_SCID_1, 820	CurrentLatch
CFE_TBL_VALID_SCID_2, 820	CFE_TIME_DiagnosticTlm_Payload_t, 648
CFE_TBL_VALID_SCID_COUNT, 820	CurrentMET
CFE_TIME_1HZ_TASK_PRIORITY, 820	CFE_TIME_DiagnosticTlm_Payload_t, 648
CFE_TIME_1HZ_TASK_STACK_SIZE, 820	CFE_TIME_ResetVars_t, 666
CFE_TIME_CFG_CLIENT, 821	CurrentSTCF
CFE_TIME_CFG_LATCH_FLY, 821	CFE_TIME_ResetVars_t, 666
CFE_TIME_CFG_SERVER, 821	CurrentTAI
CFE_TIME_CFG_SIGNAL, 821	CFE_TIME_DiagnosticTlm_Payload_t, 648
CFE_TIME_CFG_SOURCE, 821	CurrentUTC
CFE_TIME_CFG_SRC_GPS, 821	CFE_TIME_DiagnosticTlm_Payload_t, 648
CFE_TIME_CFG_SRC_MET, 822	
CFE_TIME_CFG_SRC_TIME, 822	data_address
CFE TIME CFG START FLY, 822	OS_module_address_t, 687
CFE_TIME_CFG_TONE_LIMIT, 822	data_size
CFE TIME CFG VIRTUAL, 822	OS_module_address_t, 687
CFE_TIME_ENA_1HZ_CMD_PKT, 822	DataAddress
CFE TIME MAX DELTA SECS, 823	CFE_ES_AppInfo_t, 478
CFE TIME MAX DELTA SUBS, 823	DataFileName
CFE_TIME_MAX_LOCAL_SECS, 823	CFE_ES_StopPerfCmd_Payload_t, 533
CFE_TIME_MAX_LOCAL_SUBS, 823	DataSize
CFE_TIME_START_TASK_PRIORITY, 823	CFE_ES_AppInfo_t, 478
CFE_TIME_START_TASK_STACK_SIZE, 823	DataStoreStatus
CFE_TIME_TONE_TASK_PRIORITY, 824	CFE_TIME_DiagnosticTlm_Payload_t, 649
CFE_TIME_TONE_TASK_STACK_SIZE, 824	DelayDirection
Cpuld	CFE_TIME_DiagnosticTIm_Payload_t, 649
CFE_PSP_CommandData_t, 570	Depth
CpuName	CFE_SB_PipeDepthStats_t, 586
CFE_PSP_CommandData_t, 570	Description
cpuaddr	CFE_FS_Header_t, 568
common_types.h, 1232	CFE_TBL_FileDef_t, 616
cpudiff	DeviceName
common_types.h, 1232	OS_VolumeInfo_t, 702
cpusize	DoubleBuffered
common_types.h, 1232	CFE_TBL_Info_t, 626
Crc	CFE_TBL_TblRegPacket_Payload_t, 637
CFE_TBL_Info_t, 625	DumpFilename
CFE_TBL_TblRegPacket_Payload_t, 636	CFE_ES_DumpCDSRegistryCmd_Payload_t, 490
CreatePipeErrorCounter	CFE_TBL_DumpCmd_Payload_t, 612
CFE SB HousekeepingTlm Payload t, 578	CFE_TBL_DumpRegistryCmd_Payload_t, 614
creator	DumpOnly
OS_bin_sem_prop_t, 678	CFE_TBL_Info_t, 626
OS_count_sem_prop_t, 679	CFE_TBL_TblRegPacket_Payload_t, 637
OS_mut_sem_prop_t, 690	DuplicateSubscriptionsCounter
OS_queue_prop_t, 691	CFE_SB_HousekeepingTlm_Payload_t, 578
OS_socket_prop_t, 694	Dword
OS_task_prop_t, 696	CFE_SB_Msg_t, 584
OS_timebase_prop_t, 699	EEPROM_DISK
OS_timer_prop_t, 700	OSAL Volume Type Defines, 402
Critical	ERLogEntries
CFE_TBL_Info_t, 625	CFE_ES_HousekeepingTlm_Payload_t, 496
CFE_TBL_TblRegPacket_Payload_t, 636	ERLogIndex
CurrentDelay	CFE_ES_HousekeepingTlm_Payload_t, 497
Ourchibolay	

Entries	OS_module_address_t, 687
CFE_SB_AllSubscriptionsTlm_Payload_t, 575	Forced2Fly
Entry	CFE_TIME_DiagnosticTlm_Payload_t, 649
CFE_SB_AllSubscriptionsTlm_Payload_t, 575	free blocks
entry_point	OS_heap_prop_t, 685
OS_module_prop_t, 689	free_bytes
EntryPoint	OS_heap_prop_t, 685
CFE_ES_AppInfo_t, 478	FreeFds
EventID	os fsinfo t, 683
CFE_EVS_AppNameEventIDCmd_Payload_t, 541	FreeFlag
CFE_EVS_AppNameEventIDMaskCmd_Payload_t,	OS VolumeInfo t, 702
543	FreeVolumes
CFE_EVS_BinFilter_t, 546	
	os_fsinfo_t, 683
CFE_EVS_PacketID_t, 559	freerun_time
EventType	OS_timebase_prop_t, 699
CFE_EVS_PacketID_t, 559	FunctionCode
ExceptionAction	CCSDS_CmdSecHdr_t, 471
CFE_ES_AppInfo_t, 479	
CFE_ES_StartAppCmd_Payload_t, 530	GLOBAL_PSP_CONFIGDATA
ExecutionCounter	cfe_psp_configdata.h, 1286
CFE_ES_AppInfo_t, 479	GetPipeIdByNameErrorCounter
CFE_ES_TaskInfo_t, 535	CFE_SB_HousekeepingTlm_Payload_t, 579
	GotCpuld
FALSE	CFE_PSP_CommandData_t, 570
common_types.h, 1230	GotCpuName
FS BASED	CFE_PSP_CommandData_t, 570
OSAL Volume Type Defines, 402	GotResetType
FailedValCounter	CFE_PSP_CommandData_t, 570
CFE_TBL_HousekeepingTlm_Payload_t, 619	GotSpacecraftId
FileCreateTimeSecs	CFE_PSP_CommandData_t, 571
CFE_TBL_Info_t, 626	GotSubType
CFE_TBL_TblRegPacket_Payload_t, 637	CFE_PSP_CommandData_t, 571
FileCreateTimeSubSecs	Of E_1 of _CommandData_t, 5/1
	LIM NumFanramBanka
CFE_TBL_Info_t, 626	HW_NumEepromBanks
CFE_TBL_TblRegPacket_Payload_t, 637	Target_PspConfigData, 704
FileModeBits	Handle
os_fstat_t, 684	CFE_ES_CDSRegDumpRec_t, 486
FileName	Hdr
CFE_ES_AppInfo_t, 479	CCSDS_SpacePacket_t, 473
CFE_ES_FileNameCmd_Payload_t, 491	CFE_SB_AllSubscriptionsTlm_t, 576
os_dirent_t, 680	CFE_SB_HousekeepingTlm_t, 582
FileSize	CFE_SB_Msg_t, 584
os_fstat_t, 684	CFE_SB_RouteCmd_t, 590
FileTime	CFE_SB_SingleSubscriptionTlm_t, 596
os_fstat_t, 684	CFE_SB_StatsTlm_t, 602
Filename	CFE SB WriteFileInfoCmd t, 605
CFE_SB_WriteFileInfoCmd_Payload_t, 604	HeapBlocksFree
filename	CFE ES HousekeepingTlm Payload t, 497
OS_module_prop_t, 689	HeapBytesFree
FilterMask	CFE_ES_HousekeepingTlm_Payload_t, 497
CFE_ES_SetPerfFilterMaskCmd_Payload_t, 522	HeapMaxBlockSize
·	•
FilterMaskNum	CFE_ES_HousekeepingTlm_Payload_t, 497
CFE_ES_SetPerfFilterMaskCmd_Payload_t, 522	host_module_id
flags	OS module prop t, 689

InUse	LoadPending
CFE_SB_PipeDepthStats_t, 586	CFE_TBL_TblRegPacket_Payload_t, 638
InactiveBufferAddr	LocalIntCounter
CFE_TBL_TblRegPacket_Payload_t, 638	CFE_TIME_DiagnosticTlm_Payload_t, 649
Index	LocalTaskCounter
CFE_SB_MsgMapFileEntry_t, 585	CFE_TIME_DiagnosticTlm_Payload_t, 650
int16	LogEnabled
common_types.h, 1232	CFE_EVS_HousekeepingTlm_Payload_t, 550
int32	LogFilename
common_types.h, 1233	CFE_EVS_LogFileCmd_Payload_t, 555
int64	LogFullFlag
common_types.h, 1233	CFE_EVS_HousekeepingTlm_Payload_t, 550
int8	LogMode
common_types.h, 1233	CFE_EVS_HousekeepingTlm_Payload_t, 551
InternalErrorCounter	CFE_EVS_SetLogMode_Payload_t, 562
CFE_SB_HousekeepingTlm_Payload_t, 579	LogOverflowCounter
interval_time	CFE_EVS_HousekeepingTlm_Payload_t, 551
OS_timer_prop_t, 700	LongDouble
intptr	CFE_ES_PoolAlign_t, 513
common_types.h, 1233	LongInt
IsMounted	CFE_ES_PoolAlign_t, 513
OS_VolumeInfo_t, 702	longOpts
IsValid	cfe_psp_start.c, 1306
OS_file_prop_t, 682	
	MainTaskld
largest_free_block	CFE_ES_AppInfo_t, 479
OS_heap_prop_t, 686	MainTaskName
LastFileDumped	CFE_ES_AppInfo_t, 480
CFE_TBL_HousekeepingTlm_Payload_t, 620	MajorVersion
LastFileLoaded	CFE_PSP_VersionInfo_t, 573
CFE_TBL_HousekeepingTlm_Payload_t, 620	Mask
CFE_TBL_Info_t, 626	CFE_EVS_AppNameEventIDMaskCmd_Payload_t,
CFE_TBL_TblRegPacket_Payload_t, 638	543
LastTableLoaded	CFE_EVS_BinFilter_t, 546
CFE_TBL_HousekeepingTlm_Payload_t, 620	MaxElapsed
LastUpdateTime	CFE_TIME_DiagnosticTIm_Payload_t, 650
CFE_TBL_HousekeepingTlm_Payload_t, 621	MaxFds
LastUpdatedTable	os_fsinfo_t, 683
CFE_TBL_HousekeepingTlm_Payload_t, 620	MaxLocalClock
LastValCrc	CFE_TIME_DiagnosticTIm_Payload_t, 650
CFE_TBL_HousekeepingTlm_Payload_t, 621	MaxMemAllowed
LastValStatus	CFE_SB_StatsTlm_Payload_t, 597
CFE_TBL_HousekeepingTlm_Payload_t, 621	MaxMsgldsAllowed
LastValTableName	CFE_SB_StatsTIm_Payload_t, 598
CFE_TBL_HousekeepingTlm_Payload_t, 621	MaxPRCount
LeapSeconds	CFE_ES_SetMaxPRCountCmd_Payload_t, 520
CFE_TIME_HousekeepingTIm_Payload_t, 659	MaxPipeDepthAllowed
CFE_TIME_LeapsCmd_Payload_t, 662	CFE_SB_StatsTIm_Payload_t, 598
CFE_TIME_ResetVars_t, 666	MaxPipesAllowed
Length	CFE_SB_StatsTIm_Payload_t, 598
CCSDS_PriHdr_t, 472	MaxProcessorResets
CFE_FS_Header_t, 568	CFE_ES_HousekeepingTlm_Payload_t, 498
LoadFilename	MaxSubscriptionsAllowed
CFE_TBL_LoadCmd_Payload_t, 629	CFE_SB_StatsTlm_Payload_t, 598

MaxVolumes	NULL
os_fsinfo_t, 683	common_types.h, 1230
MemInUse	NUM_CCSDS_APIDS
CFE_SB_HousekeepingTlm_Payload_t, 579	ccsds.h, 880
CFE_SB_StatsTlm_Payload_t, 599	NUM_CCSDS_PKT_TYPES
MemPoolHandle	ccsds.h, 881
CFE_SB_HousekeepingTlm_Payload_t, 579	NUM_TABLE_ENTRIES
CFE_TBL_HousekeepingTlm_Payload_t, 622	osapi-os-filesys.h, 1248
MemoryType	Name
CFE_PSP_MemTable_t, 572	CFE_ES_AppInfo_t, 480
Message	CFE_ES_CDSRegDumpRec_t, 486
CFE EVS LongEventTlm Payload t, 556	CFE_TBL_TblRegPacket_Payload_t, 638
MessageFormatMode	OS_static_symbol_record_t, 695
CFE_EVS_HousekeepingTlm_Payload_t, 551	name
MessageSendCounter	OS_bin_sem_prop_t, 678
CFE_EVS_HousekeepingTlm_Payload_t, 551	OS_count_sem_prop_t, 679
MessageTruncCounter	OS_module_prop_t, 689
CFE_EVS_HousekeepingTlm_Payload_t, 552	OS_mut_sem_prop_t, 690
MicroSeconds	OS_queue_prop_t, 691
CFE_TIME_TimeCmd_Payload_t, 673	OS_socket_prop_t, 694
microsecs	OS_task_prop_t, 696
OS_time_t, 698	OS_timebase_prop_t, 699
MinElapsed	
•	OS_timer_prop_t, 700
CFE_TIME_DiagnosticTlm_Payload_t, 650	NoSubscribersCounter
MinorVersion	CFE_SB_HousekeepingTlm_Payload_t, 580
CFE_PSP_VersionInfo_t, 574	nominal_interval_time
MissionRev	OS_timebase_prop_t, 699
CFE_PSP_VersionInfo_t, 574	NumBlocksRequested
Mode	CFE_ES_MemPoolStats_t, 506
CFE_ES_OverWriteSysLogCmd_Payload_t, 512	NumBytes
Module	CFE_TBL_File_Hdr_t, 615
OS_static_symbol_record_t, 695	NumCreated
ModuleId	CFE_ES_BlockStats_t, 485
CFE_ES_AppInfo_t, 480	NumFree
MountPoint	CFE_ES_BlockStats_t, 485
OS_VolumeInfo_t, 702	NumFreeBytes
MsgCnt	CFE_ES_MemPoolStats_t, 506
CFE_SB_RoutingFileEntry_t, 592	NumFreeSharedBufs
MsgFormat	CFE_TBL_HousekeepingTlm_Payload_t, 622
CFE EVS SetEventFormatMode Payload t, 560	NumLoadPending
Msgld	CFE_TBL_HousekeepingTlm_Payload_t, 622
CFE_SB_MsgMapFileEntry_t, 585	NumOfChildTasks
CFE_SB_RouteCmd_Payload_t, 589	CFE_ES_AppInfo_t, 480
CFE SB RoutingFileEntry t, 592	NumTables
CFE_SB_SingleSubscriptionTlm_Payload_t, 594	CFE_TBL_HousekeepingTlm_Payload_t, 622
CFE_SB_SubEntries_t, 603	NumUsers
MsgldsInUse	CFE_TBL_Info_t, 627
CFE SB StatsTlm Payload t, 599	NumValRequests
MsgLimitErrorCounter	•
	CFE_TBL_HousekeepingTlm_Payload_t, 623
CFE_SB_HousekeepingTlm_Payload_t, 580	OS ALICNI
MsgReceiveErrorCounter	OS_ALIGN
CFE_SB_HousekeepingTlm_Payload_t, 580	common_types.h, 1231
MsgSendErrorCounter	OS_API_Init
CFE SB HousekeepingTlm Payload t, 580	OSAL Core Operation APIs, 344

OS Application Run	OS_CountSemGetInfo
OSAL Core Operation APIs, 345	OSAL Semaphore APIs, 369
OS_Application_Startup	OS CountSemGive
OSAL Core Operation APIs, 345	OSAL Semaphore APIs, 370
OS_ApplicationExit	OS_CountSemTake
OSAL Core Operation APIs, 346	OSAL Semaphore APIs, 371
OS_ApplicationShutdown	OS CountSemTimedWait
OSAL Core Operation APIs, 347	OSAL Semaphore APIs, 371
OS_ArgCallback_t	OS_CpuContextSize
osapi-os-core.h, 1243	Target_PspConfigData, 704
OS BSP GetArgC	
	OS_DIRENTRY_NAME osapi-os-filesys.h, 1248
osapi-os-core.h, 1244	•
OS_BSP_GetArgV	OS_DeleteAllObjects
osapi-os-core.h, 1244	OSAL Core Operation APIs, 347
OS_BSP_SetExitCode	OS_DirectoryClose
osapi-os-core.h, 1244	OSAL Directory APIs, 417
OS_BUFFER_MSG_DEPTH	OS_DirectoryOpen
osconfig-example.h, 707	OSAL Directory APIs, 418
osconfig.h, 715	OS_DirectoryRead
OS_BUFFER_SIZE	OSAL Directory APIs, 418
osconfig-example.h, 707	OS_DirectoryRewind
osconfig.h, 715	OSAL Directory APIs, 419
OS_BinSemCreate	OS_ERR_BAD_ADDRESS
OSAL Semaphore APIs, 362	OSAL Return Code Defines, 459
OS_BinSemDelete	OS_ERR_FILE
OSAL Semaphore APIs, 362	OSAL Return Code Defines, 460
OS_BinSemFlush	OS_ERR_INCORRECT_OBJ_STATE
OSAL Semaphore APIs, 364	OSAL Return Code Defines, 460
OS_BinSemGetIdByName	OS_ERR_INCORRECT_OBJ_TYPE
OSAL Semaphore APIs, 364	OSAL Return Code Defines, 460
OS_BinSemGetInfo	OS_ERR_INVALID_ID
OSAL Semaphore APIs, 365	OSAL Return Code Defines, 460
OS_BinSemGive	OS_ERR_INVALID_PRIORITY
OSAL Semaphore APIs, 366	OSAL Return Code Defines, 460
OS_BinSemTake	OS_ERR_NAME_NOT_FOUND
OSAL Semaphore APIs, 366	OSAL Return Code Defines, 461
OS_BinSemTimedWait	OS_ERR_NAME_TAKEN
OSAL Semaphore APIs, 367	OSAL Return Code Defines, 461
OS_CHECK	OS_ERR_NAME_TOO_LONG
osapi.h, 1260	OSAL Return Code Defines, 461
OS_CHK_ONLY	OS_ERR_NO_FREE_IDS
osapi-os-filesys.h, 1248	OSAL Return Code Defines, 461
OS_CloseAllFiles	OS_ERR_NOT_IMPLEMENTED
OSAL Standard File APIs, 405	OSAL Return Code Defines, 461
OS_CloseFileByName	OS_ERR_OBJECT_IN_USE
OSAL Standard File APIs, 405	OSAL Return Code Defines, 462
OS_ConvertToArrayIndex	OS_ERR_SEM_NOT_FULL
OSAL Object Utility APIs, 348	OSAL Return Code Defines, 462
OS_CountSemCreate	OS_ERR_STREAM_DISCONNECTED
OSAL Semaphore APIs, 368	OSAL Return Code Defines, 462
OS_CountSemDelete	OS_ERROR_ADDRESS_MISALIGNED
OSAL Semaphore APIs, 368	OSAL Return Code Defines, 462
OS_CountSemGetIdByName	OS_ERROR_NAME_LENGTH
OSAL Semaphore APIs, 369	osapi-os-core.h. 1241

OS_ERROR_TIMEOUT	OS_FS_ERR_PATH_INVALID
OSAL Return Code Defines, 463	OSAL Return Code Defines, 464
OS_ERROR	OS_FS_ERR_PATH_TOO_LONG
OSAL Return Code Defines, 462	OSAL Return Code Defines, 464
OS_ExcAttachHandler	OS_FS_ERROR
OSAL Exception APIs, 380	OSAL Return Code Defines, 464
OS_ExcDisable	OS_FS_GetPhysDriveName
OSAL Exception APIs, 380	OSAL File System Level APIs, 423
OS_ExcEnable	OS_FS_PHYS_NAME_LEN
OSAL Exception APIs, 380	osapi-os-filesys.h, 1250
OS_FDGetInfo	OS_FS_SUCCESS
OSAL Standard File APIs, 407	OSAL Return Code Defines, 465
OS_FDTableEntry	OS_FS_UNIMPLEMENTED
osapi-os-filesys.h, 1251	OSAL Return Code Defines, 465
OS_FILESTAT_EXEC	OS_FS_VOL_NAME_LEN
osapi-os-filesys.h, 1249	osapi-os-filesys.h, 1250
OS_FILESTAT_ISDIR	OS_FdSet, 680
osapi-os-filesys.h, 1249	object_ids, 681
OS_FILESTAT_MODE	OS_FileOpenCheck
osapi-os-filesys.h, 1249	OSAL Standard File APIs, 407
OS FILESTAT READ	OS FileSysAddFixedMap
osapi-os-filesys.h, 1249	OSAL File System Level APIs, 423
OS_FILESTAT_SIZE	OS_ForEachObject
osapi-os-filesys.h, 1249	OSAL Object Utility APIs, 349
OS_FILESTAT_TIME	OS GetErrorName
osapi-os-filesys.h, 1250	OSAL Error Info APIs, 394
OS_FILESTAT_WRITE	OS_GetFsInfo
osapi-os-filesys.h, 1250	OSAL File System Level APIs, 425
OS_FP_ENABLED	OS GetLocalTime
osapi-os-core.h, 1242	OSAL Time/Tick APIs, 377
OS_FPUExcAttachHandler	OS_HeapGetInfo
OSAL Floating Point Unit Exception APIs, 381	OSAL Heap APIs, 393
OS_FPUExcDisable	OS_INVALID_INT_NUM
OSAL Floating Point Unit Exception APIs, 382	OSAL Return Code Defines, 465
OS FPUExcEnable	OS_INVALID_POINTER
OSAL Floating Point Unit Exception APIs, 382	OSAL Return Code Defines, 465
OS FPUExcGetMask	OS_INVALID_SEM_VALUE
OSAL Floating Point Unit Exception APIs, 383	OSAL Return Code Defines, 465
OS_FPUExcSetMask	OS IdentifyObject
OSAL Floating Point Unit Exception APIs, 383	OSAL Object Utility APIs, 349
OS FS DEV NAME LEN	OS_IdleLoop
osapi-os-filesys.h, 1250	OSAL Core Operation APIs, 347
OS_FS_ERR_DEVICE_NOT_FREE	OS IntAck
OSAL Return Code Defines, 463	OSAL Interrupt APIs, 385
OS_FS_ERR_DRIVE_NOT_CREATED	OSAL interrupt AFIS, 363 OS_IntAttachHandler
OSAL Return Code Defines, 463	OSAL Interrupt APIs, 386
OS FS ERR INVALID FD	•
	OSAL Interrupt ARIa 287
OSAL Return Code Defines, 463	OSAL Interrupt APIs, 387
OS_FS_ERR_INVALID_POINTER	OS_IntEnable
OSAL Return Code Defines, 463	OSAL Interrupt APIs, 387
OS_FS_ERR_NAME_TOO_LONG	OSAL Interrupt ARIa 288
OSAL Return Code Defines, 464	OSAL Interrupt APIs, 388
OS_FS_ERR_NO_FREE_FDS OSAL Return Code Defines, 464	OS_IntLock OSAL Interrupt APIs, 388
COAL DEULL CODE DEUDES 404	USAL IIILEITUDI APIS, JÖÖ

OS_IntSetMask	osconfig.h, 719
OSAL Interrupt APIs, 389	OS_MAX_TIMEBASES
OS_IntUnlock	osconfig-example.h, 711
OSAL Interrupt APIs, 389	osconfig.h, 720
OS_MAJOR_VERSION	OS_MAX_TIMERS
osapi-version.h, 1258	osconfig-example.h, 711
OS_MAX_API_NAME	osconfig.h, 720
osconfig-example.h, 707	OS_MINOR_VERSION
osconfig.h, 715	osapi-version.h, 1258
OS_MAX_BIN_SEMAPHORES	OS_MISSION_REV
osconfig-example.h, 707	osapi-version.h, 1258
osconfig.h, 716	OS_Milli2Ticks
OS_MAX_CMD_LEN	OSAL Time/Tick APIs, 377
osconfig-example.h, 708	OS_ModuleInfo
osconfig.h, 716	OSAL Dynamic Loader and Symbol APIs, 431
OS_MAX_CONSOLES	OS_ModuleLoad
osconfig-example.h, 708	OSAL Dynamic Loader and Symbol APIs, 432
osconfig.h, 716	OS_ModuleUnload
OS_MAX_COUNT_SEMAPHORES	OSAL Dynamic Loader and Symbol APIs, 432
osconfig-example.h, 708	OS_MutSemCreate
osconfig.h, 717	OSAL Semaphore APIs, 372
OS_MAX_FILE_NAME	OS_MutSemDelete
osconfig-example.h, 708	OSAL Semaphore APIs, 373
osconfig.h, 717	OS_MutSemGetIdByName
OS_MAX_FILE_SYSTEMS	OSAL Semaphore APIs, 373
osconfig-example.h, 709	OS_MutSemGetInfo
osconfig.h, 717	OSAL Semaphore APIs, 374
OS_MAX_LOCAL_PATH_LEN	OS_MutSemGive
openi og filogya h. 1951	
osapi-os-filesys.h, 1251	OSAL Semaphore APIs, 374
OS_MAX_MODULES	OSAL Semaphore APIs, 374 OS_MutSemTake
•	•
OS_MAX_MODULES	OS_MutSemTake
OS_MAX_MODULES osconfig-example.h, 709	OS_MutSemTake OSAL Semaphore APIs, 376
OS_MAX_MODULES osconfig-example.h, 709 osconfig.h, 717	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName
OS_MAX_MODULES osconfig-example.h, 709 osconfig.h, 717 OS_MAX_MUTEXES	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440
OS_MAX_MODULES osconfig-example.h, 709 osconfig.h, 717 OS_MAX_MUTEXES osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_DIRS	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID
OS_MAX_MODULES osconfig-example.h, 709 osconfig.h, 717 OS_MAX_MUTEXES osconfig-example.h, 709 osconfig.h, 718	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441
OS_MAX_MODULES osconfig-example.h, 709 osconfig.h, 717 OS_MAX_MUTEXES osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_DIRS osconfig-example.h, 709 osconfig.h, 718	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441 OS_OBJECT_INDEX_MASK osapi-os-core.h, 1242 OS_OBJECT_TYPE_OS_BINSEM
OS_MAX_MODULES osconfig-example.h, 709 osconfig.h, 717 OS_MAX_MUTEXES osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_DIRS osconfig-example.h, 709	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441 OS_OBJECT_INDEX_MASK osapi-os-core.h, 1242 OS_OBJECT_TYPE_OS_BINSEM OSAL Object Type Defines, 339
OS_MAX_MODULES osconfig-example.h, 709 osconfig.h, 717 OS_MAX_MUTEXES osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_DIRS osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_FILES osconfig-example.h, 710	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441 OS_OBJECT_INDEX_MASK osapi-os-core.h, 1242 OS_OBJECT_TYPE_OS_BINSEM OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_CONSOLE
OS_MAX_MODULES osconfig-example.h, 709 osconfig.h, 717 OS_MAX_MUTEXES osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_DIRS osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_FILES osconfig-example.h, 710 osconfig.h, 718	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441 OS_OBJECT_INDEX_MASK osapi-os-core.h, 1242 OS_OBJECT_TYPE_OS_BINSEM OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_CONSOLE OSAL Object Type Defines, 339
OS_MAX_MODULES osconfig-example.h, 709 osconfig.h, 717 OS_MAX_MUTEXES osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_DIRS osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_FILES osconfig-example.h, 710 osconfig.h, 718 OS_MAX_PATH_LEN	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441 OS_OBJECT_INDEX_MASK osapi-os-core.h, 1242 OS_OBJECT_TYPE_OS_BINSEM OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_CONSOLE OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_COUNTSEM
OS_MAX_MODULES	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441 OS_OBJECT_INDEX_MASK osapi-os-core.h, 1242 OS_OBJECT_TYPE_OS_BINSEM OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_CONSOLE OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_COUNTSEM OSAL Object Type Defines, 340
OS_MAX_MODULES osconfig-example.h, 709 osconfig.h, 717 OS_MAX_MUTEXES osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_DIRS osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_FILES osconfig-example.h, 710 osconfig.h, 718 OS_MAX_PATH_LEN osconfig-example.h, 710 osconfig.h, 718	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441 OS_OBJECT_INDEX_MASK osapi-os-core.h, 1242 OS_OBJECT_TYPE_OS_BINSEM OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_CONSOLE OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_COUNTSEM OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_DIR
OS_MAX_MODULES osconfig-example.h, 709 osconfig.h, 717 OS_MAX_MUTEXES osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_DIRS osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_FILES osconfig-example.h, 710 osconfig.h, 718 OS_MAX_PATH_LEN osconfig-example.h, 710 osconfig.h, 718 OS_MAX_QUEUES	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441 OS_OBJECT_INDEX_MASK osapi-os-core.h, 1242 OS_OBJECT_TYPE_OS_BINSEM OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_CONSOLE OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_COUNTSEM OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_DIR OSAL Object Type Defines, 340
OS_MAX_MODULES osconfig-example.h, 709 osconfig.h, 717 OS_MAX_MUTEXES osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_DIRS osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_FILES osconfig-example.h, 710 osconfig.h, 718 OS_MAX_PATH_LEN osconfig-example.h, 710 osconfig.h, 718 OS_MAX_QUEUES osconfig-example.h, 710	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441 OS_OBJECT_INDEX_MASK osapi-os-core.h, 1242 OS_OBJECT_TYPE_OS_BINSEM OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_CONSOLE OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_COUNTSEM OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_DIR OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_FILESYS
OS_MAX_MODULES osconfig-example.h, 709 osconfig.h, 717 OS_MAX_MUTEXES osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_DIRS osconfig-example.h, 709 osconfig.h, 718 OS_MAX_NUM_OPEN_FILES osconfig-example.h, 710 osconfig.h, 718 OS_MAX_PATH_LEN osconfig-example.h, 710 osconfig.h, 718 OS_MAX_QUEUES osconfig-example.h, 710 osconfig-example.h, 710 osconfig-example.h, 710 osconfig-example.h, 710 osconfig-example.h, 710	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441 OS_OBJECT_INDEX_MASK osapi-os-core.h, 1242 OS_OBJECT_TYPE_OS_BINSEM OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_CONSOLE OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_COUNTSEM OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_DIR OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_FILESYS OSAL Object Type Defines, 340
OS_MAX_MODULES	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441 OS_OBJECT_INDEX_MASK osapi-os-core.h, 1242 OS_OBJECT_TYPE_OS_BINSEM OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_CONSOLE OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_COUNTSEM OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_DIR OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_FILESYS OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_FILESYS OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_MODULE
OS_MAX_MODULES	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441 OS_OBJECT_INDEX_MASK osapi-os-core.h, 1242 OS_OBJECT_TYPE_OS_BINSEM OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_CONSOLE OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_COUNTSEM OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_DIR OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_FILESYS OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_MODULE OSAL Object Type Defines, 340
OS_MAX_MODULES	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441 OS_OBJECT_INDEX_MASK osapi-os-core.h, 1242 OS_OBJECT_TYPE_OS_BINSEM OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_CONSOLE OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_COUNTSEM OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_DIR OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_FILESYS OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_MODULE
OS_MAX_MODULES	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441 OS_OBJECT_INDEX_MASK osapi-os-core.h, 1242 OS_OBJECT_TYPE_OS_BINSEM OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_CONSOLE OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_COUNTSEM OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_DIR OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_FILESYS OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_MODULE OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_MODULE OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_MUTEX OSAL Object Type Defines, 340
OS_MAX_MODULES	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441 OS_OBJECT_INDEX_MASK osapi-os-core.h, 1242 OS_OBJECT_TYPE_OS_BINSEM OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_CONSOLE OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_COUNTSEM OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_DIR OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_FILESYS OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_MODULE OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_MUTEX OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_MUTEX OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_MUTEX OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_QUEUE
OS_MAX_MODULES	OS_MutSemTake OSAL Semaphore APIs, 376 OS_NetworkGetHostName OSAL Socket Management APIs, 440 OS_NetworkGetID OSAL Socket Management APIs, 441 OS_OBJECT_INDEX_MASK osapi-os-core.h, 1242 OS_OBJECT_TYPE_OS_BINSEM OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_CONSOLE OSAL Object Type Defines, 339 OS_OBJECT_TYPE_OS_COUNTSEM OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_DIR OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_FILESYS OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_MODULE OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_MODULE OSAL Object Type Defines, 340 OS_OBJECT_TYPE_OS_MUTEX OSAL Object Type Defines, 340

OSAL Object Type Defines, 341	OS_REVISION
OS_OBJECT_TYPE_OS_TASK	osapi-version.h, 1258
OSAL Object Type Defines, 341	OS_SEEK_CUR
OS_OBJECT_TYPE_OS_TIMEBASE	OSAL Reference Point For Seek Offset Defines, 401
OSAL Object Type Defines, 341	OS_SEEK_END
OS_OBJECT_TYPE_OS_TIMECB	OSAL Reference Point For Seek Offset Defines, 401
OSAL Object Type Defines, 341	OS_SEEK_SET
OS_OBJECT_TYPE_SHIFT	OSAL Reference Point For Seek Offset Defines, 401
osapi-os-core.h, 1242	OS_SEM_EMPTY
OS_OBJECT_TYPE_UNDEFINED	OSAL Semaphore State Defines, 343
OSAL Object Type Defines, 342	OS_SEM_FAILURE
OS_OBJECT_TYPE_USER	OSAL Return Code Defines, 467
OSAL Object Type Defines, 342	OS_SEM_FULL
OS_PACK	OSAL Semaphore State Defines, 343
common_types.h, 1231	OS_SEM_TIMEOUT
OS_PEND	OSAL Return Code Defines, 467
osapi.h, 1260	OS_SHELL_CMD_INPUT_FILE_NAME
OS_PRINTF_CONSOLE_NAME	osconfig-example.h, 712
osconfig-example.h, 712	osconfig.h, 721
osconfig.h, 720	OS_SOCKADDR_MAX_LEN
OS_PRINTF	osapi-os-net.h, 1255
cfe_es.h, 905	osconfig-example.h, 712
common_types.h, 1231	osconfig.h, 721
OS_QUEUE_EMPTY	OS_SUCCESS
OSAL Return Code Defines, 466	OSAL Return Code Defines, 467
OS_QUEUE_FULL	OS_SelectFdAdd
OSAL Return Code Defines, 466	OSAL Select APIs, 395
OS_QUEUE_ID_ERROR	OS_SelectFdClear
OSAL Return Code Defines, 466	OSAL Select APIs, 395
OS_QUEUE_INVALID_SIZE	OS_SelectFdlsSet
OSAL Return Code Defines, 466	OSAL Select APIs, 395
OS_QUEUE_MAX_DEPTH	OS_SelectFdZero
osconfig-example.h, 712	OSAL Select APIs, 396
osconfig.h, 720	OS_SelectMultiple
OS_QUEUE_TIMEOUT	OSAL Select APIs, 396
OSAL Return Code Defines, 466	OS_SelectSingle
OS_QueueCreate	OSAL Select APIs, 397
OSAL Message Queue APIs, 356	OS_SetLocalTime
OS_QueueDelete	OSAL Time/Tick APIs, 378
OSAL Message Queue APIs, 357	OS_ShMemAttach
OS_QueueGet	OSAL Shared memory APIs, 391
OSAL Message Queue APIs, 357	OS_ShMemCreate
OS_QueueGetIdByName	OSAL Shared memory APIs, 391
OSAL Message Queue APIs, 358	OS_ShMemGetIdByName
OS_QueueGetInfo	OSAL Shared memory APIs, 391
OSAL Message Queue APIs, 359	OS_ShMemInit
OS_QueuePut	OSAL Shared memory APIs, 392
OSAL Message Queue APIs, 359	OS_ShMemSemGive
OS_READ_ONLY	OSAL Shared memory APIs, 392
OSAL File Access Option Defines, 400	OS_ShMemSemTake
OS_READ_WRITE	OSAL Shared memory APIs, 392
OSAL File Access Option Defines, 400	OS_ShellOutputToFile
OS_REPAIR	OSAL Shell APIs, 430
osapi-os-filesys.h, 1251	OS_SockAddr_t, 691

ActualLength, 692	OS_TaskDelete
AddrData, 692	OSAL Task APIs, 352
OS_SockAddrData_t, 692	OS TaskExit
AlignPtr, 693	OSAL Task APIs, 352
AlignU32, 693	OS TaskGetId
Buffer, 693	OSAL Task APIs, 352
OS_SocketAccept	OS_TaskGetIdByName
OSAL Socket Management APIs, 441	OSAL Task APIs, 352
OS SocketAddrFromString	OS TaskGetInfo
OSAL Socket Address APIs, 436	OSAL Task APIs, 353
OS_SocketAddrGetPort	OS TaskInstallDeleteHandler
OSAL Socket Address APIs, 437	OSAL Task APIs, 354
	•
OS_SocketAddrInit	OSAL Took APIn 354
OSAL Socket Address APIs, 437	OSAL Task APIs, 354
OS_SocketAddrSetPort	OS_TaskSetPriority
OSAL Socket Address APIs, 438	OSAL Task APIs, 354
OS_SocketAddrToString	OS_Tick2Micros
OSAL Socket Address APIs, 438	OSAL Time/Tick APIs, 378
OS_SocketBind	OS_TimeBaseCreate
OSAL Socket Management APIs, 442	OSAL Timer APIs, 448
OS_SocketConnect	OS_TimeBaseDelete
OSAL Socket Management APIs, 442	OSAL Timer APIs, 449
OS_SocketDomain_t	OS_TimeBaseGetFreeRun
osapi-os-net.h, 1255	OSAL Timer APIs, 450
OS_SocketGetIdByName	OS_TimeBaseGetIdByName
OSAL Socket Management APIs, 444	OSAL Timer APIs, 451
OS_SocketGetInfo	OS_TimeBaseGetInfo
OSAL Socket Management APIs, 445	OSAL Timer APIs, 451
OS_SocketOpen	OS_TimeBaseSet
OSAL Socket Management APIs, 445	OSAL Timer APIs, 452
OS_SocketRecvFrom	OS_TimedRead
OSAL Socket Management APIs, 446	OSAL Standard File APIs, 414
OS_SocketSendTo	OS_TimedWrite
OSAL Socket Management APIs, 446	OSAL Standard File APIs, 415
OS_SocketType_t	OS_TimerAdd
osapi-os-net.h, 1255	OSAL Timer APIs, 452
OS_StreamState_t	OS_TimerCallback_t
osapi-os-core.h, 1243	osapi-os-timer.h, 1257
OS_SymbolLookup	OS_TimerCreate
OSAL Dynamic Loader and Symbol APIs, 433	OSAL Timer APIs, 453
OS_SymbolTableDump	OS_TimerDelete
OSAL Dynamic Loader and Symbol APIs, 433	OSAL Timer APIs, 454
OS_TIMER_ERR_INTERNAL	OS_TimerGetIdByName
OSAL Return Code Defines, 467	OSAL Timer APIs, 455
OS_TIMER_ERR_INVALID_ARGS	OS_TimerGetInfo
OSAL Return Code Defines, 467	OSAL Timer APIs, 455
OS TIMER ERR TIMER ID	OS_TimerSet
OSAL Return Code Defines, 468	OSAL Timer APIs, 456
OS_TIMER_ERR_UNAVAILABLE	OS_TimerSync_t
OSAL Return Code Defines, 468	osapi-os-timer.h, 1257
OS_TaskCreate	OS_TranslatePath
OSAL Task APIs, 350	OSAL File System Level APIs, 428
OSAL Task AFTS, 350 OS_TaskDelay	OSAL File System Lever AFTS, 428 OS_USED
OSAL Task APIs, 351	
OUAL IGN AI IS, UUI	common_types.h, 1231

OS_UTILITYTASK_PRIORITY	free_bytes, 685
osconfig-example.h, 713	largest_free_block, 686
osconfig.h, 721	OS_initfs
OS_UTILITYTASK_STACK_SIZE	OSAL File System Level APIs, 426
osconfig-example.h, 713	OS_lseek
osconfig.h, 721	OSAL Standard File APIs, 408
OS_VolumeInfo_t, 701	OS_mkdir
BlockSize, 701	OSAL Directory APIs, 419
DeviceName, 702	OS_mkfs
FreeFlag, 702	OSAL File System Level APIs, 426
IsMounted, 702	OS_module_address_t, 686
MountPoint, 702	bss_address, 686
PhysDevName, 702	bss_size, 687
VolatileFlag, 702	code_address, 687
VolumeName, 703	code_size, 687
VolumeType, 703	data_address, 687
OS_VolumeTable	data_size, 687
cfe_psp_configdata.h, 1287	flags, 687
cfe_psp_voltab.c, 1313	valid, 688
Target_PspConfigData, 704	OS_module_prop_t, 688
OS_VolumeTableSize	addr, 688
Target_PspConfigData, 704	entry_point, 689
OS_WRITE_ONLY	filename, 689
OSAL File Access Option Defines, 400	host_module_id, 689
OS_bin_sem_prop_t, 678	name, 689
creator, 678	OS_module_record_t
name, 678	osapi-os-loader.h, 1253
value, 678	OS_mount
OS_chkfs	OSAL File System Level APIs, 427
OSAL File System Level APIs, 422	OS_mut_sem_prop_t, 689
OS_chmod	creator, 690
OSAL Standard File APIs, 403	name, 690
OS_close	OS_mv
OSAL Standard File APIs, 404	OSAL Standard File APIs, 409
OS_closedir	OS_open
OSAL Directory APIs, 417	OSAL Standard File APIs, 409
OS_count_sem_prop_t, 679	OS_opendir
creator, 679	OSAL Directory APIs, 420
name, 679	OS_printf
value, 679	OSAL Printf APIs, 398
OS_cp OSAL Standard File APIc 405	OSAL Printf APIc 208
OSAL Standard File APIs, 405	OSAL Printf APIs, 398
OS_creat	OS_printf_enable
OSAL Standard File APIs, 406	OSAL Printf APIs, 399
OS_file_prop_t, 681	OS_queue_prop_t, 690
IsValid, 682	creator, 691
Path, 682	name, 691
User, 682	OSAL Standard File ARIa 411
OSAL File System Lovel ARIs 424	OSAL Standard File APIs, 411
OSAL File System Level APIs, 424	OSAL Directory APIs 420
OSAL File System Level ARIs 424	OSAL Directory APIs, 420
OSAL File System Level APIs, 424	OSAL Standard File APIs 412
OS_heap_prop_t, 685 free blocks, 685	OSAL Standard File APIs, 412 OS rename
1166 010003, 000	OS IGNAME

0041 0: 1 151 451 440	00 " 117
OSAL Standard File APIs, 413	OS_closedir, 417
OS_rewinddir	OS_mkdir, 419
OSAL Directory APIs, 420	OS_opendir, 420
OS_rmdir	OS_readdir, 420
OSAL Directory APIs, 420	OS_rewinddir, 420
OS_rmfs	OS_rmdir, 420
OSAL File System Level APIs, 428	OSAL Dynamic Loader and Symbol APIs, 431
OS_socket_prop_t, 694	OS_ModuleInfo, 431
creator, 694	OS_ModuleLoad, 432
name, 694	OS_ModuleUnload, 432
OS_stat	OS_SymbolLookup, 433
OSAL Standard File APIs, 413	OS SymbolTableDump, 433
OS_static_symbol_record_t, 695	OSAL Error Info APIs, 394
Address, 695	OS_GetErrorName, 394
Module, 695	OSAL Exception APIs, 380
Name, 695	OS_ExcAttachHandler, 380
OS_task_prop_t, 696	OS ExcDisable, 380
creator, 696	OS_ExcEnable, 380
	OSAL File Access Option Defines, 400
name, 696	•
OStask_id, 697	OS_READ_ONLY, 400
priority, 697	OS_READ_WRITE, 400
stack_size, 697	OS_WRITE_ONLY, 400
OS_time_t, 697	OSAL File System Level APIs, 422
microsecs, 698	OS_FS_GetPhysDriveName, 423
seconds, 698	OS_FileSysAddFixedMap, 423
OS_timebase_prop_t, 698	OS_GetFsInfo, 425
accuracy, 699	OS_TranslatePath, 428
creator, 699	OS_chkfs, 422
freerun_time, 699	OS_fsBlocksFree, 424
name, 699	OS_fsBytesFree, 424
nominal_interval_time, 699	OS_initfs, 426
OS_timer_prop_t, 700	OS_mkfs, 426
accuracy, 700	OS_mount, 427
creator, 700	OS_rmfs, 428
interval_time, 700	OS_unmount, 429
name, 700	OSAL Floating Point Unit Exception APIs, 381
start_time, 701	OS_FPUExcAttachHandler, 381
OS_unmount	OS_FPUExcDisable, 382
OSAL File System Level APIs, 429	OS_FPUExcEnable, 382
OS write	OS_FPUExcGetMask, 383
OSAL Standard File APIs, 415	OS_FPUExcSetMask, 383
OSAL Core Operation APIs, 344	OSAL Heap APIs, 393
OS_API_Init, 344	OS_HeapGetInfo, 393
OS_Application_Run, 345	OSAL Interrupt APIs, 385
OS_Application_Startup, 345	OS_IntAck, 385
OS_ApplicationExit, 346	OS IntAttachHandler, 386
OS_ApplicationShutdown, 347	OS_IntDisable, 387
OS_DeleteAllObjects, 347	OS_IntEnable, 387
OS_IdleLoop, 347	OS_IntGetMask, 388
OSAL Directory APIs, 417	OS_IntLock, 388
OS_DirectoryClose, 417	OS_IntSetMask, 389
OS_DirectoryOpen, 418	OS_IntUnlock, 389
OS_DirectoryOpen, 418 OS_DirectoryRead, 418	OSAL Message Queue APIs, 356
OS_DirectoryRead, 418 OS_DirectoryRewind, 419	OSAL Message Queue APIs, 356 OS_QueueCreate, 356
OO_DIIGOIOI YI IGWIIIU, 413	OO_QUEUEOIEAIE, 300

OS_QueueDelete, 357	OS_FS_ERR_NAME_TOO_LONG, 464
OS_QueueGet, 357	OS_FS_ERR_NO_FREE_FDS, 464
OS_QueueGetIdByName, 358	OS_FS_ERR_PATH_INVALID, 464
OS_QueueGetInfo, 359	OS_FS_ERR_PATH_TOO_LONG, 464
OS_QueuePut, 359	OS_FS_ERROR, 464
OSAL Object Type Defines, 339	OS_FS_SUCCESS, 465
OS_OBJECT_TYPE_OS_BINSEM, 339	OS_FS_UNIMPLEMENTED, 465
OS_OBJECT_TYPE_OS_CONSOLE, 339	OS_INVALID_INT_NUM, 465
OS_OBJECT_TYPE_OS_COUNTSEM, 340	OS INVALID POINTER, 465
OS OBJECT TYPE OS DIR, 340	OS_INVALID_SEM_VALUE, 465
OS OBJECT TYPE OS FILESYS, 340	OS QUEUE EMPTY, 466
OS_OBJECT_TYPE_OS_MODULE, 340	OS_QUEUE_FULL, 466
OS_OBJECT_TYPE_OS_MUTEX, 340	OS_QUEUE_ID_ERROR, 466
OS_OBJECT_TYPE_OS_QUEUE, 341	OS_QUEUE_INVALID_SIZE, 466
OS_OBJECT_TYPE_OS_STREAM, 341	OS QUEUE TIMEOUT, 466
OS OBJECT TYPE OS TASK, 341	OS_SEM_FAILURE, 467
OS_OBJECT_TYPE_OS_TIMEBASE, 341	OS_SEM_TIMEOUT, 467
OS_OBJECT_TYPE_OS_TIMECB, 341	OS_SUCCESS, 467
OS_OBJECT_TYPE_UNDEFINED, 342	OS_TIMER_ERR_INTERNAL, 467
OS_OBJECT_TYPE_USER, 342	OS TIMER ERR INVALID ARGS, 467
OSAL Object Utility APIs, 348	OS_TIMER_ERR_TIMER_ID, 468
OS_ConvertToArrayIndex, 348	OS TIMER ERR UNAVAILABLE, 468
OS_ForEachObject, 349	OSAL Select APIs, 395
OS_IdentifyObject, 349	OS_SelectFdAdd, 395
OSAL Printf APIs, 398	OS_SelectFdClear, 395
OS_printf, 398	OS_SelectEdZero 306
OS_printf_disable, 398	OS_SelectFdZero, 396
OS_printf_enable, 399	OS_SelectMultiple, 396
OSAL Reference Point For Seek Offset Defines, 401	OS_SelectSingle, 397
OS_SEEK_CUR, 401	OSAL Semaphore APIs, 361
OS_SEEK_END, 401	OS_BinSemCreate, 362
OS_SEEK_SET, 401	OS_BinSemDelete, 362
OSAL Return Code Defines, 458	OS_BinSemFlush, 364
OS_ERR_BAD_ADDRESS, 459	OS_BinSemGetIdByName, 364
OS_ERR_FILE, 460	OS_BinSemGetInfo, 365
OS_ERR_INCORRECT_OBJ_STATE, 460	OS_BinSemGive, 366
OS_ERR_INCORRECT_OBJ_TYPE, 460	OS_BinSemTake, 366
OS_ERR_INVALID_ID, 460	OS_BinSemTimedWait, 367
OS_ERR_INVALID_PRIORITY, 460	OS_CountSemCreate, 368
OS_ERR_NAME_NOT_FOUND, 461	OS_CountSemDelete, 368
OS_ERR_NAME_TAKEN, 461	OS_CountSemGetIdByName, 369
OS_ERR_NAME_TOO_LONG, 461	OS_CountSemGetInfo, 369
OS_ERR_NO_FREE_IDS, 461	OS_CountSemGive, 370
OS_ERR_NOT_IMPLEMENTED, 461	OS_CountSemTake, 371
OS_ERR_OBJECT_IN_USE, 462	OS_CountSemTimedWait, 371
OS_ERR_SEM_NOT_FULL, 462	OS_MutSemCreate, 372
OS_ERR_STREAM_DISCONNECTED, 462	OS_MutSemDelete, 373
OS_ERROR_ADDRESS_MISALIGNED, 462	OS_MutSemGetIdByName, 373
OS_ERROR_TIMEOUT, 463	OS_MutSemGetInfo, 374
OS_ERROR, 462	OS_MutSemGive, 374
OS_FS_ERR_DEVICE_NOT_FREE, 463	OS_MutSemTake, 376
OS_FS_ERR_DRIVE_NOT_CREATED, 463	OSAL Semaphore State Defines, 343
OS_FS_ERR_INVALID_FD, 463	OS_SEM_EMPTY, 343
OS FS ERR INVALID POINTER, 463	OS SEM FULL, 343

OSAL Shared memory APIs, 391	OS_TaskRegister, 354
OS_ShMemAttach, 391	OS_TaskSetPriority, 354
OS_ShMemCreate, 391	OSAL Time/Tick APIs, 377
OS_ShMemGetIdByName, 391	OS_GetLocalTime, 377
OS_ShMemInit, 392	OS_Milli2Ticks, 377
OS_ShMemSemGive, 392	OS SetLocalTime, 378
OS_ShMemSemTake, 392	OS Tick2Micros, 378
OSAL Shell APIs, 430	OSAL Timer APIs, 448
OS_ShellOutputToFile, 430	OS_TimeBaseCreate, 448
OSAL Socket Address APIs, 436	OS TimeBaseDelete, 449
OS_SocketAddrFromString, 436	OS TimeBaseGetFreeRun, 450
OS_SocketAddrGetPort, 437	OS_TimeBaseGetIdByName, 451
OS_SocketAddrInit, 437	OS_TimeBaseGetInfo, 451
OS_SocketAddrSetPort, 438	OS_TimeBaseSet, 452
OS_SocketAddrToString, 438	OS_TimerAdd, 452
OSAL Socket Management APIs, 440	OS_TimerCreate, 453
OS_NetworkGetHostName, 440	OS_TimerDelete, 454
OS NetworkGetID, 441	OS_TimerGetIdByName, 455
OS_SocketAccept, 441	OS TimerGetInfo, 455
OS SocketBind, 442	OS TimerSet, 456
OS SocketConnect, 442	OSAL Volume Type Defines, 402
OS_SocketGetIdByName, 444	ATA_DISK, 402
OS_SocketGetInfo, 445	EEPROM_DISK, 402
OS_SocketOpen, 445	FS_BASED, 402
OS_SocketRecvFrom, 446	RAM_DISK, 402
OS_SocketSendTo, 446	OSAL_API_VERSION
OSAL Standard File APIs, 403	osapi-version.h, 1258
OS_CloseAllFiles, 405	OSAL_CONFIG_DEBUG_PERMISSIVE_MODE
OS_CloseFileByName, 405	osconfig.h, 722
OS_FDGetInfo, 407	OSAL_CONFIG_DEBUG_PRINTF
OS_FileOpenCheck, 407	osconfig.h, 722
OS_TimedRead, 414	OSAL_CONFIG_INCLUDE_DYNAMIC_LOADER
OS_TimedWrite, 415	osconfig.h, 722
OS_chmod, 403	OSAL_CONFIG_INCLUDE_NETWORK
OS_close, 404	osconfig.h, 722
OS_cp, 405	OSAL_CONFIG_INCLUDE_STATIC_LOADER
OS_creat, 406	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723
OS_creat, 406 OS_lseek, 408	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723 OSALMajorVersion
OS_creat, 406 OS_lseek, 408 OS_mv, 409	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723 OSALMajorVersion CFE_ES_HousekeepingTlm_Payload_t, 498
OS_creat, 406 OS_lseek, 408 OS_mv, 409 OS_open, 409	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723 OSALMajorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMinorVersion
OS_creat, 406 OS_lseek, 408 OS_mv, 409 OS_open, 409 OS_read, 411	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723 OSALMajorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMinorVersion CFE_ES_HousekeepingTlm_Payload_t, 498
OS_creat, 406 OS_lseek, 408 OS_mv, 409 OS_open, 409 OS_read, 411 OS_remove, 412	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723 OSALMajorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMinorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMissionRevision
OS_creat, 406 OS_lseek, 408 OS_mv, 409 OS_open, 409 OS_read, 411 OS_remove, 412 OS_rename, 413	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723 OSALMajorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMinorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMissionRevision CFE_ES_HousekeepingTlm_Payload_t, 498
OS_creat, 406 OS_lseek, 408 OS_mv, 409 OS_open, 409 OS_read, 411 OS_remove, 412 OS_rename, 413 OS_stat, 413	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723 OSALMajorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMinorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMissionRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision
OS_creat, 406 OS_lseek, 408 OS_mv, 409 OS_open, 409 OS_read, 411 OS_remove, 412 OS_rename, 413 OS_stat, 413 OS_write, 415	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723 OSALMajorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMinorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMissionRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 498
OS_creat, 406 OS_lseek, 408 OS_mv, 409 OS_open, 409 OS_read, 411 OS_remove, 412 OS_rename, 413 OS_stat, 413 OS_write, 415 OSAL Task APIs, 350	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723 OSALMajorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMinorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMissionRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 499 OStask_id
OS_creat, 406 OS_lseek, 408 OS_mv, 409 OS_open, 409 OS_read, 411 OS_remove, 412 OS_rename, 413 OS_stat, 413 OS_write, 415 OSAL Task APIs, 350 OS_TaskCreate, 350	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723 OSALMajorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMinorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMissionRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 499 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 499 OStask_id OS_task_prop_t, 697
OS_creat, 406 OS_lseek, 408 OS_mv, 409 OS_open, 409 OS_read, 411 OS_remove, 412 OS_rename, 413 OS_stat, 413 OS_write, 415 OSAL Task APIs, 350 OS_TaskCreate, 350 OS_TaskDelay, 351	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723 OSALMajorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMinorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMissionRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 499 OStask_id OS_task_prop_t, 697 object_ids
OS_creat, 406 OS_lseek, 408 OS_mv, 409 OS_open, 409 OS_read, 411 OS_remove, 412 OS_rename, 413 OS_stat, 413 OS_write, 415 OSAL Task APIs, 350 OS_TaskCreate, 350 OS_TaskDelay, 351 OS_TaskDelete, 352	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723 OSALMajorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMinorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMissionRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 499 OStask_id OS_task_prop_t, 697 object_ids OS_FdSet, 681
OS_creat, 406 OS_lseek, 408 OS_mv, 409 OS_open, 409 OS_read, 411 OS_remove, 412 OS_rename, 413 OS_stat, 413 OS_write, 415 OSAL Task APIs, 350 OS_TaskCreate, 350 OS_TaskDelay, 351 OS_TaskDelete, 352 OS_TaskExit, 352	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723 OSALMajorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMinorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMissionRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 499 OStask_id OS_task_prop_t, 697 object_ids OS_FdSet, 681 ObjectName
OS_creat, 406 OS_lseek, 408 OS_mv, 409 OS_open, 409 OS_read, 411 OS_remove, 412 OS_rename, 413 OS_stat, 413 OS_stat, 415 OSAL Task APIs, 350 OS_TaskCreate, 350 OS_TaskDelay, 351 OS_TaskDelete, 352 OS_TaskGetld, 352	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723 OSALMajorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMinorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMissionRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 499 OStask_id OS_task_prop_t, 697 object_ids OS_FdSet, 681 ObjectName CFE_TBL_FileDef_t, 616
OS_creat, 406 OS_lseek, 408 OS_mv, 409 OS_open, 409 OS_read, 411 OS_remove, 412 OS_rename, 413 OS_stat, 413 OS_stat, 415 OSAL Task APIs, 350 OS_TaskCreate, 350 OS_TaskDelay, 351 OS_TaskDelete, 352 OS_TaskExit, 352 OS_TaskGetIdByName, 352	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723 OSALMajorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMinorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMissionRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 499 OStask_id OS_task_prop_t, 697 object_ids OS_FdSet, 681 ObjectName CFE_TBL_FileDef_t, 616 ObjectSize
OS_creat, 406 OS_lseek, 408 OS_mv, 409 OS_open, 409 OS_read, 411 OS_remove, 412 OS_rename, 413 OS_stat, 413 OS_stat, 415 OSAL Task APIs, 350 OS_TaskCreate, 350 OS_TaskDelay, 351 OS_TaskDelete, 352 OS_TaskGetld, 352	OSAL_CONFIG_INCLUDE_STATIC_LOADER osconfig.h, 723 OSALMajorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMinorVersion CFE_ES_HousekeepingTlm_Payload_t, 498 OSALMissionRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 498 OSALRevision CFE_ES_HousekeepingTlm_Payload_t, 499 OStask_id OS_task_prop_t, 697 object_ids OS_FdSet, 681 ObjectName CFE_TBL_FileDef_t, 616

CFE_TBL_File_Hdr_t, 615	osal_task, 1243, 1244
OneHzAdjust	osapi-os-filesys.h
CFE_TIME_DiagnosticTlm_Payload_t, 651	NUM_TABLE_ENTRIES, 1248
OneHzDirection	OS_CHK_ONLY, 1248
CFE_TIME_DiagnosticTlm_Payload_t, 651	OS_DIRENTRY_NAME, 1248
OneTimeAdjust	OS_FDTableEntry, 1251
CFE_TIME_DiagnosticTlm_Payload_t, 651	OS_FILESTAT_EXEC, 1249
OneTimeDirection	OS_FILESTAT_ISDIR, 1249
CFE_TIME_DiagnosticTlm_Payload_t, 651	OS_FILESTAT_MODE, 1249
optString	OS FILESTAT READ, 1249
cfe_psp_start.c, 1306	OS FILESTAT SIZE, 1249
os_dirent_t, 680	OS FILESTAT TIME, 1250
FileName, 680	OS FILESTAT WRITE, 1250
os_dirp_t	OS_FS_DEV_NAME_LEN, 1250
osapi-os-filesys.h, 1251	OS FS PHYS NAME LEN, 1250
os_err_name_t	OS_FS_VOL_NAME_LEN, 1250
osapi-os-core.h, 1243	OS_MAX_LOCAL_PATH_LEN, 1251
os_fs_err_name_t	OS_REPAIR, 1251
osapi-os-filesys.h, 1252	os dirp t, 1251
os_fshealth_t	os_fs_err_name_t, 1252
osapi-os-filesys.h, 1252	os_fshealth_t, 1252
os fsinfo t, 682	osapi-os-loader.h
FreeFds, 683	OS module record t, 1253
FreeVolumes, 683	osapi-os-net.h
MaxFds, 683	OS_SOCKADDR_MAX_LEN, 1255
MaxVolumes, 683	OS_SocketDomain_t, 1255
os_fstat_t, 684	OS_SocketType_t, 1255
FileModeBits, 684	osapi-os-timer.h
FileSize, 684	OS_TimerCallback_t, 1257
FileTime, 684	OS_TimerCaliback_t, 1257 OS_TimerSync_t, 1257
osal/src/os/inc/common_types.h, 1229	_ · _
— · ·	osapi-version.h
osal/src/os/inc/osapi-os-core.h, 1236 osal/src/os/inc/osapi-os-filesys.h, 1245	OS_MAJOR_VERSION, 1258 OS MINOR VERSION, 1258
	OS MISSION REV, 1258
osal/src/os/inc/osapi-os-loader.h, 1253	
osal/src/os/inc/osapi-os-net.h, 1254	OS_REVISION, 1258
osal/src/os/inc/osapi-os-timer.h, 1256	OSAL_API_VERSION, 1258
osal/src/os/inc/osapi-version.h, 1257	osapi.h
osal/src/os/inc/osapi.h, 1259	OS_CHECK, 1260
osal_task	OS_PEND, 1260
osapi-os-core.h, 1243, 1244	osconfig-example.h
osalbool	OS_BUFFER_MSG_DEPTH, 707
common_types.h, 1233	OS_BUFFER_SIZE, 707
osapi-os-core.h	OS_MAX_API_NAME, 707
OS_ArgCallback_t, 1243	OS_MAX_BIN_SEMAPHORES, 707
OS_BSP_GetArgC, 1244	OS_MAX_CMD_LEN, 708
OS_BSP_GetArgV, 1244	OS_MAX_CONSOLES, 708
OS_BSP_SetExitCode, 1244	OS_MAX_COUNT_SEMAPHORES, 708
OS_ERROR_NAME_LENGTH, 1241	OS_MAX_FILE_NAME, 708
OS_FP_ENABLED, 1242	OS_MAX_FILE_SYSTEMS, 709
OS_MAX_TASK_PRIORITY, 1242	OS_MAX_MODULES, 709
OS_OBJECT_INDEX_MASK, 1242	OS_MAX_MUTEXES, 709
OS_OBJECT_TYPE_SHIFT, 1242	OS_MAX_NUM_OPEN_DIRS, 709
OS_StreamState_t, 1243	OS_MAX_NUM_OPEN_FILES, 710
os_err_name_t, 1243	OS_MAX_PATH_LEN, 710

OS_MAX_QUEUES, 710	Target_PspConfigData, 704
OS_MAX_SYM_LEN, 710	PSP_VersionInfo
OS MAX TASKS, 711	Target_PspConfigData, 705
OS_MAX_TIMEBASES, 711	PSP_WatchdogMax
OS_MAX_TIMERS, 711	Target_PspConfigData, 705
OS PRINTF CONSOLE NAME, 712	PSP WatchdogMin
OS_QUEUE_MAX_DEPTH, 712	Target_PspConfigData, 705
OS_SHELL_CMD_INPUT_FILE_NAME, 712	PacketID
OS SOCKADDR MAX LEN, 712	CFE EVS LongEventTlm Payload t, 556
OS_UTILITYTASK_PRIORITY, 713	CFE_EVS_ShortEventTlm_Payload_t, 564
OS_UTILITYTASK_STACK_SIZE, 713	Padding
osconfig.h	CFE_EVS_AppTImData_t, 545
OS_BUFFER_MSG_DEPTH, 715	Parameter
OS_BUFFER_SIZE, 715	CFE_TBL_NotifyCmd_Payload_t, 631
OS_MAX_API_NAME, 715	Path
OS_MAX_BIN_SEMAPHORES, 716	OS_file_prop_t, 682
OS_MAX_CMD_LEN, 716	Payload
OS_MAX_CONSOLES, 716	CFE ES AppNameCmd t, 483
OS_MAX_COUNT_SEMAPHORES, 717	CFE_ES_DeleteCDS_t, 488
OS_MAX_FILE_NAME, 717	CFE_ES_DumpCDSRegistry_t, 489
OS_MAX_FILE_SYSTEMS, 717	CFE ES FileNameCmd t, 492
OS_MAX_MODULES, 717	CFE_ES_HousekeepingTlm_t, 504
OS MAX MUTEXES, 718	CFE_ES_MemStatsTlm_t, 507
OS_MAX_NUM_OPEN_DIRS, 718	CFE_ES_OneAppTIm_t, 510
OS_MAX_NUM_OPEN_FILES, 718	CFE_ES_OverWriteSyslog_t, 511
OS_MAX_PATH_LEN, 718	CFE_ES_ReloadApp_t, 515
OS_MAX_QUEUES, 719	CFE_ES_Restart_t, 516
OS_MAX_SYM_LEN, 719	CFE_ES_SendMemPoolStats_t, 517
OS MAX TASKS, 719	CFE ES SetMaxPRCount t, 519
OS_MAX_TIMEBASES, 720	CFE_ES_SetPerfFilterMask_t, 521
OS_MAX_TIMERS, 720	CFE_ES_SetPerfTriggerMask_t, 523
OS_PRINTF_CONSOLE_NAME, 720	CFE_ES_Shell_t, 525
OS_QUEUE_MAX_DEPTH, 720	CFE_ES_ShellTlm_t, 527
OS SHELL CMD INPUT FILE NAME, 721	CFE_ES_StartApp_t, 528
OS_SOCKADDR_MAX_LEN, 721	CFE_ES_StartPerfData_t, 532
OS_UTILITYTASK_PRIORITY, 721	CFE_ES_StopPerfData_t, 534
OS_UTILITYTASK_STACK_SIZE, 721	CFE_EVS_AppNameBitMaskCmd_t, 538
OSAL_CONFIG_DEBUG_PERMISSIVE_MODE,	CFE_EVS_AppNameCmd_t, 540
722	CFE EVS AppNameEventIDCmd t, 542
OSAL_CONFIG_DEBUG_PRINTF, 722	CFE_EVS_AppNameEventIDMaskCmd_t, 544
OSAL_CONFIG_INCLUDE_DYNAMIC_LOADER,	CFE_EVS_BitMaskCmd_t, 548
722	CFE_EVS_HousekeepingTlm_t, 554
OSAL_CONFIG_INCLUDE_NETWORK, 722	CFE_EVS_LongEventTIm_t, 557
OSAL CONFIG INCLUDE STATIC LOADER, 723	CFE_EVS_SetEventFormatMode_t, 561
OutputFilename	CFE_EVS_SetLogMode_t, 563
CFE_ES_ShellCmd_Payload_t, 526	CFE_EVS_ShortEventTlm_t, 565
OutputPort	CFE_EVS_WriteAppDataFile_t, 565
CFE_EVS_HousekeepingTlm_Payload_t, 552	CFE_EVS_WriteLogDataFile_t, 566
OwnerAppName	CFE_SB_AllSubscriptionsTlm_t, 576
CFE_TBL_TblRegPacket_Payload_t, 639	CFE_SB_HousekeepingTlm_t, 583
,,	CFE_SB_RouteCmd_t, 590
PSP_MemTableSize	CFE_SB_SingleSubscriptionTlm_t, 596
Target_PspConfigData, 704	CFE_SB_StatsTIm_t, 602
PSP_MemoryTable	CFE_SB_WriteFileInfoCmd_t, 605

CFE_TBL_AbortLoad_t, 606	CFE_SB_SingleSubscriptionTlm_Payload_t, 595
CFE_TBL_Activate_t, 608	CFE_SB_SubEntries_t, 603
CFE_TBL_DeleteCDS_t, 610	PipeDepthStats
CFE_TBL_Dump_t, 611	CFE_SB_StatsTlm_Payload_t, 600
CFE_TBL_DumpRegistry_t, 613	Pipeld
CFE_TBL_HousekeepingTlm_t, 624	CFE_SB_PipeDepthStats_t, 587
CFE_TBL_Load_t, 628	CFE_SB_RoutingFileEntry_t, 592
CFE_TBL_NotifyCmd_t, 632	PipeName
CFE_TBL_SendRegistry_t, 633	CFE_SB_RoutingFileEntry_t, 592
CFE_TBL_TableRegistryTlm_t, 634	PipeOptsErrorCounter
CFE_TBL_Validate_t, 641	CFE_SB_HousekeepingTlm_Payload_t, 581
CFE_TIME_DiagnosticTlm_t, 656	PipeOverflowErrorCounter
CFE_TIME_HousekeepingTlm_t, 661	CFE_SB_HousekeepingTlm_Payload_t, 581
CFE_TIME_OneHzAdjustmentCmd_t, 664	PipesInUse
CFE_TIME_SetLeapSeconds_t, 667	CFE_SB_StatsTlm_Payload_t, 601
CFE_TIME_SetSignal_t, 668	PktSegment
CFE_TIME_SetSource_t, 669	CFE SB AllSubscriptionsTlm Payload t, 575
CFE_TIME_SetState_t, 670	PoolHandle
CFE_TIME_TimeCmd_t, 674	CFE_ES_PoolStatsTlm_Payload_t, 514
CFE_TIME_TimeOffid_t, 677 CFE_TIME_ToneDataCmd_t, 677	CFE_ES_SendMemPoolStatsCmd_Payload_t, 518
PeakInUse	PoolSize
CFE_SB_PipeDepthStats_t, 586	CFE_ES_MemPoolStats_t, 506
PeakMemInUse	PoolStats
CFE_SB_StatsTIm_Payload_t, 599	CFE_ES_PoolStatsTlm_Payload_t, 514
PeakMsgldsInUse	Pri
CFE_SB_StatsTlm_Payload_t, 599	CCSDS_APIDQHdr_t, 469
PeakPipesInUse	Priority
CFE_SB_StatsTlm_Payload_t, 600	CFE_ES_AppInfo_t, 481
PeakSBBuffersInUse	CFE_ES_StartAppCmd_Payload_t, 530
CFE_SB_StatsTlm_Payload_t, 600	CFE_SB_Qos_t, 588
PeakSubscriptionsInUse	priority
CFE_SB_StatsTlm_Payload_t, 600	OS_task_prop_t, 697
PerfDataCount	ProcessorID
CFE_ES_HousekeepingTlm_Payload_t, 499	CFE_EVS_PacketID_t, 559
PerfDataEnd	CFE_FS_Header_t, 568
CFE_ES_HousekeepingTlm_Payload_t, 499	ProcessorId
PerfDataStart	CFE_SB_SenderId_t, 593
CFE_ES_HousekeepingTlm_Payload_t, 499	ProcessorResets
PerfDataToWrite	CFE_ES_HousekeepingTlm_Payload_t, 501
CFE_ES_HousekeepingTlm_Payload_t, 500	psp/fsw/inc/cfe_psp.h, 1261
PerfFilterMask	psp/fsw/inc/cfe_psp_configdata.h, 1286
CFE_ES_HousekeepingTlm_Payload_t, 500	psp/fsw/pc-linux/src/cfe_psp_exception.c, 1287
PerfMode	psp/fsw/pc-linux/src/cfe_psp_memory.c, 1289
CFE_ES_HousekeepingTlm_Payload_t, 500	psp/fsw/pc-linux/src/cfe_psp_memtab.c, 1299
PerfState	psp/fsw/pc-linux/src/cfe_psp_ssr.c, 1300
CFE_ES_HousekeepingTlm_Payload_t, 500	psp/fsw/pc-linux/src/cfe_psp_start.c, 1300
PerfTriggerCount	psp/fsw/pc-linux/src/cfe_psp_support.c, 1307
CFE ES HousekeepingTlm Payload t, 501	psp/fsw/pc-linux/src/cfe psp timer.c, 1309
PerfTriggerMask	psp/fsw/pc-linux/src/cfe_psp_voltab.c, 1312
CFE_ES_HousekeepingTlm_Payload_t, 501	psp/fsw/pc-linux/src/cfe_psp_watchdog.c, 1313
PhysDevName	Ptr
OS_VolumeInfo_t, 702	CFE_ES_PoolAlign_t, 513
Pipe	
CFE SB RouteCmd Payload t. 589	Qos

CFE_SB_SingleSubscriptionTlm_Payload_t, 595	CFE_ES_SHELL_TLM_MSG, 830
CFE_SB_SubEntries_t, 603	CFE_EVS_CMD_MSG, 830
	CFE_EVS_EVENT_MSG_MSG, 831
RAM_DISK	CFE_EVS_HK_TLM_MSG, 831
OSAL Volume Type Defines, 402	CFE_EVS_MAX_MESSAGE_LENGTH, 831
RegisteredCoreApps	CFE EVS SEND HK MSG, 831
CFE_ES_HousekeepingTlm_Payload_t, 501	CFE_MISSION_CMD_APPID_BASE1, 831
RegisteredExternalApps	CFE_MISSION_CMD_MID_BASE1, 831
CFE_ES_HousekeepingTlm_Payload_t, 502	CFE_MISSION_CMD_MID_BASE_GLOB, 832
RegisteredLibs	CFE_MISSION_ES_APP_TLM_MSG, 832
CFE_ES_HousekeepingTlm_Payload_t, 502	CFE_MISSION_ES_CDS_MAX_NAME_LENGTH,
RegisteredTasks	833
CFE_ES_HousekeepingTlm_Payload_t, 502	CFE_MISSION_ES_CDS_MAX_NAME_LEN, 832
Reliability	CFE_MISSION_ES_CMD_MSG, 833
CFE_SB_Qos_t, 588	CFE MISSION ES CRC 16, 834
Reserved	CFE_MISSION_ES_CRC_32, 834
CFE_TBL_File_Hdr_t, 615	CFE MISSION ES CRC 8, 834
ResetAreaShmld	CFE MISSION ES DEFAULT CRC, 834
cfe_psp_memory.c, 1298	CFE_MISSION_ES_HK_TLM_MSG, 834
ResetSubtype	CFE_MISSION_ES_MAX_APPLICATIONS, 835
CFE_ES_HousekeepingTlm_Payload_t, 502	CFE MISSION ES MAX SHELL CMD, 835
ResetType	CFE MISSION ES MAX SHELL PKT, 836
CFE_ES_HousekeepingTlm_Payload_t, 503	
CFE_PSP_CommandData_t, 571	CFE_MISSION_ES_MEMSTATS_TLM_MSG, 836
RestartType	CFE_MISSION_ES_PERF_MAX_IDS, 837
CFE_ES_RestartCmd_Payload_t, 516	CFE_MISSION_ES_SEND_HK_MSG, 837
Revision	CFE_MISSION_ES_SHELL_TLM_MSG, 837
CFE_PSP_VersionInfo_t, 574	CFE_MISSION_EVS_CMD_MSG, 837
	CFE_MISSION_EVS_HK_TLM_MSG, 838
SBBuffersInUse	CFE_MISSION_EVS_LONG_EVENT_MSG_MSG,
CFE_SB_StatsTlm_Payload_t, 601	838
SIZE_BYTE	CFE_MISSION_EVS_MAX_MESSAGE_LENGTH,
cfe_psp.h, 1273	838
SIZE_HALF	CFE_MISSION_EVS_SEND_HK_MSG, 838
cfe_psp.h, 1273	CFE_MISSION_EVS_SHORT_EVENT_MSG_MSG,
SIZE_WORD	839
cfe_psp.h, 1273	CFE_MISSION_MAX_API_LEN, 839
sample_mission_cfg.h, 824	CFE_MISSION_MAX_FILE_LEN, 839
CFE_CMD_APPID_BASE_CPU1, 828	CFE_MISSION_MAX_PATH_LEN, 840
CFE_CMD_APPID_BASE_CPU2, 828	CFE_MISSION_SB_ALLSUBS_TLM_MSG, 840
CFE_CMD_APPID_BASE_CPU3, 828	CFE_MISSION_SB_CMD_MSG, 841
CFE_CMD_MID_BASE_CPU1, 828	CFE_MISSION_SB_HK_TLM_MSG, 841
CFE_CMD_MID_BASE_CPU2, 828	CFE_MISSION_SB_MAX_PIPES, 841
CFE_CMD_MID_BASE_CPU3, 828	CFE_MISSION_SB_MAX_SB_MSG_SIZE, 841
CFE_CMD_MID_BASE_GLOB, 828	CFE_MISSION_SB_ONESUB_TLM_MSG, 842
CFE_ES_APP_TLM_MSG, 829	CFE_MISSION_SB_PACKET_TIME_FORMAT, 842
CFE_ES_CDS_MAX_NAME_LENGTH, 829	CFE_MISSION_SB_SEND_HK_MSG, 842
CFE_ES_CMD_MSG, 829	CFE_MISSION_SB_STATS_TLM_MSG, 843
CFE_ES_CRC_16, 829	CFE_MISSION_SB_TIME_32_16_SUBS, 843
CFE_ES_CRC_32, 829	CFE_MISSION_SB_TIME_32_32_M_20, 843
CFE_ES_CRC_8, 829	CFE_MISSION_SB_TIME_32_32_SUBS, 843
CFE_ES_DEFAULT_CRC, 830	CFE_MISSION_SPACECRAFT_ID, 843
CFE_ES_HK_TLM_MSG, 830	CFE_MISSION_TBL_CMD_MSG, 844
CFE_ES_MEMSTATS_TLM_MSG, 830	CFE_MISSION_TBL_HK_TLM_MSG, 844
CFE ES SEND HK MSG, 830	CFE MISSION TBL MAX FULL NAME LEN, 844

CFE_MISSION_TBL_MAX_NAME_LENGTH, 844	CFE_TIME_CFG_DEFAULT_TAI, 856
CFE_MISSION_TBL_REG_TLM_MSG, 845	CFE_TIME_CFG_DEFAULT_UTC, 856
CFE_MISSION_TBL_SEND_HK_MSG, 845	CFE_TIME_CFG_FAKE_TONE, 857
CFE_MISSION_TIME_1HZ_CMD_MSG, 845	CFE_TIME_CMD_MSG, 857
CFE_MISSION_TIME_AT_TONE_WAS, 845	CFE_TIME_DATA_CMD_MSG, 857
CFE_MISSION_TIME_AT_TONE_WILL_BE, 846	CFE_TIME_DEF_DELAY_SECS, 857
CFE_MISSION_TIME_CFG_DEFAULT_TAI, 846	CFE_TIME_DEF_DELAY_SUBS, 857
CFE_MISSION_TIME_CFG_DEFAULT_UTC, 846	CFE_TIME_DEF_LEAPS, 857
CFE_MISSION_TIME_CFG_FAKE_TONE, 847	CFE_TIME_DEF_MET_SECS, 858
CFE_MISSION_TIME_CMD_MSG, 847	CFE_TIME_DEF_MET_SUBS, 858
CFE_MISSION_TIME_DATA_CMD_MSG, 847	CFE TIME DEF STCF SECS, 858
CFE_MISSION_TIME_DEF_DELAY_SECS, 847	CFE_TIME_DEF_STCF_SUBS, 858
CFE_MISSION_TIME_DEF_DELAY_SUBS, 848	CFE_TIME_DIAG_TLM_MSG, 858
CFE_MISSION_TIME_DEF_LEAPS, 848	CFE_TIME_EPOCH_DAY, 858
CFE_MISSION_TIME_DEF_MET_SECS, 848	CFE_TIME_EPOCH_HOUR, 859
CFE_MISSION_TIME_DEF_MET_SUBS, 848	CFE_TIME_EPOCH_MINUTE, 859
CFE_MISSION_TIME_DEF_STCF_SECS, 849	CFE_TIME_EPOCH_SECOND, 859
CFE_MISSION_TIME_DEF_STCF_SUBS, 849	CFE TIME EPOCH YEAR, 859
CFE_MISSION_TIME_DIAG_TLM_MSG, 849	CFE_TIME_FS_FACTOR, 859
CFE MISSION TIME EPOCH DAY, 849	CFE_TIME_HK_TLM_MSG, 859
CFE_MISSION_TIME_EPOCH_HOUR, 849	CFE_TIME_MAX_ELAPSED, 860
CFE_MISSION_TIME_EPOCH_MINUTE, 849	CFE_TIME_MIN_ELAPSED, 860
CFE_MISSION_TIME_EPOCH_SECOND, 850	CFE_TIME_SEND_CMD_MSG, 860
CFE_MISSION_TIME_EPOCH_YEAR, 850	CFE_TIME_SEND_HK_MSG, 860
CFE_MISSION_TIME_FS_FACTOR, 850	CFE_TIME_TONE_CMD_MSG, 860
CFE_MISSION_TIME_HK_TLM_MSG, 851	CFE_TLM_APPID_BASE_CPU1, 860
CFE_MISSION_TIME_MAX_ELAPSED, 851	CFE_TLM_APPID_BASE_CPU2, 861
CFE_MISSION_TIME_MIN_ELAPSED, 851	CFE_TLM_APPID_BASE_CPU3, 861
CFE_MISSION_TIME_SEND_CMD_MSG, 852	CFE_TLM_MID_BASE_CPU1, 861
CFE_MISSION_TIME_SEND_HK_MSG, 852	CFE_TLM_MID_BASE_CPU2, 861
CFE_MISSION_TIME_TONE_CMD_MSG, 852	CFE_TLM_MID_BASE_CPU3, 861
CFE_MISSION_TLM_APPID_BASE1, 852	CFE_TLM_MID_BASE_GLOB, 861
CFE_MISSION_TLM_MID_BASE1, 853	sample_perfids.h, 862
CFE_MISSION_TLM_MID_BASE_GLOB, 853	CFE_MISSION_ES_MAIN_PERF_ID, 862
CFE_SB_ALLSUBS_TLM_MSG, 853	CFE_MISSION_ES_PERF_EXIT_BIT, 862
CFE_SB_CMD_MSG, 853	CFE_MISSION_EVS_MAIN_PERF_ID, 863
CFE_SB_HK_TLM_MSG, 853	CFE_MISSION_SB_MAIN_PERF_ID, 863
CFE_SB_MAX_SB_MSG_SIZE, 853	CFE_MISSION_SB_MSG_LIM_PERF_ID, 863
CFE_SB_ONESUB_TLM_MSG, 854	CFE_MISSION_SB_PIPE_OFLOW_PERF_ID, 863
CFE_SB_PACKET_TIME_FORMAT, 854	CFE_MISSION_TBL_MAIN_PERF_ID, 863
CFE_SB_SEND_HK_MSG, 854	CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID,
CFE_SB_STATS_TLM_MSG, 854	864
CFE_SB_TIME_32_16_SUBS, 854	CFE_MISSION_TIME_LOCAL1HZTASK_PERF_ID
CFE_SB_TIME_32_32_M_20, 854	864
CFE_SB_TIME_32_32_SUBS, 855	CFE_MISSION_TIME_MAIN_PERF_ID, 864
CFE_SPACECRAFT_ID, 855	CFE_MISSION_TIME_SENDMET_PERF_ID, 864
CFE_TBL_CMD_MSG, 855	CFE_MISSION_TIME_TONE1HZISR_PERF_ID,
CFE_TBL_HK_TLM_MSG, 855	864
CFE_TBL_MAX_NAME_LENGTH, 855	CFE_MISSION_TIME_TONE1HZTASK_PERF_ID,
CFE_TBL_REG_TLM_MSG, 855	865
CFE_TBL_SEND_HK_MSG, 856	Sec
CFE_TIME_1HZ_CMD_MSG, 856	CCSDS_CommandPacket_t, 471
CFE_TIME_AT_TONE_WAS, 856	CCSDS_TelemetryPacket_t, 474
CFE TIME AT TONE WILL BE, 856	Seconds

CFE_TIME_TimeCmd_Payload_t, 674 seconds OS_time_t, 698 SecondsTH2Adj CFE_TIME_HousekeepingTIm_Payload_t, 659 SecondsDelay CFE_TIME_HousekeepingTIm_Payload_t, 659 SecondsMET CFE_TIME_HousekeepingTIm_Payload_t, 659 SecondsTGF CFE_TIME_HousekeepingTIm_Payload_t, 659 ServerFlyState CFE_TIME_HousekeepingTIm_Payload_t, 650 Sequence CCSDS_PriHdr_t, 472 ServerFlyState CFE_TIME_DiagnosticTim_Payload_t, 652 ShellOutput CFE_ES_ShellPacket_Payload_t, 527 Signature CFE_TIME_ResetVars_t, 666 Size CFE_ES_CDSRegDumpRec_t, 487 CFE_TEB_Info_t, 627 CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CFE_TS_Header_t, 568 Spacecrafild CFE_SB_Meg_t, 584 Spacecrafild CFE_SB_Meg_t, 584 Spacecrafild CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_SetLougMode_Payload_t, 567 CFE_EVS_SetLougMode_Payload_t, 569 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 559 Spare1 CFE_EVS_HousekeepingTIm_Payload_t, 559 CFE_ES_RouteCmd_Payload_t, 559 Spare1 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 551 Spare3 CFE_ES_HousekeepingTIm_Payload_t, 551 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 551 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 551 TRUE_CFE_TBL_HousekeepingTIm_Payload_t, 503 SysLogMode CFE_ES_HousekeepingTIm_Payload_t, 503 SysLogMode CFE_ES_Ho	CFE_TIME_OneHzAdjustmentCmd_Payload_t, 663	StackSize
seconds OS_time_t, 698 SecondsIt2Adj OFE_TIME_HousekeepingTIm_Payload_t, 659 SecondsDelay CFE_TIME_HousekeepingTIm_Payload_t, 659 SecondsSTCF OFE_TIME_HousekeepingTIm_Payload_t, 660 Sequence CCSDS_PriHdr_t, 472 ServerFlyState OFE_TIME_DiagnosticTIm_Payload_t, 652 ShellOutput OFE_ES_ShellPacket_Payload_t, 552 Signature OFE_TIME_ResetVars_t, 666 Size OFE_ES_CDSRegDumpRec_t, 487 OFE_PSP_MemTable_t, 572 OFE_TBL_TblRegPacket_Payload_t, 527 CFE_TBL_TblRegPacket_Payload_t, 639 SpacePacket OCSDS_TelemetryPacket_t, 474 OFE_ES_Bader_t, 568 SpacecraftID OFE_EVS_PacketID_t, 559 OFE_FS_Header_t, 568 SpacecraftID OFE_EVS_BottlemetryPacket_t, 474 OFE_EVS_BitMaskCmd_Payload_t, 547 OFE_EVS_BitMaskCmd_Payload_t, 547 OFE_EVS_BitMaskCmd_Payload_t, 547 OFE_EVS_BitMaskCmd_Payload_t, 547 OFE_EVS_BitMaskCmd_Payload_t, 547 OFE_EVS_BitMaskCmd_Payload_t, 562 OFE_SB_PipeDepthStats_t, 587 OFE_SB_PipeDepthStats_t, 587 OFE_EVS_LongEventTim_Payload_t, 556 Spare2 OFE_EVS_LongEventTim_Payload_t, 556 Spare2 OFE_EVS_HousekeepingTim_Payload_t, 556 Spare2Align OFE_EVS_HousekeepingTim_Payload_t, 556 OFE_EVS_HousekeepingTim_Payload_t, 556 Spare	CFE_TIME_SysTime_t, 673	CFE_ES_AppInfo_t, 481
OS_timer_prop_t, 701 StartAddr CFE_TIME_HousekeepingTIm_Payload_t, 659 SecondsDelay CFE_TIME_HousekeepingTIm_Payload_t, 659 SecondsMET CFE_TIME_HousekeepingTIm_Payload_t, 659 SecondsMET CFE_TIME_HousekeepingTIm_Payload_t, 659 SecondsMET CFE_TIME_HousekeepingTIm_Payload_t, 659 SecondsTCF CFE_TIME_HousekeepingTIm_Payload_t, 650 Sequence CCSDS_PriHdr_t, 472 ServerFyState CFE_ES_ShellPacket_Payload_t, 527 Signature CFE_TIME_BesetVars_t, 666 Size CFE_ES_CDSRegDumpRec_t, 487 CFE_FS_MemTable_t, 572 CFE_TBL_Inlo_t, 627 CFE_TBL_Inlo_t, 627 CFE_TBL_Inlo_t, 627 CFE_TBL_Inlo_t, 627 CFE_SB_Msg_t, 584 SpacecraftID CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 SpaceCraftID CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 SpaceCraftID CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 SpaceCraftID CFE_TIME_HousekeepingTim_Payload_t, 660 Subseccities CFE_EVS_HousekeepingTim_Payload_t, 561 SuccessValCounter CFE_TIME_HousekeepingTim_Payload_t, 660 Subseccities CFE_ES_HousekeepingTim_Payload_t, 563 SysLogMode CFE_SHousekeepingTim_Payload_t, 503 SysLogMode CFE_ES_HousekeepingTim_Payload_t, 503 SysLogMode CFE_ES_HousekeepingTim_Payload_t, 503 SysLogMode CFE_ES_HousekeepingTim_Payload_t, 504 Table_Name CFE_TBL_AndortacCmd_Payload_t, 607 CFE_TBL_Linlo_t, 627 CFE_TBL_CartivateCmd_Payload_t, 600 SubsecsDalay CFE_TBL_Linlo_t, 627 CFE_TBL_CartivateCmd_Payload_t, 601 SubsecsStart CFE_TBL_ActivateCmd_Payload_t, 601 StartAddrors CFE_SAppInlo_t, 481 Statta CFE_SAppInlo_t, 481 Statta CFE_SAppInlo		CFE_ES_StartAppCmd_Payload_t, 530
SecondstHzAdj CFE_TIME_HousekeepingTim_Payload_t, 659 SecondsDelay CFE_TIME_HousekeepingTim_Payload_t, 659 SecondsMET CFE_TIME_HousekeepingTim_Payload_t, 652 ServerflyState CFE_TIME_DiagnosticTim_Payload_t, 527 Signature CFE_TIME_ResetVars_t, 666 Signature CFE_TIME_ResetVars_t, 666 Signature CFE_TIME_ResetVars_t, 666 Signature CFE_TIME_Info_t, 627 CFE_TEBL_Info_t, 627 CFE_TEBL_Info_t, 627 CFE_TEBL_TiblRegPacket_Payload_t, 639 SpacePacket CCSDS_CommandPacket_t, 472 CCSDS_TelemetryPacket_t, 474 CFE_SB_Msq_t, 584 SpacecraftID CFE_EVS_PS_CommandData_t, 571 Spare CFE_EVS_PS_PS_CommandData_t, 571 Spare CFE_EVS_PS_PS_CommandData_t, 571 Spare CFE_EVS_PS_PS_CommandData_t, 571 Spare CFE_EVS_BitMaskCmd_Payload_t, 561 SubsecsSTCF CFE_EN_HousekeepingTim_Payload_t, 561 CFE_EVS_LongEventTim_Payload_t, 562 CFE_EVS_LongEventTim_Payload_t, 562 CFE_EVS_LongEventTim_Payload_t, 566 Spare2Align CFE_ES_HousekeepingTim_Payload_t, 566 Spare2Align CFE_ES_HousekeepingTim_Payload_t, 566 Spare2Align CFE_ES_HousekeepingTim_Payload_t, 566 Spare2Align CFE_ES_HousekeepingTim_Payload_t, 560 CFE_ES_HousekeepingTim_Payload_t, 560 CFE_ES_HousekeepingTim_Payload_t, 560 SubsecsSTCF CFE_ES_HousekeepingTim_Payload_t, 561 SubsecsMET CFE_ES_HousekeepingTim_Payload_t, 561 SubsecsMET CFE_ES_Housekeepin		
CFE_TIME_HousekeepingTim_Payload_t, 659 SecondsMET CFE_TIME_HousekeepingTim_Payload_t, 659 SecondsSTCF CFE_TIME_HousekeepingTim_Payload_t, 659 SecondsSTCF CFE_TIME_HousekeepingTim_Payload_t, 650 Sequence CGSDS_PriHdr_t, 472 CFE_ES_ShellPacket_Payload_t, 652 ShellOutput CFE_ES_ShellPacket_Payload_t, 527 Signature CFE_ES_CDSRegDumpRec_t, 487 CFE_PSP_MemTable_t, 572 CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CGSDS_CommandPacket_t, 474 CFE_SB_Msg_t, 564 SpacecraftId CFE_EVS_PacketID_t, 559 CFE_EVS_Beader_t, 568 SpacecraftId CFE_EVS_Beader_t, 568 SpacecraftId CFE_EVS_SeltLogMode_Payload_t, 547 CFE_EVS_SeltLogMode_Payload_t, 547 CFE_EVS_SeltLogMode_Payload_t, 562 CFE_EVS_Beader_thereoreal to CFE_ES_HousekeepingTim_Payload_t, 560 Space_Packet CCSDS_CommandData_t, 571 CFE_SB_RingleSubscriptionTim_Payload_t, 660 SubsecsStoF CFE_TIME_HousekeepingTim_Payload_t, 660 SubsecsStoF CFE_TIME_HousekeepingTim_Payload_t, 660 SubsecsStoF CFE_EVS_Beader_t, 568 SpacecraftId CFE_EVS_SeltLogMode_Payload_t, 547 CFE_EVS_SeltLogMode_Payload_t, 562 CFE_EVS_LongEventTim_Payload_t, 556 Spare2 CFE_EVS_LongEventTim_Payload_t, 556 Spare2 CFE_EVS_LongEventTim_Payload_t, 551 Table CFE_EVS_LongEventTim_Payload_t, 551 SpaceSallign CFE_EVS_HousekeepingTim_Payload_t, 551 SpaceSallign CFE_EVS_LongEventTim_Payload_t, 551 SpaceSallign CFE_EVS_LongEventTim_Payload_t, 551 Table CFE_EVS_LongEventTim_Payload_t, 552 CFE_EVS_LongEventTim_Payload_t, 553 TableName CFE_EVS_LongEventTim_Payload_t, 553 TableName CFE_ES_BhousekeepingTim_Payload_t, 600 CFE_ES_LongAmeDitm_tab		OS_timer_prop_t, 701
Secondsbelay CFE_TIME_HousekeepingTIm_Payload_t, 659 SecondsMET CFE_TIME_HousekeepingTIm_Payload_t, 659 SecondsSTCF CFE_TIME_HousekeepingTIm_Payload_t, 660 Sequence CCSDS_PriHdr_t, 472 ServerflyState CFE_ES_ShellPacket_Payload_t, 652 ShellOutput CFE_ES_ShellPacket_Payload_t, 527 Signature CFE_TIME_ResertVars_t, 666 Size CFE_ES_CDSRegDumpRec_t, 487 CFE_PSP_MemTable_t, 572 CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CFE_SB_Msg_t, 584 SpacecraftID CFE_EVS_PacketID_t, 559 CFE_EVS_PacketID_t, 550 CFE_EVS_	Seconds1HzAdj	
CFE_TIME_HousekeepingTIm_Payload_t, 659 SecondsMET CFE_TIME_HousekeepingTIm_Payload_t, 659 SecondsSTCF CFE_TIME_HousekeepingTIm_Payload_t, 660 Sequence CCSDS_PriHdr_t, 472 ServerFlyState CFE_TIME_DiagnosticTim_Payload_t, 652 ShellOutput CFE_ES_ShellPacket_Payload_t, 527 Signature CFE_ES_CDSRegDumpRec_t, 487 CFE_ES_CDSRegDumpRec_t, 487 CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CFE_TBL_TibRegPacket_Payload_t, 639 SpacePacket CCSDS_CommandPacket_t, 474 CFE_SB_Msg_t, 584 SpacecrafitD CFE_EVS_PacketID_t, 559 CFE_EVS_PacketID_t, 559 CFE_EVS_PacketID_t, 559 CFE_EVS_PacketID_t, 568 Spacecrafitd CFE_EVS_PacketIFormatMode_Payload_t, 537 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_EVS_SetEventTim_Payload_t, 562 CFE_EVS_SetEventTim_Payload_t, 562 CFE_EVS_LongEventTim_Payload_t, 556 Spare2 CFE_EVS_LongEventTim_Payload_t, 556 Spare2 CFE_EVS_LongEventTim_Payload_t, 556 Spare2 CFE_EVS_LongEventTim_Payload_t, 551 Spare3 CFE_EVS_LongEventTim_Payload_t, 551 Spare3 CFE_EVS_LongEventTim_Payload_t, 551 Spare3 CFE_EVS_LongEventTim_Payload_t, 551 Spare3 CFE_EVS_LongEventTim_Payload_t, 556 Spare2 CFE_EVS_LongEventTim_Payload_t, 556 Spare2Align CFE_EVS_HousekeepingTim_Payload_t, 551 Spare3 CFE_EVS_LongEventTim_Payload_t, 552 CFE_EVS_LongEventTim_Payload_t, 553 Spare3 CFE_EVS_LongEventTim_Payload_t, 553 Spare3 CFE_EVS_LongEventTim_Payload_t, 554 CFE_ES_LongEventTim_Payload_t, 554 CFE_ES_LongEventTim_Payload_t, 554 CFE_ES_Lo	CFE_TIME_HousekeepingTlm_Payload_t, 659	CFE_PSP_MemTable_t, 573
SecondsMET CFE_TIME_HousekeepingTim_Payload_t, 659 SecondsSTCF CFE_TIME_blousekeepingTim_Payload_t, 660 Sequence CCSDS_PriHdr_t, 472 ServerFlyState CFE_ES_ShellPacket_Payload_t, 527 Signature CFE_ES_ShellPacket_Payload_t, 527 CFE_TIME_Bloops ticTim_Payload_t, 527 CFE_TIME_Bloops ticTim_Payload_t, 527 CFE_TIME_Bloops ticTim_Payload_t, 527 CFE_TIME_Bloops ticTim_Payload_t, 527 CFE_BCS_CDSRegDumpRec_t, 487 CFE_PSP_MemTable_t, 572 CFE_TIME_Info_t, 627 CFE_TIME_TibRegPacket_Payload_t, 639 SpacePacket CCSDS_TelemetryPacket_t, 474 CCSDS_TelemetryPacket_t, 472 CCSDS_TelemetryPacket_t, 472 CCSDS_TelemetryPacket_t, 474 CFE_SB_Msp_t, 584 SpacecraftId CFE_FS_Header_t, 568 SpacecraftId CFE_FS_Header_t, 568 SpacecraftId CFE_FS_Header_t, 568 SpacecraftId CFE_FS_BCS_Sollpayload_t, 560 CFE_FS_Header_t, 568 SpacecraftId CFE_FS_BCS_TIME_HousekeepingTim_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTim_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTim_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTim_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTim_Payload_t, 660 SubsecsSTCF CFE_FS_Header_t, 578 SubsecsItE_rorCounter CFE_TIME_OneHzAdjustmentCmd_Payload_t, 660 SubsecsStCF CFE_TIME_HousekeepingTim_Payload_t,	SecondsDelay	
CFE_TIME_HousekeepingTIm_Payload_t, 659 SecondSTCF CFE_TIME_HousekeepingTIm_Payload_t, 660 Sequence CCSDS_PriHdr_t, 472 ServerFlyState CFE_TIME_DiagnosticTIm_Payload_t, 652 ShellOutput CFE_ES_ShellPacket_Payload_t, 527 Signature CFE_ES_CDSRegDumpRec_t, 487 CFE_PSP_MemTable_t, 572 CFE_TBL_Info_t, 627 CFE_TBL_TblRepPacket_Payload_t, 639 SpacePacket CCSDS_CommandPacket_t, 472 CCSDS_TelemetryPacket_t, 474 CFE_SB_Msg_t, 584 SpacecraftID CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 SpacecraftID CFE_EVS_AppNameBitMaskCmd_Payload_t, 547 CFE_EVS_SetLogMode_Payload_t, 560 CFE_EVS_LongEventTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2Align CFE_EVS_LongEventTlm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 562 CFE_ESB_HousekeepingTlm_Payload_t, 563 Table CFE_EVS_LongEventTlm_Payload_t, 581 SubscriptionsInUse CFE_ESB_BoutsekeepingTlm_Payload_t, 660 Subseconds CFE_TIME_DentekeepingTlm_Payload_t, 660 SubsecostCF CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsSTCF CFE_TBL_HousekeepingTlm_Payload_t, 503 SysLogBytesUsed CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogBottestee CFE_EVS_LongEventTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2Align CFE_EVS_LongEventTlm_Payload_t, 581 SubscriptionTlmLeader_t, 568 CFE_TBL_HousekeepingTlm_Payload_t, 660 SubsecsStCF CFE_TBL_HousekeepingTlm_Payload_t, 600 SubsecsStCF CFE_ES_HousekeepingTlm_Payload_t, 601 SubsecsStCF CFE_ES_HousekeepingTlm_Payload_t, 601 SubsecsStCF CFE_ES_HousekeepingTlm_Payload_t, 601 SubsecsStCF CFE_ES_HousekeepingTlm_Payload_t, 601 SubsecsStCF CFE_EN_HousekeepingTlm_Payload_t, 601 SubsecsStCF CFE_ES_HousekeepingTlm_Payload_t, 601 SubsecsStCF CFE_ES_HousekeepingTlm_Payload_t, 601 SubsecsStCF CFE_ES_HousekeepingTlm_Payload_t, 601 SubsecsSt	CFE_TIME_HousekeepingTlm_Payload_t, 659	CFE_ES_AppInfo_t, 481
SecondsSTCF CFE_TIME_HousekeepingTIm_Payload_t, 660 Sequence CCSDS_PriHdr_t, 472 ServerFiyState CFE_TIME_DiagnosticTIm_Payload_t, 652 ShellOutput CFE_ES_ShellPacket_Payload_t, 527 Signature CFE_ES_CDSRegDumpRec_t, 487 CFE_PSP_MemTable_t, 572 CFE_TBL_Info_t, 627 CFE_TBL_TiMEPacket_t, 472 CFE_TBL_TimePacket_t, 472 CFE_SB_Msg_t, 584 SpacePacket CCSDS_CommandPacket_t, 474 CFE_SB_Msg_t, 584 SpacePath CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 Spacecratitd CFE_EVS_PommandData_t, 571 Spare CFE_EVS_SetLogMode_Payload_t, 567 CFE_EVS_SetLogMode_Payload_t, 567 CFE_EVS_SetLogMode_Payload_t, 567 CFE_EVS_SetLogMode_Payload_t, 568 CFE_SB_HousekeepingTIm_Payload_t, 503 SysLogBytesUsed CFE_SB_HousekeepingTIm_Payload_t, 503 SysLogBytesUsed CFE_ES_HousekeepingTIm_Payload_t, 503 SysLogSize CFE_ES_HousekeepingTIm_Payload_t, 503 SysLogSize CFE_ES_HousekeepingTIm_Payload_t, 503 SysLogSize CFE_ES_HousekeepingTIm_Payload_t, 504 TRUE common_types.h, 1231 Table CFE_TBL_hot_t, 627 CFE_TBL_hot_t, 627 CFE_TBL_hot_tackCmd_Payload_t, 607 CFE_TBL_hotseleepingTim_Payload_t, 607 CFE_TBL_LactivateCmd_Payload_t, 607 CFE_TBL_b_ActivateCmd_Payload_t, 607 CFE_TBL_b_ActivateCmd_Payload_t, 607 CFE_TBL_b_ActivateCmd_Payload_t, 607 CFE_TBL_b_ActivateCmd_Payload_t, 607 CFE_TBL_b_ActivateCmd_Payload_t, 607 CFE_TBL_b_ActivateCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607	SecondsMET	State
CCSDS_PriHdr_t, 472 ServerFlyState CFE_TIME_DiagnosticTIm_Payload_t, 652 ShellOutput CFE_ES_ShellPacket_Payload_t, 527 Signature CFE_ES_CDSRegDumpRec_t, 487 CFE_ESP_MemTable_t, 572 CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CFE_TBL_ShellPacket_Payload_t, 639 SpacePacket CCSDS_CommandPacket_t, 474 CFE_SB_Mso_t, 584 SpacecraftID CFE_EVS_DacketID_t, 559 CFE_FS_Header_t, 568 SpacecraftId CFE_EVS_DameBitMaskCmd_Payload_t, 537 CFE_EVS_SetEventFormatMode_Payload_t, 547 CFE_EVS_SetEventFormatMode_Payload_t, 567 CFE_EVS_SetEventFormatMode_Payload_t, 567 CFE_EVS_SetEventFormatMode_Payload_t, 567 CFE_EVS_SetEventFormatMode_Payload_t, 567 CFE_EVS_SetEventFormatMode_Payload_t, 567 CFE_SB_RouteCmd_Payload_t, 568 Spare2 CFE_SB_HousekeepingTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare3 CFE_EVS_LongEventTIm_Payload_t, 556 Spare4 CFE_EVS_LongEventTIm_Payload_t, 556 Spare5 CFE_EVS_LongEventTIm_Payload_t, 556 Spare6 CFE_EVS_LongEventTIm_P	CFE_TIME_HousekeepingTlm_Payload_t, 659	CFE_SB_RoutingFileEntry_t, 592
Sequence CCSDS_PriHdr_t, 472 ServerFlyState CFE_TIME_DiagnosticTIm_Payload_t, 652 ShellOutput CFE_ES_ShellPacket_Payload_t, 527 Signature CFE_ES_ShellPacket_Payload_t, 527 Signature CFE_BC_CDSRegDumpRec_t, 487 CFE_PSP_MemTable_t, 572 CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 SpacePacket CCSDS_CommandPacket_t, 474 CCSDS_TelemetryPacket_t, 474 CCE_SB_Msg_t, 584 SpacecraftID CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 SpacePacket CFE_SS_HousekeepingTIm_Payload_t, 560 SubsecsStCF CFE_EVS_AppNameBitMaskCmd_Payload_t, 557 CFE_EVS_BetizentFormatMode_Payload_t, 561 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipeDepthStats_t, 587 CFE_SB_PipeDepthStats_t, 587 CFE_SB_PipeCommandDat_t, 556 Spare2 CFE_EVS_LongEventTim_Payload_t, 556 Spare2 CFE_EVS_LongEventTim_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTim_Payload_t, 551 Spare3 CFE_EVS_HousekeepingTim_Payload_t, 561 CFE_EVS_LongEventTim_Payload_t, 553 Stack_size Subtrpe CFE_SB_Header_t, 568 CFE_PSP_CommandData_t, 581 SubscribteTrorCounter CFE_SB_StatsTim_Payload_t, 661 SubscribteTrorCounter CFE_SB_StatsTim_Payload_t, 661 SubscribtionsinUse CFE_SB_StatsTim_Payload_t, 660 SubscribtionTim_Payload_t, 660 SubscribteTrorCounter CFE_SB_NotekeepingTim_Payload_t, 664 CFE_SB_NotekeepingTim_Payload_t, 664 CFE_TIME_OnetzAdjustmentCmd_Payload_t, 660 SubsecsDelay CFE_TIME_HousekeepingTim_Payload_t, 660 SubsecsStCF CFE_TBL_HousekeepingTim_Payload_t, 660 SubsecsMET CFE_TBL_HousekeepingTim_Payload_t, 66	SecondsSTCF	Streamld
CCSDS_PriHdr_t, 472 ServerFyState CFE_TIME_DiagnosticTIm_Payload_t, 652 ShellOutput CFE_ES_ShellPacket_Payload_t, 527 Signature CFE_TIME_ResetVars_t, 666 Size CFE_ES_CDSRegDumpRec_t, 487 CFE_PSP_MemTable_t, 572 CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 SpacePacket CCSDS_CommandPacket_t, 472 CCSDS_CommandPacket_t, 472 CCSDS_TellemetryPacket_t, 474 CFE_SB_Msg_t, 584 SpacecraftID CFE_EVS_PacketID_t, 559 CFE_FSP_Header_t, 568 SpacecraftId CFE_PSP_CommandData_t, 571 SubsecsDelay CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSTCF CFE_TBL_HousekeepingTIm_Payload_t, 503 SysLogBritesUser CFE_ES_HousekeepingTIm_Payload_t, 503 SysLogBritesUser CFE_ES_HousekeepingTIm_Payload_t, 503 SysLogBritesUser CFE_TIME_OneltzAdjustmentCmd_Payload_t, 660 SubsecsStdCounter CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTIm_Payload_t, 600 SubsecsSTCF CFE_TBL_HousekeepingTIm_Payload_t, 503 SysLogBritesUser CFE_ES_HousekeepingTIm_Payload_t, 503 SysLogBritesUser CFE_ES_Housekee	CFE_TIME_HousekeepingTlm_Payload_t, 660	CCSDS_PriHdr_t, 473
ServerFyState CFE_TIME_DiagnosticTlm_Payload_t, 652 ShellOutput CFE_ES_ShellPacket_Payload_t, 527 Signature CFE_TIME_ResetVars_t, 666 Size CFE_SB_CDSRegDumpRec_t, 487 CFE_PSP_MemTable_t, 572 CFE_TBL_Inlo_t, 627 CFE_TBL_TlbTegPacket_Payload_t, 639 SpacePacket CCSDS_CommandPacket_t, 472 CCSDS_TelemetryPacket_t, 474 CFE_SB_Msg_t, 584 SpacecraftID CFE_EVS_PacketID_t, 559 CFE_FSP_MemTable_t, 559 CFE_FSP_CommandData_t, 571 Subsections Under CFE_SB_HousekeepingTlm_Payload_t, 660 Subsections CFE_TIME_One+zAdjustmentCmd_Payload_t, 660 Subsections CFE_TIME_HousekeepingTlm_Payload_t, 660 Subsections CFE_TIME_HousekeepingTlm_Payload	Sequence	SubType
CFE_TIME_DiagnosticTIm_Payload_t, 652 ShellOutput CFE_ES_ShellPacket_Payload_t, 527 Signature CFE_ES_CDSRegDumpRec_t, 487 CFE_SP_MemTable_t, 572 CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 SpacePacket CCSDS_CommandPacket_t, 472 CFE_SB_Msg_t, 584 Spacecraftll CFE_SB_Msg_t, 584 Spacecraftll CFE_SB_Msg_t, 584 Spacecraftll CFE_SB_Header_t, 568 Spacecraftll CFE_SB_PopNameBitMaskCmd_Payload_t, 537 CFE_EVS_PacketID_mayload_t, 557 Spare CFE_SB_SetLogMode_Payload_t, 537 CFE_EVS_SetLogMode_Payload_t, 561 CFE_SB_RouteCmd_Payload_t, 562 CFE_SB_RouteCmd_Payload_t, 556 Spare2 CFE_US_LongEventTlm_Payload_t, 556 Spare2 CFE_US_HousekeepingTlm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 551 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 607 CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607 CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607 CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607	CCSDS_PriHdr_t, 472	CFE_FS_Header_t, 568
ShellOutput CFE_ES_ShellPacket_Payload_t, 527 Signature CFE_TIME_ResetVars_t, 666 Size CFE_SS_CDSRegDumpRec_t, 487 CFE_PSP_MemTable_t, 572 CFE_BS_MemTable_t, 572 CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 SpacePacket CCSDS_CommandPacket_t, 472 CCSDS_TelemetryPacket_t, 474 CFE_SB_Msg_t, 584 SpacecraftID CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 SpacecraftId CFE_PSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 589 Spare1 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_SB_HousekeepingTlm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 stack_size SubscribeErrorCounter CFE_SB_HousekeepingTlm_Payload_t, 661 Subscconds CFE_SB_HousekeepingTlm_Payload_t, 664 CFE_SB_StatsTlm_Payload_t, 661 Subseconds CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsDelay CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsStCF CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsStCF CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsDelay CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsStCF CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsStCF CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsMet CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsMet CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsMet CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsMet CFE_TIM	ServerFlyState	CFE_PSP_CommandData_t, 571
CFE_ES_ShellPacket_Payload_t, 527 Signature CFE_TIME_ResetVars_t, 666 Size CFE_ES_CDSRegDumpRec_t, 487 CFE_ES_CDSRegDumpRec_t, 487 CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 SpacePacket CFE_SB_Mso_t, 584 SpacecraftID CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 SpacecraftID CFE_EVS_AppNameBitMaskCmd_Payload_t, 557 CFE_EVS_BitMaskCmd_Payload_t, 557 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_EVS_SetEventFormatMode_Payload_t, 562 CFE_SB_RouteCmd_Payload_t, 562 CFE_SB_RouteCmd_Payload_t, 562 CFE_SB_RouteCmd_Payload_t, 562 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_SB_HousekeepingTlm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 551 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 667 CFE_EVS_HousekeepingTlm_Payload_t, 563 Stack_size CFE_EVS_HousekeepingTlm_Payload_t, 563 SubsecsDelay CFE_TIME_OneHzAdjustmentCmd_Payload_t, 664 CFE_TIME_OneHzAdjustmentCmd_Payload_t, 664 CFE_TIME_DoneHzAdjustmentCmd_Payload_t, 664 CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsDelay CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsDelay CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsDelay CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTlm_Payload_t, 660 SubsecsDelay CFE_TIME_HousekeepingTlm_Pay	CFE_TIME_DiagnosticTlm_Payload_t, 652	CFE_SB_SingleSubscriptionTlm_Payload_t, 595
Signature CFE_TIME_ResetVars_t, 666 Size CFE_ES_CDSRegDumpRec_t, 487 CFE_PSP_MemTable_t, 572 CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 SpacePacket CCSDS_CommandPacket_t, 472 CFE_SB_Msg_t, 584 SpacecraftID CFE_SB_Msg_t, 584 SpacecraftId CFE_FSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_SetEventFormatMode_Payload_t, 557 CFE_EVS_SetEventFormatMode_Payload_t, 560 CFE_SB_RouteCmd_Payload_t, 589 Spare1 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 551 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 553 stack_size SubsecsIstatim_OneHzAdjustmentCmd_Payload_t, 664 CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsIt=Zet_Time_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_Ho	ShellOutput	SubscribeErrorCounter
CFE_TIME_ResetVars_t, 666 Size CFE_SS_CDSRegDumpRec_t, 487 CFE_PSP_MemTable_t, 572 CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 SpacePacket CCSDS_CommandPacket_t, 472 CFS_BMsg_t, 584 SpacecraftID CFE_VS_PacketID_t, 559 CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 SpacecraftId CFE_PSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_SetEventFormatMode_Payload_t, 547 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_RouteCmd_Payload_t, 562 CFE_SB_RouteCmd_Payload_t, 562 CFE_SB_RouteCmd_Payload_t, 562 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2Align CFE_EVS_HousekeepingTIm_Payload_t, 551 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 553 stack_size CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_AbortLoadCmd_Payload_t, 608	CFE_ES_ShellPacket_Payload_t, 527	CFE_SB_HousekeepingTlm_Payload_t, 581
CFE_TIME_ResetVars_t, 666 Size CFE_ES_CDSRegDumpRec_t, 487 CFE_PSP_MemTable_t, 572 CFE_TBL_info_t, 627 CFE_TBL_blno_t, 627 CFE_TBL_blno_t, 627 CFE_TBL_blno_t, 627 CFE_SB_Msg_t, 584 CCSDS_CommandPacket_t, 472 CCSDS_CommandPacket_t, 474 CFE_SB_Msg_t, 584 SpacecraftID CFE_SB_Msg_t, 584 SpacecraftId CFE_PSP_CommandData_t, 571 Spare CFE_EVS_PacketID_t, 559 CFE_EVS_BitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_SetEventFormatMode_Payload_t, 547 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 582 CFE_SB_RouteCmd_Payload_t, 589 Spare1 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_SB_HousekeepingTIm_Payload_t, 556 Spare2 CFE_SB_HousekeepingTIm_Payload_t, 558 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 553 stack_size CFE_EVS_HousekeepingTIm_Payload_t, 553 stack_size CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_AbortLoadCmd_Payload_t, 608	Signature	SubscriptionsInUse
CFE_ES_CDSRegDumpRec_t, 487 CFE_PSP_MemTable_t, 572 CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 SpacePacket CCSDS_CommandPacket_t, 472 CCSDS_CelemetryPacket_t, 474 CFE_SB_Msg_t, 584 SpacecraftID CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 SpacecraftId CFE_FSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 537 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 589 Spare1 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_SB_HousekeepingTlm_Payload_t, 556 Spare2 CFE_SB_HousekeepingTlm_Payload_t, 551 Table CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_SB_HousekeepingTlm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 551 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 States_size CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608		CFE_SB_StatsTlm_Payload_t, 601
CFE_PSP_MemTable_t, 572 CFE_TBL_Into_t, 627 CFE_TBL_Into_t, 627 CFE_TBL_TblRegPacket Payload_t, 639 SpacePacket CCSDS_CommandPacket_t, 472 CCSDS_TelemetryPacket_t, 474 CFE_SB_Msg_t, 584 SpacecraftID CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 SpacecraftID CFE_PSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_AppNameBitMaskCmd_Payload_t, 547 CFE_EVS_SetLogMode_Payload_t, 562 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipeDepthStats_t, 587 CFE_EVS_BRouteCmd_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2Align CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 553 Stack_size CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608	Size	Subseconds
CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 SpacePacket CCSDS_CommandPacket_t, 472 CCSDS_TelemetryPacket_t, 474 CFE_SB_Msg_t, 584 SpacecraftID CFE_FS_Header_t, 568 SpacecraftId CFE_FS_Header_t, 568 SpacecraftId CFE_PSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2Align CFE_EVS_HousekeepingTIm_Payload_t, 551 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 553 Stack_size Subsecs1HzAdj CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSHatZ CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSHatZ CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSHET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSHET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSHET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSHET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSHET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSHET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsDelay CFE_TIME_Housekeepin	CFE_ES_CDSRegDumpRec_t, 487	CFE_TIME_OneHzAdjustmentCmd_Payload_t, 664
CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 SpacePacket CCSDS_CommandPacket_t, 472 CCSDS_TelemetryPacket_t, 474 CFE_SB_Msg_t, 584 SpacecraftID CFE_FS_Header_t, 568 SpacecraftId CFE_FS_Header_t, 568 SpacecraftId CFE_PSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2Align CFE_EVS_HousekeepingTIm_Payload_t, 551 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 553 Stack_size Subsecs1HzAdj CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSTCF CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSHatZ CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSHatZ CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSHET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSHET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSHET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSHET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSHET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsSHET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsMET CFE_TIME_HousekeepingTIm_Payload_t, 660 SubsecsDelay CFE_TIME_Housekeepin	CFE PSP MemTable t, 572	
CFE_TBL_TblRegPacket_Payload_t, 639 SpacePacket CCSDS_CommandPacket_t, 472 CCSDS_TelemetryPacket_t, 474 CFE_SB_Msg_t, 584 SpacecraftID CFE_SP_PacketID_t, 559 CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 SpacecraftId CFE_PSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_SetEventFormatMode_Payload_t, 537 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipebepthStats_t, 587 CFE_SB_PipebepthStats_t, 587 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2 CFE_SB_HousekeepingTIm_Payload_t, 556 Spare3 CFE_SB_HousekeepingTIm_Payload_t, 556 Spare3 CFE_SB_HousekeepingTIm_Payload_t, 551 Table CFE_SB_HousekeepingTIm_Payload_t, 639 TableName CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_AbortLoadCmd_Payload_t, 608		· _ ·
SpacePacket CCSDS_CommandPacket_t, 472 CCSDS_TelemetryPacket_t, 474 CFE_SB_Msg_t, 584 SpacecraftID CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 SpacecraftId CFE_PSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_SetEventFormattMode_Payload_t, 561 CFE_EVS_SetEventFormattMode_Payload_t, 561 CFE_SB_PipeDepthStats_t, 587 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 552 CFE_SB_HousekeepingTIm_Payload_t, 556 Spare2 CFE_SB_HousekeepingTIm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTIm_Payload_t, 551 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE		•
CCSDS_CommandPacket_t, 472 CCSDS_TelemetryPacket_t, 474 CFE_SB_Msg_t, 584 SpacecraftID CFE_SB_Msg_t, 584 SpacecraftID CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 SpacecraftId CFE_PSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_SetLogMode_Payload_t, 561 CFE_EVS_SetLogMode_Payload_t, 561 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_SB_HousekeepingTIm_Payload_t, 551 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_SB_HousekeepingTIm_Payload_t, 556 Spare3 CFE_SB_HousekeepingTIm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTIm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 553 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 553 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 553 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 553 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 563 TRUE CFE_ES_CDSRegDumpRec_t, 487 TableLoadedOnce CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608		
CCSDS_TelemetryPacket_t, 474 CFE_SB_Msg_t, 584 SpacecraftID CFE_SS_Msg_t, 559 CFE_FS_Header_t, 559 CFE_FS_Header_t, 568 SpacecraftId CFE_PSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_SB_PipeDepthStats_t, 587 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_SB_HousekeepingTIm_Payload_t, 556 Spare2 CFE_SB_HousekeepingTIm_Payload_t, 556 Spare2 CFE_SB_HousekeepingTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare3 CFE_SB_HousekeepingTIm_Payload_t, 556 Spare3 CFE_SB_HousekeepingTIm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 563 TableName CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608	•	•
CFE_SB_Msg_t, 584 SpacecraftID CFE_EVS_PacketID_t, 559 CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 SpacecraftId CFE_PSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_BitMaskCmd_Payload_t, 561 CFE_EVS_SetLeventFormatMode_Payload_t, 561 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 589 Spare1 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTIm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 563 TableLoadedOnce CFE_TBL_Info_t, 627 CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608		
SpacecraftID CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 SpacecraftId CFE_PSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_SB_PipeDepthStats_t, 587 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 553 TRUE CFE_ES_CDSRegDumpRec_t, 487 TableLoadedOnce CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 TableName CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608		
CFE_EVS_PacketID_t, 559 CFE_FS_Header_t, 568 SpacecraftId CFE_PSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_SB_PipeDepthStats_t, 587 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_SB_HousekeepingTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare3 CFE_SB_HousekeepingTIm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 553 stack_size CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608		
CFE_FS_Header_t, 568 SpacecraftId CFE_PSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 558 Spare1 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTIm_Payload_t, 551 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 553 TableName CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608	•	
SpacecraftId CFE_PSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_BitMaskCmd_Payload_t, 561 CFE_EVS_SetEventFormattMode_Payload_t, 561 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 589 Spare1 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_HousekeepingTlm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTlm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 SysLogSize CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogMode CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogSize CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogMode CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogSize CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogMode CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogSize CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogMode CFE_ES_HousekeepingTlm_Payload_t, 503 TRUE CFE_ES_CDSRegDumpRec_t, 487 TableLoadedOnce CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 607 CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608		
CFE_PSP_CommandData_t, 571 Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipeDepthStats_t, 587 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 589 Spare1 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 552 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_EVS_LongEventTlm_Payload_t, 556 Spare3 CFE_SB_HousekeepingTlm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 SysLogBize CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogBitries CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogBize CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogBitries CFE_ES_HousekeepingTlm_Payload_t, 503 TRUE CFE_ES_HousekeepingTlm_Payload_t, 503 Table CFE_ES_HousekeepingTlm_Payloa		
Spare CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_EVS_SetLogMode_Payload_t, 562 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 589 Spare1 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2Align CFE_EVS_HousekeepingTlm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 CFE_EVS_HousekeepingTlm_Payload_t, 553 CFE_EVS_HousekeepingTlm_Payload_t, 553 SysLogMode CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogMode CFE_ES_HousekeepingTlm_Payload_t, 504 SysLogMode CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogEntries CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogMode CFE_ES_HousekeepingTlm_Payload_t, 503 TRUE CFE_ES_CDSRegDumpRec_t, 487 TableLoadedOnce CFE_TBL_Info_t, 627 CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608	•	
CFE_EVS_AppNameBitMaskCmd_Payload_t, 537 CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_EVS_SetLogMode_Payload_t, 562 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 589 Spare1 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTlm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 SysLogMode CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogSize CFE_ES_HousekeepingTlm_Payload_t, 504 TRUE Common_types.h, 1231 Table CFE_ES_CDSRegDumpRec_t, 487 TableLoadedOnce CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 TableName CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607		, , ,
CFE_EVS_BitMaskCmd_Payload_t, 547 CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipeDepthStats_t, 587 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 589 Spare1 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTlm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 stack_size CFE_EVS_HousekeepingTlm_Payload_t, 553 SysLogMode CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogSize CFE_ES_HousekeepingTlm_Payload_t, 504 SysLogMode CFE_ES_HousekeepingTlm_Payload_t, 504 SysLogSize CFE_ES_HousekeepingTlm_Payload_t, 504 TRUE Common_types.h, 1231 Table CFE_ES_CDSRegDumpRec_t, 487 TableLoadedOnce CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 TableName CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608	•	
CFE_EVS_SetEventFormatMode_Payload_t, 561 CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 589 Spare1 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTlm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTlm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 SysLogMode CFE_ES_HousekeepingTlm_Payload_t, 503 SysLogMode CFE_ES_HousekeepingTlm_Payload_t, 504 TRUE common_types.h, 1231 Table CFE_ES_CDSRegDumpRec_t, 487 TableLoadedOnce CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 TableName CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608		
CFE_EVS_SetLogMode_Payload_t, 562 CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 589 Spare1 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_EVS_LongEventTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTlm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 551 CFE_EVS_HousekeepingTlm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 stack_size CFE_SB_HousekeepingTlm_Payload_t, 553 CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608	:	
CFE_SB_PipeDepthStats_t, 587 CFE_SB_RouteCmd_Payload_t, 589 SysLogSize CFE_ES_HousekeepingTlm_Payload_t, 504 Spare1 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTlm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 SysLogSize CFE_ES_HousekeepingTlm_Payload_t, 552 common_types.h, 1231 Table CFE_ES_CDSRegDumpRec_t, 487 TableLoadedOnce CFE_TBL_Info_t, 627 CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 TableName CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608		
CFE_SB_RouteCmd_Payload_t, 589 Spare1 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTIm_Payload_t, 556 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 553 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 553 Spare3 CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608		
Spare1 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTlm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 TableName CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608		
CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTIm_Payload_t, 552 CFE_EVS_LongEventTIm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTIm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTIm_Payload_t, 553 Spare3 CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608		
CFE_EVS_LongEventTlm_Payload_t, 556 Spare2 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTlm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 Stack_size Common_types.h, 1231 Table CFE_ES_CDSRegDumpRec_t, 487 TableLoadedOnce CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 TableName CFE_EVS_HousekeepingTlm_Payload_t, 553 Stack_size CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608	•	TRUF
Spare2 CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTlm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 Stack_size Table CFE_ES_CDSRegDumpRec_t, 487 TableLoadedOnce CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 TableName CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607		
CFE_EVS_HousekeepingTlm_Payload_t, 552 CFE_EVS_LongEventTlm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTlm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 CFE_EVS_HousekeepingTlm_Payload_t, 553 Stack_size CFE_ES_CDSRegDumpRec_t, 487 TableLoadedOnce CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 TableName CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607		
CFE_EVS_LongEventTlm_Payload_t, 556 Spare2Align CFE_SB_HousekeepingTlm_Payload_t, 581 Spare3 CFE_EVS_HousekeepingTlm_Payload_t, 553 Stack_size TableLoadedOnce CFE_TBL_Info_t, 627 CFE_TBL_TblRegPacket_Payload_t, 639 TableName CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 607	•	
Spare2Align CFE_SB_HousekeepingTlm_Payload_t, 581 CFE_TBL_TblRegPacket_Payload_t, 639 Spare3 TableName CFE_EVS_HousekeepingTlm_Payload_t, 553 Stack_size CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608	, , _ ,	
CFE_SB_HousekeepingTlm_Payload_t, 581 Spare3 CFE_TBL_TblRegPacket_Payload_t, 639 TableName CFE_EVS_HousekeepingTlm_Payload_t, 553 Stack_size CFE_TBL_AbortLoadCmd_Payload_t, 607 CFE_TBL_ActivateCmd_Payload_t, 608		
Spare3 TableName CFE_EVS_HousekeepingTlm_Payload_t, 553	•	
CFE_EVS_HousekeepingTlm_Payload_t, 553		
stack_size CFE_TBL_ActivateCmd_Payload_t, 608	•	
		.
	OS_task_prop_t, 697	CFE_TBL_DelCDSCmd_Payload_t, 609

CFE_TBL_DumpCmd_Payload_t, 612	ToneIntErrorCounter
CFE_TBL_File_Hdr_t, 615	CFE_TIME_DiagnosticTlm_Payload_t, 653
CFE_TBL_FileDef_t, 617	ToneMatchCounter
CFE_TBL_SendRegistryCmd_Payload_t, 633	CFE_TIME_DiagnosticTIm_Payload_t, 653
CFE_TBL_ValidateCmd_Payload_t, 642	ToneMatchErrorCounter
Target_PspConfigData, 703	CFE_TIME_DiagnosticTlm_Payload_t, 653
HW_NumEepromBanks, 704	ToneOverLimit
OS_CpuContextSize, 704	CFE_TIME_DiagnosticTlm_Payload_t, 654
OS_VolumeTable, 704	ToneSignalCounter
OS_VolumeTableSize, 704	CFE_TIME_DiagnosticTlm_Payload_t, 654
PSP_MemTableSize, 704	ToneSignalLatch
PSP_MemoryTable, 704	CFE_TIME_DiagnosticTlm_Payload_t, 654
PSP_VersionInfo, 705	ToneSource
PSP_WatchdogMax, 705	CFE_TIME_SignalCmd_Payload_t, 670
PSP_WatchdogMin, 705	ToneTaskCounter
TaskId	CFE_TIME_DiagnosticTIm_Payload_t, 654
CFE_ES_TaskInfo_t, 535	ToneUnderLimit CFE TIME DiagnosticTIm Payload t, 655
TaskName	TotalSegments
CFE_ES_TaskInfo_t, 535	CFE_SB_AllSubscriptionsTlm_Payload_t, 575
TgtFilename	TriggerMask
CFE_TBL_FileDef_t, 617	CFE_ES_SetPerfTrigMaskCmd_Payload_t, 524
Time	TriggerMaskNum
CCSDS_TImSecHdr_t, 475	CFE_ES_SetPerfTrigMaskCmd_Payload_t, 524
TimeOfLastUpdate	TriggerMode
CFE_TBL_Info_t, 627	CFE_ES_StartPerfCmd_Payload_t, 531
CFE_TBL_TblRegPacket_Payload_t, 639	Type
TimeSeconds	CFE_ES_AppInfo_t, 481
CFE_FS_Header_t, 569	01 L_L0_/\ppi\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
TimeSinceTone	uint16
CFE_TIME_DiagnosticTIm_Payload_t, 652	common_types.h, 1233
TimeSource	uint32
CFE_TIME_SourceCmd_Payload_t, 671	common_types.h, 1234
TimeSubSeconds	uint64
CFE_FS_Header_t, 569	common_types.h, 1234
TimerCounter	uint8
cfe_psp_start.c, 1307	common_types.h, 1234
TImHeader	UnmarkedMem
CFE_ES_HousekeepingTlm_t, 505	CFE_SB_HousekeepingTlm_Payload_t, 582
CFE_ES_MemStatsTIm_t, 507	UnregisteredAppCounter
CFE_ES_OneAppTlm_t, 510	CFE_EVS_HousekeepingTlm_Payload_t, 553
CFE_ES_ShellTlm_t, 528	User
CFE_EVS_HousekeepingTlm_t, 554	OS_file_prop_t, 682
CFE_EVS_LongEventTIm_t, 557	UserDefAddr
CFE_EVS_ShortEventTIm_t, 565	CFE_TBL_Info_t, 627
CFE_TBL_HousekeepingTlm_t, 624	UserShmld
CFE_TBL_TableRegistryTlm_t, 634	cfe_psp_memory.c, 1299
CFE_TIME_DiagnosticTIm_t, 656	
CFE_TIME_HousekeepingTlm_t, 662	valid
ToneDataCounter	OS_module_address_t, 688
CFE_TIME_DiagnosticTIm_Payload_t, 652	ValidationCounter
ToneDataLatch	CFE_TBL_HousekeepingTlm_Payload_t, 623
CFE_TIME_DiagnosticTIm_Payload_t, 652	ValidationFuncPtr
ToneIntCounter CFE TIME DiagnosticTIm Payload t, 653	CFE_TBL_TblRegPacket_Payload_t, 640
OFF THE DIAGNOSHUTHIN PAYIDAU 1, 000	value

```
OS_bin_sem_prop_t, 678
OS_count_sem_prop_t, 679
VersionCounter
CFE_TIME_DiagnosticTIm_Payload_t, 655
VirtualMET
CFE_TIME_DiagnosticTIm_Payload_t, 655
VolatileFlag
OS_VolumeInfo_t, 702
VolumeName
OS_VolumeInfo_t, 703
VolumeType
OS_VolumeInfo_t, 703
WordSize
CFE_PSP_MemTable_t, 573
```