DMP ELECTRONICS INC.
瞻營全電子股份有限公司

BOM

Product : VDX3-6790-KIT		PCB : DM226B		PN : 6790-B0	2015/5/13
No.	Qt'y	Position	Part Number	Description	Note
1	1	BT1	BR2032-1	BR2032-JP-1HF-20G/ Panasonic	BR2032-1
2	270	C1,C2,C3,C4,C5,C7,C9,C11,	SC0603104P	SMD Capacitor 0603 0.1uF / 25V , +-10% , X7R , MLCC	104
		C13,C15,C16,C17,C18,C19,			
		C20,C22,C27,C29,C32,C34,			
		C38,C43,C46,C49,C50,C52,			
		C53,C55,C57,C58,C61,C64,			
		C65,C66,C68,C69,C72,C73,			
		C76,C89,C90,C93,C94,C97,			
		C98,C100,C105,C108,C109,			
		C110,C111,C115,C117,C119,			
		C122,C125,C126,C127,C132,			
		C136,C140,C144,C145,C147,			
		C153,C158,C161,C164,C166,			
		C168,C173,C175,C180,C182,			
		C207,C212,C214,C216,C223,			
		C231,C233,C241,C242,C243,			
		C244,C245,C246,C247,C248,			
		C251,C252,C253,C254,C256,			
		C257,C258,C260,C262,C264,			
		C273,C274,C275,C276,C277,			
		C278,C279,C280,C282,C283,			
		C284,C285,C286,C287,C288,			
		C289,C290,C291,C292,C293,			
		C294,C295,C296,C297,C298,			
		C299,C300,C301,C302,C303,			
		C304,C305,C306,C307,C308,			
		C309,C310,C311,C312,C313,			
		C314,C315,C316,C317,C318,			
		C319,C320,C321,C322,C323,			
		C324,C325,C326,C327,C328,			
		C329,C330,C331,C332,C333,			
		C334,C335,C339,C340,C341,			
		C342,C343,C344,C345,C346,			
		C347,C348,C349,C350,C351,			
		C352,C353,C354,C355,C356,			
		C357,C358,C359,C360,C361,			
		C362,C368,C369,C370,C371,			
		C372,C373,C378,C379,C380,			
		C381,C382,C383,C384,C385,			
		C386,C387,C388,C389,C390,			
		C391,C392,C393,C394,C397,			
		C398,C399,C402,C403,C404,			
		C405,C406,C407,C408,C409,			
		C410,C411,C412,C413,C414,			
		C415,C416,C417,C418,C419,			
		C420,C421,C422,C423,C424,			
		C425,C426,C427,C428,C436,			
		C437,C438,C439,C440,C441,			
		C442,C443,C445,C446,C447,			
		C448,C449,C452,C453,C454,			

Product : VDX3-6790-KIT		PCB : DM226B		PN : 6790-B0	2015/5/13
No.	Qt'y	Position	Part Number	Description	Note
		C455,C456,C457,C458,C459,			
		C460,C461,C462,C463,C464,			
		C470,C471,C478,C480,C481,			
		C485			
		(C187,C188 DEL)			
3	23	C6,C8,C10,C12,C28,C31,	SC0603103P	SMD Capacitor 0603 10000 pF / 50V , +-10% , X7R , MLCC	103
		C33,C36,C37,C44,C51,C56,			
		C62,C91,C95,C99,C101,			
		C106,C107,C151,C472,C482,			
		C483			
4	66	C14,C30,C35,C45,C47,C48,	SC0603105P	SMD Capacitor 0603 1 uF / 16V , +-10% , X7R , MLCC	105
		C54,C59,C60,C63,C67,C70,			
		C71,C74,C75,C92,C96,C104,			
		C116,C118,C120,C121,C123,			
		C124,C129,C130,C131,C135,			
		C139,C143,C146,C150,C190,			
		C191,C192,C193,C194,C195,			
		C196,C197,C198,C199,C200,			
		C201,C202,C203,C204,C205,			
		C206,C208,C209,C218,C219,			
		C229,C250,C255,C259,C261,			
		C272,C281,C469,C476,C477,			
		C479,C484,C486			1uF
5	2	C21,C26	SC060315P	SMD Capacitor 0603 15 pF / 50V , +-5% , NPO , MLCC	15pF
6	6	C23,C24,C465,C466,C467,	SC060318P	SMD Capacitor 0603 18 pF / 50V , +-5% , NPO , MLCC	18pF
		C468			
7	3	C25,C263,C265	SC060333P	SMD Capacitor 0603 33 pF / 50V , +-5% , NPO , MLCC	33pF
8	4	C39,C40,C41,C42	SC060347P	SMD Capacitor 0603 47 pF / 50V , +-5% , NPO , MLCC	47pF
9	51	C88,C102,C103,C152,C154,	SC1206476M6.3V	SMD Capacitor 1206 47uF /6.3V ,+-20%, X5R, MLCC	47uF
		C155,C156,C159,C160,C169,			
		C170,C171,C172,C176,C177,			
		C183,C184,C185,C189,C210,			
		C211,C213,C215,C217,C222,			
		C230,C232,C249,C336,C337,			
		C338,C363,C364,C365,C366,			
		C367,C374,C375,C376,C377,			
		C395,C396,C400,C401,C429,			
		C430,C431,C432,C433,C434,			
		C435			
	X	C112,C114	SC0603680P	SMD Capacitor0603 680 pF / 50V ,+-10% , X7R , MLCC	680pF
	X	C113	SC0603392P	SMD Capacitor 0603 3900 pF / 50V , +-10% , X7R , MLCC	3.9nF
10	6	C133,C134,C137,C138,C141,	SC06034.7P	SMD Capacitor 0603 4.7 pF / 50V , +-0.5% , NPO , MLCC	4.7pF
		C142			
		(C489,C490,C491 DEL)			
11	10	C157,C163,C167,C174,C181,	SC060322P	SMD Capacitor 0603 22 pF/50V,+-5%, NPO, MLCC	22pF
		C226,C239,C240,C487,C488			

Product : VDX3-6790-KIT		PCB : DM226B		PN : 6790-B0	2015/5/13
No.	Qt'y	Position	Part Number	Description	Note
	X	C162,C165,C178,C179,C186	SC0603102P	SMD Capacitor 0603 1000 pF / 50V , +-5% , NPO , MLCC	102
12	12	C220,C221,C224,C225,C227,	SC0603100P	SMD Capacitor 0603 100 pF/ 50V ,+-5% , NPO , MLCC	100pF
		C228,C266,C267,C268,C269,			
		C270,C271			
13	5	C234,C235,C236,C237,C238	SC0603473P	SMD Capacitor0603 47000P / 50V ,+-10% , X7R , MLCC	47nF
14	2	C450,C451	SC0805106Z10V	SMD Capacitor 0805 106p / 10V , +10 -10% , X5R , MLCC	10uF_0805
15	1	D1	SBAT54C	5C> BAT54C (KL4) SMD	SBAT54C
16	18	D2,D3,D4,D5,D6,D10,D11,	SBAT54S	"LD. 3" BAT54S (KL4) SMD	SBAT54S
		D12,D13,D14,D15,D16,D17,			
		D18,D19,D20,D21,D22			
17	2	D7,D8	S1N4001-M	A1 FM4001-M / SMD Diode SOD-123 Package	S1N4001-M
18	1	D9	S1N5817	FM5817/SK12 / Diode -1N5817	1N5817
19	2	ES1,ES3	SMAJ5.0CA	SMD Diode SMAJ5.0(C)A TVS BIDIRECT 400W 5V 5% SMA	TVS SMAJ5CA
20	1	ES2	LESD5VD5CG	SMD Diode LESD5VD5CG / 5 VDC,雙向,40W , SOD-523	LESD5VD5CG
	X	FM1,FM2,FM3,FM4,FM5,FM6,			FM40S
		FM7,FM8,FM9,FM10			
21	5	F1,F3,F4,F5,F6	S0805FUSE	F0 FSMD100-0805R FUZETEC SMD 0805 FUSE	LP-ISM110
		(F2 DEL)			S0805FUSE
	X	H1,H2,H3,H4	HOLE		HOLE
	X	JP1	SHORT		SHORT
22	1	J1	WAFER6P(1.25)-SMD	W1250DS-6P / SMD WAFER 6P-180D-1.25mm	WAFER6P(1.25)-SMD
23	1	J2	MINIDIN*2	Dual layer MINI DIN 6PIN(20MBC-06S6-D)	MINIDINx2
24	1	J5	PH1*5	H1N25-105SOBKC000A NY6T Pin Header 1* 5	HEADER 5
25	3	J8,J21,J30	PH1*2	H1N25-102S0BKC000A / RoHS -Pin Header 1*2 NY6T	HEADER 2
26	2	J28+J32,J34+J37	PH2*2	H1N25-202S0BKC000A Dual Pin Header 2*2 (2.54mm)	HEADER 2
27	1	J9	MINIPCI-EXP-52P-5.6	MPCIE-523614R : 0.8mm pitch MINIPCI-EXPRESS-52Pin 5.6H	MINIPCI-EXP-52P-5.6
28	2	J9A,J9B	T-31X40X20-SMD	N0314020B-1 / SMD Hexagonal copper post 3.1*4.0*M2	T-31X40X20-SMD
29	1	J10	SATA-7P-180D	WATM07DBLB2AB / SATA HEAD 7PIN	SATA-7P-180D
30	2	J11,J53	WAFER2P(2.0)	W2001V-02P / Wafer 2P male wafer 2.0mm 180D(FAN)	HEADER 2-2.00mm/BOX
31	1	J17+J18	PH2*3	H1N25-203S0BKC000A Dual Pin Header 2*3 (2.54mm)	
32	4	J40,J42,J45,J57	PH1*3	H1N25-103S0BKC000A /RoHS -Pin Header 1*3	HEADER 3
33	1	J19	DCONT15P90D(SBU)	HD6A-15-PFHN1T / D-type15P90D	DCONT15P90D(SBU)
34	1	J20	ATX_PWR-20P-180D	WPO-20D4N431UW White 2X10 ATX male 180D	ATX-PWR-20P-180D
35	1	J23	HEAD(G)2P	DT-126VP-3219-Jack-2p-5.0mm	HEADER 2-5.0mm
		(J22 DEL)			
36	5	J24,J25,J26,J27,J54	SCM20P(OR)	BH11AB-20S00RC000 connector 2.54mm 20S RoHS	HEADER 10X2/BOX

Product : VDX3-6790-KIT		PCB : DM226B		PN : 6790-B0	2015/5/13
No.	Qt'y	Position	Part Number	Description	Note
37	4	J29,J31,J33,J35	SCM10P(G)	BH11AB-10S0GNC000 connector 2.54mm 10S G/F RoHS	HEADER 5X2/BOX
38	2	J38,J44	S-HEAD-90D	13-0401-4-1T-R / C534-0101 S-90D-5P	S-CONN
39	2	J39,J43	RCA-Y-1-2P90D	RCA-8-2Y-R 2Pin 90D	RCA
40	1	J41	HDMI19P90D	WHDM-19D3L1BN3U4 HDMI 19Pin SMT 15u" Type 90D	HDMI CONN
41	1	J46	SCM44P2.0MM(W)	BH21NB-44S0WHC000 connector 44P 180D white 2.0mm NY6T	LCD CONN 44P-2.0mm
		(J56 DEL)			
42	2	J48,J49	USB*1-90D-H	22-0401-4W-1T-R / USB vertical 90D	USBx1-90D-H
43	1	J50	SD-PUSH-T-CONT	1010-21007-110 . , SD CARD socket w/PUSH	SD-PUSH-T-CONT
44	1	J51A+J51B	SLOT98P	WSA-098A1BB1BUW / Black 98 Pin ISA SLOT	SLOT
45	1	J52A	AUDIO-JACK-3P-90D	Audio Jack 90D	PHONEJACK-1
		J52B			PHONEJACK-2
		J52C			PHONEJACK-3
46	1	J55	PH2*8	H1N25-208S0BKC000A Dual Pin Header 2*8(2.54mm)-180D	HEADER 8X2-2.54mm
47	1	LED1	S-LED-0805-R	BL-HS135A-AV-TRB / SMD-LED-0805-Red	S-LED-0805-R
48	53	L1,L2,L3,L4,L5,L6,L7,L8,	SBD060352R	SBK160808T-520Y-N / SMD Bead 0603 52Ω	BEAD
		L9,L10,L11,L12,L13,L14,			
		L15,L16,L17,L18,L19,L20,			
		L23,L27,L30,L31,L32,L34,			
		L36,L37,L38,L43,L46,L47,			
		L58,L59,L60,L61,L62,L63,			
		L64,L65,L70,L71,L72,L73,			
		L74,L75,L76,L77,L78,L80,			
		L81,L82,L83			
49	10	L24,L25,L26,L28,L33,L35,	MCM2012B900GBE	MCM2012B900GBE SMD	MCM2012B900GBE/N
		L66,L67,L68,L69			
		(L29 DEL)			
50	6	L39,L40,L41,L42,L44,L45	SBD060333NH	CL160808T-33NM-N / SMD 0603 Inductor 33 nH	100nH
51	5	L52,L53,L54,L55,L56	SBD0.68UH6.3A	R68 HP0402R68M3B / SMD POWER INDUCTOR 0.68uH /6.3A	33nH
52	1	L57	SBD0603200R	PBY160808T-201Y-N / SMD Bead 0603 200Ω@100MHz	SBD0603200R
53	1	PCIE1	SLOT-PCI_EXP-36P	WPES-036AN41B22UWS PCI-E 36P(1X) 180D	PCI-E/1X-36P
54	1	Q1	S3904	1A- SMD 3904	3904
		(Q6,Q7 DEL)			
55	5	Q2,Q5,Q9,Q10,Q11	2N7002	702 SMD 2N7002 SOT23	2N7002
56	1	Q3	APR3013	FP6809-29NS3GTR is 2.9V SOT23-3	APR3013
57	2	RN1,RN2	S8P4R10K^1	SMD Precise Resistor Networks 8 PIN 10K Ω 1%	10KΩx4
	X	RN3,RN4,RN5,RN6	S8P4R0	SMD Resistor Networks 8Pin 0 Ω	0Ωx4
58	2	RN7,RN8	S8P4R47K^1	SMD Precise Resistor Networks 8 PIN 47K Ω_1%	47KΩx4

Product : VDX3-6790-KIT		PCB : DM226B		PN : 6790-B0	2015/5/13
No.	Qt'y	Position	Part Number	Description	Note
59	1	RN9	S8P4R33R^1	SMD Precise Resistor Networks 8 PIN 33 Ω 1%	33Ωx4
60	22	RN10,RN11,RN12,RN13,RN14,	S8P4R4.7K^1	SMD Precise Resistor Networks 8 PIN 4K7 Ω 1%	4.7ΩKx4
		RN15,RN16,RN17,RN18,RN19,			
		RN20,RP23,RP24,RP25,RN25,			
		RP26,RN26,RN27,RN28,RN29,			
		RN30,RN31			
61	4	RN21,RN22,RN23,RN24	S8P4R22R^1	SMD Precise Resistor Networks 8 PIN 22 Ω 1%	22Ωx4
62	9	RP1,RP2,RP3,RP4,RP5,RP6,	S8P4R10R^1	SMD Precise Resistor Networks 8 PIN 10 Ω 1%	10Ωx4
		RP7,RP8,RP9			
63	7	RP10,RP11,RP12,RP13,RP14,	S8P4R39R^1	SMD Precise Resistor Networks 8 PIN 39 Ω 1%	39Ωx4
		RP15,RP16			
64	9	R1,R2,R5,R14,R16,R29,R30,	SR0603240R^1	SMD Precise Resistor 0603 240 Ω 1%	240Ω_1%
		R31,R32			
65	4	R3,R4,R242,R243	SR0603499R^1	SMD Precise Resistor 0603 499 Ω 1%	499Ω_1%
66	21	R6,R7,R8,R9,R11,R12,R13,	SR060310R^1	SMD Precise Resistor 0603 10 Ω 1%	10Ω_1%
		R17,R18,R19,R20,R21,R22,			
		R23,R24,R25,R26,R27,R28,			
		R45,R49			
		(R44,R48,R50,R51,R52,			
		R53 DEL)			
67	6	R102,R103,R105,R107,R130,	SR0603100R^1	SMD Precise Resistor 0603 100 Ω 1%	100 Ω_1%
		R131			
		(R10,R15,R88 DEL)			
68	1	R33	SR060310M^1	SMD Precise Resistor 0603 10 MΩ 1%	10 MΩ_1%
69	10	R34,R85,R86,R158,R161,	SR06031K^1	SMD Precise Resistor 0603 1KΩ 1%	1KΩ_1%
		R162,R183,R184,R224,R254			
		(R143,R149 DEL)			
70	1	R35	SR0603680R^1	SMD Precise Resistor 0603 680 Ω 1%	680 Ω_1%
71	40	R36,R37,R39,R40,R43,R66,	SR06034K7R^1	SMD Precise Resistor 0603 4.7KΩ 1%	4.7KΩ_1%
		R109,R110,R111,R113,R115,			
		R117,R118,R119,R138,R165,			
		R168,R178,R181,R182,R190,			
		R192,R195,R197,R200,R204,			
		R205,R208,R216,R227,R230,			
		R232,R233,R256,R259,R266,			
		R267,R282,R283,R284			
		(R108,R112,R114,R116,R191,			
		R198,R201,R211,R257,R260,			
		R291 DEL)			
72	10	R38,R41,R42,R185,R187,	SR060322R^1	SMD Precise Resistor 0603 22 Ω 1%	22Ω_1%
		R188,R268,R269,R270,R271			
73	21	R46,R47,R58,R59,R62,R64,	SR0603000	SMD Resistor 0603 0Ω	0Ω
		R78,R84,R87,R153,R171,			
		R210,R212,R214,R221,R231,			
		R241,R244,R245,R272,R275			

Product : VDX3-6790-KIT		PCB : DM226B		PN : 6790-B0	2015/5/13
No.	Qt'y	Position	Part Number	Description	Note
		(R54,R55,R56,R57,R60,R61,			
		R63,R163,R164,R166,R167,			
		R213,R229,R246,R247 DEL)			
74	5	R80,R81,R82,R83,R262	SR060312K^1	SMD Precise Resistor 0603 12K Ω 1%	12KΩ_1%
		(R261 DEL)			
75	1	R89	SR06036.04K^1	SMD Precise Resistor 0603 6.04KΩ 1%	6.04KΩ_1%
76	14	R90,R91,R92,R93,R250,	SR060349.9R^1	SMD Precise Resistor 0603 49.9 Ω 1%	49.9Ω_1%
		R251,R252,R253,R288,R289,			
		R296,R297,R298,R299			
77	7	R94,R95,R96,R97,R225,	SR060375R^1	SMD Precise Resistor 0603 75 Ω 1%	75Ω_1%
		R226,R228			
78	13	R98,R99,R172,R173,R174,	SR060333R^1	SMD Precise Resistor 0603 33 Ω 1%	33 Ω_1%
		R248,R249,R285,R287,R290,			
		R292,R293,R294			
79	6	R100,R101,R104,R106,R264,	SR06032K^1	SMD Precise Resistor 0603 2K Ω 1%	2K Ω_1%
		R265			
80	6	R120,R122,R123,R300,R301,	SR0603150R^1	SMD Precise Resistor 0603 150 Ω 1%	150 Ω_1%
		R302			
81	1	R121	SR0603510R^1	SMD Precise Resistor 0603 510 Ω 1%	510 Ω_1%
82	6	R207,R209,R215,R217,R218,	SR06032.2K^1	SMD Precise Resistor 0603 2.2K Ω 1%	2.2K Ω_1%
		R219			
		(R128,R129,R140,R220,R295 DEL)			
83	5	R133,R141,R142,R145,R154	SR0603100K^1	SMD Precise Resistor 0603 100K Ω 1%	100K Ω_1%
		(R132 DEL)			
84	10	R134,R136,R144,R151,R156,	SR060310K^1	SMD Precise Resistor 0603 10K Ω 1%	10K Ω_1%
		R169,R170,R186,R258,R281			
		(R263,R276,R277,R278,R279,			
		R280 DEL)			
85	1	R135	SR0603150K^1	SMD Precise Resistor 0603 150K Ω 1%	150K Ω_1%
86	1	R137	SR060349.9K^1	SMD Precise Resistor 0603 49.9K Ω 1%	49.9K Ω_1%
87	1	R139	SR060368K^1	SMD Precise Resistor 0603 68K Ω 1%	68K Ω_1%
88	1	R146	SR060322.1K^1	SMD Precise Resistor 0603 22.1K Ω 1%	22.1K Ω_1%
	X	R147	SR06033K^1	SMD Precise Resistor 0603 3K Ω 1%	3K Ω_1%
	X	R148	SR06033.3K^1	SMD Precise Resistor 0603 3.3K Ω 1%	3.3K Ω_1%
89	9	R150,R175,R176,R177,R236,	SR0603330R^1	SMD Precise Resistor 0603 330 Ω 1%	330Ω_1%
		R237,R238,R239,R240			
	X	R152	SR0603649K^1	SMD Precise Resistor 0603 649K Ω 1%	649K Ω_1%
	X	R155	SR060315K^1	SMD Precise Resistor 0603 15K Ω 1%	15K Ω_1%
90	1	R157	SR060364.9K^1	SMD Precise Resistor 0603 64.9K Ω 1%	64.9K Ω_1%

Product : VDX3-6790-KIT		PCB : DM226B		PN : 6790-B0	2015/5/13
No.	Qt'y	Position	Part Number	Description	Note
91	3	R159,R160,R235	SR12060R	SMD Resistor1206 0R 5%	0R_5%
		(R234 DEL)			
92	2	R179,R180	SR060320K^1	SMD Precise Resistor 0603 20K Ω 1%	20K Ω_1%
93	1	R189	SR060347K^1	SMD Precise Resistor 0603 47K Ω 1%	47K Ω_1%
94	3	R193,R196,R202	SR060318R^1	SMD Precise Resistor 0603 18 Ω 1%	18 Ω_1%
95	3	R194,R199,R203	SR060356R^1	SMD Precise Resistor 0603 56 Ω 1%	56 Ω_1%
96	1	R206	SR0603619R^1	SMD Precise Resistor 0603 619 Ω 1%	619 Ω_1%
97	2	R222,R223	SR060312R^1	SMD Precise Resistor 0603 12 Ω 1%	12 Ω_1%
98	1	R286	SR0603475R^1	SMD Precise Resistor 0603 475 Ω 1%	475 Ω_1%
99	1	SP1	BUZZER	AC-1205G-LF	BUZZER
100	1	SW1	SW2P-TG	2MS6T3B2M2QES / Toggle Switch 2 PIN	SW_SPDT_180
	X	SW2	SW4P-180D/6*6*5MM	PT-002-D1 Green 180D 4Pin/6*6*5MM	TACT SW
	X	TP1,TP2,TP3,TP5,TP6,TP7,			
		TP8,TP9,TP10,TP11,TP14,			
		TP16,TP17,TP18,TP19,TP20,			
		TP21,TP22,TP23,TP24			
101	1	USB1A	PHONEJACK+USB2	XRJB-S-0-88-1-G1-701*RJ45+USB*2	UL-1
		USB1B			UL-2
102	1	U1	VX86DX3-9126	VX86DX3 9126 CPU SOC 720-pin BGA	Vortex86DX3-SKT
103	8	U2,U3,U4,U5,U6,U7,U8,U9	DDR3SDRAM128M*8-MT-I	Micron MT41J128M8JP-15E IT:G/DDR3-1333 78-ball FBGA(8 x 11.5mm)-40~+95D	DDRIII128MX8
104	1	U10	5V41236PGGI8	IDT 5V41236PGGI8 4 Output PCIe Gen1/2/3 . 20pin TSSOP	5V41236PGGI8
105	2	U11,U12	YSUSB2.0-5	YSUSB2.0-5 / USB ESD TVS Array SOT-23 6L	YSUSB2.0-5
106	1	U13	HN16002CG	HN16002CG 10/100 TX TRANSFORMER	HN16002CG
107	5	U15,U16,U17,U18,U19	SY8036	SY8036DBC / 5.5V,6A,1MHz, Synchronous Step-down Regulator	SY8036
108	1	U20	SPIROM-4M-SOP8	MX25L3206EM2I-12G / 4Mbyte SPI ROM Package : SOP8	SPI-ROM-SO8(3.3V)
	X	U21	SPIROM-16M-SOP16	MX25L12835FMI-10G / 16Mbyte SPI ROM Package : SOP16 (3V)	SPI-ROM-SO16(3.3V)
109	4	U22,U23,U24,U25	SADM213	SMD ADM213EARS Z RoHS	SADM213
110	1	U26	ALC262	ALC262-VD2 48-Pin LQFP	ALC262
111	1	U27	SAA7115	SMD SAA7115 / LQFP100	SAA7115/LQFP100
112	1	U28	EP932M	SMD EP932M 64-Pin LQFP (7mm x 7mm)	EP932M
	X	U29	S24C04	SMD IC 24C04 SOP8	24C04/NC
113	1	U30	SAA7105H	SMD SAA7105H / QFP64	SAA7105H
114	1	U31	NCT3101S	SMD NCT3101S T/R SOP8 / DDR termination regulator	NCT3101S
115	4	U32,U33,U34,U35	SN74AVC8T245DGVR	SMD TI SN74AVC8T245DGVR TVSOP-24PIN	SN74AVC8T245
116	2	U36,U37	SN74LVC2T45DCTR	SMD TI SN74LVC2T45DCTR DCT-SOP8	SN74LVC2T45
117	2	U38,U39	AZC199-02S	AZC199-02S / ESD Protect for 2 high-speed I/O SOT23 3L	AZC199-02S

Product : VDX3-6790-KIT		PCB : DM226B		PN : 6790-B0	2015/5/13
No.	**Qt'y**	**Position**	**Part Number**	**Description**	**Note**
118	1	VR1	VRA100K-180D	GF063P1-100K / SVR 100K(180D)	100K/VR
119	1	Y1	X32.768KHZ(SMD)3215	FC-135 Crystal 32.768KHz SMD type 3.2 X 1.5mm	32.768KHz/SMD4.9x1.8
120	1	Y2	X14.318MHZ(SMD)32X25	7M14300006-3.2 x 2.5 Crystal 14.318MHz SMD	14.318MHz/SMD3.2x2.5
121	1	Y4	X24.576MHZ(SMD)	Crystal 24.576MHz SMD	24.576MHz
122	1	Y5	X27MHZ(SMD)	Crystal 27MHz 49S SMD	27MHz
123	1	Y6	X25MHZ(SMD)3.2X2.5	CXA-025000-3X4X40 Crystal 25MHz SMD 3.2x2.5	25MHz
124	1	PCB	DM226B	VDX3-6790 PCB(B) V:1.2	DM226B

Manager: 楊南聖

Made By: Ms. Chen