



24.01.22[Spring]

🕒 작성 일시	@2024년 1월 22일 오전 9:55
🏷 태그	



Java library to generate text output (HTML web pages, e-mails, configuration files, source code, etc.) based on templates and changing data.

Mustache
Logic-less templates for both web and standalone environments. There are no if statements, else clauses, or for loops. Instead there are only tags.

Groovy Templates
Groovy templating engine. **SPA를 만들지 않고 사용할때 사용(프론트 없이)**

The screenshot shows the Spring Initializr web application interface. On the left, there are navigation links for 'Build tool' (Gradle - Groovy, Gradle - Kotlin, Maven) and 'LTS' (Long Term Support) information. The main area is divided into sections for 'Project', 'Spring Boot', 'Project Metadata', and 'Dependencies'. The 'Project' section shows 'Gradle - Groovy' and 'Java' selected. The 'Spring Boot' section shows '3.2.2' selected. The 'Project Metadata' section shows 'com.apellime' as the group ID and 'note' as the artifact ID. The 'Dependencies' section lists various dependencies like 'Lombok', 'Spring Web', 'Spring Data JPA', 'Spring Data JDBC', and 'MySQL Driver', each with a red minus button to remove it. At the bottom, there are buttons for 'GENERATE', 'EXPLORE', and 'SHARE'.

3Final project

프레임워크 : 스프링~ 스프링부트

사용

전자 정부 프레임 워크

<https://www.egovframe.go.kr/home/main.do>

DAOC (DATA ACCESS OBJECT) → db 접속하기 위한 규칙 **INTERFACE** 생성을 원하는 이력 **DAO** 를 던진다. **MYBATIS**를 사용하면 **DAO**를 만들지 않아도 된다 **ORM**

DTO (DATA TRNSFER OBJECT)

데이터 교환(자료를 받다) **Beans**

DB에서 자료 읽어 **CONTROLLER** 나 **SERVICE**에 전달하는 기능, 값이 가변적

VO(VALUE OBJECT)

DTO와 비슷하다. 단 **VALUE**가 불변