

KFC Single Sign-On Portal

Login

Test Plan

CECS 491B, Sec 11

April 17, 2019

Christian Flore-Rogel

013924454

Revision History

Date	Version	Description
3/18/2019	1.0	First Draft

Table of Contents

Unit Test	1
End to End Test	2

1. Scope

a. Integration Testing

- LoginCheckUserExists(string email) - Checks to see if the given email exists in the database. The method returns true if the user is found and false if the user does not exist.
 - Test Cases
 - LoginCheckUserExists_Success_ReturnTrue()
 - The test checks to see if the function can successful return true if an existing user is passed through.
 - LoginCheckUserExists_Fail_ReturnTrue()
 - The test checks to see if the function fails to return true if a non-existing user is passed through.
 - LoginCheckUserExists_Success_ReturnFalse()
 - The test checks to see if the function can successful return false if a non-existing user is passed through.
 - LoginCheckUserExists_Fail_ReturnFalse()
 - The test checks to see if the function fails to return true if an existing user is passed through.
- LoginCheckUserDisabled(string email) - Checks to see if the user is disabled
 - Test Cases
 - LoginCheckUserDisabled_Success_ReturnTrue()
 - The test checks to see if the function can successful return true if the user being checked is disabled.
 - LoginCheckUserDisabled_Fail_ReturnTrue()
 - The test checks to see if the function fails to return true if the user being checked is not disabled.
 - LoginCheckUserDisabled_Success_ReturnFalse()
 - The test checks to see if the function can successful return false if the user being checked is not disabled.
 - LoginCheckUserDisabled_Fail_ReturnFalse()
 - The test checks to see if the function fails to return false if the user being checked is disabled.
- LoginCheckPassword(LoginRequest request) - Checks to see if the given password matches the password paired with the email provided
 - Test Cases
 - LoginCheckUserPassword_Success_ReturnTrue()

- The test checks to see if the function can successful return true the correct password is passed in.
 - LoginCheckUserPassword_Fail_ReturnTrue()
 - The test checks to see if the function fails to return true if an incorrect password is passed in.
 - LoginCheckUserPassword_Success_ReturnFalse()
 - The test checks to see if the function can successful return false is an incorrect password is passed in.
 - LoginCheckUserPassword_Fail_ReturnFalse()
 - The test checks to see if the function fails to return false if the correct password is passed in.
- LoginAuthorized(string email) - Creates and returns a token to authenticate users
 - Test Cases
 - LoginAuthorized_Success_ReturnToken()
 - The test checks to see if the function does not return a null and is able to return something

3. End to End Testing

In order to do frontend testing, puppeteer was used to test frontend input handling

a. Login Test Scenarios

- i. Login with a valid email and password
- ii. Inputting an Invalid email and being denied from logging in
- iii. Inputting an Invalid password and being denied from logging in
- iv. Inputting an invalid email more than three times that it disables the user
- v. Trying to logging in with blank fields
- vi. Trying to logging in with blank email section
- vii. Trying to logging in with blank password section