



# CFG NINJA AUDITS

Security Assessment

**Oggy Inu 3.0 Token**

October 25, 2023

Audit Status: Pass

Audit Edition: Advance














POWERED BY  
**BLADE POOL**

# Risk Analysis

















## Classifications of Manual Risk Results

Classification	Description
 Critical	Danger or Potential Problems.
 Major	Be Careful or Fail test.
 Minor	Pass, Not-Detected or Safe Item.
 Informational	Function Detected

## Manual Code Review Risk Results

Contract Priviledge	Description
 Buy Tax	10
 Sale Tax	10
 Cannot Buy	Pass
 Cannot Sale	Pass
 Max Tax	10
 Modify Tax	Not-Detected
 Fee Check	Pass
 Is Honeypot?	Not detected
 Trading Cooldown	Not Detected
 Can Pause Trade?	Fail
 Pause Transfer?	Detected, Owner needs to enable trade.



Contract Priviledge	Description
 Max Tx?	Pass
 Is Anti Whale?	Not Detected
 Is Anti Bot?	Not Detected
 Is Blacklist?	Not Detected
 Blacklist Check	Pass
 is Whitelist?	Detected
 Can Mint?	Pass
 Is Proxy?	Not Detected
 Can Take Ownership?	Not detected
 Hidden Owner?	Not detected
 Owner	0x1a93F2E462796A00ffdAC43a295857a25a0C9D1e
 Self Destruct?	Not Detected
 Other?	Not detected
 Other?	Not detected
 Holders	1
 Auditor Confidence	High

The following quick summary it's added to the project overview; however, there are more details about the audit and its results. Please read every detail.



# Project Overview

## Token Summary

Parameter	Result
Address	0x7Acb2C7D4d9e7D5E50764666260600cee03E58A8
Name	Oggy Inu 3.0
Token Tracker	Oggy Inu 3.0 (OGGY3)
Decimals	18
Supply	420,000,000,000,000,000
Platform	Binance Smart Chain
compiler	v0.8.19+commit.7dd6d404
Contract Name	OGGY3
Optimization	Yes with 200 runs
LicenseType	MIT
Language	Solidity
Codebase	<a href="https://bscscan.com/address/0x7acb2c7d4d9e7d5e5076466260600cee03e58a8#code">https://bscscan.com/address/0x7acb2c7d4d9e7d5e5076466260600cee03e58a8#code</a>
Payment Tx	0x746a18a0a79b9719af35db4feb2359e21bcb67b08b0f04e3f2d62bf5e4aeba25



## Main Contract Assessed

### Contract Name

Name	Contract	Live
Oggy Inu 3.0	0x7Acb2C7D4d9e7D5E50764666260600cee03E58A8	Yes

## TestNet Contract Assessed

### Contract Name

Name	Contract	Live
Oggy Inu 3.0	0x194f9D727c92F64bECa60c47852460aDf9F983e3	Yes


## Solidity Code Provided

SolID	File Sha-1	FileName
OGGY3	35bea420614501cbd98986c4138b1c29c1b91218	OGGY3.sol
OGGY3		
OGGY3		
OGGY3		



# Call Graph

The contract for Oggy Inu 3.0 has the following call graph structure.



# Smart Contract Vulnerability Checks

The Smart Contract Weakness Classification Registry (SWC Registry) is an implementation of the weakness classification scheme proposed in EIP-1470. It is loosely aligned to the terminologies and structure used in the Common Weakness Enumeration (CWE) while overlaying a wide range of weakness variants that are specific to smart contracts.

ID	Severity	Name	File	location
SWC-100	Pass	Function Default Visibility	OGGY3.sol	L: 0 C: 0
SWC-101	Pass	Integer Overflow and Underflow.	OGGY3.sol	L: 0 C: 0
SWC-102	Pass	Outdated Compiler Version file.	OGGY3.sol	L: 0 C: 0
SWC-103	Pass	A floating pragma is set.	OGGY3.sol	L: 0 C: 0
SWC-104	Pass	Unchecked Call Return Value.	OGGY3.sol	L: 0 C: 0
SWC-105	Pass	Unprotected Ether Withdrawal.	OGGY3.sol	L: 0 C: 0
SWC-106	Pass	Unprotected SELFDESTRUCT Instruction	OGGY3.sol	L: 0 C: 0
SWC-107	Pass	Read of persistent state following external call.	OGGY3.sol	L: 0 C: 0
SWC-108	Pass	State variable visibility is not set..	OGGY3.sol	L: 0 C: 0
SWC-109	Pass	Uninitialized Storage Pointer.	OGGY3.sol	L: 0 C: 0
SWC-110	Pass	Assert Violation.	OGGY3.sol	L: 0 C: 0





ID	Severity	Name	File	location
SWC-111	Pass	Use of Deprecated Solidity Functions.	OGGY3.sol	L: 0 C: 0
SWC-112	Pass	Delegate Call to Untrusted Callee.	OGGY3.sol	L: 0 C: 0
SWC-113	Pass	Multiple calls are executed in the same transaction.	OGGY3.sol	L: 0 C: 0
SWC-114	Pass	Transaction Order Dependence.	OGGY3.sol	L: 0 C: 0
SWC-115	Pass	Authorization through tx.origin.	OGGY3.sol	L: 0 C: 0
SWC-116	Pass	A control flow decision is made based on The block.timestamp environment variable.	OGGY3.sol	L: 0 C: 0
SWC-117	Pass	Signature Malleability.	OGGY3.sol	L: 0 C: 0
SWC-118	Pass	Incorrect Constructor Name.	OGGY3.sol	L: 0 C: 0
SWC-119	Pass	Shadowing State Variables.	OGGY3.sol	L: 0 C: 0
SWC-120	Pass	Potential use of block.number as source of randommness.	OGGY3.sol	L: 0 C: 0
SWC-121	Pass	Missing Protection against Signature Replay Attacks.	OGGY3.sol	L: 0 C: 0
SWC-122	Pass	Lack of Proper Signature Verification.	OGGY3.sol	L: 0 C: 0
SWC-123	Pass	Requirement Violation.	OGGY3.sol	L: 0 C: 0
SWC-124	Pass	Write to Arbitrary Storage Location.	OGGY3.sol	L: 0 C: 0
SWC-125	Pass	Incorrect Inheritance Order.	OGGY3.sol	L: 0 C: 0






ID	Severity	Name	File	location
SWC-126	Pass	Insufficient Gas Griefing.	OGGY3.sol	L: 0 C: 0
SWC-127	Pass	Arbitrary Jump with Function Type Variable.	OGGY3.sol	L: 0 C: 0
SWC-128	Pass	DoS With Block Gas Limit.	OGGY3.sol	L: 0 C: 0
SWC-129	Pass	Typographical Error.	OGGY3.sol	L: 0 C: 0
SWC-130	Pass	Right-To-Left-Override control character (U+202E).	OGGY3.sol	L: 0 C: 0
SWC-131	Pass	Presence of unused variables.	OGGY3.sol	L: 0 C: 0
SWC-132	Pass	Unexpected Ether balance.	OGGY3.sol	L: 0 C: 0
SWC-133	Pass	Hash Collisions with Multiple Variable Length Arguments.	OGGY3.sol	L: 0 C: 0
SWC-134	Pass	Message call with hardcoded gas amount.	OGGY3.sol	L: 0 C: 0
SWC-135	Pass	Code With No Effects (Irrelevant/Dead Code).	OGGY3.sol	L: 0 C: 0
SWC-136	Pass	Unencrypted Private Data On-Chain.	OGGY3.sol	L: 0 C: 0

We scan the contract for additional security issues using MYTHX and industry-standard security scanning tools.



# Inheritance

The contract for Oggy Inu 3.0 has the following inheritance structure.



# Smart Contract Advance Checks



ID	Severity	Name	Result	Status
OGGY3-01	Minor	Potential Sandwich Attacks.	Pass	Not-Found
OGGY3-02	Minor	Function Visibility Optimization	Pass	Not-Detected
OGGY3-03	Major	Lack of Input Validation.	Fail	Detected
OGGY3-04	Major	Centralized Risk In addLiquidity.	Pass	Not-Detected
OGGY3-05	Major	Missing Event Emission.	Fail	Detected
OGGY3-06	Minor	Conformance with Solidity Naming Conventions.	Pass	Not-Detected
OGGY3-07	Minor	State Variables could be Declared Constant.	Pass	Not-Found
OGGY3-08	Minor	Dead Code Elimination.	Pass	Not-Found
OGGY3-09	Major	Third Party Dependencies.	Pass	Not-Found
OGGY3-10	Major	Initial Token Distribution.	Pass	Not-Found
OGGY3-11	Minor	Airdrop is present in code.	Pass	Not-Detected
OGGY3-12	Major	Centralization Risks In The X Role	Pass	Not-Found
OGGY3-13	Informational	Extra Gas Cost For User..	Pass	Not-Found
OGGY3-6	Minor	Unnecessary Use Of SafeMath	Pass	Not-Detected
OGGY3-15	Medium	Symbol Length Limitation due to Solidity Naming Standards.	Pass	Not-Found



ID	Severity	Name	Result	Status
OGGY3-16	Meduium	Invalid collection of Taxes during Transfer.	Pass	Not-Detected
OGGY3-17	Informational	Conformance to numeric notation best practice.	Pass	Not-Found
OGGY3-18	Critical	Stop Transactions by using Enable Trade.	Fail	Detected, Owner needs to enable trade.



## OGGY3-03 | Lack of Input Validation.

Category	Severity	Location	Status
Volatile Code	 Major	OGGY3.sol: 125,14	 Detected

### Description

The given input is missing the check for the non-zero address.

The given input is missing the check for the unSetPair is missing required function.

### Remediation

We advise the client to add the check for the passed-in values to prevent unexpected errors as below:

```



...
require(receiver != address(0), "Receiver is the zero address");
...
...
require(value X limitation, "Your not able to do this function");
...

```

We also recommend customer to review the following function that is missing a required validation. unSetPair is missing required function.



## OGGY3-05 | Missing Event Emission.

Category	Severity	Location	Status
Volatile Code	 Major	OGGY3.sol: 125, 14	 Detected

### Description



Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes. The linked code does not create an event for the transfer.

### Remediation

Emit an event for critical parameter changes. It is recommended emitting events for the sensitive functions that are controlled by centralization roles.



## OGGY3-18 | Stop Transactions by using Enable Trade.

Category	Severity	Location	Status
Logical Issue	 Critical	OGGY3.sol: 469, 13	 Detected, Owner needs to enable trade.

### Description

Enable Trade is present on the following contract and when combined with Exclude from fees it can be considered a whitelist process, this will allow anyone to trade before others and can represent an issue for the holders.

### Remediation

We recommend the project owner to carefully review this function and avoid problems when performing both actions.






### Project Action









# Technical Findings Summary

## Classification of Risk

Severity	Description
 Critical	Risks are those that impact the safe functioning of a platform and must be addressed before launch. Users should not invest in any project with outstanding critical risks.
 Major	Risks can include centralization issues and logical errors. Under specific circumstances, these major risks can lead to loss of funds and/or control of the project.
 Medium	Risks may not pose a direct risk to users' funds, but they can affect the overall functioning of a platform
 Minor	Risks can be any of the above but on a smaller scale. They generally do not compromise the overall integrity of the Project, but they may be less efficient than other solutions.
 Informational	Errors are often recommended to improve the code's style or certain operations to fall within industry best practices. They usually do not affect the overall functioning of the code.

## Findings

Severity	Found	Pending	Resolved
 Critical	1	0	0
 Major	0	0	0
 Medium	0	0	0
 Minor	2	0	0
 Informational	0	0	0
Total	3	0	0



# Social Media Checks


Social Media	URL	Result
Twitter	<a href="https://twitter.com/OggyInu3">https://twitter.com/OggyInu3</a>	Pass
Other	<a href="https://t.me/OggyInu3_Announcement">https://t.me/OggyInu3_Announcement</a> , <a href="https://www.instagram.com/oggyinu3.0/">https://www.instagram.com/oggyinu3.0/</a> , <a href="https://facebook.com/oggyinu3.0">https://facebook.com/oggyinu3.0</a> , <a href="https://www.tiktok.com/@oggyinu3.0">https://www.tiktok.com/@oggyinu3.0</a> , <a href="https://www.linkedin.com/in/oggy-inu-8313a2297/">https://www.linkedin.com/in/oggy-inu-8313a2297/</a> , <a href="https://oggys-organization.gitbook.io/oggy-inu-3.0/">https://oggys-organization.gitbook.io/oggy-inu-3.0/</a>	Pass
Website	<a href="https://betcrypt365.com/">https://betcrypt365.com/</a>	Pass
Telegram	<a href="https://t.me/OggyInu3Official">https://t.me/OggyInu3Official</a>	Pass

We recommend to have 3 or more social media sources including a completed working websites.

**Social Media Information Notes:**

**Auditor Notes:** undefined

**Project Owner Notes:**



# Assessment Results

## Score Results

Review	Score
Overall Score	97/100
Auditor Score	87/100
Review by Section	Score
Manual Scan Score	43/53
SWC Scan Score	37 /37
Advance Check Score	17 /19

The Following Score System Has been Added to this page to help understand the value of the audit, the maximum score is 100, however to attain that value the project must pass and provide all the data needed for the assessment. Our Passing Score has been changed to 80 Points, if a project does not attain 80% is an automatic failure. Read our notes and final assessment below.

## Audit Passed



## Assessment Results

### Important Notes:

- Owner can't set max tx amount.■
- Owner needs to enable trade.■
- No high-risk Exploits/Vulnerabilities Were Found in the Source Code.■
- Contract has been developed by Freddy and follow the coding best practices, we have fully tested the code and its functionalities.

**Auditor Score =87**  
**Audit Passed**



# Appendix

## Finding Categories

### Centralization / Privilege

Centralization / Privilege findings refer to either feature logic or implementation of components that act against the nature of decentralization, such as explicit ownership or specialized access roles in combination with a mechanism to relocate funds.

### Gas Optimization

Gas Optimization findings do not affect the functionality of the code but generate different, more optimal EVM opcodes resulting in a reduction on the total gas cost of a transaction.

### Logical Issue

Logical Issue findings detail a fault in the logic of the linked code, such as an incorrect notion on how block.timestamp works.

### Control Flow

Control Flow findings concern the access control imposed on functions, such as owner-only functions being invoke-able by anyone under certain circumstances.

### Volatile Code

Volatile Code findings refer to segments of code that behave unexpectedly on certain edge cases that may result in a vulnerability.

### Coding Style

Coding Style findings usually do not affect the generated byte-code but rather comment on how to make the codebase more legible and, as a result, easily maintainable.

### Inconsistency

Inconsistency findings refer to functions that should seemingly behave similarly yet contain different code, such as a constructor assignment imposing different requirements on the input variables than a setter function.

### Coding Best Practices

ERC 20 Coding Standards are a set of rules that each developer should follow to ensure the code meets a set of criteria and is readable by all the developers.



## Disclaimer

CFGNINJA has conducted an independent security assessment to verify the integrity of and highlight any vulnerabilities or errors, intentional or unintentional, that may be present in the reviewed code for the scope of this assessment. This report does not constitute agreement, acceptance, or advocacy for the Project, and users relying on this report should not consider this as having any merit for financial advice in any shape, form, or nature. The contracts audited do not account for any economic developments that the Project in question may pursue, and the veracity of the findings thus presented in this report relate solely to the proficiency, competence, aptitude, and discretion of our independent auditors, who make no guarantees nor assurance that the contracts are entirely free of exploits, bugs, vulnerabilities or deprecation of technologies.

All information provided in this report does not constitute financial or investment advice, nor should it be used to signal that any persons reading this report should invest their funds without sufficient individual due diligence, regardless of the findings presented. Information is provided 'as is, and CFGNINJA is under no covenant to audited completeness, accuracy, or solidity of the contracts. In no event will CFGNINJA or its partners, employees, agents, or parties related to the provision of this audit report be liable to any parties for, or lack thereof, decisions or actions with regards to the information provided in this audit report.

The assessment services provided by CFGNINJA are subject to dependencies and are under continuing development. You agree that your access or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis. Cryptographic tokens are emergent technologies with high levels of technical risk and uncertainty. The assessment reports could include false positives, negatives, and unpredictable results. The services may access, and depend upon, multiple layers of third parties.

