

CFG NINJA AUDITS

Security Assessment

Chainswitch Token

June 2, 2023

Audit Status: Pass

Audit Edition: Advance

Chainswetch

3LADE POOL



Risk Analysis

Classifications of Manual Risk Results

Classification	Description
Critical	Danger or Potential Problems.
Major	Be Careful or Fail test.
Minor	Pass, Not-Detected or Safe Item.
Informational	Function Detected

Manual Code Review Risk Results

Contract Priviledge	Description
Buy Tax	3
Sale Tax	3
Cannot Sale	Pass
Cannot Sale	Pass
Max Tax	3
Modify Tax	Not Detected
Fee Check	Pass
Is Honeypot?	Not Detected
Trading Cooldown	Not Detected
Can Pause Trade?	Pass
Pause Transfer?	Not Detected





Contract Priviledge	Description
Max Tx?	Pass
Is Anti Whale?	Not Detected
Is Anti Bot?	Not Detected
Is Blacklist?	Not Detected
Blacklist Check	Pass
is Whitelist?	Detected
Can Mint?	Pass
■ Is Proxy?	Not Detected
Can Take Ownership?	Not Detected
Hidden Owner?	Not Detected
Owner	0x5E855c1FdBfe57992BAA012BE453EB52C3675963
Self Destruct?	Not Detected
External Call?	Detected
Other?	Not Detected
Holders	1
Auditor Confidence	Medium

The following quick summary it's added to the project overview; however, there are more details about the audit and its results. Please read every detail.





Project Overview

Token Summary

Parameter	Result
Address	0x36FEca97a4E81F4e1260119fae0C572A98832285
Name	Chainswitch
Token Tracker	Chainswitch (SWITCH)
Decimals	18
Supply	10,000,000
Platform	Ethereum
compiler	v0.8.19+commit.7dd6d404
Contract Name	ChainSwitch
Optimization	Yes with 200 runs
LicenseType	MIT
Language	Solidity
Codebase	https://etherscan.io/address/0x36feca97a4e81f4e1260119fae0 c572a98832285#code
Payment Tx	0x2c4b86e5066ad8be7332a19cfa52a1b6f73fa8840d0cb27df a2b55d6bfbf4f4c





Main Contract Assessed Contract Name

Name	Contract	Live
Chainswitch	0x36FEca97a4E81F4e1260119fae0C572A98832285	Yes

TestNet Contract Assessed Contract Name

Name	Contract	Live
Chainswitch	0xA45088FfC798E372Ed94b3FcD881330c9dD10D8f	Yes

Solidity Code Provided


SollD	File Sha-1	FileName
ChainSwitch	9d8744b7f85b6cf7b8e748c2da05418fde094b90) chainswitch2.sol
ChainSwitch		
ChainSwitch		
ChainSwitch		





Call Graph

The contract for Chainswitch has the following call graph structure.







Smart Contract Vulnerability Checks

The Smart Contract Weakness Classification Registry (SWC Registry) is an implementation of the weakness classification scheme proposed in EIP-1470. It is loosely aligned to the terminologies and structure used in the Common Weakness Enumeration (CWE) while overlaying a wide range of weakness variants that are specific to smart contracts.

ID	Severity	Name	File	location
SWC-100	Pass	Function Default Visibility	chainswitch2.sol	L: 0 C: 0
SWC-101	Pass	Integer Overflow and Underflow.	chainswitch2.sol	L: 0 C: 0
SWC-102	Pass	Outdated Compiler Version file.	chainswitch2.sol	L: 0 C: 0
SWC-103	Pass	A floating pragma is set.	chainswitch2.sol	L: 0 C: 0
SWC-104	Pass	Unchecked Call Return Value.	chainswitch2.sol	L: 0 C: 0
SWC-105	Pass	Unprotected Ether Withdrawal.	chainswitch2.sol	L: 0 C: 0
SWC-106	Pass	Unprotected SELFDESTRUCT Instruction	chainswitch2.sol	L: 0 C: 0
SWC-107	Pass	Read of persistent state following external call.	chainswitch2.sol	L: 0 C: 0
SWC-108	Low	State variable visibility is not set	chainswitch2.sol	L: 186 C:
SWC-109	Pass	Uninitialized Storage Pointer.	chainswitch2.sol	L: 0 C: 0
SWC-110	Pass	Assert Violation.	chainswitch2.sol	L: 0 C: 0





ID	Severity	Name	File	location
SWC-111	Pass	Use of Deprecated Solidity Functions.	chainswitch2.sol	L: 0 C: 0
SWC-112	Pass	Delegate Call to Untrusted Callee.	chainswitch2.sol	L: 0 C: 0
SWC-113	Pass	Multiple calls are executed in the same transaction.	chainswitch2.sol	L: 0 C: 0
SWC-114	Pass	Transaction Order Dependence.	chainswitch2.sol	L: 0 C: 0
SWC-115	Low	Authorization through tx.origin.	chainswitch2.sol	L: 268 C: 33
SWC-116	Pass	A control flow decision is made based on The block.timestamp environment variable.	chainswitch2.sol	L: 0 C: 0
SWC-117	Pass	Signature Malleability.	chainswitch2.sol	L: 0 C: 0
SWC-118	Pass	Incorrect Constructor Name.	chainswitch2.sol	L: 0 C: 0
SWC-119	Pass	Shadowing State Variables.	chainswitch2.sol	L: 0 C: 0
SWC-120	Pass	Potential use of block.number as source of randonmness.	chainswitch2.sol	L: 0 C: 0
SWC-121	Pass	Missing Protection against Signature Replay Attacks.	chainswitch2.sol	L: 0 C: 0
SWC-122	Pass	Lack of Proper Signature Verification.	chainswitch2.sol	L: 0 C: 0
SWC-123	Pass	Requirement Violation.	chainswitch2.sol	L: 0 C: 0
SWC-124	Pass	Write to Arbitrary Storage Location.	chainswitch2.sol	L: 0 C: 0
SWC-125	Pass	Incorrect Inheritance Order.	chainswitch2.sol	L: 0 C: 0





ID	Severity	Name	File	location
SWC-126	Pass	Insufficient Gas Griefing.	chainswitch2.sol	L: 0 C: 0
SWC-127	Pass	Arbitrary Jump with Function Type Variable.	chainswitch2.sol	L: 0 C: 0
SWC-128	Pass	DoS With Block Gas Limit.	chainswitch2.sol	L: 0 C: 0
SWC-129	Pass	Typographical Error.	chainswitch2.sol	L: 0 C: 0
SWC-130	Pass	Right-To-Left-Override control character (U +202E).	chainswitch2.sol	L: 0 C: 0
SWC-131	Pass	Presence of unused variables.	chainswitch2.sol	L: 0 C: 0
SWC-132	Pass	Unexpected Ether balance.	chainswitch2.sol	L: 0 C: 0
SWC-133	Pass	Hash Collisions with Multiple Variable Length Arguments.	chainswitch2.sol	L: 0 C: 0
SWC-134	Pass	Message call with hardcoded gas amount.	chainswitch2.sol	L: 0 C: 0
SWC-135	Pass	Code With No Effects (Irrelevant/Dead Code).	chainswitch2.sol	L: 0 C: 0
SWC-136	Pass	Unencrypted Private Data On-Chain.	chainswitch2.sol	L: 0 C: 0

We scan the contract for additional security issues using MYTHX and industry-standard security scanning tools.





Smart Contract Vulnerability Details

SWC-108 - State Variable Default Visibility

CWE-710: Improper Adherence to Coding Standards

Description:

Labeling the visibility explicitly makes it easier to catch incorrect assumptions about who can access the variable.

Remediation:

Variables can be specified as being public, internal or private. Explicitly define visibility for all state variables.

References:

Ethereum Smart Contract Best Practices - Explicitly mark visibility in functions and state variables





Smart Contract Vulnerability Details

SWC-115 - Authorization through tx.origin

CWE-477: Use of Obsolete Function

Description:

tx.origin is a global variable in Solidity which returns the address of the account that sent the transaction. Using the variable for authorization could make a contract vulnerable if an authorized account calls into a malicious contract. A call could be made to the vulnerable contract that passes the authorization check since tx.origin returns the original sender of the transaction which in this case is the authorized account.

Remediation:

tx.origin should not be used for authorization. Use msg.sender instead.

References:

Solidity Documentation - tx.origin

Ethereum Smart Contract Best Practices - Avoid using tx.origin


SigmaPrime - Visibility.





Inheritance

The contract for Chainswitch has the following inheritance structure.







Privileged Functions (onlyOwner)

Please Note if the contract is Renounced none of this functions can be executed.

Function Name	Parameters	Visibility
renounceOwnership		public
transferOwnership	address newOwner	public
setNoFeeWallet	address account, bool enabled	external
changeLpPair	address newPair	external
toggleCanSwapFees	bool yesno	external
changeWallets	address marketing, address team, address development	exter al
setPresaleAddress	address presale, bool yesno	external





Smart Contract Advance Checks

ID	Severity	Name	Result	Status
SWITCH-01	Minor	Potential Sandwich Attacks.	Pass	Not-Found
SWITCH-02	Minor	Function Visibility Optimization	Pass	Not-Detected
SWITCH-03	Minor	Lack of Input Validation.	Pass	Not-Detected
SWITCH-04	Major	Centralized Risk In addLiquidity.	Pass	Not-Found
SWITCH-05	Minor	Missing Event Emission.	Pass	Not-Detected
SWITCH-06	Minor	Conformance with Solidity Naming Conventions.	Pass	Not-Found
SWITCH-07	Minor	State Variables could be Declared Constant.	Pass	Not-Found
SWITCH-08	Minor	Dead Code Elimination.	Pass	Not-Found
SWITCH-09	Major	Third Party Dependencies.	Pass	Not-Found
SWITCH-10	Major	Initial Token Distribution.	Pass	Not-Found
SWITCH-11	Minor	AntiBot is present on the transfer.	Pass	Not Detected
SWITCH-12	Major	Centralization Risks In The X Role	Pass	Not-Detected
SWITCH-13	Informational	Extra Gas Cost For User	Pass	Not-Detected
SWITCH-14	Medium	Unnecessary Use Of SafeMath	Pass	Not-Detected
SWITCH-15	Medium	Symbol Length Limitation due to Solidity Naming Standards.	Pass	Not-Detected





ID	Severity	Name	Result	Status
SWITCH-16	Medium	Invalid collection of Taxes during Transfer.	Pass	Not-Detected
SWITCH-17	Informational	Conformance to numeric notation best practice.	Pass	Not-Detected
SWITCH-18	Medium	Stop Transactions by using Enable Trade.	Pass	Not-Detected





Technical Findings Summary

Classification of Risk

Severity	Description
Critical	Risks are those that impact the safe functioning of a platform and must be addressed before launch. Users should not invest in any project with outstanding critical risks.
Major	Risks can include centralization issues and logical errors. Under specific circumstances, these major risks can lead to loss of funds and/or control of the project.
Medium	Risks may not pose a direct risk to users' funds, but they can affect the overall functioning of a platform
Minor	Risks can be any of the above but on a smaller scale. They generally do not compromise the overall integrity of the Project, but they may be less efficient than other solutions.
Informational	Errors are often recommended to improve the code's style or certain operations to fall within industry best practices. They usually do not affect the overall functioning of the code.

Findings

Severity	Found	Pending	Resolved
Critical	0	0	0
Major	0	0	0
Medium	0	0	0
Minor	0	0	0
Informational	0	0	0
Total	0	0	0





Social Media Checks

Social Media	URL	Result
Twitter	https://twitter.com/ChainSwitch	Pass
Other	https://youtube.com/@Chainswitch	Pass
Website	https://chainswitch.org	Pass
Telegram	https://t.me/ChainSwitch	Pass

We recommend to have 3 or more social media sources including a completed working websites.

Social Media Information Notes:

Auditor Notes: undefined

Project Owner Notes:







Assessment Results

Score Results

Review	Score
Overall Score	100/100
Auditor Score	93/100
Review by Section	Score
Manual Scan Score	45/53
SWC Scan Score	35/37
Advance Check Score	20 /19

The Following Score System Has been Added to this page to help understand the value of the audit, the maximun score is 100, however to attain that value the project most pass and provide all the data needed for the assessment. Our Passing Score has been changed to 80 Points, if a project does not attain 80% is an automatic failure. Read our notes and final assessment below.

Audit Passed







Assessment Results

Important Notes:

• No Vulnerabilities or issues were found on the smart contract.

Auditor Score =93 Audit Passed







Appendix

Finding Categories

Centralization / Privilege

Centralization / Privilege findings refer to either feature logic or implementation of components that actagainst the nature of decentralization, such as explicit ownership or specialized access roles incombination with a mechanism to relocate funds.

Gas Optimization

Gas Optimization findings do not affect the functionality of the code but generate different, more optimalEVM opcodes resulting in a reduction on the total gas cost of a transaction.

Logical Issue

Logical Issue findings detail a fault in the logic of the linked code, such as an incorrect notion on howblock.timestamp works.

Control Flow

Control Flow findings concern the access control imposed on functions, such as owneronly functionsbeing invoke-able by anyone under certain circumstances.

Volatile Code

Volatile Code findings refer to segments of code that behave unexpectedly on certain edge cases that mayresult in a vulnerability.

Coding Style

Coding Style findings usually do not affect the generated byte-code but rather comment on how to makethe codebase more legible and, as a result, easily maintainable.

Inconsistency

Inconsistency findings refer to functions that should seemingly behave similarly yet contain different code, such as a constructor assignment imposing different require statements on the input variables than a setterfunction.

Coding Best Practices

ERC 20 Conding Standards are a set of rules that each developer should follow to ensure the code meet a set of creterias and is readable by all the developers.





Disclaimer

CFGNINJA has conducted an independent security assessment to verify the integrity of and highlight any vulnerabilities or errors, intentional or unintentional, that may be present in the reviewed code for the scope of this assessment. This report does not constitute agreement, acceptance, or advocation for the Project, and users relying on this report should not consider this as having any merit for financial advice in any shape, form, or nature. The contracts audited do not account for any economic developments that the Project in question may pursue, and the veracity of the findings thus presented in this report relate solely to the proficiency, competence, aptitude, and discretion of our independent auditors, who make no guarantees nor assurance that the contracts are entirely free of exploits, bugs, vulnerabilities or deprecation of technologies.

All information provided in this report does not constitute financial or investment advice, nor should it be used to signal that any persons reading this report should invest their funds without sufficient individual due diligence, regardless of the findings presented. Information is provided 'as is, and CFGNINJA is under no covenant to audited completeness, accuracy, or solidity of the contracts. In no event will CFGNINJA or its partners, employees, agents, or parties related to the provision of this audit report be liable to any parties for, or lack thereof, decisions or actions with regards to the information provided in this audit report.

The assessment services provided by CFGNINJA are subject to dependencies and are under continuing development. You agree that your access or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis. Cryptographic tokens are emergent technologies with high levels of technical risk and uncertainty. The assessment reports could include false positives, negatives, and unpredictable results. The services may access, and depend upon, multiple layers of third parties.



