

# CFG NINJA AUDITS

Security Assessment

Santa Token

December 2, 2022



## **Table of Contents**

- 1 Assessment Summary
- 2 Technical Findings Summary
- 3 Project Overview
  - 3.1 Token Summary
  - 3.2 Risk Analysis Summary
  - 3.3 Main Contract Assessed
- 4 Smart Contract Risk Checks
  - 4.1 Mint Check
  - 4.2 Fees Check
  - 4.3 Blacklist Check
  - 4.4 MaxTx Check
  - 4.5 Pause Trade Check
- **5 Contract Ownership**
- **6 Liquidity Ownership**
- 7 KYC Check
- 8 Smart Contract Vulnerability Checks
  - 8.1 Smart Contract Vulnerability Details
  - 8.2 Smart Contract Inheritance Details
  - 8.3 Smart Contract Privileged Functions
- 9 Assessment Results and Notes(Important)
- 10 Social Media Check(Informational)
- 11 Technical Findings Details
- 12 Disclaimer





## **Assessment Summary**

This report has been prepared for Santa Token on the Binance network. CFGNINJA provides both client-centered and user-centered examination of the smart contracts and their current status when applicable. This report represents the security assessment made to find issues and vulnerabilities on the source code along with the current liquidity and token holder statistics of the protocol.

A comprehensive examination has been performed, utilizing Cross Referencing, Static Analysis, In-House Security Tools, and line-by-line Manual Review.

The auditing process pays special attention to the following considerations:

- Testing the smart contracts against both common and uncommon attack vectors.
- Inspecting liquidity and holders statistics to inform the current status to both users and client when applicable.
- Assessing the codebase to ensure compliance with current best practices and industry standards.
- Verifying contract functions that allow trusted and/or untrusted actors to mint, lock, pause, and transfer assets.
- Cross referencing contract structure and implementation against similar smart contracts produced by industry leaders
- Thorough line-by-line manual review of the entire codebase by industry experts.





## Technical Findings Summary

#### **Classification of Risk**

Severity	Description
Critical	Risks are those that impact the safe functioning of a platform and must be addressed before launch. Users should not invest in any project with outstanding critical risks.
<ul><li>Major</li></ul>	Risks can include centralization issues and logical errors. Under specific circumstances, these major risks can lead to loss of funds and/or control of the project.
Medium	Risks may not pose a direct risk to users' funds, but they can affect the overall functioning of a platform
Minor	Risks can be any of the above but on a smaller scale. They generally do not compromise the overall integrity of the Project, but they may be less efficient than other solutions.
<ul><li>Informational</li></ul>	Errors are often recommended to improve the code's style or certain operations to fall within industry best practices. They usually do not affect the overall functioning of the code.

#### **Findings**

Severity	Found	Pending	Resolved
Critical	0	0	0
Major	0	0	0
<ul><li>Medium</li></ul>	0	0	0
Minor	0	0	0
<ul><li>Informational</li></ul>	0	0	0
Total	0		0





# **Project Overview**

## **Token Summary**

Parameter	Result
Address	0x50C5C8e6b2B2e86135A1B909176436723866356D
Name	Santa
Token Tracker	Santa (SANTA)
Decimals	18
Supply	1,000,000,000
Platform	Binance
compiler	v0.8.17+commit.8df45f5f
Contract Name	Santa
Optimization	Yes with 200 runs
LicenseType	MIT
Language	Solidity
Codebase	https://bscscan.com/ address/0x50C5C8e6b2B2e86135A1B909176436723866356D
Payment Tx	Oxb249fb4dbfec4c0ef98c9281617b6101875a7a852fe0e5b55e aabfd057f3f6a7





## **Project Overview**

## Risk Analysis Summary

Parameter	Result
Buy Tax	0%
Sale Tax	0%
Is honeypot?	Clean
Can edit tax?	No
Is anti whale?	No
Is blacklisted?	No
Is whitelisted?	No
Holders	2
Confidence Level	Low

The following quick summary it's added to the project overview; however, there are more details about the audit and its results. Please read every detail.





# Main Contract Assessed Contract Name

Name	Contract	Live
Santa	0x50C5C8e6b2B2e86135A1B909176436723866356D	Yes

# TestNet Contract Assessed Contract Name

Name	Contract	Live
Santa	0x2AF1D9cEb8c2D0FB21a0fa7a51F98Bc26d8Afb23	Yes

#### **Solidity Code Provided**

SoliD	File Sha-1	FileName
sata	790f1f4d7c28760d5efba6d2fb99ba9842ff75f1	santa.sol





## **Mint Check**

The project owners of Santa do not have a mint function in the contract, owner cannot mint tokens after initial deploy.

The Project has a Total Supply of 1,000,000,000 and cannot mint any more than the Max Supply.

Mint Notes:

**Auditor Notes:** 










## **Fees Check**

The project owners of Santa do not have the ability to set fees higher than 25%.

The team May have fees defined; however, they can't set those fees higher than 25% or may not be able to configure the same.

Tax Fee Notes:

Auditor Notes: The contract currently has 0% buy and 0% sale taxes, and cannot be set.









## **Blacklist Check**

The project owners of Santa do not have a blacklist function their contract.

The Project allow owners to transfer their tokens without any restrictions.

Token owner cannot blacklist the contract: Malicious or compromised owners can trap contracts relying on tokens with a blacklist.

**Blacklist Notes:** 

**Auditor Notes:** 

**Project Owner Notes: undefined** 







## MaxTx Check

The Project Owners of Santa cannot set max tx amount

The Team allows any investors to swap, transfer or sell their total amount if needed.

MaxTX Notes:

**Auditor Notes:** 

**Project Owner Notes:** 

Project Has No MaxTX







## Pause Trade Check

The Project Owners of Santa don't have the ability to stop or pause trading.

The Team has done a great job to avoid stop trading, and investors has the ability to trade at any given time without any problems

**Pause Trade Notes:** 

Auditor Notes: There is an Open Trade and can be defined to false and block trades.







## **Contract Ownership**

The contract ownership of Santa has been renounced.

Having no owner means that all the ownable functions in the contract can not be called by anyone, this often leads to more trust on the project.







## **Liquidity Ownership**

The token does not have liquidity at the moment of the audit, block 23397295

If liquidity is unlocked, then the token developers can do what is infamously known as 'rugpull'. Once investors start buying token from the exchange, the liquidity pool will accumulate more and more coins of established value (e.g., ETH or BNB or Tether). This is because investors are basically sending these tokens of value to the exchange, to get the new token. Developers can withdraw this liquidity from the exchange, cash in all the value and run off with it. Liquidity is locked by renouncing the ownership of liquidity pool (LP) tokens for a fixed time period, by sending them to a time-lock smart contract. Without ownership of LP tokens, developers cannot get liquidity pool funds back. This provides confidence to the investors that the token developers will not run away with the liquidity money. It is now a standard practice that all token developers follow, and this is what really differentiates a scam coin from a real one.

#### Read More







## **KYC Information**

The Project Owners of Santa have provided KYC Documentation.

### KYC Certificated can be found on the Following: KYC Data

**KYC Information Notes:** 

**Auditor Notes:** 







# Smart Contract Vulnerability Checks

ID	Severity	Name	File	location
SWC-100	Pass	Function Default Visibility	santa.sol	L: 0 C: 0
SWC-101	Pass	Integer Overflow and Underflow.	santa.sol	L: 0 C: 0
SWC-102	Pass	Outdated Compiler Version file.	santa.sol	L: 0 C: 0
SWC-103	Pass	A floating pragma is set.	santa.sol	L: 7 C: 0
SWC-104	Pass	Unchecked Call Return Value.	santa.sol	L: 0 C: 0
SWC-105	Pass	Unprotected Ether Withdrawal.	santa.sol	L: 0 C: 0
SWC-106	Pass	Unprotected SELFDESTRUCT Instruction	santa.sol	L: 0 C: 0
SWC-107	Pass	Read of persistent state following external call.	santa.sol	L: 0 C: 0
SWC-108	Pass	State variable visibility is not set	santa.sol	L: 405 C: 9
SWC-109	Pass	Uninitialized Storage Pointer.	santa.sol	L: 0 C: 0
SWC-110	Pass	Assert Violation.	santa.sol	L: 0 C: 0
SWC-111	Pass	Use of Deprecated Solidity Functions.	santa.sol	L: 0 C: 0
SWC-112	Pass	Delegate Call to Untrusted Callee.	santa.sol	L: 0 C: 0





ID	Severity	Name	File	location
SWC-113	Pass	Multiple calls are executed in the same transaction.	santa.sol	L: 0 C: 0
SWC-114	Pass	Transaction Order Dependence.	santa.sol	L: 0 C: 0
SWC-115	Pass	Authorization through tx.origin.	santa.sol	L: 0 C: 0
SWC-116	Pass	A control flow decision is made based on The block.timestamp environment variable.	santa.sol	L: 0 C: 0
SWC-117	Pass	Signature Malleability.	santa.sol	L: 0 C: 0
SWC-118	Pass	Incorrect Constructor Name.	santa.sol	L: 0 C: 0
SWC-119	Pass	Shadowing State Variables.	santa.sol	L: 0 C: 0
SWC-120	Pass	Potential use of block.number as source of randonmness.	santa.sol	L: 0 C: 0
SWC-121	Pass	Missing Protection against Signature Replay Attacks.	santa.sol	L: 0 C: 0
SWC-122	Pass	Lack of Proper Signature Verification.	santa.sol	L: 0 C: 0
SWC-123	Pass	Requirement Violation.	santa.sol	L: 0 C: 0
SWC-124	Pass	Write to Arbitrary Storage Location.	santa.sol	L: 0 C: 0
SWC-125	Pass	Incorrect Inheritance Order.	santa.sol	L: 0 C: 0
SWC-126	Pass	Insufficient Gas Griefing.	santa.sol	L: 0 C: 0
SWC-127	Pass	Arbitrary Jump with Function Type Variable.	santa.sol	L: 0 C: 0





ID	Severity	Name	File	location
SWC-128	Pass	DoS With Block Gas Limit.	santa.sol	L: 0 C: 0
SWC-129	Pass	Typographical Error.	santa.sol	L: 0 C: 0
SWC-130	Pass	Right-To-Left-Override control character (U +202E).	santa.sol	L: 0 C: 0
SWC-131	Pass	Presence of unused variables.	santa.sol	L: 0 C: 0
SWC-132	Pass	Unexpected Ether balance.	santa.sol	L: 0 C: 0
SWC-133	Pass	Hash Collisions with Multiple Variable Length Arguments.	santa.sol	L: 0 C: 0
SWC-134	Pass	Message call with hardcoded gas amount.	santa.sol	L: 0 C: 0
SWC-135	Pass	Code With No Effects (Irrelevant/Dead Code).	santa.sol	L: 0 C: 0
SWC-136	Pass	Unencrypted Private Data On-Chain.	santa.sol	L: 0 C: 0


We scan the contract for additional security issues using MYTHX and industry-standard security scanning tools.





## **Inheritance**

The contract for Santa has the following inheritance structure.







## **Smart Contract Advance Checks**

ID	Severity	Name	Result	Status
SANTA-01	Minor	Potential Sandwich Attacks.	Pass	Not-Found
SANTA-02	Minor	Function Visibility Optimization	Pass	Not-Found
SANTA-03	Minor	Lack of Input Validation.	Pass	Not-Found
SANTA-04	Major	Centralized Risk In addLiquidity.	Pass	Not Found
SANTA-05	Major	Missing Event Emission.	Pass	Not-Found
SANTA-06	Minor	Conformance with Solidity Naming Conventions.	Pass	Not Found
SANTA-07	Minor	State Variables could be Declared Constant.	Pass	Not Found
SANTA-08	Major	Dead Code Elimination.	Pass	Not-Found
SANTA-09	Major	Third Party Dependencies.	Pass	Not Found
SANTA-10	Major	Initial Token Distribution.	Pass	Not-Found
SANTA-11	Informational	excludeFromDividends can be called and is missing an Include Function to revert action.	Pass	Not Found
SANTA-12	Major	Centralization Risks In The X Role	Pass	Not Found
SANTA-13	Informational	Extra Gas Cost For User	Pass	Not-Found
SANTA-14	Informational	Unnecessary Use Of SafeMath	Pass	Not-Found





## **Social Media Checks**

Social Media	URL	Result
Twitter	https://twitter.com/santa_club_xyz	Pass
Other	https://www.instagram.com/ santa_club_official/	Pass
Website	https://santaclub.xyz/	Pass
Telegram	https://t.me/santa_club	Pass

We recommend to have 3 or more social media sources including a completed working websites.

Social Media Information Notes:

**Auditor Notes: undefined** 







## **Assessment Results**

#### **Score Results**

Review	Score
Overall Score	100/100
Auditor Score	95/100
Review by Section	Score
Manual Scan Score	35/35
SWC Scan Score	37 /37
Advance Check Score	28 /28

The Following Score System Has been Added to this page to help understand the value of the audit, the maximun score is 100, however to attain that value the project most pass and provide all the data needed for the assessment. Our Passing Score has been changed to 80 Points, if a project does not attain 80% is an automatic failure. Read our notes and final assessment below.

#### **Audit Passed**







#### **Assessment Results**

#### **Important Notes:**

- Contract Developed by RugFreeCoins.
- No high-risk Exploits/Vulnerabilities Were Found in the Source Code.
- Source Code is current and clean, with no issue as this is a standard token with O fees.

# Auditor Score = 95 Audit Passed







## **Appendix**

#### **Finding Categories**

#### **Centralization / Privilege**

Centralization / Privilege findings refer to either feature logic or implementation of components that actagainst the nature of decentralization, such as explicit ownership or specialized access roles incombination with a mechanism to relocate funds.

#### **Gas Optimization**

Gas Optimization findings do not affect the functionality of the code but generate different, more optimalEVM opcodes resulting in a reduction on the total gas cost of a transaction.

#### **Logical Issue**

Logical Issue findings detail a fault in the logic of the linked code, such as an incorrect notion on howblock.timestamp works.

#### **Control Flow**

Control Flow findings concern the access control imposed on functions, such as owneronly functionsbeing invoke-able by anyone under certain circumstances.

#### **Volatile Code**

Volatile Code findings refer to segments of code that behave unexpectedly on certain edge cases that mayresult in a vulnerability.

#### **Coding Style**

Coding Style findings usually do not affect the generated byte-code but rather comment on how to makethe codebase more legible and, as a result, easily maintainable.

#### **Inconsistency**

Inconsistency findings refer to functions that should seemingly behave similarly yet contain different code, such as a constructor assignment imposing different require statements on the input variables than a setterfunction.

#### **Coding Best Practices**

ERC 20 Conding Standards are a set of rules that each developer should follow to ensure the code meet a set of creterias and is readable by all the developers.





#### Disclaimer

CFGNINJA has conducted an independent security assessment to verify the integrity of and highlight any vulnerabilities or errors, intentional or unintentional, that may be present in the reviewed code for the scope of this assessment. This report does not constitute agreement, acceptance, or advocation for the Project, and users relying on this report should not consider this as having any merit for financial advice in any shape, form, or nature. The contracts audited do not account for any economic developments that the Project in question may pursue, and the veracity of the findings thus presented in this report relate solely to the proficiency, competence, aptitude, and discretion of our independent auditors, who make no guarantees nor assurance that the contracts are entirely free of exploits, bugs, vulnerabilities or deprecation of technologies.

All information provided in this report does not constitute financial or investment advice, nor should it be used to signal that any persons reading this report should invest their funds without sufficient individual due diligence, regardless of the findings presented. Information is provided 'as is, and CFGNINJA is under no covenant to audited completeness, accuracy, or solidity of the contracts. In no event will CFGNINJA or its partners, employees, agents, or parties related to the provision of this audit report be liable to any parties for, or lack thereof, decisions or actions with regards to the information provided in this audit report.

The assessment services provided by CFGNINJA are subject to dependencies and are under continuing development. You agree that your access or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis. Cryptographic tokens are emergent technologies with high levels of technical risk and uncertainty. The assessment reports could include false positives, negatives, and unpredictable results. The services may access, and depend upon, multiple layers of third parties.



