

# SECURITY ASSESSMENT HyperSwap Al Staking

September 12, 2025 Audit Status: Fail





CFG Ninja Verified on September 12, 2025

## HyperSwap Al



#### **Executive Summary**

TYPES ECOSYSTEM LANGUAGE

DeFi Solana RUST

O Resolved, 1 Pending

#### **Timeline**



## **Vulnerability Summary**

1 Critical



1 High	O Resolved, 1 Pending	High-risk vulnerabilities have the potential to cause significant harm to the smart contract or the system. While not as severe as critical risks, they can still result in financial losses, data breaches, or denial of service attacks.
2 Medium	0 Resolved, 2 Pending	Medium-risk vulnerabilities pose a moderate level of risk to the smart contracts security and functionality. They may not have an immediate and severe impact but can still lead to potential issues if exploited. These risks should be addressed to ensure the contracts overall security.
2 Low	0 Resolved, 2 Pending	Low-risk vulnerabilities have a minimal impact on the smart contracts security and functionality. They may not pose a significant threat, but it is still advisable to address them to maintain a robust security posture

Critical risks are the most severe and can have a significant impact on the smart

contracts functionality, security, or the entire system. These vulnerabilities can lead to the loss of user funds, unauthorized access, or complete system compromise.

CFG.NINJA Page 1 of 23



1 Informational

O Resolved, 1 Pending

Informational risks are not actual vulnerabilities but provide useful information about potential improvements or best practices. These findings may include suggestions for code optimizations, documentation enhancements, or other non-critical areas for improvement.

CFG.NINJA Page 2 of 23





## I Token Summary

Parameter	Result
Address	
Name	HyperSwap AI
Token Tracker	HyperSwap AI (HyperSwap AI)
Decimals	0
Supply	0
Platform	Solana
Compiler	NONE
Contract Name	HyperSwap AI
Optimization	Yes with 200 runs
LicenseType	MIT
Language	RUST
Codebase	

CFG.NINJA Page 3 of 23



## Token Summary - Solana

Parameter	Result
Address	
Name	HyperSwap AI
Token Tracker	HyperSwap AI (HyperSwap AI)
Decimals	0
Supply	0
Platform	Solana
Program	
Creator Name	TBD
Creation Site	TBD
Language	RUST
Image	Not Live
Metadata File Type	JSON
Solana Source	Not Live.

CFG.NINJA Page 4 of 23



#### Metaplex Metadata (on-chain data)

Solana metadata refers to the additional information associated with a digital asset or NFT (Non-Fungible Token) on the Solana blockchain. It includes details such as the name, description, image, attributes, and other relevant data about the asset.

In the context of Solana, metadata is typically stored in a JSON format and is linked to the asset's unique identifier or token ID. This metadata provides important information about the asset, allowing users and applications to understand and interact with it.

Solana metadata can be used for various purposes, including displaying asset information in marketplaces, creating rich visual representations of NFTs, and enabling advanced functionalities like royalties, provenance tracking, and interoperability across different platforms.

It's worth noting that the specific structure and content of Solana metadata can vary depending on the project or application that utilizes the Solana blockchain.

```
Wetaplex Metadata (on-chain data)

Troot*: { 12 Items

"key": im 4

"updateAuthority": string "H7VXX4XcsSFz2EFkbfSDGWgCZLxVRuRpE9cxtvyJqXqv"

"mint*: string "J8wgMHpcMSH1zSbtUGiFE5nBKTmZnmEYKv6WLdNJrVXB"

Tdata*: { 4 Items

"name": string "Libra Finance*

"symbol": string "Libra Finance*

"symbol": string "https://bafkreidmxkxdzrsrgcut53pbb7lve6hmajtdlmodgs24nuk6jnyyrzl5iq.lpfs.nftstorage.link*

"sellerFeeBasisPoints": imt 800

}

"primarySaleHappened": imt 0

"IsMutable": imt 1

"editionNonce": imt 255

"tokenStandard": imt 255

"tokenStandard": imt 2

"name": string "Libra Finance"

"symbol": string "Libra Finance"

"symbol": string "Libra Finance"
```

CFG.NINJA Page 5 of 23



## HyperSwap Al | Metadata Results.


Parameter	Value	Description
key	4	This is an integer value (int4) that represents the key associated with the root object.
updateAuthority	TBD	This is a string value that represents the update authority for the program.
mint	TBD	This is a string value that represents the mint address for the program.
name	HyperSwap Al	This is a string value that represents the name of the token.
symbol	HyperSwap Al	This is a string value that represents the symbol of the token.
uri	TBD	This is a string value that represents the URI (Uniform Resource Identifier) of the token.
sellerFeeBasisPoints	0	This is an integer value (int0) that represents the seller fee basis points for the token
primarySaleHappened	0	This is an integer value (int0) that indicates whether the primary sale of the token has happened.
isMutable	1	This is an integer value (int1) that indicates whether the token is mutable. The specific value is 1, which suggests that the token is mutable. and 0 suggest is not mutable.
editionNonce	254	This is an integer value (int255) that represents the edition nonce for the token.
tokenStandard	2	This is an integer value (int2) that represents the token standard for the program.

CFG.NINJA Page 6 of 23



#### URI Metadata

URI metadata in Solana refers to the metadata associated with a token that is retrieved from its URI (Uniform Resource Identifier). In this case, the token's URI is TBD.




CFG.NINJA Page 7 of 23



## What is a Staking Contract?

A smart contract which allows users to stake and un-stake a specified ERC20 token. Staked tokens are locked for a specific length of time (set by the contrat owner at the outset). Once the time period has elapsed, the user can remove their tokens again.



CFG.NINJA Page 8 of 23



### Reentrancy Check


The Project Owners of HyperSwap AI have not configure the Reentrancy Guard library.

You can read more about Reentrancy issues in the following link.

## Reentrancy After Istanbul.

We recommend the team to add the library to the contract to avoid potential issues.

We recommend the team to create a new contract with Reentrancy Guard added to the same.



CFG.NINJA Page 9 of 23



## TECHNICAL FINDINGS HyperSwap Al.

Smart contract security audits classify risks into several categories: Critical, High, Medium, Low, and Informational. These classifications help assess the severity and potential impact of vulnerabilities found in smart contracts.

#### Classification of Risk

Severity	Description
Critical	Critical risks are the most severe and can have a significant impact on the smart contracts functionality, security, or the entire system. These vulnerabilities can lead to the loss of user funds, unauthorized access, or complete system compromise.
High	High-risk vulnerabilities have the potential to cause significant harm to the smart contract or the system. While not as severe as critical risks, they can still result in financial losses, data breaches, or denial of service attacks.
Medium	Medium-risk vulnerabilities pose a moderate level of risk to the smart contracts security and functionality. They may not have an immediate and severe impact but can still lead to potential issues if exploited. These risks should be addressed to ensure the contracts overall security.
Low	Low-risk vulnerabilities have a minimal impact on the smart contracts security and functionality. They may not pose a significant threat, but it is still advisable to address them to maintain a robust security posture.
1 Informational	Informational risks are not actual vulnerabilities but provide useful information about potential improvements or best practices. These findings may include suggestions for code optimizations, documentation enhancements, or other non-critical areas for improvement.

By categorizing risks into these classifications, smart contract security audits can prioritize the resolution of critical and high-risk vulnerabilities to ensure the contract's overall security and protect user funds and data.

CFG.NINJA Page 10 of 23



## I HyperSwap AI-20 | Potential Overflow in Referral Levels Calculation.

Category	Severity	Location	Status
Logic	Low	claim_rewards.rs: claim_rewards.rs:90, deposit_rewards.rs:49	Detected

### **Description**

Unchecked arithmetic found in claim\_rewards.rs and deposit\_rewards.rs..

#### Recommendation

Add checks to prevent overflow and ensure calculations are within expected bounds..

## Mitigation

#### References:

Writing Clean Code for Solidity: Best Practices for Solidity Development

CFG.NINJA Page 11 of 23



## HyperSwap Al-21 | Lack of Input Validation for setTradingBot.

Category	Severity	Location	Status
Validation	Medium	claim_rewards.rs: set_purchase_time.rs:27–32	Detected

## **Description**

Input validation issues found in set\_purchase\_time.rs..

### Recommendation

Implement checks to ensure the address is a valid contract or user..

## Mitigation

#### References:

Writing Clean Code for Solidity: Best Practices for Solidity Development

CFG.NINJA Page 12 of 23



## HyperSwap Al-22 | Insufficient Balance Check Before Transfers.

Category	Severity	Location	Status
Security	High	claim_rewards.rs: claim_rewards.rs:74–93	Detected

## **Description**

Insufficient balance checks before transfers in claim\_rewards.rs..

#### Recommendation

Ensure balance checks are done immediately before transfers..

## Mitigation

#### References:

Writing Clean Code for Solidity: Best Practices for Solidity Development

CFG.NINJA Page 13 of 23





## HyperSwap Al-23 | Unverified Trading Bot Address.

Category	Severity	Location	Status
Security	Critical	claim_rewards.rs: set_purchase_time.rs:7–18	Detected

## **Description**

No authority validation for trading bot in set\_purchase\_time.rs..

#### Recommendation

Implement checks to verify the trading bot's authenticity and permissions..

## Mitigation

#### References:

Writing Clean Code for Solidity: Best Practices for Solidity Development

CFG.NINJA Page 14 of 23



## HyperSwap Al-24 | Missing Fallback Function.

Category	Severity	Location	Status
Best Practice	i Low	claim_rewards.rs: lib.rs:54– 98	Detected

## **Description**

No fallback function, but missing error handling in lib.rs..

#### Recommendation

Implement error handling for unexpected calls and ensure all entry points are handled..

## Mitigation

#### References:

Writing Clean Code for Solidity: Best Practices for Solidity Development

CFG.NINJA Page 15 of 23





## HyperSwap Al-25 | No Limit on Daily Returns and Lock Periods.

Category	Severity	Location	Status
Business Logic	Medium	claim_rewards.rs: SecureAd minProxy(addHyperSwap AIPlan (Line 142),updateHyperSwap AIPlan (Line 161)	Detected

## **Description**

The contract allows unlimited daily returns and lock periods, which could be misused..

#### Recommendation

Implement reasonable limits for daily returns and lock periods..

## Mitigation

#### References:

Writing Clean Code for Solidity: Best Practices for Solidity Development

CFG.NINJA Page 16 of 23



## HyperSwap Al-26 | Admin Functionality Toggle is Irreversible.

Category	Severity	Location	Status	
Business Logic	i Informational	claim_rewards.rs: N/A	Detected	

## **Description**

No irreversible admin toggle found in staking contracts..

#### Recommendation

Clearly document this behavior and ensure it is intentional..

## Mitigation

#### References:

CFG.NINJA Page 17 of 23



#### **I FINDINGS**

In this document, we present the findings and results of the smart contract security audit. The identified vulnerabilities, weaknesses, and potential risks are outlined, along with recommendations for mitigating these issues. It is crucial for the team to address these findings promptly to enhance the security and trustworthiness of the smart contract code.

Severity	Found	Pending	Resolved
<ul><li>Critical</li></ul>	1	1	0
High	1	1	0
Medium	1	2	0
Low	1	2	0
1 Informational	3	1	0
Total	7	7	0

In a smart contract, a technical finding summary refers to a compilation of identified issues or vulnerabilities discovered during a security audit. These findings can range from coding errors and logical flaws to potential security risks. It is crucial for the project owner to thoroughly review each identified item and take necessary actions to resolve them. By carefully examining the technical finding summary, the project owner can gain insights into the weaknesses or potential threats present in the smart contract. They should prioritize addressing these issues promptly to mitigate any risks associated with the contract's security. Neglecting to address any identified item in the security audit can expose the smart contract to significant risks. Unresolved vulnerabilities can be exploited by malicious actors, potentially leading to financial losses, data breaches, or other detrimental consequences. To ensure the integrity and security of the smart contract, the project owner should engage in a comprehensive review process. This involves understanding the nature and severity of each identified item, consulting with experts if needed, and implementing appropriate fixes or enhancements. Regularly updating and maintaining the smart contract's codebase is also essential to address any emerging security concerns. By diligently reviewing and resolving all identified items in the technical finding summary, the project owner can significantly reduce the risks associated with the smart contract and enhance its overall security posture.

CFG.NINJA Page 18 of 23



## SOCIAL MEDIA CHECKS HyperSwap Al.

Social Media	URL	Result
Website	https://www.hyperswap.ai/	Pass
Telegram		Pass
Twitter	https://x.com/hyperswapai	Pass
Facebook		N/A
Reddit	N/A	N/A
Instagram	N/A	N/A
CoinGecko		Fail
Github		
CMC		Fail
Email		Contact
Other		N/A

From a security assessment standpoint, inspecting a project's social media presence is essential. It enables the evaluation of the project's reputation, credibility, and trustworthiness within the community. By analyzing the content shared, engagement levels, and the response to any security-related incidents, one can assess the project's commitment to security practices and its ability to handle potential threats.

#### **Social Media Information Notes:**

Auditor Notes: Website needs a bit of improvement.

**Project Owner Notes:** 

CFG.NINJA Page 19 of 23



### Assessment Results

### Final Audit Score HyperSwap Al.

Review	Score
Security Score	75
Auditor Score	75

Our security assessment or audit score system for the smart contract and project follows a comprehensive evaluation process to ensure the highest level of security. The system assigns a score based on various security parameters and benchmarks, with a passing score set at 80 out of a total attainable score of 100. The assessment process includes a thorough review of the smart contracts codebase, architecture, and design principles. It examines potential vulnerabilities, such as code bugs, logical flaws, and potential attack vectors. The evaluation also considers the adherence to best practices and industry standards for secure coding. Additionally, the system assesses the projects overall security measures, including infrastructure security, data protection, and access controls. It evaluates the implementation of encryption, authentication mechanisms, and secure communication protocols. To achieve a passing score, the smart contract and project must attain a minimum of 80 points out of the total attainable score of 100. This ensures that the system has undergone a rigorous security assessment and meets the required standards for secure operation.



CFG.NINJA Page 20 of 23



## Important Notes for HyperSwap AI

- HyperSwap AI is a staking contract deployed on the Solana blockchain, developed in Rust.
- This audit covers the main contract files, including claim\_rewards.rs, deposit\_rewards.rs, initialize.rs, mod.rs, pause.rs, set\_purchase\_time.rs, snapshot.rs, stake.rs, unstake.rs, lib.rs, and validation.rs.
- The audit was performed using tool version 3.4 on September 12, 2025.
- The project received a Security Score of 75 and an Auditor Score of 75.
- Recommendations:
- - Address all Fail findings above before the next audit.
- - Ensure all code changes are reflected in future audits.
- Additional Notes:
- A custom audit.md was provided to customer with code specifics that need remediations.
- Conclusion:
- The audit status is classified as FAIL due to the presence of six unresolved findings, including one critical and one high-severity issue.
- These issues must be addressed to ensure the security and reliability of the HyperSwap AI staking contract.
- The project demonstrates good progress in several areas, but improvements are required before a passing of the project demonstrates good progress in several areas, but improvements are

Page 21 of 23



### Appendix

#### **Finding Categories**

#### Centralization / Privilege

Centralization / Privilege findings refer to either feature logic or implementation of components that actagainst the nature of decentralization, such as explicit ownership or specialized access roles incombination with a mechanism to relocate funds.

#### **Gas Optimization**

Gas Optimization findings do not affect the functionality of the code but generate different, more optimalEVM opcodes resulting in a reduction on the total gas cost of a transaction.

#### **Logical Issue**

Logical Issue findings detail a fault in the logic of the linked code, such as an incorrect notion on howblock.timestamp works.

#### **Control Flow**

Control Flow findings concern the access control imposed on functions, such as owneronly functionsbeing invoke-able by anyone under certain circumstances.

#### **Volatile Code**

Volatile Code findings refer to segments of code that behave unexpectedly on certain edge cases that mayresult in a vulnerability.

#### Coding Style

Coding Style findings usually do not affect the generated byte-code but rather comment on how to makethe codebase more legible and, as a result, easily maintainable.

#### Inconsistency

Inconsistency findings refer to functions that should seemingly behave similarly yet contain different code, such as a constructor assignment imposing different require statements on the input variables than a setterfunction.

#### **Coding Best Practices**

ERC 20 Conding Standards are a set of rules that each developer should follow to ensure the code meet a set of creterias and is readable by all the developers.

CFG.NINJA Page 22 of 23



#### Disclaimer

The purpose of this disclaimer is to outline the responsibilities and limitations of the security assessment and smart contract audit conducted by Bladepool/CFG NINJA. By engaging our services, the project owner acknowledges and agrees to the following terms:

1. Limitation of Liability: Bladepool/CFG NINJA shall not be held liable for any damages, losses, or expenses incurred as a result of any contract malfunctions, vulnerabilities, or exploits discovered during the security assessment and smart contract audit. The project owner assumes full responsibility for any consequences arising from the use or implementation of the audited smart contract. 2. No Guarantee of Absolute Security: While Bladepool/CFG NINJA employs industry-standard practices and methodologies to identify potential security risks, it is important to note that no security assessment or smart contract audit can provide an absolute guarantee of security. The project owner acknowledges that there may still be unknown vulnerabilities or risks that are beyond the scope of our assessment. 3. Transfer of Responsibility: By engaging our services, the project owner agrees to assume full responsibility for addressing and mitigating any identified vulnerabilities or risks discovered during the security assessment and smart contract audit. It is the project owner's sole responsibility to ensure the proper implementation of necessary security measures and to address any identified issues promptly. 4. Compliance with Applicable Laws and Regulations: The project owner acknowledges and agrees to comply with all applicable laws, regulations, and industry standards related to the use and implementation of smart contracts. Bladepool/CFG NINJA shall not be held responsible for any non-compliance by the project owner. 5. Third-Party Services: The security assessment and smart contract audit conducted by Bladepool/CFG NINJA may involve the use of thirdparty tools, services, or technologies. While we exercise due diligence in selecting and utilizing these resources, we cannot be held liable for any issues or damages arising from the use of such third-party services. 6. Confidentiality: Bladepool/CFG NINJA maintains strict confidentiality regarding all information and data obtained during the security assessment and smart contract audit. However, we cannot guarantee the security of data transmitted over the internet or through any other means. 7. Not a Financial Advice: Bladepool/CFG NINJA please note that the information provided in the security assessment or audit should not be considered as financial advice. It is always recommended to consult with a financial professional or do thorough research before making any investment decisions.

By engaging our services, the project owner acknowledges and accepts these terms and releases Bladepool/CFG NINJA from any liability, claims, or damages arising from the security assessment and smart contract audit. It is recommended that the project owner consult legal counsel before entering into any agreement or contract.

