



CFG NINJA AUDITS

Security Assessment

ALCABOT Token

August 7, 2023

Audit Status: Pass

Audit Edition: Advance



ALCABOT












POWERED BY
BLADE POOL

Risk Analysis

















Classifications of Manual Risk Results

Classification	Description
 Critical	Danger or Potential Problems.
 Major	Be Careful or Fail test.
 Minor	Pass, Not-Detected or Safe Item.
 Informational	Function Detected

Manual Code Review Risk Results

Contract Priviledge	Description
 Buy Tax	3
 Sale Tax	3
 Cannot Buy	Pass
 Cannot Sale	Pass
 Max Tax	3
 Modify Tax	Not-Detected
 Fee Check	Pass
 Is Honeypot?	Not detected
 Trading Cooldown	Not Detected
 Can Pause Trade?	Pass
 Pause Transfer?	Not-Detected



Contract Priviledge	Description
 Max Tx?	Pass
 Is Anti Whale?	Not Detected
 Is Anti Bot?	Not Detected
 Is Blacklist?	Not Detected
 Blacklist Check	Pass
 is Whitelist?	Not Detected
 Can Mint?	Pass
 Is Proxy?	Not Detected
 Can Take Ownership?	Not detected
 Hidden Owner?	Not detected
 Owner	0xea6843cb72fcd0aeba6689eb7d2569c706192b21
 Self Destruct?	Not Detected
 Other?	Not detected
 Other?	Not detected
 Holders	2
 Auditor Confidence	High

The following quick summary it's added to the project overview; however, there are more details about the audit and its results. Please read every detail.



Project Overview

Token Summary

Parameter	Result
Address	0xf7c52E44488D2DF27494dd991FEbfE1989F64B9C
Name	ALCABOT
Token Tracker	ALCABOT (ALCABOT)
Decimals	18
Supply	100,000,000
Platform	Binance Smart Chain
compiler	v0.8.19+commit.7dd6d404
Contract Name	ALCABOT
Optimization	Yes with 200 runs
LicenseType	MIT
Language	Solidity
Codebase	https://bscscan.com/address/0xf7c52E44488D2DF27494dd991FEbfE1989F64B9C#code
Payment Tx	0x58250528c55a6a867149b36e19a017b973b45d7c1ff17d2406e062d85bc86123



Main Contract Assessed Contract Name

Name	Contract	Live
ALCABOT	0xf7c52E44488D2DF27494dd991FEbfE1989F64B9C	Yes

TestNet Contract Assessed Contract Name

Name	Contract	Live
ALCABOT	0x81317BE6605aeC0cA26b86A683729f9C182e62A1	Yes

Solidity Code Provided

SolID	File Sha-1	FileName
ALCABOT	490f74246b3f7b48d3ca1cf8df3d1aa01a1324c1	ALCABOT.sol
ALCABOT		
ALCABOT		
ALCABOT		



Smart Contract Vulnerability Checks

The Smart Contract Weakness Classification Registry (SWC Registry) is an implementation of the weakness classification scheme proposed in EIP-1470. It is loosely aligned to the terminologies and structure used in the Common Weakness Enumeration (CWE) while overlaying a wide range of weakness variants that are specific to smart contracts.

ID	Severity	Name	File	location
SWC-100	Pass	Function Default Visibility	ALCABOT.sol	L: 0 C: 0
SWC-101	Pass	Integer Overflow and Underflow.	ALCABOT.sol	L: 0 C: 0
SWC-102	Pass	Outdated Compiler Version file.	ALCABOT.sol	L: 0 C: 0
SWC-103	Pass	A floating pragma is set.	ALCABOT.sol	L: 0 C: 0
SWC-104	Pass	Unchecked Call Return Value.	ALCABOT.sol	L: 0 C: 0
SWC-105	Pass	Unprotected Ether Withdrawal.	ALCABOT.sol	L: 0 C: 0
SWC-106	Pass	Unprotected SELFDESTRUCT Instruction	ALCABOT.sol	L: 0 C: 0
SWC-107	Pass	Read of persistent state following external call.	ALCABOT.sol	L: 0 C: 0
SWC-108	Pass	State variable visibility is not set..	ALCABOT.sol	L: 0 C: 0
SWC-109	Pass	Uninitialized Storage Pointer.	ALCABOT.sol	L: 0 C: 0
SWC-110	Pass	Assert Violation.	ALCABOT.sol	L: 0 C: 0



ID	Severity	Name	File	location
SWC-111	Pass	Use of Deprecated Solidity Functions.	ALCABOT.sol	L: 0 C: 0
SWC-112	Pass	Delegate Call to Untrusted Callee.	ALCABOT.sol	L: 0 C: 0
SWC-113	Pass	Multiple calls are executed in the same transaction.	ALCABOT.sol	L: 0 C: 0
SWC-114	Pass	Transaction Order Dependence.	ALCABOT.sol	L: 0 C: 0
SWC-115	Pass	Authorization through tx.origin.	ALCABOT.sol	L: 0 C: 0
SWC-116	Pass	A control flow decision is made based on The block.timestamp environment variable.	ALCABOT.sol	L: 0 C: 0
SWC-117	Pass	Signature Malleability.	ALCABOT.sol	L: 0 C: 0
SWC-118	Pass	Incorrect Constructor Name.	ALCABOT.sol	L: 0 C: 0
SWC-119	Pass	Shadowing State Variables.	ALCABOT.sol	L: 0 C: 0
SWC-120	Pass	Potential use of block.number as source of randommness.	ALCABOT.sol	L: 0 C: 0
SWC-121	Pass	Missing Protection against Signature Replay Attacks.	ALCABOT.sol	L: 0 C: 0
SWC-122	Pass	Lack of Proper Signature Verification.	ALCABOT.sol	L: 0 C: 0
SWC-123	Pass	Requirement Violation.	ALCABOT.sol	L: 0 C: 0
SWC-124	Pass	Write to Arbitrary Storage Location.	ALCABOT.sol	L: 0 C: 0
SWC-125	Pass	Incorrect Inheritance Order.	ALCABOT.sol	L: 0 C: 0




ID	Severity	Name	File	location
SWC-126	Pass	Insufficient Gas Griefing.	ALCABOT.sol	L: 0 C: 0
SWC-127	Pass	Arbitrary Jump with Function Type Variable.	ALCABOT.sol	L: 0 C: 0
SWC-128	Pass	DoS With Block Gas Limit.	ALCABOT.sol	L: 0 C: 0
SWC-129	Pass	Typographical Error.	ALCABOT.sol	L: 0 C: 0
SWC-130	Pass	Right-To-Left-Override control character (U +202E).	ALCABOT.sol	L: 0 C: 0
SWC-131	Pass	Presence of unused variables.	ALCABOT.sol	L: 0 C: 0
SWC-132	Pass	Unexpected Ether balance.	ALCABOT.sol	L: 0 C: 0
SWC-133	Pass	Hash Collisions with Multiple Variable Length Arguments.	ALCABOT.sol	L: 0 C: 0
SWC-134	Pass	Message call with hardcoded gas amount.	ALCABOT.sol	L: 0 C: 0
SWC-135	Pass	Code With No Effects (Irrelevant/Dead Code).	ALCABOT.sol	L: 0 C: 0
SWC-136	Pass	Unencrypted Private Data On-Chain.	ALCABOT.sol	L: 0 C: 0

We scan the contract for additional security issues using MYTHX and industry-standard security scanning tools.



Inheritance

The contract for ALCABOT has the following inheritance structure.



Smart Contract Advance Checks

ID	Severity	Name	Result	Status
ALCABOT-01	Minor	Potential Sandwich Attacks.	Pass	Not-Found
ALCABOT-02	Minor	Function Visibility Optimization	Pass	Not-Detected
ALCABOT-03	Minor	Lack of Input Validation.	Pass	Not-Detected
ALCABOT-04	Major	Centralized Risk In addLiquidity.	Pass	Not-Detected
ALCABOT-05	Minor	Missing Event Emission.	Pass	Not-Detected
ALCABOT-06	Minor	Conformance with Solidity Naming Conventions.	Pass	Not-Detected
ALCABOT-07	Minor	State Variables could be Declared Constant.	Pass	Not-Found
ALCABOT-08	Minor	Dead Code Elimination.	Pass	Not-Found
ALCABOT-09	Major	Third Party Dependencies.	Pass	Not-Found
ALCABOT-10	Major	Initial Token Distribution.	Pass	Not-Found
ALCABOT-11	Minor	Multisend is present in code.	Pass	Not-Detected
ALCABOT-12	Major	Centralization Risks In The X Role	Pass	Not-Found
ALCABOT-13	Informational	Extra Gas Cost For User..	Pass	Not-Found



ID	Severity	Name	Result	Status
ALCABOT-6	Medium	Unnecessary Use Of SafeMath	Pass	Not-Detected
ALCABOT-15	Medium	Symbol Length Limitation due to Solidity Naming Standards.	Pass	Not-Found
ALCABOT-16	Medium	Invalid collection of Taxes during Transfer.	Pass	Not-Found
ALCABOT-17	Informational	Conformance to numeric notation best practice.	Pass	Not-Found
ALCABOT-18	Medium	Stop Transactions by using Enable Trade.	Pass	Not-Detected








Technical Findings Summary

Classification of Risk

Severity	Description
 Critical	Risks are those that impact the safe functioning of a platform and must be addressed before launch. Users should not invest in any project with outstanding critical risks.
 Major	Risks can include centralization issues and logical errors. Under specific circumstances, these major risks can lead to loss of funds and/or control of the project.
 Medium	Risks may not pose a direct risk to users' funds, but they can affect the overall functioning of a platform
 Minor	Risks can be any of the above but on a smaller scale. They generally do not compromise the overall integrity of the Project, but they may be less efficient than other solutions.
 Informational	Errors are often recommended to improve the code's style or certain operations to fall within industry best practices. They usually do not affect the overall functioning of the code.

Findings

Severity	Found	Pending	Resolved
 Critical	0	0	0
 Major	0	0	0
 Medium	0	0	0
 Minor	0	0	0
 Informational	0	0	0
Total	0	0	0



Social Media Checks

Social Media	URL	Result
Twitter	Twitter.com/hialcabot	Pass
Other		Fail
Website	Alcabot.xyz	Pass
Telegram	T.me/alcabotww	Pass

We recommend to have 3 or more social media sources including a completed working websites.

Social Media Information Notes:

Auditor Notes: undefined

Project Owner Notes:



Assessment Results

Score Results

Review	Score
Overall Score	93/100
Auditor Score	87/100
Review by Section	Score
Manual Scan Score	36/53
SWC Scan Score	37 /37
Advance Check Score	20 /19

The Following Score System Has been Added to this page to help understand the value of the audit, the maximum score is 100, however to attain that value the project must pass and provide all the data needed for the assessment. Our Passing Score has been changed to 80 Points, if a project does not attain 80% is an automatic failure. Read our notes and final assessment below.

Audit Passed



Assessment Results

Important Notes:

- Owner can't set max tx amount.■
- No high-risk Exploits/Vulnerabilities Were Found in the Source Code.■
- Contract has been developed by Freddy and follow the coding best practices, we have fully tested the code and its functionalities.

Auditor Score =87
Audit Passed



Appendix

Finding Categories

Centralization / Privilege

Centralization / Privilege findings refer to either feature logic or implementation of components that act against the nature of decentralization, such as explicit ownership or specialized access roles in combination with a mechanism to relocate funds.

Gas Optimization

Gas Optimization findings do not affect the functionality of the code but generate different, more optimal EVM opcodes resulting in a reduction on the total gas cost of a transaction.

Logical Issue

Logical Issue findings detail a fault in the logic of the linked code, such as an incorrect notion on how block.timestamp works.

Control Flow

Control Flow findings concern the access control imposed on functions, such as owner-only functions being invoke-able by anyone under certain circumstances.

Volatile Code

Volatile Code findings refer to segments of code that behave unexpectedly on certain edge cases that may result in a vulnerability.

Coding Style

Coding Style findings usually do not affect the generated byte-code but rather comment on how to make the codebase more legible and, as a result, easily maintainable.

Inconsistency

Inconsistency findings refer to functions that should seemingly behave similarly yet contain different code, such as a constructor assignment imposing different requirements on the input variables than a setter function.

Coding Best Practices

ERC 20 Coding Standards are a set of rules that each developer should follow to ensure the code meets a set of criteria and is readable by all the developers.



Disclaimer

CFGNINJA has conducted an independent security assessment to verify the integrity of and highlight any vulnerabilities or errors, intentional or unintentional, that may be present in the reviewed code for the scope of this assessment. This report does not constitute agreement, acceptance, or advocacy for the Project, and users relying on this report should not consider this as having any merit for financial advice in any shape, form, or nature. The contracts audited do not account for any economic developments that the Project in question may pursue, and the veracity of the findings thus presented in this report relate solely to the proficiency, competence, aptitude, and discretion of our independent auditors, who make no guarantees nor assurance that the contracts are entirely free of exploits, bugs, vulnerabilities or deprecation of technologies.

All information provided in this report does not constitute financial or investment advice, nor should it be used to signal that any persons reading this report should invest their funds without sufficient individual due diligence, regardless of the findings presented. Information is provided 'as is, and CFGNINJA is under no covenant to audited completeness, accuracy, or solidity of the contracts. In no event will CFGNINJA or its partners, employees, agents, or parties related to the provision of this audit report be liable to any parties for, or lack thereof, decisions or actions with regards to the information provided in this audit report.

The assessment services provided by CFGNINJA are subject to dependencies and are under continuing development. You agree that your access or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis. Cryptographic tokens are emergent technologies with high levels of technical risk and uncertainty. The assessment reports could include false positives, negatives, and unpredictable results. The services may access, and depend upon, multiple layers of third parties.

