

SECURITY ASSESSMENT RawDog STAKING

January 15, 2025 Audit Status: Fail







RISK ANALYSIS RawDog.

■ Classifications of Manual Risk Results

Classification	Description
Critical	Danger or Potential Problems.
High	Be Careful or Fail test.
Medium	Improve is needed.
Low	Pass, Not-Detected or Safe Item.
1 Informational	Function Detected

Manual Code Review Risk Results

Manual Code Review Risk	Results	
Contract Security	Description	
Buy Tax	0%	
Sale Tax	0%	
Cannot Buy	Pass	
Cannot Sale	Pass	
Max Tax	1%	
Modify Tax	No	
Fee Check	Pass	
Is Honeypot?	Not Detected	
Trading Cooldown	Not Detected	
Enable Trade?	True	
Pause Transfer?	Not Detected	

CFG.NINJA Page 1 of 19



Contract Security	Description
Max Tx?	Pass
Is Anti Whale?	Not Detected
Is Anti Bot?	Not Detected
Is Blacklist?	Not Detected
Blacklist Check	Pass
is Whitelist?	Pass
Can Mint?	Pass
Is Proxy?	Not Detected
Can Take Ownership?	Not Detected
Hidden Owner?	Not Detected
1 Owner	TokenzQdBNbLqP5VEhdkAS6EPFLC1PHnBqCXEpPxuEb
Self Destruct?	Not Detected
External Call?	Not Detected
Other?	Not Detected
Holders	687
Audit Confidence	Low
Authority Check	Pass
Freeze Check	Pass

The summary section reveals the strengths and weaknesses identified during the assessment, including any vulnerabilities or potential risks that may exist. It serves as a valuable snapshot of the overall security status of the audited project. However, it is highly recommended to read the entire security assessment report for a comprehensive understanding of the findings. The full report provides detailed insights into the assessment process, methodology, and specific recommendations for addressing the identified issues.

CFG.NINJA Page 2 of 19



CFG Ninja Verified on January 15, 2025

RawDog



Executive Summary

TYPES ECOSYSTEM LANGUAGE


DeFi SOLANA RUST

Timeline



Vulnerability Summary





CFG.NINJA Page 3 of 19



I Token Summary

Parameter	Result
Address	8E7vYfBEJzdmaBgiv3k6ERBu217ucDRrqDnusCdcvsnM
Name	RawDog
Token Tracker	RawDog (RawDog)
Decimals	6
Supply	68,168,899.13
Platform	SOLANA
Compiler	v0.8.20+commit.a1b79de6
Contract Name	RawDog
Optimization	Yes with 200 runs
LicenseType	Unlicensed
Language	RUST
Codebase	https://solscan.io/ token/8E7vYfBEJzdmaBgiv3k6ERBu217ucDRrqDnusCdcvsnM#metadata

CFG.NINJA Page 4 of 19



Token Summary - Solana

Parameter	Result
Address	8E7vYfBEJzdmaBgiv3k6ERBu217ucDRrqDnusCdcvsnM
Name	RawDog
Token Tracker	RawDog (RawDog)
Decimals	6
Supply	68,168,899.13
Platform	SOLANA
Program	TokenkegQfeZyiNwAJbNbGKPFXCWuBvf9Ss623VQ5DA
Creator Name	Bladepool
Creation Site	https://cfg.ninja
Language	RUST
Image	https://arweave.net/UyeRGxDT4tvCVE0ualzZ1tb7XI-WHm9n64SPOSOGiYk
Metadata File Type	JSON
Solana Source	https://solscan.io/token/ Cb85u66JqUThurhWnm5pkhmw3Y58zobu5Mf3CbAnq8RV#metadata

CFG.NINJA Page 5 of 19



Metaplex Metadata (on-chain data)

Solana metadata refers to the additional information associated with a digital asset or NFT (Non-Fungible Token) on the Solana blockchain. It includes details such as the name, description, image, attributes, and other relevant data about the asset.

In the context of Solana, metadata is typically stored in a JSON format and is linked to the asset's unique identifier or token ID. This metadata provides important information about the asset, allowing users and applications to understand and interact with it.

Solana metadata can be used for various purposes, including displaying asset information in marketplaces, creating rich visual representations of NFTs, and enabling advanced functionalities like royalties, provenance tracking, and interoperability across different platforms.

It's worth noting that the specific structure and content of Solana metadata can vary depending on the project or application that utilizes the Solana blockchain.

CFG.NINJA Page 6 of 19



RawDog | Metadata Results.

Parameter	Value	Description
key	4	This is an integer value (int4) that represents the key associated with the root object.
updateAuthority	, ,	This is a string value that represents the update sauthority for the program.
mint	8E7vYfBEJzdmaBgiv3k6E RBu217ucDRrqDnusCdcvs nM	This is a string value that represents the mint address for the program.
name	RawDog	This is a string value that represents the name of the token.
symbol	RawDog	This is a string value that represents the symbol of the token.
uri	https:// cdn.pinksale.finance/file/ pinksale-metadata/tokens /1733174662538-97a97bf 2ba351e5840d7b64904d dc9b.json	f
sellerFeeBasisPoints	0	This is an integer value (int0) that represents the seller fee basis points for the token
primarySaleHappened	0	This is an integer value (int0) that indicates whether the primary sale of the token has happened.
isMutable	0	This is an integer value (int1) that indicates whether the token is mutable. The specific value is 1, which suggests that the token is mutable. and 0 suggest is not mutable.
editionNonce	254	This is an integer value (int255) that represents the edition nonce for the token.
tokenStandard	2	This is an integer value (int2) that represents the token standard for the program.

CFG.NINJA Page 7 of 19



URI Metadata

URI metadata in Solana refers to the metadata associated with a token that is retrieved from its URI (Uniform Resource Identifier). In this case, the token's URI is https://cdn.pinksale.finance/file/pinksale-metadata/tokens/1733174662538-97a97bff2ba351e5840d7b64904ddc9b.json.

```
Extensions (on-chain data)

JSON()

Table

* 0 : { 2 ! tress

* state: { 5 ! tress

* state: { 5 ! tress

| * newerTransferFee*Config"

* * state: { 5 ! tress

| * epoch : 697

| maximumFee : 69000000000000

| transferFee8asisPoints : 100
| }

* * olderTransferFee : { 3 ! tress

| epoch : 697

| maximumFee : 99000000000000

| transferFee8asisPoints : 100
| }

| transferFeeConfigAuthority : MAL

| withdrawWithheldAuthority : "CVsl3nX7kdQoizgTr3yfq9ppHew155ss3gRxCG3zgkU"

| withheldAmount : 49788091
| }

}
```

CFG.NINJA Page 8 of 19



TECHNICAL FINDINGS RawDog.

Smart contract security audits classify risks into several categories: Critical, High, Medium, Low, and Informational. These classifications help assess the severity and potential impact of vulnerabilities found in smart contracts.

Classification of Risk

Severity	Description
Critical	Critical risks are the most severe and can have a significant impact on the smart contracts functionality, security, or the entire system. These vulnerabilities can lead to the loss of user funds, unauthorized access, or complete system compromise.
High	High-risk vulnerabilities have the potential to cause significant harm to the smart contract or the system. While not as severe as critical risks, they can still result in financial losses, data breaches, or denial of service attacks.
Medium	Medium-risk vulnerabilities pose a moderate level of risk to the smart contracts security and functionality. They may not have an immediate and severe impact but can still lead to potential issues if exploited. These risks should be addressed to ensure the contracts overall security.
Low	Low-risk vulnerabilities have a minimal impact on the smart contracts security and functionality. They may not pose a significant threat, but it is still advisable to address them to maintain a robust security posture.
1 Informational	Informational risks are not actual vulnerabilities but provide useful information about potential improvements or best practices. These findings may include suggestions for code optimizations, documentation enhancements, or other non-critical areas for improvement.

By categorizing risks into these classifications, smart contract security audits can prioritize the resolution of critical and high-risk vulnerabilities to ensure the contract's overall security and protect user funds and data.

CFG.NINJA Page 9 of 19



RawDog-21 | Initializer's token Account is not properly verified.

Category	Severity	Location	Status
Coding Style	Medium	RawDog.sol:	Detected

Description

The initializer's token account is not verified to belong to the signer which might lead to issues when initializing the program.

Recommendation

#[account(mut, associated_token::mint = pool_token, associated_token::authority = signer,)].

Mitigation

References:

Writing Clean Code for Solidity: Best Practices for Solidity Development

CFG.NINJA Page 10 of 19



RawDog-22 | Pool's Token Account not initialized.

Category	Severity	Location	Status
Coding Style	High	RawDog.sol:	Not Detected

Description

When initializing the program, any address can be set as the pool token account which might cause funds to move to a maliciously added token account.

Recommendation

Add the initialization parameters for the token account: e.g. .

Mitigation

References:

Writing Clean Code for Solidity: Best Practices for Solidity Development

CFG.NINJA Page 11 of 19



RawDog-24 | Update Authority Not Renounced.

Category	Severity	Location	Status
Coding Style	i Informational	RawDog.sol:	Detected

Description

Update Authority allows users to update the Solana Program with new malicious code..

Recommendation

As soon as the program is ready to go live, make sure all the proper checks have been made and renounce update authority.

Mitigation

References:

Writing Clean Code for Solidity: Best Practices for Solidity Development

CFG.NINJA Page 12 of 19



I FINDINGS

In this document, we present the findings and results of the smart contract security audit. The identified vulnerabilities, weaknesses, and potential risks are outlined, along with recommendations for mitigating these issues. It is crucial for the team to address these findings promptly to enhance the security and trustworthiness of the smart contract code.

Severity	Found	Pending	Resolved
Critical	0	0	0
High	1	1	0
Medium	1	1	0
Low	0	0	0
1 Informational	1	1	0
Total	3	3	0

In a smart contract, a technical finding summary refers to a compilation of identified issues or vulnerabilities discovered during a security audit. These findings can range from coding errors and logical flaws to potential security risks. It is crucial for the project owner to thoroughly review each identified item and take necessary actions to resolve them. By carefully examining the technical finding summary, the project owner can gain insights into the weaknesses or potential threats present in the smart contract. They should prioritize addressing these issues promptly to mitigate any risks associated with the contract's security. Neglecting to address any identified item in the security audit can expose the smart contract to significant risks. Unresolved vulnerabilities can be exploited by malicious actors, potentially leading to financial losses, data breaches, or other detrimental consequences. To ensure the integrity and security of the smart contract, the project owner should engage in a comprehensive review process. This involves understanding the nature and severity of each identified item, consulting with experts if needed, and implementing appropriate fixes or enhancements. Regularly updating and maintaining the smart contract's codebase is also essential to address any emerging security concerns. By diligently reviewing and resolving all identified items in the technical finding summary, the project owner can significantly reduce the risks associated with the smart contract and enhance its overall security posture.

CFG.NINJA Page 13 of 19



SOCIAL MEDIA CHECKS RawDog.

Social Media	URL	Result
Website	rawdogpumps.com	Pass
Telegram	https://t.me/rawdogpumps	Pass
Twitter	https://x.com/rawdogpumps	Pass
Facebook		N/A
Reddit	N/A	N/A
Instagram	https://www.instagram.com/rawdogpumps/	Pass
CoinGecko	N/A	N/A
Github		N/A
CMC	N/A	N/A
Email	N/A	Contact
Other		N/A

From a security assessment standpoint, inspecting a project's social media presence is essential. It enables the evaluation of the project's reputation, credibility, and trustworthiness within the community. By analyzing the content shared, engagement levels, and the response to any security-related incidents, one can assess the project's commitment to security practices and its ability to handle potential threats.

Social Media Information Notes:

Auditor Notes: Website needs a bit of improvement.

Project Owner Notes:

CFG.NINJA Page 14 of 19



ASSESSMENT RESULTS RawDog.

Score Rsesults

Review	Score
Overall Score	55/100
Auditor Score	50/100

Review by Section	Score
Manual Scan Score	-12
SWC Scan Score	37
Advance Check Score	30

Our security assessment or audit score system for the smart contract and project follows a comprehensive evaluation process to ensure the highest level of security. The system assigns a score based on various security parameters and benchmarks, with a passing score set at 80 out of a total attainable score of 100. The assessment process includes a thorough review of the smart contracts codebase, architecture, and design principles. It examines potential vulnerabilities, such as code bugs, logical flaws, and potential attack vectors. The evaluation also considers the adherence to best practices and industry standards for secure coding. Additionally, the system assesses the projects overall security measures, including infrastructure security, data protection, and access controls. It evaluates the implementation of encryption, authentication mechanisms, and secure communication protocols. To achieve a passing score, the smart contract and project must attain a minimum of 80 points out of the total attainable score of 100. This ensures that the system has undergone a rigorous security assessment and meets the required standards for secure operation.



CFG.NINJA Page 15 of 19



Important Notes for RawDog

- Overview
- The audited Solana program exhibits several critical security vulnerabilities, performance inefficiencies, and code quality issues. These include an outdated AVM version, inadequate account validation mechanisms, and the absence of proper testing.
- Specifically, the program suffers from critical security flaws such as allowing malicious actors to compromise the program's integrity. Insufficient account validation, particularly in areas like pool token account initialization and user deposit account management, creates significant vulnerabilities for fund theft and unauthorized withdrawals.
- Furthermore, the program exhibits performance inefficiencies due to the unnecessary recalculation of constants and the presence of unused data fields. Code quality issues include manual length calculations for custom data accounts, which are prone to errors, and the lack of association between the pool and its token account, creating a potential vector for fund misdirection.



- The absence of proper testing significantly increases the risk of undetected bugs and vulnerabilities, hindering the program's overall reliability and security.
- The audit revealed significant security, performance, and code quality issues with the Solana program, resulting in a failing score. These issues pose a significant risk to the program's stability and security.

Auditor Score = 50 Audit Fail



CFG.NINJA Page 17 of 19



Appendix

Finding Categories

Centralization / Privilege

Centralization / Privilege findings refer to either feature logic or implementation of components that actagainst the nature of decentralization, such as explicit ownership or specialized access roles incombination with a mechanism to relocate funds.

Gas Optimization

Gas Optimization findings do not affect the functionality of the code but generate different, more optimalEVM opcodes resulting in a reduction on the total gas cost of a transaction.

Logical Issue

Logical Issue findings detail a fault in the logic of the linked code, such as an incorrect notion on howblock.timestamp works.

Control Flow

Control Flow findings concern the access control imposed on functions, such as owneronly functionsbeing invoke-able by anyone under certain circumstances.

Volatile Code

Volatile Code findings refer to segments of code that behave unexpectedly on certain edge cases that mayresult in a vulnerability.

Coding Style

Coding Style findings usually do not affect the generated byte-code but rather comment on how to makethe codebase more legible and, as a result, easily maintainable.

Inconsistency

Inconsistency findings refer to functions that should seemingly behave similarly yet contain different code, such as a constructor assignment imposing different require statements on the input variables than a setterfunction.

Coding Best Practices

ERC 20 Conding Standards are a set of rules that each developer should follow to ensure the code meet a set of creterias and is readable by all the developers.

CFG.NINJA Page 18 of 19



Disclaimer

The purpose of this disclaimer is to outline the responsibilities and limitations of the security assessment and smart contract audit conducted by Bladepool/CFG NINJA. By engaging our services, the project owner acknowledges and agrees to the following terms:

1. Limitation of Liability: Bladepool/CFG NINJA shall not be held liable for any damages, losses, or expenses incurred as a result of any contract malfunctions, vulnerabilities, or exploits discovered during the security assessment and smart contract audit. The project owner assumes full responsibility for any consequences arising from the use or implementation of the audited smart contract. 2. No Guarantee of Absolute Security: While Bladepool/CFG NINJA employs industry-standard practices and methodologies to identify potential security risks, it is important to note that no security assessment or smart contract audit can provide an absolute guarantee of security. The project owner acknowledges that there may still be unknown vulnerabilities or risks that are beyond the scope of our assessment. 3. Transfer of Responsibility: By engaging our services, the project owner agrees to assume full responsibility for addressing and mitigating any identified vulnerabilities or risks discovered during the security assessment and smart contract audit. It is the project owner's sole responsibility to ensure the proper implementation of necessary security measures and to address any identified issues promptly. 4. Compliance with Applicable Laws and Regulations: The project owner acknowledges and agrees to comply with all applicable laws, regulations, and industry standards related to the use and implementation of smart contracts. Bladepool/CFG NINJA shall not be held responsible for any non-compliance by the project owner. 5. Third-Party Services: The security assessment and smart contract audit conducted by Bladepool/CFG NINJA may involve the use of thirdparty tools, services, or technologies. While we exercise due diligence in selecting and utilizing these resources, we cannot be held liable for any issues or damages arising from the use of such third-party services. 6. Confidentiality: Bladepool/CFG NINJA maintains strict confidentiality regarding all information and data obtained during the security assessment and smart contract audit. However, we cannot guarantee the security of data transmitted over the internet or through any other means. 7. Not a Financial Advice: Bladepool/CFG NINJA please note that the information provided in the security assessment or audit should not be considered as financial advice. It is always recommended to consult with a financial professional or do thorough research before making any investment decisions.

By engaging our services, the project owner acknowledges and accepts these terms and releases Bladepool/CFG NINJA from any liability, claims, or damages arising from the security assessment and smart contract audit. It is recommended that the project owner consult legal counsel before entering into any agreement or contract.

