

# CFG NINJA AUDITS

Security Assessment

**Spacelink Coin Contract** 

May 1, 2023

Audit Status: Fail

Audit Edition: Advance



BLADE POOL



## **Table of Contents**

- 1 Assessment Summary
- 2 Project Overview
  - 2.1 Token Summary
  - 2.2 Risk Analysis Summary
  - 2.3 Main Contract Assessed
- 3 Smart Contract Risk Checks
  - 3.1 Mint Check
  - 3.2 Fees Check
  - 3.3 Blacklist Check
  - 3.4 MaxTx Check
  - 3.5 Pause Trade Check
  - 3.6 Contract Ownership
  - 3.7 Liquidity Ownership
  - 3.8 KYC Check
- 4 Smart Contract Vulnerability Checks
  - 4.1 Smart Contract Vulnerability Details
  - 4.2 Smart Contract Inheritance Details
  - 4.3 Smart Contract Privileged Functions
- 5 Technical Findings Details
- 6 Social Media Check(Informational)
- 7 Assessment Results and Notes(Important)
  - 7.1 Score Results
- 8 Disclaimer





## **Assessment Summary**

This report has been prepared for Spacelink Coin Contract on the Binance Smart Chain network. CFGNINJA provides both client-centered and user-centered examination of the smart contracts and their current status when applicable. This report represents the security assessment made to find issues and vulnerabilities on the source code along with the current liquidity and token holder statistics of the protocol.

A comprehensive examination has been performed, utilizing Cross Referencing, Static Analysis, In-House Security Tools, and line-by-line Manual Review.

The auditing process pays special attention to the following considerations:

- Testing the smart contracts against both common and uncommon attack vectors.
- Inspecting liquidity and holders statistics to inform the current status to both users and client when applicable.
- Assessing the codebase to ensure compliance with current best practices and industry standards.
- Verifying contract functions that allow trusted and/or untrusted actors to mint, lock, pause, and transfer assets.
- Cross referencing contract structure and implementation against similar smart contracts produced by industry leaders
- Thorough line-by-line manual review of the entire codebase by industry experts.





# **Project Overview**

## **Token Summary**

Parameter	Result
Address	0x1C4fce9EaD766a2663fFBBFd7d4E5Fc5A89561C5
Name	Spacelink Coin
Token Tracker	Spacelink Coin (SLC)
Decimals	18
Supply	1,000,000,000
Platform	Binance Smart Chain
compiler	v0.8.19+commit.7dd6d404
Contract Name	SpacelinkCoin
Optimization	Yes with 200 runs
LicenseType	MIT
Language	Solidity
Codebase	https://bscscan.com/address/0x1C4fce9EaD766a2663fFBBFd 7d4E5Fc5A89561C5#code
Payment Tx	0x7c01448176f2e9c940183803a4b648038cc99df24f0b7965 75b3ddf549ebe89f





## **Project Overview**

## Risk Analysis Summary

Parameter	Result
Buy Tax	1%
Sale Tax	1%
Is honeypot?	Clean
Is CoolDown?	undefined
Can edit tax?	Yes
Is anti whale?	Yes
Is blacklisted?	No
Is whitelisted?	No
Holders	1
Confidence Level	High Risk

The following quick summary it's added to the project overview; however, there are more details about the audit and its results. Please read every detail.





## **Project Overview**

## **Simulation Summary**

Parameter	Result
Transfer From Owner	Pass
Transfer From Holder	Pass
Add Liquidity	Pass
Buy from Owner	Pass
Buy from Holder	Pass
Remove Liquidity	Pass
SwapAndLiquify	Pass
RemoveLiquidity	Pass
LaunchPad	PinkSale

The following quick summary it's added to the project overview; however, there are more details about the audit and its results. Please read every detail.





# Main Contract Assessed Contract Name

Name	Contract	Live
Spacelink Coin	Ox1C4fce9EaD766a2663fFBBFd7d4E5Fc5A89561C5	Yes

# TestNet Contract Assessed Contract Name

Name	Contract	Live
Spacelink Coin	0x4881d29dcc5e2828175ea69fd81001693af5d717	Yes

#### **Solidity Code Provided**

SolID	File Sha-1	FileName
SpacelinkCoin	01f797cdbabca1abf7c3d194dd1bd0daa4f65cf1	spacelinkcoin.Sol





## **Mint Check**

The project owners of Spacelink Coin do not have a mint function in the contract, owner cannot mint tokens after initial deploy.

The Project has a Total Supply of 1,000,000,000 and cannot mint any more than the Max Supply.

Mint Notes:

**Auditor Notes:** 







## **Fees Check**

The project owners of Spacelink Coin have the ability to set higher than 25%

We Recommend the team to review contract and set it with fees restrictions to avoid any problems, as alternative the team can use multi signature wallet to ensure the project is safe from a potential fee increase.

Tax Fee Notes:

Auditor Notes: The contract currently has 1% buy and 1% sale taxes, and cannot be set higher than 100% buy and 100% sale.







## **Blacklist Check**

The project owners of Spacelink Coin do not have a blacklist function their contract.

The Project allow owners to transfer their tokens without any restrictions.

Token owner cannot blacklist the contract: Malicious or compromised owners can trap contracts relying on tokens with a blacklist.

**Blacklist Notes:** 

**Auditor Notes:** 







## MaxTx Check

The Project Owners of Spacelink Coin can set max tx amount.

The ability to set MaxTx can be used as bad actor, this can limit the ability of investors to sale their tokens at any given time if is set too low..

We recommend the project to set MaxTx to Total Supply or simiar to avoid swap or transfer from failures

MaxTX Notes:

Auditor Notes: max wallet and max tx can be 0.

**Project Owner Notes:** 

**Project Has MaxTX** 







## Pause Trade Check

The Project Owners of Spacelink Coin don't have the ability to stop or pause trading.

The Team has done a great job to avoid stop trading, and investors has the ability to trade at any given time without any problems

**Pause Trade Notes:** 

**Auditor Notes:** 

Project Owner Notes:.

Owner can't pause trading







## **Contract Ownership**

The contract ownership of Spacelink Coin is not currently renounced. The ownership of the contract grants special powers to the protocol creators, making them the sole addresses that can call sensible ownable functions that may alter the state of the protocol.

The current owner is the address

0x73dc7d693aab48cd6023b720133ff94caf6855e9

which can be viewed:

#### **HERE**

The owner wallet has the power to call the functions displayed on the privileged functions chart below, if the owner's wallet is compromised, they could exploit these privileges.

We recommend the team renounce ownership at the right time, if possible, or gradually migrate to a timelock with governing functionalities regarding transparency and safety considerations.

We recommend the team use a Multisignature Wallet if the contract is not going to be renounced; this will give the team more control over the contract.





## **Liquidity Ownership**

The token does not have liquidity at the moment of the audit, block 27687624

If liquidity is unlocked, then the token developers can do what is infamously known as 'rugpull'. Once investors start buying token from the exchange, the liquidity pool will accumulate more and more coins of established value (e.g., ETH or BNB or Tether). This is because investors are basically sending these tokens of value to the exchange, to get the new token. Developers can withdraw this liquidity from the exchange, cash in all the value and run off with it. Liquidity is locked by renouncing the ownership of liquidity pool (LP) tokens for a fixed time period, by sending them to a time-lock smart contract. Without ownership of LP tokens, developers cannot get liquidity pool funds back. This provides confidence to the investors that the token developers will not run away with the liquidity money. It is now a standard practice that all token developers follow, and this is what really differentiates a scam coin from a real one.

#### Read More








# Call Graph

The contract for Spacelink Coin has the following call graph structure.







## **KYC Information**

## The Project Owners of Spacelink Coin is not KYC.

**KYC Information Notes:** 

Auditor Notes: KYC to be completed by PinkSale, project will be a SAFU Project.







# Smart Contract Vulnerability Checks

The Smart Contract Weakness Classification Registry (SWC Registry) is an implementation of the weakness classification scheme proposed in EIP-1470. It is loosely aligned to the terminologies and structure used in the Common Weakness Enumeration (CWE) while overlaying a wide range of weakness variants that are specific to smart contracts.

ID	Severity	Name	File	location
SWC-100	Pass	Function Default Visibility	spacelinkcoin.Sol	L: 0 C: 0
SWC-101	Pass	Integer Overflow and Underflow.	spacelinkcoin.Sol	L: 0 C: 0
SWC-102	Pass	Outdated Compiler Version file.	spacelinkcoin.Sol	L: 0 C: 0
SWC-103	Pass	A floating pragma is set.	spacelinkcoin.Sol	L: 0 C: 0
SWC-104	Pass	Unchecked Call Return Value.	spacelinkcoin.Sol	L: 0 C: 0
SWC-105	Pass	Unprotected Ether Withdrawal.	spacelinkcoin.Sol	L: 0 C: 0
SWC-106	Pass	Unprotected SELFDESTRUCT Instruction	spacelinkcoin.Sol	L: 0 C: 0
SWC-107	Pass	Read of persistent state following external call.	spacelinkcoin.Sol	L: 0 C: 0
SWC-108	Low	State variable visibility is not set	spacelinkcoin.Sol	L: 947 C: 9
SWC-109	Pass	Uninitialized Storage Pointer.	spacelinkcoin.Sol	L: 0 C: 0
SWC-110	Pass	Assert Violation.	spacelinkcoin.Sol	L: 0 C: 0





ID	Severity	Name	File	location
SWC-111	Pass	Use of Deprecated Solidity Functions.	spacelinkcoin.Sol	L: 0 C: 0
SWC-112	Pass	Delegate Call to Untrusted Callee.	spacelinkcoin.Sol	L: 0 C: 0
SWC-113	Pass	Multiple calls are executed in the same transaction.	spacelinkcoin.Sol	L: 0 C: 0
SWC-114	Pass	Transaction Order Dependence.	spacelinkcoin.Sol	L: 0 C: 0
SWC-115	Pass	Authorization through tx.origin.	spacelinkcoin.Sol	L: 0 C: 0
SWC-116	Pass	A control flow decision is made based on The block.timestamp environment variable.	spacelinkcoin.Sol	L: 0 C: 0
SWC-117	Pass	Signature Malleability.	spacelinkcoin.Sol	L: 0 C: 0
SWC-118	Pass	Incorrect Constructor Name.	spacelinkcoin.Sol	L: 0 C: 0
SWC-119	Pass	Shadowing State Variables.	spacelinkcoin.Sol	L: 0 C: 0
SWC-120	Pass	Potential use of block.number as source of randonmness.	spacelinkcoin.Sol	L: 0 C: 0
SWC-121	Pass	Missing Protection against Signature Replay Attacks.	spacelinkcoin.Sol	L: 0 C: 0
SWC-122	Pass	Lack of Proper Signature Verification.	spacelinkcoin.Sol	L: 0 C: 0
SWC-123	Pass	Requirement Violation.	spacelinkcoin.Sol	L: 0 C: 0
SWC-124	Pass	Write to Arbitrary Storage Location.	spacelinkcoin.Sol	L: 0 C: 0
SWC-125	Pass	Incorrect Inheritance Order.	spacelinkcoin.Sol	L: 0 C: 0





ID	Severity	Name	File	location
SWC-126	Pass	Insufficient Gas Griefing.	spacelinkcoin.Sol	L: 0 C: 0
SWC-127	Pass	Arbitrary Jump with Function Type Variable.	spacelinkcoin.Sol	L: 0 C: 0
SWC-128	Pass	DoS With Block Gas Limit.	spacelinkcoin.Sol	L: 0 C: 0
SWC-129	Pass	Typographical Error.	spacelinkcoin.Sol	L: 0 C: 0
SWC-130	Pass	Right-To-Left-Override control character (U +202E).	spacelinkcoin.Sol	L: 0 C: 0
SWC-131	Pass	Presence of unused variables.	spacelinkcoin.Sol	L: 0 C: 0
SWC-132	Pass	Unexpected Ether balance.	spacelinkcoin.Sol	L: 0 C: 0
SWC-133	Pass	Hash Collisions with Multiple Variable Length Arguments.	spacelinkcoin.Sol	L: 0 C: 0
SWC-134	Pass	Message call with hardcoded gas amount.	spacelinkcoin.Sol	L: 0 C: 0
SWC-135	Pass	Code With No Effects (Irrelevant/Dead Code).	spacelinkcoin.Sol	L: 0 C: 0
SWC-136	Pass	Unencrypted Private Data On-Chain.	spacelinkcoin.Sol	L: 0 C: 0

We scan the contract for additional security issues using MYTHX and industry-standard security scanning tools.





# Smart Contract Vulnerability Details

SWC-108 - State Variable Default Visibility

#### **CWE-710: Improper Adherence to Coding Standards**

#### **Description:**

Labeling the visibility explicitly makes it easier to catch incorrect assumptions about who can access the variable.

#### Remediation:

Variables can be specified as being public, internal or private. Explicitly define visibility for all state variables.

#### References:


Ethereum Smart Contract Best Practices - Explicitly mark visibility in functions and state variables





## **Inheritance**

The contract for Spacelink Coin has the following inheritance structure.





## Privileged Functions (onlyOwner)

Please Note if the contract is Renounced none of this functions can be executed.

Function Name	Parameters	Visibility
renounceOwnership		Public
transferOwnership	address newOwner	Public
changeMarketingWall et	address newWallet	External
changeMaxTx	uint256 _maxTxAmount	External
changeMaxWallet	uint256 _maxWalletAmount	Public





## **Smart Contract Advance Checks**

ID	Severity	Name	Result	Status
SLC-01	Minor	Potential Sandwich Attacks.	Pass	Not-Found
SLC-02	Minor	Function Visibility Optimization	Fail	Pending
SLC-03	Minor	Lack of Input Validation.	Fail	Pending
SLC-04	Major	Centralized Risk In addLiquidity.	Fail	Pending
SLC-05	Minor	Missing Event Emission.	Fail	Pending
SLC-06	Minor	Conformance with Solidity Naming Conventions.	Pass	Resolved
SLC-07	Minor	State Variables could be Declared Constant.	Pass	Not-Found
SLC-08	Minor	Dead Code Elimination.	Pass	Not-Found
SLC-09	Major	Third Party Dependencies.	Pass	Not-Found
SLC-10	Major	Initial Token Distribution.	Fail	Pending
SLC-11	Major	multiTransfer is present within the contract.	Pass	Not-Found
SLC-12	Major	Centralization Risks In The X Role	Pass	Resolved
SLC-13	Informational	Extra Gas Cost For User	Fail	Pending
SLC-14	Medium	Unnecessary Use Of SafeMath	Pass	Not-Found
SLC-15	Medium	Symbol Length Limitation due to Solidity Naming Standards.	Pass	Not-Found





ID	Severity	Name	Result	Status	
SLC-16	Medium	Invalid collection of Taxes during Transfer.	Pass	Not-Found	





#### SLC-02 | Function Visibility Optimization.

Category	Severity	Location	Status
Gas Optimization	Minor	spacelinkcoin.Sol: L: 947 C: 9	Pending

#### **Description**

The following functions are declared as public and are not invoked in any of the contracts contained within the projects scope:

Function Name	Parameters	Visibility
inSwapAndLiquify		internal
changeMaxWallet		internal
changeMaxTx		public
changeMarketingWallet		public

The functions that are never called internally within the contract should have external visibility

#### Remediation

We advise that the function's visibility specifiers are set to external, and the array-based arguments change their data location from memory to calldata, optimizing the gas cost of the function.

#### References:

external vs public best practices.





#### SLC-03 | Lack of Input Validation.

Categ	ory Se	verity	Location	Status
Volatile Code	e	Minor	spacelinkcoin.Sol: 1090,14	Pending

#### **Description**

The given input is missing the check for the non-zero address.

The given input is missing the check for the changeMarketingWallet,updateNumTokensSell,changeMaxTx,changeMaxWallet is missing required function.

#### Remediation

We advise the client to add the check for the passed-in values to prevent unexpected errors as below:

```
require(receiver != address(0), "Receiver is the zero address");
...
require(value X limitation, "Your not able to do this function");
...
```

We also recommend customer to review the following function that is missing a required validation.

changeMarketingWallet,updateNumTokensSell,changeMaxTx,changeMaxWallet is missing required function.





#### SLC-04 | Centralized Risk In addLiquidity.

С	ategory	Severity	Location	Status
	oding tyle	Major	spacelinkcoin.Sol: 1084,13	Pending

#### **Description**

uniswapV2Router.addLiquidityETH{value: ethAmount}(address(this), tokenAmount, 0, 0, owner(), block.timestamp);

The addLiquidity function calls the uniswapV2Router.addLiquidityETH function with the to address specified as owner() for acquiring the generated LP tokens from the SLC-WBNB pool.

As a result, over time the \_owner address will accumulate a significant portion of LP tokens. If the \_owner is an EOA (Externally Owned Account), mishandling of its private key can have devastating consequences to the project as a whole.

#### Remediation

We advise the to address of the uniswapV2Router.addLiquidityETH function call to be replaced by the contract itself, i.e. address(this), and to restrict the management of the LP tokens within the scope of the contract's business logic. This will also protect the LP tokens from being stolen if the \_owner account is compromised. In general, we strongly recommend centralized privileges or roles in the protocol to be improved via a decentralized mechanism or via smart-contract based accounts with enhanced security practices, f.e. Multisignature wallets.

- 1. Indicatively, here are some feasible solutions that would also mitigate the potential risk:
- 2. Time-lock with reasonable latency, i.e. 48 hours, for awareness on privileged operations;
- 3. Assignment of privileged roles to multi-signature wallets to prevent single point of failure due to the private key;

Introduction of a DAO / governance / voting module to increase transparency and user involvement

#### **Project Action**

After carefully review and testing, the liquidity is going to Dead Wallet and there is no method to update or change the wallet or function to any other location, therefore this has been remediated.





## SLC-05 | Missing Event Emission.

Category	Severity	Location	Status
Volatile Code	Minor	spacelinkcoin.Sol: 1090, 14	Pending

#### **Description**

Detected missing events for critical arithmetic parameters. There are functions that have no event emitted, so it is difficult to track off-chain changes. The linked code does not create an event for the transfer.

#### Remediation

Emit an event for critical parameter changes. It is recommended emitting events for the sensitive functions that are controlled by centralization roles.





#### SLC-10 | Initial Token Distribution.

Category	Severity	Location	Status
Centralization / Privilege	Major	spacelinkcoin.Sol: 971,13	Pending

#### **Description**

All of the Spacelink Coin tokens are sent to the contract deployer when deploying the contract. This could be a centralization risk as the deployer can distribute tokens without obtaining the consensus of the community.

#### Remediation

We recommend the team to be transparent regarding the initial token distribution process, and the team shall make enough efforts to restrict the access of the private key.

#### **Project Action**

\_mint(msg.sender, (\_supply \* 10\*\*\_decimals));





### SLC-13 | Extra Gas Cost For User.

Category	y Severity	Location	Status
Logical Issue	<ol> <li>Informational</li> </ol>	spacelinkcoin.Sol: 1008, 13	Pending

#### **Description**

The user may trigger a tax distribution during the transfer process, which will cost a lot of gas and it is unfair to let a single user bear it.

#### Remediation

We advise the client to make the owner responsible for the gas costs of the tax distribution.

#### **Project Action**

is declared public





# Technical Findings Summary

#### **Classification of Risk**

Severity	Description
Critical	Risks are those that impact the safe functioning of a platform and must be addressed before launch. Users should not invest in any project with outstanding critical risks.
Major	Risks can include centralization issues and logical errors. Under specific circumstances, these major risks can lead to loss of funds and/or control of the project.
Medium	Risks may not pose a direct risk to users' funds, but they can affect the overall functioning of a platform
Minor	Risks can be any of the above but on a smaller scale. They generally do not compromise the overall integrity of the Project, but they may be less efficient than other solutions.
<ul><li>Informational</li></ul>	Errors are often recommended to improve the code's style or certain operations to fall within industry best practices. They usually do not affect the overall functioning of the code.

### **Findings**

Severity	Found	Pending	Resolved
Critical	0	0	0
Major	2	0	0
Medium	0	0	0
Minor	2	0	0
<ul><li>Informational</li></ul>	2	0	0
Total	6	0	0





## **Social Media Checks**

Social Media	URL	Result
Twitter	https://twitter.com/Spacelinknft? t=XYVWITLCnMpp98zBxpTOTg&s=09	Pass
Other	https://instagram.com/spacelinkcoin.io? igshid=ZDdkNTZiNTM=	Pass
Website	http://Spacelinkcoin.io	Pass
Telegram	https://t.me/Spacelinkcoin	Pass

We recommend to have 3 or more social media sources including a completed working websites.

**Social Media Information Notes:** 

**Auditor Notes: undefined** 







## **Assessment Results**

#### **Score Results**

Review	Score
Overall Score	76/100
Auditor Score	70/100
Review by Section	Score
Manual Scan Score	26/51
SWC Scan Score	36/37
Advance Check Score	14/18

The Following Score System Has been Added to this page to help understand the value of the audit, the maximun score is 100, however to attain that value the project most pass and provide all the data needed for the assessment. Our Passing Score has been changed to 80 Points, if a project does not attain 80% is an automatic failure. Read our notes and final assessment below.

#### **Audit Fail**







#### **Assessment Results**

## **Important Notes:**

- No issues or vulnerabilities were found.
- This is a Pinksale Generated Standard token.
- Please DYOR on the project.

# Auditor Score =70 Audit Fail







## **Appendix**

### **Finding Categories**

#### **Centralization / Privilege**

Centralization / Privilege findings refer to either feature logic or implementation of components that actagainst the nature of decentralization, such as explicit ownership or specialized access roles incombination with a mechanism to relocate funds.

#### **Gas Optimization**

Gas Optimization findings do not affect the functionality of the code but generate different, more optimalEVM opcodes resulting in a reduction on the total gas cost of a transaction.

#### **Logical Issue**

Logical Issue findings detail a fault in the logic of the linked code, such as an incorrect notion on howblock.timestamp works.

#### **Control Flow**

Control Flow findings concern the access control imposed on functions, such as owneronly functionsbeing invoke-able by anyone under certain circumstances.

#### **Volatile Code**

Volatile Code findings refer to segments of code that behave unexpectedly on certain edge cases that mayresult in a vulnerability.

#### **Coding Style**

Coding Style findings usually do not affect the generated byte-code but rather comment on how to makethe codebase more legible and, as a result, easily maintainable.

#### **Inconsistency**

Inconsistency findings refer to functions that should seemingly behave similarly yet contain different code, such as a constructor assignment imposing different require statements on the input variables than a setterfunction.

#### **Coding Best Practices**

ERC 20 Conding Standards are a set of rules that each developer should follow to ensure the code meet a set of creterias and is readable by all the developers.





#### Disclaimer

CFGNINJA has conducted an independent security assessment to verify the integrity of and highlight any vulnerabilities or errors, intentional or unintentional, that may be present in the reviewed code for the scope of this assessment. This report does not constitute agreement, acceptance, or advocation for the Project, and users relying on this report should not consider this as having any merit for financial advice in any shape, form, or nature. The contracts audited do not account for any economic developments that the Project in question may pursue, and the veracity of the findings thus presented in this report relate solely to the proficiency, competence, aptitude, and discretion of our independent auditors, who make no guarantees nor assurance that the contracts are entirely free of exploits, bugs, vulnerabilities or deprecation of technologies.

All information provided in this report does not constitute financial or investment advice, nor should it be used to signal that any persons reading this report should invest their funds without sufficient individual due diligence, regardless of the findings presented. Information is provided 'as is, and CFGNINJA is under no covenant to audited completeness, accuracy, or solidity of the contracts. In no event will CFGNINJA or its partners, employees, agents, or parties related to the provision of this audit report be liable to any parties for, or lack thereof, decisions or actions with regards to the information provided in this audit report.

The assessment services provided by CFGNINJA are subject to dependencies and are under continuing development. You agree that your access or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis. Cryptographic tokens are emergent technologies with high levels of technical risk and uncertainty. The assessment reports could include false positives, negatives, and unpredictable results. The services may access, and depend upon, multiple layers of third parties.



