

Security Assessment

**MALGO Token** 

October 16, 2022





## **Table of Contents**

#### 1 Audit Summary

#### 2 Project Overview

- 2.1 Token Summary
- 2.2 Risk Analysis Summary
- 2.3 Main Contract Assessed

#### 3 Smart Contract Risk Checks

- 3.1 Mint Check
- 3.2 Fees Check
- 3.3 Blacklist Check
- 3.4 MaxTx Check
- 3.5 Pause Trade Check
- 4 Contract Ownership
- **5 Liquidity Ownership**
- 6 KYC Check

#### 7 Smart Contract Vulnerability Checks

- 7.1 Smart Contract Vulnerability Details
- 7.2 Smart Contract Inheritance Details
- 7.3 Smart Contract Privileged Functions
- 8 Assessment Results and Notes(Important)
- 9 Social Media Check(Informational)
- 10 Technical Findings Summary
- 11 Disclaimer







# **Audit Summary**

This report has been prepared for MALGO Token on the Binance Smart Chain network. CFGNINJA provides both client-centered and user-centered examination of the smart contracts and their current status when applicable. This report represents the security assessment made to find issues and vulnerabilities on the source code along with the current liquidity and token holder statistics of the protocol.

A comprehensive examination has been performed, utilizing Cross Referencing, Static Analysis, In-House Security Tools, and line-by-line Manual Review.

The auditing process pays special attention to the following considerations:

- Testing the smart contracts against both common and uncommon attack vectors.
- Inspecting liquidity and holders statistics to inform the current status to both users and client when applicable.
- Assessing the codebase to ensure compliance with current best practices and industry standards.
- Verifying contract functions that allow trusted and/or untrusted actors to mint, lock, pause, and transfer assets.







# **Project Overview**

## **Token Summary**

Parameter	Result
Address	0xD21a1f1FcEC9479d38B570A2ecA3277B1b2A959A
Name	MALGO
Token Tracker	MALGO (MGXG)
Decimals	18
Supply	35,000,000
Platform	Binance Smart Chain
compiler	v0.8.16+commit.07a7930e
Contract Name	MALGO
Optimization	Yes with 200 runs
LicenseType	MIT
Language	Solidity
Codebase	https://bscscan.com/address/0xD21a1f1FcEC9479d38B570A2e cA3277B1b2A959A#code
Payment Tx	Oxec97516ecca52d68c3f237fbb9844efa3d408261e08130ffee a6ff3b16f4bd76







# **Project Overview**

## Risk Analysis Summary

Parameter	Result
Buy Tax	O%
Sale Tax	O%
Is honeypot?	Clean
Can edit tax?	No
Is anti whale?	No
Is blacklisted?	No
Is whitelisted?	Yes
Holders	Clean
Security Score	90/100
Auditor Score	90/100
Confidence Level	Pass

The following quick summary has been added to the project overview, however there are more details about the audit and their results please read every details.







# Main Contract Assessed Contract Name

Name	Contract	Live
MALGO	OxD21a1f1FcEC9479d38B570A2ecA3277B1b2A959A	Yes

# TestNet Contract Assessed Contract Name

Name	Contract	Live
MALGO	0x3B27E44E5D26d5144c6c8C68927079988885216C	Yes

## **Solidity Code Provided**

SolID	File Sha-1	FileName
MALGO	371331829668264bddbc06bf6e7f02755567b631	MALGO.sol







## **Mint Check**

The Project Owners of MALGO does not have a mint function in the contract, owner cannot mint tokens after initial deploy

The Project has a Total Supply of 35,000,000 and cannot mint any more than the Max Supply.

Mint Notes:

Auditor Notes: A Mint Function was found during the code review

**Project Owner Notes:** 











## **Fees Check**


The Project Owners of MALGO does not have the ability to set fees higher than 25%.

Team May have fees defined, however they dont have the ability to set those fees higher than 25%.

Tax Fee Notes:

Auditor Notes: Contract currently have 0% tax and cannot be modified

**Project Owner Notes:.** 











## **Blacklist Check**

The Project Owners of MALGO does not have a blacklist function their contract.


The Project allow owners to transfer their tokens without any restrictions.

Token owner cannot blacklist the contract: Malicious or compromised owners can trap contracts relying on tokens with a blacklist.

**Blacklist Notes:** 

**Auditor Notes:** 

Project Owner Notes: .









# MaxTx Check

The Project Onwers of MALGO does not has the ability to set max tx amount

The Team allow any investors to swap, transfer or sale their total amount if needed.

MaxTX Notes:

**Auditor Notes: '** 

**Project Owner Notes:** 

Project Has No MaxTX









# **Pause Trade Check**

The Project Owners of MALGO don't have the ability to stop or pause trading.

The Team has done a great job to avoid stop trading, and investors has the ability to trade at any given time without any problems

**Pause Trade Notes:** 

Auditor Notes: Not found a value to stop, however there is a start trade.

**Project Owner Notes:** 









# **Contract Ownership**

The contract ownership of MALGO is not currently renounced. The ownership of the contract grants special powers to the protocol creators, making them the sole addresses that can call sensible ownable functions that may alter the state of the protocol.

The current owner is the address
Oxfc780d12f9f9eac233d6b468325f16cb1976150a
which can be viewed from:

## **HERE**

The owner wallet has the power to call the functions displayed on the priviliged functions chart below, if the owner wallet is compromised this privileges could be exploited.

We recommend the team to renounce ownership at the right timing if possible, or gradually migrate to a timelock with governing functionalities in respect of transparency and safety considerations.

We recommend the team to use a Multisignature Wallet if contract is not going to be renounced, this will give the ability to the team to have more control over the contract.







# **Liquidity Ownership**

The token does not have liquidity at the moment of the audit, block 22150925

If liquidity is unlocked, then the token developers can do what is infamously known as 'rugpull'. Once investors start buying token from the exchange, the liquidity pool will accumulate more and more coins of established value (e.g., ETH or BNB or Tether). This is because investors are basically sending these tokens of value to the exchange, to get the new token. Developers can withdraw this liquidity from the exchange, cash in all the value and run off with it. Liquidity is locked by renouncing the ownership of liquidity pool (LP) tokens for a fixed time period, by sending them to a time-lock smart contract. Without ownership of LP tokens, developers cannot get liquidity pool funds back. This provides confidence to the investors that the token developers will not run away with the liquidity money. It is now a standard practice that all token developers follow, and this is what really differentiates a scam coin from a real one.

#### Read More









# **KYC Information**

## The Project Owners of MALGO is not KYC..

**KYC Information Notes:** 

 $\label{projectowner} \textbf{A} \textbf{u} \textbf{d} \textbf{i} \textbf{tor Notes: Asked project owner about KYC, Project owner passed KYC with PinkSale.}$ 

**Project Owner Notes:** 









# Smart Contract Vulnerability Checks

ID	Severity	Name	File	location
SWC-100	Pass	Function Default Visibility	MALGO.sol	L: 0 C: 0
SWC-101	Pass	Integer Overflow and Underflow.	MALGO.sol	L: 0 C: 0
SWC-102	Pass	Outdated Compiler Version file.	MALGO.sol	L: 0 C: 0
SWC-103	Low	A floating pragma is set.	MALGO.sol	L: 5 C: 0
SWC-104	Pass	Unchecked Call Return Value.	MALGO.sol	L: 0 C: 0
SWC-105	Pass	Unprotected Ether Withdrawal.	MALGO.sol	L: 0 C: 0
SWC-106	Pass	Unprotected SELFDESTRUCT Instruction	MALGO.sol	L: 0 C: 0
SWC-107	Pass	Read of persistent state following external call.	MALGO.sol	L: 0 C: 0
SWC-108	Pass	State variable visibility is not set	MALGO.sol	L: 0 C: 0
SWC-109	Pass	Uninitialized Storage Pointer.	MALGO.sol	L: 0 C: 0
SWC-110	Pass	Assert Violation.	MALGO.sol	L: 0 C: 0
SWC-111	Pass	Use of Deprecated Solidity Functions.	MALGO.sol	L: 0 C: 0
SWC-112	Pass	Delegate Call to Untrusted Callee.	MALGO.sol	L: 0 C: 0







ID	Severity	Name	File	location
SWC-113	Pass	Multiple calls are executed in the same transaction.	MALGO.sol	L: 0 C: 0
SWC-114	Pass	Transaction Order Dependence.	MALGO.sol	L: 0 C: 0
SWC-115	Pass	Authorization through tx.origin.	MALGO.sol	L: 0 C: 0
SWC-116	Pass	A control flow decision is made based on The block.timestamp environment variable.	MALGO.sol	L: 0 C: 0
SWC-117	Pass	Signature Malleability.	MALGO.sol	L: 0 C: 0
SWC-118	Pass	Incorrect Constructor Name.	MALGO.sol	L: 0 C: 0
SWC-119	Pass	Shadowing State Variables.	MALGO.sol	L: 0 C: 0
SWC-120	Pass	Potential use of block.number as source of randonmness.	MALGO.sol	L: 0 C: 0
SWC-121	Pass	Missing Protection against Signature Replay Attacks.	MALGO.sol	L: 0 C: 0
SWC-122	Pass	Lack of Proper Signature Verification.	MALGO.sol	L: 0 C: 0
SWC-123	Pass	Requirement Violation.	MALGO.sol	L: 0 C: 0
SWC-124	Pass	Write to Arbitrary Storage Location.	MALGO.sol	L: 0 C: 0
SWC-125	Pass	Incorrect Inheritance Order.	MALGO.sol	L: 0 C: 0
SWC-126	Pass	Insufficient Gas Griefing.	MALGO.sol	L: 0 C: 0
SWC-127	Pass	Arbitrary Jump with Function Type Variable.	MALGO.sol	L: 0 C: 0







ID	Severity	Name	File	location
SWC-128	Pass	DoS With Block Gas Limit.	MALGO.sol	L: 0 C: 0
SWC-129	Pass	Typographical Error.	MALGO.sol	L: 0 C: 0
SWC-130	Pass	Right-To-Left-Override control character (U +202E).	MALGO.sol	L: 0 C: 0
SWC-131	Pass	Presence of unused variables.	MALGO.sol	L: 0 C: 0
SWC-132	Pass	Unexpected Ether balance.	MALGO.sol	L: 0 C: 0
SWC-133	Pass	Hash Collisions with Multiple Variable Length Arguments.	MALGO.sol	L: 0 C: 0
SWC-134	Pass	Message call with hardcoded gas amount.	MALGO.sol	L: 0 C: 0
SWC-135	Pass	Code With No Effects (Irrelevant/Dead Code).	MALGO.sol	L: 0 C: 0
SWC-136	Pass	Unencrypted Private Data On-Chain.	MALGO.sol	L: 0 C: 0

We scan the contract for additional security issues using MYTHX and industry standard security scanning tool







# Smart Contract Vulnerability Details

SWC-103 - Floating Pragma.

CWE-664: Improper Control of a Resource Through it	ts
Lifetime.	

**References:** 

#### **Description:**

Contracts should be deployed with the same compiler version and flags that they have been tested with thoroughly. Locking the pragma helps to ensure that contracts do not accidentally get deployed using, for example, an outdated compiler version that might introduce bugs that affect the contract system negatively.

#### Remediation:

Lock the pragma version and also consider known bugs (https://github.com/ethereum/solidity/releases) for the compiler version that is chosen.

Pragma statements can be allowed to float when a contract is intended for consumption by other developers, as in the case with contracts in a library or EthPM package. Otherwise, the developer would need to manually update the pragma in order to compile locally.

#### References:

Ethereum Smart Contract Best Practices - Lock pragmas to specific compiler version.








# Call Graph and Inheritance

The contract for MALGO has the following call graph structure









# Priviliged Functions (onlyOwner)

Function Name	Parameters	Visibility
renounceOwnership		public
transferOwnership	account (address)	external
Burn		external







### **Assessment Results**

- Contract does not have taxes.
- Owner can't set max tx amount.
- Owner can't pause trading.
- No high-risk Exploits/Vulnerabilities Were Found in the Source Code.

### **Audit Passed**









# **Social Media Checks**

Social Media	URL	Result
Twitter	https://twitter.com/malgofinance	Pass
Instagram	https://www.instagram.com/malgofinance	Pass
Website	malgo.finance	Pass
Telegram	https://t.me/malgofinance	Pass

We recommend to have 3 or more social media sources including a completed working websites.

#### **Social Media Information Notes:**

**Auditor Notes: undefined** 

 $\label{lem:project} Project Owner Notes: Projects owners have other socials: https://www.youtube.com/channel/UCqlLQcW1GEdpp81nOsGoPvQ, https://medium.com/@malgoFinance, https://www.facebook.com/malgofinance/$ 









# **Technical Findings Summary**

#### **Classification of Risk**

Severity	Description
Critical	risks are those that impact the safe functioning of a platform and must be addressed before launch. Users should not invest in any project with outstanding critical risks.
Major	risks can include centralization issues and logical errors. Under specific circumstances, these major risks can lead to loss of funds and/or control of the project.
Medium	risks may not pose a direct risk to users' funds, but they can affect the overall functioning of a platform
Minor	risks can be any of the above but on a smaller scale. They generally do not compromise the overall integrity of the project, but they may be less efficient than other solutions.
<ul><li>Informational</li></ul>	errors are often recommendations to improve the style of the code or certain operations to fall within industry best practices. They usually do not affect the overall functioning of the code.

## **Findings**

Severity	Found	Pending	Resolved
Critical	0	0	0
Major	0	0	0
Medium	0	0	0
Minor	0	0	0
<ul><li>Informational</li></ul>	0	0	0
Total	0	0	0







# **Appendix**

## **Finding Categories**

#### **Centralization / Privilege**

Centralization / Privilege findings refer to either feature logic or implementation of components that actagainst the nature of decentralization, such as explicit ownership or specialized access roles incombination with a mechanism to relocate funds.

#### **Gas Optimization**

Gas Optimization findings do not affect the functionality of the code but generate different, more optimalEVM opcodes resulting in a reduction on the total gas cost of a transaction.

#### **Logical Issue**

Logical Issue findings detail a fault in the logic of the linked code, such as an incorrect notion on howblock.timestamp works.

#### **Control Flow**

Control Flow findings concern the access control imposed on functions, such as owneronly functionsbeing invoke-able by anyone under certain circumstances.

#### **Volatile Code**

Volatile Code findings refer to segments of code that behave unexpectedly on certain edge cases that mayresult in a vulnerability.

#### **Coding Style**

Coding Style findings usually do not affect the generated byte-code but rather comment on how to makethe codebase more legible and, as a result, easily maintainable.

#### **Inconsistency**

Inconsistency findings refer to functions that should seemingly behave similarly yet contain different code, such as a constructor assignment imposing different require statements on the input variables than a setterfunction.

#### **Coding Best Practices**

ERC 20 Conding Standards are a set of rules that each developer should follow to ensure the code meet a set of creterias and is readable by all the developers.







#### Disclaimer

CFGNINJA has conducted an independent audit to verify the integrity of and highlight any vulnerabilities or errors, intentional or unintentional, that may be present in the codes that were provided for the scope of this audit. This audit report does not constitute agreement, acceptance or advocation for the Project that was audited, and users relying on this audit report should not consider this as having any merit for financial advice in any shape, form or nature. The contracts audited do not account for any economic developments that may be pursued by the Project in question, and that the veracity of the findings thus presented in this report relate solely to the proficiency, competence, aptitude and discretion of our independent auditors, who make no guarantees nor assurance that the contracts are completely free of exploits, bugs, vulnerabilities or deprecation of technologies.

All information provided in this report does not constitute financial or investment advice, nor should it be used to signal that any persons reading this report should invest their funds without sufficient individual due diligence regardless of the findings presented in this report. Information is provided 'as is', and CFGNINJA is under no covenant to the completeness, accuracy or solidity of the contracts audited. In no event will CFGNINJA or its partners, employees, agents or parties related to the provision of this audit report be liable to any parties for, or lack thereof, decisions and/or actions with regards to the information provided in this audit report.

The assessment services provided by CFGNINJA is subject to dependencies and under continuing development. You agree that your access and/or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis. Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives, and other unpredictable results. The services may access, and depend upon, multiple layers of third-parties.





