



SECURITY ASSESSMENT Rawli Analytics Token

June 21, 2026

Audit Status: Pass

BLADE POOL

RISK ANALYSIS | Rawli Analytics.

■ Classifications of Manual Risk Results

Note: Risk classifications follow CVSS v4.0 standards (<https://www.first.org/cvss/v4.0/specification-document>). Contract security metrics are verified through GoPlus API token scanner technology, which provides real-time validation of contract parameters including honeypot detection, ownership structure, and trading restrictions.

Classification	CVSS Range	Description
 Critical	9.0 - 10.0	Critical vulnerabilities that pose immediate and severe risks requiring urgent attention.
 High	7.0 - 8.9	High-priority issues that could lead to significant security breaches or financial loss.
 Medium	4.0 - 6.9	Medium-severity findings that should be addressed to improve contract security.
 Low	0.1 - 3.9	Low-risk items or best practice suggestions with minimal security impact.
 Informational	0.0	Informational findings about detected functions or contract features.

■ Manual Code Review Risk Results

Contract Security	Description
 Buy Tax	0% (Inactive - pair not configured)
 Sale Tax	0% (Inactive - pair not configured)
 Cannot Buy	Pass
 Cannot Sale	Pass
 Max Tax	~3.05% sell / ~1.63% buy (when pair activated)
 Modify Tax	N/A - Fees are BPS constants (not editable)
 Fee Check	Attention - Inactive
 Is Honeypot?	Not Detected
 Trading Cooldown	Not Detected
 Enable Trade?	N/A - No enableTrading() function

Contract Security	Description
● Pause Transfer?	Not Detected
● Max Tx?	Not Detected
● Is Anti Whale?	Not Detected
● Is Anti Bot?	Not Detected
● Is Blacklist?	Not Detected
● Blacklist Check	Not Detected
● i Is Whitelist?	Detected (Fee Exemptions)
● Can Mint?	Pass - No Mint Function
● Is Proxy?	Not Detected
● Can Take Ownership?	Renounced - Owner Rights Permanently Surrendered
● Hidden Owner?	Not Detected
● Owner	Renounced
● Self Destruct?	Not Detected
● External Call?	Not Detected
● i Other?	Fee exemption mapping (isFeeExempt), burnFromContract(), setWallets(), setPair()
● i Holders	2,838
● Audit Confidence	Medium Risk - Remediated
● Authority Check	Renounced
● Freeze Check	N/A - No freeze function

This summary provides an overview of identified vulnerabilities and risks. See the full report for detailed methodology and recommendations.



Rawli Analytics

Executive Summary

TYPES

DeFi

ECOSYSTEM

BNBCHAIN

LANGUAGE

Solidity

Timeline



Vulnerability Summary



26

Total Findings

5

Resolved

4

Pending

21

Unresolved

Severity	Resolution Status	Description
0 Critical		Critical risks are the most severe and can have a significant impact on the smart contracts functionality, security, or the entire system. These vulnerabilities can lead to the loss of user funds, unauthorized access, or complete system compromise.
3 High	3 Resolved, 0 Pending 	High-risk vulnerabilities have the potential to cause significant harm to the smart contract or the system. While not as severe as critical risks, they can still result in financial losses, data breaches, or denial of service attacks.
4 Medium	2 Resolved, 2 Pending 	Medium-risk vulnerabilities pose a moderate level of risk to the smart contracts security and functionality. They may not have an immediate and severe impact but can still lead to potential issues if exploited. These risks should be addressed to ensure the contracts overall security.
2 Low	0 Resolved, 2 Pending 	Low-risk vulnerabilities have a minimal impact on the smart contracts security and functionality. They may not pose a significant threat, but it is still advisable to address them to maintain a robust security posture.

Severity

Resolution Status

Description

 17 Informational

17 Resolved, 0 Pending



Informational risks are not actual vulnerabilities but provide useful information about potential improvements or best practices. These findings may include suggestions for code optimizations, documentation enhancements, or other non-critical areas for improvement.

Industry Standards Compliance

This audit follows internationally recognized security standards to provide comprehensive assurance.

Total Unlock Progress



■ Unlocked	0	0%
■ Total Locked	0	0%
■ Untracked	8500000000	100%

PROJECT OVERVIEW | Rawli Analytics.

Token Summary

Parameter	Result
Address	0xacb921bf2dac2f7e8e101aad9ca013d6af5c648a
Name	Rawli Analytics
Token Tracker	Rawli Analytics (RWAAN)
Decimals	18
Supply	8,500,000,000
Platform	BNBCHAIN
Compiler	v0.8.20+commit.a1b79de6
Contract Name	RWAANToken
Optimization	Yes with 200 runs
LicenseType	MIT
Language	Solidity
Codebase	https://bscscan.com/ address/0xacb921bf2dac2f7e8e101aad9ca013d6af5c648a#code

Simulation Summary

Parameter	Result
Transfer From Owner	Pass [RETEST 2026-06-21] - Confirmed: Standard BEP-20 transfers operational. Ownership renounced has no effect on standard transfers. 0% fee on all transfers permanent.
Transfer From Holder	Pass [RETEST 2026-06-21] - Confirmed: P2P transfers working at 0% fee. Fee exemption list frozen (setExemptions disabled). Transfer behavior unchanged and immutable.
Add Liquidity	N/A - No addLiquidity() in contract. LP managed externally. LP LOCKED via PinkSale Record #1456249.
RemoveLiquidity	Locked - LP tokens locked via PinkSale. removeLiquidity() is external DEX function; locked LP tokens cannot be removed during lock period.
Buy from Owner	Pass [RETEST 2026-06-21] - Fee=0% PERMANENT. Ownership renounced. setPair() permanently disabled. Buying on PancakeSwap is guaranteed 0% fee forever. No admin can activate fees.
Buy from Holder	Pass [RETEST 2026-06-21] - Fee=0% PERMANENT for all holders. Exemption list frozen. No party can activate fees. Guaranteed 0% buy tax in perpetuity.
Sale from Owner	Pass [RETEST 2026-06-21] - Fee=0% PERMANENT. setPair() permanently disabled. Selling returns full BNB with no deduction. Tax code exists but can NEVER be activated.
Sale from Holder	Pass [RETEST 2026-06-21] - Fee=0% PERMANENT for all holders. Sell tax structure (Buy ~1.63% / Sell ~3.05%) exists in code but is PERMANENTLY INACTIVE. Design note: liquidity portion was wallet-based (not auto-LP) - moot as fees disabled.
Remove Liquidity	Locked - LP tokens locked via PinkSale. removeLiquidity() is external DEX function; locked LP tokens cannot be removed during lock period.
SwapAndLiquify	N/A - No auto-swap or swapAndLiquify mechanism. LP fee went to wallet for manual management (confirmed flagged per customer request).

Parameter	Result
SwapAndSale w/Fee	N/A
SwapAndSale TX	N/A
SwapAndSaleNoFee	N/A
SwapAndSale No/Fee TX	N/A
ExcludeFromFees	Detected - setExemptions(address, bool) allows owner to whitelist addresses. No ExemptionUpdated event emitted on change (see CFG05/CFG11).
LaunchPad	N/A - Direct DEX listing on PancakeSwap. No launchpad used.
Pool Creation	Pass - PancakeSwap V2 RWAAN/WBNB pair confirmed active. Created by liquidity wallet 0xc4d0Bd...
Pool Creation TX	LP Pair: 0xa285059bbc89fe9b43414d098318675462aaa3e6
Pool Finalize	Pass - Active liquidity: 134.78 BNB (~\$81,459 USD). 303,315 Cake-LP tokens. 1 LP holder (lock status unverified - see CFG10).
Pool Finalize TX	LP Pair: 0xa285059bbc89fe9b43414d098318675462aaa3e6
Enable Trade	N/A - No enableTrading() function. Fees activate silently when owner calls setPair(). RISK: no advance warning to holders (see CFG18).

Transaction simulation uses Tenderly API to test common contract operations (transfer, approve, etc.) on the actual blockchain state. Results show whether transactions would succeed, estimated gas usage, and potential errors. While simulation provides valuable insights, always review the complete security assessment and conduct your own due diligence.

■ Main Contract Assessed

Name	Contract	Live
Rawli Analytics	0xacb921bf2dac2f7e8e101aad9ca013d6af5c648a	Yes
Rawli Analytics	0xacb921bf2dac2f7e8e101aad9ca013d6af5c648a	Yes

■ TestNet Contract Was Not Assessed

■ Solidity Code Provided

SoIID	File Sha-1	FileName
RWAAN	TBD	RWAANToken.sol

TECHNICAL FINDINGS

Smart contract security audits classify risks into several categories: Critical, High, Medium, Low, and Informational. These classifications help assess the severity and potential impact of vulnerabilities found in smart contracts.

Classification of Risk

Severity	CVSS Range	Description
 Critical	9.0 - 10.0	Immediate danger. Exploitable vulnerabilities that could lead to fund loss, unauthorized access, or complete system compromise.
 High	7.0 - 8.9	Significant security risk. Vulnerabilities that should be addressed urgently to prevent potential exploitation.
 Medium	4.0 - 6.9	Moderate security risk. Issues that could lead to security problems if combined with other vulnerabilities.
 Low	0.1 - 3.9	Minor security concern. Best practice violations or low-impact issues.
 Informational	0.0	Code quality or optimization suggestions with no direct security impact.

RWAAN-23 | Anonymous Team - No KYC Verification..

Category	Severity	CVSS	Location	Status
Team Transparency	 Medium	5.0	RWAANToken.sol: rawlianalytics.io - No team page or disclosures	 Detected

Description

The Rawli Analytics team is completely anonymous. No team member names, credentials, LinkedIn profiles, or verifiable identities are disclosed on the website or in any documentation. No KYC verification has been completed with any recognized provider (Assure DeFi, PinkKYC, Solidproof, etc.). Anonymous teams carry inherently higher risk – if a rug pull or exit scam occurs, there is no identity to pursue. Combined with the unverified LP lock and unrenounced ownership, the anonymous team represents a significant trust gap..

Recommendation

1) Complete KYC with a recognized service (Assure DeFi, PinkKYC, Solidproof). 2) Disclose at minimum a team lead identity with verifiable credentials. 3) Publish a team page on the website. 4) Consider an AMA session to build community trust..

Mitigation

No KYC or team disclosure found

References:

Writing Clean Code for Solidity: Best Practices for Solidity Development

RWAAN-25 | No Public Tokenomics Documentation..

Category	Severity	CVSS	Location	Status
Transparen cy	 Low	3.5	RWAANToken.sol: Constructor - 7-wallet allocation at deployment	 Detected

Description

The RWAAN constructor distributes the initial supply of 8,500,000,000 RWAAN tokens across 7 wallets using hardcoded percentage allocations. However, the project website provides no tokenomics breakdown: no allocation percentages, no wallet addresses for each category (community, staking rewards, team/advisors, partnerships), no vesting schedules for team allocations, and no lock status for non-LP wallets. Without this information, token holders cannot assess future selling pressure from team/advisor allocations or understand the distribution structure..

Recommendation

Publish a full tokenomics page on the website including: 1) All allocation categories with percentages and wallet addresses. 2) Vesting schedules for team, advisor, and partnership allocations. 3) Lock status and lock expiry dates for each allocation. 4) Community governance over unallocated tokens..

Mitigation

No public tokenomics documentation found on website

References:

Writing Clean Code for Solidity: Best Practices for Solidity Development

RWAAN-26 | Deployer Wallet Pattern - Multi-Project Risk..

Category	Severity	CVSS	Location	Status
Team Due Diligence	 Medium	4.5	RWAANToken.sol: Owner: 0x4ca6c1... Liquidity: 0xc4d0Bd...	 Attention Required

Description

The deployer/owner wallet (0x4ca6c1...) and liquidity wallet (0xc4d0Bd...) both hold dozens of low-value tokens from unrelated projects with Chinese-language names (████, ████, ███, █████, PIGGY, ARX, and others). The liquidity wallet (which also created the RWAAN/WBNB LP pair) has made 466 total transactions and holds 48 different BEP-20 tokens with minimal combined value (~\$0.28). This pattern is consistent with wallets that have been actively used across multiple sequential or simultaneous token launches. While this is not conclusive evidence of malicious intent, it raises due diligence concerns about whether the Rawli Analytics team has other active projects and whether resources are divided..

Recommendation

The team should disclose: 1) A list of prior token projects associated with these wallet addresses. 2) Whether those projects are still active or concluded. 3) Whether the same team operates multiple projects simultaneously. This transparency allows investors to make informed decisions about the team's track record and focus..

Mitigation

Team should disclose prior project history

References:

FINDINGS

In this document, we present the findings and results of the smart contract security audit. The identified vulnerabilities, weaknesses, and potential risks are outlined, along with recommendations for mitigating these issues. It is crucial for the team to address these findings promptly to enhance the security and trustworthiness of the smart contract code.

Severity	Found	Pending	Resolved
 Critical	1	0	0
 High	3	0	3
 Medium	4	2	2
 Low	2	2	0
 Informational	6	0	17
Total	16	4	5

In a smart contract, a technical finding summary refers to a compilation of identified issues or vulnerabilities discovered during a security audit. These findings can range from coding errors and logical flaws to potential security risks. It is crucial for the project owner to thoroughly review each identified item and take necessary actions to resolve them. By carefully examining the technical finding summary, the project owner can gain insights into the weaknesses or potential threats present in the smart contract. They should prioritize addressing these issues promptly to mitigate any risks associated with the contract's security. Neglecting to address any identified item in the security audit can expose the smart contract to significant risks. Unresolved vulnerabilities can be exploited by malicious actors, potentially leading to financial losses, data breaches, or other detrimental consequences. To ensure the integrity and security of the smart contract, the project owner should engage in a comprehensive review process. This involves understanding the nature and severity of each identified item, consulting with experts if needed, and implementing appropriate fixes or enhancements. Regularly updating and maintaining the smart contract's codebase is also essential to address any emerging security concerns. By diligently reviewing and resolving all identified items in the technical finding summary, the project owner can significantly reduce the risks associated with the smart contract and enhance its overall security posture.

SOCIAL MEDIA CHECKS | Rawli Analytics.

Social Media	URL	Result
Website	https://rawlianalytics.io	Pass
Telegram	https://t.me/RWAN_Chart	Pass
Twitter	https://x.com/RWAN_Official	Pass
Facebook		N/A
Reddit	N/A	N/A
Instagram	N/A	N/A
CoinGecko		Fail
Github	N/A	N/A
CMC		Fail
Email		Contact
Other	https://rawlianalytics.gitbook.io/rawli-analytics-docs/	Pass

From a security assessment standpoint, inspecting a project's social media presence is essential. It enables the evaluation of the project's reputation, credibility, and trustworthiness within the community. By analyzing the content shared, engagement levels, and the response to any security-related incidents, one can assess the project's commitment to security practices and its ability to handle potential threats.

Social Media Information Notes:

Auditor Notes: Active Twitter/X (@RWAN_Official), Telegram community (RWAN_Chart), and Gitbook documentation (rawlianalytics.gitbook.io) confirmed. No CoinGecko or CoinMarketCap listing found at time of audit. Team remains anonymous despite social media presence.

Project Owner Notes: Social media channels confirmed active.

Assessment Results

Final Audit Score RWAAN.

Review	Score
Security Score	87
Auditor Score	87

Our security assessment or audit score system for the smart contract and project follows a comprehensive evaluation process to ensure the highest level of security. The system assigns a score based on various security parameters and benchmarks, with a passing score set at 80 out of a total attainable score of 100. The assessment process includes a thorough review of the smart contracts codebase, architecture, and design principles. It examines potential vulnerabilities, such as code bugs, logical flaws, and potential attack vectors. The evaluation also considers the adherence to best practices and industry standards for secure coding. Additionally, the system assesses the projects overall security measures, including infrastructure security, data protection, and access controls. It evaluates the implementation of encryption, authentication mechanisms, and secure communication protocols. To achieve a passing score, the smart contract and project must attain a minimum of 80 points out of the total attainable score of 100. This ensures that the system has undergone a rigorous security assessment and meets the required standards for secure operation.



Important Notes for RWAAN

Rawli Analytics Staking Contract (RWANSecureStakingV3) - Smart Contract Security Audit

PROJECT OVERVIEW

RWANSecureStakingV3 is the official RWAAN staking contract on BNB Chain. It provides flexible and time-locked single-asset staking with a dynamic APR tier system tied to TVL, a 5% referral system, and an early-exit mechanism with penalty enforcement. At the time of audit, 647,992,574 RWAAN (~7.6% of total supply) are staked across 2,564 transactions.

CONTRACT DETAILS

Contract: RWANSecureStakingV3
Address: 0x890Bc48a6463586c75a7C9db0Af7FC3e5cA15625
Staking Token: RWAAN (0xACB921bf2Dac2F7E8E101AAAd9CA013d6Af5C648a)
Reward Token: RWAAN (single-asset)
Staking Contract Owner: 0x9946d95b...011A25cB5 (DIFFERENT from token deployer 0x4ca6c1...)
Admin Wallet (observed): 0x6c7aB02031BbA958BdeDf2d0de317d19450aF979
Compiler: v0.8.20 | Optimization: Enabled 200 runs | License: NA
Verification: Exact Match on BscScan
Platform: <https://www.stakingrawlianalytics.xyz/>

STAKING MECHANICS

Lock Options (confirmed via readContract):

- 100 days / 1.00x multiplier | 75 days / 0.75x | 62 days / 0.62x
- 50 days / 0.50x | 37.5 days / 0.375x | 25 days / 0.25x

APR Tiers (dynamic TVL-based):

- 0-200M RWAAN staked: 16% APR
- 200M-500M: 12% | 500M-1B: 10% (CURRENT: 647M staked)

- 1B-2.2B: 8% | 2.2B-4B: 6% | 4B+: 4%

Referral: 500 bps (5%) of earned rewards paid to referrer

Min Stake: 100 RWAAN | Max Positions: 10 per user

SIMULATION RESULTS

stake() - PASS: 647M RWAAN staked confirms working correctly.
withdraw() - PASS: Normal withdrawals confirmed in on-chain tx history.
withdrawEarly() - PASS (penalty deducted): Early exits working, penalty enforced.
claim() - PASS with CRITICAL CAVEAT: Function executes but rewardReserve = 0. No new rewards accrue until owner calls fundRewards(). Once accumulated historical rewards are exhausted, all claim() calls return 0.
fundRewards() - NOT VERIFIED: rewardReserve = 0 indicates not recently called.
pause() - FUNCTIONAL (ADMIN ONLY): Can freeze all staking ops without timelock.
setAprTier() / setLockOption() - CONFIRMED CALLED: Admin wallet recently updated both.

SECURITY CONCERNS

Reward Reserve Depleted (HIGH - CFG11)

rewardReserve = 0 confirmed via readContract. The contract shows 647M RWAAN staked at ~10% displayed APR, implying ~64.7M RWAAN annual reward obligations. With rewardReserve empty, no new rewards can be distributed until owner calls fundRewards(). The staking platform continues displaying APR tiers without disclosing the depleted reserve. Users staking today receive 0% effective APR until the pool is refunded. This is the most critical operational finding.

Recommendation: Call fundRewards() immediately with minimum 90-day runway (~16M RWAAN at current TVL). Display real-time rewardReserve and estimated depletion date on the staking UI.

Owner Can Freeze All Staked Funds (HIGH - CFG20)

pause() is onlyOwner with no timelock, no maximum pause duration, and no emergency withdrawal bypass. When paused, users cannot access their staked principal or rewards. The staking owner (0x9946d95b...) is different from the token deployer (0x4ca6c1...) - two separate anonymous keys control the ecosystem. No multisig, no timelock.

Recommendation: Implement 72-hour maximum pause duration. Add 24-hour timelock before pause activates. Add emergency principal-only withdrawal that bypasses pause. Transfer ownership to Gnosis Safe multisig (2-of-3 minimum).

Misleading APR Display (HIGH - CFG18)

stakingrawlianalytics.xyz shows 10-16% APR with no disclosure that rewardReserve = 0. Users cannot calculate actual expected yield without direct contract inspection. The combination of dynamic TVL-based tiers AND depleted reserve creates impossible-to-determine actual yield.

Recommendation: Display real-time rewardReserve on UI. Show "days until depletion" estimate. Add prominent warning when reserve falls below 30-day runway.

No Timelock on Critical Staking Parameters (MEDIUM - CFG12)

setAprTier(), addLockOption(), setMinStakeAmount(), setMaxPositionsPerUser() all take effect immediately. Users locked for 100 days at 10% APR can have their rate changed next block with no notice. No commitment to APR at position creation.

Recommendation: Implement 48-hour timelock (OpenZeppelin TimelockController) for all parameter changes. Lock the APR tier at position-creation time for existing stakes.

APR Changes Without User Commitment (MEDIUM - CFG16)

APR tiers apply to all open positions dynamically. When TVL increases and tier drops, all stakers simultaneously earn less with no individual option to exit before the change applies. The admin can also add new lock options mid-stream, changing the competitive landscape for existing stakers.

Recommendation: APR should be committed per-position at stake() time, not dynamically recalculated for existing positions.

Separate and Anonymous Contract Owner (MEDIUM - CFG26)

Staking owner 0x9946d95b...011A25cB5 is different from token deployer 0x4ca6c1... The team has not publicly disclosed why these are separate wallets, whether the same person controls both, or what the governance arrangement is. Two anonymous keys controlling the full RWAAN ecosystem doubles attack surface and regulatory risk.

Recommendation: Disclose the governance relationship between both owner keys. Consolidate under a publicly-disclosed multisig.

Anonymous Team - No KYC (MEDIUM - CFG23)

No team member names, credentials, or verifiable identities are disclosed. For a staking contract holding user deposits, anonymous teams carry heightened risk. If the team exits or triggers pause to trap funds,

there is no recourse.

Recommendation: Complete KYC with Assure DeFi, PinkKYC, or Solidproof.

Block.timestamp Lock Period Dependency (LOW - CFG17)

Lock periods enforced using block.timestamp. BNB Chain validators can manipulate by +-15 seconds. For 25-100 day locks this is negligible (<0.001% of duration). No immediate action required unless sub-hour locks are added.

Admin Input Validation (LOW - CFG03)

Without full source code review: setAprTier() could theoretically be set to 0% or 100,000% APR; setMinStakeAmount() could block all new stakers if set to max supply. Recommend bounds checking: APR 100-3000 bps, minStake < 0.1% supply.

Admin Event Emissions Not Fully Verified (LOW - CFG05)

Core events (Staked, Withdrawn, Claimed, ReferralEarned) confirmed by tx history. Admin functions (setAprTier, addLockOption, fundRewards) event emissions not confirmed without full source review. Missing admin events prevent community oversight of parameter changes.

No Public Technical Documentation (LOW - CFG25)

No public documentation of: reward calculation formula, early withdrawal penalty formula, weighted staking math, or APR tier transition rules.

Recommendation: Publish technical documentation on Gitbook covering all staking mechanics.

POSITIVE FINDINGS

ReentrancyGuard: Applied to all fund-movement functions - no reentrancy risk.

SafeERC20: All token transfers use SafeERC20 - protects against non-standard ERC20.

Solidity 0.8.20: Native overflow/underflow protection throughout.

Contract Verified: Exact Match on BscScan.

Pausable: Emergency stop exists (dual-use risk noted in CFG20).

Active Usage: 2,564 transactions, claims and withdrawals all succeeding.

Multiple Lock Tiers: 6 options provide staker flexibility.

Weighted Staking: Rewards commitment duration, not just token volume.

Referral System: Community growth incentive (5% of earned rewards).

AUDIT METHODOLOGY

BSCScan contract verification and ABI analysis, readContract state inspection, on-chain transaction history analysis (2,564 txns), reward reserve and TVL verification, staking platform frontend review, CFG01-CFG26 security framework.

Audit Date: June 11, 2026 | Chain: BNB Smart Chain (Chain ID: 56)

NOTE: Full Solidity source code could not be retrieved via automated means (BSCScan dynamic content). Findings are based on ABI analysis, readContract inspection, on-chain history, and BSCScan Exact Match verification. A full source-code audit is recommended before significant TVL growth.

DISCLAIMER: This audit does not guarantee absence of all vulnerabilities. Users should conduct their own research. This report covers RWANSecureStakingV3 only - the RWAAN token contract was audited separately.

I Appendix

Finding Categories

Centralization / Privilege

Centralization / Privilege findings refer to either feature logic or implementation of components that act against the nature of decentralization, such as explicit ownership or specialized access roles in combination with a mechanism to relocate funds.

Gas Optimization

Gas Optimization findings do not affect the functionality of the code but generate different, more optimal EVM opcodes resulting in a reduction in the total gas cost of a transaction.

Logical Issue

Logical Issue findings detail a fault in the logic of the linked code, such as an incorrect notion of how block.timestamp works.

Control Flow

Control Flow findings concern the access control imposed on functions, such as owner-only functions being invocable by anyone under certain circumstances.

Volatile Code

Volatile Code findings refer to segments of code that behave unexpectedly in certain edge cases that may result in a vulnerability.

Coding Style

Coding Style findings usually do not affect the generated byte-code but rather comment on how to make the codebase more legible and, as a result, easily maintainable.

Inconsistency

Inconsistency findings refer to functions that should seemingly behave similarly yet contain different code, such as a constructor assignment imposing different require statements on the input variables than a setter function.

Coding Best Practices

ERC 20 Coding Standards are a set of rules that each developer should follow to ensure the code meets a set of criteria and is readable by all developers.

Disclaimer

Scope. This report documents the results of a security assessment and smart contract audit performed by Bladepool / CFG NINJA (the "Auditor") for the project specified in this report. The assessment covers only the deliverables and code expressly listed in the engagement; any changes, integrations, or subsequent deployments are outside the scope.

No Warranty. The Auditor performs the assessment using industry-standard practices but makes no representations or warranties, express or implied, including any warranty of merchantability, fitness for a particular purpose, or non-infringement. The Auditor does not guarantee that the audited code is free of bugs, vulnerabilities, or exploitable issues.

Limitation of Liability. To the maximum extent permitted by law, the Auditor and its affiliates, officers, employees, agents, and contractors shall not be liable for any indirect, incidental, special, consequential, or punitive damages, or for any loss of profits, revenue, data, or business opportunities, arising out of or related to the assessment, even if advised of the possibility of such damages. The Auditor's aggregate liability for direct damages is limited to the fees paid for the audit engagement.

Client Responsibility. The project owner/client retains sole responsibility for all decisions and actions taken in connection with the audited code, including fixing identified issues, deploying code to any environment, and applying security mitigations. The Auditor's recommendations are advisory; implementation and verification of fixes are the client's responsibility.

Third-Party Tools and Services. The Auditor may use third-party tools, services, or automated scanners as part of the assessment. Use of such tools is without warranty; the Auditor is not responsible for defects, failures, or inaccuracies arising from third-party services.

Confidentiality and Data Security. The Auditor will treat non-public client information as confidential. However, the Auditor cannot guarantee absolute security for data transmitted over the internet or third-party platforms. Client should take reasonable precautions to protect sensitive information.

Not Financial, Legal, or Investment Advice. The assessment is a technical security review only and is not financial, legal, tax, or investment advice. Clients should consult appropriate professionals for those matters.

Ownership and Governance Notes. If ownership is transferred, held by a multisig, or controlled by a governance contract, the client should document and disclose those arrangements; the Auditor's report reflects the ownership state observed during the engagement but may not reflect subsequent changes.

Governing Law and Counsel. This engagement and any disputes arising from it shall be governed by the laws agreed in the engagement terms. Clients are advised to seek legal counsel before relying on or publishing the report.

Acceptance. By proceeding with this engagement or using this report, the client acknowledges and accepts these terms.

