TRANSFERABLE

Туре:	Behavior
Name:	Transferable
ld:	af119e58-6d84-4ca6-9656-75e8d312f038
Visual:	<i>t</i>
Tooling:	t t
Version:	1.0

Definition

Every token instance has an owner. The Transferable behavior provides the owner the ability to transfer the ownership to another party or account. This behavior is often inferred by other behaviors that might exist like Redeem, Sell, etc. This behavior is Delegable. If the token definition is Delegable, TransferFrom will be available.

Example

Analogies

Name	Description
Analogy 1	transferable analogy 1 description

Dependencies

Artifact Type	Symbol	Description

Incompatible With

Artifact Type	Symbol Id

Influenced By

Description	Symbol	Applies To
If the token is Delegable, TransferFrom should be enabled.	g	[]
If Compliance is present, a CheckTransferAllowed request has to be made and verified before a Transfer request or a TransferFrom request.	С	[]

Artifact Files

Content Type	File Name	File Content
Control	transferable.proto	
Uml	transferable.md	

Code Map

Map Type	Name	Platform	Location
SourceCode	Code 1	Daml	

Implementation Map

Мар Туре	Name	Platform	Location
Implementation	Implementation	ChaincodeGo	

Resource Map

Мар Туре	Name	Location	Description
Resource	Regulation Reference 1		

Behavior Details

Is External:	False
Construction	
Constructor:	

Invocations

Transfer

ld: 5d4b8f10-7857-4a2f-9b8c-d61e367a6bcc

Description: >A transfer request will invoke a transfer from the owner of the token to the party or account provided in the To field of the request. For fungible or subdividable non-fungible tokens, this request may also include value in the Amount field of the request to transfer more than one token of the class in a single request.

Request

Control Message: TransferRequest

Description: The request

<u>Parameters</u>

Name	Value
То	AccountId to transfer ownership to.
Quantity	Number of tokens to transfer.

Response

Control Message: TransferResponse

Description: The response

<u>Parameters</u>

Name	Value
Confirmation	A confirmation receipt or error may be returned to the owner based on the outcome of the transfer request.
	1,000

TransferFrom

Id: 516b4e2f-4a14-4c4f-a6f2-1419d4af35c6

Description: >A transfer request will invoke a transfer from the owner of the token to the party or account provided in the To field of the request. For fungible or subdividable non-fungible tokens, this request may also include value in the Amount field of the request to transfer more than one token of the class in a single request.

Request

Control Message: TransferFromRequest

Description: The request

<u>Parameters</u>

Name	Value
From	AccountId to transfer ownership from.
То	AccountId to transfer ownership to.
Quantity	Number of tokens to transfer.

Response

Control Message: TransferFromResponse

Description: The response

Parameters

Name	Value
Confirmation	A confirmation receipt or error may be returned to the owner based on the outcome of the transfer from request.

Properties