

Replication programs and data files

Shining a Brighter Light: Comprehensive Evidence on Adoption and Diffusion of CGIAR-related Innovations in Ethiopia

Frederic Kosmowski, Solomon Alemu, Paola Mallia, James Stevenson, Karen Macours

Tables and Figures

Each table/figure present in the report is available in the folder “Supplemental Material” and can be reproduced by following this analytical workflow:

Script ↔ Dataset(s) ↔ Intermediary table ↔ Table in supp. material ↔ Report table/figure

The Script and Dataset(s) columns show all the programs (do-files and R.scripts) and databases (.dta and .R) used for each particular table, respectively. The Intermediary table column contains the names of .xml files generated in the scripts. The Table in supplemental material column indicates the name of the final .xml files, which are a product of the intermediary tables. Finally, the column Table/Fig in report shows the number and name of each table/figure contained in the report.

Script	Dataset(s)	Intermediary table (in scripts)	Table in supp. material	Table/Figure in report
-	-	-	ETH_Stocktake_01.07.2020.xlsx	Table 1: Examples of stocktaking entries for three CGIAR-related innovations for inclusion in Ethiopia national data systems
7_National and regional adoption rates_ess3.do	wave3_hh ess3_hh_psn wave3_ea ess3_ea_psn	Sec6_ESS3 Sec6_ESS4	1a_ESS4_national regional adoption rates_new	Table 2: Distribution of sample EAs and households for ESS3 and ESS4 by region (rural)
8_National and regional adoption rates_ess4.do	wave4_hh_new ess4_hh_psn wave4_ea_new ess4_ea_psn			
17_Synergies_DNA.do	Ess4_dna_plot_new Ess4_dna_hh_new ess4_dna_new ess4_pp_cov_plot_new ess4_dna_plot_new	ESS_innovation overlap_DNAN EW (hh-level) Adopters characteristics	3.2b_ESS4_DNA_Synergies_new	Table 3: Distribution of DNA fingerprinted samples in ESS4, by region
-	-	-	Report_released_var.xlsx	Table 4: Number of barley varieties released, by germplasm origin, 1990–2019
-	-	-	Report_released_var.xlsx	Table 5: Number of chickpea varieties released, by germplasm origin, 1990–2019
-	-	-	Report_released_var.xlsx	Table 6: Trend in the number of maize varieties released, by germplasm origin, 1990–2019
-	-	-	Report_released_var.xlsx	Table 7: Number of sorghum varieties released, by germplasm origin, 1990–2019
-	-	-	Report_released_var.xlsx	Table 8: Number of sweet potato varieties released, by germplasm origin, 1990–2019

7_National and regional adoption rates_ess3.do	wave3_hh ess3_hh_psn wave3_ea ess3_ea_psn	Sec6_ESS3 Sec6_ESS4 ESS_innovation overlap_DNAN EW	1a_ESS4_national regional adoption rates_new 3.2b_ESS4_DNA_S ynergies_new (DNA crops)	Table 9: Adoption rates at enumeration area (EA) and household levels (in %), and estimates for the absolute numbers of households
8_National and regional adoption rates_ess4.do	wave4_hh_new ess4_hh_psn wave4_ea_new ess4_ea_psn misclassification _plot_new ess4_dna_ea_ne w			
Tabs.R	DNA_data_repo rts.csv Var_data.csv	-	-	Table 10: Distribution of barley by variety planted during the 2018/19 growing season
Tabs.R	DNA_data_repo rts.csv Var_data.csv	-	-	Table 11: Distribution of maize by variety planted during the 2018/19 growing season (ESS4 data)
Tabs.R	DNA_data_repo rts.csv Var_data.csv	-	-	Table 12: Distribution of sorghum by variety planted during the 2018/19 growing season
13_Tables_hh_p lot_ea_character istics_ess4.do	ess4_pp_cov_ne w	Table13.xml ESS4_Character istics (EA level)	2.1a_ESS4_Correlat es dstat_new	Table 13: Overall descriptive statistics of variables related to smallholder farmers' context, gender, social inclusion, and youth among rural households in ESS4
14_Who are the adopters of the innovations_ES S4.do	ess4_pp_cov_ne w	Table14	2.3a_ESS4_Adopter s characteristics_new	Table 14: Summary of variables associated with the adoption of agricultural innovations
7_National and regional adoption rates_ess3.do	wave3_hh ess3_hh_psn wave3_ea ess3_ea_psn	Sec6_ESS3 Sec6_ESS4 ESS_innovation overlap_DNAN EW	1a_ESS4_national regional adoption rates_new 3.2b_ESS4_DNA_S ynergies_new (DNA crops)	Table 15: Summary of adoption rates by regions at the EA and household levels (%)
8_National and regional	wave4_hh_new ess4_hh_psn wave4_ea_new			

adoption rates_ess4.do	ess4_ea_psnp misclassification _plot_new ess4_dna_ea_ne w			
16_Synergies.do	wave4_ea_new synergies_ea_es s4_new wave4_hh_new synergies_hh_es s4_new	ESS_innovation overlapNEW ESS_innovation overlap_DNAN EW	3.1a_ESS4_Synergi es_new 3.2b_ESS4_DNA_S ynergies_new	Table 16: Summary matrix of joint adoption rates
9_Misclassificat ion_new.do	ess4_dna_new	ESS4_Misclassi ficationNEW	4.1a_ESS4_DNA_ Misclassification_fo rmatted_newdata	Table 17: Misclassification rate of adoption status of CGIAR-derived maize varieties at plot level
9_Misclassificat ion_new.do	ess4_dna_new	ESS4_Misclassi ficationNEW	4.1a_ESS4_DNA_ Misclassification_fo rmatted_newdata	Table 18: Rates of misclassification of varietal status for farmers adopting CGIAR-related germplasm
9_Misclassificat ion_new.do	ess4_dna_new	ESS4_Misclassi ficationNEW	4.1a_ESS4_DNA_ Misclassification_fo rmatted_newdata	Table 19: Rates of misclassification of varietal status for farmers adopting CGIAR-related germplasm
14_Who are the adopters of the innovations_ES S4.do	ess4_pp_cov_ne w	Table14	2.3a_ESS4_Adopter s characteristics_new	Table 20: Summary of variables associated with maize varietal adoption
-	-	-	ESS4 Post Harvest Questionnaire Engli sh.xls ESS4 Post Planting Crop Cut Livestock Questionnaires Engl ish.xls HH Questionnaire Wave 4- English.xls ESS3 Questionnaires	Table 21: Overview of questions used in the ESS to measure adoption

8_National and regional adoption rates_ess4.do	wave4_hh_new ess4_hh_psn wave4_ea_new ess4_ea_psn misclassification _plot_new ess4_dna_ea_new	Sec6_ESS4	1a_ESS4_national regional adoption rates_new	Table 22: National adoption estimates of improved varietal adoption in ESS4, based on farmers' self-reported data
-	-	-	Report_released_var.xlsx	Table 23: Barley improved varieties released by the national agricultural research system of Ethiopia, 1974–2019
-	-	-	Report_released_var.xlsx	Table 24: Chickpea improved varieties released by the national agricultural research system of Ethiopia, 1974–2019
-	-	-	Report_released_var.xlsx	Table 25: Maize improved varieties released by the national agricultural research system of Ethiopia, 1973–2019
-	-	-	Report_released_var.xlsx	Table 26: Sorghum improved varieties released by the national agricultural research system of Ethiopia, 1970–2019
-	-	-	Report_released_var.xlsx	Table 27: Sweet Potato improved varieties released by the national agricultural research system of Ethiopia, 1987–2019
7_National and regional adoption rates_ess3.do	wave3_hh ess3_hh_psn wave3_ea ess3_ea_psn	Sec6_ESS3	1c_ESS3_national regional adoption rates.xml	Table 28: Adoption rates at enumeration area (EA) and household levels (%) in ESS3 (2015/16)
8.1_National and regional urban livestock adoption rates_ess4.do	sect10d2_hh_w4 sect10d1_hh_w4	ESS4_Individual_livestock	6_Individual_livestock	Table 29: Summary of adoption rates for animal agriculture innovations in urban areas in ESS4 (2018/19) at both

				enumeration area (EA) and household levels (in %)
14_Who are the adopters of the innovations_ES S4.do	ess4_pp_cov_new ess4_dna_plot_new	Table14	2.3a_ESS4_Adopter s characteristics_new	Table 30: Plot-level variables on land preparation and input use correlated with adoption of soil and water conservation practices and conservation agriculture
Location_Matching.R	Stocktake_locations.xlsx	-	-	Table 31: Overview of georeferenced location collected and retrieved for CGIAR-related areas of activity
14_Who are the adopters of the innovations_ES S4.do	ess4_pp_ea_new ess4_dna_ea_new dashboard_locations	Adopters characteristics	2.2a_CGDistances_new	Table 32: Correlation between distance to CGIAR projects and adoption of innovations
8_National and regional adoption rates_ess4.do	wave4_hh_new ess4_hh_psnp wave4_ea_new ess4_ea_psnp	Sec6_ESS4	1a_ESS4_national regional adoption rates_new	Table 33: Summary adoption rates by region at the EA and household levels for the regions that are aggregated as “other regions” in table 15
18_Correlates of misclassification_old.do	misclassification_plot_new	ESS4_corr_misclassificationNEW	4.2a_ESS4_Correlat est of misclassification_new	Table 34: Correlates of classification status (see notes below)
9_Misclassification_new.do	ess4_dna_new	ESS4_MisclassificationNEW	4.1a_ESS4_DNA_Misclassification_formatted_newdata	Table 35: Misclassification rate of adoption status of CGIAR-derived sorghum varieties at plot level
9_Misclassification_new.do	ess4_dna_new	ESS4_MisclassificationNEW	4.1a_ESS4_DNA_Misclassification_formatted_newdata	Table 36: Rates of misclassification of varietal status for farmers adopting CGIAR-related sorghum germplasm when the definition of adopter of an improved variety additionally incorporates a minimum threshold for genetic purity
9_Misclassification_new.do	ess4_dna_new	ESS4_MisclassificationNEW	4.1a_ESS4_DNA_Misclassification_formatted_newdata	Table 37: Rates of misclassification of varietal status for farmers adopting CGIAR-related sorghum

				germplasm when definition of adopter of an improved variety additionally incorporates a maximum limit for varietal age
9_Misclassification_new.do	ess4_dna_new	ESS4_MisclassificationNEW	4.1a_ESS4_DNA_Misclassification_formatted_newdata	Table 38: Misclassification rate of adoption status of CGIAR-derived barley varieties at plot level
14_Who are the adopters of the innovations_ES S4.do	ess4_pp_cov_new	Table14	2.3a_ESS4_Adopter s characteristics_new	Table 39: Impact of misclassification on which variables are correlated with adoption of improved barley varieties
9_Misclassification_new.do	ess4_dna_new	ESS4_MisclassificationNEW	4.1a_ESS4_DNA_Misclassification_formatted_newdata	Table 40: Rates of misclassification of varietal status for farmers adopting CGIAR-related barley germplasm when the definition of adopter of an improved variety additionally incorporates a minimum threshold for genetic purity
9_Misclassification_new.do	ess4_dna_new	ESS4_MisclassificationNEW	4.1a_ESS4_DNA_Misclassification_formatted_newdata	Table 41: Rates of misclassification of varietal status for farmers adopting CGIAR-related barley germplasm when definition of adopter of an improved variety additionally incorporates a maximum limit for varietal age
Tabs.R	wave4_hh_new wave4_ea_new	-	-	Figure 4: Adoption estimates for conservation agriculture (CA)
Location_Matching.R	Stocktake_locations.xlsx	-	-	Figure 5: Location of CGIAR projects in Ethiopia (1999-2019) by core domain
Location_Matching.R	ESS4_ea level_MAPS ESS3_ea level_MAPS	-	-	Figure 6: Map of enumeration areas with at least one household adopter of poultry crossbred

	ESS4 ETH_Household Geovars ESS3 ETH_Household Geovars Zones_Level_2. shp			
Location_Matching.R	ESS4 ETH_Household Geovars DNA_data_reports Zones_Level_2. shp	-	-	Figure 7: Map of enumeration areas with at least one adopter of HB-1966 barley variety
Location_Matching.R	ESS4 ETH_Household Geovars DNA_data_reports Zones_Level_2. shp	-	-	Figure 8: Adoption of improved maize varieties in Ethiopia, 2019
Tabs.R	wave4_hh_new wave4_ea_new	Absolute_plots.csv	-	Figure 9: Number of rural households adopting each CGIAR-related innovation in Ethiopia in 2019, based on ESS4