Computer System Organization Recitation [Spring 2018] CSCI-UA 0201-006

R1: Introduction

Know your staffs

- Instructor: Prof. Jinyang Li
- Recitation Instructor: Chien-Chin Huang
 - huang@cs.nyu.edu
 - Office Hour: Mon 2-3pm (60 5th Ave Office Rm 406)
- Grading Assistants:
 - Chien-Chin Huang
 - Gu Jin: Wed 2-3pm (60 5th Ave Office Rm 406)
 - Chengchen Li: Tue 9:30-10:30am (60 5th Ave Office Rm 406)
 - Zekun Zhang: Fri 3:30-4:30pm(60 5th Ave Office Rm 406)

What is this recitation for?

- Exercises that will help you understand CSO more.
- Tutorial of labs.
- Review of midterm I and II.

How are we going to proceed?

- Problems driven.
 - Except for today.
- If you are confident that you can solve all the exercises and labs by YOURSELF and don't need extra guides through the course, you can skip the recitation.
- Exercises will be posted every Friday(or Thursday) night and the deadline will be the next Monday midnight.

Academic Integrity

- Do not use/look code from any other places, e.g., Internet, your friends.
- We will check.
- We will use a tool to check your code.
- We will use a tool to check your code without further notification (except for today).
- You may fail the class because of plagiarism. Someone did...
- Just don't do it!

Let's do some statistics

- How many of you have never used Unix-like systems?
 - How many of you have never used command line?
- How many of you have never programmed in C or C++?
 - How many of you have never programmed in Python?
- How many of you have never used version control softwares?
 - How many of you have never used Git?

Let's begin

- How to setup your repo and submit your code?
- Unix/command line
- Program development
 - Editor (vim)
 - Compile
 - Debug
 - Version control (Git)
- Goal:
 - Setup your recitation-USERNAME repo.
 - Submit modified Makefile, fixed foo.c and hello.c.

How to initialize recitation and lab repositories

- [YOU SHOULD DO THIS ONLY ONCE.]
- labs
 - 1. Click the link (https://classroom.github.com/a/CuaUStF1).
 - 2. You will be asked to login to your GitHub account if you have not login.
 - 3. You will be asked to link your NYU ID to your GitHub account. Do not skip this step. CHOOSE YOUR NYU ID. (If you make a mistake, contact us immediately through cso-staff email. If you can't find your NYU ID, also contact us immediately.)
 - 4. Accept the invitation.
- recitation
 - 1. Click the link(https://classroom.github.com/a/zuZySZJu)

How to initialize recitation and lab repositories

- cd /home/lab/ [change the current folder to lab which is under home folder]
 - If you want to share the folder with your Mac or Windows, check the information on class website and change the path accordingly.
- git clone https://github.com/nyu-cso18/recitation-<YourGitHubUserName> [clone your recitation folder from GitHub]
- cd recitation-<YourGitHubUserName> [change the current folder to your recitation folder]
- git remote add upstream https://github.com/nyu-cso18/cso18-recitation [add the class repository as the upstream]
- git pull upstream [get the latest assignments from the class repository]
- **Is** [check what are in the folder]
- [change recitation to labs above to initialize labs repository]

How to get the latest assignment

- cd /home/lab/recitation (or labs)
- git pull upstream
- Is

How to submit assignments

- [Change to the assignment folder first (cd XXX).]
- git add <FILES> [add <FILES> to list to be committed]
- git commit -m "lab1 final commit" [commit <FILES>]
 - This step and the previous step can be done more than once.
- git push origin [submit your commit! don't forget to do this!!!!!]

How to use grace days (only for labs)

- [DO THIS RIGHT AFTER YOUR LAST SUBMIT.]
- [Change to the assignment folder first (cd XXX).]
- echo "0.5" > gracedays.md [0.5 means 12 hours. The number can only be 0.5, 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5]
- git add gracedays.md
- git commit -m "lab1 final commit"
- git push origin [submit your commit! don't forget to do this!!!!!]

How to get the latest assignment

- cd /home/lab/recitation (or labs)
- cd <AssignmentFolder>
 - e.g., cd r01
- git pull origin
- cat score.txt

How to recover the repo when something is wrong

- [Google first!!!]
- [Change to the labs/recitation folder first (cd XXX).]
- cd .. [change to the parent folder of current folder]
- mkdir backup [create a backup folder]
- cp labs/<AssignmentFolder>/<ModifiedFile> backup
 - e.g., cp labs/lab1/a.c labs/lab1/b.c backup
- mv labs labs_backup
- reinitialize labs(or recitation)
- cp backup/* labs/<AssignmentFolder>/
 - e.g., cp backup/* labs/lab1/

Command line

- A command-line interface or command language interpreter (CLI), also known as command-line user interface, console user interface and character user interface (CUI), is a means of interacting with a computer program where the user (or client) issues commands to the program in the form of successive lines of text (command lines).
 - -Wikipedia

Editor

- A **text editor** is a type of program used for editing plain text files. Such programs are sometimes known as "**notepad**" software, following the Microsoft Notepad.
 - -Wikipedia
- An integrated development environment (IDE) is a software application that provides comprehensive facilities to computer programmers for software development. An IDE normally consists of a source code editor, build automation tools, and a debugger.
 - Wikipedia
- A text edit is not an IDE but an IDE must contain a text edit.

Compilation

Compiler

- A software that transforms computer code written in one programming language (the source language) into another computer language (the target language).
- gcc/cc

Interpreter

 A software that directly executes instructions written in a programming/ scripting language without previously compiling them into a machine language program.

Linker

- A linker is a software that takes one or more object files and combines them into a single executable file, library file, or another object file.
- gcc / ld

Compilation

```
foo:
int foo() {
 int i = 0;
                                  movl %eax 0
 i += 1;
                                  movl %ebx 1
 return i;
                                  addl %eax, %ebx
  foo.c
                                       foo.o
                                                                   a.out
                                  main:
int main() {
 foo()
                                  move %eax foo
                                  call %eax
                                       main.o
  main.c
```

Make

- What is Make?
 - A build automation tool that automatically builds executable programs and libraries from source code.
- Why?
 - A project can contains a lot of source files.
 - Each source file may needs different compiler option.
 - Dependencies exists among source files.
- How?
 - Describe everything in a file, Makefile, and Make will do everything for you.


Make with automatic variables

- Why automatic variables?
 - Specifying how to compiler everything does not remove our burdens.
 - Automatic variables can help us unify the same type of files.
- How?
 - \$@ (target name)
 - \$^ (name of all pre-requisites)
 - pattern-matching using % and *.

Debug

- How to debug?
 - Print logs, observe and then debug.
 - Use a debugger to help you.
 - gdb
- How to use gdb?
 - First you need to ask gcc to add debug information when compiling the source files.
 - Debug!

Git status for our recitation and labs



Version control system

- What?
 - Manages changes to documents, source files and other collections of information.
- Why?
 - Do you remember which source file you added/modified last week? Probably not.
 - Have you ever developed a project with other people?
 Coordinating programmers is hard.
- How?
 - CVS, SVN and GIT

Server/client version control system


What?

 A kind of version control system that puts all tracking metadata on a server. Clients can fetch/upload source files and information from the server.

• Why?

- Strait-forward and easy to maintain.
- Save space.

Version control system



Branching

- What?
 - The duplication of an object under version control so that modifications can happen in parallel along both branches.
- Why?
 - Developing different features in a same project.

Distributed version control system

What?

 There is no "server". Every client owns a complete repository locally (local repository) and can sync(push/pull) with any other remote repositories.


Why?

- There are hundreds or more projects and thousands or more developers in Linux community.
 - Coordinating the development using one single server is difficult.
- Can work without network.

Git — initialization


• git init

- git clone
 - git remote -v



Git — commit


- git commit -m "comment"
- git add FILES
- git rm FILES
- git log



cso_test

Git - remote


- git remote -v
- git push
 - git push origin master
- git pull
 - git pull origin master



Git — checkout/branch

- git checkout -b BRANCH_NAME
- git checkout HASH
 - git log
- git branch -a

Git status for our recitation and labs



puzzle.h puzzle.c https://github.com/nyucso18/cso18-recitation