DOMAIN WINTER WINNING CAMP 2024

Student Name: Piyush Singh **UID:** 22BCS14062
Branch: CSE **Section/Group:** 22BCS_FL_IOT-603/A
Semester: 6th

VERY EASY

1. Generate Numbers with a Given Sum

Generate all numbers of length n whose digits sum up to a target value sum, The digits of the number will be between 0 and 9, and we will generate combinations of digits such that their sum equals the target.

Example 1:
Input: n = 2 and sum = 5 Output:
14 23 32 41 50 Constraints:
1 <= n <= 9: The number of digits must be between 1 and 9.
1 <= sum <= 100: The sum of the digits must be between 1 and 100. The first digit cannot be zero if n > 1.

CODE:

```
#include <iostream> #include
<vector>
using namespace std;

void generateNumbers(int n, int sum, string current, vector<string> &result) {
if (n == 0 && sum == 0) {        result.push_back(current);
      return;
   }
   if (n == 0 || sum < 0) return;

   int start = current.empty() ? 1 : 0;
for (int i = start; i <= 9; ++i) {
      generateNumbers(n - 1, sum - i, current + to_string(i), result);
   } } int main() {     int n = 2, sum =
5;     vector<string> result;
generateNumbers(n, sum, "", result);
for (const string &num : result) {
cout << num << " ";
```

```
    }
return 0;
}
```



Easy

2. Binary Tree Paths

Given the root of a binary tree, return all root-to-leaf paths in any order.
A leaf is a node with no children.

Example 1:



Input: root = [1,2,3,null,5]Output: ["1->2->5","1->3"] Example 2:
Input: root = [1]Output: ["1"]

Constraints:
The number of nodes in the tree is in the range [1, 100].
-100 <= Node.val <= 100 CODE:

```
#include <iostream>
#include <vector> #include
<string>
using namespace std;

struct TreeNode {
    int val;
    TreeNode *left, *right;
```

```
    TreeNode(int x) : val(x), left(nullptr), right(nullptr) {}
};

void dfs(TreeNode *root, string path, vector<string> &paths) {
if (!root) return;
    path += to_string(root->val);
if (!root->left && !root->right) {
        paths.push_back(path);
return;
    }
    path += "->";     dfs(root-
>left, path, paths);     dfs(root-
>right, path, paths);
}

vector<string> binaryTreePaths(TreeNode *root) {
    vector<string> paths;
dfs(root, "", paths);     return
paths;
}

int main() {
    TreeNode *root = new TreeNode(1);
root->left = new TreeNode(2);     root->right
= new TreeNode(3);
    root->left->right = new TreeNode(5);

    vector<string> result = binaryTreePaths(root);
    for (const string &path : result) {
cout << path << endl;
    }
return 0;
}
```



Medium:

3. Combinations

Given two integers n and k, return all possible combinations of k numbers chosen from the range [1, n].

You may return the answer in any order.

Example 1:

Input: n = 4, k = 2
Output: [[1,2],[1,3],[1,4],[2,3],[2,4],[3,4]]
Explanation: There are 4 choose 2 = 6 total combinations.
Note that combinations are unordered, i.e., [1,2] and [2,1] are considered to be the same combination.
Example 2:

Input: n = 1, k = 1
Output: [[1]]
Explanation: There is 1 choose 1 = 1 total combination.

Constraints:

1 <= n <= 20
1 <= k <= n CODE:

```
#include <iostream> #include
<vector>
using namespace std;

void combineHelper(int start, int n, int k, vector<int> &current, vector<vector<int>> &result) {
if (k == 0) {
        result.push_back(current);
        return;
    }
    for (int i = start; i <= n; ++i) {
current.push_back(i);
        combineHelper(i + 1, n, k - 1, current, result);
current.pop_back();
    }
}
```

```
vector<vector<int>> combine(int n, int k) {
vector<vector<int>> result;     vector<int>
current;
   combineHelper(1, n, k, current, result);
return result;
}

int main() {
   int n = 4, k = 2;     vector<vector<int>>
result = combine(n, k);     for (const auto
&comb : result) {
       cout << "[";
       for (int num : comb) cout << num << " ";
       cout << "]" << endl;
   }
   return 0; }
```



Hard:

4. N-Queens II

The n-queens puzzle is the problem of placing n queens on an n x n chessboard such that no two queens attack each other.
Given an integer n, return the number of distinct solutions to the n-queens puzzle.

Example 1:



Input: n = 4
Output: 2
Explanation: There are two distinct solutions to the 4-queens puzzle as shown.

Example 2:
Input: n = 1
Output: 1

Constraints:
1 <= n <= 9
CODE:

```
#include <iostream> #include
<vector>
using namespace std;

void solve(int row, int n, vector<int> &cols, vector<int> &diags1, vector<int> &diags2, int
&count) {     if
(row == n) {
++count;
return;
    }
    for (int col = 0; col < n; ++col) {
        if (cols[col] || diags1[row - col + n - 1] || diags2[row + col]) continue;
cols[col] = diags1[row - col + n - 1] = diags2[row + col] = 1;          solve(row
+ 1, n, cols, diags1, diags2, count);
        cols[col] = diags1[row - col + n - 1] = diags2[row + col] = 0;
    }
}

int totalNQueens(int n) {
    vector<int> cols(n, 0), diags1(2 * n - 1, 0), diags2(2 * n - 1, 0);
int count = 0;
    solve(0, n, cols, diags1, diags2, count);
return count;
```

```
}

int main() {
int n = 4;
    cout << "Number of solutions for " << n << "-Queens: " << totalNQueens(n) << endl;
return 0; }
```



Very Hard:

5. Word Ladder II

A transformation sequence from word beginWord to word endWord using a dictionary wordList is a sequence of words beginWord -> s1 -> s2 -> ... -> sk such that:
Every adjacent pair of words differs by a single letter.
Every si for 1 <= i <= k is in wordList. Note that beginWord does not need to be in wordList. sk == endWord
Given two words, beginWord and endWord, and a dictionary wordList, return all the shortest transformation sequences from beginWord to endWord, or an empty list if no such sequence exists. Each sequence should be returned as a list of the words [beginWord, s1, s2, ..., sk].

Example 1:
Input: beginWord = "hit", endWord = "cog", wordList = ["hot","dot","dog","lot","log","cog"]
Output: [["hit","hot","dot","dog","cog"],["hit","hot","lot","log","cog"]] Explanation: There are 2 shortest transformation sequences:
"hit" -> "hot" -> "dot" -> "dog" -> "cog"
"hit" -> "hot" -> "lot" -> "log" -> "cog"

Example 2:
Input: beginWord = "hit", endWord = "cog", wordList = ["hot","dot","dog","lot","log"]
Output: []
Explanation: The endWord "cog" is not in wordList, therefore there is no valid transformation sequence.

Constraints:

1 <= beginWord.length <= 5 endWord.length == beginWord.length 1 <= wordList.length <= 500 wordList[i].length == beginWord.length
beginWord, endWord, and wordList[i] consist of lowercase English letters.
beginWord != endWord
All the words in wordList are unique.
The sum of all shortest transformation sequences does not exceed 105.
CODE:

```
#include <iostream>
#include <vector>
#include <unordered_set> #include
<queue>
using namespace std;

vector<vector<string>> findLadders(string beginWord, string endWord, vector<string>
&wordList) {
   unordered_set<string> dict(wordList.begin(), wordList.end());
vector<vector<string>> result;
   if (dict.find(endWord) == dict.end()) return result;

   queue<vector<string>> paths;
paths.push({beginWord});     int level =
1, minLevel = INT_MAX;
   unordered_set<string> visited;

   while (!paths.empty()) {
      vector<string> path = paths.front();
      paths.pop();        if
(path.size() > level) {
         for (const string &word : visited) dict.erase(word);
visited.clear();           level = path.size();           if (level
> minLevel) break;
      }

      string last = path.back();        for
(int i = 0; i < last.size(); ++i) {
string next = last;
         for (char c = 'a'; c <= 'z'; ++c) {
next[i] = c;
            if (!dict.count(next)) continue;
visited.insert(next);
vector<string> newPath = path;
newPath.push_back(next);               if
(next == endWord) {
result.push_back(newPath);
```

```
                minLevel = level;
            } else {
                paths.push(newPath);
            }
        }
    }
}
    return result;
}

int main() {
    string beginWord = "hit", endWord = "cog";
    vector<string> wordList = {"hot", "dot", "dog", "lot", "log", "cog"};
vector<vector<string>> result = findLadders(beginWord, endWord, wordList);
for (const auto &path : result) {         for (const string &word : path) {
cout << word << " ";
        }
        cout << endl;
    }
return 0;
}
```

```
Output
hit hot dot dog cog
hit hot lot log cog
```