

UHPP/PKC

JEPPESEN

PETROPAVLOVSK-KAMCHATSKY, RUSSIA

YELIZOVO

7 FEB 25

10-1P

Eff 20 Feb

AIRPORT BRIEFING

1. GENERAL

1.1. ATIS

*ATIS 126.8

1.2. NOISE ABATEMENT PROCEDURES

Noise abatement procedures during take-off, climbing and approach phases are not applicable at the aerodrome.

1.3. LOW VISIBILITY PROCEDURES (LVP)

1.3.1. GENERAL

LVP are implemented when RVR is below 550 m at any of the three observation sites. RVR value is recorded at the TDZ of the active landing RWY, mid-point and stop-end. The flight crew shall be informed about LVP implementation through ATIS broadcast or by the ATS unit by phrase: "Low visibility procedures in progress, check your minimum".

When LVP are in force:

- RWY 16R is used only for take-off operations, provided RVR is 200m or above;
- ACFT taxiing from/to stands shall be executed only with assistance of Follow-me-car;
- Only one ACFT can be present on RWY or TWY;

When LVP are in force, flight crew should read back all ATS unit instructions.

1.3.2. ARRIVAL

After landing, the flight crew must report to Start controller about vacation of RWY and ILS critical area. The RWY and ILS-critical area is considered vacant after the report of the flight crew about vacation of TWY B or N.

After landing on RWY 34L standard taxi route is established along TWY B and C to stands located on SOUTH apron and via TWY N to stands located on NORTH apron. After landing on RWY 34L, shall be met by Follow-me car in front of STOP line on TWY B or N.

The flight crew shall report parking of ACFT onto stand to ATS unit using phraseological unit: "ACFT call sign, on stand ...".

1.3.3. DEPARTURE

Flight crews must request start-up clearance indicating stand number.

Standard taxi routes for departure are established for ACFT taxiing from stands:

- to take off from RWY 34L:
 - from stands located on SOUTH apron via TWY C, M or L to the RWY holding position;
 - from stands located on NORTH apron via TWY N to the RWY holding position;
- to take off from RWY 16R:
 - from stands located on NORTH apron via TWY N to the RWY holding position;
 - from stands located on SOUTH apron via TWY C or B to the RWY holding position.

ACFT shall taxi from the stands via SOUTH and NORTH aprons to TWY C and TWYN accordingly under own engines power or under tow.

ACFT shall hold at the RWY holding position at the STOP bars on TWYs B, L and N.

ACFT are PROHIBITED to cross the STOP bars on TWYs B, L and N unless ATS unit clearance has been received.

ACFT shall taxi to the line-up position:

- on RWY 34L, provided the departing ACFT shall execute take-off before the arriving ACFT reaches final approach point (FAP);
- on RWY 16R without additional restrictions.

UHPP/PKC

JEPPESEN

PETROPAVLOVSK-KAMCHATSKY, RUSSIA

YELIZOVO

7 FEB 25

10-1P1

Eff 20 Feb

AIRPORT BRIEFING

1. GENERAL

After obtaining controller's clearance for reaching line-up position, flight crew must start taxiing.

Following is prohibited during LVP:

- to take off not from the RWY beginning;
- to take off without stop at line-up position.

1.4. TAXI PROCEDURES

Ground controller coordinates the movement of ACFT on the maneuvering area.

Taxiing and towing are prohibited without permission of controller.

ACFT with a wingspan of 213'/65m or more shall taxi via TWY C is with Follow-me car only, at minimum speed and strictly along TWY centerline.

TWY A, D, J, H, G, F, 10 and 11 are not available for CIV ACFT.

TWY M and L are available only for Index 1 thru 5 ACFT.

ACFT with a wingspan of more than 138'/42m shall taxi via TWY M or L with Follow-me car.

180° turn is permitted for all ACFT types on RWY 16R/34L turn pads.

180° turn is permitted for all ACFT types on RWY on request.

1.5. PARKING INFORMATION

Arriving ACFT shall taxi to stands 27 thru 31 and 37 thru 42 under tow.

Departing ACFT shall taxi out of stands 4 thru 6, 8, 10 thru 22, 27 thru 31, 32A, 32, 32B, 33A, 33, 33B, 34, 35A, 35, 35B, 36A, 36 and 36B under tow.

Stand 1 available as sanitary stand and for de-icing.

Stand 3 available for ACFT with explosive goods and for parking ACFT in case of unlawful interference ACFT.

Stands 9, 11 thru 14 and 37 thru 41 available by helicopters.

De-icing/anti-icing is performed at stands 1 and 42.

1.6. OTHER INFORMATION

Birds in vicinity of APT.

UHPP/PKC
YELIZOVO

7 FEB 25

JEPPESEN
10-1P2PETROPAVLOVSK-KAMCHATSKY, RUSSIA
Eff 20 Feb

AIRPORT BRIEFING

2. ARRIVAL

2.1. COMMUNICATION FAILURE PROCEDURES

In case of communication failure before entry into Petropavlovsk-Kamchatsky CTR or during arrival continue according to the last assigned flight level by ATC:

- Proceed to Khalaktyrka NDB 'HY' maintaining last assigned FL according STARS designated 5A (RWY 34L active) or 5P (RWY 16R active).

After entry into holding over 'HY' at assigned level, commence descending not earlier than ETA and execute approach in accordance with the published procedures.

RWY 16R

ACFT not equipped with satellite navigation equipment must proceed to alternate AD if the last heading to intercept LOC is not assigned.

If unable to land because of meteorological or other conditions, after missed approach crew may continue to alternate using SIDs 4D (RWY 34L) or 4G (RWY 16R).

Note: If unable to execute above procedures, set transponder to 7700.

BOTH RWYS

- Listen to information on 920 kHz 'LW' and ATC instructions regardless of active RWY;
- Use mobile or satellite communication to contact:
Flight Control Officer
+7 (914) 620-37-46, +7(415) 317-32-37;
TWR
+7 (415) 317-38-65.

2.2. CAT II OPERATIONS

RWY 34L approved for CAT II operations. Special aircrew and ACFT certification required.

3. DEPARTURE

3.1. COMMUNICATION FAILURE PROCEDURES

In case of radio communication failure after take-off if at 790' (662') and communication with PETROPAVLOVSK Radar is not established, continue climbing and carry out the flight according to the instrument approach procedure.

If unable to land due to landing weight, proceed to the holding pattern over Khalaktyrka NDB 'HY' for fuel dumping. Fuel dumping is possible from the start of outbound leg to the start of inbound leg.

After burning fuel in holding over 'HY', crew may execute IAP RWY 34L according published procedures.

UHPP/PKC

JEPP

ES

EN

SE

NO

VA

SK

-K

A

M

C

H

A

T

S

K

, R

U

S

S

I


A

YELIZOVO 30 AUG 24

10-1R

Eff 5 Sep

RADAR MINIMUM ALTITUDES



UHPP/PKC

JEPPESEN PETROPAVLOVSK-KAMCHATSKY, RUSSIA

YELIZOVO 1 MAR 24 10-2

RNAV STAR

*ATIS 126.8	Alt Set: MM (hPa on request) Trans level: FL090 FL100 if pressure is less than 756 mm (1007.9 hPa) FL110 if pressure is less than 729 mm (971.9 hPa)
Apt Elev 128	RNAV 1 GNSS required 1. Simultaneous holding over PP004 & PP005 at the same flight level is prohibited 2. EXPECT radar vectoring and/or 'direct to' procedure.


PIRUT 5N [PIRU5N]

SIPVA 5N [SIPV5N]


TUPAN 5N [TUPA5N]


RNAV ARRIVALS

(RWY 34L)



1 MAR 24 (10-2A)





ORVAS 5N [ORVA5N] ❶
RINOT 5N [RINO5N] ❶
SAMIK 5N [SAMI5N]
RNAV ARRIVALS
(RWY 34L)



UHPP/PKC


 JEPPESEN PETROPAVLOVSK-KAMCHATSKY, RUSSIA

YELIZOVO 1 MAR 24 10-2D

RNAV STAR

*ATIS 126.8	Alt Set: MM (hPa on request) Trans level: FL090 FL100 if pressure is less than 756 mm (1007.9 hPa) FL110 if pressure is less than 729 mm (971.9 hPa)
Apt Elev 128	RNAV 1 GNSS required
	EXPECT radar vectoring and/or 'direct to' procedure.

ORVAS 5P [ORVA5P]
RINOT 5P [RINO5P]
SAMIK 5P [SAMI5P]
RNAV ARRIVALS
(RWY 16R)



UHPP/PKC
YELIZOVO

 JEPPESEN PETROPAVLOVSK-KAMCHATSKY, RUSSIA

1 MAR 24 10-2E

RNAV STAR


*ATIS 126.8	Alt Set: MM (hPa on request) Trans level: FL090 FL100 if pressure is less than 756 mm (1007.9 hPa) FL110 if pressure is less than 729 mm (971.9 hPa)
Apt Elev 128	RNAV 1 GNSS required 1. Simultaneous holding over PP004 & PP005 at the same flight level is prohibited 2. EXPECT radar vectoring and/or 'direct to' procedure.

GANKA 5N [GANK5N]

MK 5N [MK5N]

RNAV ARRIVALS


(RWY 34L)



UHPP/PKC
YELIZOVO

1 MAR 24
10-2F

JEPPesen PETROPAVLOVSK-KAMCHATSKY, RUSSIA
RNAV STAR



UHPP/PKC

JEPPESEN PETROPAVLOVSK-KAMCHATSKY, RUSSIA

YELIZOVO 1 MAR 24 10-2G

RNAV STAR


*ATIS 126.8	Alt Set: MM (hPa on request) Trans level: FL090 FL100 if pressure is less than 756 mm (1007.9 hPa) FL110 if pressure is less than 729 mm (971.9 hPa)
Apt Elev 128	RNAV 1 GNSS required 1. Simultaneous holding over PP004 & PP005 at the same flight level is prohibited 2. EXPECT radar vectoring and/or 'direct to' procedure.

BAKEN 5N [BAKE5N]

KULOD 5N [KULO5N]

RNAV ARRIVALS

(RWY 34L)



*ATIS
126.8


Alt Set: MM (hPa on request)
Trans level: FL090
FL100 if pressure is less than 756 mm (1007.9 hPa)
FL110 if pressure is less than 729 mm (971.9 hPa)

Apt Elev
128

RNAV 1	GNSS required
--------	---------------


EXPECT radar vectoring and/or 'direct to' procedure.

BAKEN 5P [BAKE5P]
KULOD 5P [KULO5P]
RNAV ARRIVALS
(RWY 16R)



Apt Elev 128	1. Dual ADF is required. 2. Simultaneous holding over HY & LW at the same flight level is prohibited. 3. EXPECT radar vectoring and/or 'direct to' procedure.
-----------------	---

PIRUT 5A [PIRU5A]
SIPVA 5A [SIPV5A]
TUPAN 5A [TUPA5A]
ARRIVALS (RWY 34L)
UNDER RADAR CONTROL



ORVAS 5A [ORVA5A], RINOT 5A [RINO5A]
SAMIK 5A [SAMI5A]
ARRIVALS (RWY 34L)
UNDER RADAR CONTROL




Alt Set: MM (hPa on request)
Trans level: FL090
FL100 if pressure is less than 756 mm (1007.9 hPa)
FL110 if pressure is less than 729 mm (971.9 hPa)

1. Dual ADF is required.
2. Holding over HY is compulsory for all STARs.
3. Simultaneous holding over HY & LW at the same flight level is prohibited.
4. EXPECT radar vectoring and/or 'direct to' procedure.

MK 5A [MK5A]

ARRIVALS
(RWY 34L)




© JEPPESEN, 2024. ALL RIGHTS RESERVED.

Alt Set: MM (hPa on request)
Trans level: FL090
FL100 if pressure is less than 756 mm (1007.9 hPa)
FL110 if pressure is less than 729 mm (971.9 hPa)

1. Dual ADF is required.
2. Holding over HY is compulsory for all STARs.
3. Simultaneous holding over HY & LW at the same flight level is prohibited.
4. EXPECT radar vectoring and/or 'direct to' procedure.

BAKEN 5A [BAKE5A]
KULOD 5A [KULO5A]
ARRIVALS (RWY 34L)
UNDER RADAR CONTROL



UHPP/PKC

JEPPESEN


PETROPAVLOVSK-KAMCHATSKY, RUSSIA

YELIZOVO 1 MAR 24 10-2N

STAR

*ATIS 126.8	Alt Set: MM (hPa on request) Trans level: FL090 FL100 if pressure is less than 756 mm (1007.9 hPa) FL110 if pressure is less than 729 mm (971.9 hPa)
Apt Elev 128	1. DME required. 2. Simultaneous holding over HY & PKK at the same flight level is prohibited. 3. EXPECT radar vectoring and/or 'direct to' procedure.

PIRUT 5B [PIRU5B]
SIPVA 5B [SIPV5B]
TUPAN 5B [TUPA5B]
ARRIVALS (RWY 34L)



UHPP/PKC
YELIZOVO


1 MAR 24
10-2P

JEPPESEN PETROPAVLOVSK-KAMCHATSKY, RUSSIA

STAR

*ATIS 126.8	Alt Set: MM (hPa on request) Trans level: FL090 FL100 if pressure is less than 756 mm (1007.9 hPa) FL110 if pressure is less than 729 mm (971.9 hPa)
Apt Elev 128	1. DME required. 2. Holding over HY is compulsory for all STARs. 3. Simultaneous holding over HY & PKK at the same flight level is prohibited. 4. EXPECT radar vectoring and/or 'direct to' procedure.

ORVAS 5B [ORVA5B], RINOT 5B [RINO5B]
SAMIK 5B [SAMI5B]
ARRIVALS (RWY 34L)



Apt Elev 128	1. DME required. 2. Holding over HY is compulsory for all STARs. 3. Simultaneous holding over HY & PKK at the same flight level is prohibited. 4. EXPECT radar vectoring and/or 'direct to' procedure.
-------------------------	---

GANKA
FL250
FL110

MALKA
345 MK
FL250
FL110

YELZOVO
113.7 PKK
FL090

KHALAKTYRKA
710 HY
7190 (7063)

PKK VOR

ALT/HEIGHT CONVERSION

QNH	(QFE)
7190'	(7063' - 2150m)
6690'	(6563' - 2000m)
3410'	(3283' - 1000m)


© JEPPESEN, 2024. ALL RIGHTS RESERVED.

UHPP/PKC JEPPESEN PETROPAVLOVSK-KAMCHATSKY, RUSSIA

YELIZOVO 1 MAR 24 (10-2S) STAR

*ATIS 126.8	Alt Set: MM (hPa on request) Trans level: FL090 FL100 if pressure is less than 756 mm (1007.9 hPa) FL110 if pressure is less than 729 mm (971.9 hPa)
Apt Elev 128	1. DME required. 2. Holding over HY is compulsory for all STARs. 3. Simultaneous holding over HY & PKK at the same flight level is prohibited. 4. EXPECT radar vectoring and/or 'direct to' procedure.

BAKEN 5B [BAKE5B] KULOD 5B [KULO5B] ARRIVALS (RWY 34L)



UHPP/PKC
YELIZOVO

30 AUG 24

10-3

Eff 5 Sep

JEPPESEN PETROPAVLOVSK-KAMCHATSKY, RUSSIA


RNAV SID

PETROPAVLOVSK Radar (TWR) 119.4	QNH on request (QFE) Trans alt: 8010 (7883)
	RNAV 1 GNSS required
Apt Elev 128	1. EXPECT radar vectoring and/or 'direct to' procedure. 2. When establishing contact with Petropavlovsk-RADAR, report present altitude and altitude to be reached. 3. Only climb to altitude or FL cleared by ATC.

KULOD 4L [KULO4L], TUPAN 4L [TUPA4L]

RNAV DEPARTURES

(RWY 34L)



These SIDs require minimum climb gradients of

KULOD 4L: 6.5% up to 6370 (6243), then
6.5% up to FL130 due to airspace structure.

TUPAN 4L: 6.2% up to FL100, then
5.1% up to FL150 due to airspace structure.

Gnd speed-KT	75	100	150	200	250	300
5.1% V/V (fpm)	387	516	775	1033	1291	1549
6.2% V/V (fpm)	471	628	942	1256	1570	1884
6.5% V/V (fpm)	494	658	987	1316	1646	1975

ALT/HEIGHT CONVERSION	
QNH	(QFE)
6370'	(6243' - 1900m)
8010'	(7883' - 2400m)

UHPP/PKC
YELIZOVO

30 AUG 24

10-3A

Eff 5 Sep

JEPPESEN PETROPAVLOVSK-KAMCHATSKY, RUSSIA

RNAV SID

PETROPAVLOVSK
Radar (TWR)
119.4


QNH on request (QFE)
Trans alt: 8010 (7899)


RNAV 1 GNSS required

Apt Elev
128

1. EXPECT radar vectoring and/or 'direct to' procedure.
2. When establishing contact with Petropavlovsk-RADAR, report present altitude and altitude to be reached.
3. Only climb to altitude or FL cleared by ATC.

KULOD 4M [KULO4M], TUPAN 4M [TUPA4M]
RNAV DEPARTURES (RWY 16R)







UHPP/PKC
YELIZOVO

30 AUG 24

10-3D

Eff 5 Sep

JEPPESEN PETROPAVLOVSK-KAMCHATSKY, RUSSIA


RNAV SID

PETROPAVLOVSK Radar (TWR) 119.4	QNH on request (QFE) Trans alt: 8010 (7883)
	RNAV 1 GNSS required
Apt Elev 128	1. EXPECT radar vectoring and/or 'direct to' procedure. 2. When establishing contact with Petropavlovsk-RADAR, report present altitude and altitude to be reached. 3. Only climb to altitude or FL cleared by ATC.

ORVAS 4L [ORVA4L], SAMIK 4L [SAMI4L]

RNAV DEPARTURES

(RWY 34L)



These SIDs require minimum climb gradients of						
ORVAS 4L: 5.1% up to 7190 (7063).						
SAMIK 4L: 4.3% up to 6690 (6563).						
Gnd speed-KT	75	100	150	200	250	300
4.3% V/V (fpm)	327	435	653	871	1089	1306
5.1% V/V (fpm)	387	516	775	1033	1291	1549

ALT/HEIGHT CONVERSION	
QNH	(QFE)
6690'	(6563' - 2000m)
7190'	(7063' - 2150m)
8010'	(7883' - 2400m)



UHPP/PKC
YELIZOVO

JEPPesen PETROPAVLOVSK-KAMCHATSKY, RUSSIA


30 AUG 24
10-3F
Eff 5 Sep

RNAV SID

PETROPAVLOVSK Radar (TWR) 119.4	QNH on request (QFE) Trans alt: 8010 (7883)
	RNAV 1 GNSS required
Apt Elev 128	1. EXPECT radar vectoring and/or 'direct to' procedure. 2. When establishing contact with Petropavlovsk-RADAR, report present altitude and altitude to be reached. 3. Only climb to altitude or FL cleared by ATC.

BAKEN 4L [BAKE4L], GANKA 4L [GANK4L]
MK 4L [MK4L]


RNAV DEPARTURES (RWY 34L)




These SIDs require minimum climb gradients of						
BAKEN 4L: 5.1% up to 2100 (1973), then 5.1% up to FL100 due to airspace structure.						
GANKA 4L: 5.1% up to FL090, then 5.1% up to FL100 due to airspace structure.						
MK 4L: 4.2% up to 6690 (6563), then 4.2% up to FL100 due to airspace structure.						
Gnd speed-KT	75	100	150	200	250	300
4.2% V/V (fpm)	319	425	638	851	1063	1276
5.1% V/V (fpm)	387	516	775	1033	1291	1549

ALT/HEIGHT CONVERSION	
QNH	(QFE)
2100'	(1973' - 600m)
6690'	(6563' - 2000m)
8010'	(7883' - 2400m)

BAKEN 4M [BAKE4M], GANKA 4M [GANK4M]
MK 4M [MK4M]
RNAV DEPARTURES (RWY 16R)







PETROPAVLOVSK Radar (TWR)
119.4


Apt Elev
128


Trans alt: 8010 (7899) QNH on request (QFE)
1. DME required
2. EXPECT radar vectoring and/or 'direct to' procedure.
3. When establishing contact with Petropavlovsk-
RADAR, report present altitude and altitude to be
reached.
4. Only climb to altitude or FL cleared by ATC.


KULOD 4J [KULO4J]
TUPAN 4J [TUPA4J]
TUPAN 4K [TUPA4K]
DEPARTURES (RWY 16R)

























CHANGES: General instructions notes, communication.













UHPP/PKC

JEPPESEN PETROPAVLOVSK-KAMCHATSKY, RUSSIA


Apt Elev 128'
N53 10.2 E158 27.0

7 FEB 25

(10-9)

Eff 20 Feb

YELIZOVO



ADDITIONAL RUNWAY INFORMATION					
RWY		USABLE LENGTHS			WIDTH
		Threshold	Landing Beyond	Take-Off	
16R	HIRL (60m) CL (15m) HIALS PAPI-L (2.67°) RVR		10,062' 3067m	①	148'
34L	HIRL (60m) CL (15m) HIALS-II TDZ PAPI-R (2.67°) RVR		10,000' 3048m		45m
① TAKE-OFF RUN AVAILABLE					
RWY 16R:		RWY 34L:			
From rwy head		From rwy head			
twy B int		twy F int			
		twy L int			
		twy B int			

UHPP/PKC

JEPP

ESEN


PETROPAVLOVSK-KAMCHATSKY, RUSSIA

7 FEB 25

10-9A

Eff 20 Feb

YELIZOVO



INS COORDINATES			
STAND No.	COORDINATES	STAND No.	COORDINATES
1 thru 1C	N53 10.2 E158 25.7	17 thru 19	N53 10.3 E158 25.6
2	N53 10.2 E158 25.8	20 thru 22	N53 10.3 E158 25.5
3 thru 3B	N53 10.1 E158 25.8	23	N53 10.2 E158 25.6
4, 5	N53 10.1 E158 25.7	24, 25	N53 10.2 E158 25.5
6	N53 10.1 E158 25.6	26 thru 29	N53 10.3 E158 25.5
7, 8	N53 10.2 E158 25.6	30, 31	N53 10.3 E158 25.4
9	N53 10.3 E158 25.7		
10 thru 13	N53 10.3 E158 25.6		
14	N53 10.4 E158 25.6		
15, 16	N53 10.2 E158 25.6		

TAKE-OFF			
AIR CARRIER (JAA)			
LVP must be in force			
Rwy 16R	Rwy 34L	All Rwys	All Rwys
RL & CL	RL & CL	RCLM (DAY only) or RL	RCLM (DAY only) or RL
A			
B	200m	250m	400m
C			
D	250m (200m)	300m	

RVR in parentheses if TDZ RVR is supplemented by Mid and/or Rollout RVR.


UHPP/PKC

7 FEB 25

10-9B

Eff 20 Feb

JEPPESEN PETROPAVLOVSK-KAMCHATSKY, RUSSIA
YELIZOVO



INS COORDINATES	
STAND No.	COORDINATES
32A thru 34	N53 10.9 E158 26.1
35A thru 36B	N53 11.0 E158 26.0
37 thru 41	N53 11.0 E158 25.9
42	N53 11.0 E158 26.1

UHPP/PKC


JEPPESSEN
17 FEB 23
Eff 23 Feb

(10-9S)

PETROPAVLOVSK-KAMCHATSKY, RUSSIA
YELIZOVO
Standard

STRAIGHT-IN RWY		A	B	C	D
16R	ILS	311'(200')	314'(203')	324'(213')	334'(223')
	FULL	R550m ❶	R550m ❶	R550m ❶	R550m ❶
	ALS out	R1200m	R1200m	R1200m	R1200m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
34L	CAT 2 ILS Y ❷	227'(100')	227'(100')	232'(105')	245'(118')
		RA105' R300m	RA105' R300m	RA111' R300m	RA126' R300m
	CAT 2 ILS Y ❸	1370'(1243')	1387'(1260')	1400'(1273')	1413'(1286')
		R450m	R450m	R450m	R450m
	CAT 2 ILS Z ❹	227'(100')	227'(100')	232'(105')	245'(118')
		RA105' R300m	RA105' R300m	RA111' R300m	RA126' R300m
	CAT 2 ILS Z ❺	967'(840')	983'(856')	996'(869')	1010'(883')
		R450m	R450m	R450m	R450m
	ILS Y ❷	327'(200')	327'(200')	327'(200')	327'(200')
	FULL	R550m	R550m	R550m	R550m
	TDZ or CL out	R550m ❶	R550m ❶	R550m ❶	R550m ❶
	ALS out	R1200m	R1200m	R1200m	R1200m
	ILS Y ❸	1456'(1329')	1466'(1339')	1475'(1348')	1485'(1358')
		R1500m	R1500m	R2400m	R2400m
	ILS Z ❹	327'(200')	327'(200')	327'(200')	327'(200')
	FULL	R550m	R550m	R550m	R550m
	TDZ or CL out	R550m ❶	R550m ❶	R550m ❶	R550m ❶
	ALS out	R1200m	R1200m	R1200m	R1200m
	ILS Z ❺	1055'(928')	1065'(938')	1075'(948')	1085'(958')
		R1500m	R1500m	R2400m	R2400m
	GLS ❸	327'(200')	327'(200')	327'(200')	327'(200')
	FULL	R550m	R550m	R550m	R550m
	TDZ or CL out	R550m ❶	R550m ❶	R550m ❶	R550m ❶
	ALS out	R1200m	R1200m	R1200m	R1200m
	GLS ❹	1056'(929')	1063'(936')	1076'(949')	1086'(959')
		R1500m	R1500m	R2400m	R2400m
	LOC	NOT AUTH	NOT AUTH	NOT AUTH	NOT AUTH
	RNAV ❹ ❺	730'(603')	730'(603')	730'(603')	730'(603')
		R1500m	R1500m	R2100m	R2100m
	ALS out	R1500m	R1500m	R2400m	R2400m
	RNAV ❹ ❺	1460'(1333')	1460'(1333')	1460'(1333')	1460'(1333')
		R5000m	R5000m	R5000m	R5000m
	VOR Z ❷ ❸	NOT APPLICABLE	NOT APPLICABLE	820'(693')	820'(693')
				R2400m	R2400m

❶ W/o HUD/AP/FD: RVR 750m.

❷ Missed apch climb grad MIM 5.0% up to 4730'(4603').

❸ Missed apch climb grad MIM 2.5%.

❹ Missed apch climb grad MIM 5.0% up to 4560'(4433').

❺ Missed apch climb grad MIM 4.0% up to 4560'(4433').

❻ Missed apch climb grad MIM 3.8% up to 4560'(4433').

❼ Continuous Descent Final Approach.

❽ Missed apch climb grad MIM 2.9% up to 4560'(4433').

STRAIGHT-IN RWY	A	B	C	D
34L VOR Z or Y ❶ ❷ (contd)	820'(693') R1500m	820'(693') R1500m	1220'(1093') R2400m	1220'(1093') R2400m
NDB Z or Y ❷	760'(633')❸ R1500m	760'(633')❸ R1500m	760'(633')❹ R2200m	760'(633')❹ R2200m
ALS out	R1500m	R1500m	R2400m	R2400m
NDB Z or Y ❶ ❷	1050'(923') R1500m	1050'(923') R1500m	2090'(1963') R5000m	2090'(1963') R5000m

- ❶ Missed apch climb grad MIM 2.5%.
- ❷ Continuous Descent Final Approach.
- ❸ Missed apch climb grad MIM 2.9% up to 3090'(2963').
- ❹ Missed apch climb grad MIM 4.0% up to 4730'(4603').

CIRCLE-TO-LAND ❸	100 KT	135 KT	180 KT	205 KT
After ILS	1510'(1382') 970'(842')❹ V1500m❺	1510'(1382') 1140'(1012')❹ V1600m❺	1710'(1582') 1580'(1452')❷ V2400m❺	1830'(1702') 1830'(1702') V3600m❺


- ❸ Prohibited West of airport.
- ❹ After RNAV ILS 34L: 1510'(1382').
- ❷ After RNAV ILS 34L: 1710'(1582').
- ❺ or higher minimums of preceding straight-in approach.

TAKE-OFF RWY 16R, 34L						
Low Visibility Take-off						
	HIRL, CL & relevant RVR	RL, CL & relevant RVR	RL & CL	Day: RL & RCLM Night: RL or CL	Day: RL & RCLM Night: RL or CL	Adequate vis ref (Day only)
A						
B	TDZ, MID, RO	TDZ, MID, RO				
C	❶ RVR 125m	❶ RVR 150m	RVR 200m	RVR 300m	400m	500m
D						
❶ RWY 16R: RVR 200m						

UHPP/PKC
YELIZOVO

JEPPESEN
13 SEP 24 (11-1)


PETROPAVLOVSK-KAMCHATSKY, RUSSIA
ILS Z Rwy 16R



UHPP/PKC
YELIZOVO

JEPPESEN
13 SEP 24 11-2


PETROPAVLOVSK-KAMCHATSKY, RUSSIA
ILS Y Rwy 16R



UHPP/PKC
YELIZOVO

13 SEP 24 (11-3)


JEPPesen PETROPAVLOVSK-KAMCHATSKY, RUSSIA
ILS Z Rwy 34L



UHPP/PKC
YELIZOVO

13 SEP 24 11-3A


JEPPesen PETROPAVLOVSK-KAMCHATSKY, RUSSIA
CAT II ILS Z Rwy 34L



UHPP/PKC
YELIZOVO

JEPPesen PETROPAVLOVSK-KAMCHATSKY, RUSSIA
30 AUG 24 (11-4) Eff 5 Sep


ILS Y Rwy 34L



**UHPP/PKC
YELIZOVO**

JEPPESEN PETROPA
30 AUG 24 (11-4A) Eff 5 Sep


-KAMCHATSKY, RUSSIA
CAT II ILS Y Rwy 34L



UHPP/PKC
YELIZOVO

13 SEP 24 (12-1)


JEPPesen PETROPAVLOVSK-KAMCHATSKY, RUSSIA
RNAV Rwy 34L



UHPP/PKC
YELIZOVO

13 SEP 24 12-40

JEPPesen PETROPAVLOVSK-KAMCHATSKY, RUSSIA
GLS Rwy 34L




UHPP/PKC
YELIZOVO

13 SEP 24

13-1

CAT C & D


JEPPESSEN PETROPAVLOVSK-KAMCHATSKY, RUSSIA
VOR Z Rwy 34L



UHPP/PKC
YELIZOVO

JEPPESSEN PETRO
13 SEP 24 (13-2) CAT A & B


JEPPesen PETROPAVLOVSK-KAMCHATSKY, RUSSIA
13 SEP 24 (13-2) CAT A & B VOR Y Rwy 34L



UHPP/PKC
YELIZOVO

JEPPESSEN PETROPAVLOVSK-KAMCHATSKY, RUSSIA
NDB Z Rwy 34L

30 AUG 24
Eff 5 Sep 16-1 CAT C & D



UHPP/PKC

YELIZOVO

30 AUG 24

Eff 5 Sep

16-2

CAT A & B

JEPPESEN

PETROPAVLOVSK-KAMCHATSKY, RUSSIA

NDB Y Rwy 34L

