ALKENE

81. Bayer's reagent is used for detection of

(a) Amines

(b) Glucose

(c) Unsaturated bond

(d) Alcohol

82. Which of the following is(are) example(s) of nucleophilic addition reaction in case of acetylene

(a) Addition of water

(b) Addition of *HCN*

(c) Addition of $AsCl_3$

(d) All

83. Structural formula for lewisite is

(a) $\begin{array}{l} CHCl \\ \| \\ CHAsCl_3 \end{array}$

(b) $\begin{array}{l} CHCl_2 \\ | \\ CHAsCl_3 \end{array}$

(c) $\begin{array}{l} CHCl \\ \| \\ CHAsCl_2 \end{array}$

(d) None of these

84. Propene when heated with chlorine at about $500^{\circ}C$ forms

(a) $CH_2Cl.CH = CH_2$

(b) $CH_3.CHCl.CH_2Cl$

(c) $CH_2Cl.CHCl.CH_2Cl$

(d) All the three

85. PVC is obtained from vinyl chloride by a reaction called

(a) Addition

(b) Isomerization

(c) Polymerization

(d) Substitution

86. Reaction of Br_2 on ethylene in presence of $NaCl$ gives

(a) $BrCH_2 - CH_2Br$

(b) $ClCH_2 - CH_2Br$

(c) Both (a) and (b)

(d) None of these

87. $CH_3 - CH = CH_2 + HBr \longrightarrow$..... ., the product formed is

(a) $CH_3 - CH_2 - CH_2 - Br$

(b) $CH_3 - CHBr - CH_3$

(c) $BrCH_2 - CH = CH_2$

(d) $CH_2 = C = CH_2$

88. The product of reaction between propene and *HBr* in the presence of a peroxide is

(a) $CH_3 - CH_2 - CH_2Br$

(b) $CH_3 - CHBr - CH_3$

(c) $CH_3 - CH_2Br$

(d) $CH_3 - CH = CHBr$

89. Ozonolysis of 2-methyl butene-2 yields

(a) Only aldehyde

(b) Only ketone

(c) Both aldehyde and ketone

(d) None of these

90. The final product formed by the ozonolysis of compound $RCH = CR_2$ is

(a) *RCHO* (b) R_2CO

(c) Both (a) and (b)

(d) None of these

91. Which one is an unsaturated compound

(a) C_6H_{14} (b) C_4H_8

(c) C_3H_7OH (d) CH_3OH

92. Ethyl alcohol on heating with conc. H_2SO_4 gives

(a) $CH_3COOC_2H_5$ (b) C_2H_6

(c) C_2H_4 (d) C_2H_2

93. Monohalides on reacting with alcoholic *KOH* give

(a) Alkanes

(b) Alkenes

(c) Alkynes

(d) Aromatic hydrocarbons

94. Ethylene is a member of..... series

(a) Alkyne (b) Olefin

(c) Paraffin (d) Amine

95. In a double bond between two carbon atoms of ethene, there are

(a) Two sigma bonds perpendicular to each other

(b) One sigma and one pi bond

(c) Two pi bonds perpendicular to each other

(d) Two pi bonds at an angle of 60°

96. The formation of alkene from alkyl halide is an example of

(a) Addition

(b) Elimination

(c) Substitution

(d) (a) and (c)

97. In the following reaction

$$CH_3 - CH_2 - CH_2 - CH_3 \xrightarrow[475K]{H_2SO_4}$$

(a) $CH_3CH = CHCH_3$ predominates

(b) $CH_2 = CHCH_2CH_3$ predominates

(c) Both are formed in equal amounts

(d) The amount of production depends on the nature of catalyst

98. The compound *B* formed in the following sequences of reactions is

$$CH_3CH_2CH_2OH \xrightarrow{PCl_3} A \xrightarrow{Alco.\ KOH} B$$

(a) Propyne (b) Propene

(c) Propanol (d) Propane

99. *n*-propyl bromide on treatment with ethanolic potassium hydroxide produces

(a) Propane (b) Propene

(c) Propyne (d) Propanol

100. The dehydrohalogenation of neopentyl bromide with alcoholic *KOH* mainly gives

(a) 2-methyl-1-butene

(b) 2-methyl-2-butene

(c) 2, 2-dimethyl-1-butene

(d) 2-butene

NEET IIT-JEE BOARD G10 EDUCATIONAL PLATFORM ESTD: 2005