[My Github Repo URL](#)

# W04-P1: Connect database wp1_demo_74


```
6b4855e CHEN211410674    Wed Oct 4 19:41:37 2023 +0800    W04-P1: Connect database
wp1_demo_74
```

W04-P2: Using SQL to create table card_74, and insert two data

```
419ca42 CHEN211410674   Wed Oct 4 20:35:29 2023 +0800   W04-P2: Using SQL to
create table card_74, and insert two data
```

W04-P3: Using Supabase SQL editor to create table card_xx, and insert two data


```
1c33e13 CHEN211410674   Wed Oct 4 20:50:43 2023 +0800   W04-P3: Using Supabase SQL
editor to create table card_xx, and insert two data
```

W04-P4: Use JavaScript code to get card_xx data from local wp1_demo_74 database

```
3c2a556 CHEN211410674   Wed Oct 4 21:20:35 2023 +0800   W04-P4: Use JavaScript
code to get card_xx data from local wp1_demo_74 database
```

W04-P5: Show 9 data in both local PostgreSQL and Supabase

local PostgreSQL

Supabase

```
c50f64f CHEN211410674   Wed Oct 4 21:37:57 2023 +0800   W04-P5: Show 9 data in
both local PostgreSQL and Supabase
```

W04-P6: W4 all logs

```
b896521 CHEN211410674   Wed Oct 4 21:40:18 2023 +0800   ### W04-P6: W4 all logs
c50f64f CHEN211410674   Wed Oct 4 21:37:57 2023 +0800   W04-P5: Show 9 data in
both local PostgreSQL and Supabase
3c2a556 CHEN211410674   Wed Oct 4 21:20:35 2023 +0800   W04-P4: Use JavaScript
code to get card_xx data from local wp1_demo_74 database
1c33e13 CHEN211410674   Wed Oct 4 20:50:43 2023 +0800   W04-P3: Using Supabase SQL
editor to create table card_xx, and insert two data
419ca42 CHEN211410674   Wed Oct 4 20:35:29 2023 +0800   W04-P2: Using SQL to
create table card_74, and insert two data
6b4855e CHEN211410674   Wed Oct 4 19:41:37 2023 +0800   W04-P1: Connect database
wp1_demo_74
```