





My github URL

W11-P1: Make mobileBtn work correctly



3d1b7b7 Chen211410674 Wed May 1 22:24:11 2024 +0800 W11-P1: Make mobileBtn work correctly

W11-P2: Use Postman to test GET /api/blogs, and DELETE /api/blogs/:id



fcc805f Chen211410674 Thu May 2 13:26:27 2024 +0800 W11-P2: Use Postman to test GET /api/blogs, and DELETE /api/blogs/:id 完成
daea42e Chen211410674 Thu May 2 12:55:39 2024 +0800 W11-P2: Use Postman to test GET /api/blogs, and DELETE /api/blogs/:id 完成一半

W11-P3: Use Postman to test DELETE /api/blogs/clearAll, and POST /api/blogs/loadAll

=> test DELETE /api/blogs/clearAll

The screenshot shows a development environment with VS Code on the left and Postman on the right. In VS Code, the file `server_74.js` is open, showing an Express.js API. The `app.delete('/api/blogs/clearAll', (req, res) => { ... })` function is highlighted with a red box. The terminal shows the server running on port 5000 and a successful DELETE request to `/api/blogs/clearAll` with a 200 status code. In Postman, the 'Clear all blogs' collection is open, and the 'DELETE' method is selected for the endpoint `localhost:5000/api/blogs/clearAll`. The body tab shows a JSON response: `{ "msg": "clear all blogs" }`.

=> test POST /api/blogs/loadAll

The screenshot shows a development environment with VS Code on the left and Postman on the right. In VS Code, the file `server_74.js` is open, showing an Express.js API. The `app.post('/api/blogs/loadAll', (req, res) => { ... })` function is highlighted with a red box. The terminal shows the server running on port 5000 and a successful POST request to `/api/blogs/loadAll` with a 200 status code. In Postman, the 'Load all blogs' collection is open, and the 'POST' method is selected for the endpoint `http://localhost:5000/api/blogs/loadAll`. The body tab shows a JSON response: `{ "msg": "load all blogs" }`.

433af83 Chen211410674 Thu May 2 13:47:00 2024 +0800 W11-P3: Use Postman to test DELETE /api/blogs/clearAll, and POST /api/blogs/loadAll

W11-P4: Git logs of W11

```
git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2024-04-30"
```

```
433af83 Chen211410674 Thu May 2 13:47:00 2024 +0800 W11-P3: Use Postman to
test DELETE /api/blogs/clearAll, and POST /api/blogs/loadAll
fcc805f Chen211410674 Thu May 2 13:26:27 2024 +0800 W11-P2: Use Postman to
test GET /api/blogs, and DELETE /api/blogs/:id 完成
daea42e Chen211410674 Thu May 2 12:55:39 2024 +0800 W11-P2: Use Postman to
test GET /api/blogs, and DELETE /api/blogs/:id 完成一半
3d1b7b7 Chen211410674 Wed May 1 22:24:11 2024 +0800 W11-P1: Make mobileBtn
work correctly
```