


Dialog design options - for review before implementing


Topic 1 / Hint marker: borderless '?' placed INSIDE the box (not on the border)

Current (what you DON'T want)




Circle border + sits ON the top frame line (reads as outside).

Option A - inside top-right, borderless




Just the '?' glyph, no ring, pulled inside the frame (top-right of the content area).

Option B - next to title text



'?' trails the section title (still inside the box).
Closest to 'next to the heading'.

Option C - faint, end of title row (inside)



Same as A but lower / fainter so it never competes with the title.

Notes:

- All options remove the circle ring -> just a muted '?' glyph.
- Hover: glyph brightens one tone; click: help bubble (unchanged).
- Recommended: Option A (clean, predictable corner, never on the border).

Topic 2 / Search window: per-bound TYPE toggle (your idea)

From / To each get a Type toggle (Frame / Event / Signal value); the value field adapts to the type.

Variant A - one row (your proposal)

Search window

Search	from	Event v	HS (#1) v	to	Event v	HS (#3) v
--------	------	---------	-----------	----	---------	-----------

Compact, matches your sketch. Tight on space when a bound needs 2 fields (signal + value).

Variant B - two rows (recommended: room for signal+value)

Search window

From	Signal value v	Ankle angle v	reaches	10.0 deg
To	Event v	TO v	instance	1

Each bound is one row -> fits Frame (number), Event (pick + instance #),
or Signal value (signal + threshold). Clearest for the 3-field cases.

Variant C - single 'Search by' mode (simplest, least flexible)

Search window

Search by	Between events v	from	HS #1 v	to	HS #3 v
-----------	------------------	------	---------	----	---------

One mode for BOTH bounds (both frames, or both events...). Simplest UI,
but can't mix types (e.g. 'from a force value to an event').

Topic 2 / how the value field changes per Type

When a bound's Type toggle changes, the field(s) to its right swap to match.

Type = Frame

Frame	v	0
-------	---	---

Just a frame-number box (what it is today).

Type = Event

Event	v	HS	v	#	1
-------	---	----	---	---	---

Pick an event label (from earlier Detect steps) + which instance (#).

Type = Signal value (angle / force / COP / ...)

Signal value	v	Ankle angle	v	reaches	10.0 deg	Rising	v
--------------	---	-------------	---	---------	----------	--------	---

Pick any signal (angle / force / COP / derived) + a threshold value + direction.

'angle / force' you mentioned are just signal choices under this one Type.

Summary / recommendation:

- Type toggle per bound = Frame | Event | Signal value (covers frame, event, and angle/force-threshold).
- Variant B (two rows) handles all three cleanly; Variant A is prettiest but cramped for Signal value.
- We can start with Frame + Event (single window) and add Signal value next, or build all three at once.

Tell me: which hint option (A/B/C) and which search layout (A/B/C), and whether to include 'Signal value' bounds now or later. Then I implement.