

```
/Users/ganghyun/Downloads/apache-tomcat-9.0.73/bin/catalina.sh run NOTE: Picked up
JDK_JAVA_OPTIONS: --add-opens=java.base/java.lang=ALL-UNNAMED --add-
opens=java.base/java.io=ALL-UNNAMED --add-opens=java.base/java.util=ALL-UNNAMED --add-
opens=java.base/java.util.concurrent=ALL-UNNAMED --add-opens=java.rmi/sun.rmi.transport=ALL-
UNNAMED [2023-05-08 12:53:19,616] 아티팩트 spirngmvcboard:war exploded: 아티팩트 배포 시작을 위해 서버
연결을 기다리는 중... 08-May-2023 00:53:20.151 정보 [main]
org.apache.catalina.startup.VersionLoggerListener.log 서버 버전 이름: Apache Tomcat/9.0.73 08-May-2023
00:53:20.153 정보 [main] org.apache.catalina.startup.VersionLoggerListener.log Server 빌드 시각: Feb 27
2023 15:33:40 UTC 08-May-2023 00:53:20.153 정보 [main]
org.apache.catalina.startup.VersionLoggerListener.log Server 버전 번호: 9.0.73.0 08-May-2023 00:53:20.153
정보 [main] org.apache.catalina.startup.VersionLoggerListener.log 운영체제 이름: Mac OS X 08-May-2023
00:53:20.153 정보 [main] org.apache.catalina.startup.VersionLoggerListener.log 운영체제 버전: 13.3.1 08-
May-2023 00:53:20.153 정보 [main] org.apache.catalina.startup.VersionLoggerListener.log 아키텍처:
aarch64 08-May-2023 00:53:20.153 정보 [main] org.apache.catalina.startup.VersionLoggerListener.log 자바
홈: /Library/Java/JavaVirtualMachines/temurin-11.jdk/Contents/Home 08-May-2023 00:53:20.153 정보
[main] org.apache.catalina.startup.VersionLoggerListener.log JVM 버전: 11.0.18+10 08-May-2023
00:53:20.153 정보 [main] org.apache.catalina.startup.VersionLoggerListener.log JVM 벤더: Eclipse Adoptium
08-May-2023 00:53:20.153 정보 [main] org.apache.catalina.startup.VersionLoggerListener.log
CATALINA_BASE: /Users/ganghyun/Library/Caches/JetBrains/IntelliJIdea2022.3/tomcat/7bb93896-07f7-
40a1-a2cd-e9f8aa9d6cfd 08-May-2023 00:53:20.153 정보 [main]
org.apache.catalina.startup.VersionLoggerListener.log CATALINA_HOME:
/Users/ganghyun/Downloads/apache-tomcat-9.0.73 08-May-2023 00:53:20.154 정보 [main]
org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: --add-
opens=java.base/java.lang=ALL-UNNAMED 08-May-2023 00:53:20.154 정보 [main]
org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: --add-opens=java.base/java.io=ALL-
UNNAMED 08-May-2023 00:53:20.154 정보 [main] org.apache.catalina.startup.VersionLoggerListener.log
명령 행 아규먼트: --add-opens=java.base/java.util=ALL-UNNAMED 08-May-2023 00:53:20.154 정보 [main]
org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: --add-
opens=java.base/java.util.concurrent=ALL-UNNAMED 08-May-2023 00:53:20.154 정보 [main]
org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: --add-
opens=java.rmi/sun.rmi.transport=ALL-UNNAMED 08-May-2023 00:53:20.154 정보 [main]
org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: -
Djava.util.logging.config.file=/Users/ganghyun/Library/Caches/JetBrains/IntelliJIdea2022.3/tomcat/7bb9389
6-07f7-40a1-a2cd-e9f8aa9d6cfd/conf/logging.properties 08-May-2023 00:53:20.154 정보 [main]
org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: -
Djava.util.logging.manager=org.apache.juli.ClassLoaderLogManager 08-May-2023 00:53:20.154 정보
[main] org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: -
Dcom.sun.management.jmxremote= 08-May-2023 00:53:20.154 정보 [main]
org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: -
Dcom.sun.management.jmxremote.port=1099 08-May-2023 00:53:20.154 정보 [main]
org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: -
Dcom.sun.management.jmxremote.ssl=false 08-May-2023 00:53:20.154 정보 [main]
org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: -
Dcom.sun.management.jmxremote.password.file=/Users/ganghyun/Library/Caches/JetBrains/IntelliJIdea20
22.3/tomcat/7bb93896-07f7-40a1-a2cd-e9f8aa9d6cfd/jmxremote.password 08-May-2023 00:53:20.154
정보 [main] org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: -
```

Dcom.sun.management.jmxremote.access.file=/Users/ganghyun/Library/Caches/JetBrains/IntelliJdea2022.3/tomcat/7bb93896-07f7-40a1-a2cd-e9f8aa9d6cfd/jmxremote.access 08-May-2023 00:53:20.155 정보 [main] org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: -Djava.rmi.server.hostname=127.0.0.1 08-May-2023 00:53:20.155 정보 [main] org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: -Djdk.tls.ephemeralDHKeySize=2048 08-May-2023 00:53:20.155 정보 [main] org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: -Djava.protocol.handler.pkgs=org.apache.catalina.webresources 08-May-2023 00:53:20.155 정보 [main] org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: -Dorg.apache.catalina.security.SecurityListener.UMASK=0027 08-May-2023 00:53:20.155 정보 [main] org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: -Dignore.endorsed.dirs= 08-May-2023 00:53:20.155 정보 [main] org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: -Dcatalina.base=/Users/ganghyun/Library/Caches/JetBrains/IntelliJdea2022.3/tomcat/7bb93896-07f7-40a1-a2cd-e9f8aa9d6cfd 08-May-2023 00:53:20.155 정보 [main] org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: -Dcatalina.home=/Users/ganghyun/Downloads/apache-tomcat-9.0.73 08-May-2023 00:53:20.155 정보 [main] org.apache.catalina.startup.VersionLoggerListener.log 명령 행 아규먼트: -Djava.io.tmpdir=/Users/ganghyun/Downloads/apache-tomcat-9.0.73/temp 08-May-2023 00:53:20.160 정보 [main] org.apache.catalina.core.AprLifecycleListener.lifecycleEvent 프로덕션 환경들에서 최적의 성능을 제공하는, APR 기반 Apache Tomcat Native 라이브러리가, 다음 java.library.path에서 발견되지 않습니다: [/Users/ganghyun/Library/Java/Extensions:/Library/Java/Extensions:/Network/Library/Java/Extensions:/System/Library/Java/Extensions:/usr/lib/java:] 08-May-2023 00:53:20.248 정보 [main] org.apache.coyote.AbstractProtocol.init 프로토콜 핸들러 ["http-nio-8080"]을(를) 초기화합니다. 08-May-2023 00:53:20.255 정보 [main] org.apache.catalina.startup.Catalina.load [195] 밀리초 내에 서버가 초기화되었습니다. 08-May-2023 00:53:20.275 정보 [main] org.apache.catalina.core.StandardService.startInternal 서비스 [Catalina]을(를) 시작합니다. 08-May-2023 00:53:20.275 정보 [main] org.apache.catalina.core.StandardEngine.startInternal 서버 엔진을 시작합니다: [Apache Tomcat/9.0.73] 08-May-2023 00:53:20.279 정보 [main] org.apache.coyote.AbstractProtocol.start 프로토콜 핸들러 ["http-nio-8080"]을(를) 시작합니다. 08-May-2023 00:53:20.284 정보 [main] org.apache.catalina.startup.Catalina.start 서버가 [28] 밀리초 내에 시작되었습니다. 서버에 연결됨 [2023-05-08 12:53:20,381] 아티팩트 spirngmvcboard:war exploded: 아티팩트 배포 중입니다. 잠시 기다려 주세요... 08-May-2023 00:53:21.433 정보 [RMI TCP Connection(2)-127.0.0.1] org.apache.jasper.servlet.TldScanner.scanJars 적어도 하나의 JAR가 TLD들을 찾기 위해 스캔되었으나 아무 것도 찾지 못했습니다. 스캔했으나 TLD가 없는 JAR들의 전체 목록을 보시려면, 로그 레벨을 디버그 레벨로 설정하십시오. 스캔 과정에서 불필요한 JAR들을 건너뛰면, 시스템 시작 시간과 JSP 컴파일 시간을 단축시킬 수 있습니다. 00:53:21.509 [RMI TCP Connection(2)-127.0.0.1] INFO org.springframework.web.context.ContextLoader - Root WebApplicationContext: initialization started 00:53:21.518 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.web.context.support.AnnotationConfigWebApplicationContext - Refreshing Root WebApplicationContext 00:53:21.554 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.web.context.support.AnnotationConfigWebApplicationContext - Registering component classes: [class com.nhnacademy.springboard.spirngmvcboard.config.RootConfig] 00:53:21.590 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'org.springframework.context.annotation.internalConfigurationAnnotationProcessor' 00:53:21.623 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component class: file [/Users/ganghyun/Documents/nhnachademy/spirngmvcboard 2/target/spirngmvcboard-1.0-SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/config/DataBaseConfig.class]

00:53:21.624 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component
class: file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard 2/target/spirngmvcboard-1.0-
SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/config/DataBaseProperties.class] 00:53:21.626
[RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component
class: file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard 2/target/spirngmvcboard-1.0-
SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/config/MybatisConfig.class]
00:53:21.628 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component
class: file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard 2/target/spirngmvcboard-1.0-
SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/config/WebConfig.class]
00:53:21.633 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component
class: file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard 2/target/spirngmvcboard-1.0-
SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/init/DatabasInitializer.class]
00:53:21.634 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Ignored because not a concrete
top-level class: file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard 2/target/spirngmvcboard-
1.0-SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/repository/PostRepository.class] 00:53:21.635
[RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component
class: file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard 2/target/spirngmvcboard-1.0-
SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/service/LoginService.class]
00:53:21.636 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component
class: file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard 2/target/spirngmvcboard-1.0-
SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/service/impl/BoardServiceImpl.class]
00:53:21.637 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component
class: file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard 2/target/spirngmvcboard-1.0-
SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/service/impl/PostServiceImpl.class]
00:53:21.637 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component
class: file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard 2/target/spirngmvcboard-1.0-
SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/service/impl/UserServiceImpl.class]
00:53:21.646 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component
class: file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard 2/target/spirngmvcboard-1.0-
SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/controller/BoardController.class] 00:53:21.646

[RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component class: file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard 2/target/spirngmvcboard-1.0-SNAPSHOT/WEB-

INF/classes/com/nhnacademy/springboard/spirngmvcboard/controller/LoginController.class] 00:53:21.646

[RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component class: file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard 2/target/spirngmvcboard-1.0-SNAPSHOT/WEB-

INF/classes/com/nhnacademy/springboard/spirngmvcboard/controller/MainController.class] 00:53:21.646

[RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component class: file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard 2/target/spirngmvcboard-1.0-SNAPSHOT/WEB-

INF/classes/com/nhnacademy/springboard/spirngmvcboard/controller/ManagementUserController.class] 00:53:21.646

[RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component class: file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard 2/target/spirngmvcboard-1.0-SNAPSHOT/WEB-

INF/classes/com/nhnacademy/springboard/spirngmvcboard/controller/PostController.class] 00:53:21.646

[RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component class: file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard 2/target/spirngmvcboard-1.0-SNAPSHOT/WEB-

INF/classes/com/nhnacademy/springboard/spirngmvcboard/controller/RegistController.class] 00:53:21.665

[RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Overriding bean definition for bean 'databaseInitializer' with a different definition: replacing [Generic bean: class

[com.nhnacademy.springboard.spirngmvcboard.init.DatabaseInitializer]; scope=singleton; abstract=false; lazyInit=null; autowireMode=0; dependencyCheck=0; autowireCandidate=true; primary=false;

factoryBeanName=null; factoryMethodName=null; initMethodName=null; destroyMethodName=null;

defined in file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard 2/target/spirngmvcboard-1.0-SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/init/DatabaseInitializer.class]]

with [Root bean: class [null]; scope=; abstract=false; lazyInit=null; autowireMode=3; dependencyCheck=0; autowireCandidate=true; primary=false; factoryBeanName=webConfig;

factoryMethodName=databaseInitializer; initMethodName=null; destroyMethodName=(inferred); defined in class path resource [com/nhnacademy/springboard/spirngmvcboard/config/WebConfig.class]] 00:53:21.701

[RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean

'com.nhnacademy.springboard.spirngmvcboard.config.MybatisConfig#MapperScannerRegistrar#0'

00:53:21.722 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of

singleton bean 'mapperScannerConfigurer' 00:53:21.723 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of

singleton bean 'rootConfig' 00:53:21.731 [RMI TCP Connection(2)-127.0.0.1] DEBUG

```
org.apache.ibatis.logging.LogFactory - Logging initialized using 'class
org.apache.ibatis.logging.slf4j.Slf4jImpl' adapter. 00:53:21.732 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.mapper.ClassPathMapperScanner - Identified candidate component class: file
[/Users/ganghyun/Documents/nhnachademy/spirngmvcboard 2/target/spirngmvcboard-1.0-
SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/mapper/BoardMapper.class]
00:53:21.732 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.mapper.ClassPathMapperScanner - Identified candidate component class: file
[/Users/ganghyun/Documents/nhnachademy/spirngmvcboard 2/target/spirngmvcboard-1.0-
SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/mapper/PostMapper.class]
00:53:21.732 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.mapper.ClassPathMapperScanner - Identified candidate component class: file
[/Users/ganghyun/Documents/nhnachademy/spirngmvcboard 2/target/spirngmvcboard-1.0-
SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/mapper/UserMapper.class]
00:53:21.733 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.mapper.ClassPathMapperScanner - Creating MapperFactoryBean with name
'boardMapper' and 'com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper' mapperInterface
00:53:21.735 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.mapper.ClassPathMapperScanner - Enabling autowire by type for MapperFactoryBean
with name 'boardMapper'. 00:53:21.735 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.mapper.ClassPathMapperScanner - Creating MapperFactoryBean with name
'postMapper' and 'com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper' mapperInterface
00:53:21.735 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.mapper.ClassPathMapperScanner - Enabling autowire by type for MapperFactoryBean
with name 'postMapper'. 00:53:21.735 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.mapper.ClassPathMapperScanner - Creating MapperFactoryBean with name
'userMapper' and 'com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper' mapperInterface
00:53:21.735 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.mapper.ClassPathMapperScanner - Enabling autowire by type for MapperFactoryBean
with name 'userMapper'. 00:53:21.735 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.mapper.ClassPathMapperScanner - Identified candidate component class: file
[/Users/ganghyun/Documents/nhnachademy/spirngmvcboard 2/target/spirngmvcboard-1.0-
SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/mapper/BoardMapper.class]
00:53:21.735 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.mapper.ClassPathMapperScanner - Identified candidate component class: file
[/Users/ganghyun/Documents/nhnachademy/spirngmvcboard 2/target/spirngmvcboard-1.0-
SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/mapper/PostMapper.class]
00:53:21.735 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.mapper.ClassPathMapperScanner - Identified candidate component class: file
[/Users/ganghyun/Documents/nhnachademy/spirngmvcboard 2/target/spirngmvcboard-1.0-
SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/mapper/UserMapper.class]
00:53:21.735 [RMI TCP Connection(2)-127.0.0.1] WARN
org.mybatis.spring.mapper.ClassPathMapperScanner - Skipping MapperFactoryBean with name
'boardMapper' and 'com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper'
mapperInterface. Bean already defined with the same name! 00:53:21.735 [RMI TCP
Connection(2)-127.0.0.1] WARN org.mybatis.spring.mapper.ClassPathMapperScanner - Skipping
MapperFactoryBean with name 'postMapper' and
```

'com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper' mapperInterface. Bean already defined with the same name! 00:53:21.735 [RMI TCP Connection(2)-127.0.0.1] WARN
org.mybatis.spring.mapper.ClassPathMapperScanner - Skipping MapperFactoryBean with name 'userMapper' and 'com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper' mapperInterface. Bean already defined with the same name! 00:53:21.735 [RMI TCP Connection(2)-127.0.0.1] WARN
org.mybatis.spring.mapper.ClassPathMapperScanner - No MyBatis mapper was found in '[com.nhnacademy.springboard.spirngmvcboard.mapper]' package. Please check your configuration. 00:53:21.736 [RMI TCP Connection(2)-127.0.0.1] INFO
org.springframework.context.annotation.ConfigurationClassPostProcessor - Cannot enhance @Configuration bean definition 'rootConfig' since its singleton instance has been created too early. The typical cause is a non-static @Bean method with a BeanDefinitionRegistryPostProcessor return type: Consider declaring such methods as 'static'. 00:53:21.783 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'org.springframework.context.event.internalEventListenerProcessor' 00:53:21.784 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'org.springframework.context.event.internalEventListenerFactory' 00:53:21.785 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'org.springframework.context.annotation.internalAutowiredAnnotationProcessor' 00:53:21.786 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'org.springframework.context.annotation.internalCommonAnnotationProcessor' 00:53:21.789 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'messageSource' 00:53:21.796 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.ui.context.support.UiApplicationContextUtils - Unable to locate ThemeSource with name 'themeSource': using default [org.springframework.ui.context.support.ResourceBundleThemeSource@7a18e375] 00:53:21.796 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'dataBaseConfig' 00:53:21.798 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.core.LocalVariableTableParameterNameDiscoverer - Cannot find '.class' file for class [class com.nhnacademy.springboard.spirngmvcboard.config.DataBaseConfig\$\$EnhancerBySpringCGLIB\$\$68f1b3a4] - unable to determine constructor/method parameter names 00:53:21.801 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'dataBaseProperties' 00:53:21.803 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [java:comp/env/db.username] 00:53:21.803 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.jndi.JndiLocatorDelegate - Converted JNDI name [java:comp/env/db.username] not found - trying original name [db.username]. javax.naming.NameNotFoundException: Name [db.username]은(는) 이 컨텍스트에 바인딩되지 않았습니니다. [db.username]을(를) 찾을 수 없습니다. 00:53:21.803 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [db.username] 00:53:21.803 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.jndi.JndiPropertySource - JNDI lookup for name [db.username] threw NamingException with message: Name [db.username]은(는) 이 컨텍스트에 바인딩되지 않았습니니다. [db.username]을(를) 찾을 수 없습니다.. Returning null. 00:53:21.804 [RMI TCP Connection(2)-127.0.0.1]

DEBUG org.springframework.core.env.PropertySourcesPropertyResolver - Found key 'db.username' in PropertySource 'class path resource [db.properties]' with value of type String 00:53:21.804 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [java:comp/env/db.password] 00:53:21.804 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiLocatorDelegate - Converted JNDI name [java:comp/env/db.password] not found - trying original name [db.password]. javax.naming.NameNotFoundException: Name [db.password]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.password]을(를) 찾을 수 없습니다. 00:53:21.804 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [db.password] 00:53:21.804 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiPropertySource - JNDI lookup for name [db.password] threw NamingException with message: Name [db.password]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.password]을(를) 찾을 수 없습니다.. Returning null. 00:53:21.804 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.core.env.PropertySourcesPropertyResolver - Found key 'db.password' in PropertySource 'class path resource [db.properties]' with value of type String 00:53:21.804 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [java:comp/env/db.driverClassName] 00:53:21.804 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiLocatorDelegate - Converted JNDI name [java:comp/env/db.driverClassName] not found - trying original name [db.driverClassName]. javax.naming.NameNotFoundException: Name [db.driverClassName]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.driverClassName]을(를) 찾을 수 없습니다. 00:53:21.804 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [db.driverClassName] 00:53:21.804 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiPropertySource - JNDI lookup for name [db.driverClassName] threw NamingException with message: Name [db.driverClassName]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.driverClassName]을(를) 찾을 수 없습니다.. Returning null. 00:53:21.804 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.core.env.PropertySourcesPropertyResolver - Found key 'db.driverClassName' in PropertySource 'class path resource [db.properties]' with value of type String 00:53:21.804 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [java:comp/env/db.url] 00:53:21.804 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiLocatorDelegate - Converted JNDI name [java:comp/env/db.url] not found - trying original name [db.url]. javax.naming.NameNotFoundException: Name [db.url]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.url]을(를) 찾을 수 없습니다. 00:53:21.804 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [db.url] 00:53:21.805 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiPropertySource - JNDI lookup for name [db.url] threw NamingException with message: Name [db.url]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.url]을(를) 찾을 수 없습니다.. Returning null. 00:53:21.805 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.core.env.PropertySourcesPropertyResolver - Found key 'db.url' in PropertySource 'class path resource [db.properties]' with value of type String 00:53:21.805 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [java:comp/env/db.initialSize] 00:53:21.805 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiLocatorDelegate - Converted JNDI name [java:comp/env/db.initialSize] not found - trying original name [db.initialSize]. javax.naming.NameNotFoundException: Name [db.initialSize]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.initialSize]을(를) 찾을 수 없습니다. 00:53:21.805 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [db.initialSize] 00:53:21.805 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiPropertySource - JNDI lookup for name [db.initialSize] threw

NamingException with message: Name [db.initialSize]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.initialSize]을(를) 찾을 수 없습니다.. Returning null. 00:53:21.805 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.core.env.PropertySourcesPropertyResolver - Found key 'db.initialSize' in PropertySource 'class path resource [db.properties]' with value of type String 00:53:21.809 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [java:comp/env/db.maxTotal] 00:53:21.809 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiLocatorDelegate - Converted JNDI name [java:comp/env/db.maxTotal] not found - trying original name [db.maxTotal]. javax.naming.NameNotFoundException: Name [db.maxTotal]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.maxTotal]을(를) 찾을 수 없습니다. 00:53:21.809 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [db.maxTotal] 00:53:21.809 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiPropertySource - JNDI lookup for name [db.maxTotal] threw NamingException with message: Name [db.maxTotal]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.maxTotal]을(를) 찾을 수 없습니다.. Returning null. 00:53:21.809 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.core.env.PropertySourcesPropertyResolver - Found key 'db.maxTotal' in PropertySource 'class path resource [db.properties]' with value of type String 00:53:21.809 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [java:comp/env/db.maxIdle] 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiLocatorDelegate - Converted JNDI name [java:comp/env/db.maxIdle] not found - trying original name [db.maxIdle]. javax.naming.NameNotFoundException: Name [db.maxIdle]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.maxIdle]을(를) 찾을 수 없습니다. 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [db.maxIdle] 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiPropertySource - JNDI lookup for name [db.maxIdle] threw NamingException with message: Name [db.maxIdle]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.maxIdle]을(를) 찾을 수 없습니다.. Returning null. 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.core.env.PropertySourcesPropertyResolver - Found key 'db.maxIdle' in PropertySource 'class path resource [db.properties]' with value of type String 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [java:comp/env/db.minIdle] 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiLocatorDelegate - Converted JNDI name [java:comp/env/db.minIdle] not found - trying original name [db.minIdle]. javax.naming.NameNotFoundException: Name [db.minIdle]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.minIdle]을(를) 찾을 수 없습니다. 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [db.minIdle] 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiPropertySource - JNDI lookup for name [db.minIdle] threw NamingException with message: Name [db.minIdle]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.minIdle]을(를) 찾을 수 없습니다.. Returning null. 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.core.env.PropertySourcesPropertyResolver - Found key 'db.minIdle' in PropertySource 'class path resource [db.properties]' with value of type String 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [java:comp/env/db.maxWaitMillis] 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiLocatorDelegate - Converted JNDI name [java:comp/env/db.maxWaitMillis] not found - trying original name [db.maxWaitMillis]. javax.naming.NameNotFoundException: Name [db.maxWaitMillis]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.maxWaitMillis]을(를) 찾을 수 없습니다. 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking

up JNDI object with name [db.maxWaitMillis] 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.jndi.JndiPropertySource - JNDI lookup for name [db.maxWaitMillis] threw
NamingException with message: Name [db.maxWaitMillis]은(는) 이 컨텍스트에 바인딩되지 않았습니다.
[db.maxWaitMillis]을(를) 찾을 수 없습니다.. Returning null. 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1]
DEBUG org.springframework.core.env.PropertySourcesPropertyResolver - Found key 'db.maxWaitMillis' in
PropertySource 'class path resource [db.properties]' with value of type String 00:53:21.810 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with
name [java:comp/env/db.validationQuery] 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.jndi.JndiLocatorDelegate - Converted JNDI name [java:comp/env/db.validationQuery]
not found - trying original name [db.validationQuery]. javax.naming.NameNotFoundException: Name
[db.validationQuery]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.validationQuery]을(를) 찾을 수 없습니다.
00:53:21.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking
up JNDI object with name [db.validationQuery] 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.jndi.JndiPropertySource - JNDI lookup for name [db.validationQuery] threw
NamingException with message: Name [db.validationQuery]은(는) 이 컨텍스트에 바인딩되지 않았습니다.
[db.validationQuery]을(를) 찾을 수 없습니다.. Returning null. 00:53:21.810 [RMI TCP Connection(2)-127.0.0.1]
DEBUG org.springframework.core.env.PropertySourcesPropertyResolver - Found key 'db.validationQuery'
in PropertySource 'class path resource [db.properties]' with value of type String 00:53:21.810 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with
name [java:comp/env/db.testOnBorrow] 00:53:21.811 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.jndi.JndiLocatorDelegate - Converted JNDI name [java:comp/env/db.testOnBorrow]
not found - trying original name [db.testOnBorrow]. javax.naming.NameNotFoundException: Name
[db.testOnBorrow]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [db.testOnBorrow]을(를) 찾을 수 없습니다.
00:53:21.811 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking
up JNDI object with name [db.testOnBorrow] 00:53:21.811 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.jndi.JndiPropertySource - JNDI lookup for name [db.testOnBorrow] threw
NamingException with message: Name [db.testOnBorrow]은(는) 이 컨텍스트에 바인딩되지 않았습니다.
[db.testOnBorrow]을(를) 찾을 수 없습니다.. Returning null. 00:53:21.811 [RMI TCP Connection(2)-127.0.0.1]
DEBUG org.springframework.core.env.PropertySourcesPropertyResolver - Found key 'db.testOnBorrow' in
PropertySource 'class path resource [db.properties]' with value of type String 00:53:21.811 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory -
Autowiring by type from bean name 'dataBaseConfig' via constructor to bean named 'dataBaseProperties'
00:53:21.812 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of
singleton bean 'mybatisConfig' 00:53:21.812 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.core.LocalVariableTableParameterNameDiscoverer - Cannot find '.class' file for class
[class
com.nhnacademy.springboard.spirngmvcboard.config.MybatisConfig\$\$EnhancerBySpringCGLIB\$\$f522e
] - unable to determine constructor/method parameter names 00:53:21.812 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory -
Creating shared instance of singleton bean 'dataSource' 00:53:21.824 [RMI TCP Connection(2)-127.0.0.1]
INFO com.nhnacademy.springboard.spirngmvcboard.config.DataBaseConfig -
driverClassName=com.mysql.cj.jdbc.Driver 00:53:21.824 [RMI TCP Connection(2)-127.0.0.1] INFO
com.nhnacademy.springboard.spirngmvcboard.config.DataBaseConfig -
url=jdbc:mysql://localhost:3306/springboard 00:53:21.824 [RMI TCP Connection(2)-127.0.0.1] INFO
com.nhnacademy.springboard.spirngmvcboard.config.DataBaseConfig - username=root 00:53:21.824 [RMI

TCP Connection(2)-127.0.0.1] INFO com.nhnacademy.springboard.spirngmvcboard.config.DataBaseConfig - password=rkdgus4197 00:53:21.824 [RMI TCP Connection(2)-127.0.0.1] INFO com.nhnacademy.springboard.spirngmvcboard.config.DataBaseConfig - initialSize=5 00:53:21.824 [RMI TCP Connection(2)-127.0.0.1] INFO com.nhnacademy.springboard.spirngmvcboard.config.DataBaseConfig - maxTotal=5 00:53:21.824 [RMI TCP Connection(2)-127.0.0.1] INFO com.nhnacademy.springboard.spirngmvcboard.config.DataBaseConfig - minIdle=5 00:53:21.824 [RMI TCP Connection(2)-127.0.0.1] INFO com.nhnacademy.springboard.spirngmvcboard.config.DataBaseConfig - testOnBorrow=true 00:53:21.824 [RMI TCP Connection(2)-127.0.0.1] INFO com.nhnacademy.springboard.spirngmvcboard.config.DataBaseConfig - basicDataSource org.apache.commons.dbcp2.BasicDataSource@75f83be1 00:53:21.828 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'mybatisConfig' via constructor to bean named 'dataSource' 00:53:21.829 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'webConfig' 00:53:21.829 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'databaseInitializer' 00:53:21.830 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'userServiceImpl' 00:53:21.830 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'userMapper' 00:53:21.836 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'sqlSessionFactory' 00:53:21.925 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionFactoryBean - Parsed mapper file: 'file [\\Users\\ganghyun\\Documents\\nhnachademy\\spirngmvcboard 2\\target\\spirngmvcboard-1.0-SNAPSHOT\\WEB-INF\\classes\\mapper\\maps\\BoardMapper.xml]' 00:53:21.943 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionFactoryBean - Parsed mapper file: 'file [\\Users\\ganghyun\\Documents\\nhnachademy\\spirngmvcboard 2\\target\\spirngmvcboard-1.0-SNAPSHOT\\WEB-INF\\classes\\mapper\\maps\\PostMapper.xml]' 00:53:21.947 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionFactoryBean - Parsed mapper file: 'file [\\Users\\ganghyun\\Documents\\nhnachademy\\spirngmvcboard 2\\target\\spirngmvcboard-1.0-SNAPSHOT\\WEB-INF\\classes\\mapper\\maps\\UserMapper.xml]' 00:53:21.953 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'userServiceImpl' via constructor to bean named 'userMapper' 00:53:21.953 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'boardMapper' 00:53:21.954 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'postMapper' 00:53:21.955 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'databaseInitializer' via factory method to bean named 'userServiceImpl' 00:53:21.955 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'databaseInitializer' via factory method to bean named 'boardMapper' 00:53:21.955 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'databaseInitializer' via factory method to bean named 'postMapper' 00:53:21.955 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory -

Autowiring by type from bean name 'databaseInitializer' via factory method to bean named 'userMapper' 00:53:21.962 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'loginService' 00:53:21.963 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'loginService' via constructor to bean named 'userMapper' 00:53:21.963 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'boardServiceImpl' 00:53:21.963 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'boardServiceImpl' via constructor to bean named 'boardMapper' 00:53:21.963 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'postServiceImpl' 00:53:21.963 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'postServiceImpl' via constructor to bean named 'postMapper' 00:53:21.964 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'boardController' 00:53:21.966 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'boardController' via constructor to bean named 'boardServiceImpl' 00:53:21.966 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'boardController' via constructor to bean named 'postServiceImpl' 00:53:21.966 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'loginController' 00:53:21.967 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'loginController' via constructor to bean named 'loginService' 00:53:21.968 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'loginController' via constructor to bean named 'userServiceImpl' 00:53:21.968 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'mainController' 00:53:21.968 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'managementUserController' 00:53:21.968 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'managementUserController' via constructor to bean named 'userServiceImpl' 00:53:21.968 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'postController' 00:53:21.969 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'postController' via constructor to bean named 'postServiceImpl' 00:53:21.969 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'postController' via constructor to bean named 'boardServiceImpl' 00:53:21.969 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'postController' via constructor to bean named 'userServiceImpl' 00:53:21.969 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory -

Creating shared instance of singleton bean 'registController' 00:53:21.969 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'registController' via constructor to bean named 'userServiceImpl' 00:53:21.970 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'transactionManager' 00:53:21.975 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'org.springframework.web.servlet.config.annotation.DelegatingWebMvcConfiguration' 00:53:21.985 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'requestMappingHandlerMapping' 00:53:21.986 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'mvcContentNegotiationManager' 00:53:21.992 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'mvcConversionService' 00:53:22.020 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'mvcResourceUrlProvider' 00:53:22.022 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'requestMappingHandlerMapping' via factory method to bean named 'mvcContentNegotiationManager' 00:53:22.022 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'requestMappingHandlerMapping' via factory method to bean named 'mvcConversionService' 00:53:22.022 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'requestMappingHandlerMapping' via factory method to bean named 'mvcResourceUrlProvider' 00:53:22.054 [RMI TCP Connection(2)-127.0.0.1] DEBUG _org.springframework.web.servlet.HandlerMapping.Mappings - c.n.s.s.c.BoardController: {GET [/board]}: doCategory(Model) {GET [/board/{id}]}: doBoard(Model,int) {POST [/board/{boardId}/write]}: createPost(Post,HttpSession,Long) {GET [/board/{boardId}/write]}: showWriteForm(Long,Model,HttpSession) 00:53:22.057 [RMI TCP Connection(2)-127.0.0.1] DEBUG _org.springframework.web.servlet.HandlerMapping.Mappings - c.n.s.s.c.LoginController: {POST [/login]}: doLogin(LoginRequest,Model,HttpServletRequest) {GET [/login]}: isLogin(Model,HttpServletRequest) {GET [/logout]}: doLogout(HttpServletRequest,HttpServletResponse) {GET [/find-id]}: findIdForm(Model) {POST [/find-id]}: findId(FindIdRequest,Model) {GET [/find-password]}: findPasswordForm(Model) {POST [/find-password]}: findPassword(FindPasswordRequest,Model) 00:53:22.057 [RMI TCP Connection(2)-127.0.0.1] DEBUG _org.springframework.web.servlet.HandlerMapping.Mappings - c.n.s.s.c.MainController: {GET [/]}: mainPage(Model,HttpServletRequest) 00:53:22.058 [RMI TCP Connection(2)-127.0.0.1] DEBUG _org.springframework.web.servlet.HandlerMapping.Mappings - c.n.s.s.c.ManagementUserController: {POST [/usermanage/update/{id}]}: doUpdate(User,Long,Model) {GET [/usermanage/list]}: doUserManage(Model) {GET [/usermanage/delete/{id}]}: doDeleteUser(Long,Model) {GET [/usermanage/update/{id}]}: validateUpdateUser(Long,Model) 00:53:22.059 [RMI TCP Connection(2)-127.0.0.1] DEBUG _org.springframework.web.servlet.HandlerMapping.Mappings - c.n.s.s.c.PostController: {GET [/board/{boardId}/post/{postId}]}: viewPost(Long,Long,Model) {POST [/board/{boardId}/post/{postId}/edit]}: updatePost(Long,Long,Post,HttpSession) {POST [/board/{boardId}/post/{postId}/delete]}: deletePost(Long,Long,HttpSession) {GET [/board/{boardId}/post/{postId}/edit]}: showEditForm(Long,Long,Model,HttpSession) 00:53:22.059 [RMI

TCP Connection(2)-127.0.0.1] DEBUG _org.springframework.web.servlet.HandlerMapping.Mappings -
c.n.s.s.c.RegistController: {POST [/regist]}: doRegist(User,Model) {GET [/regist]}: doRegist() 00:53:22.060
[RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerMapping - 22 mappings
in 'requestMappingHandlerMapping' 00:53:22.060 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of
singleton bean 'mvcPatternParser' 00:53:22.061 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of
singleton bean 'mvcUrlPathHelper' 00:53:22.061 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of
singleton bean 'mvcPathMatcher' 00:53:22.061 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of
singleton bean 'viewControllerHandlerMapping' 00:53:22.061 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean
name 'viewControllerHandlerMapping' via factory method to bean named 'mvcConversionService'
00:53:22.061 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean
name 'viewControllerHandlerMapping' via factory method to bean named 'mvcResourceUrlProvider'
00:53:22.061 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of
singleton bean 'beanNameHandlerMapping' 00:53:22.062 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean
name 'beanNameHandlerMapping' via factory method to bean named 'mvcConversionService'
00:53:22.062 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean
name 'beanNameHandlerMapping' via factory method to bean named 'mvcResourceUrlProvider'
00:53:22.063 [RMI TCP Connection(2)-127.0.0.1] DEBUG
_org.springframework.web.servlet.HandlerMapping.Mappings - 'beanNameHandlerMapping' {}
00:53:22.063 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of
singleton bean 'routerFunctionMapping' 00:53:22.063 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean
name 'routerFunctionMapping' via factory method to bean named 'mvcConversionService' 00:53:22.063
[RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean
name 'routerFunctionMapping' via factory method to bean named 'mvcResourceUrlProvider' 00:53:22.214
[RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of
singleton bean 'resourceHandlerMapping' 00:53:22.215 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean
name 'resourceHandlerMapping' via factory method to bean named 'mvcContentNegotiationManager'
00:53:22.215 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean
name 'resourceHandlerMapping' via factory method to bean named 'mvcConversionService' 00:53:22.215
[RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean

name 'resourceHandlerMapping' via factory method to bean named 'mvcResourceUrlProvider'
00:53:22.222 [RMI TCP Connection(2)-127.0.0.1] DEBUG
_org.springframework.web.servlet.HandlerMapping.Mappings - 'resourceHandlerMapping'
{/resources/=ResourceHttpRequestHandler [ServletContext [/resources/]]} 00:53:22.222 [RMI TCP
Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance
of singleton bean 'defaultServletHandlerMapping' 00:53:22.222 [RMI TCP Connection(2)-127.0.0.1]
DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared
instance of singleton bean 'requestMappingHandlerAdapter' 00:53:22.222 [RMI TCP
Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance
of singleton bean 'mvcValidator' 00:53:22.248 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.jboss.logging - Logging Provider: org.jboss.logging.Slf4jLoggerProvider 00:53:22.248 [RMI TCP
Connection(2)-127.0.0.1] INFO org.hibernate.validator.internal.util.Version - HV000001: Hibernate
Validator 6.2.3.Final 00:53:22.265 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.hibernate.validator.messageinterpolation.ResourceBundleMessageInterpolator - Loaded
expression factory via original TCCL 00:53:22.265 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.hibernate.validator.internal.engine.AbstractConfigurationImpl - Setting custom
MessageInterpolator of type
org.springframework.validation.beanvalidation.LocaleContextMessageInterpolator 00:53:22.265
[RMI TCP Connection(2)-127.0.0.1] DEBUG
org.hibernate.validator.internal.engine.AbstractConfigurationImpl - Setting custom
ConstraintValidatorFactory of type
org.springframework.validation.beanvalidation.SpringConstraintValidatorFactory 00:53:22.266
[RMI TCP Connection(2)-127.0.0.1] DEBUG
org.hibernate.validator.internal.engine.AbstractConfigurationImpl - Setting custom
ParameterNameProvider of type
org.springframework.validation.beanvalidation.LocalValidatorFactoryBean\$1 00:53:22.267 [RMI
TCP Connection(2)-127.0.0.1] DEBUG
org.hibernate.validator.internal.xml.config.ValidationXmlParser - Trying to load META-
INF/validation.xml for XML based Validator configuration. 00:53:22.268 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.hibernate.validator.internal.xml.config.ResourceLoaderHelper -
Trying to load META-INF/validation.xml via user class loader 00:53:22.268 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.hibernate.validator.internal.xml.config.ResourceLoaderHelper -
Trying to load META-INF/validation.xml via TCCL 00:53:22.268 [RMI TCP Connection(2)-127.0.0.1]
DEBUG org.hibernate.validator.internal.xml.config.ResourceLoaderHelper - Trying to load META-
INF/validation.xml via Hibernate Validator's class loader 00:53:22.268 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.hibernate.validator.internal.xml.config.ValidationXmlParser -
No META-INF/validation.xml found. Using annotation based configuration only. 00:53:22.270 [RMI
TCP Connection(2)-127.0.0.1] DEBUG
org.hibernate.validator.internal.engine.resolver.TraversableResolvers - Cannot find
javax.persistence.Persistence on classpath. Assuming non JPA 2 environment. All properties will per
default be traversable. 00:53:22.370 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.hibernate.validator.internal.engine.ValidatorFactoryConfigurationHelper - HV000252: Using
org.hibernate.validator.internal.engine.DefaultPropertyNodeNameProvider as property node name
provider. 00:53:22.375 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.hibernate.validator.internal.engine.ValidatorFactoryConfigurationHelper - HV000234: Using org.springframework.validation.beanvalidation.LocaleContextMessageInterpolator as ValidatorFactory-scoped message interpolator. 00:53:22.375 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.hibernate.validator.internal.engine.ValidatorFactoryConfigurationHelper - HV000234: Using org.hibernate.validator.internal.engine.resolver.TraverseAllTraversableResolver as ValidatorFactory-scoped traversable resolver. 00:53:22.375 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.hibernate.validator.internal.engine.ValidatorFactoryConfigurationHelper - HV000234: Using org.hibernate.validator.internal.util.ExecutableParameterNameProvider as ValidatorFactory-scoped parameter name provider. 00:53:22.375 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.hibernate.validator.internal.engine.ValidatorFactoryConfigurationHelper - HV000234: Using org.hibernate.validator.internal.engine.DefaultClockProvider as ValidatorFactory-scoped clock provider. 00:53:22.375 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.hibernate.validator.internal.engine.ValidatorFactoryConfigurationHelper - HV000234: Using org.hibernate.validator.internal.engine.scripting.DefaultScriptEvaluatorFactory as ValidatorFactory-scoped script evaluator factory. 00:53:22.394 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'requestMappingHandlerAdapter' via factory method to bean named 'mvcContentNegotiationManager' 00:53:22.394 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'requestMappingHandlerAdapter' via factory method to bean named 'mvcConversionService' 00:53:22.394 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'requestMappingHandlerAdapter' via factory method to bean named 'mvcValidator' 00:53:22.407 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter - ControllerAdvice beans: 0 @ModelAttribute, 0 @InitBinder, 1 RequestBodyAdvice, 1 ResponseBodyAdvice 00:53:22.430 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'handlerFunctionAdapter' 00:53:22.432 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'mvcUriComponentsContributor' 00:53:22.432 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'mvcUriComponentsContributor' via factory method to bean named 'mvcConversionService' 00:53:22.432 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'mvcUriComponentsContributor' via factory method to bean named 'requestMappingHandlerAdapter' 00:53:22.433 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'httpRequestHandlerAdapter' 00:53:22.433 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'simpleControllerHandlerAdapter' 00:53:22.433 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'handlerExceptionResolver' 00:53:22.433 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by

type from bean name 'handlerExceptionHandlerResolver' via factory method to bean named 'mvcContentNegotiationManager' 00:53:22.435 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.web.servlet.mvc.method.annotation.ExceptionHandlerExceptionHandlerResolver - ControllerAdvice beans: 0 @ExceptionHandler, 1 ResponseBodyAdvice 00:53:22.436 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'mvcViewResolver' 00:53:22.436 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'mvcViewResolver' via factory method to bean named 'mvcContentNegotiationManager' 00:53:22.438 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'thymeleafViewResolver' 00:53:22.452 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'localeResolver' 00:53:22.453 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'themeResolver' 00:53:22.453 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'flashMapManager' 00:53:22.454 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'viewNameTranslator' 00:53:22.455 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'initializeDatabase' 00:53:22.460 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.SqlSessionUtils - Creating a new SqlSession 00:53:22.463 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils - SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@db5a63c] was not registered for synchronization because synchronization is not active 00:53:22.469 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jdbc.datasource.DataSourceUtils - Fetching JDBC Connection from DataSource 00:53:22.716 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.transaction.SpringManagedTransaction - JDBC Connection [210992212, URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will not be managed by Spring 00:53:22.720 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findById - ==> Preparing: SELECT * FROM board WHERE id = ? 00:53:22.737 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findById - ==> Parameters: 1(Long) 00:53:22.754 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findById - <== Total: 1 00:53:22.755 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils - Closing non transactional SqlSession
[org.apache.ibatis.session.defaults.DefaultSqlSession@db5a63c] 00:53:22.756 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new SqlSession 00:53:22.756 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils - SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@1c78b4c2] was not registered for synchronization because synchronization is not active 00:53:22.756 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jdbc.datasource.DataSourceUtils - Fetching JDBC Connection from DataSource 00:53:22.756 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.transaction.SpringManagedTransaction - JDBC Connection [1584374626,

URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will not be managed by Spring
00:53:22.756 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findByName - ==> Preparing:
SELECT * FROM board WHERE name = ? 00:53:22.756 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findByName - ==>
Parameters: 공지사항(String) 00:53:22.758 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findByName - <== Total: 1
00:53:22.758 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils -
Closing non transactional SqlSession
[org.apache.ibatis.session.defaults.DefaultSqlSession@1c78b4c2] 00:53:22.758 [RMI TCP
Connection(2)-127.0.0.1] INFO
com.nhnacademy.springboard.spirngmvcboard.init.DatabaseInitializer - board1 id: 1 00:53:22.758
[RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new
SqlSession 00:53:22.758 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.SqlSessionUtils - SqlSession
[org.apache.ibatis.session.defaults.DefaultSqlSession@4b8f6def] was not registered for
synchronization because synchronization is not active 00:53:22.758 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.springframework.jdbc.datasource.DataSourceUtils - Fetching
JDBC Connection from DataSource 00:53:22.758 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.transaction.SpringManagedTransaction - JDBC Connection [1319726238,
URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will not be managed by Spring
00:53:22.759 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findById - ==> Preparing:
SELECT * FROM board WHERE id = ? 00:53:22.759 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findById - ==> Parameters:
2(Long) 00:53:22.759 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findById - <== Total: 1
00:53:22.759 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils -
Closing non transactional SqlSession
[org.apache.ibatis.session.defaults.DefaultSqlSession@4b8f6def] 00:53:22.759 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new SqlSession
00:53:22.759 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils -
SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@5376c026] was not registered
for synchronization because synchronization is not active 00:53:22.759 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.springframework.jdbc.datasource.DataSourceUtils - Fetching
JDBC Connection from DataSource 00:53:22.760 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.transaction.SpringManagedTransaction - JDBC Connection [1671839666,
URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will not be managed by Spring
00:53:22.760 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findByName - ==> Preparing:
SELECT * FROM board WHERE name = ? 00:53:22.760 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findByName - ==>
Parameters: 자유게시판(String) 00:53:22.760 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findByName - <== Total: 1
00:53:22.760 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils -
Closing non transactional SqlSession

[org.apache.ibatis.session.defaults.DefaultSqlSession@5376c026] 00:53:22.760 [RMI TCP Connection(2)-127.0.0.1] INFO
com.nhnacademy.springboard.spirngmvcboard.init.DatabaseInitializer - board2 id: 2 00:53:22.760
[RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new
SqlSession 00:53:22.760 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.SqlSessionUtils - SqlSession
[org.apache.ibatis.session.defaults.DefaultSqlSession@166d1a98] was not registered for
synchronization because synchronization is not active 00:53:22.760 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.springframework.jdbc.datasource.DataSourceUtils - Fetching
JDBC Connection from DataSource 00:53:22.761 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.transaction.SpringManagedTransaction - JDBC Connection [1946128259,
URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will not be managed by Spring
00:53:22.761 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper.findByUseremail - ==>
Preparing: SELECT * FROM User WHERE email=? 00:53:22.761 [RMI TCP Connection(2)-127.0.0.1]
DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper.findByUseremail - ==>
Parameters: admin@nhnacademy.com(String) 00:53:22.763 [RMI TCP Connection(2)-127.0.0.1]
DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper.findByUseremail - <==
Total: 1 00:53:22.763 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils
- Closing non transactional SqlSession
[org.apache.ibatis.session.defaults.DefaultSqlSession@166d1a98] 00:53:22.763 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new SqlSession
00:53:22.763 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils -
SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@10e2c2d4] was not registered
for synchronization because synchronization is not active 00:53:22.763 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.springframework.jdbc.datasource.DataSourceUtils - Fetching
JDBC Connection from DataSource 00:53:22.764 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.transaction.SpringManagedTransaction - JDBC Connection [1772093426,
URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will not be managed by Spring
00:53:22.764 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper.findByUseremail - ==>
Preparing: SELECT * FROM User WHERE email=? 00:53:22.764 [RMI TCP Connection(2)-127.0.0.1]
DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper.findByUseremail - ==>
Parameters: admin@nhnacademy.com(String) 00:53:22.764 [RMI TCP Connection(2)-127.0.0.1]
DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper.findByUseremail - <==
Total: 1 00:53:22.764 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils
- Closing non transactional SqlSession
[org.apache.ibatis.session.defaults.DefaultSqlSession@10e2c2d4] 00:53:22.764 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new SqlSession
00:53:22.764 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils -
SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@2bcda207] was not registered
for synchronization because synchronization is not active 00:53:22.764 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.springframework.jdbc.datasource.DataSourceUtils - Fetching
JDBC Connection from DataSource 00:53:22.765 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.transaction.SpringManagedTransaction - JDBC Connection [767500744,
URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will not be managed by Spring

00:53:22.765 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - ==> Preparing:
SELECT * FROM post WHERE id=? 00:53:22.765 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - ==> Parameters:
1(Long) 00:53:22.766 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - <== Total: 1
00:53:22.766 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils -
Closing non transactional SqlSession
[org.apache.ibatis.session.defaults.DefaultSqlSession@2bcda207] 00:53:22.766 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new SqlSession
00:53:22.766 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils -
SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@5a1e831f] was not registered for
synchronization because synchronization is not active 00:53:22.766 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.springframework.jdbc.datasource.DataSourceUtils - Fetching
JDBC Connection from DataSource 00:53:22.767 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.transaction.SpringManagedTransaction - JDBC Connection [1093315999,
URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will not be managed by Spring
00:53:22.767 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - ==> Preparing:
SELECT * FROM post WHERE id=? 00:53:22.767 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - ==> Parameters:
2(Long) 00:53:22.768 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - <== Total: 1
00:53:22.768 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils -
Closing non transactional SqlSession
[org.apache.ibatis.session.defaults.DefaultSqlSession@5a1e831f] 00:53:22.768 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new SqlSession
00:53:22.768 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils -
SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@16304b93] was not registered
for synchronization because synchronization is not active 00:53:22.768 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.springframework.jdbc.datasource.DataSourceUtils - Fetching
JDBC Connection from DataSource 00:53:22.768 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.mybatis.spring.transaction.SpringManagedTransaction - JDBC Connection [887737574,
URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will not be managed by Spring
00:53:22.768 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - ==> Preparing:
SELECT * FROM post WHERE id=? 00:53:22.768 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - ==> Parameters:
3(Long) 00:53:22.768 [RMI TCP Connection(2)-127.0.0.1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - <== Total: 1
00:53:22.768 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils -
Closing non transactional SqlSession
[org.apache.ibatis.session.defaults.DefaultSqlSession@16304b93] 00:53:22.769 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new SqlSession
00:53:22.769 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils -
SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@2bd694ce] was not registered

for synchronization because synchronization is not active 00:53:22.769 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jdbc.datasource.DataSourceUtils - Fetching JDBC Connection from DataSource 00:53:22.769 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.transaction.SpringManagedTransaction - JDBC Connection [1068379892, URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will not be managed by Spring 00:53:22.769 [RMI TCP Connection(2)-127.0.0.1] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - ==> Preparing: SELECT * FROM post WHERE id=? 00:53:22.769 [RMI TCP Connection(2)-127.0.0.1] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - ==> Parameters: 4(Long) 00:53:22.769 [RMI TCP Connection(2)-127.0.0.1] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - <== Total: 1 00:53:22.770 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.mybatis.spring.SqlSessionUtils - Closing non transactional SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@2bd694ce] 00:53:22.770 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'objectMapper' 00:53:22.787 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [java:comp/env/spring.liveBeansView.mbeanDomain] 00:53:22.787 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiLocatorDelegate - Converted JNDI name [java:comp/env/spring.liveBeansView.mbeanDomain] not found - trying original name [spring.liveBeansView.mbeanDomain]. javax.naming.NameNotFoundException: Name [spring.liveBeansView.mbeanDomain]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [spring.liveBeansView.mbeanDomain]을(를) 찾을 수 없습니다. 00:53:22.787 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [spring.liveBeansView.mbeanDomain] 00:53:22.788 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiPropertySource - JNDI lookup for name [spring.liveBeansView.mbeanDomain] threw NamingException with message: Name [spring.liveBeansView.mbeanDomain]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [spring.liveBeansView.mbeanDomain]을(를) 찾을 수 없습니다.. Returning null. 00:53:22.788 [RMI TCP Connection(2)-127.0.0.1] INFO org.springframework.web.context.ContextLoader - Root WebApplicationContext initialized in 1278 ms 00:53:22.794 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.web.filter.CharacterEncodingFilter - Filter 'characterEncodingFilter' configured for use 00:53:22.796 [RMI TCP Connection(2)-127.0.0.1] INFO org.springframework.web.servlet.DispatcherServlet - Initializing Servlet 'dispatcher' 00:53:22.796 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [java:comp/env/spring.profiles.active] 00:53:22.796 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiLocatorDelegate - Converted JNDI name [java:comp/env/spring.profiles.active] not found - trying original name [spring.profiles.active]. javax.naming.NameNotFoundException: Name [spring.profiles.active]은(는) 이 컨텍스트에 바인딩되지 않습니다. [spring.profiles.active]을(를) 찾을 수 없습니다. 00:53:22.796 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [spring.profiles.active] 00:53:22.796 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiPropertySource - JNDI lookup for name [spring.profiles.active] threw NamingException with message: Name [spring.profiles.active]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [spring.profiles.active]을(를) 찾을 수 없습니다.. Returning null. 00:53:22.796 [RMI TCP

Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [java:comp/env/spring.profiles.default] 00:53:22.796 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiLocatorDelegate - Converted JNDI name [java:comp/env/spring.profiles.default] not found - trying original name [spring.profiles.default]. javax.naming.NameNotFoundException: Name [spring.profiles.default]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [spring.profiles.default]을(를) 찾을 수 없습니다. 00:53:22.796 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [spring.profiles.default] 00:53:22.796 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiPropertySource - JNDI lookup for name [spring.profiles.default] threw NamingException with message: Name [spring.profiles.default]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [spring.profiles.default]을(를) 찾을 수 없습니다.. Returning null. 00:53:22.797 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.web.context.support.AnnotationConfigWebApplicationContext - Refreshing WebApplicationContext for namespace 'dispatcher-servlet' 00:53:22.798 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.web.context.support.AnnotationConfigWebApplicationContext - Registering component classes: [class com.nhnacademy.springboard.spirngmvcboard.config.WebConfig] 00:53:22.798 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'org.springframework.context.annotation.internalConfigurationAnnotationProcessor' 00:53:22.800 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component class: file [/Users/ganghyun/Documents/nhnachademy/spirngmvcboard-1.0-SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/controller/BoardController.class] 00:53:22.800 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component class: file [/Users/ganghyun/Documents/nhnachademy/spirngmvcboard-1.0-SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/controller/LoginController.class] 00:53:22.800 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component class: file [/Users/ganghyun/Documents/nhnachademy/spirngmvcboard-1.0-SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/controller/MainController.class] 00:53:22.800 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component class: file [/Users/ganghyun/Documents/nhnachademy/spirngmvcboard-1.0-SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/controller/ManagementUserController.class] 00:53:22.800 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate component class: file [/Users/ganghyun/Documents/nhnachademy/spirngmvcboard-1.0-SNAPSHOT/WEB-INF/classes/com/nhnacademy/springboard/spirngmvcboard/controller/PostController.class]

00:53:22.800 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.context.annotation.ClassPathBeanDefinitionScanner - Identified candidate
component class: file [/Users/ganghyun/Documents/nhnacademy/spirngmvcboard
2/target/spirngmvcboard-1.0-SNAPSHOT/WEB-
INF/classes/com/nhnacademy/springboard/spirngmvcboard/controller/RegistController.class]
00:53:22.805 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance
of singleton bean 'org.springframework.context.event.internalEventListenerProcessor'
00:53:22.806 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance
of singleton bean 'org.springframework.context.event.internalEventListenerFactory' 00:53:22.806
[RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance
of singleton bean 'org.springframework.context.annotation.internalAutowiredAnnotationProcessor'
00:53:22.806 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance
of singleton bean 'org.springframework.context.annotation.internalCommonAnnotationProcessor'
00:53:22.807 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.ui.context.support.UiApplicationContextUtils - Unable to locate ThemeSource
with name 'themeSource': using default
[org.springframework.ui.context.support.DelegatingThemeSource@66896a08] 00:53:22.807 [RMI
TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance
of singleton bean 'webConfig' 00:53:22.807 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance
of singleton bean 'boardController' 00:53:22.808 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from
bean name 'boardController' via constructor to bean named 'boardServiceImpl' 00:53:22.808 [RMI
TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from
bean name 'boardController' via constructor to bean named 'postServiceImpl' 00:53:22.808 [RMI
TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance
of singleton bean 'loginController' 00:53:22.808 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from
bean name 'loginController' via constructor to bean named 'loginService' 00:53:22.808 [RMI TCP
Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from
bean name 'loginController' via constructor to bean named 'userServiceImpl' 00:53:22.808 [RMI
TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance
of singleton bean 'mainController' 00:53:22.808 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance
of singleton bean 'managementUserController' 00:53:22.809 [RMI TCP Connection(2)-127.0.0.1]
DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by
type from bean name 'managementUserController' via constructor to bean named 'userServiceImpl'

00:53:22.809 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'postController' 00:53:22.809 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'postController' via constructor to bean named 'postServiceImpl' 00:53:22.809 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'postController' via constructor to bean named 'boardServiceImpl' 00:53:22.809 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'postController' via constructor to bean named 'userServiceImpl' 00:53:22.809 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'registController' 00:53:22.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'registController' via constructor to bean named 'userServiceImpl' 00:53:22.810 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean

'org.springframework.web.servlet.config.annotation.DelegatingWebMvcConfiguration'

00:53:22.811 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'requestMappingHandlerMapping' 00:53:22.811 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'mvcContentNegotiationManager' 00:53:22.811 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'mvcConversionService' 00:53:22.812 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'mvcResourceUrlProvider' 00:53:22.812 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'requestMappingHandlerMapping' via factory method to bean named 'mvcContentNegotiationManager' 00:53:22.812 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'requestMappingHandlerMapping' via factory method to bean named 'mvcConversionService' 00:53:22.812 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'requestMappingHandlerMapping' via factory method to bean named 'mvcResourceUrlProvider' 00:53:22.814 [RMI TCP Connection(2)-127.0.0.1] DEBUG

_org.springframework.web.servlet.HandlerMapping.Mappings - c.n.s.s.c.BoardController: {GET [/board]}: doCategory(Model) {GET [/board/{id}]}: doBoard(Model,int) {POST [/board/{boardId}/write]}: createPost(Post,HttpSession,Long) {GET [/board/{boardId}/write]}: showWriteForm(Long,Model,HttpSession) 00:53:22.815 [RMI TCP Connection(2)-127.0.0.1] DEBUG
_org.springframework.web.servlet.HandlerMapping.Mappings - c.n.s.s.c.LoginController: {POST [/login]}: doLogin(LoginRequest,Model,HttpServletRequest) {GET [/login]}:

isLogin(Model,HttpServletRequest) {GET [/logout]}:
doLogout(HttpServletRequest,HttpServletResponse) {GET [/find-id]}: findIdForm(Model) {POST
[/find-id]}: findId(FindIdRequest,Model) {GET [/find-password]}: findPasswordForm(Model) {POST
[/find-password]}: findPassword(FindPasswordRequest,Model) 00:53:22.815 [RMI TCP
Connection(2)-127.0.0.1] DEBUG _org.springframework.web.servlet.HandlerMapping.Mappings -
c.n.s.s.c.MainController: {GET [/]}: mainPage(Model,HttpServletRequest) 00:53:22.815 [RMI TCP
Connection(2)-127.0.0.1] DEBUG _org.springframework.web.servlet.HandlerMapping.Mappings -
c.n.s.s.c.ManagementUserController: {POST [/usermanage/update/{id}]}:
doUpdate(User,Long,Model) {GET [/usermanage/list]}: doUserManage(Model) {GET
[/usermanage/delete/{id}]}: doDeleteUser(Long,Model) {GET [/usermanage/update/{id}]}:
validateUpdateUser(Long,Model) 00:53:22.816 [RMI TCP Connection(2)-127.0.0.1] DEBUG
_org.springframework.web.servlet.HandlerMapping.Mappings - c.n.s.s.c.PostController: {GET
[/board/{boardId}/post/{postId}]}: viewPost(Long,Long,Model) {POST
[/board/{boardId}/post/{postId}/edit]}: updatePost(Long,Long,Post,HttpSession) {POST
[/board/{boardId}/post/{postId}/delete]}: deletePost(Long,Long,HttpSession) {GET
[/board/{boardId}/post/{postId}/edit]}: showEditForm(Long,Long,Model,HttpSession) 00:53:22.816
[RMI TCP Connection(2)-127.0.0.1] DEBUG
_org.springframework.web.servlet.HandlerMapping.Mappings - c.n.s.s.c.RegistController: {POST
[/regist]}: doRegist(User,Model) {GET [/regist]}: doRegist() 00:53:22.816 [RMI TCP
Connection(2)-127.0.0.1] DEBUG
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerMapping - 22
mappings in 'requestMappingHandlerMapping' 00:53:22.816 [RMI TCP Connection(2)-127.0.0.1]
DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared
instance of singleton bean 'mvcPatternParser' 00:53:22.816 [RMI TCP Connection(2)-127.0.0.1]
DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared
instance of singleton bean 'mvcUrlPathHelper' 00:53:22.817 [RMI TCP Connection(2)-127.0.0.1]
DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared
instance of singleton bean 'mvcPathMatcher' 00:53:22.817 [RMI TCP Connection(2)-127.0.0.1]
DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared
instance of singleton bean 'viewControllerHandlerMapping' 00:53:22.817 [RMI TCP
Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from
bean name 'viewControllerHandlerMapping' via factory method to bean named
'mvcConversionService' 00:53:22.817 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from
bean name 'viewControllerHandlerMapping' via factory method to bean named
'mvcResourceUrlProvider' 00:53:22.817 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance
of singleton bean 'beanNameHandlerMapping' 00:53:22.817 [RMI TCP Connection(2)-127.0.0.1]
DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by
type from bean name 'beanNameHandlerMapping' via factory method to bean named
'mvcConversionService' 00:53:22.817 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from
bean name 'beanNameHandlerMapping' via factory method to bean named
'mvcResourceUrlProvider' 00:53:22.817 [RMI TCP Connection(2)-127.0.0.1] DEBUG
_org.springframework.web.servlet.HandlerMapping.Mappings - 'beanNameHandlerMapping' {}

00:53:22.817 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'routerFunctionMapping' 00:53:22.817 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'routerFunctionMapping' via factory method to bean named 'mvcConversionService'

00:53:22.817 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'routerFunctionMapping' via factory method to bean named 'mvcResourceUrlProvider'

00:53:22.820 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'resourceHandlerMapping' 00:53:22.820 [RMI TCP Connection(2)-127.0.0.1]

DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'resourceHandlerMapping' via factory method to bean named

'mvcContentNegotiationManager' 00:53:22.820 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'resourceHandlerMapping' via factory method to bean named 'mvcConversionService'

00:53:22.820 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'resourceHandlerMapping' via factory method to bean named 'mvcResourceUrlProvider'

00:53:22.820 [RMI TCP Connection(2)-127.0.0.1] DEBUG

_org.springframework.web.servlet.HandlerMapping.Mappings - 'resourceHandlerMapping'

{/resources/=ResourceHttpRequestHandler [ServletContext [/resources/]]} 00:53:22.820 [RMI TCP

Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'defaultServletHandlerMapping' 00:53:22.820 [RMI TCP

Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'requestMappingHandlerAdapter' 00:53:22.821 [RMI TCP

Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'mvcValidator' 00:53:22.821 [RMI TCP Connection(2)-127.0.0.1]

DEBUG org.hibernate.validator.messageinterpolation.ResourceBundleMessageInterpolator - Loaded expression factory via original TCCL 00:53:22.821 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.hibernate.validator.internal.engine.AbstractConfigurationImpl - Setting custom MessageInterpolator of type org.springframework.validation.beanvalidation.LocaleContextMessageInterpolator 00:53:22.821 [RMI

TCP Connection(2)-127.0.0.1] DEBUG org.hibernate.validator.internal.engine.AbstractConfigurationImpl - Setting custom ConstraintValidatorFactory of type

org.springframework.validation.beanvalidation.SpringConstraintValidatorFactory 00:53:22.821 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.hibernate.validator.internal.engine.AbstractConfigurationImpl - Setting

custom ParameterNameProvider of type

org.springframework.validation.beanvalidation.LocalValidatorFactoryBean\$1 00:53:22.821 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.hibernate.validator.internal.xml.config.ValidationXmlParser - Trying to

load META-INF/validation.xml for XML based Validator configuration. 00:53:22.821 [RMI TCP

Connection(2)-127.0.0.1] DEBUG org.hibernate.validator.internal.xml.config.ResourceLoaderHelper - Trying to load META-INF/validation.xml via user class loader 00:53:22.821 [RMI TCP Connection(2)-127.0.0.1]

DEBUG org.hibernate.validator.internal.xml.config.ResourceLoaderHelper - Trying to load META-INF/validation.xml via TCCL 00:53:22.821 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.hibernate.validator.internal.xml.config.ResourceLoaderHelper - Trying to load META-INF/validation.xml via Hibernate Validator's class loader 00:53:22.821 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.hibernate.validator.internal.xml.config.ValidationXmlParser - No META-INF/validation.xml found. Using annotation based configuration only. 00:53:22.822 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.hibernate.validator.internal.engine.resolver.TraversableResolvers - Cannot find

javax.persistence.Persistence on classpath. Assuming non JPA 2 environment. All properties will per default be traversable. 00:53:22.823 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.hibernate.validator.internal.engine.ValidatorFactoryConfigurationHelper - HV000252: Using org.hibernate.validator.internal.engine.DefaultPropertyNameProvider as property node name provider. 00:53:22.823 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.hibernate.validator.internal.engine.ValidatorFactoryConfigurationHelper - HV000234: Using org.springframework.validation.beanvalidation.LocaleContextMessageInterpolator as ValidatorFactory-scoped message interpolator. 00:53:22.823 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.hibernate.validator.internal.engine.ValidatorFactoryConfigurationHelper - HV000234: Using org.hibernate.validator.internal.engine.resolver.TraverseAllTraversableResolver as ValidatorFactory-scoped traversable resolver. 00:53:22.823 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.hibernate.validator.internal.engine.ValidatorFactoryConfigurationHelper - HV000234: Using org.hibernate.validator.internal.util.ExecutableParameterNameProvider as ValidatorFactory-scoped parameter name provider. 00:53:22.823 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.hibernate.validator.internal.engine.ValidatorFactoryConfigurationHelper - HV000234: Using org.hibernate.validator.internal.engine.DefaultClockProvider as ValidatorFactory-scoped clock provider. 00:53:22.823 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.hibernate.validator.internal.engine.ValidatorFactoryConfigurationHelper - HV000234: Using org.hibernate.validator.internal.engine.scripting.DefaultScriptEvaluatorFactory as ValidatorFactory-scoped script evaluator factory. 00:53:22.823 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'requestMappingHandlerAdapter' via factory method to bean named 'mvcContentNegotiationManager' 00:53:22.823 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'requestMappingHandlerAdapter' via factory method to bean named 'mvcConversionService' 00:53:22.823 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'requestMappingHandlerAdapter' via factory method to bean named 'mvcValidator' 00:53:22.825 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter - ControllerAdvice beans: 0 @ModelAttribute, 0 @InitBinder, 1 RequestBodyAdvice, 1 ResponseBodyAdvice 00:53:22.825 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'handlerFunctionAdapter' 00:53:22.825 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of singleton bean 'mvcUriComponentsContributor' 00:53:22.826 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'mvcUriComponentsContributor' via factory method to bean named 'mvcConversionService' 00:53:22.826 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean name 'mvcUriComponentsContributor' via factory method to bean named 'requestMappingHandlerAdapter' 00:53:22.826 [RMI TCP Connection(2)-127.0.0.1] DEBUG

org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of

singleton bean 'httpRequestHandlerAdapter' 00:53:22.826 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of
singleton bean 'simpleControllerHandlerAdapter' 00:53:22.826 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of
singleton bean 'handlerExceptionResolver' 00:53:22.826 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean
name 'handlerExceptionResolver' via factory method to bean named 'mvcContentNegotiationManager'
00:53:22.827 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.web.servlet.mvc.method.annotation.ExceptionHandlerExceptionHandlerResolver -
ControllerAdvice beans: 0 @ExceptionHandler, 1.ResponseBodyAdvice 00:53:22.827 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory -
Creating shared instance of singleton bean 'mvcViewResolver' 00:53:22.827 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory -
Autowiring by type from bean name 'mvcViewResolver' via factory method to bean named
'mvcContentNegotiationManager' 00:53:22.827 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of
singleton bean 'thymeleafViewResolver' 00:53:22.827 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of
singleton bean 'localeResolver' 00:53:22.827 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of
singleton bean 'themeResolver' 00:53:22.827 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of
singleton bean 'flashMapManager' 00:53:22.827 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of
singleton bean 'viewNameTranslator' 00:53:22.827 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Creating shared instance of
singleton bean 'databaseInitializer' 00:53:22.828 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean
name 'databaseInitializer' via factory method to bean named 'userServiceImpl' 00:53:22.828 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory -
Autowiring by type from bean name 'databaseInitializer' via factory method to bean named 'boardMapper'
00:53:22.828 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.beans.factory.support.DefaultListableBeanFactory - Autowiring by type from bean
name 'databaseInitializer' via factory method to bean named 'postMapper' 00:53:22.828 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.springframework.beans.factory.support.DefaultListableBeanFactory -
Autowiring by type from bean name 'databaseInitializer' via factory method to bean named 'userManager'
00:53:22.829 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.web.servlet.DispatcherServlet - Detected AcceptHeaderLocaleResolver 00:53:22.829
[RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.web.servlet.DispatcherServlet - Detected
FixedThemeResolver 00:53:22.830 [RMI TCP Connection(2)-127.0.0.1] DEBUG
org.springframework.web.servlet.DispatcherServlet - Detected
org.springframework.web.servlet.view.DefaultRequestToViewNameTranslator@74a9162e 00:53:22.830
[RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.web.servlet.DispatcherServlet - Detected
org.springframework.web.servlet.support.SessionFlashMapManager@27686c38 00:53:22.830 [RMI TCP
Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with
name [java:comp/env/spring.liveBeansView.mbeanDomain] 00:53:22.830 [RMI TCP

Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiLocatorDelegate - Converted JNDI name [java:comp/env/spring.liveBeansView.mbeanDomain] not found - trying original name [spring.liveBeansView.mbeanDomain]. javax.naming.NameNotFoundException: Name [spring.liveBeansView.mbeanDomain]은(는) 이 컨텍스트에 바인딩되지 않았습니다.
[spring.liveBeansView.mbeanDomain]을(를) 찾을 수 없습니다. 00:53:22.830 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiTemplate - Looking up JNDI object with name [spring.liveBeansView.mbeanDomain] 00:53:22.830 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.jndi.JndiPropertySource - JNDI lookup for name [spring.liveBeansView.mbeanDomain] threw NamingException with message: Name [spring.liveBeansView.mbeanDomain]은(는) 이 컨텍스트에 바인딩되지 않았습니다. [spring.liveBeansView.mbeanDomain]을(를) 찾을 수 없습니다.. Returning null. 00:53:22.830 [RMI TCP Connection(2)-127.0.0.1] DEBUG org.springframework.web.servlet.DispatcherServlet - enableLoggingRequestDetails='false': request parameters and headers will be masked to prevent unsafe logging of potentially sensitive data 00:53:22.830 [RMI TCP Connection(2)-127.0.0.1] INFO org.springframework.web.servlet.DispatcherServlet - Completed initialization in 34 ms [2023-05-08 12:53:22,840] 아티팩트 spirngmvcboard:war exploded: 아티팩트가 성공적으로 배포되었습니다. [2023-05-08 12:53:22,841] 아티팩트 spirngmvcboard:war exploded: 배포하는 데 2,459 밀리초가 소요되었습니다 00:53:23.162 [http-nio-8080-exec-1] DEBUG org.springframework.web.servlet.DispatcherServlet - GET "/", parameters={} 00:53:23.165 [http-nio-8080-exec-1] DEBUG org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerMapping - Mapped to com.nhnacademy.springboard.spirngmvcboard.controller.MainController#mainPage(Model, HttpServletRequest) 00:53:23.186 [http-nio-8080-exec-1] DEBUG org.thymeleaf.TemplateEngine - [THYMELEAF] INITIALIZING TEMPLATE ENGINE 00:53:23.273 [http-nio-8080-exec-1] DEBUG org.thymeleaf.TemplateEngine.CONFIG - Initializing Thymeleaf Template engine configuration... [THYMELEAF] TEMPLATE ENGINE CONFIGURATION: [THYMELEAF] * Thymeleaf version: 3.1.1.RELEASE (built 2022-12-06T18:08:23+0000) [THYMELEAF] * Cache Manager implementation: org.thymeleaf.cache.StandardCacheManager [THYMELEAF] * Template resolvers: [THYMELEAF] * org.thymeleaf.spring5.templateresolver.SpringResourceTemplateResolver [THYMELEAF] * Message resolvers: [THYMELEAF] * org.thymeleaf.spring5.messageresolver.SpringMessageResolver [THYMELEAF] * Link builders: [THYMELEAF] * org.thymeleaf.linkbuilder.StandardLinkBuilder [THYMELEAF] * Dialect [1 of 2]: SpringStandard (org.thymeleaf.spring5.dialect.SpringStandardDialect) [THYMELEAF] * Prefix: "th" [THYMELEAF] * Processors for Template Mode: HTML [THYMELEAF] * Element Tag Processors by [matching element and attribute name] [precedence]: [THYMELEAF] * [* {th:include,data-th-include}] [100]: org.thymeleaf.standard.processor.StandardIncludeTagProcessor [THYMELEAF] * [* {th:insert,data-th-insert}] [100]: org.thymeleaf.standard.processor.StandardInsertTagProcessor [THYMELEAF] * [* {th:replace,data-th-replace}] [100]: org.thymeleaf.standard.processor.StandardReplaceTagProcessor [THYMELEAF] * [* {th:each,data-th-each}] [200]: org.thymeleaf.standard.processor.StandardEachTagProcessor [THYMELEAF] * [* {th:switch,data-th-switch}] [250]: org.thymeleaf.standard.processor.StandardSwitchTagProcessor [THYMELEAF] * [* {th:case,data-th-case}] [275]: org.thymeleaf.standard.processor.StandardCaseTagProcessor [THYMELEAF] * [* {th:if,data-th-if}] [300]: org.thymeleaf.standard.processor.StandardIfTagProcessor [THYMELEAF] * [* {th:unless,data-th-unless}] [400]: org.thymeleaf.standard.processor.StandardUnlessTagProcessor [THYMELEAF] * [* {th:object,data-th-object}] [500]: org.thymeleaf.spring5.processor.SpringObjectTagProcessor [THYMELEAF] * [* {th:with,data-th-with}] [600]: org.thymeleaf.standard.processor.StandardWithTagProcessor [THYMELEAF] * [* {th:attr,data-th-attr}] [700]: org.thymeleaf.standard.processor.StandardAttrTagProcessor [THYMELEAF] * [* {th:attrprepend,data-th-attrprepend}] [800]:

```
org.thymeleaf.standard.processor.StandardAttrprependTagProcessor [THYMELEAF] * [*  
{th:attrappend,data-th-attrappend}] [900]:  
org.thymeleaf.standard.processor.StandardAttrappendTagProcessor [THYMELEAF] * [* {th:method,data-  
th-method}] [990]: org.thymeleaf.spring5.processor.SpringMethodTagProcessor [THYMELEAF] * [* {th:alt-  
title,data-th-alt-title}] [990]: org.thymeleaf.standard.processor.StandardAltTitleTagProcessor [THYMELEAF]  
* [* {th:lang-xmllang,data-th-lang-xmllang}] [990]:  
org.thymeleaf.standard.processor.StandardLangXmlLangTagProcessor [THYMELEAF] * [* {th:action,data-  
th-action}] [1000]: org.thymeleaf.spring5.processor.SpringActionTagProcessor [THYMELEAF] * [*  
{th:href,data-th:href}] [1000]: org.thymeleaf.spring5.processor.SpringHrefTagProcessor [THYMELEAF] * [*  
{th:src,data-th-src}] [1000]: org.thymeleaf.spring5.processor.SpringSrcTagProcessor [THYMELEAF] * [*  
{th:loop,data-th-loop}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:controls,data-th-controls}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:hidden,data-th-hidden}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:readonly,data-th-readonly}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:selected,data-th-selected}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:ismap,data-th-ismap}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:scoped,data-th-scoped}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:defer,data-th-defer}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:seamless,data-th-seamless}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:open,data-th-open}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:async,data-th-async}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:pubdate,data-th-pubdate}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:autofocus,data-th-autofocus}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:autoplay,data-th-autoplay}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:nowrap,data-th-nowrap}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:required,data-th-required}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:default,data-th-default}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*  
{th:multiple,data-th-multiple}] [1000]:  
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*
```

```
{th:disabled,data-th-disabled}} [1000]:
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*
{th:declare,data-th-declare}} [1000]:
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*
{th:reversed,data-th-reversed}} [1000]:
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*
{th:formnovalidate,data-th-formnovalidate}} [1000]:
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*
{th:novalidate,data-th-novalidate}} [1000]:
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*
{th:checked,data-th-checked}} [1000]:
org.thymeleaf.standard.processor.StandardConditionalFixedValueTagProcessor [THYMELEAF] * [*
{th:onemptied,data-th-onemptied}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:ondrag,data-th-ondrag}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onclick,data-th-onclick}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:oncanplay,data-th-oncanplay}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onreadystatechange,data-th-onreadystatechange}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onprogress,data-th-onprogress}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onforminput,data-th-onforminput}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onended,data-th-onended}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:ondragstart,data-th-ondragstart}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onblur,data-th-onblur}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onmouseout,data-th-onmouseout}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:ononline,data-th-ononline}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onloadedmetadata,data-th-onloadedmetadata}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onresize,data-th-onresize}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:oninvalid,data-th-oninvalid}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onhashchange,data-th-onhashchange}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:oncontextmenu,data-th-oncontextmenu}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
```

```
{th:onstorage,data-th-onstorage}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onseeked,data-th-onseeked}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onloadeddata,data-th-onloadeddata}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onformchange,data-th-onformchange}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:ondragover,data-th-ondragover}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onredo,data-th-onredo}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onkeyup,data-th-onkeyup}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onplay,data-th-onplay}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onpause,data-th-onpause}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onstalled,data-th-onstalled}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onoffline,data-th-onoffline}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onplaying,data-th-onplaying}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onshow,data-th-onshow}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onratechange,data-th-onratechange}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onsuspend,data-th-onsuspend}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:ondrop,data-th-ondrop}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onpopstate,data-th-onpopstate}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onloadstart,data-th-onloadstart}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:ontimeupdate,data-th-ontimeupdate}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onafterprint,data-th-onafterprint}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onmousedown,data-th-onmousedown}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onscroll,data-th-onscroll}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onreset,data-th-onreset}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
```

```
{th:onunload,data-th-onunload}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onmousemove,data-th-onmousemove}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onclick,data-th-onclick}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:ondragleave,data-th-ondragleave}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:ondragenter,data-th-ondragenter}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:ondragend,data-th-ondragend}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onabort,data-th-onabort}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onvolumechange,data-th-onvolumechange}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onbeforeunload,data-th-onbeforeunload}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onmouseup,data-th-onmouseup}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onseeking,data-th-onseeking}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onmousewheel,data-th-onmousewheel}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onwaiting,data-th-onwaiting}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onkeydown,data-th-onkeydown}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onundo,data-th-onundo}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onmessage,data-th-onmessage}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:ondurationchange,data-th-ondurationchange}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
```



```
{th:onkeypress,data-th-onkeypress}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onselect,data-th-onselect}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onfocus,data-th-onfocus}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onbeforeprint,data-th-onbeforeprint}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:onchange,data-th-onchange}} [1000]:
org.thymeleaf.standard.processor.StandardDOMEventAttributeTagProcessor [THYMELEAF] * [*
{th:inline,data-th-inline}} [1000]: org.thymeleaf.standard.processor.StandardInlineHTMLTagProcessor
[THYMELEAF] * [* {th:name,data-th-name}} [1000]:
org.thymeleaf.standard.processor.StandardNonRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:type,data-th-type}} [1000]:
org.thymeleaf.standard.processor.StandardNonRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:sandbox,data-th-sandbox}} [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:axis,data-th-axis}} [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor
[THYMELEAF] * [* {th:srcLang,data-th-srcLang}} [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:rowspan,data-th-rowspan}} [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:target,data-th-target}} [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:step,data-th-step}} [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor
[THYMELEAF] * [* {th:challenge,data-th-challenge}} [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:low,data-th-low}} [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor
[THYMELEAF] * [* {th:formaction,data-th-formaction}} [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:cols,data-th-cols}} [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor
[THYMELEAF] * [* {th:archive,data-th-archive}} [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:style,data-th-style}} [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:max,data-th-max}} [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor
[THYMELEAF] * [* {th:codebase,data-th-codebase}} [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:high,data-th-high}} [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor
[THYMELEAF] * [* {th:size,data-th-size}} [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:manifest,data-th-manifest}} [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:preload,data-th-preload}} [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:dir,data-th-dir}} [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor
```

[THYMELEAF] * [* {th:rev,data-th-rev}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:start,data-th-start}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:colspan,data-th-colspan}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:scheme,data-th-scheme}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:radiogroup,data-th-radiogroup}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:cellspacing,data-th-cellspacing}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:for,data-th-for}] [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:data,data-th-data}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:rules,data-th-rules}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:enctype,data-th-enctype}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:keytype,data-th-keytype}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:rows,data-th-rows}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:width,data-th-width}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:placeholder,data-th-placeholder}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:hreflang,data-th-hreflang}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:headers,data-th-headers}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:label,data-th-label}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:wrap,data-th-wrap}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:pattern,data-th-pattern}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:maxlength,data-th-maxlength}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:class,data-th-class}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:sizes,data-th-sizes}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:contenteditable,data-th-contenteditable}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:autocomplete,data-th-autocomplete}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:draggable,data-th-draggable}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:formenctype,data-th-formenctype}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:spellcheck,data-th-spellcheck}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:scope,data-th-scope}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:content,data-th-content}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:accesskey,data-th-accesskey}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:compact,data-th-compact}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:cite,data-th-cite}] [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:tabindex,data-th-tabindex}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:background,data-th-background}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:icon,data-th-icon}] [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:form,data-th-form}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:id,data-th-id}] [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:scrolling,data-th-scrolling}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:span,data-th-span}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:charset,data-th-charset}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:contextmenu,data-th-contextmenu}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:accept-charset,data-th-accept-charset}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:bgcolor,data-th-bgcolor}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:longdesc,data-th-longdesc}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:marginwidth,data-th-marginwidth}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:title,data-th-title}] [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:min,data-th-min}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:poster,data-th-poster}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:align,data-th-align}] [1000]:

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:list,data-th-list}] [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor
[THYMELEAF] * [* {th:audio,data-th-audio}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:border,data-th-border}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:lang,data-th-lang}] [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor
[THYMELEAF] * [* {th:hspace,data-th-hspace}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:formmethod,data-th-formmethod}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:standby,data-th-standby}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:accept,data-th-accept}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:vspace,data-th-vspace}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:alt,data-th-alt}] [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor
[THYMELEAF] * [* {th:codetype,data-th-codetype}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:frameborder,data-th-frameborder}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:cellpadding,data-th-cellpadding}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:kind,data-th-kind}] [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor
[THYMELEAF] * [* {th:optimum,data-th-optimum}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:height,data-th-height}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:marginheight,data-th-marginheight}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:classid,data-th-classid}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:valuetype,data-th-valuetype}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:abbr,data-th-abbr}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:formtarget,data-th-formtarget}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:media,data-th-media}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:summary,data-th-summary}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:usemap,data-th-usemap}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:datetime,data-th-datetime}] [1000]:

```

org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:dropzone,data-th-dropzone}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:frame,data-th-frame}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [* {th:http-
equiv,data-th-http-equiv}] [1000]:
org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor [THYMELEAF] * [*
{th:rel,data-th-rel}] [1000]: org.thymeleaf.standard.processor.StandardRemovableAttributeTagProcessor
[THYMELEAF] * [* {th:xmlbase,data-th-xmlbase}] [1000]:
org.thymeleaf.standard.processor.StandardXmlBaseTagProcessor [THYMELEAF] * [* {th:xmllang,data-th-
xmllang}] [1000]: org.thymeleaf.standard.processor.StandardXmlLangTagProcessor [THYMELEAF] * [*
{xmlns:th}] [1000]: org.thymeleaf.standard.processor.StandardXmlNsTagProcessor [THYMELEAF] * [*
{th:xmlspace,data-th-xmlspace}] [1000]:
org.thymeleaf.standard.processor.StandardXmlSpaceTagProcessor [THYMELEAF] * [{option} ] [1005]:
org.thymeleaf.spring5.processor.SpringOptionInSelectFieldTagProcessor [THYMELEAF] * [ {th:value,data-
th-value}] [1010]: org.thymeleaf.spring5.processor.SpringValueTagProcessor [THYMELEAF] * [*
{th:classappend,data-th-classappend}] [1100]:
org.thymeleaf.standard.processor.StandardClassappendTagProcessor [THYMELEAF] * [*
{th:styleappend,data-th-styleappend}] [1100]:
org.thymeleaf.standard.processor.StandardStyleappendTagProcessor [THYMELEAF] * [* {th:text,data-th-
text}] [1300]: org.thymeleaf.standard.processor.StandardTextTagProcessor [THYMELEAF] * [*
{th:utext,data-th-utext}] [1400]: org.thymeleaf.standard.processor.StandardUtextTagProcessor
[THYMELEAF] * [* {th:fragment,data-th-fragment}] [1500]:
org.thymeleaf.standard.processor.StandardFragmentTagProcessor [THYMELEAF] * [* {th:assert,data-th-
assert}] [1550]: org.thymeleaf.standard.processor.StandardAssertTagProcessor [THYMELEAF] * [*
{th:remove,data-th-remove}] [1600]: org.thymeleaf.standard.processor.StandardRemoveTagProcessor
[THYMELEAF] * [* {th:errors,data-th-errors}] [1700]:
org.thymeleaf.spring5.processor.SpringErrorsTagProcessor [THYMELEAF] * [{input} {th:field,data-th-field}]
[1700]: org.thymeleaf.spring5.processor.SpringInputCheckboxFieldTagProcessor [THYMELEAF] * [{input}
{th:field,data-th-field}] [1700]: org.thymeleaf.spring5.processor.SpringInputFileFieldTagProcessor
[THYMELEAF] * [{input} {th:field,data-th-field}] [1700]:
org.thymeleaf.spring5.processor.SpringInputGeneralFieldTagProcessor [THYMELEAF] * [{input}
{th:field,data-th-field}] [1700]: org.thymeleaf.spring5.processor.SpringInputPasswordFieldTagProcessor
[THYMELEAF] * [{input} {th:field,data-th-field}] [1700]:
org.thymeleaf.spring5.processor.SpringInputRadioFieldTagProcessor [THYMELEAF] * [{option}
{th:field,data-th-field}] [1700]: org.thymeleaf.spring5.processor.SpringOptionFieldTagProcessor
[THYMELEAF] * [{select} {th:field,data-th-field}] [1700]:
org.thymeleaf.spring5.processor.SpringSelectFieldTagProcessor [THYMELEAF] * [{textarea} {th:field,data-
th-field}] [1700]: org.thymeleaf.spring5.processor.SpringTextareaFieldTagProcessor [THYMELEAF] * [*
{th:uerrors,data-th-uerrors}] [1700]: org.thymeleaf.spring5.processor.SpringUErrorsTagProcessor
[THYMELEAF] * [* {th:errorclass,data-th-errorclass}] [1800]:
org.thymeleaf.spring5.processor.SpringErrorClassTagProcessor [THYMELEAF] * [* {th:ref,data-th-ref}]
[10000]: org.thymeleaf.standard.processor.StandardRefAttributeTagProcessor [THYMELEAF] *
[{th:block,th-block} ] [100000]: org.thymeleaf.standard.processor.StandardBlockTagProcessor
[THYMELEAF] * [ th:] [2147483647]:
org.thymeleaf.standard.processor.StandardDefaultAttributesTagProcessor [THYMELEAF] * Text Processors

```

by [precedence]: [THYMELEAF] * [1000]: org.thymeleaf.standard.processor.StandardInliningTextProcessor
 [THYMELEAF] * DOCTYPE Processors by [precedence]: [THYMELEAF] * [1000]:
 org.thymeleaf.standard.processor.StandardTranslationDocTypeProcessor [THYMELEAF] * CDATA Section
 Processors by [precedence]: [THYMELEAF] * [1000]:
 org.thymeleaf.standard.processor.StandardInliningCDATASectionProcessor [THYMELEAF] * Comment
 Processors by [precedence]: [THYMELEAF] * [1000]:
 org.thymeleaf.standard.processor.StandardInliningCommentProcessor [THYMELEAF] * [1100]:
 org.thymeleaf.standard.processor.StandardConditionalCommentProcessor [THYMELEAF] * Processors for
 Template Mode: XML [THYMELEAF] * Element Tag Processors by [matching element and attribute name]
 [precedence]: [THYMELEAF] * [{th:include}] [100]:
 org.thymeleaf.standard.processor.StandardIncludeTagProcessor [THYMELEAF] * [* {th:insert}] [100]:
 org.thymeleaf.standard.processor.StandardInsertTagProcessor [THYMELEAF] * [* {th:replace}] [100]:
 org.thymeleaf.standard.processor.StandardReplaceTagProcessor [THYMELEAF] * [* {th:each}] [200]:
 org.thymeleaf.standard.processor.StandardEachTagProcessor [THYMELEAF] * [* {th:switch}] [250]:
 org.thymeleaf.standard.processor.StandardSwitchTagProcessor [THYMELEAF] * [* {th:case}] [275]:
 org.thymeleaf.standard.processor.StandardCaseTagProcessor [THYMELEAF] * [* {th:if}] [300]:
 org.thymeleaf.standard.processor.StandardIfTagProcessor [THYMELEAF] * [* {th:unless}] [400]:
 org.thymeleaf.standard.processor.StandardUnlessTagProcessor [THYMELEAF] * [* {th:object}] [500]:
 org.thymeleaf.standard.processor.StandardObjectTagProcessor [THYMELEAF] * [* {th:with}] [600]:
 org.thymeleaf.standard.processor.StandardWithTagProcessor [THYMELEAF] * [* {th:attr}] [700]:
 org.thymeleaf.standard.processor.StandardAttrTagProcessor [THYMELEAF] * [* {th:attrprepend}] [800]:
 org.thymeleaf.standard.processor.StandardAttrprependTagProcessor [THYMELEAF] * [* {th:attrappend}]
 [900]: org.thymeleaf.standard.processor.StandardAttrappendTagProcessor [THYMELEAF] * [* {th:inline}]
 [1000]: org.thymeleaf.standard.processor.StandardInlineXMLTagProcessor [THYMELEAF] * [* {xmlns:th}]
 [1000]: org.thymeleaf.standard.processor.StandardXmlNsTagProcessor [THYMELEAF] * [* {th:text}] [1300]:
 org.thymeleaf.standard.processor.StandardTextTagProcessor [THYMELEAF] * [* {th:utext}] [1400]:
 org.thymeleaf.standard.processor.StandardUtextTagProcessor [THYMELEAF] * [* {th:fragment}] [1500]:
 org.thymeleaf.standard.processor.StandardFragmentTagProcessor [THYMELEAF] * [* {th:assert}] [1550]:
 org.thymeleaf.standard.processor.StandardAssertTagProcessor [THYMELEAF] * [* {th:remove}] [1600]:
 org.thymeleaf.standard.processor.StandardRemoveTagProcessor [THYMELEAF] * [* {th:ref}] [10000]:
 org.thymeleaf.standard.processor.StandardRefAttributeTagProcessor [THYMELEAF] * [{th:block}]
 [100000]: org.thymeleaf.standard.processor.StandardBlockTagProcessor [THYMELEAF] * [th:
 [2147483647]: org.thymeleaf.standard.processor.StandardDefaultAttributesTagProcessor [THYMELEAF] *
 Text Processors by [precedence]: [THYMELEAF] * [1000]:
 org.thymeleaf.standard.processor.StandardInliningTextProcessor [THYMELEAF] * CDATA Section
 Processors by [precedence]: [THYMELEAF] * [1000]:
 org.thymeleaf.standard.processor.StandardInliningCDATASectionProcessor [THYMELEAF] * Comment
 Processors by [precedence]: [THYMELEAF] * [1000]:
 org.thymeleaf.standard.processor.StandardInliningCommentProcessor [THYMELEAF] * Processors for
 Template Mode: TEXT [THYMELEAF] * Element Tag Processors by [matching element and attribute name]
 [precedence]: [THYMELEAF] * [{th:insert}] [100]:
 org.thymeleaf.standard.processor.StandardInsertTagProcessor [THYMELEAF] * [* {th:replace}] [100]:
 org.thymeleaf.standard.processor.StandardReplaceTagProcessor [THYMELEAF] * [* {th:each}] [200]:
 org.thymeleaf.standard.processor.StandardEachTagProcessor [THYMELEAF] * [* {th:switch}] [250]:
 org.thymeleaf.standard.processor.StandardSwitchTagProcessor [THYMELEAF] * [* {th:case}] [275]:
 org.thymeleaf.standard.processor.StandardCaseTagProcessor [THYMELEAF] * [* {th:if}] [300]:

```

org.thymeleaf.standard.processor.StandardIfTagProcessor [THYMELEAF] * [* {th:unless}] [400]:
org.thymeleaf.standard.processor.StandardUnlessTagProcessor [THYMELEAF] * [* {th:object}] [500]:
org.thymeleaf.standard.processor.StandardObjectTagProcessor [THYMELEAF] * [* {th:with}] [600]:
org.thymeleaf.standard.processor.StandardWithTagProcessor [THYMELEAF] * [* {th:inline}] [1000]:
org.thymeleaf.standard.processor.StandardInlineTextualTagProcessor [THYMELEAF] * [* {th:text}] [1300]:
org.thymeleaf.standard.processor.StandardTextTagProcessor [THYMELEAF] * [* {th:utext}] [1400]:
org.thymeleaf.standard.processor.StandardUtextTagProcessor [THYMELEAF] * [* {th:assert}] [1550]:
org.thymeleaf.standard.processor.StandardAssertTagProcessor [THYMELEAF] * [* {th:remove}] [1600]:
org.thymeleaf.standard.processor.StandardRemoveTagProcessor [THYMELEAF] * [* 100000]
[org.thymeleaf.standard.processor.StandardBlockTagProcessor]: {} [THYMELEAF] * [{th:block}] [100000]:
org.thymeleaf.standard.processor.StandardBlockTagProcessor [THYMELEAF] * Text Processors by
[precedence]: [THYMELEAF] * [1000]: org.thymeleaf.standard.processor.StandardInliningTextProcessor
[THYMELEAF] * Processors for Template Mode: JAVASCRIPT [THYMELEAF] * Element Tag Processors by
[matching element and attribute name] [precedence]: [THYMELEAF] * [{th:insert}] [100]:
org.thymeleaf.standard.processor.StandardInsertTagProcessor [THYMELEAF] * [* {th:replace}] [100]:
org.thymeleaf.standard.processor.StandardReplaceTagProcessor [THYMELEAF] * [* {th:each}] [200]:
org.thymeleaf.standard.processor.StandardEachTagProcessor [THYMELEAF] * [* {th:switch}] [250]:
org.thymeleaf.standard.processor.StandardSwitchTagProcessor [THYMELEAF] * [* {th:case}] [275]:
org.thymeleaf.standard.processor.StandardCaseTagProcessor [THYMELEAF] * [* {th:if}] [300]:
org.thymeleaf.standard.processor.StandardIfTagProcessor [THYMELEAF] * [* {th:unless}] [400]:
org.thymeleaf.standard.processor.StandardUnlessTagProcessor [THYMELEAF] * [* {th:object}] [500]:
org.thymeleaf.standard.processor.StandardObjectTagProcessor [THYMELEAF] * [* {th:with}] [600]:
org.thymeleaf.standard.processor.StandardWithTagProcessor [THYMELEAF] * [* {th:inline}] [1000]:
org.thymeleaf.standard.processor.StandardInlineTextualTagProcessor [THYMELEAF] * [* {th:text}] [1300]:
org.thymeleaf.standard.processor.StandardTextTagProcessor [THYMELEAF] * [* {th:utext}] [1400]:
org.thymeleaf.standard.processor.StandardUtextTagProcessor [THYMELEAF] * [* {th:assert}] [1550]:
org.thymeleaf.standard.processor.StandardAssertTagProcessor [THYMELEAF] * [* {th:remove}] [1600]:
org.thymeleaf.standard.processor.StandardRemoveTagProcessor [THYMELEAF] * [{th:block}] [100000]:
org.thymeleaf.standard.processor.StandardBlockTagProcessor [THYMELEAF] * [100000]
[org.thymeleaf.standard.processor.StandardBlockTagProcessor]: {} [THYMELEAF] * Text Processors by
[precedence]: [THYMELEAF] * [1000]: org.thymeleaf.standard.processor.StandardInliningTextProcessor
[THYMELEAF] * Processors for Template Mode: CSS [THYMELEAF] * Element Tag Processors by [matching
element and attribute name] [precedence]: [THYMELEAF] * [* {th:insert}] [100]:
org.thymeleaf.standard.processor.StandardInsertTagProcessor [THYMELEAF] * [* {th:replace}] [100]:
org.thymeleaf.standard.processor.StandardReplaceTagProcessor [THYMELEAF] * [* {th:each}] [200]:
org.thymeleaf.standard.processor.StandardEachTagProcessor [THYMELEAF] * [* {th:switch}] [250]:
org.thymeleaf.standard.processor.StandardSwitchTagProcessor [THYMELEAF] * [* {th:case}] [275]:
org.thymeleaf.standard.processor.StandardCaseTagProcessor [THYMELEAF] * [* {th:if}] [300]:
org.thymeleaf.standard.processor.StandardIfTagProcessor [THYMELEAF] * [* {th:unless}] [400]:
org.thymeleaf.standard.processor.StandardUnlessTagProcessor [THYMELEAF] * [* {th:object}] [500]:
org.thymeleaf.standard.processor.StandardObjectTagProcessor [THYMELEAF] * [* {th:with}] [600]:
org.thymeleaf.standard.processor.StandardWithTagProcessor [THYMELEAF] * [* {th:inline}] [1000]:
org.thymeleaf.standard.processor.StandardInlineTextualTagProcessor [THYMELEAF] * [* {th:text}] [1300]:
org.thymeleaf.standard.processor.StandardTextTagProcessor [THYMELEAF] * [* {th:utext}] [1400]:
org.thymeleaf.standard.processor.StandardUtextTagProcessor [THYMELEAF] * [* {th:assert}] [1550]:
org.thymeleaf.standard.processor.StandardAssertTagProcessor [THYMELEAF] * [* {th:remove}] [1600]:

```

```

org.thymeleaf.standard.processor.StandardRemoveTagProcessor [THYMELEAF] * [{th:block} ] [100000]:
org.thymeleaf.standard.processor.StandardBlockTagProcessor [THYMELEAF] * [ 100000]
[org.thymeleaf.standard.processor.StandardBlockTagProcessor]: {} [THYMELEAF] * Text Processors by
[precedence]: [THYMELEAF] * [1000]: org.thymeleaf.standard.processor.StandardInliningTextProcessor
[THYMELEAF] * Expression Objects: [THYMELEAF] * #ctx [THYMELEAF] * #root [THYMELEAF] * #vars
[THYMELEAF] * #object [THYMELEAF] * #locale [THYMELEAF] * #conversions [THYMELEAF] * #uris
[THYMELEAF] * #temporals [THYMELEAF] * #calendars [THYMELEAF] * #dates [THYMELEAF] * #bools
[THYMELEAF] * #numbers [THYMELEAF] * #objects [THYMELEAF] * #strings [THYMELEAF] * #arrays
[THYMELEAF] * #lists [THYMELEAF] * #sets [THYMELEAF] * #maps [THYMELEAF] * #aggregates
[THYMELEAF] * #messages [THYMELEAF] * #ids [THYMELEAF] * #execInfo [THYMELEAF] * #request
[THYMELEAF] * #response [THYMELEAF] * #session [THYMELEAF] * #servletContext [THYMELEAF] *
#fields [THYMELEAF] * #themes [THYMELEAF] * #mvc [THYMELEAF] * #requestdatavalues [THYMELEAF]
* Execution Attributes: [THYMELEAF] * "StandardExpressionParser": Standard Expression Parser
[THYMELEAF] * "StandardJavaScriptSerializer":
org.thymeleaf.standard.serializer.StandardJavaScriptSerializer@71cc79e5 [THYMELEAF] *
"StandardCSSSerializer": org.thymeleaf.standard.serializer.StandardCSSSerializer@43e2bcf9
[THYMELEAF] * "EnableSpringELCompiler": false [THYMELEAF] * "StandardVariableExpressionEvaluator":
SpringEL [THYMELEAF] * "StandardConversionService":
org.thymeleaf.spring5.expression.SpringStandardConversionService@28068fa1 [THYMELEAF] * Dialect [2
of 2]: nhnacademy (com.nhnacademy.springboard.spirngmvcboard.thymeleaf.CustomTagDialect)
[THYMELEAF] * Expression Objects: [THYMELEAF] * #nhnacademy [THYMELEAF] TEMPLATE ENGINE
CONFIGURED OK 00:53:23.273 [http-nio-8080-exec-1] DEBUG org.thymeleaf.TemplateEngine -
[THYMELEAF] TEMPLATE ENGINE INITIALIZED 00:53:23.417 [http-nio-8080-exec-1] WARN
org.springframework.context.support.ResourceBundleMessageSource - ResourceBundle [message] not
found for MessageSource: Can't find bundle for base name message, locale ko_KR 00:53:23.418 [http-nio-
8080-exec-1] WARN org.springframework.context.support.ResourceBundleMessageSource -
ResourceBundle [message] not found for MessageSource: Can't find bundle for base name message, locale
ko_KR 00:53:23.421 [http-nio-8080-exec-1] DEBUG org.springframework.web.servlet.DispatcherServlet -
Completed 200 OK 00:53:23.425 [http-nio-8080-exec-3] DEBUG
org.springframework.web.servlet.DispatcherServlet - GET "/", parameters={} 00:53:23.425 [http-nio-8080-
exec-3] DEBUG org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerMapping
- Mapped to com.nhnacademy.springboard.spirngmvcboard.controller.MainController#mainPage(Model,
HttpServletRequest) 00:53:23.427 [http-nio-8080-exec-3] WARN
org.springframework.context.support.ResourceBundleMessageSource - ResourceBundle [message] not
found for MessageSource: Can't find bundle for base name message, locale ko_KR 00:53:23.427 [http-nio-
8080-exec-3] WARN org.springframework.context.support.ResourceBundleMessageSource -
ResourceBundle [message] not found for MessageSource: Can't find bundle for base name message, locale
ko_KR 00:53:23.428 [http-nio-8080-exec-3] DEBUG org.springframework.web.servlet.DispatcherServlet -
Completed 200 OK 00:53:23.550 [http-nio-8080-exec-4] DEBUG
org.springframework.web.servlet.DispatcherServlet - GET "/", parameters={} 00:53:23.550 [http-nio-8080-
exec-4] DEBUG
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerMapping - Mapped to
com.nhnacademy.springboard.spirngmvcboard.controller.MainController#mainPage(Model,
HttpServletRequest) 00:53:23.554 [http-nio-8080-exec-4] WARN
org.springframework.context.support.ResourceBundleMessageSource - ResourceBundle [message] not
found for MessageSource: Can't find bundle for base name message, locale ko_KR 00:53:23.555 [http-nio-

```


8080-exec-4] WARN org.springframework.context.support.ResourceBundleMessageSource - ResourceBundle [message] not found for MessageSource: Can't find bundle for base name message, locale ko_KR 00:53:23.555 [http-nio-8080-exec-4] DEBUG org.springframework.web.servlet.DispatcherServlet - Completed 200 OK 00:53:24.849 [http-nio-8080-exec-5] DEBUG org.springframework.web.servlet.DispatcherServlet - GET "/login", parameters={} 00:53:24.849 [http-nio-8080-exec-5] DEBUG org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerMapping - Mapped to com.nhnacademy.springboard.spirngmvcboard.controller.LoginController#isLogin(Model, HttpServletRequest) 00:53:24.862 [http-nio-8080-exec-5] DEBUG org.springframework.web.servlet.DispatcherServlet - Completed 200 OK 00:53:27.480 [http-nio-8080-exec-6] DEBUG org.springframework.web.servlet.DispatcherServlet - POST "/login/", parameters={masked} 00:53:27.486 [http-nio-8080-exec-6] DEBUG org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerMapping - Mapped to com.nhnacademy.springboard.spirngmvcboard.controller.LoginController#doLogin(LoginRequest, Model, HttpServletRequest) 00:53:27.528 [http-nio-8080-exec-6] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new SqlSession 00:53:27.528 [http-nio-8080-exec-6] DEBUG org.mybatis.spring.SqlSessionUtils - SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@3cfb471a] was not registered for synchronization because synchronization is not active 00:53:27.528 [http-nio-8080-exec-6] DEBUG org.springframework.jdbc.datasource.DataSourceUtils - Fetching JDBC Connection from DataSource 00:53:27.530 [http-nio-8080-exec-6] DEBUG org.mybatis.spring.transaction.SpringManagedTransaction - JDBC Connection [1726473165, URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will not be managed by Spring 00:53:27.530 [http-nio-8080-exec-6] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper.findByUseremail - ==> Preparing: SELECT * FROM User WHERE email=? 00:53:27.531 [http-nio-8080-exec-6] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper.findByUseremail - ==> Parameters: admin@nhnacademy.com(String) 00:53:27.533 [http-nio-8080-exec-6] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper.findByUseremail - <== Total: 1 00:53:27.533 [http-nio-8080-exec-6] DEBUG org.mybatis.spring.SqlSessionUtils - Closing non transactional SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@3cfb471a] 00:53:27.533 [http-nio-8080-exec-6] INFO com.nhnacademy.springboard.spirngmvcboard.service.LoginService - isValid : true 00:53:27.533 [http-nio-8080-exec-6] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new SqlSession 00:53:27.534 [http-nio-8080-exec-6] DEBUG org.mybatis.spring.SqlSessionUtils - SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@12b8bd3a] was not registered for synchronization because synchronization is not active 00:53:27.534 [http-nio-8080-exec-6] DEBUG org.springframework.jdbc.datasource.DataSourceUtils - Fetching JDBC Connection from DataSource 00:53:27.534 [http-nio-8080-exec-6] DEBUG org.mybatis.spring.transaction.SpringManagedTransaction - JDBC Connection [1956510688, URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will not be managed by Spring 00:53:27.534 [http-nio-8080-exec-6] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper.findByUseremail - ==> Preparing: SELECT * FROM User WHERE email=? 00:53:27.534 [http-nio-8080-exec-6] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper.findByUseremail - ==> Parameters: admin@nhnacademy.com(String) 00:53:27.534 [http-nio-8080-exec-6] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper.findByUseremail - <== Total: 1 00:53:27.535 [http-nio-8080-exec-6] DEBUG org.mybatis.spring.SqlSessionUtils - Closing non

transactional SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@12b8bd3a] 00:53:27.538 [http-nio-8080-exec-6] DEBUG org.springframework.web.servlet.view.RedirectView - View name 'redirect:', model {LoginRequest=com.nhnacademy.springboard.spirngmvcboard.service.LoginRequest@594f0913, org.springframework.validation.BindingResult.LoginRequest=org.springframework.validation.BeanPropertyBindingResult: 0 errors} 00:53:27.539 [http-nio-8080-exec-6] DEBUG org.springframework.web.servlet.DispatcherServlet - Completed 302 FOUND 00:53:27.541 [http-nio-8080-exec-7] DEBUG org.springframework.web.servlet.DispatcherServlet - GET "/login", parameters={} 00:53:27.542 [http-nio-8080-exec-7] DEBUG org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerMapping - Mapped to com.nhnacademy.springboard.spirngmvcboard.controller.LoginController#isLogin(Model, HttpServletRequest) 00:53:27.544 [http-nio-8080-exec-7] WARN org.springframework.context.support.ResourceBundleMessageSource - ResourceBundle [message] not found for MessageSource: Can't find bundle for base name message, locale ko_KR 00:53:27.546 [http-nio-8080-exec-7] WARN org.springframework.context.support.ResourceBundleMessageSource - ResourceBundle [message] not found for MessageSource: Can't find bundle for base name message, locale ko_KR 00:53:27.592 [http-nio-8080-exec-7] DEBUG org.springframework.web.servlet.DispatcherServlet - Completed 200 OK 00:53:28.270 [http-nio-8080-exec-8] DEBUG org.springframework.web.servlet.DispatcherServlet - GET "/board", parameters={} 00:53:28.271 [http-nio-8080-exec-8] DEBUG org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerMapping - Mapped to com.nhnacademy.springboard.spirngmvcboard.controller.BoardController#doCategory(Model) 00:53:28.276 [http-nio-8080-exec-8] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new SqlSession 00:53:28.276 [http-nio-8080-exec-8] DEBUG org.mybatis.spring.SqlSessionUtils - SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@3fc2c20e] was not registered for synchronization because synchronization is not active 00:53:28.276 [http-nio-8080-exec-8] DEBUG org.springframework.jdbc.datasource.DataSourceUtils - Fetching JDBC Connection from DataSource 00:53:28.277 [http-nio-8080-exec-8] DEBUG org.mybatis.spring.transaction.SpringManagedTransaction - JDBC Connection [243894156, URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will not be managed by Spring 00:53:28.277 [http-nio-8080-exec-8] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findAll - ==> Preparing: SELECT * FROM board 00:53:28.277 [http-nio-8080-exec-8] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findAll - ==> Parameters: 00:53:28.280 [http-nio-8080-exec-8] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findAll - <== Total: 2 00:53:28.280 [http-nio-8080-exec-8] DEBUG org.mybatis.spring.SqlSessionUtils - Closing non transactional SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@3fc2c20e] 00:53:28.304 [http-nio-8080-exec-8] DEBUG org.springframework.web.servlet.DispatcherServlet - Completed 200 OK 00:53:28.770 [http-nio-8080-exec-9] DEBUG org.springframework.web.servlet.DispatcherServlet - GET "/board/1", parameters={} 00:53:28.772 [http-nio-8080-exec-9] DEBUG org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerMapping - Mapped to com.nhnacademy.springboard.spirngmvcboard.controller.BoardController#doBoard(Model, int) 00:53:28.779 [http-nio-8080-exec-9] INFO com.nhnacademy.springboard.spirngmvcboard.controller.BoardController - id=1 00:53:28.779 [http-nio-8080-exec-9] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new SqlSession 00:53:28.779 [http-nio-8080-exec-9] DEBUG org.mybatis.spring.SqlSessionUtils - SqlSession

[org.apache.ibatis.session.defaults.DefaultSqlSession@50851b57] was not registered for synchronization because synchronization is not active 00:53:28.779 [http-nio-8080-exec-9] DEBUG
org.springframework.jdbc.datasource.DataSourceUtils - Fetching JDBC Connection from DataSource
00:53:28.781 [http-nio-8080-exec-9] DEBUG org.mybatis.spring.transaction.SpringManagedTransaction -
JDBC Connection [2085916757, URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will
not be managed by Spring 00:53:28.781 [http-nio-8080-exec-9] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findById - ==> Preparing: SELECT *
FROM board WHERE id = ? 00:53:28.781 [http-nio-8080-exec-9] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findById - ==> Parameters: 1(Long)
00:53:28.784 [http-nio-8080-exec-9] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findById - <== Total: 1 00:53:28.784
[http-nio-8080-exec-9] DEBUG org.mybatis.spring.SqlSessionUtils - Closing non transactional SqlSession
[org.apache.ibatis.session.defaults.DefaultSqlSession@50851b57] 00:53:28.785 [http-nio-8080-exec-9]
DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new SqlSession 00:53:28.785 [http-nio-8080-
exec-9] DEBUG org.mybatis.spring.SqlSessionUtils - SqlSession
[org.apache.ibatis.session.defaults.DefaultSqlSession@953280e] was not registered for synchronization
because synchronization is not active 00:53:28.785 [http-nio-8080-exec-9] DEBUG
org.springframework.jdbc.datasource.DataSourceUtils - Fetching JDBC Connection from DataSource
00:53:28.785 [http-nio-8080-exec-9] DEBUG org.mybatis.spring.transaction.SpringManagedTransaction -
JDBC Connection [1903482320, URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will
not be managed by Spring 00:53:28.785 [http-nio-8080-exec-9] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findByBoardId - ==> Preparing:
SELECT post., user., board.* FROM post LEFT JOIN user ON post.author_id=user.id LEFT JOIN board ON
post.board_id=board.id WHERE post.board_id=? 00:53:28.786 [http-nio-8080-exec-9] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findByBoardId - ==> Parameters:
1(Long) 00:53:28.789 [http-nio-8080-exec-9] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findByBoardId - <== Total: 2
00:53:28.790 [http-nio-8080-exec-9] DEBUG org.mybatis.spring.SqlSessionUtils - Closing non
transactional SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@953280e] 00:53:28.790
[http-nio-8080-exec-9] INFO com.nhnacademy.springboard.spirngmvcboard.controller.BoardController -
posts=[Post(id=1, title=서비스 이용 안내, content=안녕하세요. NHN Academy 웹 사이트를 이용해주시는 여러분께 감
사드립니다., createdAt=2023-04-30T02:57:23, updatedAt=2023-04-30T02:57:23, authorId=6, boardId=1,
author=User(id=6, username=admin, password=1234, email=admin@nhnacademy.com, birthDate=null,
createdAt=2023-04-30T02:57:23), board=Board(id=1, name=공지사항, description=웹 사이트 관련 공지사항)),
Post(id=5, title=SDFASE, content=SDFASFESFASD, createdAt=2023-05-07T23:58:24, updatedAt=2023-
05-07T23:58:24, authorId=6, boardId=1, author=User(id=6, username=admin, password=1234,
email=admin@nhnacademy.com, birthDate=null, createdAt=2023-05-07T23:58:24), board=Board(id=1,
name=공지사항, description=웹 사이트 관련 공지사항))] 00:53:28.814 [http-nio-8080-exec-9] WARN
org.thymeleaf.standard.processor.AbstractStandardFragmentInsertionTagProcessor - [THYMELEAF][http-
nio-8080-exec-9][board/posts] Deprecated unwrapped fragment expression "loginInfo :: userinfo" found in
template board/posts, line 15, col 10. Please use the complete syntax of fragment expressions instead ("~
{loginInfo :: userinfo}"). The old, unwrapped syntax for fragment expressions will be removed in future
versions of Thymeleaf. 00:53:28.817 [http-nio-8080-exec-9] WARN
org.springframework.context.support.ResourceBundleMessageSource - ResourceBundle [message] not
found for MessageSource: Can't find bundle for base name message, locale ko_KR 00:53:28.817 [http-nio-
8080-exec-9] WARN org.springframework.context.support.ResourceBundleMessageSource -

ResourceBundle [message] not found for MessageSource: Can't find bundle for base name message, locale ko_KR 00:53:28.827 [http-nio-8080-exec-9] DEBUG org.springframework.web.servlet.DispatcherServlet - Completed 200 OK 00:53:29.565 [http-nio-8080-exec-10] DEBUG org.springframework.web.servlet.DispatcherServlet - GET "/board/1/post/1", parameters={} 00:53:29.566 [http-nio-8080-exec-10] DEBUG org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerMapping - Mapped to com.nhnacademy.springboard.spirngmvcboard.controller.PostController#viewPost(Long, Long, Model) 00:53:29.568 [http-nio-8080-exec-10] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new SqlSession 00:53:29.568 [http-nio-8080-exec-10] DEBUG org.mybatis.spring.SqlSessionUtils - SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@2d49531f] was not registered for synchronization because synchronization is not active 00:53:29.569 [http-nio-8080-exec-10] DEBUG org.springframework.jdbc.datasource.DataSourceUtils - Fetching JDBC Connection from DataSource 00:53:29.571 [http-nio-8080-exec-10] DEBUG org.mybatis.spring.transaction.SpringManagedTransaction - JDBC Connection [596551878, URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will not be managed by Spring 00:53:29.572 [http-nio-8080-exec-10] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - ==> Preparing: SELECT * FROM post WHERE id=? 00:53:29.573 [http-nio-8080-exec-10] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - ==> Parameters: 1(Long) 00:53:29.576 [http-nio-8080-exec-10] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - <== Total: 1 00:53:29.578 [http-nio-8080-exec-10] DEBUG org.mybatis.spring.SqlSessionUtils - Closing non transactional SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@2d49531f] 00:53:29.578 [http-nio-8080-exec-10] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new SqlSession 00:53:29.578 [http-nio-8080-exec-10] DEBUG org.mybatis.spring.SqlSessionUtils - SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@86405a] was not registered for synchronization because synchronization is not active 00:53:29.578 [http-nio-8080-exec-10] DEBUG org.springframework.jdbc.datasource.DataSourceUtils - Fetching JDBC Connection from DataSource 00:53:29.579 [http-nio-8080-exec-10] DEBUG org.mybatis.spring.transaction.SpringManagedTransaction - JDBC Connection [1881309377, URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will not be managed by Spring 00:53:29.579 [http-nio-8080-exec-10] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper.findById - ==> Preparing: SELECT * FROM User WHERE id = ? 00:53:29.580 [http-nio-8080-exec-10] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper.findById - ==> Parameters: 6(Long) 00:53:29.581 [http-nio-8080-exec-10] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.UserMapper.findById - <== Total: 1 00:53:29.582 [http-nio-8080-exec-10] DEBUG org.mybatis.spring.SqlSessionUtils - Closing non transactional SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@86405a] 00:53:29.582 [http-nio-8080-exec-10] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a new SqlSession 00:53:29.582 [http-nio-8080-exec-10] DEBUG org.mybatis.spring.SqlSessionUtils - SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@24555c90] was not registered for synchronization because synchronization is not active 00:53:29.582 [http-nio-8080-exec-10] DEBUG org.springframework.jdbc.datasource.DataSourceUtils - Fetching JDBC Connection from DataSource 00:53:29.583 [http-nio-8080-exec-10] DEBUG org.mybatis.spring.transaction.SpringManagedTransaction - JDBC Connection [1459471513, URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will not be managed by Spring 00:53:29.583 [http-nio-8080-exec-10] DEBUG com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findById - ==> Preparing: SELECT *

FROM board WHERE id = ? 00:53:29.583 [http-nio-8080-exec-10] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findById - ==> Parameters: 1(Long)
00:53:29.585 [http-nio-8080-exec-10] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.BoardMapper.findById - <== Total: 1 00:53:29.585
[http-nio-8080-exec-10] DEBUG org.mybatis.spring.SqlSessionUtils - Closing non transactional SqlSession
[org.apache.ibatis.session.defaults.DefaultSqlSession@24555c90] 00:53:29.597 [http-nio-8080-exec-10]
DEBUG org.springframework.web.servlet.DispatcherServlet - Completed 200 OK 08-May-2023
00:53:30.293 정보 [Catalina-utility-1] org.apache.catalina.startup.HostConfig.deployDirectory 웹 애플리케이션
선 디렉토리 [/Users/ganghyun/Downloads/apache-tomcat-9.0.73/webapps/manager]을(를) 배치합니다. 08-
May-2023 00:53:30.339 정보 [Catalina-utility-1] org.apache.catalina.startup.HostConfig.deployDirectory 웹
애플리케이션 디렉토리 [/Users/ganghyun/Downloads/apache-tomcat-9.0.73/webapps/manager]에 대한 배치가
[45] 밀리초에 완료되었습니다. 00:53:30.659 [http-nio-8080-exec-1] DEBUG
org.springframework.web.servlet.DispatcherServlet - GET "/board/1/post/1/edit", parameters={}
00:53:30.659 [http-nio-8080-exec-1] DEBUG
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerMapping - Mapped to
com.nhnacademy.springboard.spirngmvcboard.controller.PostController#showEditForm(Long, Long, Model,
HttpSession) 00:53:30.662 [http-nio-8080-exec-1] DEBUG org.mybatis.spring.SqlSessionUtils - Creating a
new SqlSession 00:53:30.662 [http-nio-8080-exec-1] DEBUG org.mybatis.spring.SqlSessionUtils -
SqlSession [org.apache.ibatis.session.defaults.DefaultSqlSession@494a6298] was not registered for
synchronization because synchronization is not active 00:53:30.662 [http-nio-8080-exec-1] DEBUG
org.springframework.jdbc.datasource.DataSourceUtils - Fetching JDBC Connection from DataSource
00:53:30.663 [http-nio-8080-exec-1] DEBUG org.mybatis.spring.transaction.SpringManagedTransaction -
JDBC Connection [1462689872, URL=jdbc:mysql://localhost:3306/springboard, MySQL Connector/J] will
not be managed by Spring 00:53:30.663 [http-nio-8080-exec-1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - ==> Preparing: SELECT *
FROM post WHERE id=? 00:53:30.664 [http-nio-8080-exec-1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - ==> Parameters: 1(Long)
00:53:30.670 [http-nio-8080-exec-1] DEBUG
com.nhnacademy.springboard.spirngmvcboard.mapper.PostMapper.findById - <== Total: 1 00:53:30.671
[http-nio-8080-exec-1] DEBUG org.mybatis.spring.SqlSessionUtils - Closing non transactional SqlSession
[org.apache.ibatis.session.defaults.DefaultSqlSession@494a6298] 00:53:30.697 [http-nio-8080-exec-1]
ERROR org.thymeleaf.TemplateEngine - [THYMELEAF][http-nio-8080-exec-1] Exception processing
template "board/edit": An error happened during template parsing (template: "ServletContext resource
[/WEB-INF/views/board/edit.html]") org.thymeleaf.exceptions.TemplateInputException: An error happened
during template parsing (template: "ServletContext resource [/WEB-INF/views/board/edit.html]") at
org.thymeleaf.templateparser.markup.AbstractMarkupTemplateParser.parse(AbstractMarkupTemplateParse
r.java:241) at
org.thymeleaf.templateparser.markup.AbstractMarkupTemplateParser.parseStandalone(AbstractMarkupTe
mplateParser.java:100) at
org.thymeleaf.engine.TemplateManager.parseAndProcess(TemplateManager.java:666) at
org.thymeleaf.TemplateEngine.process(TemplateEngine.java:1103) at
org.thymeleaf.TemplateEngine.process(TemplateEngine.java:1077) at
org.thymeleaf.spring5.view.ThymeleafView.renderFragment(ThymeleafView.java:372) at
org.thymeleaf.spring5.view.ThymeleafView.render(ThymeleafView.java:192) at
org.springframework.web.servlet.DispatcherServlet.render(DispatcherServlet.java:1405) at
org.springframework.web.servlet.DispatcherServlet.processDispatchResult(DispatcherServlet.java:1149) at

org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherServlet.java:1088) at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:964) at
org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1006) at
org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:898) at
javax.servlet.http.HttpServlet.service(HttpServlet.java:502) at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:883) at
javax.servlet.http.HttpServlet.service(HttpServlet.java:596) at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:209) at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:153) at
org.springframework.web.filter.CharacterEncodingFilter.doFilterInternal(CharacterEncodingFilter.java:201) at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:117) at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:178) at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:153) at
org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53) at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:178) at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:153) at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:167) at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:90) at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:492) at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:130) at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:93) at
org.apache.catalina.valves.AbstractAccessLogValve.invoke(AbstractAccessLogValve.java:673) at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:74) at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:343) at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:389) at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:63) at
org.apache.coyote.AbstractProtocol\$ConnectionHandler.process(AbstractProtocol.java:926) at
org.apache.tomcat.util.net.NioEndpoint\$SocketProcessor.doRun(NioEndpoint.java:1791) at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:49) at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1191) at
org.apache.tomcat.util.threads.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:659) at
org.apache.tomcat.util.threads.TaskThread\$WrappingRunnable.run(TaskThread.java:61) at
java.base/java.lang.Thread.run(Thread.java:829) Caused by: org.attoparser.ParseException: Exception
evaluating SpringEL expression: "board.id" (template: "board/edit" - line 11, col 19) at
org.attoparser.MarkupParser.parseDocument(MarkupParser.java:393) at
org.attoparser.MarkupParser.parse(MarkupParser.java:257) at
org.thymeleaf.templateparser.markup.AbstractMarkupTemplateParser.parse(AbstractMarkupTemplateParse
r.java:230) ... 41 common frames omitted Caused by:
org.thymeleaf.exceptions.TemplateProcessingException: Exception evaluating SpringEL expression:
"board.id" (template: "board/edit" - line 11, col 19) at
org.thymeleaf.spring5.expression.SPELVariableExpressionEvaluator.evaluate(SPELVariableExpressionEvalua
tor.java:292) at
org.thymeleaf.standard.expression.VariableExpression.executeVariableExpression(VariableExpression.java:1
66) at org.thymeleaf.standard.expression.SimpleExpression.executeSimple(SimpleExpression.java:66) at
org.thymeleaf.standard.expression.Expression.execute(Expression.java:109) at
org.thymeleaf.standard.expression.Expression.execute(Expression.java:138) at

org.thymeleaf.standard.expression.LinkExpression.resolveParameters(LinkExpression.java:339) at
org.thymeleaf.standard.expression.LinkExpression.executeLinkExpression(LinkExpression.java:285) at
org.thymeleaf.standard.expression.SimpleExpression.executeSimple(SimpleExpression.java:85) at
org.thymeleaf.standard.expression.Expression.execute(Expression.java:109) at
org.thymeleaf.standard.expression.Expression.execute(Expression.java:138) at
org.thymeleaf.standard.processor.AbstractStandardExpressionAttributeTagProcessor.doProcess(AbstractStandardExpressionAttributeTagProcessor.java:144) at
org.thymeleaf.processor.element.AbstractAttributeTagProcessor.doProcess(AbstractAttributeTagProcessor.java:74) at
org.thymeleaf.processor.element.AbstractElementTagProcessor.process(AbstractElementTagProcessor.java:95) at
org.thymeleaf.util.ProcessorConfigurationUtils\$ElementTagProcessorWrapper.process(ProcessorConfigurationUtils.java:633) at
org.thymeleaf.engine.ProcessorTemplateHandler.handleOpenElement(ProcessorTemplateHandler.java:1314) at
org.thymeleaf.engine.TemplateHandlerAdapterMarkupHandler.handleOpenElementEnd(TemplateHandlerAdapterMarkupHandler.java:304) at
org.thymeleaf.templateparser.markup.InlinedOutputExpressionMarkupHandler\$InlineMarkupAdapterPreProcessorHandler.handleOpenElementEnd(InlinedOutputExpressionMarkupHandler.java:278) at
org.thymeleaf.standard.inline.OutputExpressionInlinePreProcessorHandler.handleOpenElementEnd(OutputExpressionInlinePreProcessorHandler.java:186) at
org.thymeleaf.templateparser.markup.InlinedOutputExpressionMarkupHandler.handleOpenElementEnd(InlinedOutputExpressionMarkupHandler.java:124) at
org.attoparser.HtmlElement.handleOpenElementEnd(HtmlElement.java:109) at
org.attoparser.HtmlMarkupHandler.handleOpenElementEnd(HtmlMarkupHandler.java:297) at
org.attoparser.MarkupEventProcessorHandler.handleOpenElementEnd(MarkupEventProcessorHandler.java:402) at org.attoparser.ParsingElementMarkupUtil.parseOpenElement(ParsingElementMarkupUtil.java:159)
at org.attoparser.MarkupParser.parseBuffer(MarkupParser.java:710) at
org.attoparser.MarkupParser.parseDocument(MarkupParser.java:301) ... 43 common frames omitted
Caused by: org.springframework.expression.spel.SpelEvaluationException: EL1007E: Property or field 'id' cannot be found on null at
org.springframework.expression.spel.ast.PropertyOrFieldReference.readProperty(PropertyOrFieldReference.java:213) at
org.springframework.expression.spel.ast.PropertyOrFieldReference.getValueInternal(PropertyOrFieldReference.java:104) at
org.springframework.expression.spel.ast.PropertyOrFieldReference.access\$000(PropertyOrFieldReference.java:51) at
org.springframework.expression.spel.ast.PropertyOrFieldReference\$AccessorLValue.getValue(PropertyOrFieldReference.java:406) at
org.springframework.expression.spel.ast.CompoundExpression.getValueInternal(CompoundExpression.java:92) at org.springframework.expression.spel.ast.SpelNodeImpl.getValue(SpelNodeImpl.java:112) at
org.springframework.expression.spel.standard.SpelExpression.getValue(SpelExpression.java:338) at
org.thymeleaf.spring5.expression.SPELVariableExpressionEvaluator.evaluate(SPELVariableExpressionEvaluator.java:265) ... 67 common frames omitted 00:53:30.698 [http-nio-8080-exec-1] DEBUG
org.springframework.web.servlet.DispatcherServlet - Error rendering view
[org.thymeleaf.spring5.view.ThymeleafView@3cc35c1a] org.thymeleaf.exceptions.TemplateInputException:

An error happened during template parsing (template: "ServletContext resource [/WEB-INF/views/board/edit.html]") at
org.thymeleaf.templateparser.markup.AbstractMarkupTemplateParser.parse(AbstractMarkupTemplateParser.java:241) at
org.thymeleaf.templateparser.markup.AbstractMarkupTemplateParser.parseStandalone(AbstractMarkupTemplateParser.java:100) at
org.thymeleaf.engine.TemplateManager.parseAndProcess(TemplateManager.java:666) at
org.thymeleaf.TemplateEngine.process(TemplateEngine.java:1103) at
org.thymeleaf.TemplateEngine.process(TemplateEngine.java:1077) at
org.thymeleaf.spring5.view.ThymeleafView.renderFragment(ThymeleafView.java:372) at
org.thymeleaf.spring5.view.ThymeleafView.render(ThymeleafView.java:192) at
org.springframework.web.servlet.DispatcherServlet.render(DispatcherServlet.java:1405) at
org.springframework.web.servlet.DispatcherServlet.processDispatchResult(DispatcherServlet.java:1149) at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherServlet.java:1088) at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:964) at
org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1006) at
org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet.java:898) at
javax.servlet.http.HttpServlet.service(HttpServlet.java:502) at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:883) at
javax.servlet.http.HttpServlet.service(HttpServlet.java:596) at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:209) at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:153) at
org.springframework.web.filter.CharacterEncodingFilter.doFilterInternal(CharacterEncodingFilter.java:201) at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:117) at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:178) at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:153) at
org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:53) at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:178) at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:153) at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:167) at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:90) at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:492) at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:130) at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:93) at
org.apache.catalina.valves.AbstractAccessLogValve.invoke(AbstractAccessLogValve.java:673) at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:74) at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:343) at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:389) at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:63) at
org.apache.coyote.AbstractProtocol\$ConnectionHandler.process(AbstractProtocol.java:926) at
org.apache.tomcat.util.net.NioEndpoint\$SocketProcessor.doRun(NioEndpoint.java:1791) at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:49) at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1191) at
org.apache.tomcat.util.threads.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:659) at
org.apache.tomcat.util.threads.TaskThread\$WrappingRunnable.run(TaskThread.java:61) at
java.base/java.lang.Thread.run(Thread.java:829) Caused by: org.attoparser.ParseException: Exception

evaluating SpringEL expression: "board.id" (template: "board/edit" - line 11, col 19) at
org.attoparser.MarkupParser.parseDocument(MarkupParser.java:393) at
org.attoparser.MarkupParser.parse(MarkupParser.java:257) at
org.thymeleaf.templateparser.markup.AbstractMarkupTemplateParser.parse(AbstractMarkupTemplateParser.java:230) ... 41 common frames omitted Caused by:
org.thymeleaf.exceptions.TemplateProcessingException: Exception evaluating SpringEL expression:
"board.id" (template: "board/edit" - line 11, col 19) at
org.thymeleaf.spring5.expression.SPELVariableExpressionEvaluator.evaluate(SPELVariableExpressionEvaluator.java:292) at
org.thymeleaf.standard.expression.VariableExpression.executeVariableExpression(VariableExpression.java:166) at org.thymeleaf.standard.expression.SimpleExpression.executeSimple(SimpleExpression.java:66) at
org.thymeleaf.standard.expression.Expression.execute(Expression.java:109) at
org.thymeleaf.standard.expression.Expression.execute(Expression.java:138) at
org.thymeleaf.standard.expression.LinkExpression.resolveParameters(LinkExpression.java:339) at
org.thymeleaf.standard.expression.LinkExpression.executeLinkExpression(LinkExpression.java:285) at
org.thymeleaf.standard.expression.SimpleExpression.executeSimple(SimpleExpression.java:85) at
org.thymeleaf.standard.expression.Expression.execute(Expression.java:109) at
org.thymeleaf.standard.expression.Expression.execute(Expression.java:138) at
org.thymeleaf.standard.processor.AbstractStandardExpressionAttributeTagProcessor.doProcess(AbstractStandardExpressionAttributeTagProcessor.java:144) at
org.thymeleaf.processor.element.AbstractAttributeTagProcessor.doProcess(AbstractAttributeTagProcessor.java:74) at
org.thymeleaf.processor.element.AbstractElementTagProcessor.process(AbstractElementTagProcessor.java:95) at
org.thymeleaf.util.ProcessorConfigurationUtils\$ElementTagProcessorWrapper.process(ProcessorConfigurationUtils.java:633) at
org.thymeleaf.engine.ProcessorTemplateHandler.handleOpenElement(ProcessorTemplateHandler.java:1314) at
org.thymeleaf.engine.TemplateHandlerAdapterMarkupHandler.handleOpenElementEnd(TemplateHandlerAdapterMarkupHandler.java:304) at
org.thymeleaf.templateparser.markup.InlinedOutputExpressionMarkupHandler\$InlineMarkupAdapterPreProcessorHandler.handleOpenElementEnd(InlinedOutputExpressionMarkupHandler.java:278) at
org.thymeleaf.standard.inline.OutputExpressionInlinePreProcessorHandler.handleOpenElementEnd(OutputExpressionInlinePreProcessorHandler.java:186) at
org.thymeleaf.templateparser.markup.InlinedOutputExpressionMarkupHandler.handleOpenElementEnd(InlinedOutputExpressionMarkupHandler.java:124) at
org.attoparser.HtmlElement.handleOpenElementEnd(HtmlElement.java:109) at
org.attoparser.HtmlMarkupHandler.handleOpenElementEnd(HtmlMarkupHandler.java:297) at
org.attoparser.MarkupEventProcessorHandler.handleOpenElementEnd(MarkupEventProcessorHandler.java:402) at org.attoparser.ParsingElementMarkupUtil.parseOpenElement(ParsingElementMarkupUtil.java:159) at
org.attoparser.MarkupParser.parseBuffer(MarkupParser.java:710) at
org.attoparser.MarkupParser.parseDocument(MarkupParser.java:301) ... 43 common frames omitted
Caused by: org.springframework.expression.spel.SpelEvaluationException: EL1007E: Property or field 'id' cannot be found on null at
org.springframework.expression.spel.ast.PropertyOrFieldReference.readProperty(PropertyOrFieldReference.java:213) at

```
org.springframework.expression.spel.ast.PropertyOrFieldReference.getValueInternal(PropertyOrFieldReference.java:104) at
org.springframework.expression.spel.ast.PropertyOrFieldReference.access$000(PropertyOrFieldReference.java:51) at
org.springframework.expression.spel.ast.PropertyOrFieldReference$AccessorLValue.getValue(PropertyOrFieldReference.java:406) at
org.springframework.expression.spel.ast.CompoundExpression.getValueInternal(CompoundExpression.java:92) at org.springframework.expression.spel.ast.SpelNodeImpl.getValue(SpelNodeImpl.java:112) at
org.springframework.expression.spel.standard.SpelExpression.getValue(SpelExpression.java:338) at
org.thymeleaf.spring5.expression.SPELVariableExpressionEvaluator.evaluate(SPELVariableExpressionEvaluator.java:265) ... 67 common frames omitted 00:53:30.698 [http-nio-8080-exec-1] DEBUG
org.springframework.web.servlet.DispatcherServlet - Failed to complete request:
org.thymeleaf.exceptions.TemplateInputException: An error happened during template parsing (template:
"ServletContext resource [/WEB-INF/views/board/edit.html])"
```