


ranao_moto_db ecu_tuning
tuning_id : int(10) unsigned
sale_detail_id : int(10) unsigned
motorcycle_id : int(10) unsigned
user_id : int(10) unsigned
tuning_date : datetime
ecu_type : varchar(100)
ecu_before : text
ecu_after : text
tuning_status : enum('pending','in_progress','completed','cancelled')
ranao_moto_db roles
role_id : int(10) unsigned
role_name : varchar(50)
description : varchar(255)
status : enum('active','inactive')
ranao_moto_db categories
category_id : int(10) unsigned
category_name : varchar(100)
description : varchar(255)
status : enum('active','inactive')
ranao_moto_db users
user_id : int(10) unsigned
role_id : int(10) unsigned
username : varchar(50)
password : varchar(255)
first_name : varchar(100)
last_name : varchar(100)
status : enum('active','inactive')
created_at : timestamp
updated_at : timestamp
ranao_moto_db services
service_id : int(10) unsigned
category_id : int(10) unsigned
service_name : varchar(150)
service_price : decimal(10,2)
description : varchar(255)
status : enum('active','inactive')
ranao_moto_db activity_logs
log_id : int(10) unsigned
user_id : int(10) unsigned
action : varchar(100)
module : varchar(100)
description : text
ip_address : varchar(45)
created_at : timestamp
ranao_moto_db notifications
notification_id : int(10) unsigned
user_id : int(10) unsigned
notification_type : varchar(50)
message : text
created_at : timestamp


ranao_moto_db motorcycles
motorcycle_id : int(10) unsigned
customer_id : int(10) unsigned
plate_number : varchar(20)
motorcycle_brand_id : int(10) unsigned
color : varchar(50)
status : enum('active','inactive')
created_at : timestamp
ranao_moto_db motorcycle_brand
motorcycle_brand_id : int(10) unsigned
model : varchar(100)
year : year(4)
ranao_moto_db address
address_id : int(10) unsigned
barangay : varchar(100)
ranao_moto_db purchase_details
purchase_detail_id : int(10) unsigned
purchase_id : int(10) unsigned
quantity : int(10) unsigned
unit_cost : decimal(10,2)
subtotal : decimal(12,2)
ranao_moto_db sale_details
sale_detail_id : int(10) unsigned
sale_id : int(10) unsigned
service_id : int(10) unsigned
motorcycle_id : int(10) unsigned
quantity : int(10) unsigned
unit_price : decimal(10,2)
subtotal : decimal(12,2)
ranao_moto_db purchases
purchase_id : int(10) unsigned
user_id : int(10) unsigned
purchase_date : datetime
reference_number : varchar(50)
total_amount : decimal(12,2)
status : enum('pending','received','cancelled')
created_at : timestamp
updated_at : timestamp
ranao_moto_db customers
customer_id : int(10) unsigned
customer_name : varchar(150)
contact_number : varchar(20)
address_id : int(10) unsigned
status : enum('active','inactive')
created_at : timestamp
updated_at : timestamp
ranao_moto_db payments
payment_id : int(10) unsigned
sale_id : int(10) unsigned
purchase_id : int(10) unsigned
payment_method_id : int(10) unsigned
received_by : int(10) unsigned
amount_paid : decimal(12,2)
reference_number : varchar(50)
payment_status : enum('pending','paid','failed','refunded')
payment_date : datetime
ranao_moto_db sales
sale_id : int(10) unsigned
user_id : int(10) unsigned
customer_id : int(10) unsigned
sale_date : datetime
total_amount : decimal(12,2)
status : enum('pending','completed','cancelled')
created_at : timestamp
updated_at : timestamp
ranao_moto_db payment_method
payment_method_id : int(10) unsigned
method_name : varchar(50)
description : varchar(255)
status : enum('active','inactive')