

# Tools Seminar

## Week 4 - L<sup>A</sup>T<sub>E</sub>X Configuration & Usage\*

Hongzheng Chen

Dec 6, 2019

---

\*This slide is based on pppppass's [ToolsSeminar](#) in PKU 

- 1 Introduction
  - T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X
  - Basic Concepts
- 2 Basic Typesetting
  - Text Mode
  - Math Mode
- 3 Further Topics

1

# Introduction

# What is T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X?

- 1 T<sub>E</sub>X is a typesetting system originally designed by Donald Knuth. (*The Art of Computer Programming*)
- 2 L<sup>A</sup>T<sub>E</sub>X is a typesetting system based on T<sub>E</sub>X designed originally designed by Leslie Lamport.
- 3 Basic idea of T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X: “What you think is what you get”, distinguished from “What you see is what you get” (WYSIWYG)
- 4 Programming mechanism of T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X is based on macros.

# Why to Use L<sup>A</sup>T<sub>E</sub>X?

- 1 Beautiful and elegant layout and fonts

# Why to Use L<sup>A</sup>T<sub>E</sub>X?

- 1 Beautiful and elegant layout and fonts
- 2 Full and explicit control of details

# Why to Use L<sup>A</sup>T<sub>E</sub>X?

- 1 Beautiful and elegant layout and fonts
- 2 Full and explicit control of details
- 3 Very easy to handle structured materials  
e.g. papers, books, notes, experimental reports

# Why to Use L<sup>A</sup>T<sub>E</sub>X?

- 1 Beautiful and elegant layout and fonts
- 2 Full and explicit control of details
- 3 Very easy to handle structured materials  
e.g. papers, books, notes, experimental reports
- 4 De facto standard for mathematics, physics and computer science



# Why to Use L<sup>A</sup>T<sub>E</sub>X?

- 1 Beautiful and elegant layout and fonts
- 2 Full and explicit control of details
- 3 Very easy to handle structured materials  
e.g. papers, books, notes, experimental reports
- 4 De facto standard for mathematics, physics and computer science
- 5 Widely used math modes for mathematical formulas  
e.g. Markdown, websites and even daily communication

# Why to Use L<sup>A</sup>T<sub>E</sub>X?

- 1 Beautiful and elegant layout and fonts
- 2 Full and explicit control of details
- 3 Very easy to handle structured materials  
e.g. papers, books, notes, experimental reports
- 4 De facto standard for mathematics, physics and computer science
- 5 Widely used math modes for mathematical formulas  
e.g. Markdown, websites and even daily communication
- 6 A great number of packages, and an activate community

# Why to Use L<sup>A</sup>T<sub>E</sub>X?

- 1 Beautiful and elegant layout and fonts
- 2 Full and explicit control of details
- 3 Very easy to handle structured materials  
e.g. papers, books, notes, experimental reports
- 4 De facto standard for mathematics, physics and computer science
- 5 Widely used math modes for mathematical formulas  
e.g. Markdown, websites and even daily communication
- 6 A great number of packages, and an activate community

# Why to Use L<sup>A</sup>T<sub>E</sub>X?

- 1 Beautiful and elegant layout and fonts
- 2 Full and explicit control of details
- 3 Very easy to handle structured materials  
e.g. papers, books, notes, experimental reports
- 4 De facto standard for mathematics, physics and computer science
- 5 Widely used math modes for mathematical formulas  
e.g. Markdown, websites and even daily communication
- 6 A great number of packages, and an activate community

When not to use L<sup>A</sup>T<sub>E</sub>X: the material is highly unstructured

# T<sub>E</sub>X & L<sup>A</sup>T<sub>E</sub>X Engines

- [TeXLive](#) (cross-platform), [MacTeX](#) (Mac OSX), MikTeX (Windows)
- [CTeX](#) (Chinese)
- [Overleaf](#) / shareLaTeX (online)

# Basic Structure of a Document

- ① Command `\documentclass{...}`: `article`, `ctexart` and `beamer`
- ② Preamble: definitions and `\usepackage{...}`s
- ③ Top matters: `\title{...}`, `\author{...}` and `\date{...}`
- ④ Begin a document environment: `\begin{document}`
- ⑤ Section: `\section{...}`, `\subsection{...}` and so on
- ⑥ Paragraphs separated by a single blank line
- ⑦ End a document environment: `\end{document}`

\* Demo

2

# Basic Typesetting

# Text Formatting

- ❶ Comments: `%`
- ❷ Special characters: `\&`, `\_`
- ❸ Whitespace: `,`, `\`, `\!`, `\hspace{...}`  
Use *two* blank lines to initiate a new paragraph (newline only adds one whitespace for English)
- ❹ Paragraphs: `\\` (no indent), `\par` (indent), and two blank lines (indent)
- ❺ Orthogonal coordinates of fonts:  
English: `\textbf{...}`, `\textrm{...}`, `\textit{...}`  
Chinese: `\kaishu`, `\heiti`
- ❻ Emphasize: `\emph{...}`
- ❼ Font size: `\tiny`, `\small`, `\large`, `\Large`, `\LARGE`
- ❽ Align: `\centering`, `\raggedright`



# Basic Environments

```
\begin{environment_name}...\end{environment_name}
```

- ① Quotes: `quote`
- ② Lists: `enumerate`, `itemize` and package `enumitem`
- ③ Theorems: `\newtheorem` and package `ntheorem`
- ④ Verbatim: `\verb'...'`
- ⑤ Program lists: `lstlisting` and package `listings` / `minted`

# Mathematical Symbols

Use  $\$$  for inline formulas, and  $\backslash[\backslash]$  for displayed ones

- ① Types: normal texts, operators, binary operators, relations accents
- ② Fonts:  $\backslashmathrm{\dots}$ ,  $\backslashmathbf{\dots}$
- ③ Normal symbols:  $\backslashexists$ ,  $\backslashforall$
- ④ Operators:  $\backslashlog$ ,  $\backslashsin$
- ⑤ Binary operators:  $+$ ,  $\backslashsetminus$ ,  $\backslashotimes$
- ⑥ Relations:  $\backslashle$ ,  $\backslashequiv$ ,  $\backslashapprox$
- ⑦ Whitespace:  $\backslash,$ ,  $\backslash!$   
frequently used:  $\backslashmathop{\backslashmathrm{d}}\backslash!$  x

Function lists: <https://katex.org/docs/supported.html>

# Formula Structures

- ① Subscript and superscript: `_` and `^`
- ② Fraction and binominals: `\frac{...}{...}`, `\binom{...}{...}`
- ③ Roots and radicals: `\sqrt{...}`
- ④ Huge operators: `\sum`, `\product`, `\bigoplus`
- ⑤ Delimiters: `\left`, `\right`, and brackets like `\lfloor`
- ⑥ Matrices: environment `matrix`, `bmatrix` and package `amsmath`

# Mathematical Environments

- ① Basic equations: environment `equation`
- ② Matrices: environment `matrix`, `bmatrix`
- ③ If-cases: environment `cases`
- ④ Gathered equations: environment `gather`
- ⑤ Aligned equations: environment `align`
- ⑥ Formulas in formulas: environment `split`, `gathered` and `aligned`

3

## Further Topics

# Bibliography

- ① BibTeX
- ② Footnote: `\footnote{...}`
- ③ Cite: `\cite{...}`
- ④ Display: `\bibliography{...}`

# Floats

- ① Environment figure
- ② Environment table
- ③ Package graphicx
- ④ [htbp], package float and [H]

# Tables

- ① Environment `tabular` and `array`
- ② Column formats: e.g. `|c|rrrlr|`
- ③ Align: `&` and `\`
- ④ Row lines: `\hline`



# Other Useful Packages

- ① Layout: `geometry`
- ② Longer table: `longtable`
- ③ Algorithms: `algorithm2e` or `algorithm`
- ④ Hyper-links: `hyperref`
- ⑤ Include .pdf files: `pdfpages`

# Other Useful Things

- Markdown  $\times$   $\text{\LaTeX}$ (Web support)
  - KaTeX
  - MathJax
- VS Code  $\times$   $\text{\LaTeX}$ 
  - Make sure you have installed TeXLive first
  - LaTeX Workshop Extension